

VAERS_ID, SYMPTOM1, SYMPTOMVERSION1, SYMPTOM2, SYMPTOMVERSION2, SYMPTOM3, SYMPTOMVERSION3, SYMPTOM4, SYMPTOMVERSION4, SYMPTOM5, SYMPTOMVERSION5
855017, Arthralgia, 22.10, Chills, 22.10, Injection site pain, 22.10, Pyrexia, 22.10,,
855018, Chills, 22.10, Fatigue, 22.10, Hypertension, 22.10, Hypoaesthesia, 22.10, Injected limb mobility decreased, 22.10
855018, Muscular weakness, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10, Tremor, 22.10, Vertigo, 22.10
855019, Pain, 22.10, Pruritus, 22.10, Rash, 22.10,,,,
855020, Chills, 22.10, Influenza like illness, 22.10, Myalgia, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10
855021, Chills, 22.10, Dizziness, 22.10, Nausea, 22.10, Palpitations, 22.10,,
855022, Erythema, 22.10, Pain, 22.10, Pruritus, 22.10,,,,
855023, Arthralgia, 22.10, Asthenia, 22.10, Bedridden, 22.10, Chills, 22.10, Headache, 22.10
855023, Influenza like illness, 22.10, Pyrexia, 22.10, Respiratory tract congestion, 22.10,,,,
855024, Chills, 22.10, Dyskinesia, 22.10,,,,,
855025, Arthralgia, 22.10, Chills, 22.10, Diarrhoea, 22.10, Fatigue, 22.10, Hyperhidrosis, 22.10
855025, Injection site pain, 22.10, Myalgia, 22.10, Nausea, 22.10, Neck pain, 22.10, Pain of skin, 22.10
855026, Blood test normal, 22.10, Computerised tomogram head normal, 22.10, Computerised tomogram thorax normal, 22.10, Electrocardiogram normal, 22.10, Facial bones fracture, 22.10
855026, Groin pain, 22.10, Magnetic resonance imaging abnormal, 22.10, Nausea, 22.10, Pelvic fracture, 22.10, Stress fracture, 22.10
855026, Syncope, 22.10,,,,,
855027, Discomfort, 22.10, Injection site pain, 22.10, Injection site scar, 22.10, Injection site vesicles, 22.10,,
855028, Chills, 22.10, Feeling cold, 22.10, Pain in extremity, 22.10,,,,
855029, Injection site pain, 22.10, Malaise, 22.10, Musculoskeletal pain, 22.10, Neck pain, 22.10, Pain in extremity, 22.10
855030, Chills, 22.10, Dizziness, 22.10, Hyperhidrosis, 22.10, Hypersomnia, 22.10, Pyrexia, 22.10
855030, Syncope, 22.10, Vomiting, 22.10,,,,,
855032, Injected limb mobility decreased, 22.10, Injection site pain, 22.10,,,,,
855033, Anxiety, 22.10, Arthralgia, 22.10, Blood thyroid stimulating hormone normal, 22.10, Cardiac flutter, 22.10, Cardiac monitoring normal, 22.10
855033, Chest X-ray normal, 22.10, Decreased appetite, 22.10, Dizziness, 22.10, Dyspnoea, 22.10, Electromyogram normal, 22.10
855033, Fatigue, 22.10, Fibrin D dimer normal, 22.10, Fibromyalgia, 22.10, Food allergy, 22.10, Full blood count normal, 22.10
855033, Headache, 22.10, Myalgia, 22.10, Nausea, 22.10, Neuropathy peripheral, 22.10, Postural orthostatic tachycardia syndrome, 22.10
855033, Ultrasound scan normal, 22.10, Vitamin B12 normal, 22.10,,,,,
855034, Diarrhoea, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Pain, 22.10, Pain in extremity, 22.10

855035,Injected limb mobility decreased,22.10,Injection site erythema,
22.10,Injection site induration,22.10,Injection site pain,
22.10,Injection site swelling,22.10
855035,Injection site warmth,22.10,Pyrexia,22.10,,,,,
855036,Nausea,22.10,Rash,22.10,,,,,
855037,No adverse event,22.10,Wrong product administered,22.10,,,,,
855038,Asthenia,22.10,Fatigue,22.10,Injection site pain,22.10,Pain,
22.10,Pain in extremity,22.10
855038,Pyrexia,22.10,,,,,
855039,Aphthous ulcer,22.10,Discomfort,22.10,Oral pain,22.10,,,,,
855040,Chills,22.10,Injection site erythema,22.10,Injection site pain,
22.10,Lethargy,22.10,Myalgia,22.10
855040,Pyrexia,22.10,,,,,
855051,No adverse event,22.10,Product storage error,22.10,,,,,
855052,Circumstance or information capable of leading to medication
error,22.10,Product administered to patient of inappropriate age,
22.10,Product dose omission,22.10,,,,,
855054,Diarrhoea,22.10,Muscular weakness,22.10,Pyrexia,22.10,Vomiting,
22.10,,
855055,Chills,22.10,Malaise,22.10,Pain,22.10,,,,,
855056,Chills,22.10,Fatigue,22.10,Headache,22.10,,,,,
855057,Myalgia,22.10,,,,,
855058,Abdominal discomfort,22.10,Pain,22.10,,,,,
855059,Adverse event,22.10,,,,,
855060,Herpes zoster,22.10,,,,,
855061,Blister,22.10,Herpes zoster,22.10,Nausea,22.10,,,,,
855062,Injection site erythema,22.10,Injection site swelling,
22.10,,,,,
855063,Influenza like illness,22.10,,,,,
855064,Herpes zoster,22.10,,,,,
855065,Erythema multiforme,22.10,Rash papular,22.10,Vaccine positive
rechallenge,22.10,,,,,
855066,Biopsy skin abnormal,22.10,Drug hypersensitivity,22.10,Rash
morbilliform,22.10,Rash pruritic,22.10,Rash vesicular,22.10
855067,Syringe issue,22.10,Underdose,22.10,,,,,
855068,Expired product administered,22.10,Injection site warmth,
22.10,,,,,
855069,Adverse event,22.10,Inappropriate schedule of product
administration,22.10,Influenza,22.10,Pain,22.10,Product administered
at inappropriate site,22.10
855070,Haematoma,22.10,Injection site discolouration,22.10,Injection
site pain,22.10,Injection site swelling,22.10,Skin discolouration,
22.10
855071,Chills,22.10,Dyspnoea,22.10,,,,,
855072,Product administered to patient of inappropriate age,
22.10,,,,,
855073,Herpes zoster,22.10,Laboratory test abnormal,22.10,,,,,
855074,HLA-B*27 positive,22.10,Nonspecific reaction,22.10,Rash,
22.10,,,,,
855090,Herpes zoster,22.10,Post herpetic neuralgia,22.10,,,,,

855091,Blindness unilateral,22.10,Retinal artery occlusion,22.10,,,,,
855092,Maternal exposure during breast feeding,22.10,No adverse event,
22.10,,,,,
855093,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
855094,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
855095,Erythema,22.10,,,,,
855096,Back pain,22.10,,,,,
855097,Back pain,22.10,Gait inability,22.10,,,,,
855098,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,
855099,Fatigue,22.10,Injection site erythema,22.10,Injection site
pain,22.10,Injection site pruritus,22.10,Injection site vesicles,22.10
855099,Nausea,22.10,,,,,
855100,Herpes zoster,22.10,,,,,
855101,Immediate post-injection reaction,22.10,Injected limb mobility
decreased,22.10,Injection site pain,22.10,Musculoskeletal pain,
22.10,Product administered at inappropriate site,22.10
855102,Influenza,22.10,Influenza B virus test positive,22.10,,,,,
855103,Feeling abnormal,22.10,Influenza like illness,22.10,Loss of
personal independence in daily activities,22.10,Malaise,22.10,,
855104,Feeling abnormal,22.10,Influenza like illness,22.10,Injection
site pain,22.10,Knee arthroplasty,22.10,,
855105,Injection site erythema,22.10,Injection site joint pain,
22.10,Injection site pain,22.10,Injection site swelling,22.10,Malaise,
22.10
855105,Pyrexia,22.10,,,,,
855106,Injected limb mobility decreased,22.10,Injection site pain,
22.10,Pain,22.10,Ultrasound scan normal,22.10,,
855107,Accidental exposure to product,22.10,Accidental underdose,
22.10,Exposure via skin contact,22.10,Injection site extravasation,
22.10,Wrong technique in product usage process,22.10
855108,Dyspepsia,22.10,Fatigue,22.10,Headache,22.10,Nausea,22.10,Pain,
22.10
855108,Pyrexia,22.10,,,,,
855109,Magnetic resonance imaging,22.10,Mobility decreased,22.10,Neck
pain,22.10,Neuralgic amyotrophy,22.10,Pain,22.10
855110,Injection site erythema,22.10,,,,,
855113,Asthenia,22.10,Condition aggravated,22.10,Lyme disease,
22.10,Mobility decreased,22.10,,
855114,Pyrexia,22.10,Rash,22.10,Rash maculo-papular,22.10,,,
855115,Herpes zoster,22.10,,,,,
855116,Chills,22.10,Headache,22.10,Pain,22.10,Pyrexia,22.10,,
855118,Interchange of vaccine products,22.10,,,,,
855119,Herpes zoster,22.10,,,,,
855120,Blister,22.10,Herpes zoster,22.10,Oral herpes,22.10,Product
supply issue,22.10,Vaccination failure,22.10
855121,Chills,22.10,Erythema,22.10,Fatigue,22.10,Hypersensitivity,
22.10,Influenza like illness,22.10

855121, Malaise, 22.10, Nausea, 22.10, Neuralgia, 22.10, Pain, 22.10, Pain in extremity, 22.10
855121, Peripheral swelling, 22.10, Pyrexia, 22.10, Tinea capitis, 22.10, , , ,
855123, Erythema, 22.10, Incorrect route of product administration, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Peripheral swelling, 22.10
855124, Fatigue, 22.10, Headache, 22.10, Insomnia, 22.10, Loss of personal independence in daily activities, 22.10, Pain, 22.10
855124, Pain in extremity, 22.10, , , , , , , ,
855125, Back pain, 23.00, Diarrhoea, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site rash, 23.00
855125, Nausea, 23.00, Neck pain, 23.00, , , , , , ,
855126, Discomfort, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Myalgia, 22.10, Pain, 22.10
855126, Pain in extremity, 22.10, , , , , , , ,
855127, Musculoskeletal pain, 22.10, Pain in extremity, 22.10, , , , , , ,
855131, Headache, 22.10, Nausea, 22.10, , , , , , , ,
855132, Feeling abnormal, 22.10, "Hallucination, visual", 22.10, Migraine, 22.10, Neurological examination normal, 22.10, ,
855133, Injection site pruritus, 22.10, Pruritus, 22.10, , , , , , , ,
855143, No adverse event, 22.10, Product storage error, 22.10, , , , , , , ,
855145, Pain in extremity, 22.10, Paraesthesia, 22.10, , , , , , , ,
855146, Injected limb mobility decreased, 22.10, Pain in extremity, 22.10, , , , , , , ,
855147, Cough, 22.10, Dyspnoea, 22.10, Dysstasia, 22.10, Loss of consciousness, 22.10, ,
855148, Pain in extremity, 22.10, , , , , , , ,
855149, Dyspnoea, 22.10, Erythema, 22.10, Hyperhidrosis, 22.10, Lip swelling, 22.10, Swollen tongue, 22.10
855150, Eye swelling, 22.10, Headache, 22.10, , , , , , , ,
855151, Angioedema, 22.10, Dyspnoea, 22.10, Enlarged uvula, 22.10, Pharyngeal swelling, 22.10, Swollen tongue, 22.10
855151, Tonsillar hypertrophy, 22.10, , , , , , , ,
855152, Headache, 22.10, Loss of consciousness, 22.10, Muscle spasms, 22.10, Pain, 22.10, Somnolence, 22.10
855157, Purpura, 22.10, , , , , , , ,
855158, Injected limb mobility decreased, 22.10, Musculoskeletal stiffness, 22.10, Pain in extremity, 22.10, , , , ,
855159, Back pain, 22.10, Blood heavy metal normal, 22.10, Decreased appetite, 22.10, Fatigue, 22.10, Hypoaesthesia, 22.10
855159, Malaise, 22.10, Motor dysfunction, 22.10, Musculoskeletal pain, 22.10, Pain in jaw, 22.10, Paraesthesia, 22.10
855159, Spinal pain, 22.10, , , , , , , ,
855160, Feeling abnormal, 22.10, Presyncope, 22.10, Seizure, 22.10, Syncope, 22.10, ,
855161, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site streaking, 22.10, Injection site warmth, 22.10, ,
855162, Drooling, 22.10, Hypoaesthesia, 22.10, , , , , , , ,
855163, Injection site pain, 22.10, Pain, 22.10, , , , , , , ,
855165, Discomfort, 23.00, Injection site pain, 23.00, Neuralgia, 23.00, , , , ,

855167, Incorrect route of product administration, 22.10, No adverse event, 22.10, Product storage error, 22.10, , , , ,
855168, No adverse event, 22.10, Product storage error, 22.10, , , , , ,
855170, Injection site erythema, 22.10, Injection site mass, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10
855171, Diarrhoea, 22.10, Fatigue, 22.10, Headache, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10
855172, Asthenia, 22.10, Back pain, 22.10, Chest X-ray, 22.10, Computerised tomogram, 22.10, Dysphagia, 22.10
855172, Hypertension, 22.10, Magnetic resonance imaging, 22.10, Pain, 22.10, Pain in extremity, 22.10, ,
855173, Asthenia, 22.10, Chills, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10
855173, Nausea, 22.10, Pyrexia, 22.10, , , , , ,
855174, Influenza like illness, 22.10, Pain, 22.10, , , , , ,
855175, Arthralgia, 22.10, Back pain, 22.10, Gait disturbance, 22.10, Groin pain, 22.10, Joint noise, 22.10
855175, Pain in extremity, 22.10, , , , , , ,
855176, Injection site erythema, 22.10, , , , , , ,
855177, Erythema, 22.10, Skin warm, 22.10, , , , , ,
855178, Abdominal pain, 22.10, Appendectomy, 22.10, Henoch-Schonlein purpura, 22.10, Rash, 22.10, Vomiting, 22.10
855179, Chills, 22.10, Fatigue, 22.10, Pain, 22.10, Pyrexia, 22.10, ,
855180, Headache, 22.10, Injection site erythema, 22.10, Injection site inflammation, 22.10, Injection site pain, 22.10, Injection site warmth, 22.10
855180, Malaise, 22.10, Pyrexia, 22.10, , , , , ,
855181, Dizziness, 22.10, Eye movement disorder, 22.10, Loss of consciousness, 22.10, Syncope, 22.10, Unresponsive to stimuli, 22.10
855182, Asthenia, 22.10, Fatigue, 22.10, Headache, 22.10, Injection site erythema, 22.10, Injection site rash, 22.10
855182, Pyrexia, 22.10, , , , , , ,
855183, Dizziness, 22.10, Inflammation, 22.10, Injected limb mobility decreased, 22.10, Loss of consciousness, 22.10, Malaise, 22.10
855183, Pain in extremity, 22.10, Pyrexia, 22.10, Tremor, 22.10, Vomiting, 22.10, Walking aid user, 22.10
855184, Herpes zoster, 22.10, Neuralgia, 22.10, Pruritus, 22.10, Rash, 22.10, Skin discolouration, 22.10
855184, Skin ulcer, 22.10, , , , , , ,
855185, Arthralgia, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10, Skin warm, 22.10, ,
855186, Joint range of motion decreased, 22.10, Magnetic resonance imaging joint, 22.10, Magnetic resonance imaging normal, 22.10, Mobility decreased, 22.10, Musculoskeletal pain, 22.10
855187, Loss of consciousness, 22.10, , , , , , ,
855188, Electromyogram normal, 22.10, Hypoaesthesia, 22.10, Injected limb mobility decreased, 22.10, Winged scapula, 22.10, ,
855189, Injection site pain, 22.10, Tendonitis, 22.10, X-ray normal, 22.10, , , ,

855190,Headache,22.10,Hyperhidrosis,22.10,Injection site pain,
22.10,Musculoskeletal pain,22.10,Nausea,22.10
855190,Pain,22.10,,,,,
855191,Chills,22.10,Influenza like illness,22.10,Nausea,22.10,,,,,
855192,Abdominal pain upper,22.10,Chills,22.10,Headache,
22.10,Injection site erythema,22.10,Injection site infection,22.10
855192,Injection site pain,22.10,Injection site swelling,
22.10,Injection site warmth,22.10,Nausea,22.10,Pyrexia,22.10
855192,Tremor,22.10,,,,,
855201,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,Wrong product administered,22.10,,,,,
855202,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
855203,Herpes zoster,22.10,,,,,
855204,Demyelination,22.10,Hypoaesthesia,22.10,Myelitis transverse,
22.10,Neuropathy peripheral,22.10,Paraesthesia,22.10
855204,Poliomyelitis,22.10,,,,,
855211,No adverse event,22.10,Product storage error,22.10,,,,,
855212,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,
855214,Burning sensation,22.10,Computerised tomogram,22.10,Herpes
zoster,22.10,Incomplete course of vaccination,22.10,Nodule,22.10
855214,Pruritus,22.10,,,,,
855215,Hypersensitivity,22.10,Rash erythematous,22.10,Rash pruritic,
22.10,,,,,
855216,Adverse drug reaction,22.10,Brain injury,22.10,Impaired driving
ability,22.10,Loss of personal independence in daily activities,
22.10,Speech disorder,22.10
855217,Chest discomfort,22.10,Nausea,22.10,,,,,
855218,Fatigue,22.10,Headache,22.10,Loss of personal independence in
daily activities,22.10,Pain,22.10,,
855221,Rash,22.10,,,,,
855222,Nerve injury,22.10,,,,,
855225,Arthralgia,22.10,Injection site pain,22.10,,,,,
855226,Chemotherapy,22.10,Diffuse large B-cell lymphoma,22.10,Non-
Hodgkin's lymphoma,22.10,,,,,
855227,Contusion,22.10,Dry skin,22.10,Erythema,22.10,Feeling hot,
22.10,Insomnia,22.10
855227,Pruritus,22.10,Scratch,22.10,Skin ulcer,22.10,,,,,
855228,Extra dose administered,22.10,,,,,
855229,Dizziness,22.10,Fall,22.10,Gait disturbance,22.10,Loss of
consciousness,22.10,,
855230,Blood lactic acid increased,22.10,Blood sodium decreased,
22.10,Injection site cellulitis,22.10,Injection site erythema,
22.10,Injection site induration,22.10
855230,Injection site pain,22.10,Injection site warmth,22.10,Pyrexia,
22.10,Sepsis,22.10,Tachycardia,22.10
855230,White blood cell count increased,22.10,,,,,
855231,Asthenia,22.10,Injection site joint pain,22.10,Injection site
pain,22.10,Middle insomnia,22.10,Sleep disorder,22.10

855232, Arthralgia, 22.10, Injection site pain, 22.10, Pain, 22.10, Pain in extremity, 22.10,,
855243, Antibody test negative, 22.10, Product storage error, 22.10,,,,,,
855244, Malaise, 22.10,,,,,,
855245, Product storage error, 22.10,,,,,,
855246, Hepatitis A antibody negative, 22.10, Hepatitis B surface antigen positive, 22.10,,,,,
855247, Asthenia, 22.10, Back pain, 22.10, Blood test normal, 22.10, Erythema, 22.10, Fatigue, 22.10
855247, Full blood count normal, 22.10, Metabolic function test normal, 22.10, Muscular weakness, 22.10, Neck pain, 22.10, Peripheral swelling, 22.10
855247, Pruritus, 22.10,,,,,,
855248, Pain, 22.10, Screaming, 22.10, Vomiting, 22.10,,,,
855249, Unevaluable event, 22.10,,,,,,
855250, Injection site erythema, 22.10, Injection site induration, 22.10, Injection site swelling, 22.10,,,,
855251, Fatigue, 22.10, Impaired work ability, 22.10, Injection site pain, 22.10, Insomnia, 22.10, Loss of personal independence in daily activities, 22.10
855251, Magnetic resonance imaging, 22.10, Pain, 22.10, Product administered at inappropriate site, 22.10, Weight bearing difficulty, 22.10, X-ray, 22.10
855252, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10,,
855253, Arthralgia, 22.10, Groin pain, 22.10, Pain, 22.10, Tenderness, 22.10, Urine analysis, 22.10
855254, Adverse reaction, 23.00, Cellulitis, 23.00, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
855254, Ultrasound scan normal, 23.00,,,,,,
855255, Headache, 22.10, Hypoacusis, 22.10, Laboratory test, 22.10, Lip swelling, 22.10, Nausea, 22.10
855256, Injection site pain, 22.10, Muscle spasms, 22.10, Musculoskeletal pain, 22.10, Paraesthesia, 22.10,,
855257, Erythema, 22.10, Swelling face, 22.10,,,,,
855260, Erythema, 22.10, Headache, 22.10, Incorrect dose administered, 22.10, Nausea, 22.10,,
855261, Erythema, 22.10, Lymphocyte percentage decreased, 22.10, Monocyte count increased, 22.10, Neutrophil count increased, 22.10, Neutrophil percentage increased, 22.10
855261, Pain in extremity, 22.10, Peripheral swelling, 22.10, White blood cell count increased, 22.10,,,,
855262, Anxiety, 22.10, Bedridden, 22.10, Chills, 22.10, Condition aggravated, 22.10, Fatigue, 22.10
855262, Feeling abnormal, 22.10, Headache, 22.10, Insomnia, 22.10, Memory impairment, 22.10, Pyrexia, 22.10
855262, Vomiting, 22.10,,,,,,
855263, Injection site erythema, 22.10, Injection site pruritus, 22.10, Injection site rash, 22.10, Irritability, 22.10,,
855264, Hypersensitivity, 22.10, Scab, 22.10,,,,,

855265,Injection site swelling,22.10,,,,,,,,,
855266,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,,,,,
855267,Bursitis,22.10,Contusion,22.10,Mobility decreased,
22.10,Musculoskeletal pain,22.10,,
855268,No adverse event,22.10,Wrong product administered,22.10,,,,,,,,,
855270,No adverse event,22.10,Product storage error,22.10,,,,,,,,,
855271,Loop electrosurgical excision procedure,22.10,Precancerous
cells present,22.10,,,,,,,,,
855272,Herpes zoster,22.10,Post herpetic neuralgia,22.10,,,,,,,,,
855273,Mobility decreased,22.10,Pain in extremity,22.10,,,,,,,,,
855274,No adverse event,22.10,Wrong product administered,22.10,,,,,,,,,
855275,Migraine,22.10,Paralysis,22.10,,,,,,,,,
855276,Immediate post-injection reaction,22.10,Injected limb mobility
decreased,22.10,Injection site pain,22.10,Pain,22.10,,
855277,Chiropractic,22.10,Hypoaesthesia,22.10,Inflammation,
22.10,Injection site hypoaesthesia,22.10,Injection site pain,22.10
855277,Pain,22.10,Vaccination site pain,22.10,,,,,,,,,
855278,Injection site cellulitis,22.10,Injection site erythema,
22.10,Injection site induration,22.10,Injection site warmth,22.10,,
855279,Loss of consciousness,22.10,Syncope,22.10,Tremor,
22.10,Unresponsive to stimuli,22.10,,
855287,Herpes zoster,22.10,,,,,,,,,
855288,No adverse event,22.10,Product storage error,22.10,,,,,,,,,
855289,Underdose,22.10,,,,,,,,,
855290,Erythema,22.10,Influenza like illness,22.10,Pain,
22.10,Peripheral swelling,22.10,Pustule,22.10
855290,Sensory loss,22.10,Ultrasound scan,22.10,Upper respiratory
tract infection,22.10,,,,,
855291,Injection site erythema,22.10,Injection site swelling,
22.10,,,,,,,,,
855292,Biopsy skin abnormal,22.10,Follicular mucinosis,22.10,Genital
rash,22.10,Rash,22.10,Skin disorder,22.10
855292,Streptococcus test positive,22.10,,,,,,,,,
855293,Product administered to patient of inappropriate age,
22.10,,,,,,,,,
855294,Unevaluable event,22.10,,,,,,,,,
855295,Injection site pain,22.10,Pyrexia,22.10,,,,,,,,,
855296,Back pain,22.10,,,,,,,,,
855297,Injection site erythema,22.10,Injection site pruritus,
22.10,Injection site swelling,22.10,,,,,
855298,Product administered to patient of inappropriate age,
22.10,,,,,,,,,
855299,Injection site erythema,22.10,Injection site pain,
22.10,Injection site swelling,22.10,,,,,
855300,Chills,22.10,Decreased appetite,22.10,Headache,
22.10,Hyperhidrosis,22.10,Loss of personal independence in daily
activities,22.10
855300,Malaise,22.10,Nausea,22.10,Pain in extremity,22.10,Peripheral
swelling,22.10,Pyrexia,22.10

855300,Weight decreased,22.10,,,,,
855301,Joint lock,22.10,Mobility decreased,22.10,Pain,22.10,,,,,
855303,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,
855304,Herpes zoster,22.10,,,,,
855305,Injection site pain,22.10,Injection site swelling,
22.10,Lethargy,22.10,Muscular weakness,22.10,Myalgia,22.10
855305,Nausea,22.10,,,,,
855306,Joint injection,22.10,Joint range of motion decreased,
22.10,Magnetic resonance imaging abnormal,22.10,Pain in extremity,
22.10,,
855307,Neuralgia,22.10,Neuropathy peripheral,22.10,Paraesthesia,
22.10,Road traffic accident,22.10,,
855308,Fall,22.10,Nasal injury,22.10,Pallor,22.10,Tremor,
22.10,Unresponsive to stimuli,22.10
855309,Immediate post-injection reaction,22.10,Injection site nodule,
22.10,,,,,
855310,Headache,22.10,Pain,22.10,Vomiting,22.10,,,,,
855311,Chills,22.10,Diarrhoea,22.10,Fatigue,22.10,Headache,
22.10,Myalgia,22.10
855311,Nausea,22.10,,,,,
855312,Headache,22.10,Seizure,22.10,Vision blurred,22.10,,,,,
855313,Abdominal discomfort,22.10,Chills,22.10,Fatigue,22.10,Headache,
22.10,Injection site pain,22.10
855313,Musculoskeletal pain,22.10,Neck pain,22.10,Nodule,22.10,Pain in
extremity,22.10,,
855314,Injection site erythema,22.10,Injection site nodule,
22.10,Injection site pain,22.10,Injection site streaking,
22.10,Injection site swelling,22.10
855314,Injection site warmth,22.10,,,,,
855315,Injected limb mobility decreased,22.10,Injection site bruising,
22.10,Injection site swelling,22.10,Pain in extremity,22.10,Pyrexia,
22.10
855315,Vomiting,22.10,,,,,
855316,Feeling cold,22.10,Pain,22.10,Pyrexia,22.10,,,,,
855317,Musculoskeletal disorder,22.10,Pain in extremity,22.10,,,,,
855318,Cold sweat,22.10,Dizziness,22.10,Presyncope,22.10,Skin warm,
22.10,Somnolence,22.10
855318,Visual impairment,22.10,,,,,
855319,Chills,22.10,Eye pain,22.10,Eye swelling,22.10,Eyelid rash,
22.10,Foreign body sensation in eyes,22.10
855319,Influenza like illness,22.10,Myalgia,22.10,Ocular hyperaemia,
22.10,Pain in extremity,22.10,Pyrexia,22.10
855319,Swollen tear duct,22.10,,,,,
855320,Hyperhidrosis,22.10,Nausea,22.10,Presyncope,22.10,Vomiting,
22.10,,
855321,Anxiety,22.10,Asthenia,22.10,Dizziness,22.10,Fatigue,
22.10,Palpitations,22.10
855321,Periorbital swelling,22.10,Presyncope,22.10,Pyrexia,
22.10,Tinnitus,22.10,,

855322,Crying,22.10,Injection site movement impairment,22.10,Pain,22.10,,,,,
855323,Arthralgia,22.10,Headache,22.10,Malaise,22.10,Pain in extremity,22.10,,
855324,Chills,22.10,Headache,22.10,Myalgia,22.10,Pyrexia,22.10,,
855325,Injected limb mobility decreased,22.10,Injection site pain,22.10,Muscular weakness,22.10,Pain in extremity,22.10,,
855326,Erythema,22.10,Pain in extremity,22.10,Pyrexia,22.10,,,,,
855327,Atrial fibrillation,22.10,Chills,22.10,Condition aggravated,22.10,Discomfort,22.10,Gait disturbance,22.10
855327,Headache,22.10,Insomnia,22.10,Joint stiffness,22.10,Musculoskeletal stiffness,22.10,Pain,22.10
855327,Palpitations,22.10,Pyrexia,22.10,Tremor,22.10,Viral infection,22.10,,
855328,Chills,22.10,Eye movement disorder,22.10,Loss of consciousness,22.10,Pyrexia,22.10,Vomiting,22.10
855329,Discomfort,22.10,Head discomfort,22.10,Mobility decreased,22.10,Neck pain,22.10,Pain in extremity,22.10
855330,Erythema,22.10,Mobility decreased,22.10,Myalgia,22.10,Pain,22.10,Pyrexia,22.10
855331,Chills,22.10,Decreased appetite,22.10,Headache,22.10,Nausea,22.10,Pain,22.10
855331,Pyrexia,22.10,,,,,,
855332,Abdominal pain upper,22.10,Dizziness,22.10,Nausea,22.10,,,,,
855333,Injection site pain,22.10,Muscular weakness,22.10,,,,,
855334,Lip swelling,22.10,Peripheral swelling,22.10,Swelling,22.10,Swelling face,22.10,,
855335,Feeling cold,22.10,Hallucination,22.10,Headache,22.10,Tremor,22.10,,
855336,Pain in extremity,22.10,,,,,,
855337,Herpes zoster,22.10,,,,,,
855338,Chills,22.10,Fatigue,22.10,Headache,22.10,Injection site pain,22.10,Myalgia,22.10
855339,Chills,22.10,,,,,,
855340,Fatigue,22.10,Immediate post-injection reaction,22.10,Loss of personal independence in daily activities,22.10,Musculoskeletal pain,22.10,Neck pain,22.10
855340,Paraesthesia,22.10,Peripheral swelling,22.10,,,,,
855341,Chest X-ray,22.10,Computerised tomogram head,22.10,Dysphagia,22.10,Electrocardiogram,22.10,Electromyogram,22.10
855341,Fall,22.10,Guillain-Barre syndrome,22.10,Haematology test,22.10,Housebound,22.10,Hypoaesthesia,22.10
855341,Immunoglobulin therapy,22.10,Intensive care,22.10,Laboratory test,22.10,Loss of control of legs,22.10,Lumbar puncture,22.10
855341,Magnetic resonance imaging brain,22.10,Magnetic resonance imaging spinal,22.10,Muscular weakness,22.10,Paraesthesia,22.10,Respiratory distress,22.10
855342,Injection site mass,22.10,Injection site pain,22.10,Injection site warmth,22.10,Pain,22.10,Pyrexia,22.10
855343,Wrong product administered,22.10,,,,,,

855344, Scab, 22.10, Skin discolouration, 22.10, Swelling, 22.10, , , ,
855345, Herpes zoster, 22.10, , , , , , , , ,
855346, Diarrhoea, 22.10, Fatigue, 22.10, Nausea, 22.10, Pain, 22.10, Pyrexia,
22.10
855347, Hypersensitivity, 22.10, Pruritus, 22.10, Throat irritation,
22.10, Urticaria, 22.10, ,
855348, Urticaria, 22.10, , , , , , , , ,
855349, Guillain-Barre syndrome, 22.10, Muscular weakness, 22.10, Pain,
22.10, , , , ,
855350, Abdominal discomfort, 22.10, Abdominal pain upper, 22.10, Chills,
22.10, Headache, 22.10, Myalgia, 22.10
855350, Nausea, 22.10, Pain, 22.10, , , , , , ,
855352, Back pain, 22.10, Chest pain, 22.10, Pain, 22.10, , , , ,
855353, Dehydration, 22.10, Diarrhoea, 22.10, Headache, 22.10, Insomnia,
22.10, Pain, 22.10
855353, Vomiting, 22.10, , , , , , , , ,
855354, Pyrexia, 22.10, , , , , , , , ,
855356, Epilepsy, 22.10, Seizure, 22.10, , , , , , , , ,
855357, Chills, 22.10, Headache, 22.10, Influenza like illness,
22.10, Injected limb mobility decreased, 22.10, Pain, 22.10
855358, Injection site pain, 22.10, , , , , , , , ,
855359, Blister, 22.10, Erythema, 22.10, Hypoaesthesia, 22.10, Swelling,
22.10, , ,
855360, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Injection site pain,
22.10, Myalgia, 22.10
855360, Pyrexia, 22.10, , , , , , , , ,
855361, Musculoskeletal pain, 22.10, Pain, 22.10, Pain in extremity,
22.10, , , , ,
855362, Headache, 22.10, Injection site pain, 22.10, Micturition urgency,
22.10, Mobility decreased, 22.10, Pain, 22.10
855362, Pain in extremity, 22.10, , , , , , , , ,
855363, Chills, 22.10, Feeling cold, 22.10, Hot flush, 22.10, Nausea,
22.10, Presyncope, 22.10
855364, Ageusia, 22.10, Blood test normal, 22.10, Magnetic resonance
imaging brain normal, 22.10, , , , , , , , ,
855365, Injection site erythema, 22.10, Injection site pain, 22.10, , , , , , , , ,
855366, Asthenia, 22.10, Chills, 22.10, Dizziness, 22.10, Headache,
22.10, Injection site erythema, 22.10
855366, Injection site swelling, 22.10, Injection site warmth,
22.10, Nausea, 22.10, Pain, 22.10, Pyrexia, 22.10
855366, Retching, 22.10, Vomiting, 22.10, , , , , , , , ,
855367, Hypersensitivity, 22.10, Pruritus, 22.10, Throat irritation,
22.10, Tongue disorder, 22.10, , ,
855368, Immediate post-injection reaction, 22.10, Injection site pain,
22.10, Nerve injury, 22.10, Pain, 22.10, Product administered at
inappropriate site, 22.10
855369, Anxiety, 22.10, Deafness, 22.10, Dizziness, 22.10, Feeling cold,
22.10, Headache, 22.10
855369, Pallor, 22.10, , , , , , , , , ,
855370, Blindness, 22.10, Blindness unilateral, 22.10, Blood test,

22.10,Magnetic resonance imaging brain,22.10,Ophthalmological examination,22.10
855370,Optic nerve sheath haemorrhage,22.10,,,,,,,
855371,Lethargy,22.10,Malaise,22.10,,,,,,
855372,Dyspnoea,22.10,Hypersensitivity,22.10,Injection site erythema, 22.10,,,,,
855373,Blood test,22.10,Electrocardiogram,22.10,Malaise,22.10,Syncope, 22.10,,
855374,Erythema,22.10,Nausea,22.10,Pain,22.10,Swelling,22.10,,
855375,Seizure,22.10,,,,,,,
855376,Injection site erythema,22.10,Injection site pain, 22.10,Injection site swelling,22.10,Nausea,22.10,,
855377,Chills,22.10,Dizziness,22.10,Feeling hot,22.10,Headache, 22.10,Hyperhidrosis,22.10
855377,Loss of consciousness,22.10,Malaise,22.10,Nausea,22.10,,,,,
855378,Dysphagia,22.10,Erythema,22.10,Lymphadenopathy, 22.10,Palpitations,22.10,Peripheral swelling,22.10
855378,Skin warm,22.10,Tenderness,22.10,,,,,,
855379,Injection site pain,22.10,Pain in extremity,22.10,,,,,,
855380,Exposure during pregnancy,22.10,Foetal disorder,22.10,Premature delivery,22.10,Ultrasound antenatal screen,22.10,,
855381,Chest discomfort,22.10,Dyspnoea,22.10,Urticaria,22.10,,,,,
855382,Pain in extremity,22.10,,,,,,,
855383,Abdominal discomfort,22.10,Fatigue,22.10,Pain,22.10,,,,,
855384,Feeling hot,22.10,Pruritus,22.10,,,,,,
855385,Musculoskeletal pain,22.10,Pain,22.10,Sleep disorder,22.10,,,,,
855386,Fall,22.10,Head injury,22.10,Limb injury,22.10,Pallor, 22.10,Syncope,22.10
855387,Injection site erythema,23.00,Injection site haematoma, 23.00,Injection site swelling,23.00,Local reaction,23.00,,
855388,Fall,23.00,Syncope,23.00,,,,,,
855389,Pain,22.10,Pain in extremity,22.10,Tenderness,22.10,X-ray limb, 22.10,,
855392,Herpes zoster,22.10,,,,,,,
855393,Product administered to patient of inappropriate age, 22.10,,,,,,,
855394,Extra dose administered,22.10,No adverse event,22.10,,,,,,
855395,No adverse event,22.10,Product administered to patient of inappropriate age,22.10,,,,,
855396,Chills,22.10,Fatigue,22.10,,,,,,,
855397,Exposure via skin contact,22.10,No adverse event,22.10,Syringe issue,22.10,Underdose,22.10,,
855398,Pain,22.10,,,,,,,
855399,No adverse event,22.10,Wrong technique in product usage process,22.10,,,,,,
855400,No adverse event,22.10,Product storage error,22.10,,,,,,
855401,Vaccination site erythema,22.10,Vaccination site induration, 22.10,Vaccination site inflammation,22.10,Vaccination site mass, 22.10,,
855402,Wrong product administered,22.10,,,,,,,

855416, No adverse event, 22.10, Product quality issue, 22.10, , , , , ,
855417, Deafness, 22.10, , , , , , , ,
855418, Injection site pain, 22.10, Injection site reaction, 22.10, Loss of personal independence in daily activities, 22.10, Mobility decreased, 22.10, Musculoskeletal stiffness, 22.10
855418, Pain in extremity, 22.10, Tenderness, 22.10, , , , , ,
855419, Erythema, 22.10, Peripheral swelling, 22.10, Pyrexia, 22.10, Screaming, 22.10, ,
855420, Pruritus, 22.10, , , , , , , ,
855421, Condition aggravated, 22.10, Herpes zoster, 22.10, Injection site reaction, 22.10, , , , ,
855422, Headache, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10, Pyrexia, 22.10, ,
855423, Hypoaesthesia, 22.10, , , , , , , ,
855424, Abdominal discomfort, 22.10, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Influenza like illness, 22.10
855424, Pain, 22.10, , , , , , , ,
855425, Chills, 22.10, Fatigue, 22.10, Myalgia, 22.10, Pyrexia, 22.10, ,
855426, Asthenia, 22.10, Fatigue, 22.10, Influenza like illness, 22.10, Lethargy, 22.10, Malaise, 22.10
855426, Mobility decreased, 22.10, Tremor, 22.10, , , , , ,
855427, Pyrexia, 22.10, Screaming, 22.10, Tremor, 22.10, , , , ,
855428, Adverse reaction, 22.10, , , , , , , ,
855429, Abdominal discomfort, 22.10, Headache, 22.10, Injection site pain, 22.10, , , , ,
855430, Injection site pain, 22.10, , , , , , , ,
855431, Erythema, 22.10, Hypersensitivity, 22.10, Pruritus, 22.10, , , , ,
855432, Exposure via skin contact, 22.10, Immediate post-injection reaction, 22.10, Occupational exposure to product, 22.10, Skin laceration, 22.10, Wound haemorrhage, 22.10
855434, Pain in extremity, 22.10, Product supply issue, 22.10, , , , , ,
855435, Headache, 22.10, Nausea, 22.10, Pyrexia, 22.10, , , , ,
855436, Abdominal discomfort, 22.10, Dyspnoea, 22.10, Feeling hot, 22.10, Hyperhidrosis, 22.10, Influenza like illness, 22.10
855436, Malaise, 22.10, Migraine, 22.10, Musculoskeletal pain, 22.10, Palpitations, 22.10, Tremor, 22.10
855436, Vaccine positive rechallenge, 22.10, , , , , , , ,
855437, Influenza like illness, 22.10, Malaise, 22.10, , , , , , ,
855438, Influenza like illness, 22.10, Malaise, 22.10, , , , , , ,
855439, Insomnia, 22.10, Loss of personal independence in daily activities, 22.10, Pain in extremity, 22.10, , , , ,
855440, Adverse event, 22.10, Documented hypersensitivity to administered product, 22.10, , , , , , ,
855441, Incorrect route of product administration, 22.10, Injection site rash, 22.10, , , , , , ,
855442, Herpes zoster, 22.10, , , , , , , ,
855443, Arthralgia, 22.10, Chills, 22.10, Headache, 22.10, Myalgia, 22.10, ,
855444, Chills, 22.10, Diarrhoea, 22.10, Dyspnoea, 22.10, Eye swelling, 22.10, Fatigue, 22.10
855444, Hyperhidrosis, 22.10, Injection site erythema, 22.10, Injection

site pain,22.10,Sensitive skin,22.10,,
855445,Injection site pain,22.10,Injection site warmth,22.10,Malaise,
22.10,,,,,
855446,Pyrexia,22.10,Vomiting,22.10,,,,,,
855447,Extra dose administered,22.10,,,,,,,
855448,Underdose,22.10,,,,,,,
855449,Chills,22.10,Headache,22.10,Nausea,22.10,Pain,22.10,,
855450,Headache,22.10,Musculoskeletal stiffness,22.10,Pain,22.10,,,,,
855463,Balance disorder,22.10,Fibromyalgia,22.10,,,,,,
855464,Incorrect route of product administration,22.10,No adverse
event,22.10,,,,,,
855465,Adverse event,22.10,Eye movement disorder,22.10,Eyelid function
disorder,22.10,,,,,
855466,Arthralgia,22.10,Flank pain,22.10,Vaccine positive rechallenge,
22.10,,,,,
855467,Pain,22.10,Peripheral swelling,22.10,Product administered at
inappropriate site,22.10,,,,,
855468,Erythema,22.10,Headache,22.10,Injection site swelling,
22.10,Night sweats,22.10,Pain,22.10
855468,Pyrexia,22.10,,,,,,,
855469,Injected limb mobility decreased,22.10,Pain in extremity,
22.10,Rash macular,22.10,,,,,
855470,Bedridden,22.10,Chills,22.10,Dizziness,22.10,Feeding disorder,
22.10,Nausea,22.10
855470,Tremor,22.10,,,,,,,
855471,Asthenia,22.10,Blood creatine phosphokinase increased,
22.10,Gait inability,22.10,Laboratory test,22.10,Renal function test,
22.10
855472,Blood test,22.10,Canalith repositioning procedure,
22.10,Computerised tomogram,22.10,Deafness unilateral,
22.10,Electroencephalogram,22.10
855472,Magnetic resonance imaging,22.10,,,,,,,
855473,Crying,22.10,Screaming,22.10,,,,,,
855474,Cardiac pacemaker insertion,22.10,Injection site pain,
22.10,Pain,22.10,Pyrexia,22.10,Soft tissue infection,22.10
855476,Rash,22.10,,,,,,,
855477,Asthenia,22.10,Chills,22.10,Headache,22.10,Influenza like
illness,22.10,Injection site nodule,22.10
855477,Injection site pain,22.10,Injection site pruritus,
22.10,Injection site streaking,22.10,Myalgia,22.10,Sinus headache,
22.10
855477,Tremor,22.10,,,,,,,
855478,Neck pain,22.10,Pain,22.10,Pain in extremity,22.10,,,,,
855479,Asthenia,22.10,Erythema,22.10,Fatigue,22.10,Pain,22.10,Pyrexia,
22.10
855479,Rash macular,22.10,Skin warm,22.10,,,,,,
855480,Dizziness,22.10,Dysphonia,22.10,Headache,22.10,,,,,
855485,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,,
855486,Expired product administered,22.10,No adverse event,22.10,,,,,,

855487, Muscular weakness, 22.10, Neuropathy peripheral,
22.10, Paraesthesia, 22.10, , , , ,
855488, Apgar score normal, 22.10, Drug withdrawal syndrome neonatal,
22.10, Foetal exposure during pregnancy, 22.10, , , , ,
855489, Exposure during pregnancy, 22.10, Prenatal screening test,
22.10, Urinary tract infection, 22.10, , , , ,
855490, Arthralgia, 22.10, Biopsy artery, 22.10, Fatigue, 22.10, Headache,
22.10, Influenza like illness, 22.10
855490, Laboratory test, 22.10, Magnetic resonance imaging, 22.10, Pain in
jaw, 22.10, Temporal arteritis, 22.10, Visual impairment, 22.10
855491, Acoustic stimulation tests normal, 22.10, Blood test,
22.10, Dizziness, 22.10, Influenza like illness, 22.10, Lymphadenopathy,
22.10
855491, Musculoskeletal discomfort, 22.10, Spinal X-ray, 22.10, Ultrasound
Doppler, 22.10, Ultrasound scan, 22.10, Vertigo, 22.10
855492, Chest discomfort, 22.10, Feeling hot, 22.10, Nausea, 22.10, Vomiting,
22.10, ,
855493, Joint effusion, 22.10, Musculoskeletal discomfort,
22.10, Musculoskeletal pain, 22.10, Product administered at inappropriate
site, 22.10, ,
855494, Abdominal distension, 22.10, Abdominal pain, 22.10, Chills,
22.10, Diarrhoea, 22.10, Fatigue, 22.10
855494, Flatulence, 22.10, Myalgia, 22.10, , , , , ,
855495, Abdominal pain, 22.10, Abdominal pain upper, 22.10, Computerised
tomogram abdomen normal, 22.10, Fatigue, 22.10, Full blood count normal,
22.10
855495, Headache, 22.10, Herpes zoster, 22.10, Hypoaesthesia,
22.10, Influenza like illness, 22.10, Myalgia, 22.10
855495, Ultrasound abdomen normal, 22.10, , , , , , , ,
855496, Pain in extremity, 22.10, , , , , , , ,
855498, Acoustic stimulation tests normal, 22.10, Tinnitus, 22.10, , , , , , ,
855499, Immediate post-injection reaction, 22.10, Pain in extremity,
22.10, Rash, 22.10, Rash erythematous, 22.10, Rash papular, 22.10
855500, Blood pressure increased, 22.10, Dyspnoea, 22.10, Feeling cold,
22.10, Injection site pain, 22.10, Laboratory test normal, 22.10
855500, Thirst, 22.10, Tremor, 22.10, , , , , , ,
855501, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , ,
855502, Injection site pain, 23.00, Musculoskeletal pain, 23.00, Nausea,
23.00, Neck pain, 23.00, Pruritus, 23.00
855502, Rash, 23.00, Urticaria, 23.00, , , , , , ,
855503, Groin pain, 22.10, Insomnia, 22.10, Limb discomfort, 22.10, Muscle
spasms, 22.10, Muscular weakness, 22.10
855503, Myalgia, 22.10, Pain, 22.10, Pain in extremity, 22.10, Walking aid
user, 22.10, ,
855504, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Myalgia, 22.10, ,
855505, Vomiting, 22.10, , , , , , , ,
855507, No adverse event, 22.10, Product storage error, 22.10, , , , , , ,
855508, Cough, 22.10, Respiratory tract infection, 22.10, , , , , , ,
855509, Anaemia, 22.10, Autoimmune haemolytic anaemia, 22.10, Bilirubin
conjugated increased, 22.10, Blood bilirubin increased, 22.10, Blood

folate normal,22.10
855509,Blood iron normal,22.10,Blood lactate dehydrogenase increased,
22.10,Blood smear test abnormal,22.10,Cardiomegaly,22.10,Cold
agglutinins positive,22.10
855509,Complement factor C3,22.10,Computerised tomogram abdomen
abnormal,22.10,Computerised tomogram pelvis abnormal,
22.10,Computerised tomogram thorax abnormal,22.10,Coombs direct test,
22.10
855509,Coombs direct test negative,22.10,Cryoglobulins absent,
22.10,Dyspnoea,22.10,Dyspnoea exertional,22.10,Electrophoresis protein
normal,22.10
855509,Flow cytometry,22.10,Haemoglobin decreased,22.10,Haptoglobin
decreased,22.10,Hepatitis viral test negative,22.10,Immunology test,
22.10
855509,Jaundice,22.10,Lymphadenopathy mediastinal,22.10,Packed red
blood cell transfusion,22.10,Parvovirus B19 test negative,
22.10,Platelet count normal,22.10
855509,Polymerase chain reaction,22.10,Red blood cell count decreased,
22.10,Reticulocyte count normal,22.10,Spherocytic anaemia,22.10,Viral
test negative,22.10
855509,Vitamin B12 absorption test,22.10,Vitamin B12 normal,
22.10,White blood cell count decreased,22.10,,,,,
855510,Specialist consultation,22.10,Thermal burn,22.10,,,,,
855511,Diabetic ketoacidosis,22.10,Food intolerance,
22.10,Irritability,22.10,Near death experience,22.10,Speech disorder
developmental,22.10
855511,Type 1 diabetes mellitus,22.10,Urine output increased,
22.10,Vomiting,22.10,,,,,
855512,Mobility decreased,22.10,Pain in extremity,22.10,,,,,
855513,Injection site nodule,22.10,Injection site pain,22.10,Injection
site pruritus,22.10,Injection site swelling,22.10,Pain,22.10
855513,Pyrexia,22.10,,,,,,,,
855514,Unevaluable event,22.10,,,,,,,,
855515,Immunisation,22.10,Syringe issue,22.10,Underdose,22.10,,,,,
855516,Debridement,22.10,Escharotomy,22.10,Injection site bruising,
22.10,Injection site cyst,22.10,Injection site erythema,22.10
855516,Injection site infection,22.10,Injection site vesicles,
22.10,Pain in extremity,22.10,Peripheral swelling,22.10,Pyrexia,22.10
855516,Vaccination site eschar,22.10,,,,,,,,
855517,Nasopharyngitis,22.10,Rash,22.10,Rash morbilliform,22.10,,,,,
855518,Altered state of consciousness,22.10,Cardiac monitoring normal,
22.10,Endocrine test normal,22.10,Full blood count normal,
22.10,Headache,22.10
855518,Laboratory test normal,22.10,Loss of consciousness,22.10,Rash,
22.10,Syncope,22.10,Thyroid function test normal,22.10
855518,Urticaria,22.10,Visual impairment,22.10,,,,,,,
855519,Lip swelling,22.10,Swelling face,22.10,,,,,,,
855520,Hiccups,22.10,Increased appetite,22.10,Poor quality sleep,
22.10,Pyrexia,22.10,Skin warm,22.10
855521,Dizziness,22.10,Fatigue,22.10,Nausea,22.10,,,,,

855522,Injected limb mobility decreased,22.10,,,,,,,
855523,Eczema,22.10,Pyrexia,22.10,,,,,
855527,Expired product administered,22.10,No adverse event,22.10,,,,,
855528,Eczema,22.10,,,,,,,
855529,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
855530,Inappropriate schedule of product administration,22.10,,,,,,,
855531,Extra dose administered,22.10,No adverse event,22.10,Wrong
product administered,22.10,,,,,
855532,Exposure during pregnancy,22.10,Overdose,22.10,Product
administered to patient of inappropriate age,22.10,,,,,
855533,Incorrect route of product administration,22.10,No adverse
event,22.10,,,,,
855534,No adverse event,22.10,Product preparation issue,22.10,,,,,
855535,Expired product administered,22.10,No adverse event,22.10,,,,,
855536,Asthenia,22.10,Balance disorder,22.10,Dizziness,22.10,Nausea,
22.10,Pain,22.10
855536,Syncope,22.10,Vomiting,22.10,,,,,
855537,Crying,22.10,Ear infection,22.10,Pyrexia,22.10,Vomiting,22.10,,
855538,Arthralgia,22.10,Back pain,22.10,Headache,22.10,Mobility
decreased,22.10,Musculoskeletal pain,22.10
855538,Neuralgia,22.10,Pain in extremity,22.10,Spinal X-ray abnormal,
22.10,Spondylitis,22.10,,
855539,C-reactive protein normal,22.10,Full blood count normal,
22.10,Metabolic function test,22.10,Musculoskeletal pain,
22.10,Periarthritis,22.10
855539,Red blood cell sedimentation rate increased,22.10,Rotator cuff
syndrome,22.10,Tendonitis,22.10,X-ray limb abnormal,22.10,,
855540,Pain,22.10,Pain in extremity,22.10,,,,,
855541,Dizziness,22.10,Loss of consciousness,22.10,Syncope,22.10,,,,,
855542,Erythema,22.10,Rash erythematous,22.10,Rash pruritic,22.10,Skin
lesion,22.10,,
855543,Injection site mass,22.10,,,,,,,
855544,Chills,22.10,Diarrhoea,22.10,Eye swelling,22.10,Fatigue,
22.10,Feeling cold,22.10
855544,Hyperaesthesia,22.10,Hyperhidrosis,22.10,Injection site
erythema,22.10,Injection site pain,22.10,Pain in extremity,22.10
855544,Periorbital swelling,22.10,Respiration abnormal,22.10,,,,,
855545,Injected limb mobility decreased,22.10,Vaccination site pain,
22.10,,,,,
855547,Underdose,22.10,,,,,,,
855548,Injection site erythema,22.10,Injection site inflammation,
22.10,Injection site swelling,22.10,Pain,22.10,Vomiting,22.10
855549,Joint range of motion decreased,22.10,Pain in extremity,
22.10,,,,,
855550,Blister,22.10,Oedema peripheral,22.10,Rash,22.10,Urticaria,
22.10,,
855551,Rash,22.10,,,,,,,
855552,Hypoaesthesia,22.10,Pain,22.10,Paraesthesia,22.10,Shoulder
injury related to vaccine administration,22.10,,

855553, Erythema, 22.10, Insomnia, 22.10, Oedema peripheral, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10
855554, Urticaria, 22.10, , , , , , , , , ,
855555, Contusion, 22.10, Dizziness, 22.10, Fall, 22.10, Loss of consciousness, 22.10, Nausea, 22.10
855555, Spinal X-ray, 22.10, Swelling face, 22.10, Visual impairment, 22.10, , , , ,
855556, Urticaria, 22.10, , , , , , , , , ,
855558, Cutaneous lupus erythematosus, 22.10, , , , , , , , , ,
855559, Cough, 22.10, Pruritus, 22.10, Rash erythematous, 22.10, Rhinorrhoea, 22.10, ,
855560, Abdominal discomfort, 22.10, Diarrhoea, 22.10, Dysphagia, 22.10, Fatigue, 22.10, Pain, 22.10
855562, Chills, 22.10, Cold sweat, 22.10, Contusion, 22.10, Erythema, 22.10, Hyperhidrosis, 22.10
855562, Injection site pain, 22.10, Nodule, 22.10, Peripheral swelling, 22.10, Pyrexia, 22.10, Swelling, 22.10
855563, Blister, 22.10, Erythema, 22.10, Pain, 22.10, Rash vesicular, 22.10, ,
855564, Bone pain, 22.10, Cough, 22.10, Fatigue, 22.10, Malaise, 22.10, Oropharyngeal pain, 22.10
855564, Pain, 22.10, , , , , , , , , ,
855565, Asthenia, 22.10, Confusional state, 22.10, Dizziness, 22.10, , , , ,
855566, Herpes zoster, 22.10, , , , , , , , , ,
855567, Fatigue, 22.10, Nausea, 22.10, Pain, 22.10, Vomiting, 22.10, , ,
855568, Inappropriate schedule of product administration, 22.10, , , , , , , , , , ,
855569, Anaphylactic reaction, 22.10, Exposure during pregnancy, 22.10, Food allergy, 22.10, Intensive care, 22.10, Oral allergy syndrome, 22.10
855575, Arteriosclerosis, 22.10, Asthenia, 22.10, Balance disorder, 22.10, Coronary artery bypass, 22.10, Costochondritis, 22.10
855575, Heart injury, 22.10, Herpes zoster, 22.10, Nerve injury, 22.10, Pain, 22.10, Post herpetic neuralgia, 22.10
855575, Skin lesion, 22.10, , , , , , , , , ,
855576, Amaurosis fugax, 22.10, Cerebrovascular accident, 22.10, Hemiparesis, 22.10, Hypoaesthesia, 22.10, Keratitis, 22.10
855576, Visual impairment, 22.10, , , , , , , , , ,
855577, No adverse event, 22.10, Product storage error, 22.10, , , , , , , , , ,
855578, Incorrect route of product administration, 22.10, No adverse event, 22.10, , , , , , , , , ,
855580, Erythema, 22.10, Pain, 22.10, Peripheral swelling, 22.10, Pyrexia, 22.10, ,
855582, Feeling cold, 22.10, Headache, 22.10, Pyrexia, 22.10, , , , , ,
855583, Burning sensation, 22.10, Culture negative, 22.10, Dermatitis acneiform, 22.10, Fatigue, 22.10, Influenza like illness, 22.10
855583, Nasal discomfort, 22.10, Occupational exposure to product, 22.10, Oropharyngeal pain, 22.10, Pain, 22.10, Paraesthesia, 22.10
855583, Pruritus, 22.10, Rash, 22.10, Rash vesicular, 22.10, Sinusitis, 22.10, Skin fissures, 22.10
855584, Biopsy site unspecified abnormal, 22.10, Dermatitis contact, 22.10, Hypersensitivity, 22.10, Urticaria, 22.10, ,

855585, Arthralgia, 22.10, Bursitis, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Musculoskeletal pain, 22.10
855586, Herpes zoster, 22.10, Inappropriate schedule of product administration, 22.10, , , , , ,
855587, Pyrexia, 22.10, , , , , , , ,
855588, Back pain, 22.10, Cardiac stress test abnormal, 22.10, Erythema, 22.10, Myalgia, 22.10, Pain in extremity, 22.10
855589, Periorbital swelling, 22.10, Rash, 22.10, Somnolence, 22.10, Vaccine positive rechallenge, 22.10, ,
855590, No adverse event, 22.10, Wrong product administered, 22.10, , , , , , ,
855591, Abdominal pain upper, 22.10, Influenza like illness, 22.10, Injection site pain, 22.10, Lip swelling, 22.10, Pain, 22.10
855591, Pyrexia, 22.10, Rash, 22.10, Rash pruritic, 22.10, , , , ,
855593, Product label issue, 23.00, , , , , , , ,
855594, Nasal congestion, 23.00, Nasal obstruction, 23.00, Oxygen saturation decreased, 23.00, Respiratory rate increased, 23.00, ,
855596, Immediate post-injection reaction, 22.10, Injected limb mobility decreased, 22.10, Injection site pain, 22.10, Periarthritis, 22.10, Product administered at inappropriate site, 22.10
855597, Asthenia, 22.10, Chills, 22.10, Decreased appetite, 22.10, Feeling abnormal, 22.10, Night sweats, 22.10
855597, Pyrexia, 22.10, , , , , , , ,
855598, Abdominal discomfort, 22.10, Fatigue, 22.10, Headache, 22.10, Injection site swelling, 22.10, Myalgia, 22.10
855598, Pain, 22.10, Pyrexia, 22.10, , , , , , ,
855599, Incorrect product formulation administered, 23.00, , , , , , , ,
855607, Blister, 22.10, Eye pain, 22.10, Vaccine positive rechallenge, 22.10, , , , ,
855608, Dizziness, 22.10, Influenza like illness, 22.10, Nausea, 22.10, Pruritus, 22.10, Vomiting, 22.10
855609, Arthralgia, 22.10, Bone pain, 22.10, Fatigue, 22.10, Headache, 22.10, Influenza like illness, 22.10
855609, Pyrexia, 22.10, , , , , , , ,
855610, Death, 22.10, Respiratory failure, 22.10, Stevens-Johnson syndrome, 22.10, Toxic epidermal necrolysis, 22.10, , ,
855611, Death, 22.10, Skin exfoliation, 22.10, Toxic epidermal necrolysis, 22.10, , , , ,
855613, Abdominal X-ray, 22.10, Asthenia, 22.10, Central nervous system lesion, 22.10, Chest X-ray, 22.10, Communication disorder, 22.10
855613, Computerised tomogram head, 22.10, Confusional state, 22.10, Cytology, 22.10, Death, 22.10, Dysphagia, 22.10
855613, General physical health deterioration, 22.10, Laboratory test, 22.10, Magnetic resonance imaging brain abnormal, 22.10, Neoplasm, 22.10, Skin lesion, 22.10
855613, Somnolence, 22.10, , , , , , , ,
855614, Erythema, 22.10, Pruritus, 22.10, , , , , , ,
855615, Electroencephalogram abnormal, 22.10, Epilepsy, 22.10, Migraine with aura, 22.10, Ophthalmological examination abnormal, 22.10, Seizure, 22.10
855616, Dizziness, 22.10, Fatigue, 22.10, Headache, 22.10, Myalgia,

22.10,Nausea,22.10
855616,Pyrexia,22.10,,,,,
855617,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
855618,No adverse event,22.10,,,,,
855619,Chills,22.10,Pain,22.10,Peripheral swelling,22.10,Pyrexia,
22.10,,
855620,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
855621,Rash,22.10,Rash erythematous,22.10,Rash pruritic,22.10,,,,,
855622,Influenza like illness,23.00,,,,,
855623,Electromyogram normal,23.00,Hypoaesthesia,23.00,Limb
discomfort,23.00,Nerve injury,23.00,Pain,23.00
855623,Paraesthesia,23.00,,,,,
855624,Injection site reaction,23.00,Rash,23.00,,,,,
855625,Anaphylactic reaction,23.00,Rash,23.00,,,,,
855626,Electromyogram,22.10,Magnetic resonance imaging abdominal,
22.10,Magnetic resonance imaging brain,22.10,Magnetic resonance
imaging spinal,22.10,Myelitis transverse,22.10
855626,Neurological examination,22.10,,,,,
855627,Blister,22.10,Headache,22.10,Periorbital pain,22.10,,,,,
855628,Altered state of consciousness,23.00,Burning sensation,
23.00,Diarrhoea,23.00,Dysstasia,23.00,Feeling cold,23.00
855628,Muscle strength abnormal,23.00,Tremor,23.00,,,,,
855629,Muscle spasms,22.10,Nausea,22.10,Pyrexia,22.10,,,,,
855630,Rash,22.10,Rash maculo-papular,22.10,Rash pruritic,
22.10,Urticaria,22.10,,
855631,Chills,22.10,Fatigue,22.10,Myalgia,22.10,Nausea,22.10,Pyrexia,
22.10
855632,Swelling face,22.10,Urticaria,22.10,,,,,
855633,Blindness,22.10,Computerised tomogram,22.10,Lumbar puncture,
22.10,Magnetic resonance imaging,22.10,Optic nerve injury,22.10
855634,Injection site erythema,22.10,Injection site nodule,
22.10,Injection site warmth,22.10,,,,,
855640,Aphonia,22.10,Dysphonia,22.10,Laboratory test,
22.10,Nasopharyngitis,22.10,Oropharyngeal pain,22.10
855641,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,
855642,Herpes zoster,22.10,,,,,
855643,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,
855644,Feeling of body temperature change,22.10,Gait disturbance,
22.10,Pain,22.10,Urinary incontinence,22.10,,
855645,Chills,22.10,Erythema,22.10,Feeling hot,22.10,Inflammation,
22.10,Injection site erythema,22.10
855645,Injection site warmth,22.10,Myalgia,22.10,Pruritus,22.10,Rash,
22.10,Rash erythematous,22.10
855645,Rash papular,22.10,Rash pruritic,22.10,Swelling,22.10,,,,,
855646,Erythema,22.10,Feeling hot,22.10,Swelling,22.10,Tenderness,
22.10,,

855647, Fatigue, 22.10, Pain, 22.10, , , , , ,
855648, Erythema, 22.10, Mobility decreased, 22.10, Pain in extremity,
22.10, Peripheral swelling, 22.10, ,
855649, Nausea, 22.10, Pain, 22.10, Pyrexia, 22.10, , , ,
855650, Musculoskeletal pain, 22.10, Neck pain, 22.10, Pain in extremity,
22.10, , , , ,
855651, Laboratory test normal, 22.10, Respiratory arrest, 22.10, Seizure
like phenomena, 22.10, Tension, 22.10, , ,
855652, Chills, 22.10, Feeling cold, 22.10, , , , , , ,
855653, Headache, 22.10, , , , , , , ,
855654, Periarthritis, 22.10, , , , , , , ,
855655, Acute lymphocytic leukaemia, 22.10, Asthenia, 22.10, Blast cells
present, 22.10, Chemotherapy, 22.10, Decreased appetite, 22.10
855655, Ear infection, 22.10, Fatigue, 22.10, Infection, 22.10, Influenza
virus test negative, 22.10, Mononucleosis heterophile test negative,
22.10
855655, Pyrexia, 22.10, Upper respiratory tract infection, 22.10, Urinary
tract infection, 22.10, Urine analysis abnormal, 22.10, , ,
855656, Dysphonia, 22.10, Injection site pain, 22.10, Musculoskeletal chest
pain, 22.10, Nausea, 22.10, Painful respiration, 22.10
855656, Pyrexia, 22.10, , , , , , , ,
855657, Arthralgia, 22.10, Chills, 22.10, Fatigue, 22.10, Immediate post-
injection reaction, 22.10, Myalgia, 22.10
855657, Pain, 22.10, Pyrexia, 22.10, Sinus headache, 22.10, , , , ,
855658, Injection site erythema, 22.10, Injection site warmth,
22.10, Paraesthesia, 22.10, Rash, 22.10, , ,
855659, Erythema, 22.10, Facial paralysis, 22.10, Malaise, 22.10, , , , ,
855663, No adverse event, 22.10, Product storage error, 22.10, , , , , , ,
855664, Deafness neurosensory, 22.10, Sudden hearing loss, 22.10, Tinnitus,
22.10, , , , ,
855665, Blindness unilateral, 22.10, Cardiac failure congestive,
22.10, Macular oedema, 22.10, Retinal vein occlusion, 22.10, Visual
impairment, 22.10
855667, Circumstance or information capable of leading to medication
error, 22.10, Underdose, 22.10, , , , , , ,
855668, Injection site pruritus, 22.10, Injection site swelling,
22.10, Injection site urticaria, 22.10, Pallor, 22.10, , ,
855669, Expired product administered, 22.10, No adverse event, 22.10, , , , , , ,
855670, Injection site erythema, 22.10, Muscle twitching, 22.10, , , , , , ,
855671, Rash erythematous, 22.10, Skin warm, 22.10, , , , , , ,
855672, Neuralgia, 22.10, , , , , , , ,
855673, Feeding disorder, 22.10, Nausea, 22.10, Vertigo, 22.10, Vomiting,
22.10, , ,
855674, Extra dose administered, 22.10, No adverse event, 22.10, , , , , , ,
855675, Computerised tomogram abdomen, 22.10, Contusion, 22.10, Gingival
bleeding, 22.10, Immune thrombocytopenic purpura, 22.10, Laboratory test,
22.10
855675, Menorrhagia, 22.10, Platelet count decreased, 22.10, Ultrasound
scan vagina, 22.10, , , , , ,
855682, No adverse event, 22.10, Product storage error, 22.10, , , , , , ,

855683, Erythema multiforme, 22.10, , , , , , , , ,
855684, Impaired work ability, 22.10, Injection site pain, 22.10, Nausea, 22.10, Pyrexia, 22.10, ,
855685, Pain, 22.10, Pain in extremity, 22.10, , , , , , ,
855686, Arthralgia, 22.10, Chills, 22.10, Headache, 22.10, Insomnia, 22.10, Musculoskeletal pain, 22.10
855686, Myalgia, 22.10, Neck pain, 22.10, Pain, 22.10, Pain in extremity, 22.10, Tenderness, 22.10
855687, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, , , , , , ,
855688, Inappropriate schedule of product administration, 22.10, No adverse event, 22.10, , , , , , ,
855689, Urticaria, 22.10, , , , , , , , ,
855690, Axillary mass, 22.10, Breast mass, 22.10, Decreased appetite, 22.10, Injection site discolouration, 22.10, Injection site pain, 22.10
855690, Injection site reaction, 22.10, Joint stiffness, 22.10, Musculoskeletal stiffness, 22.10, Nausea, 22.10, Oedema peripheral, 22.10
855690, Pyrexia, 22.10, Skin discolouration, 22.10, Tenderness, 22.10, , , , ,
855691, Chest X-ray, 22.10, Chills, 22.10, Computerised tomogram head, 22.10, Electrocardiogram, 22.10, Headache, 22.10
855691, Migraine, 22.10, Pain, 22.10, Pyrexia, 22.10, Vomiting, 22.10, , ,
855692, Abdominal pain, 22.10, Decreased appetite, 22.10, Diarrhoea, 22.10, Nausea, 22.10, , ,
855693, Injected limb mobility decreased, 22.10, Injection site pain, 22.10, Pain in extremity, 22.10, , , , ,
855694, Pyrexia, 22.10, , , , , , , , ,
855695, Chills, 22.10, Malaise, 22.10, Tremor, 22.10, , , , , ,
855696, Chills, 22.10, Diarrhoea, 22.10, Tremor, 22.10, , , , , ,
855697, Contusion, 22.10, Immediate post-injection reaction, 22.10, , , , , , , , ,
855698, Arthralgia, 22.10, Hyperhidrosis, 22.10, Malaise, 22.10, Pain, 22.10, Sensitive skin, 22.10
855699, Mobility decreased, 22.10, Pain, 22.10, , , , , , , ,
855700, Injection site bruising, 22.10, Injection site discolouration, 22.10, , , , , , , ,
855701, Erythema, 22.10, Rash, 22.10, Swelling, 22.10, , , , , ,
855702, Influenza like illness, 22.10, Muscle spasms, 22.10, Paraesthesia, 22.10, Tachycardia, 22.10, , ,
855703, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site pruritus, 22.10, Injection site rash, 22.10, Injection site warmth, 22.10
855703, Rash, 22.10, , , , , , , , ,
855704, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, , , , , , ,
855705, Asthenia, 22.10, Body temperature increased, 22.10, Inflammation, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10
855706, Expired product administered, 22.10, , , , , , , , ,
855707, Fatigue, 22.10, Hypersomnia, 22.10, Injection site erythema, 22.10, Irritability, 22.10, Pyrexia, 22.10
855708, Back pain, 22.10, , , , , , , , ,

855709, Pruritus, 22.10, Rash, 22.10, , , , , , ,
855710, Injection site bruising, 22.10, , , , , , , ,
855711, Dizziness, 22.10, Vomiting, 22.10, , , , , , , ,
855712, Pain in extremity, 22.10, Periarthritis, 22.10, , , , , , , ,
855713, Crying, 22.10, Eyelid ptosis, 22.10, Food refusal, 22.10, Gait disturbance, 22.10, Influenza virus test negative, 22.10
855713, Insomnia, 22.10, Irritability, 22.10, Lethargy, 22.10, Pyrexia, 22.10, Sleep disorder, 22.10
855714, Back pain, 22.10, Injected limb mobility decreased, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Pain, 22.10
855715, Disorientation, 22.10, Musculoskeletal stiffness, 22.10, Seizure like phenomena, 22.10, Syncope, 22.10, Tremor, 22.10
855715, Unresponsive to stimuli, 22.10, , , , , , , ,
855716, Injection site pain, 22.10, , , , , , , ,
855725, Herpes zoster, 22.10, , , , , , , ,
855726, Cellulitis, 22.10, Herpes zoster, 22.10, Pain, 22.10, Rash, 22.10, , ,
855727, Product storage error, 22.10, , , , , , , ,
855728, No adverse event, 22.10, Product storage error, 22.10, , , , , , , ,
855729, Incorrect route of product administration, 22.10, No adverse event, 22.10, , , , , , , ,
855730, Adverse drug reaction, 22.10, Influenza, 22.10, Pain, 22.10, Vaccination failure, 22.10, , ,
855731, Fatigue, 22.10, Headache, 22.10, Injection site erythema, 22.10, Injection site mass, 22.10, Injection site pruritus, 22.10
855732, Adverse drug reaction, 22.10, , , , , , , ,
855733, Immediate post-injection reaction, 22.10, Injection site pain, 22.10, , , , , , , ,
855734, Mobility decreased, 22.10, Musculoskeletal pain, 22.10, Pain in extremity, 22.10, , , , , , , ,
855735, Diarrhoea, 22.10, , , , , , , ,
855736, Diplopia, 22.10, , , , , , , ,
855737, Musculoskeletal stiffness, 22.10, Pain in extremity, 22.10, , , , , , , ,
855738, Dizziness, 22.10, Headache, 22.10, Nausea, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10
855739, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Pain, 23.00, Tenderness, 23.00
855740, Injection site pain, 23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00, Pyrexia, 23.00, Tenderness, 23.00
855741, Limb mass, 22.10, Tenderness, 22.10, , , , , , , ,
855742, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, , , , , , , ,
855743, Injected limb mobility decreased, 23.00, Injection site erythema, 23.00, Injection site induration, 23.00, , , , , , , ,
855747, Fatigue, 22.10, Pain, 22.10, Pyrexia, 22.10, , , , , , , ,
855748, Abdominal discomfort, 22.10, Chills, 22.10, Headache, 22.10, , , , , , , ,
855749, Asthenia, 22.10, Musculoskeletal discomfort, 22.10, , , , , , , ,
855750, Rash, 22.10, , , , , , , ,
855751, Circumstance or information capable of leading to medication error, 22.10, Ear infection, 22.10, , , , , , , ,

855752, Erythema, 22.10, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site warmth, 22.10, Skin warm, 22.10
855753, Peripheral swelling, 22.10, Rash, 22.10, , , , , ,
855754, Muscle twitching, 22.10, , , , , , ,
855755, Headache, 22.10, Impaired work ability, 22.10, Malaise, 22.10, , , , ,
855756, Product preparation issue, 22.10, , , , , , ,
855757, Erythema, 23.00, Headache, 23.00, Pruritus, 23.00, Rash, 23.00, , ,
855758, Decreased appetite, 22.10, Headache, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Nausea, 22.10
855758, Pain, 22.10, , , , , , ,
855759, Injection site reaction, 22.10, Injection site warmth, 22.10, Pruritus, 22.10, Rash, 22.10, Rash vesicular, 22.10
855759, Urticaria, 22.10, , , , , , ,
855760, Computerised tomogram normal, 22.10, Mobility decreased, 22.10, Pain in extremity, 22.10, Sleep disorder, 22.10, ,
855761, Eye movement disorder, 22.10, Immediate post-injection reaction, 22.10, Loss of consciousness, 22.10, Muscle spasms, 22.10, Pallor, 22.10
855761, Presyncope, 22.10, Tension, 22.10, Urinary incontinence, 22.10, , , , ,
855762, Limb discomfort, 22.10, Shoulder injury related to vaccine administration, 22.10, , , , , ,
855778, Pain in extremity, 22.10, , , , , , ,
855779, Fatigue, 22.10, Pain, 22.10, , , , , ,
855780, Product storage error, 22.10, , , , , , ,
855781, Blepharospasm, 22.10, Chills, 22.10, Dizziness, 22.10, Miosis, 22.10, Pain, 22.10
855781, Pyrexia, 22.10, , , , , , ,
855782, Rash maculo-papular, 22.10, Urticaria, 22.10, , , , , ,
855783, Erythema, 22.10, Limb discomfort, 22.10, Pain, 22.10, , , , ,
855785, Erythema multiforme, 22.10, , , , , , ,
855786, Abdominal pain upper, 22.10, Dizziness, 22.10, , , , , ,
855787, Cough, 22.10, Dizziness, 22.10, Ear pain, 22.10, Headache, 22.10, Injection site haemorrhage, 22.10
855787, Injection site pain, 22.10, Pyrexia, 22.10, Vomiting, 22.10, , , , ,
855788, Injection site discomfort, 22.10, Injection site pain, 22.10, Product administered at inappropriate site, 22.10, , , , ,
855789, Blood glucose increased, 23.00, Blood lactic acid normal, 23.00, Febrile convulsion, 23.00, Influenza A virus test negative, 23.00, Influenza B virus test, 23.00
855789, Influenza virus test negative, 23.00, Pyrexia, 23.00, , , , , ,
855790, Erythema, 22.10, Pustule, 22.10, Skin warm, 22.10, Swelling, 22.10, , ,
855791, Guillain-Barre syndrome, 22.10, , , , , , ,
855795, Erythema, 22.10, Lymphadenopathy, 22.10, Peripheral swelling, 22.10, , , , ,
855796, Extra dose administered, 22.10, , , , , , ,
855797, Impaired driving ability, 22.10, Pain in extremity, 22.10, , , , , ,
855798, Asthenia, 22.10, Chills, 22.10, Condition aggravated, 22.10, Cyclic vomiting syndrome, 22.10, Diarrhoea, 22.10
855798, Fatigue, 22.10, Feeling abnormal, 22.10, Genital herpes, 22.10, Headache, 22.10, Palpitations, 22.10
855799, Chills, 22.10, Lethargy, 22.10, Pain, 22.10, , , , ,

855800, Immediate post-injection reaction, 22.10, Injection site bruising, 22.10, Injection site mass, 22.10, Insomnia, 22.10, Lip swelling, 22.10
855800, Nausea, 22.10, Pain in extremity, 22.10, , , , , ,
855801, Chills, 22.10, Pain, 22.10, Pyrexia, 22.10, Tremor, 22.10, ,
855802, Injection site erythema, 23.00, Injection site swelling, 23.00, Local reaction, 23.00, , , , ,
855803, Injection site swelling, 22.10, Injection site warmth, 22.10, , , , , ,
855804, Injection site erythema, 22.10, Injection site induration, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, ,
855805, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00, , , , ,
855806, Guillain-Barre syndrome, 22.10, , , , , , , ,
855807, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, , , , ,
855808, Chills, 22.10, Erythema, 22.10, Influenza, 22.10, Mobility decreased, 22.10, Nausea, 22.10
855808, Night sweats, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10, Pyrexia, 22.10, Skin warm, 22.10
855811, Anxiety, 22.10, Infection via vaccinee, 22.10, Influenza like illness, 22.10, Obsessive-compulsive disorder, 22.10, Oropharyngeal pain, 22.10
855811, Paediatric autoimmune neuropsychiatric disorders associated with streptococcal infection, 22.10, Rash, 22.10, Scarlet fever, 22.10, , , , ,
855817, Inappropriate schedule of product administration, 22.10, No adverse event, 22.10, , , , , ,
855819, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, , , , , ,
855820, Expired product administered, 22.10, No adverse event, 22.10, , , , , , ,
855821, Expired product administered, 22.10, No adverse event, 22.10, , , , , , ,
855822, No adverse event, 22.10, Product preparation error, 22.10, , , , , , ,
855823, Mobility decreased, 22.10, Pain in extremity, 22.10, Tenderness, 22.10, , , , ,
855824, No adverse event, 22.10, Product preparation error, 22.10, , , , , , ,
855825, No adverse event, 22.10, Product preparation error, 22.10, , , , , , ,
855826, Product preparation issue, 22.10, , , , , , , ,
855827, Injection site erythema, 23.00, Injection site mass, 23.00, Injection site pain, 23.00, Injection site warmth, 23.00, ,
855828, Product preparation issue, 22.10, , , , , , , ,
855829, Product preparation issue, 22.10, , , , , , , ,
855830, Blood test, 22.10, Cardiac monitoring normal, 22.10, Cervical vertebral fracture, 22.10, Echocardiogram normal, 22.10, Glomerular filtration rate normal, 22.10
855830, Loss of consciousness, 22.10, Positron emission tomogram normal, 22.10, Road traffic accident, 22.10, Scan myocardial perfusion normal, 22.10, Surgery, 22.10
855830, Syncope, 22.10, , , , , , , ,
855831, Erythema, 22.10, Inflammation, 22.10, Injected limb mobility decreased, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10
855831, Skin warm, 22.10, , , , , , , ,

855832, Influenza, 22.10, , , , , , , , ,
855833, Injected limb mobility decreased, 22.10, Magnetic resonance imaging, 22.10, Nerve conduction studies, 22.10, Neuralgic amyotrophy, 22.10, ,
855834, Lip swelling, 22.10, Middle insomnia, 22.10, Swelling face, 22.10, Swelling of eyelid, 22.10, ,
855835, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, Pyrexia, 22.10
855836, Bursitis, 22.10, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Joint range of motion decreased, 22.10
855837, Headache, 22.10, Syncope, 22.10, Tinnitus, 22.10, , , , ,
855838, Ear swelling, 22.10, Hypoacusis, 22.10, Lip swelling, 22.10, Pyrexia, 22.10, Swelling face, 22.10
855839, Headache, 22.10, Middle insomnia, 22.10, Nausea, 22.10, Vomiting, 22.10, ,
855840, Erythema, 22.10, Pruritus, 22.10, Swelling, 22.10, , , , ,
855841, Arthralgia, 22.10, Asthenia, 22.10, Back disorder, 22.10, Back pain, 22.10, Blood test normal, 22.10
855841, Decreased appetite, 22.10, Dizziness, 22.10, Dyspnoea, 22.10, Exercise tolerance decreased, 22.10, Fatigue, 22.10
855841, Feeling cold, 22.10, Gait disturbance, 22.10, Hypersomnia, 22.10, Impaired driving ability, 22.10, Impaired work ability, 22.10
855841, Intervertebral disc protrusion, 22.10, Ligament sprain, 22.10, Limb discomfort, 22.10, Loss of personal independence in daily activities, 22.10, Magnetic resonance imaging spinal abnormal, 22.10
855841, Mobility decreased, 22.10, Muscular weakness, 22.10, Pain, 22.10, Pallor, 22.10, Peripheral coldness, 22.10
855841, Tooth extraction, 22.10, Tooth infection, 22.10, Weight decreased, 22.10, , , , ,
855842, Extra dose administered, 22.10, , , , , , , , ,
855843, Pain, 22.10, Pain in extremity, 22.10, , , , , , ,
855844, Syncope, 22.10, , , , , , , , ,
855845, Antinuclear antibody positive, 22.10, Arthralgia, 22.10, Blood iron normal, 22.10, Blood lactate dehydrogenase normal, 22.10, Blood phosphorus normal, 22.10
855845, C-reactive protein normal, 22.10, Full blood count normal, 22.10, Glycosylated haemoglobin normal, 22.10, Inflammation, 22.10, Insomnia, 22.10
855845, Laboratory test normal, 22.10, Lipids normal, 22.10, Metabolic function test normal, 22.10, Musculoskeletal stiffness, 22.10, Red blood cell sedimentation rate normal, 22.10
855845, Rheumatoid factor negative, 22.10, Serum ferritin normal, 22.10, , , , , , ,
855846, Cold sweat, 22.10, Dizziness, 22.10, Pallor, 22.10, Vomiting, 22.10, ,
855847, Chills, 22.10, Headache, 22.10, Muscle spasms, 22.10, Myalgia, 22.10, Nausea, 22.10
855849, Erythema, 22.10, Peripheral swelling, 22.10, Skin warm, 22.10, Tenderness, 22.10, ,

855850,Injection site erythema,22.10,Injection site pruritus,
22.10,,,,,
855851,Pruritus,22.10,Rash,22.10,,,,,
855852,Axillary pain,22.10,Erythema,22.10,Injection site erythema,
22.10,Injection site pain,22.10,Injection site swelling,22.10
855852,Myalgia,22.10,Oedema peripheral,22.10,,,,,
855853,Vision blurred,22.10,,,,,
855854,Injection site erythema,22.10,Injection site pain,22.10,,,,,
855855,Blood test normal,22.10,Chest X-ray normal,22.10,Computerised
tomogram normal,22.10,Electroencephalogram,22.10,Lumbar puncture
normal,22.10
855855,Magnetic resonance imaging normal,22.10,Seizure,22.10,,,,,
855856,Asthenia,22.10,CSF protein increased,22.10,Chest X-ray normal,
22.10,Computerised tomogram normal,22.10,Dysstasia,22.10
855856,Fall,22.10,Fatigue,22.10,Gait disturbance,22.10,Guillain-Barre
syndrome,22.10,Headache,22.10
855856,Hypoaesthesia,22.10,Immunoglobulin therapy,22.10,Lactation
disorder,22.10,Loss of personal independence in daily activities,
22.10,Lumbar puncture abnormal,22.10
855856,Magnetic resonance imaging normal,22.10,Maternal exposure
during breast feeding,22.10,Paraesthesia,22.10,,,,,
855857,Peripheral swelling,22.10,,,,,
855858,Swelling face,22.10,,,,,
855859,Burning sensation,22.10,Erythema,22.10,,,,,
855860,Inappropriate schedule of product administration,22.10,,,,,
855861,Back pain,22.10,Emotional distress,22.10,,,,,
855862,Chronic inflammatory demyelinating polyradiculoneuropathy,
22.10,,,,,
855863,Mobility decreased,22.10,Pain,22.10,,,,,
855864,Asthenia,22.10,Chills,22.10,Dizziness,22.10,Fatigue,22.10,Fear,
22.10
855864,Feeling hot,22.10,Hyperhidrosis,22.10,Malaise,22.10,Migraine,
22.10,Visual impairment,22.10
855864,Vomiting,22.10,,,,,
855865,Injection site pain,22.10,Pain,22.10,,,,,
855866,Pyrexia,22.10,Status epilepticus,22.10,,,,,
855867,Injection site erythema,22.10,Injection site mass,
22.10,Injection site pruritus,22.10,Injection site swelling,22.10,,
855868,Crying,22.10,Diarrhoea,22.10,Eczema,22.10,Electroencephalogram,
22.10,Haematochezia,22.10
855868,Screaming,22.10,Seizure,22.10,,,,,
855869,Crying,22.10,Hyperacusis,22.10,Injection site erythema,
22.10,Injection site induration,22.10,Injection site nodule,22.10
855869,Injection site pain,22.10,Injection site rash,22.10,Injection
site reaction,22.10,Injection site warmth,22.10,Irritability,22.10
855869,Screaming,22.10,Urticaria,22.10,,,,,
855870,Abdominal pain upper,22.10,Agitation,22.10,Crying,
22.10,Hyperacusis,22.10,Injection site erythema,22.10
855870,Injection site induration,22.10,Injection site pain,
22.10,Injection site rash,22.10,Injection site reaction,

22.10, Injection site warmth, 22.10
855870, Neck pain, 22.10, Screaming, 22.10, Urticaria, 22.10, , , ,
855871, Abdominal pain upper, 22.10, Asthenia, 22.10, Diarrhoea,
22.10, Fatigue, 22.10, Headache, 22.10
855871, Myalgia, 22.10, Nausea, 22.10, , , , , ,
855876, Blindness, 22.10, Burning sensation, 22.10, Deafness unilateral,
22.10, Herpes zoster, 22.10, Otitis media, 22.10
855876, Posterior capsule opacification, 22.10, Rash pruritic,
22.10, Tinnitus, 22.10, Vitreous detachment, 22.10, ,
855877, Burning sensation, 22.10, Cystitis, 22.10, Eye pain, 22.10, Eye
swelling, 22.10, Haematuria, 22.10
855877, Herpes zoster, 22.10, Neuralgia, 22.10, Pain, 22.10, Periorbital
cellulitis, 22.10, VIth nerve paralysis, 22.10
855878, Expired product administered, 22.10, , , , , , , ,
855879, No adverse event, 22.10, Product administered to patient of
inappropriate age, 22.10, , , , , , ,
855880, Expired product administered, 22.10, , , , , , , ,
855881, Inappropriate schedule of product administration, 22.10, No
adverse event, 22.10, , , , , , ,
855882, Expired product administered, 22.10, No adverse event, 22.10, , , , , , , ,
855883, Inappropriate schedule of product administration, 22.10, , , , , , , ,
855884, Extra dose administered, 22.10, , , , , , , ,
855885, Blood glucose increased, 22.10, , , , , , , ,
855886, Blood glucose increased, 22.10, , , , , , , ,
855887, No adverse event, 22.10, Product storage error, 22.10, , , , , , ,
855888, No adverse event, 22.10, Product storage error, 22.10, , , , , , ,
855889, Blood urine present, 22.10, Chest X-ray abnormal, 22.10, Cough,
22.10, Dysstasia, 22.10, Fall, 22.10
855889, Malaise, 22.10, Oropharyngeal discomfort, 22.10, Pneumonia,
22.10, , , , ,
855890, Blood pressure increased, 22.10, Chills, 22.10, Headache,
22.10, Insomnia, 22.10, Muscle twitching, 22.10
855890, Nausea, 22.10, Pain, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10, ,
855891, Erythema, 22.10, Limb discomfort, 22.10, Pain, 22.10, , , , ,
855892, Injection site pain, 22.10, , , , , , , ,
855893, Injection site pain, 22.10, , , , , , , ,
855894, Chills, 22.10, Pain, 22.10, , , , , , ,
855895, Erythema, 22.10, Peripheral swelling, 22.10, Pruritus, 22.10, , , , ,
855899, Dizziness, 22.10, Erythema, 22.10, Headache, 22.10, Paraesthesia,
22.10, , ,
855900, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Nausea, 22.10, Pain,
22.10
855900, Pyrexia, 22.10, Sinusitis, 22.10, , , , , , ,
855901, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Nausea, 22.10, Pain,
22.10
855901, Pyrexia, 22.10, Sinusitis, 22.10, , , , , , ,
855902, Dizziness, 22.10, Dyspnoea, 22.10, Nausea, 22.10, Wheezing, 22.10, , ,
855903, Injection site pain, 22.10, Pain in extremity, 22.10, , , , , , ,
855904, Feeling abnormal, 22.10, Immediate post-injection reaction,
22.10, Seizure, 22.10, Syncope, 22.10, , ,

855905,Fontanelle bulging,23.00,Rash,23.00,,,,,
855906,Abdominal discomfort,22.10,Diarrhoea,22.10,Fatigue,
22.10,Injection site pain,22.10,Retching,22.10
855907,Loss of consciousness,22.10,Syncope,22.10,,,,,
855908,Induration,22.10,Joint range of motion decreased,22.10,Pain,
22.10,,,,,
855909,Culture throat,22.10,Injection site erythema,22.10,Injection
site pain,22.10,Injection site warmth,22.10,Pyrexia,22.10
855909,Streptococcus test,22.10,Streptococcus test negative,
22.10,,,,,
855910,Feeling hot,22.10,,,,,
855924,Abdominal distension,22.10,Areflexia,22.10,Asthenia,
22.10,Ataxia,22.10,CSF test normal,22.10
855924,Computerised tomogram head normal,22.10,Demyelinating
polyneuropathy,22.10,Dysphagia,22.10,Electromyogram abnormal,
22.10,Endotracheal intubation,22.10
855924,Gastrostomy,22.10,Guillain-Barre syndrome,22.10,Immunoglobulin
therapy,22.10,Mechanical ventilation,22.10,Muscular weakness,22.10
855924,Paraesthesia,22.10,Plasmapheresis,22.10,Respiratory failure,
22.10,Respiratory muscle weakness,22.10,Tracheostomy,22.10
855929,Arthralgia,22.10,Asthenia,22.10,Bedridden,22.10,Feeling
abnormal,22.10,Gait disturbance,22.10
855929,Muscular weakness,22.10,Pain in extremity,22.10,Vaccine
positive rechallenge,22.10,,,,,
855930,Herpes zoster,22.10,,,,,
855931,Herpes zoster,22.10,,,,,
855932,Rash,22.10,,,,,
855933,Chills,22.10,Flushing,22.10,Myalgia,22.10,,,,,
855934,Headache,22.10,Vomiting,22.10,,,,,
855935,Arthralgia,22.10,Bronchospasm,22.10,Dyspnoea,22.10,Feeling
abnormal,22.10,Middle insomnia,22.10
855935,Mobility decreased,22.10,Pain in extremity,22.10,,,,,
855936,Prostatic specific antigen increased,22.10,,,,,
855937,Injection site necrosis,22.10,,,,,
855938,Pain in extremity,22.10,,,,,
855939,Immediate post-injection reaction,22.10,Injection site pain,
22.10,Musculoskeletal pain,22.10,Pain,22.10,Pain in extremity,22.10
855940,Injection site pain,22.10,Tendonitis,22.10,,,,,
855941,Feeling hot,22.10,Headache,22.10,,,,,
855942,Dizziness,22.10,Nausea,22.10,,,,,
855943,Arthralgia,22.10,Myalgia,22.10,,,,,
855944,Asthenia,22.10,Hypotension,22.10,,,,,
855945,Chills,22.10,Fatigue,22.10,Nausea,22.10,Pain,22.10,Pyrexia,
22.10
855946,Cardiac murmur,22.10,Cough,22.10,Diarrhoea,
22.10,Gastrointestinal disorder,22.10,Headache,22.10
855946,Injection site erythema,22.10,Injection site induration,
22.10,Injection site nodule,22.10,Injection site rash,22.10,Injection
site swelling,22.10
855946,Middle insomnia,22.10,Rash,22.10,Respiratory distress,

22.10,Respiratory syncytial virus test negative,22.10,Respiratory tract congestion,22.10
855946,Screaming,22.10,Skin reaction,22.10,Vaccination complication,22.10,Vomiting,22.10,Weight gain poor,22.10
855947,Anxiety,22.10,Chills,22.10,Ear pain,22.10,Facial pain,22.10,Fatigue,22.10
855947,Headache,22.10,Herpes zoster,22.10,Insomnia,22.10,Nasal discomfort,22.10,Nausea,22.10
855947,Night sweats,22.10,Pain,22.10,Skin lesion,22.10,Vertigo,22.10,,
855952,Exposure during pregnancy,22.10,Injection site pain,22.10,Pregnancy test positive,22.10,,,,,
855953,Herpes zoster,22.10,,,,,,
855954,Herpes zoster,22.10,,,,,,
855955,Injected limb mobility decreased,23.00,Pain in extremity,23.00,,,,,
855956,Injection site erythema,22.10,Injection site pruritus,22.10,Injection site swelling,22.10,Pain in extremity,22.10,Peripheral swelling,22.10
855956,Pyrexia,22.10,,,,,,
855957,Injection site pain,22.10,Injection site swelling,22.10,Injection site warmth,22.10,,,,,
855958,Bruxism,22.10,Hyperhidrosis,22.10,Loss of consciousness,22.10,Musculoskeletal stiffness,22.10,Pallor,22.10
855958,Toothache,22.10,,,,,,
855959,Injection site erythema,22.10,Injection site pain,22.10,Injection site swelling,22.10,Injection site warmth,22.10,Lymphadenopathy,22.10
855959,Ultrasound Doppler normal,22.10,,,,,,
855960,Injection site paraesthesia,22.10,Musculoskeletal pain,22.10,Neck pain,22.10,Paraesthesia,22.10,,
855961,Urticaria,22.10,,,,,,
855962,Full blood count,22.10,Metabolic function test,22.10,Nausea,22.10,Urine analysis,22.10,Vomiting,22.10
855963,Hypoaesthesia,22.10,Mobility decreased,22.10,Swelling,22.10,,,,,
855964,Joint stabilisation,22.10,Musculoskeletal pain,22.10,,,,,
855965,Cellulitis,23.00,Injection site erythema,23.00,,,,,
855966,Injection site erythema,22.10,Injection site pruritus,22.10,Injection site swelling,22.10,Pyrexia,22.10,,
855967,Chest pain,22.10,Chills,22.10,Dysuria,22.10,Headache,22.10,Injection site pain,22.10
855967,Injection site swelling,22.10,,,,,,
855970,Expired product administered,22.10,No adverse event,22.10,,,,,
855971,No adverse event,22.10,Wrong technique in product usage process,22.10,,,,,
855972,No adverse event,22.10,Product administered to patient of inappropriate age,22.10,,,,,
855973,Product administered to patient of inappropriate age,22.10,,,,,,
855974,Pityriasis rosea,22.10,Rash,22.10,,,,,
855975,Arthralgia,22.10,Bladder catheterisation,22.10,Blood test,

22.10, Computerised tomogram, 22.10, Constipation, 22.10
855975, Dysstasia, 22.10, Gait inability, 22.10, Immunoglobulin therapy,
22.10, Injury, 22.10, Magnetic resonance imaging, 22.10
855975, Magnetic resonance imaging spinal abnormal, 22.10, Mobility
decreased, 22.10, Muscular weakness, 22.10, Myelitis, 22.10, Pain, 22.10
855975, Pain in extremity, 22.10, Plasmapheresis, 22.10, Sensory loss,
22.10, Urinary retention, 22.10, Urinary tract infection, 22.10
855975, X-ray, 22.10, , , , , , , , ,
855976, Nausea, 22.10, Vomiting, 22.10, , , , , , , ,
855977, Immediate post-injection reaction, 22.10, Injection site pain,
22.10, Injection site swelling, 22.10, , , , ,
855978, Rash, 22.10, , , , , , , ,
855979, Hypoaesthesia, 22.10, , , , , , , ,
855980, Pruritus, 22.10, , , , , , , ,
855981, Back pain, 22.10, Pain, 22.10, Skin warm, 22.10, Swelling,
22.10, Tenderness, 22.10
855982, Injection site pain, 22.10, Injection site pruritus,
22.10, Injection site rash, 22.10, Injection site vesicles, 22.10, Spinal
pain, 22.10
855983, Screaming, 22.10, , , , , , , ,
855984, Injection site bruising, 22.10, Injection site erythema,
22.10, Injection site swelling, 22.10, Lymph node pain, 22.10, ,
855985, Local reaction, 22.10, Wrong product administered, 22.10, , , , , , ,
855986, Bursa removal, 22.10, Bursitis, 22.10, Injected limb mobility
decreased, 22.10, Injection site pain, 22.10, Magnetic resonance imaging
abnormal, 22.10
855986, Pain, 22.10, Pain in extremity, 22.10, , , , , , ,
855987, Infection, 22.10, Injection site erythema, 22.10, Injection site
mass, 22.10, Injection site swelling, 22.10, , ,
855988, Inflammation, 22.10, , , , , , , ,
855989, Petechiae, 22.10, Rash erythematous, 22.10, Rash papular,
22.10, Urticaria, 22.10, , ,
855990, Asthenia, 22.10, Dizziness, 22.10, Hypersomnia, 22.10, Impaired work
ability, 22.10, Myalgia, 22.10
855990, Pyrexia, 22.10, , , , , , , ,
855991, Mobility decreased, 22.10, Musculoskeletal stiffness, 22.10, Pain
in extremity, 22.10, , , , ,
855992, Unevaluable event, 22.10, , , , , , , ,
855993, Injection site pain, 22.10, Insomnia, 22.10, Neck pain, 22.10, Pain,
22.10, , ,
855994, Injection site pain, 22.10, Pain, 22.10, Pain in extremity,
22.10, , , , ,
855995, Asthenia, 22.10, Pyrexia, 22.10, , , , , , ,
855996, Chills, 22.10, Fatigue, 22.10, Influenza like illness,
22.10, Myalgia, 22.10, Pyrexia, 22.10
855997, Incorrect dose administered, 22.10, , , , , , , ,
855998, Injection site pain, 22.10, , , , , , , ,
855999, Burning sensation, 22.10, Paraesthesia, 22.10, Rash erythematous,
22.10, Rash pruritic, 22.10, , ,
856000, Erythema, 22.10, Feeling hot, 22.10, Pyrexia, 22.10, , , , ,

856001, Immediate post-injection reaction, 22.10, Pruritus, 22.10, Skin warm, 22.10, Swelling, 22.10,,
856002, Asthenia, 22.10, Diarrhoea, 22.10, Dizziness, 22.10, Facial pain, 22.10, Headache, 22.10
856002, Immediate post-injection reaction, 22.10, Musculoskeletal stiffness, 22.10, Nausea, 22.10, Pain, 22.10, Pyrexia, 22.10
856002, Respiratory tract congestion, 22.10, Sinusitis, 22.10,,,,,,
856003, Dysgraphia, 22.10, Injected limb mobility decreased, 22.10, Pain in extremity, 22.10,,,,,
856004, Chills, 22.10, Influenza like illness, 22.10, Nausea, 22.10, Vomiting, 22.10,,
856005, Back pain, 22.10, Feeling cold, 22.10,,,,,,
856006, Erythema, 22.10, Insomnia, 22.10, Pain, 22.10, Pruritus, 22.10, Pustule, 22.10
856006, Scab, 22.10, Swelling, 22.10,,,,,,
856007, Abdominal discomfort, 22.10, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Injection site erythema, 22.10
856007, Injection site pain, 22.10, Injection site swelling, 22.10, Myalgia, 22.10, Pyrexia, 22.10,,
856008, Chills, 22.10, Myalgia, 22.10,,,,,,
856009, Headache, 22.10, Injection site pain, 22.10, Insomnia, 22.10,,,,,
856019, Post herpetic neuralgia, 22.10,,,,,,,
856020, Herpes zoster, 22.10,,,,,,,
856021, Herpes zoster, 22.10,,,,,,,
856022, Herpes zoster, 22.10,,,,,,,
856023, Arthroscopy, 22.10, Blood culture, 22.10, C-reactive protein, 22.10, Chills, 22.10, Culture, 22.10
856023, Fatigue, 22.10, Feeling hot, 22.10, Full blood count, 22.10, Hyperhidrosis, 22.10, Injected limb mobility decreased, 22.10
856023, Joint debridement, 22.10, Joint irrigation, 22.10, Metabolic function test, 22.10, Pain in extremity, 22.10,,
856024, Herpes zoster, 22.10,,,,,,,
856025, Injection site pruritus, 22.10, Injection site swelling, 22.10, Local reaction, 22.10, Rash, 22.10, Swelling face, 22.10
856025, Urticaria, 22.10,,,,,,,
856026, Herpes zoster, 22.10,,,,,,,
856027, Product administered at inappropriate site, 22.10,,,,,,,
856029, Blood pressure decreased, 22.10, Chills, 22.10, Eye swelling, 22.10, Gastrointestinal disorder, 22.10, Headache, 22.10
856029, Immediate post-injection reaction, 22.10, Injection site erythema, 22.10, Injection site rash, 22.10, Limb discomfort, 22.10, Muscle tightness, 22.10
856029, Musculoskeletal stiffness, 22.10, Myalgia, 22.10, Nausea, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10
856029, Pruritus, 22.10, Pyrexia, 22.10, Rash, 22.10, Rash pruritic, 22.10, Swelling, 22.10
856029, Tenderness, 22.10, Urticaria, 22.10,,,,,,
856030, Amnesia, 22.10, Balance disorder, 22.10, Brain scan normal, 22.10, Dizziness, 22.10, Feeling abnormal, 22.10
856030, Meniere's disease, 22.10, Vertigo, 22.10,,,,,,

856032,Erythema,22.10,Rash macular,22.10,,,,,
856033,Exposure during pregnancy,22.10,No adverse event,22.10,,,,,
856034,Pain in extremity,22.10,,,,,
856035,Rash,22.10,,,,,
856036,Infusion related reaction,22.10,Lip swelling,22.10,Urticaria,
22.10,,,,,
856037,Herpes zoster,22.10,,,,,
856038,Anaphylactic reaction,22.10,,,,,
856039,Nasopharyngitis,22.10,,,,,
856040,Allergy to vaccine,22.10,,,,,
856041,Peripheral swelling,22.10,,,,,
856042,Epistaxis,22.10,,,,,
856043,Exposure during pregnancy,22.10,,,,,
856044,Headache,22.10,Pyrexia,22.10,Sinus disorder,22.10,,,,,
856045,Exposure during pregnancy,22.10,,,,,
856046,Hypersensitivity,22.10,,,,,
856047,Exposure during pregnancy,22.10,No adverse event,22.10,,,,,
856048,Incorrect dose administered,22.10,,,,,
856049,Allergy to vaccine,22.10,,,,,
856050,Injection site swelling,22.10,Injection site warmth,22.10,,,,,
856051,Feeling abnormal,22.10,Nausea,22.10,Pain,22.10,Pyrexia,22.10,,
856052,Chills,22.10,Impaired work ability,22.10,Influenza like
illness,22.10,Injection site pain,22.10,Lymph node pain,22.10
856052,Lymphadenopathy,22.10,Myalgia,22.10,Pyrexia,22.10,,,,,
856053,Anxiety,22.10,Hyperacusis,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Migraine,22.10
856053,Photophobia,22.10,,,,,
856054,Erythema,23.00,Induration,23.00,,,,,
856055,Injection site rash,22.10,Injection site urticaria,
22.10,Urticaria,22.10,,,,,
856056,Aphonia,22.10,Bedridden,22.10,Ear pain,22.10,Headache,
22.10,Oropharyngeal pain,22.10
856056,Rhinorrhoea,22.10,,,,,
856057,Injection site urticaria,22.10,Urticaria,22.10,,,,,
856058,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
856059,Ecchymosis,22.10,Injection site haemorrhage,22.10,,,,,
856060,Febrile convulsion,22.10,Intensive care,22.10,Pyrexia,22.10,,,,,
856061,Headache,22.10,Malaise,22.10,Pain in extremity,22.10,Pyrexia,
22.10,,
856062,Herpes zoster,22.10,Scar,22.10,,,,,
856063,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,
856064,Herpes zoster,22.10,Vaccination failure,22.10,,,,,
856065,Pain in extremity,22.10,Vaccine positive rechallenge,
22.10,,,,,
856066,Transfusion,22.10,,,,,
856067,Arthralgia,22.10,Asthenia,22.10,Blood test normal,
22.10,Discomfort,22.10,Dizziness,22.10
856067,Limb discomfort,22.10,Muscle disorder,22.10,Pain,22.10,Vaccine

positive rechallenge,22.10,,
856068,Death,22.10,,,,,,
856069,Arthralgia,22.10,,,,,,
856070,Erythema,22.10,Injection site swelling,22.10,,,,,
856071,Feeling abnormal,22.10,Hypoaesthesia,22.10,Muscle tightness,
22.10,,,,,
856072,Antineutrophil cytoplasmic antibody negative,22.10,Antinuclear
antibody negative,22.10,Blood folate normal,22.10,C-reactive protein
increased,22.10,Complement factor C3,22.10
856072,Complement factor C4,22.10,Electrophoresis protein normal,
22.10,Full blood count normal,22.10,HIV test negative,22.10,Hepatitis
B test negative,22.10
856072,Hepatitis C test negative,22.10,Metabolic function test normal,
22.10,Nasopharyngitis,22.10,Ophthalmological examination normal,
22.10,Pain of skin,22.10
856072,Red blood cell sedimentation rate normal,22.10,Swelling,
22.10,Treponema test negative,22.10,Urine analysis normal,22.10,Visual
impairment,22.10
856072,Vitamin B12 normal,22.10,Vitamin D,22.10,Weight increased,
22.10,,,,,
856073,Mobility decreased,22.10,Musculoskeletal pain,22.10,,,,,
856074,Abdominal pain,22.10,Cough,22.10,Dyspnoea,22.10,Erythema,
22.10,Lip swelling,22.10
856074,Rash,22.10,Swelling face,22.10,Visual impairment,22.10,,,,,
856075,Injection site swelling,22.10,Peripheral swelling,22.10,Wrong
product administered,22.10,,,,,
856076,Arthralgia,22.10,Dizziness,22.10,Facial pain,22.10,Flank pain,
22.10,Head injury,22.10
856076,Immediate post-injection reaction,22.10,Injection site
erythema,22.10,Injection site pain,22.10,Loss of consciousness,
22.10,Micturition urgency,22.10
856076,Middle insomnia,22.10,Nausea,22.10,Pain,22.10,Pustule,
22.10,Pyrexia,22.10
856076,Rash,22.10,Seizure,22.10,,,,,
856077,Chills,22.10,Headache,22.10,Hyperhidrosis,22.10,Nausea,
22.10,Pyrexia,22.10
856082,Herpes zoster,22.10,,,,,,
856083,Exposure during pregnancy,22.10,,,,,,
856084,Feeling abnormal,22.10,Headache,22.10,Influenza like illness,
22.10,,,,,
856085,Chills,22.10,Pain,22.10,Pyrexia,22.10,,,,,
856086,Injection site erythema,22.10,Injection site pain,22.10,,,,,
856087,Injection site erythema,22.10,Injection site pain,22.10,Vaccine
positive rechallenge,22.10,,,,,
856088,Hepatitis B surface antibody positive,22.10,Hepatitis B virus
test positive,22.10,,,,,
856089,Axillary pain,22.10,Bedridden,22.10,Chills,22.10,Feeding
disorder,22.10,Feeling hot,22.10
856089,Headache,22.10,Hyperhidrosis,22.10,Muscle tightness,22.10,Pain
in extremity,22.10,,

856090,Rash,22.10,,,,,,,,,
856091,Influenza,22.10,Injection site pain,22.10,Ocular hyperaemia,
22.10,Vaccine positive rechallenge,22.10,Vision blurred,22.10
856091,Visual impairment,22.10,,,,,,,,,
856092,Injection site pain,22.10,,,,,,,,,
856093,Documented hypersensitivity to administered product,22.10,Rash,
22.10,,,,,,,,,
856094,Herpes zoster,22.10,Vaccination failure,22.10,,,,,,,,,
856095,Deafness,22.10,,,,,,,,,
856096,Chills,22.10,Fatigue,22.10,Headache,22.10,Myalgia,22.10,Nausea,
22.10
856097,Injection site erythema,22.10,,,,,,,,,
856098,Injection site pain,22.10,,,,,,,,,
856099,Injection site erythema,22.10,Injection site swelling,
22.10,,,,,,,,,
856100,Fibrin D dimer increased,22.10,,,,,,,,,
856101,Injection site erythema,23.00,,,,,,,,,
856102,Rash,23.00,,,,,,,,,
856103,Injection site urticaria,22.10,,,,,,,,,
856104,Injected limb mobility decreased,22.10,Injection site pain,
22.10,,,,,,,,,
856105,Erythema,22.10,Pain,22.10,Skin warm,22.10,Swelling,22.10,,
856106,Erythema,22.10,Hypotonia,22.10,Swelling face,22.10,,,,,
856107,Injection site reaction,22.10,,,,,,,,,
856116,Cough,22.10,Dyspnoea,22.10,Interstitial lung disease,22.10,,,,,
856118,Blindness,22.10,Blood pressure increased,22.10,Cardiac
discomfort,22.10,Diplopia,22.10,Fatigue,22.10
856118,Feeling abnormal,22.10,Hallucination,22.10,Heart rate
increased,22.10,Influenza virus test negative,22.10,Injection site
discomfort,22.10
856118,Lacrimation increased,22.10,Limb discomfort,22.10,Rhinorrhoea,
22.10,Sleep disorder,22.10,Sneezing,22.10
856118,Throat tightness,22.10,,,,,,,,,
856119,Injection site bruising,22.10,Injection site discolouration,
22.10,Injection site induration,22.10,Injection site nodule,
22.10,Injection site pruritus,22.10
856119,Injection site swelling,22.10,,,,,,,,,
856120,Muscle spasms,22.10,,,,,,,,,
856121,Apgar score normal,22.10,Blood bilirubin increased,22.10,Foetal
exposure during pregnancy,22.10,Intensive care,22.10,,
856122,Erythema,22.10,Swelling,22.10,,,,,,,,,
856123,Induration,22.10,Mass,22.10,Skin discolouration,22.10,,,,,
856124,Abdominal pain upper,22.10,Aggression,22.10,Anger,
22.10,Arthralgia,22.10,Cough,22.10
856124,Influenza,22.10,Influenza virus test positive,22.10,Pain in
extremity,22.10,Pyrexia,22.10,Rhinorrhoea,22.10
856124,Vomiting,22.10,,,,,,,,,
856125,Pain,22.10,Pyrexia,22.10,Rash,22.10,Urticaria,22.10,,
856126,Injection site erythema,22.10,Injection site swelling,
22.10,Injection site warmth,22.10,Limb discomfort,22.10,Pain in

extremity,22.10
856127,Chills,22.10,Dizziness,22.10,Fatigue,22.10,Headache,
22.10,Nausea,22.10
856128,Injection site bruising,22.10,,,,,
856129,Balance disorder,22.10,Cold sweat,22.10,Fall,22.10,Loss of
consciousness,22.10,Pallor,22.10
856130,Antinuclear antibody positive,22.10,Arthralgia,22.10,Burning
sensation,22.10,Hypoaesthesia,22.10,Laboratory test,22.10
856130,Loss of personal independence in daily activities,
22.10,Muscular weakness,22.10,Pain,22.10,Pain in extremity,
22.10,Radiculitis brachial,22.10
856131,Dizziness,22.10,Nausea,22.10,,,,,
856132,Stomatitis,23.00,,,,,
856133,Contraindication to vaccination,22.10,No adverse event,
22.10,,,,,
856136,Wrong product administered,22.10,,,,,
856137,Expired product administered,22.10,No adverse event,22.10,,,,,
856138,Abnormal faeces,22.10,Diarrhoea,22.10,Hypersomnia,
22.10,Irritability,22.10,Vomiting,22.10
856139,Fatigue,22.10,Injection site erythema,22.10,Injection site
swelling,22.10,Migraine,22.10,Nausea,22.10
856139,Pain,22.10,,,,,
856140,Incorrect route of product administration,22.10,No adverse
event,22.10,,,,,
856141,Rash erythematous,22.10,Rash pruritic,22.10,,,,,
856143,Pyrexia,22.10,,,,,
856144,Arthralgia,22.10,Back pain,22.10,Chest discomfort,
22.10,Dyspnoea,22.10,Electrocardiogram normal,22.10
856144,Feeling abnormal,22.10,Palpitations,22.10,,,,,
856145,Injection site erythema,22.10,Injection site pain,22.10,,,,,
856146,Injection site cellulitis,22.10,Injection site erythema,
22.10,Injection site pain,22.10,Injection site warmth,22.10,Pain in
extremity,22.10
856146,Pyrexia,22.10,,,,,
856147,Dizziness,22.10,Fatigue,22.10,Headache,22.10,Heart rate
increased,22.10,Influenza virus test negative,22.10
856147,Injection site urticaria,22.10,Lethargy,22.10,Myalgia,
22.10,Pain,22.10,Pyrexia,22.10
856147,Tinnitus,22.10,,,,,
856148,Injection site erosion,22.10,Injection site erythema,
22.10,Injection site pain,22.10,Injection site rash,22.10,,
856149,Injected limb mobility decreased,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Pain,22.10,,
856150,Injection site cellulitis,22.10,Injection site erythema,
22.10,Injection site oedema,22.10,Injection site warmth,22.10,,
856152,Burning sensation,22.10,Flushing,22.10,Hypoaesthesia,22.10,,,,,
856153,Injection site induration,22.10,Injection site rash,
22.10,Injection site warmth,22.10,,,,,
856155,Expired product administered,22.10,,,,,
856156,Erythema,22.10,Pyrexia,22.10,Rash,22.10,Urticaria,22.10,,

856157,Product administered to patient of inappropriate age,
22.10,,,,,
856158,Erythema,22.10,Peripheral swelling,22.10,,,,,
856159,Feeling abnormal,22.10,Pain in extremity,22.10,Peripheral
swelling,22.10,,,,,
856160,Back pain,22.10,Chills,22.10,Fatigue,22.10,Headache,
22.10,Injection site pain,22.10
856160,Pain,22.10,Pain in jaw,22.10,Sensitive skin,22.10,,,,,
856161,Injection site nodule,22.10,,,,,
856162,Chills,22.10,Decreased appetite,22.10,Fatigue,22.10,Headache,
22.10,Heart rate increased,22.10
856162,Myalgia,22.10,Pyrexia,22.10,,,,,
856163,Burning sensation,22.10,Chills,22.10,Heart rate increased,
22.10,Immediate post-injection reaction,22.10,Insomnia,22.10
856163,Irritability,22.10,Pruritus,22.10,Pyrexia,22.10,Skin lesion,
22.10,Urticaria,22.10
856163,Vaccination complication,22.10,,,,,
856164,Axillary pain,22.10,Musculoskeletal stiffness,22.10,,,,,
856165,Loss of personal independence in daily activities,
22.10,Mobility decreased,22.10,Pain,22.10,Swelling,22.10,,
856166,Haemorrhage,22.10,Head injury,22.10,Syncope,22.10,,,,,
856167,Injected limb mobility decreased,22.10,,,,,
856168,Rectal prolapse,22.10,Ultrasound abdomen normal,22.10,Urine
analysis normal,22.10,,,,,
856169,Dizziness,22.10,,,,,
856170,Herpes zoster,22.10,Rash,22.10,,,,,
856171,Anti-ganglioside antibody positive,22.10,Antibody test
positive,22.10,Autoimmune neuropathy,22.10,Blood test normal,
22.10,Chest X-ray normal,22.10
856171,Computerised tomogram normal,22.10,Dizziness,22.10,Drug screen
negative,22.10,Eye movement disorder,22.10,Headache,22.10
856171,Immediate post-injection reaction,22.10,Injection site pain,
22.10,Lethargy,22.10,Loss of personal independence in daily
activities,22.10,Lumbar puncture normal,22.10
856171,Magnetic resonance imaging normal,22.10,Photosensitivity
reaction,22.10,Sensitive skin,22.10,Ultrasound abdomen normal,
22.10,Urine analysis normal,22.10
856171,Viral infection,22.10,Walking aid user,22.10,,,,,
856172,Abdominal discomfort,22.10,Bruxism,22.10,Crying,22.10,Decreased
appetite,22.10,Ear infection,22.10
856172,Emotional distress,22.10,Grunting,22.10,Headache,
22.10,Insomnia,22.10,Lethargy,22.10
856172,Pain,22.10,Pyrexia,22.10,,,,,
856173,Injection site bruising,22.10,Injection site erythema,
22.10,Injection site pain,22.10,Injection site swelling,22.10,,
856174,Injection site pain,22.10,,,,,
856175,Condition aggravated,22.10,Fatigue,22.10,Headache,
22.10,Injection site erythema,22.10,Injection site induration,22.10
856175,Injection site mass,22.10,Injection site swelling,
22.10,Injection site warmth,22.10,Mouth ulceration,22.10,Rash,22.10

856175,Rash erythematous,22.10,Rash papular,22.10,Rash pruritic,
22.10,Restlessness,22.10,Seizure,22.10
856176,Chills,22.10,Cough,22.10,Hyperhidrosis,22.10,Influenza,
22.10,Influenza virus test positive,22.10
856176,Malaise,22.10,Productive cough,22.10,Pyrexia,22.10,,,,
856177,Body temperature increased,22.10,Chills,22.10,Headache,
22.10,Pain,22.10,,
856178,Pain,22.10,Pain in extremity,22.10,,,,,,
856179,Erythema,22.10,Peripheral swelling,22.10,Pruritus,22.10,,,,,
856180,Chills,22.10,Feeling cold,22.10,Lethargy,22.10,Pain,
22.10,Tremor,22.10
856181,Nausea,22.10,Vertigo,22.10,,,,,,
856182,Condition aggravated,22.10,Psoriasis,22.10,,,,,,
856183,Pyrexia,22.10,Rash morbilliform,22.10,,,,,,
856184,Pyrexia,22.10,,,,,,
856185,Body temperature increased,22.10,Chills,22.10,Fatigue,
22.10,Headache,22.10,Influenza virus test negative,22.10
856185,Pain,22.10,,,,,,
856186,Chills,22.10,Disorientation,22.10,Headache,22.10,Pain,
22.10,Pyrexia,22.10
856187,Arthralgia,22.10,Back pain,22.10,Biopsy artery abnormal,
22.10,Blood iron decreased,22.10,Headache,22.10
856187,Magnetic resonance imaging,22.10,Musculoskeletal pain,
22.10,Pain in jaw,22.10,Temporal arteritis,22.10,X-ray,22.10
856188,Arthralgia,22.10,,,,,,
856189,Fatigue,22.10,Headache,22.10,Myalgia,22.10,Nausea,
22.10,Pyrexia,22.10
856190,Abdominal X-ray,22.10,Abdominal distension,22.10,Diarrhoea,
22.10,Influenza,22.10,Influenza virus test,22.10
856190,Polymerase chain reaction,22.10,Respiratory syncytial virus
test,22.10,X-ray normal,22.10,,,,,
856191,Chills,22.10,Pyrexia,22.10,Vomiting,22.10,,,,,
856192,Dizziness,22.10,,,,,,
856193,Asthenia,22.10,Chills,22.10,Dehydration,22.10,Dizziness,
22.10,Fatigue,22.10
856193,Gait disturbance,22.10,Headache,22.10,Heart rate increased,
22.10,Hyperhidrosis,22.10,Loss of consciousness,22.10
856193,Nausea,22.10,Pyrexia,22.10,,,,,,
856194,Gait disturbance,22.10,Laboratory test,22.10,Myalgia,
22.10,Pyrexia,22.10,,
856195,Injection site erythema,22.10,Injection site induration,
22.10,Injection site swelling,22.10,Injection site warmth,22.10,,
856196,Arthralgia,22.10,Cold sweat,22.10,Contusion,22.10,Diarrhoea,
22.10,Dizziness,22.10
856196,Fall,22.10,Head injury,22.10,Loss of consciousness,
22.10,Nausea,22.10,Syncope,22.10
856197,Immediate post-injection reaction,22.10,Paraesthesia,
22.10,Pruritus,22.10,,,,,
856199,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,,

856200, Chest pain, 22.10, Dizziness, 22.10, Flushing, 22.10, , , ,
856201, Dizziness, 22.10, Fatigue, 22.10, Hyperhidrosis, 22.10, , , ,
856202, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Myalgia, 22.10, ,
856203, Asthenia, 22.10, Blood test normal, 22.10, Fatigue, 22.10, Gait
disturbance, 22.10, Hypersomnia, 22.10
856203, Loss of personal independence in daily activities,
22.10, Mobility decreased, 22.10, Muscular weakness, 22.10, Pain in
extremity, 22.10, ,
856204, Abdominal pain upper, 22.10, Headache, 22.10, Hyperacusis,
22.10, Injection site irritation, 22.10, Mental impairment, 22.10
856204, Migraine, 22.10, Moaning, 22.10, Pain in extremity,
22.10, Photophobia, 22.10, Pyrexia, 22.10
856204, Vomiting, 22.10, , , , , , , ,
856205, Injection site pain, 22.10, , , , , , , ,
856206, Injection site reaction, 22.10, Rash macular, 22.10, , , , , ,
856207, Wrong product administered, 22.10, , , , , , , ,
856208, Erythema of eyelid, 22.10, Swelling of eyelid, 22.10, , , , , ,
856209, Erythema, 22.10, Pain in extremity, 22.10, Peripheral swelling,
22.10, , , , ,
856210, Erythema, 22.10, Pain in extremity, 22.10, , , , , ,
856211, Chills, 22.10, Headache, 22.10, Injection site erythema,
22.10, Injection site swelling, 22.10, Pain, 22.10
856211, Peripheral swelling, 22.10, Pyrexia, 22.10, , , , , ,
856212, Arthralgia, 22.10, Condition aggravated, 22.10, Fatigue,
22.10, Injection site pain, 22.10, Injection site swelling, 22.10
856212, Musculoskeletal pain, 22.10, Pain, 22.10, , , , , ,
856213, Chills, 22.10, Injection site pain, 22.10, Malaise, 22.10, Pyrexia,
22.10, ,
856214, Asthenia, 22.10, Dyspnoea, 22.10, Fatigue, 22.10, Visual impairment,
22.10, ,
856215, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Malaise, 22.10, Pain,
22.10
856215, Pyrexia, 22.10, , , , , , , ,
856216, Dysphemia, 22.10, , , , , , , ,
856217, Arthralgia, 22.10, Blood test abnormal, 22.10, Dehydration,
22.10, Fall, 22.10, Fatigue, 22.10
856217, Headache, 22.10, Influenza like illness, 22.10, Ligament sprain,
22.10, Loss of control of legs, 22.10, Malaise, 22.10
856217, Muscle contractions involuntary, 22.10, Pain, 22.10, , , , , ,
856218, Fatigue, 22.10, Heart rate increased, 22.10, Pain in extremity,
22.10, Pyrexia, 22.10, ,
856219, Blepharospasm, 22.10, Choking, 22.10, Cough, 22.10, Pyrexia,
22.10, Rhinorrhoea, 22.10
856219, Seizure, 22.10, , , , , , , ,
856220, Erythema, 22.10, Pruritus, 22.10, Rash, 22.10, Skin plaque, 22.10, ,
856222, Arthritis bacterial, 22.10, Injection site pain, 22.10, Intensive
care, 22.10, Shoulder operation, 22.10, Staphylococcal infection, 22.10
856223, Asthenia, 22.10, Injection site pain, 22.10, Pain, 22.10, Pyrexia,
22.10, Sciatica, 22.10
856224, Chills, 22.10, Headache, 22.10, Injection site pain, 22.10, Pyrexia,

22.10,,
856225,Biopsy skin abnormal,22.10,Lichenoid keratosis,22.10,Pruritus,
22.10,Rash,22.10,Rash erythematous,22.10
856226,Pain,22.10,Pain in extremity,22.10,,,,,
856227,Injection site pain,22.10,Injection site reaction,
22.10,Injection site warmth,22.10,Rash papular,22.10,,
856228,Dizziness,22.10,Dyskinesia,22.10,Injection site haemorrhage,
22.10,Loss of consciousness,22.10,Syncope,22.10
856228,Tension,22.10,,,,,
856229,Product administered to patient of inappropriate age,
22.10,,,,,
856230,Herpes zoster,22.10,,,,,
856231,Syncope,22.10,,,,,
856232,Injection site rash,22.10,Rash,22.10,,,,,
856233,Blister,22.10,Pyrexia,22.10,Rash,22.10,Urticaria,22.10,,
856234,Headache,22.10,Nausea,22.10,Pain in extremity,22.10,Rash,
22.10,,
856235,Balance disorder,22.10,Coordination abnormal,22.10,Gait
disturbance,22.10,Ischaemic stroke,22.10,Magnetic resonance imaging,
22.10
856235,Vertigo,22.10,Vomiting,22.10,,,,,
856236,Pruritus,22.10,Skin irritation,22.10,Urticaria,22.10,,,,
856237,Erythema,22.10,Peripheral swelling,22.10,Tenderness,22.10,,,,
856238,Injection site erythema,22.10,,,,,
856239,Blood test,22.10,Electrocardiogram,22.10,Hypoaesthesia,
22.10,Magnetic resonance imaging,22.10,Musculoskeletal stiffness,22.10
856239,Neuralgia,22.10,Pain,22.10,Quality of life decreased,
22.10,Tinnitus,22.10,Vertigo,22.10
856240,Dizziness,22.10,Headache,22.10,Pain in extremity,22.10,,,,
856241,Injection site discomfort,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Malaise,22.10,,
856242,Chest pain,22.10,Dyspepsia,22.10,Exposure during pregnancy,
22.10,,,,
856243,Asthenia,22.10,Dyspnoea,22.10,Pyrexia,22.10,Vomiting,22.10,,
856253,Incorrect route of product administration,23.00,No adverse
event,23.00,Product storage error,23.00,,,,
856255,Extra dose administered,22.10,No adverse event,22.10,,,,,
856256,Herpes zoster,22.10,,,,,
856257,Herpes zoster,22.10,,,,,
856258,No adverse event,23.00,Product storage error,23.00,,,,,
856260,Antibody test abnormal,23.00,Rash,23.00,,,,,
856261,Herpes zoster,22.10,,,,,
856262,Product storage error,22.10,,,,,
856263,Herpes zoster,22.10,,,,,
856264,Herpes zoster,22.10,,,,,
856265,Expired product administered,23.00,No adverse event,23.00,,,,,
856266,Herpes zoster,22.10,,,,,
856267,Herpes zoster,22.10,,,,,
856268,Herpes zoster,22.10,,,,,
856269,Herpes zoster,22.10,,,,,

856270,Herpes zoster,22.10,,,,,,,,,
856271,Herpes zoster,22.10,,,,,,,,,
856272,Herpes zoster,22.10,,,,,,,,,
856273,Herpes zoster,22.10,,,,,,,,,
856274,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
856275,Product storage error,23.00,,,,,,,,,
856276,Regurgitation,23.00,,,,,,,,,
856277,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
856278,Product storage error,23.00,,,,,,,,,
856279,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,,,,,
856280,Product storage error,23.00,,,,,,,,,
856281,Adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,,,,,
856282,Incorrect dose administered,23.00,Product preparation issue,
23.00,,,,,,,,,
856283,Fatigue,22.10,Malaise,22.10,Pain,22.10,Pyrexia,22.10,,
856284,Abdominal discomfort,22.10,Influenza like illness,22.10,Nausea,
22.10,Pain,22.10,,
856285,Pain in extremity,22.10,,,,,,,,,
856286,Headache,22.10,,,,,,,,,
856287,Product administered to patient of inappropriate age,
22.10,Pruritus,22.10,,,,,,,,,
856288,Herpes zoster,22.10,Product administered to patient of
inappropriate age,22.10,,,,,,,,,
856294,Incomplete course of vaccination,22.10,No adverse event,
22.10,,,,,,,,,
856295,Syringe issue,22.10,Underdose,22.10,,,,,,,,,
856296,Exposure via skin contact,22.10,Syringe issue,22.10,Underdose,
22.10,,,,,
856297,Exposure via skin contact,22.10,Syringe issue,22.10,Underdose,
22.10,,,,,
856298,Extra dose administered,22.10,No adverse event,22.10,,,,,,,,,
856299,No adverse event,23.00,Product preparation issue,23.00,,,,,,,,,
856300,Extra dose administered,22.10,No adverse event,22.10,Wrong
product administered,22.10,,,,,
856301,No adverse event,23.00,Product preparation error,23.00,,,,,,,,,
856302,Aphonia,22.10,Cough,22.10,Ear pain,22.10,Expired product
administered,22.10,Eye pain,22.10
856302,Lethargy,22.10,Malaise,22.10,Pyrexia,22.10,,,,,
856303,Incomplete course of vaccination,23.00,No adverse event,
23.00,Product dose omission,23.00,,,,,
856304,No adverse event,23.00,Product distribution issue,23.00,Product
storage error,23.00,,,,,
856305,Urticaria,22.10,,,,,,,,,
856306,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,,,,,
856307,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,

856308, No adverse event, 23.00, Product preparation error, 23.00, , , , , , ,
856309, Ear infection, 22.10, Extra dose administered, 22.10, Irritability,
22.10, , , , ,
856310, No adverse event, 23.00, Product preparation error, 23.00, , , , , , ,
856311, No adverse event, 23.00, Product preparation error, 23.00, , , , , , ,
856312, Exposure during pregnancy, 22.10, No adverse event, 22.10, Wrong
product administered, 22.10, , , , ,
856313, Hypersensitivity, 22.10, , , , , , , , , , , ,
856314, Pain, 22.10, Pain in extremity, 22.10, , , , , , , , , , , ,
856315, Peripheral swelling, 22.10, Pruritus, 22.10, Urticaria, 22.10, , , , ,
856316, Pruritus, 22.10, Rash, 22.10, , , , , , , , , , , ,
856317, Pain, 22.10, , , , , , , , , , , ,
856318, Incorrect product formulation administered, 23.00, Product
preparation issue, 23.00, , , , , , , , , , , ,
856319, Injection site reaction, 23.00, Injection site swelling,
23.00, Pyrexia, 23.00, , , , , , , , , , , ,
856320, Mobility decreased, 22.10, Musculoskeletal pain, 22.10, Pain,
22.10, Sleep disorder, 22.10, , , , , , , , , , , ,
856321, Chills, 22.10, Influenza like illness, 22.10, Injection site pain,
22.10, Pyrexia, 22.10, Rash, 22.10
856321, Urticaria, 22.10, , , , , , , , , , , ,
856322, Cellulitis, 22.10, Compartment syndrome, 22.10, Erythema,
22.10, Injection site erosion, 22.10, Injection site erythema, 22.10
856322, Injection site pain, 22.10, Injection site swelling,
22.10, Pruritus, 22.10, Rash, 22.10, Rash papular, 22.10
856322, Surgery, 22.10, , , , , , , , , , , ,
856323, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , ,
856324, Muscular weakness, 23.00, Pain in extremity, 23.00, Periarthritis,
23.00, Urticaria, 23.00, , , , , , , , , , , ,
856325, Injection site pain, 23.00, Myalgia, 23.00, , , , , , ,
856326, Injection site erythema, 22.10, Injection site swelling,
22.10, Injection site warmth, 22.10, Local reaction, 22.10, , , , , , , , , , , ,
856328, Circumstance or information capable of leading to medication
error, 23.00, Incorrect dose administered, 23.00, No adverse event,
23.00, , , , , , , , , , , ,
856329, Urticaria, 23.00, , , , , , , , , , , ,
856330, Oral herpes, 22.10, , , , , , , , , , , ,
856331, Unevaluable event, 23.00, , , , , , , , , , , ,
856332, Injection site erythema, 23.00, Mobility decreased,
23.00, Musculoskeletal pain, 23.00, Pain in extremity, 23.00, Peripheral
swelling, 23.00
856332, Swelling, 23.00, , , , , , , , , , , ,
856333, Inappropriate schedule of product administration, 23.00, , , , , , , , , , , ,
856334, Erythema of eyelid, 22.10, Eye contusion, 22.10, Eye irritation,
22.10, Eye pruritus, 22.10, Ocular hyperaemia, 22.10
856334, Rhinorrhoea, 22.10, Urticaria, 22.10, , , , , , , , , , , ,
856335, Fatigue, 22.10, Feeling abnormal, 22.10, Feeling hot, 22.10, Head
injury, 22.10, Hyperhidrosis, 22.10
856335, Incontinence, 22.10, Injection site pain, 22.10, Injection site
reaction, 22.10, Loss of consciousness, 22.10, Magnetic resonance imaging

brain normal,22.10
856335,Paraesthesia,22.10,Scan with contrast normal,22.10,Seizure like phenomena,22.10,Unresponsive to stimuli,22.10,Vomiting,22.10
856336,Chills,22.10,Hyperhidrosis,22.10,Pain,22.10,Pain in extremity,22.10,Pyrexia,22.10
856336,Rash erythematous,22.10,Skin warm,22.10,,,,,
856337,Pyrexia,22.10,,,,,
856338,Fatigue,22.10,Myalgia,22.10,,,,,
856339,Erythema,22.10,Myosclerosis,22.10,Pain in extremity,22.10,Rash,22.10,Skin warm,22.10
856348,No adverse event,22.10,Product administered to patient of inappropriate age,22.10,,,,,
856349,Chills,22.10,Dizziness,22.10,Headache,22.10,Injection site pain,22.10,Myalgia,22.10
856349,Nausea,22.10,,,,,
856350,Disorientation,22.10,Pain in extremity,22.10,,,,,
856351,Acne,22.10,Ear pain,22.10,Erythema,22.10,Herpes zoster,22.10,Rash vesicular,22.10
856352,Ocular hyperaemia,22.10,Vision blurred,22.10,,,,,
856353,Chills,22.10,Fatigue,22.10,Headache,22.10,Pyrexia,22.10,,
856355,Guillain-Barre syndrome,22.10,,,,,
856356,Guillain-Barre syndrome,22.10,,,,,
856357,Chills,22.10,Dry skin,22.10,Ear pain,22.10,Erythema,22.10,Exfoliative rash,22.10
856357,Eyelid irritation,22.10,Fatigue,22.10,Feeling abnormal,22.10,Headache,22.10,Lymph node pain,22.10
856357,Malaise,22.10,Musculoskeletal stiffness,22.10,Neck pain,22.10,Neuralgia,22.10,Pain,22.10
856357,Pain of skin,22.10,Rash,22.10,Rash erythematous,22.10,Rash papular,22.10,,
856358,Arthralgia,22.10,Eye disorder,22.10,Injection site bruising,22.10,Insomnia,22.10,Musculoskeletal pain,22.10
856358,Myalgia,22.10,Neck pain,22.10,Neuralgia,22.10,Pain in extremity,22.10,Paraesthesia,22.10
856359,Arthralgia,22.10,Asthenia,22.10,Chills,22.10,Heart rate increased,22.10,Hypertension,22.10
856359,Injection site reaction,22.10,Musculoskeletal pain,22.10,Nausea,22.10,Pain,22.10,Pain in extremity,22.10
856359,Palpitations,22.10,Rash erythematous,22.10,Rash macular,22.10,,,,
856360,Herpes zoster oticus,22.10,Product administered to patient of inappropriate age,22.10,,,,,
856361,Herpes zoster,22.10,Off label use,22.10,Product administered to patient of inappropriate age,22.10,,,,,
856362,Bronchitis,22.10,Cough,22.10,,,,,
856363,Bronchitis,22.10,Cough,22.10,,,,,
856364,Pain in extremity,22.10,,,,,
856365,Herpes zoster,22.10,,,,,
856366,Dyspnoea,22.10,Fatigue,22.10,Headache,22.10,Incomplete course of vaccination,22.10,Wheezing,22.10

856367, Erythema, 23.00, Headache, 23.00, Neuropathy peripheral, 23.00, Peripheral swelling, 23.00,,
856368, Erythema, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Skin warm, 23.00,,
856369, Blood test, 22.10, Cardiac monitoring, 22.10, Dizziness, 22.10, Electrocardiogram, 22.10, Electroencephalogram, 22.10
856369, Fatigue, 22.10, Postural orthostatic tachycardia syndrome, 22.10, Syncope, 22.10, Tilt table test positive, 22.10, Wheelchair user, 22.10
856370, Myalgia, 23.00, Pain, 23.00, Pain in extremity, 23.00,,,,
856371, Hyperhidrosis, 22.10, Pallor, 22.10, Presyncope, 22.10, Seizure like phenomena, 22.10, Slow response to stimuli, 22.10
856371, Tremor, 22.10,,,,,
856372, Extra dose administered, 23.00,,,,,
856373, Pyrexia, 23.00, Rash morbilliform, 23.00,,,,,
856374, Erythema, 23.00, Gait disturbance, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Rash erythematous, 23.00
856374, Vaccination site rash, 23.00,,,,,
856375, Burning sensation, 22.10, Lip swelling, 22.10, Pharyngeal swelling, 22.10, Pruritus, 22.10,,
856376, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, Limb discomfort, 22.10
856376, Musculoskeletal stiffness, 22.10,,,,,
856377, Discomfort, 22.10, Insomnia, 22.10, Limb discomfort, 22.10, Musculoskeletal stiffness, 22.10, Pain in extremity, 22.10
856378, Discomfort, 22.10, Pain, 22.10, Pain in extremity, 22.10,,,,
856382, Extra dose administered, 23.00, No adverse event, 23.00,,,,,
856383, Herpes zoster, 22.10,,,,,
856384, Discomfort, 22.10, Erythema, 22.10, Extensive swelling of vaccinated limb, 22.10, Pain in extremity, 22.10, Skin warm, 22.10
856385, Anxiety, 22.10, Blood pressure decreased, 22.10, Blood pressure fluctuation, 22.10, Condition aggravated, 22.10, Food poisoning, 22.10
856385, Heart rate increased, 22.10, Hyperhidrosis, 22.10, Hypertension, 22.10, Loss of consciousness, 22.10, Loss of personal independence in daily activities, 22.10
856385, Myocardial infarction, 22.10, Pain, 22.10, Palpitations, 22.10, Prinzmetal angina, 22.10, Stress, 22.10
856386, Lung disorder, 22.10, Pneumonia, 22.10, Pyrexia, 22.10,,,,
856387, Injection site swelling, 22.10, Migraine, 22.10, Pain, 22.10,,,,
856388, Feeling cold, 22.10, Middle insomnia, 22.10, Seizure, 22.10,,,,
856389, Asthenia, 22.10, Chest pain, 22.10, Dizziness, 22.10, Electrocardiogram normal, 22.10, Pyrexia, 22.10
856390, Fatigue, 23.00, Headache, 23.00, Musculoskeletal stiffness, 23.00, Neck pain, 23.00,,
856391, Pain in extremity, 22.10,,,,,
856392, Rash, 23.00, Rash maculo-papular, 23.00, Urticaria, 23.00,,,,
856393, Rash, 23.00,,,,,
856394, Limb discomfort, 22.10, Pain, 22.10, Pain in extremity, 22.10, Tenderness, 22.10,,

856395,Contraindication to vaccination,22.10,Exposure during pregnancy,22.10,,,,,
856396,Dizziness,23.00,Peripheral swelling,23.00,,,,,
856397,Asthenia,22.10,Chills,22.10,Headache,22.10,Hyperhidrosis,22.10,Injection site pain,22.10
856397,Muscle contractions involuntary,22.10,Myalgia,22.10,Neuralgia,22.10,,,,,
856398,Device leakage,22.10,,,,,,
856399,Fatigue,22.10,Generalised tonic-clonic seizure,22.10,Headache,22.10,Hypersomnia,22.10,Nausea,22.10
856400,Blood glucose increased,22.10,,,,,,
856401,Erythema multiforme,22.10,Laboratory test normal,22.10,Streptococcus test negative,22.10,,,,,
856402,Chills,23.00,Feeling hot,23.00,Vomiting,23.00,,,,,
856403,Wrong product administered,23.00,,,,,,
856404,Erythema,22.10,Peripheral swelling,22.10,Skin warm,22.10,,,,,
856405,Ataxia,22.10,Blood lactic acid increased,22.10,Blood pressure decreased,22.10,Chills,22.10,Hypotension,22.10
856405,Impaired driving ability,22.10,Injection site pain,22.10,Malaise,22.10,Pyrexia,22.10,Renal failure,22.10
856405,Vision blurred,22.10,,,,,,
856406,Arthralgia,23.00,Cellulitis,23.00,Erythema,23.00,Induration,23.00,Mobility decreased,23.00
856406,Myalgia,23.00,Pain in extremity,23.00,Peripheral swelling,23.00,Swelling,23.00,,
856407,Chills,22.10,Headache,22.10,Pyrexia,22.10,,,,,
856408,Erythema,22.10,Inflammation,22.10,Injection site erythema,22.10,Injection site mass,22.10,Rash macular,22.10
856408,Skin warm,22.10,Urticaria,22.10,,,,,
856409,Chills,22.10,Injection site erythema,22.10,Injection site rash,22.10,Pain,22.10,Pyrexia,22.10
856409,Rash,22.10,,,,,,
856418,Herpes zoster,22.10,Oral mucosal eruption,22.10,Rash,22.10,,,,,
856419,Herpes zoster,22.10,,,,,,
856420,Expired product administered,23.00,No adverse event,23.00,,,,,
856421,Chills,22.10,Cough,22.10,Fatigue,22.10,Influenza,22.10,Influenza A virus test positive,22.10
856421,Malaise,22.10,Myalgia,22.10,Respiratory tract congestion,22.10,Vaccination failure,22.10,,
856422,Asthenia,22.10,Influenza like illness,22.10,Lethargy,22.10,Myalgia,22.10,,
856423,Asthenia,22.10,Dizziness,22.10,Nasopharyngitis,22.10,Rash,22.10,,
856424,Decreased appetite,22.10,Fatigue,22.10,Headache,22.10,Hypertension,22.10,Nausea,22.10
856424,Pyrexia,22.10,,,,,,
856425,Erythema,23.00,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Pain in extremity,23.00
856426,Chills,22.10,Injection site induration,22.10,Injection site mass,22.10,Injection site pruritus,22.10,Injection site reaction,22.10

856426, Malaise, 22.10, Pain, 22.10, Pruritus, 22.10, Pyrexia, 22.10, Urticaria, 22.10
856427, Urticaria, 23.00, , , , , , , , ,
856428, Chest pain, 23.00, Dizziness, 23.00, Dyspnoea, 23.00, Hypoaesthesia, 23.00, Pain in extremity, 23.00
856429, Back pain, 23.00, Injected limb mobility decreased, 23.00, Musculoskeletal pain, 23.00, Neck pain, 23.00, Pain in extremity, 23.00
856430, Muscular weakness, 22.10, Pain in extremity, 22.10, , , , , , ,
856431, Chills, 22.10, Erythema, 22.10, Full blood count, 22.10, Injection site cellulitis, 22.10, Metabolic function test, 22.10
856431, Pain, 22.10, Pyrexia, 22.10, Skin warm, 22.10, Tachycardia, 22.10, Ultrasound scan normal, 22.10
856432, Bursitis, 22.10, Magnetic resonance imaging abnormal, 22.10, Mobility decreased, 22.10, Pain, 22.10, Rotator cuff syndrome, 22.10
856432, Tendon disorder, 22.10, X-ray, 22.10, , , , , , ,
856433, Blister, 22.10, Pyrexia, 22.10, Rash, 22.10, Tongue blistering, 22.10, , ,
856434, Injection site pain, 22.10, , , , , , , , ,
856435, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Pain, 23.00
856436, Blood pressure increased, 22.10, Erythema, 22.10, Eye swelling, 22.10, Ocular hyperaemia, 22.10, Pruritus, 22.10
856436, Urticaria, 22.10, , , , , , , , ,
856437, Abdominal pain, 23.00, Hot flush, 23.00, Nausea, 23.00, Neck pain, 23.00, Oral administration complication, 23.00
856437, Pyrexia, 23.00, Vomiting, 23.00, , , , , , ,
856439, Arthralgia, 22.10, Dizziness, 22.10, Head injury, 22.10, Injection site pain, 22.10, Malaise, 22.10
856439, Syncope, 22.10, , , , , , , , ,
856440, Injection site pain, 22.10, , , , , , , , ,
856441, Extra dose administered, 23.00, , , , , , , , ,
856442, Life support, 22.10, , , , , , , , ,
856443, Eye movement disorder, 22.10, Fall, 22.10, Injection site pain, 22.10, Loss of consciousness, 22.10, Seizure like phenomena, 22.10
856443, Syncope, 22.10, Tonic clonic movements, 22.10, , , , , , ,
856444, Injection site pain, 22.10, Injection site reaction, 22.10, Injection site warmth, 22.10, Rash erythematous, 22.10, Rash macular, 22.10
856445, Injection site pain, 22.10, , , , , , , , ,
856446, Product administered to patient of inappropriate age, 22.10, , , , , , , , ,
856447, Blood test normal, 22.10, Injection site reaction, 22.10, Muscle twitching, 22.10, Muscular weakness, 22.10, Nerve injury, 22.10
856447, Neuropathy peripheral, 22.10, Pain in extremity, 22.10, , , , , , ,
856448, Fatigue, 22.10, Headache, 22.10, Joint injury, 22.10, Nausea, 22.10, Pain, 22.10
856448, Syncope, 22.10, , , , , , , , ,
856449, Abdominal X-ray, 23.00, High-pitched crying, 23.00, Immediate post-

injection reaction,23.00,Intussusception,23.00,Screaming,23.00
856450,Pain in extremity,22.10,Sciatica,22.10,Spinal pain,22.10,,,,
856451,Immediate post-injection reaction,22.10,Nervousness,
22.10,Syncope,22.10,,,,
856452,Arthralgia,22.10,Gait disturbance,22.10,Injection site pain,
22.10,Muscular weakness,22.10,Pain in extremity,22.10
856453,Fall,23.00,Head injury,23.00,Loss of consciousness,23.00,Muscle
twitching,23.00,Paraesthesia,23.00
856453,Tinnitus,23.00,,,,,
856454,Cellulitis,22.10,Injection site erythema,22.10,Injection site
pain,22.10,,,,
856455,Injection site rash,22.10,Myalgia,22.10,Pain in extremity,
22.10,Peripheral swelling,22.10,Skin warm,22.10
856456,Erythema,22.10,Formication,22.10,Pain in extremity,22.10,Skin
warm,22.10,,
856457,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
856460,No adverse event,23.00,Product storage error,23.00,,,,,
856461,Herpes zoster,22.10,,,,,
856462,Herpes zoster,22.10,,,,,
856463,Herpes zoster,22.10,,,,,
856464,Herpes zoster,22.10,Post herpetic neuralgia,22.10,,,,,
856465,Herpes zoster,22.10,,,,,
856466,Herpes zoster,22.10,,,,,
856467,Exposure via eye contact,23.00,Occupational exposure to
product,23.00,,,,,
856468,Herpes zoster,22.10,,,,,
856469,Herpes zoster,22.10,,,,,
856470,Herpes zoster,22.10,,,,,
856471,Herpes zoster,22.10,,,,,
856472,Herpes zoster,22.10,,,,,
856473,Herpes zoster,22.10,,,,,
856474,Blindness,22.10,Deafness unilateral,22.10,Retinal artery
occlusion,22.10,Retinal degeneration,22.10,Retinal tear,22.10
856474,Sudden hearing loss,22.10,,,,,
856476,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
856477,No adverse event,22.10,Product administered at inappropriate
site,22.10,,,,,
856478,Expired product administered,23.00,No adverse event,23.00,,,,,
856479,Decreased appetite,22.10,Gingival pain,22.10,,,,,
856480,Fatigue,22.10,Headache,22.10,Multiple sclerosis,
22.10,Palpitations,22.10,,
856481,Influenza,22.10,Vaccination failure,22.10,,,,,
856482,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,Product packaging confusion,22.10,Wrong
product administered,22.10,,
856483,Anaphylactic reaction,22.10,,,,,
856484,Product preparation issue,23.00,,,,,
856485,Extra dose administered,23.00,,,,,

856486, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
856488, Dizziness, 23.00, Malaise, 23.00, Nausea, 23.00, , , , ,
856489, Abdominal discomfort, 22.10, Chills, 22.10, Fatigue, 22.10, Headache,
22.10, Pain in extremity, 22.10
856489, Palpitations, 22.10, Pyrexia, 22.10, , , , , , ,
856490, Macule, 23.00, , , , , , , ,
856491, Chills, 22.10, Decreased appetite, 22.10, Fatigue, 22.10, Malaise,
22.10, Nausea, 22.10
856491, Somnolence, 22.10, , , , , , , ,
856492, Headache, 22.10, Pain, 22.10, Pyrexia, 22.10, , , , ,
856493, Chills, 22.10, Dizziness, 22.10, Dyspnoea, 22.10, Headache,
22.10, Injection site pain, 22.10
856493, Insomnia, 22.10, Nausea, 22.10, Pyrexia, 22.10, , , , ,
856497, Influenza, 22.10, Vaccination failure, 22.10, , , , , , ,
856498, Herpes zoster, 22.10, Musculoskeletal pain, 22.10, Rash,
22.10, Vaccination failure, 22.10, , ,
856499, Arthralgia, 22.10, Asthenia, 22.10, Joint swelling, 22.10, Malaise,
22.10, Myalgia, 22.10
856499, Rash, 22.10, Red blood cell sedimentation rate increased,
22.10, , , , , , , ,
856500, Dehydration, 22.10, Feeling abnormal, 22.10, Influenza virus test
negative, 22.10, Laboratory test, 22.10, Pyrexia, 22.10
856501, Injected limb mobility decreased, 22.10, Loss of personal
independence in daily activities, 22.10, Pain, 22.10, Pain in extremity,
22.10, , ,
856502, Chills, 22.10, Dizziness, 22.10, Nausea, 22.10, Pain, 22.10, Pyrexia,
22.10
856502, Vertigo, 22.10, , , , , , , ,
856503, Hypoaesthesia, 22.10, Mobility decreased, 22.10, Pain in extremity,
22.10, , , , ,
856504, Injection site pain, 22.10, , , , , , , ,
856505, Pain in extremity, 22.10, , , , , , , ,
856506, Urticaria, 22.10, , , , , , , ,
856507, Antinuclear antibody, 22.10, Arthralgia, 22.10, Blood cortisol,
22.10, Blood creatine phosphokinase, 22.10, Blood thyroid stimulating
hormone, 22.10
856507, Blood uric acid, 22.10, C-reactive protein, 22.10, Full blood
count, 22.10, Hypoaesthesia, 22.10, Inflammation, 22.10
856507, Influenza like illness, 22.10, Lipids, 22.10, Loss of personal
independence in daily activities, 22.10, Mobility decreased, 22.10, Muscle
spasms, 22.10
856507, Myalgia, 22.10, Pain, 22.10, Rheumatoid factor, 22.10, Tearfulness,
22.10, Vitamin B12, 22.10
856507, Vitamin D, 22.10, , , , , , , ,
856508, Injection site pain, 22.10, Product administered at inappropriate
site, 22.10, , , , , , , ,
856509, Incorrect route of product administration, 23.00, , , , , , , ,
856510, Arthralgia, 22.10, Dysphonia, 22.10, Injected limb mobility
decreased, 22.10, Injection site pain, 22.10, Musculoskeletal chest pain,
22.10

856510, Oral pain, 22.10, Pain in extremity, 22.10, Painful respiration, 22.10, Paranasal sinus hypersecretion, 22.10, Tenderness, 22.10
856510, Throat irritation, 22.10, , , , , , , , , ,
856511, Headache, 22.10, Immediate post-injection reaction, 22.10, Loss of consciousness, 22.10, Pallor, 22.10, Syncope, 22.10
856512, Pyrexia, 22.10, Rash, 22.10, , , , , , , , , ,
856525, No adverse event, 23.00, Underdose, 23.00, , , , , , , , , ,
856526, Rash, 23.00, , , , , , , , , , ,
856527, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , ,
856528, Back pain, 23.00, Chest pain, 23.00, Throat irritation, 23.00, , , , , , , , , ,
856530, Drug hypersensitivity, 22.10, , , , , , , , , , ,
856531, Adverse drug reaction, 23.00, , , , , , , , , , ,
856532, Biopsy colon abnormal, 22.10, Blood alkaline phosphatase increased, 22.10, C-reactive protein increased, 22.10, Clostridium test, 22.10, Clostridium test negative, 22.10
856532, Colectomy total, 22.10, Colitis ulcerative, 22.10, Colonoscopy abnormal, 22.10, Computerised tomogram abnormal, 22.10, Computerised tomogram intestine, 22.10
856532, Condition aggravated, 22.10, Defaecation urgency, 22.10, Diarrhoea haemorrhagic, 22.10, Faecal calprotectin increased, 22.10, Frequent bowel movements, 22.10
856532, Full blood count normal, 22.10, Ileostomy, 22.10, Inflammatory bowel disease, 22.10, Interleukin therapy, 22.10, Metabolic function test normal, 22.10
856532, Polymerase chain reaction, 22.10, , , , , , , , , , ,
856533, Pain in extremity, 22.10, , , , , , , , , , ,
856534, Pain in extremity, 22.10, , , , , , , , , , ,
856535, Eyelid rash, 22.10, Headache, 22.10, Herpes zoster, 22.10, Pain, 22.10, Pain of skin, 22.10
856535, Rash, 22.10, Vaccination failure, 22.10, , , , , , , , , , ,
856536, Headache, 22.10, Hypersensitivity, 22.10, Lethargy, 22.10, Malaise, 22.10, Pyrexia, 22.10
856536, Rash, 22.10, Rash erythematous, 22.10, Rash macular, 22.10, , , , , , , , , , ,
856537, Influenza like illness, 22.10, Malaise, 22.10, Mobility decreased, 22.10, , , , , , , , , , ,
856538, Influenza like illness, 22.10, Mobility decreased, 22.10, , , , , , , , , , ,
856539, Influenza like illness, 22.10, Mobility decreased, 22.10, , , , , , , , , , ,
856540, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, , , , , , , , , , ,
856541, Nonspecific reaction, 22.10, , , , , , , , , , ,
856542, No adverse event, 22.10, Product distribution issue, 22.10, Product storage error, 22.10, , , , , , , , , , ,
856543, No adverse event, 23.00, Product preparation error, 23.00, , , , , , , , , , ,
856544, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, Wrong product administered, 22.10, , , , , , , , , , ,
856545, Diarrhoea, 22.10, Restless legs syndrome, 22.10, Tremor, 22.10, Vomiting, 22.10, , , , , , , , , , ,
856546, Asthenia, 22.10, Dizziness, 22.10, Electrocardiogram normal, 22.10, Fatigue, 22.10, Headache, 22.10
856546, Laboratory test normal, 22.10, Limb discomfort, 22.10, Magnetic

resonance imaging brain normal,22.10,Muscular weakness,22.10,Paranasal sinus discomfort,22.10
856546,Red blood cell sedimentation rate normal,22.10,Ultrasound Doppler,22.10,Ultrasound scan normal,22.10,,,,
856547,Facial paralysis,22.10,,,,,,,
856548,Injection site erythema,22.10,Injection site pruritus,22.10,Injection site urticaria,22.10,,,,,
856549,Injection site pain,22.10,Magnetic resonance imaging,22.10,Pain in extremity,22.10,X-ray normal,22.10,,
856550,Lip swelling,22.10,Rash,22.10,,,,,,,
856551,Injected limb mobility decreased,22.10,Pain in extremity,22.10,,,,,,,
856552,Acoustic stimulation tests abnormal,22.10,Dysacusis,22.10,"Ear, nose and throat examination normal",22.10,Hypoacusis,22.10,Nerve injury,22.10
856553,Cellulitis,22.10,Chills,22.10,Injection site erythema,22.10,Injection site induration,22.10,Injection site pain,22.10
856553,Injection site swelling,22.10,Injection site warmth,22.10,,,,,,,
856554,Pain in extremity,22.10,Peripheral swelling,22.10,Rash,22.10,Rash erythematous,22.10,Rash macular,22.10
856554,Rash pruritic,22.10,,,,,,,
856555,Erythema,22.10,Vaccination site pain,22.10,,,,,,,
856557,Herpes zoster,22.10,,,,,,,
856558,Aphasia,22.10,Cerebrovascular accident,22.10,Deafness neurosensory,22.10,Dyskinesia,22.10,Sudden hearing loss,22.10
856559,Herpes zoster,22.10,,,,,,,
856560,Injection site erythema,23.00,Injection site pain,23.00,Injection site pruritus,23.00,Injection site swelling,23.00,,
856561,Diarrhoea,22.10,Injection site erythema,22.10,Injection site induration,22.10,Nausea,22.10,Pain in extremity,22.10
856561,Rash,22.10,,,,,,,
856562,Fatigue,22.10,Headache,22.10,Loss of personal independence in daily activities,22.10,Malaise,22.10,Pain,22.10
856562,Peripheral swelling,22.10,,,,,,,
856563,Arthralgia,23.00,Burning sensation,23.00,Hypoaesthesia,23.00,Joint stiffness,23.00,,
856564,Pain in extremity,22.10,,,,,,,
856565,Hypersensitivity,23.00,Pruritus,23.00,Swelling face,23.00,Swollen tongue,23.00,,
856566,Abdominal discomfort,22.10,Headache,22.10,Injection site pain,22.10,Injection site swelling,22.10,Pain in extremity,22.10
856566,Skin tightness,22.10,,,,,,,
856567,Injection site erythema,23.00,Injection site warmth,23.00,Peripheral swelling,23.00,,,,
856568,Contusion,22.10,Erythema,22.10,Hypoaesthesia,22.10,Injection site pain,22.10,Neck pain,22.10
856568,Pain in extremity,22.10,Swelling,22.10,Ultrasound scan normal,22.10,,,,,
856569,Erythema,22.10,Induration,22.10,Pruritus,22.10,Rash,22.10,Skin warm,22.10

856570, Arthralgia, 22.10, Dizziness, 22.10, Hypersomnia, 22.10, Injection site pruritus, 22.10, Loss of personal independence in daily activities, 22.10
856570, Myalgia, 22.10, Nausea, 22.10, Neck mass, 22.10, Neck pain, 22.10, Taste disorder, 22.10
856571, Blepharospasm, 23.00, Decreased appetite, 23.00, Hypotonia, 23.00, Metabolic function test, 23.00, Unresponsive to stimuli, 23.00
856572, Irritability, 23.00, Urticaria, 23.00, , , , , , ,
856576, Asthenia, 22.10, Chills, 22.10, Diarrhoea, 22.10, Eye contusion, 22.10, Fall, 22.10
856576, Fatigue, 22.10, Haemorrhage, 22.10, Loss of consciousness, 22.10, Osteonecrosis, 22.10, Osteosclerosis, 22.10
856576, Photopsia, 22.10, Skin laceration, 22.10, Vitreous floaters, 22.10, Wrist fracture, 22.10, X-ray, 22.10
856577, Herpes zoster, 22.10, , , , , , , ,
856578, CSF test normal, 23.00, Electromyogram normal, 23.00, Hypoaesthesia, 23.00, Intervertebral disc disorder, 23.00, Magnetic resonance imaging brain abnormal, 23.00
856578, Magnetic resonance imaging spinal abnormal, 23.00, Myelitis transverse, 23.00, Pain, 23.00, White matter lesion, 23.00, ,
856579, Dizziness, 22.10, Headache, 22.10, Injection site pruritus, 22.10, Injection site reaction, 22.10, Injection site swelling, 22.10
856579, Injection site warmth, 22.10, Nausea, 22.10, Pain, 22.10, Pyrexia, 22.10, Urticaria, 22.10
856579, Vomiting, 22.10, , , , , , , ,
856580, Decreased appetite, 22.10, Malaise, 22.10, Pain, 22.10, Pyrexia, 22.10, ,
856581, No adverse event, 23.00, Product preparation error, 23.00, , , , , , ,
856582, Computerised tomogram, 22.10, Electroencephalogram abnormal, 22.10, Eye movement disorder, 22.10, Generalised tonic-clonic seizure, 22.10, Magnetic resonance imaging normal, 22.10
856582, Muscle contractions involuntary, 22.10, Postictal state, 22.10, Sleep deficit, 22.10, Tremor, 22.10, ,
856583, No adverse event, 23.00, Product preparation error, 23.00, , , , , , ,
856584, Lymph node pain, 22.10, Lymphadenopathy, 22.10, Malaise, 22.10, Myalgia, 22.10, ,
856585, Erythema, 22.10, Swelling, 22.10, , , , , , ,
856586, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
856587, No adverse event, 23.00, Product preparation error, 23.00, , , , , , ,
856588, Myasthenia gravis, 22.10, Viral infection, 22.10, , , , , , ,
856589, Fatigue, 22.10, Lethargy, 22.10, Syncope, 22.10, , , , ,
856590, Injection site pruritus, 22.10, Injection site rash, 22.10, , , , , , ,
856591, Abdominal discomfort, 22.10, Chills, 22.10, Diarrhoea, 22.10, Fatigue, 22.10, Gastric disorder, 22.10
856591, Headache, 22.10, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site pruritus, 22.10, Injection site swelling, 22.10
856591, Pyrexia, 22.10, , , , , , , ,
856592, Chills, 22.10, , , , , , , ,
856594, Dyspnoea, 22.10, Rash, 22.10, Respiratory distress, 22.10, Respiratory symptom, 22.10, ,

856595, Erythema, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10, , , , ,
856596, Rash, 23.00, Swelling, 23.00, Throat tightness, 23.00, , , , ,
856597, Dizziness, 22.10, Fall, 22.10, Head injury, 22.10, Vertigo positional, 22.10, , ,
856598, Asthenia, 22.10, Chills, 22.10, Decreased appetite, 22.10, Diarrhoea, 22.10, Headache, 22.10
856598, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site rash, 22.10, Injection site swelling, 22.10, Lethargy, 22.10
856599, Erythema, 23.00, Pruritus, 23.00, Swelling, 23.00, , , , ,
856600, Arthritis, 22.10, Chills, 22.10, Hyperhidrosis, 22.10, Influenza like illness, 22.10, Magnetic resonance imaging abnormal, 22.10
856600, Mobility decreased, 22.10, Pain, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10, Rotator cuff syndrome, 22.10
856601, Bone pain, 23.00, Myalgia, 23.00, Nausea, 23.00, Vomiting, 23.00, , ,
856602, Influenza like illness, 22.10, Pain in extremity, 22.10, , , , , , ,
856603, Arthralgia, 22.10, Blood test normal, 22.10, Computerised tomogram head normal, 22.10, Dizziness, 22.10, Fatigue, 22.10
856603, Headache, 22.10, Loss of personal independence in daily activities, 22.10, Memory impairment, 22.10, Myalgia, 22.10, Night sweats, 22.10
856603, Pain, 22.10, Paraesthesia, 22.10, Pyrexia, 22.10, Vision blurred, 22.10, , ,
856604, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, Mobility decreased, 22.10
856604, Pain in extremity, 22.10, Peripheral swelling, 22.10, , , , , , ,
856605, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , ,
856606, Axillary pain, 22.10, Chest pain, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10
856607, Injection site discolouration, 22.10, Injection site haemorrhage, 22.10, Injection site pain, 22.10, Musculoskeletal pain, 22.10, Neck pain, 22.10
856607, Pain in extremity, 22.10, Spinal X-ray, 22.10, X-ray limb, 22.10, , , , , ,
856608, Chills, 22.10, Injection site pain, 22.10, Malaise, 22.10, Pain, 22.10, , ,
856609, Erythema, 22.10, Induration, 22.10, Mass, 22.10, Pain, 22.10, Tenderness, 22.10
856610, Encephalopathy, 22.10, , , , , , , , , ,
856611, Chest discomfort, 22.10, Conjunctivitis, 22.10, Cough, 22.10, Dysphonia, 22.10, Eye discharge, 22.10
856611, Eye pruritus, 22.10, Eye swelling, 22.10, Lacrimation increased, 22.10, Ocular hyperaemia, 22.10, Oculorespiratory syndrome, 22.10
856611, Oropharyngeal pain, 22.10, Respiratory symptom, 22.10, , , , , , ,
856612, Amenorrhoea, 22.10, Hypomenorrhoea, 22.10, Oligomenorrhoea, 22.10, Ovarian cyst ruptured, 22.10, Pain, 22.10
856612, Polycystic ovaries, 22.10, , , , , , , , , ,
856613, Anaphylactic reaction, 22.10, Immediate post-injection reaction,

22.10, Injection site pain, 22.10, Injection site swelling, 22.10,,
856616, Chills, 22.10, Headache, 22.10, Injection site swelling,
22.10, Lymphadenopathy, 22.10, Nausea, 22.10
856616, Pyrexia, 22.10, Swelling, 22.10,,,,,
856617, Appendicectomy, 22.10, Haematochezia, 22.10, Intestinal operation,
22.10, Pain, 22.10, Stomach mass, 22.10
856617, Stool analysis, 22.10, Ultrasound scan, 22.10, Vomiting, 22.10, X-
ray, 22.10,,
856618, Extra dose administered, 23.00,,,,,
856619, Erythema, 22.10, Pain in extremity, 22.10, Peripheral swelling,
22.10, Skin irritation, 22.10,,
856620, Electroencephalogram abnormal, 22.10, Encephalitis, 22.10, Magnetic
resonance imaging brain abnormal, 22.10, Oxygen saturation decreased,
22.10, Pupil fixed, 22.10
856620, Respiratory rate decreased, 22.10, Seizure, 22.10, Unresponsive to
stimuli, 22.10,,,,
856621, Headache, 23.00, Pain, 23.00, Rash, 23.00,,,,
856622, Erythema, 22.10, Injection site pain, 22.10, Injection site
swelling, 22.10, Peripheral swelling, 22.10,,
856623, Injection site movement impairment, 22.10,,,,,
856624, Human papilloma virus test positive, 22.10, Incomplete course of
vaccination, 22.10, Smear cervix, 22.10,,,,
856625, Exposure during pregnancy, 23.00, No adverse event, 23.00,,,,,
856626, Axillary pain, 22.10, Injection site pain, 22.10, Lethargy,
22.10, Lymphadenopathy, 22.10, Pain in extremity, 22.10
856626, Swelling, 22.10, Ultrasound scan abnormal, 22.10,,,,,
856627, Chills, 22.10, Erythema, 22.10, Injection site pain, 22.10, Pyrexia,
22.10,,
856640, Off label use, 22.10, Pathology test, 22.10,,,,,
856641, Herpes zoster, 22.10,,,,,
856642, Injection site mass, 22.10, Injection site pain, 22.10, Injection
site papule, 22.10,,,,
856643, Injection site pain, 23.00,,,,,
856644, Expired product administered, 23.00, No adverse event, 23.00,,,,,
856645, Chills, 22.10,,,,,
856647, Myalgia, 22.10,,,,,
856648, Anaphylactic reaction, 22.10,,,,,
856649, Memory impairment, 22.10,,,,,
856650, Injury associated with device, 23.00, Limb injury, 23.00, Syringe
issue, 23.00,,,,
856651, Diplopia, 22.10, Dizziness, 22.10, Immediate post-injection
reaction, 22.10, Nausea, 22.10, Vision blurred, 22.10
856652, Injection site urticaria, 23.00,,,,,
856653, Dizziness, 23.00, Loss of consciousness, 23.00,,,,,
856654, Chills, 22.10, Nausea, 22.10, Pain, 22.10, Pyrexia, 22.10, Swelling,
22.10
856654, Vomiting, 22.10,,,,,
856655, Injection site erythema, 22.10, Injection site inflammation,
22.10, Injection site mass, 22.10, Injection site pain, 22.10, Injection
site swelling, 22.10

856655, Injection site warmth, 22.10, , , , , , , , , ,
856657, Areflexia, 22.10, CSF protein increased, 22.10, Dysaesthesia,
22.10, Guillain-Barre syndrome, 22.10, Immunoglobulin therapy, 22.10
856657, Muscular weakness, 22.10, Sensory disturbance, 22.10, , , , , ,
856659, Loss of consciousness, 22.10, , , , , , , , , ,
856660, Joint range of motion decreased, 22.10, Neck pain, 22.10, Pain in
extremity, 22.10, Tenderness, 22.10, X-ray limb normal, 22.10
856661, Immediate post-injection reaction, 23.00, Injection site
erythema, 23.00, Pruritus, 23.00, , , , ,
856662, Arthralgia, 23.00, Asthenia, 23.00, Chills, 23.00, Feeling abnormal,
23.00, Headache, 23.00
856662, Pain, 23.00, , , , , , , , , ,
856663, Cough, 22.10, Fatigue, 22.10, Influenza B virus test positive,
22.10, Oropharyngeal pain, 22.10, Pyrexia, 22.10
856664, Expired product administered, 23.00, , , , , , , , , ,
856665, Biopsy skin, 22.10, C-reactive protein, 22.10, Full blood count,
22.10, Metabolic function test, 22.10, Rash erythematous, 22.10
856665, Rash pruritic, 22.10, , , , , , , , , ,
856666, Culture stool, 23.00, Diarrhoea haemorrhagic, 23.00, Pyrexia,
23.00, , , , ,
856667, Headache, 23.00, Injection site pain, 23.00, Nausea, 23.00, , , , ,
856668, Blister, 23.00, Erythema, 23.00, Headache, 23.00, Myalgia, 23.00, Pain,
23.00
856668, Pruritus, 23.00, Pyrexia, 23.00, Skin warm, 23.00, , , , ,
856669, Pruritus, 23.00, Urticaria, 23.00, , , , , , , , , ,
856670, Injection site erythema, 23.00, Injection site rash,
23.00, Injection site swelling, 23.00, , , , ,
856671, Injection site rash, 22.10, Injection site urticaria,
22.10, Peripheral swelling, 22.10, , , , ,
856676, Inappropriate schedule of product administration, 22.10, , , , , , , , , ,
856677, Exposure during pregnancy, 22.10, Pregnancy test urine positive,
22.10, , , , , , , , , ,
856678, Herpes zoster, 22.10, , , , , , , , , ,
856679, Inappropriate schedule of product administration, 22.10, , , , , , , , , ,
856681, Antibody test negative, 23.00, Measles antibody negative,
23.00, Mumps antibody test negative, 23.00, Rubella antibody negative,
23.00, , ,
856682, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , , , , ,
856683, Abortion spontaneous, 22.10, Cervical incompetence, 22.10, Exposure
during pregnancy, 22.10, Uterine dilation and curettage, 22.10, , ,
856684, Chest X-ray, 22.10, Computerised tomogram head,
22.10, Electrocardiogram, 22.10, Influenza virus test positive,
22.10, Laboratory test, 22.10
856684, Muscular weakness, 22.10, , , , , , , , , ,
856685, Fatigue, 22.10, Headache, 22.10, Injection site pain, 22.10, Pain,
22.10, Pyrexia, 22.10
856686, Injection site erythema, 23.00, Injection site swelling,
23.00, Pain in extremity, 23.00, Pyrexia, 23.00, , ,
856687, Herpes zoster, 22.10, , , , , , , , , ,

856688,Product storage error,23.00,,,,,,,,,
856689,Myalgia,22.10,,,,,,,,,
856690,Product storage error,23.00,,,,,,,,,
856691,No adverse event,23.00,Product storage error,23.00,,,,,
856692,No adverse event,23.00,Product storage error,23.00,,,,,
856693,No adverse event,23.00,Product storage error,23.00,,,,,
856694,Exposure during pregnancy,23.00,,,,,,,,,
856695,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
856696,Erythema,22.10,Injection site erythema,22.10,Injection site
induration,22.10,Injection site pain,22.10,Malaise,22.10
856696,Pyrexia,22.10,,,,,,,,,
856697,Erythema,22.10,Pain in extremity,22.10,Peripheral swelling,
22.10,,,,,
856698,Chest X-ray,22.10,Death,22.10,,,,,,,,,
856699,Erythema,22.10,Pruritus,22.10,Urticaria,22.10,,,,,
856700,Erythema,23.00,Inflammation,23.00,Injection site pain,23.00,,,,,
856701,Diarrhoea,22.10,Vomiting,22.10,,,,,,,,,
856706,Chronic disease,22.10,Loss of personal independence in daily
activities,22.10,,,,,,,,,
856707,Encephalitis,22.10,,,,,,,,,
856708,Hypotonia,23.00,Lethargy,23.00,Somnolence,23.00,,,,,
856709,Asthenia,22.10,Dysstasia,22.10,Feeling abnormal,22.10,Insomnia,
22.10,Mobility decreased,22.10
856709,Pain,22.10,Pain in extremity,22.10,Poor quality sleep,
22.10,Skin warm,22.10,Tenderness,22.10
856709,Tremor,22.10,,,,,,,,,
856710,Abdominal discomfort,22.10,Dizziness,22.10,Lip swelling,
22.10,Swelling face,22.10,,
856711,Chest X-ray normal,23.00,Chest pain,23.00,Decreased appetite,
23.00,Feeling abnormal,23.00,Headache,23.00
856711,Insomnia,23.00,Respiratory tract congestion,23.00,,,,,
856712,Back pain,22.10,Diarrhoea,22.10,Feeling abnormal,
22.10,Headache,22.10,Hypoaesthesia,22.10
856712,Injection site rash,22.10,Nausea,22.10,Neck pain,
22.10,Paraesthesia,22.10,Vision blurred,22.10
856713,Erythema of eyelid,22.10,Eyelid oedema,22.10,Influenza A virus
test negative,22.10,Influenza B virus test,22.10,Influenza virus test
negative,22.10
856713,Pyrexia,22.10,,,,,,,,,
856714,Axillary pain,22.10,Erythema,22.10,Neck pain,22.10,Pain,
22.10,Swelling,22.10
856718,Asthma,23.00,Autoimmune disorder,23.00,Back pain,
23.00,Condition aggravated,23.00,Confusional state,23.00
856718,Fatigue,23.00,Feeling abnormal,23.00,Headache,
23.00,Hypoparathyroidism,23.00,Insomnia,23.00
856718,Malaise,23.00,Memory impairment,23.00,Pruritus,
23.00,Respiratory tract congestion,23.00,,
856719,Herpes zoster,22.10,,,,,,,,,
856720,Chills,22.10,Dizziness,22.10,Syncope,22.10,,,,,

856722, Arthralgia, 22.10, Borrelia test negative, 22.10, Joint stiffness, 22.10, Malaise, 22.10, Middle insomnia, 22.10
856722, Mobility decreased, 22.10, Neck pain, 22.10, Red blood cell sedimentation rate increased, 22.10, , , , ,
856723, Asthenia, 23.00, Blood test normal, 23.00, Bronchitis, 23.00, Dyspnoea, 23.00, Malaise, 23.00
856723, Oral mucosal eruption, 23.00, Rash erythematous, 23.00, , , , , , ,
856724, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
856725, Pain in extremity, 22.10, , , , , , , ,
856726, Blood culture negative, 22.10, Bronchiolitis, 22.10, C-reactive protein increased, 22.10, CSF red blood cell count, 22.10, CSF white blood cell count negative, 22.10
856726, Chest X-ray abnormal, 22.10, Computerised tomogram head normal, 22.10, Culture urine negative, 22.10, Electroencephalogram normal, 22.10, Endotracheal intubation, 22.10
856726, Enterovirus test negative, 22.10, Full blood count normal, 22.10, Herpes simplex test negative, 22.10, Intensive care, 22.10, Liver function test increased, 22.10
856726, Lumbar puncture normal, 22.10, Magnetic resonance imaging brain normal, 22.10, Mental status changes, 22.10, Metabolic function test normal, 22.10, Pneumonia, 22.10
856726, Polymerase chain reaction, 22.10, Procalcitonin increased, 22.10, Respiratory distress, 22.10, Respiratory syncytial virus test positive, 22.10, Respiratory viral panel, 22.10
856726, Seizure, 22.10, Status epilepticus, 22.10, Urine analysis normal, 22.10, , , , ,
856727, Cellulitis, 22.10, Rash, 22.10, , , , , , , ,
856728, Accidental exposure to product, 23.00, No adverse event, 23.00, , , , , , ,
856729, Chills, 22.10, Influenza like illness, 22.10, Pain, 22.10, , , , ,
856730, Injection site discolouration, 23.00, Injection site indentation, 23.00, Ultrasound scan, 23.00, X-ray, 23.00, , ,
856731, Somnolence, 23.00, Urine output decreased, 23.00, Vomiting, 23.00, , , , ,
856732, Abdominal pain upper, 22.10, Asthenia, 22.10, Computerised tomogram, 22.10, Dizziness, 22.10, Electrocardiogram, 22.10
856732, Fatigue, 22.10, Feeling abnormal, 22.10, Gait disturbance, 22.10, Headache, 22.10, Impaired work ability, 22.10
856732, Malaise, 22.10, Musculoskeletal stiffness, 22.10, Nausea, 22.10, Photophobia, 22.10, , ,
856733, Diarrhoea, 22.10, Dyspepsia, 22.10, Eructation, 22.10, Vomiting, 22.10, , ,
856734, Arthralgia, 22.10, Chills, 22.10, Headache, 22.10, Injection site pain, 22.10, Pain, 22.10
856735, Hypoaesthesia, 22.10, Loss of personal independence in daily activities, 22.10, Magnetic resonance imaging, 22.10, Mobility decreased, 22.10, Pain, 22.10
856735, Pain in extremity, 22.10, X-ray, 22.10, , , , , , ,
856736, Herpes zoster, 22.10, Rash, 22.10, Tenderness, 22.10, , , , ,

856737,Diarrhoea,22.10,Vaccination site pain,22.10,,,,,
856738,Dizziness,23.00,Erythema,23.00,Fatigue,23.00,Pain,23.00,Pain in
extremity,23.00
856738,Peripheral swelling,23.00,Rash,23.00,,,,,
856739,Epicondylitis,22.10,Rash,22.10,,,,,
856740,Chest pain,23.00,Chills,23.00,Diarrhoea,23.00,Joint stiffness,
23.00,Nausea,23.00
856740,Pain in extremity,23.00,Pyrexia,23.00,,,,,
856741,Cellulitis,23.00,Injection site erythema,23.00,Injection site
induration,23.00,Injection site warmth,23.00,,
856742,Hypersensitivity,23.00,Rash erythematous,23.00,,,,,
856743,Abdominal pain upper,23.00,Chills,23.00,Crying,23.00,Vomiting,
23.00,,
856744,Product preparation error,23.00,,,,,
856745,Fatigue,22.10,Inflammation,22.10,Injected limb mobility
decreased,22.10,Injection site pain,22.10,Injection site swelling,
22.10
856745,Insomnia,22.10,Loss of personal independence in daily
activities,22.10,Pain,22.10,Pain in extremity,22.10,Ultrasound scan
normal,22.10
856746,Mobility decreased,22.10,Pain,22.10,Periarthritis,22.10,X-ray
limb,22.10,,
856747,Back pain,22.10,Chest pain,22.10,Injection site pain,
22.10,Injection site reaction,22.10,Muscular weakness,22.10
856747,Neuralgia,22.10,,,,,
856748,Discomfort,22.10,Rash pruritic,22.10,,,,,
856749,Asthenia,22.10,Malaise,22.10,,,,,
856750,Injected limb mobility decreased,22.10,Pain in extremity,
22.10,Tendonitis,22.10,,,,,
856751,Chills,22.10,Confusional state,22.10,Decreased appetite,
22.10,Dizziness,22.10,Headache,22.10
856751,Influenza like illness,22.10,Nausea,22.10,Pain in extremity,
22.10,Pyrexia,22.10,Skin induration,22.10
856751,Swelling,22.10,,,,,
856752,Chills,22.10,Fatigue,22.10,Headache,22.10,Nausea,22.10,Pain,
22.10
856752,Sinus headache,22.10,Tremor,22.10,,,,,
856753,Back pain,22.10,Injection site inflammation,22.10,Injection
site pain,22.10,Pain,22.10,Pain in extremity,22.10
856753,Vaccination complication,22.10,,,,,
856754,Injection site erythema,22.10,Injection site pain,
22.10,Injection site warmth,22.10,Nausea,22.10,,
856755,Limb immobilisation,22.10,Musculoskeletal discomfort,22.10,Pain
in extremity,22.10,,,,,
856756,Immediate post-injection reaction,22.10,Injected limb mobility
decreased,22.10,Injection site pain,22.10,Poor quality sleep,22.10,,
856757,Balance disorder,22.10,Chills,22.10,Pyrexia,22.10,Tremor,
22.10,,
856758,Computerised tomogram normal,22.10,Cystoscopy normal,
22.10,Pollakiuria,22.10,Urine analysis,22.10,,

856759, Injection site pain, 22.10, , , , , , , , ,
856760, ACTH stimulation test normal, 22.10, Amino acid level normal, 22.10, Anti-thyroid antibody positive, 22.10, Antinuclear antibody negative, 22.10, Blood catecholamines, 22.10
856760, Blood catecholamines normal, 22.10, Blood corticotrophin decreased, 22.10, Blood creatine phosphokinase normal, 22.10, Blood follicle stimulating hormone normal, 22.10, Blood homocysteine normal, 22.10
856760, Blood iron normal, 22.10, Blood luteinising hormone normal, 22.10, Blood magnesium normal, 22.10, Blood oestrogen normal, 22.10, Blood testosterone decreased, 22.10
856760, Cognitive disorder, 22.10, Complement factor C3, 22.10, Complement factor C4, 22.10, Complement factor normal, 22.10, Condition aggravated, 22.10
856760, Cortisol decreased, 22.10, Cortisol normal, 22.10, Cytogenetic analysis normal, 22.10, Ehlers-Danlos syndrome, 22.10, Electrocardiogram normal, 22.10
856760, Electrophoresis protein, 22.10, Epstein-Barr virus test positive, 22.10, Fatigue, 22.10, Full blood count normal, 22.10, Gastric emptying study, 22.10
856760, General physical health deterioration, 22.10, Glycosylated haemoglobin normal, 22.10, Histamine normal, 22.10, Hypermobility syndrome, 22.10, Impaired gastric emptying, 22.10
856760, Impaired work ability, 22.10, Inflammation, 22.10, Insulin-like growth factor, 22.10, Interleukin level, 22.10, Iron binding capacity total normal, 22.10
856760, Laboratory test normal, 22.10, Loss of personal independence in daily activities, 22.10, Magnetic resonance imaging brain normal, 22.10, Magnetic resonance imaging spinal normal, 22.10, Malaise, 22.10
856760, Neurological examination abnormal, 22.10, Pain, 22.10, Postural orthostatic tachycardia syndrome, 22.10, Presyncope, 22.10, Progesterone normal, 22.10
856760, Rheumatoid factor negative, 22.10, Serum ferritin normal, 22.10, Sleep study normal, 22.10, Small fibre neuropathy, 22.10, Sweat test abnormal, 22.10
856760, Thyroid function test normal, 22.10, Tilt table test positive, 22.10, Tryptase, 22.10, Ultrasound scan normal, 22.10, Urine analysis, 22.10
856760, Urine analysis normal, 22.10, Urine copper, 22.10, Vitamin A normal, 22.10, Vitamin B12 normal, 22.10, Vitamin D, 22.10
856773, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
856774, Circumstance or information capable of leading to medication error, 23.00, No adverse event, 23.00, , , , , , , , ,
856775, Herpes zoster, 22.10, , , , , , , , , ,
856776, Incorrect route of product administration, 23.00, No adverse event, 23.00, , , , , , , , ,
856777, Dizziness, 22.10, Loss of consciousness, 22.10, Pallor, 22.10, Syncope, 22.10, Vomiting, 22.10
856778, Blister, 23.00, Immediate post-injection reaction, 23.00, Rash, 23.00, , , , , , , , ,
856779, Pain, 22.10, , , , , , , , , ,

856780, Erythema, 22.10, Fatigue, 22.10, Pain, 22.10, Pain in extremity, 22.10, Pruritus, 22.10
856780, Somnolence, 22.10, Swelling, 22.10, , , , , ,
856781, Influenza, 22.10, Vaccination failure, 22.10, , , , , ,
856782, Exposure via skin contact, 22.10, Syringe issue, 22.10, , , , , ,
856783, Influenza, 22.10, Vaccination failure, 22.10, , , , , ,
856784, Expired product administered, 22.10, No adverse event, 22.10, Product quality issue, 22.10, Wrong product administered, 22.10, ,
856785, Asthenia, 23.00, Diarrhoea, 23.00, Hypotonia, 23.00, Lethargy, 23.00, Moaning, 23.00
856785, Pallor, 23.00, Respiratory rate decreased, 23.00, Skin discolouration, 23.00, Unresponsive to stimuli, 23.00, ,
856787, Audiogram abnormal, 22.10, Deafness unilateral, 22.10, Dysacusis, 22.10, Nerve injury, 22.10, Sudden hearing loss, 22.10
856788, Erythema, 22.10, Influenza like illness, 22.10, Pain, 22.10, Pyrexia, 22.10, Swelling, 22.10
856789, Abnormal sensation in eye, 22.10, Ear pain, 22.10, Eyelid function disorder, 22.10, Facial paralysis, 22.10, Sinus pain, 22.10
856789, Toothache, 22.10, , , , , , ,
856790, Cellulitis, 23.00, Erythema, 23.00, Fatigue, 23.00, Hypersomnia, 23.00, Pain in extremity, 23.00
856790, Peripheral swelling, 23.00, Skin warm, 23.00, , , , , , ,
856791, Joint range of motion decreased, 22.10, Joint swelling, 22.10, Rheumatoid factor increased, 22.10, , , , ,
856792, Neuritis, 22.10, , , , , , ,
856793, Chills, 22.10, Headache, 22.10, Pyrexia, 22.10, , , , ,
856796, Presyncope, 22.10, , , , , , ,
856797, Swelling, 23.00, , , , , , ,
856798, Epistaxis, 22.10, , , , , , ,
856799, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site streaking, 22.10, , , , ,
856800, Contusion, 23.00, Erythema, 23.00, Induration, 23.00, Pain, 23.00, Swelling, 23.00
856801, Dyspnoea, 22.10, Erythema, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Peripheral swelling, 22.10
856802, Nodule, 23.00, Skin warm, 23.00, , , , , , ,
856803, Chills, 22.10, Fatigue, 22.10, Pain, 22.10, Pyrexia, 22.10, ,
856804, Erythema, 23.00, Myalgia, 23.00, Pain, 23.00, Swelling, 23.00, ,
856805, Peripheral swelling, 23.00, Rash, 23.00, Skin warm, 23.00, , , , ,
856806, Erythema, 22.10, Pain, 22.10, Peripheral swelling, 22.10, , , , ,
856807, Syringe issue, 23.00, , , , , , ,
856808, Abdominal discomfort, 22.10, Asthenia, 22.10, Chills, 22.10, Fatigue, 22.10, Headache, 22.10
856808, Myalgia, 22.10, , , , , , ,
856809, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, Rash erythematous, 23.00, Urticaria, 23.00
856810, Chills, 23.00, Headache, 23.00, Hyperhidrosis, 23.00, Loss of personal independence in daily activities, 23.00, Myalgia, 23.00
856810, Pyrexia, 23.00, , , , , , ,
856811, Influenza like illness, 22.10, Injection site erythema,

22.10, Injection site pain, 22.10, Injection site swelling, 22.10,,
856812, Erythema, 23.00, Impaired work ability, 23.00, Injected limb
mobility decreased, 23.00, Injection site pain, 23.00, Injection site
swelling, 23.00
856812, Pain in extremity, 23.00, Peripheral coldness, 23.00, Peripheral
swelling, 23.00, Pyrexia, 23.00,,
856813, Abdominal pain upper, 23.00, Angina pectoris, 23.00, Chills,
23.00, Erythema, 23.00, Fatigue, 23.00
856813, Feeling of body temperature change, 23.00, Induration,
23.00, Influenza virus test negative, 23.00, Pruritus, 23.00, Pyrexia, 23.00
856813, Swelling, 23.00, Thirst, 23.00, Vomiting, 23.00,,,,,
856814, Injection site erythema, 22.10, Injection site warmth, 22.10,,,,,,
856815, Cellulitis, 23.00, Rash, 23.00,,,,,,
856827, Adverse reaction, 22.10,,,,,,
856828, Injection site pain, 22.10,,,,,,
856829, Chills, 22.10, Inappropriate schedule of product administration,
22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Lymph
node pain, 22.10
856829, Lymphadenopathy, 22.10, Pain, 22.10, Pyrexia, 22.10, Vaccine positive
rechallenge, 22.10,,
856830, Arthralgia, 22.10, Back pain, 22.10, Erythema, 22.10, Skin infection,
22.10,,
856831, Erythema, 22.10, Pruritus, 22.10, Swelling, 22.10,,,,,
856832, Herpes zoster, 22.10,,,,,,
856833, Ataxia, 22.10, Blood lactic acid increased, 22.10, Cold sweat,
22.10, Hypotension, 22.10, Pain in extremity, 22.10
856833, Tremor, 22.10,,,,,,
856834, Herpes zoster, 22.10, Vaccination failure, 22.10,,,,,,
856835, Herpes zoster, 22.10, Vaccination failure, 22.10,,,,,,
856836, Pain in extremity, 22.10,,,,,,
856837, Erythema, 22.10, Injection site erythema, 22.10,,,,,,
856838, Injection site pain, 22.10, Injection site swelling, 22.10, Pain in
extremity, 22.10, Swelling, 22.10,,
856839, Blister, 22.10, Herpes zoster, 22.10, Neuralgia, 22.10, Rash, 22.10,,
856840, Injection site erythema, 22.10, Injection site induration,
22.10, Injection site pain, 22.10, Injection site warmth,
22.10, Tenderness, 22.10
856841, Burning sensation, 22.10, Pain in extremity, 22.10, Pruritus,
22.10, Rash erythematous, 22.10,,
856842, Blister, 22.10, Chills, 22.10, Fatigue, 22.10, Headache,
22.10, Pyrexia, 22.10
856843, Off label use, 22.10, Product administered to patient of
inappropriate age, 22.10,,,,,
856844, Herpes zoster, 22.10,,,,,,
856845, Blister, 22.10, Fatigue, 22.10, Headache, 22.10, Injection site pain,
22.10, Malaise, 22.10
856845, Myalgia, 22.10, Nausea, 22.10, Pyrexia, 22.10,,,,,
856846, Decreased appetite, 22.10, Diarrhoea, 22.10, Dizziness,
22.10, Feeling abnormal, 22.10, Nausea, 22.10
856846, Vomiting, 22.10,,,,,,

856847, Herpes zoster, 22.10, Rash, 22.10, , , , , , ,
856848, Chills, 22.10, Injection site pain, 22.10, Lymph node pain,
22.10, Lymphadenopathy, 22.10, Pain, 22.10
856848, Pyrexia, 22.10, , , , , , , ,
856849, Osteoporosis, 22.10, , , , , , , ,
856850, Chills, 22.10, Discomfort, 22.10, Fatigue, 22.10, Glossodynia,
22.10, Headache, 22.10
856850, Injection site erythema, 22.10, Injection site pruritus,
22.10, Nausea, 22.10, Oropharyngeal pain, 22.10, Pain, 22.10
856850, Pain in extremity, 22.10, Poor quality sleep, 22.10, Pyrexia,
22.10, Sinusitis, 22.10, Tongue discomfort, 22.10
856851, Chills, 22.10, Dizziness, 22.10, Fatigue, 22.10, Influenza like
illness, 22.10, Injected limb mobility decreased, 22.10
856851, Injection site pain, 22.10, Myalgia, 22.10, Pyrexia,
22.10, Somnolence, 22.10, ,
856852, Antibody test positive, 22.10, , , , , , , ,
856853, Arthralgia, 22.10, Erythema, 22.10, Headache, 22.10, Injection site
warmth, 22.10, Pain, 22.10
856853, Pyrexia, 22.10, , , , , , , ,
856854, Feeling hot, 22.10, Myalgia, 22.10, , , , , , ,
856855, Mobility decreased, 22.10, Musculoskeletal pain, 22.10, , , , , , ,
856856, Rash pruritic, 22.10, , , , , , , ,
856857, Pruritus, 22.10, , , , , , , ,
856858, Fatigue, 22.10, , , , , , , ,
856860, Adverse event, 22.10, , , , , , , ,
856861, Adverse drug reaction, 22.10, , , , , , , ,
856862, Crying, 22.10, Electrocardiogram T wave abnormal, 22.10, Headache,
22.10, Immediate post-injection reaction, 22.10, Loss of consciousness,
22.10
856862, Nausea, 22.10, Syncope, 22.10, Tremor, 22.10, Vomiting, 22.10, ,
856863, Blood test, 22.10, Chest X-ray, 22.10, Chills, 22.10, Decreased
appetite, 22.10, Headache, 22.10
856863, Lymphadenopathy, 22.10, Malaise, 22.10, Pain, 22.10, Pain in
extremity, 22.10, Pyrexia, 22.10
856864, Musculoskeletal pain, 22.10, , , , , , , ,
856865, Asthenia, 23.00, Bone cyst, 23.00, Cartilage injury,
23.00, Exostosis, 23.00, Magnetic resonance imaging abnormal, 23.00
856865, Mobility decreased, 23.00, Osteoarthritis, 23.00, Rotator cuff
syndrome, 23.00, Tendon disorder, 23.00, ,
856866, Asthenia, 23.00, Dyspnoea, 23.00, Eye disorder, 23.00, Infantile
spitting up, 23.00, Respiratory arrest, 23.00
856867, Seizure, 23.00, , , , , , , ,
856868, Extra dose administered, 22.10, Injection site rash, 22.10, , , , , , ,
856869, Pain in extremity, 22.10, , , , , , , ,
856870, Hypoaesthesia, 22.10, , , , , , , ,
856871, Erythema, 22.10, Pain, 22.10, Paraesthesia, 22.10, Peripheral
swelling, 22.10, ,
856872, Erythema, 22.10, Injection site erythema, 22.10, Injection site
swelling, 22.10, Injection site warmth, 22.10, Musculoskeletal stiffness,
22.10

856872, Skin warm, 22.10, Swelling, 22.10, , , , , ,
856886, Pneumonia, 22.10, , , , , , , ,
856887, Herpes zoster, 22.10, Pain, 22.10, Post herpetic neuralgia,
22.10, , , , ,
856888, Pneumonia, 22.10, , , , , , , ,
856889, Cellulitis, 22.10, Local reaction, 22.10, Rash, 22.10, , , , ,
856890, Injection site pruritus, 22.10, Injection site swelling,
22.10, Local reaction, 22.10, Rash, 22.10, Swelling face, 22.10
856890, Urticaria, 22.10, , , , , , , ,
856891, Injection site pain, 22.10, Pain in extremity, 22.10, , , , , ,
856892, Malaise, 22.10, Pain, 22.10, Pyrexia, 22.10, Vomiting, 22.10, ,
856893, Rash macular, 23.00, , , , , , , ,
856894, Dizziness, 23.00, Loss of consciousness, 23.00, Presyncope,
23.00, , , , ,
856895, Bursitis, 22.10, Musculoskeletal pain, 22.10, Rotator cuff
syndrome, 22.10, Tendonitis, 22.10, X-ray limb, 22.10
856896, Cellulitis, 23.00, Erythema, 23.00, Pain, 23.00, Peripheral swelling,
23.00, Skin warm, 23.00
856896, Tenderness, 23.00, Urticaria, 23.00, Vaccination complication,
23.00, , , , ,
856897, Ammonia, 23.00, Full blood count, 23.00, Metabolic function test,
23.00, Seizure like phenomena, 23.00, Urine analysis, 23.00
856899, Pleuritic pain, 22.10, Pneumonia, 22.10, , , , , ,
856900, Dizziness, 22.10, Headache, 22.10, Hypoaesthesia oral, 22.10, , , , ,
856901, Cough, 22.10, Dyspnoea, 22.10, Pruritus, 22.10, , , , ,
856902, Abdominal pain upper, 22.10, Chest pain, 22.10, Hypoaesthesia,
22.10, Nipple pain, 22.10, Pain of skin, 22.10
856902, Post herpetic neuralgia, 22.10, , , , , , , ,
856903, Injection site erythema, 23.00, Injection site warmth, 23.00, , , , , , ,
856904, Atrial fibrillation, 22.10, Electrocardiogram abnormal,
22.10, Heart rate increased, 22.10, Hyperhidrosis, 22.10, Injection site
discomfort, 22.10
856904, Laboratory test normal, 22.10, Troponin increased, 22.10, , , , , , ,
856905, Musculoskeletal pain, 22.10, , , , , , , ,
856906, Injection site mass, 22.10, Injection site pain, 22.10, Magnetic
resonance imaging abnormal, 22.10, , , , , ,
856907, Burning sensation, 22.10, Injection site pain, 22.10, , , , , , ,
856908, Apnoea, 23.00, Electroencephalogram, 23.00, Hypotonia, 23.00, , , , , ,
856909, Headache, 23.00, Lethargy, 23.00, Malaise, 23.00, Muscular weakness,
23.00, Pyrexia, 23.00
856909, Vomiting, 23.00, , , , , , , , ,
856910, Erythema, 23.00, Hypersensitivity, 23.00, Local reaction,
23.00, Swelling, 23.00, , ,
856911, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, Pain in extremity, 23.00, Peripheral
swelling, 23.00
856912, Chills, 22.10, Injection site swelling, 22.10, Injection site
warmth, 22.10, Nausea, 22.10, Pain, 22.10
856912, Pyrexia, 22.10, , , , , , , , ,
856913, Inflammation, 23.00, Musculoskeletal stiffness, 23.00, Myalgia,

23.00,Pain,23.00,Panic attack,23.00
856913,Pharyngeal swelling,23.00,,,,,
856914,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
856916,Limb mass,22.10,Pruritus,22.10,,,,,
856917,Herpes zoster,22.10,,,,,
856918,Injection site rash,22.10,Pruritus,22.10,Rash,22.10,,,,,
856919,Malaise,22.10,Rash erythematous,22.10,Skin warm,
22.10,Somnolence,22.10,,
856920,Hypersensitivity,23.00,Injection site cellulitis,
23.00,Ultrasound scan,23.00,,,,,
856921,Gait disturbance,23.00,Myalgia,23.00,Pain in extremity,
23.00,,,,,
856922,Injection site joint movement impairment,23.00,Myalgia,
23.00,Vaccination complication,23.00,,,,,
856923,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pruritus,23.00,Pyrexia,23.00
856924,Hyperglycaemia,23.00,Malaise,23.00,Nausea,23.00,Rash,
23.00,Urticaria,23.00
856924,Vomiting,23.00,,,,,
856925,Herpes zoster,22.10,Neuralgia,22.10,,,,,
856926,Hypoaesthesia,23.00,Muscular weakness,23.00,Pain in extremity,
23.00,,,,,
856927,Mobility decreased,22.10,Pain,22.10,Swelling,22.10,,,,,
856928,Erythema,22.10,Injection site bruising,22.10,Injection site
pain,22.10,,,,,
856929,Asthenia,22.10,Death,22.10,Guillain-Barre syndrome,
22.10,Laboratory test,22.10,Paralysis,22.10
856930,Muscle disorder,23.00,Pyrexia,23.00,,,,,
856931,Injection site erythema,23.00,,,,,
856932,Chills,22.10,Headache,22.10,Pain,22.10,Pyrexia,22.10,,
856933,Hypersensitivity,22.10,Retching,22.10,Scan brain,
22.10,Sneezing,22.10,Tremor,22.10
856934,Abdominal pain upper,22.10,Chills,22.10,Fatigue,22.10,Headache,
22.10,Heart rate increased,22.10
856934,Myalgia,22.10,Nausea,22.10,Pyrexia,22.10,,,,,
856935,Erythema,23.00,Peripheral swelling,23.00,,,,,
856938,Chest discomfort,22.10,Dyspnoea,22.10,,,,,
856939,Insomnia,23.00,Irritability,23.00,Vomiting,23.00,,,,,
856940,Asthenia,22.10,Blood test,22.10,Computerised tomogram,
22.10,Dyspnoea,22.10,Dysstasia,22.10
856940,Gait disturbance,22.10,Influenza,22.10,Loss of personal
independence in daily activities,22.10,Malaise,22.10,Muscular
weakness,22.10
856940,Neurological examination,22.10,,,,,
856941,Erythema,23.00,Induration,23.00,Pain,23.00,Pain in extremity,
23.00,Swelling,23.00
856941,Urticaria,23.00,,,,,
856964,No adverse event,23.00,Product storage error,23.00,,,,,
856965,Extra dose administered,23.00,,,,,
856966,No adverse event,23.00,Product storage error,23.00,,,,,

856967, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856968, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856969, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856970, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856971, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856972, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856973, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856974, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856975, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856976, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856977, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856978, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856979, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856980, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856981, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856982, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856983, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856984, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856985, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856986, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856987, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856988, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
856989, Adverse reaction, 22.10, , , , , , ,
856990, Pain in extremity, 22.10, , , , , , ,
856991, Pain in extremity, 22.10, , , , , , ,
856992, Headache, 22.10, , , , , , ,
856993, Feeling abnormal, 22.10, Nasopharyngitis, 22.10, Pain, 22.10, Throat
irritation, 22.10, Vaccine positive rechallenge, 22.10
856994, Abdominal pain upper, 22.10, Diarrhoea, 22.10, Flatulence,
22.10, Gastrointestinal sounds abnormal, 22.10, Injection site erythema,
22.10
856994, Injection site pain, 22.10, Pain, 22.10, , , , , ,
856995, Injection site erythema, 22.10, Injection site urticaria,
22.10, , , , , ,
856996, Erythema, 22.10, Injection site erythema, 22.10, Paraesthesia,
22.10, , , ,
856997, Facial pain, 22.10, Lip swelling, 22.10, Swelling face, 22.10, , , , ,
856998, Abdominal discomfort, 22.10, , , , , , ,
856999, Drug dispensed to wrong patient, 23.00, , , , , , ,
857000, No adverse event, 23.00, Product preparation issue, 23.00, , , , , ,
857001, Extra dose administered, 22.10, No adverse event, 22.10, , , , , ,
857002, Expired product administered, 23.00, , , , , , ,
857003, Expired product administered, 23.00, , , , , , ,
857004, Expired product administered, 23.00, , , , , , ,
857005, Inappropriate schedule of product administration, 22.10, No
adverse event, 22.10, , , , , ,
857006, Blister, 23.00, Injection site erythema, 23.00, Injection site
macule, 23.00, Injection site reaction, 23.00, Skin lesion, 23.00
857007, Erythema, 23.00, Swelling, 23.00, Urticaria, 23.00, , , , ,
857009, Injection site rash, 22.10, Pyrexia, 22.10, Rash pruritic, 22.10, , , , ,

857010,Mobility decreased,23.00,Pain in extremity,23.00,,,,,
857014,Rash,22.10,,,,,
857020,No adverse event,23.00,Product storage error,23.00,,,,,
857021,No adverse event,23.00,Product storage error,23.00,,,,,
857022,No adverse event,23.00,Product storage error,23.00,,,,,
857023,No adverse event,23.00,Product storage error,23.00,,,,,
857024,No adverse event,23.00,Product storage error,23.00,,,,,
857025,No adverse event,23.00,Product storage error,23.00,,,,,
857026,No adverse event,23.00,Product storage error,23.00,,,,,
857027,No adverse event,23.00,Product storage error,23.00,,,,,
857028,Oral herpes,22.10,Pyrexia,22.10,,,,,
857029,Erythema,22.10,Headache,22.10,Swelling,22.10,,,,,
857030,Pain in extremity,22.10,Peripheral swelling,22.10,,,,,
857031,Pain in extremity,22.10,,,,,
857032,Pain in extremity,22.10,,,,,
857033,Influenza like illness,22.10,Malaise,22.10,Pain,22.10,Pyrexia,
22.10,,
857034,Influenza like illness,22.10,Pain,22.10,Pyrexia,22.10,,,,,
857035,Pain,22.10,,,,,
857036,Injection site pain,22.10,Pain in extremity,22.10,,,,,
857037,Fatigue,22.10,Pain in extremity,22.10,Pyrexia,22.10,,,,,
857038,Arthralgia,22.10,Arthritis,22.10,Condition aggravated,
22.10,Decreased appetite,22.10,Headache,22.10
857038,Malaise,22.10,Pain in extremity,22.10,Pyrexia,22.10,,,,,
857039,Headache,22.10,Influenza like illness,22.10,,,,,
857040,Influenza like illness,22.10,Malaise,22.10,Nausea,22.10,,,,,
857041,Abdominal discomfort,22.10,Chills,22.10,Fatigue,22.10,Headache,
22.10,Injection site erythema,22.10
857041,Injection site pain,22.10,Injection site swelling,
22.10,Insomnia,22.10,Myalgia,22.10,Pain,22.10
857041,Pyrexia,22.10,,,,,
857042,Chills,22.10,Hyperhidrosis,22.10,Injection site pain,
22.10,Pyrexia,22.10,Vaccine positive rechallenge,22.10
857043,Influenza like illness,22.10,,,,,
857044,Chills,22.10,Herpes zoster,22.10,Influenza like illness,
22.10,Injection site erythema,22.10,Injection site pain,22.10
857044,Myalgia,22.10,Pain in extremity,22.10,Pain of skin,
22.10,Pyrexia,22.10,,
857045,Alopecia,22.10,Dandruff,22.10,Dry skin,22.10,Fatigue,
22.10,Immediate post-injection reaction,22.10
857045,Influenza like illness,22.10,Injection site swelling,
22.10,Pyrexia,22.10,Skin exfoliation,22.10,,
857046,Erythema,22.10,Immediate post-injection reaction,
22.10,Induration,22.10,Injection site mass,22.10,Mass,22.10
857047,Pain in extremity,22.10,,,,,
857048,Erythema,22.10,Feeling hot,22.10,Peripheral swelling,22.10,,,,,
857049,Fatigue,22.10,Influenza like illness,22.10,Pain,22.10,,,,,
857050,Asthenia,22.10,Chills,22.10,Headache,22.10,Malaise,
22.10,Musculoskeletal stiffness,22.10
857050,Pain in extremity,22.10,,,,,

857051,Injection site pain,22.10,Injection site pruritus,
22.10,Injection site swelling,22.10,Injection site warmth,22.10,,
857052,Injection site pruritus,22.10,Injection site urticaria,
22.10,Injection site warmth,22.10,,,,,
857053,Myalgia,22.10,,,,,,
857054,Seizure,22.10,,,,,,
857055,Genital rash,22.10,Rash,22.10,Swollen tongue,22.10,,,,,
857056,Injection site erythema,22.10,Injection site swelling,
22.10,Injection site warmth,22.10,,,,,
857057,Immediate post-injection reaction,22.10,Injection site
urticaria,22.10,,,,,,
857058,Headache,22.10,Malaise,22.10,Pyrexia,22.10,,,,,
857059,Blood glucose normal,22.10,Disorientation,22.10,Dizziness,
22.10,Exposure during pregnancy,22.10,Tachycardia,22.10
857059,Urine analysis,22.10,Vertigo,22.10,Visual impairment,22.10,,,,,
857060,Arthritis,22.10,Injection site pain,22.10,Joint swelling,
22.10,Muscle tightness,22.10,Musculoskeletal pain,22.10
857060,Neck pain,22.10,,,,,,
857061,Bacterial test negative,22.10,Blood pressure decreased,
22.10,Blood test normal,22.10,Cardiac function test normal,
22.10,Computerised tomogram head normal,22.10
857061,Headache,22.10,Hypotension,22.10,Nausea,22.10,Pyrexia,
22.10,Syncope,22.10
857061,Urine analysis normal,22.10,Viral test negative,22.10,,,,,,
857062,Contraindication to vaccination,23.00,No adverse event,
23.00,,,,,,
857063,Injection site erythema,22.10,,,,,,
857064,Bed rest,22.10,Headache,22.10,Nausea,22.10,Pain in extremity,
22.10,Pyrexia,22.10
857065,Gaze palsy,22.10,Generalised tonic-clonic seizure,
22.10,Injection site pain,22.10,Syncope,22.10,,
857066,Arthritis,22.10,Blood test,22.10,Gait inability,22.10,Joint
stiffness,22.10,Musculoskeletal discomfort,22.10
857066,Musculoskeletal stiffness,22.10,,,,,,
857072,Fatigue,22.10,Influenza like illness,22.10,Nausea,22.10,Pain,
22.10,,
857073,Chills,22.10,Pyrexia,22.10,,,,,,
857074,Ophthalmic herpes zoster,22.10,,,,,,
857075,Burning sensation,22.10,Chills,22.10,Injection site pain,
22.10,Neuralgia,22.10,Pyrexia,22.10
857076,Chills,22.10,Hyperhidrosis,22.10,Injection site pain,
22.10,Pyrexia,22.10,,
857077,Condition aggravated,22.10,Oral herpes,22.10,,,,,,
857078,Arthralgia,23.00,Gait inability,23.00,Hyperaesthesia,23.00,,,,,
857079,Acne,22.10,Erythema,22.10,Erythema of eyelid,22.10,Headache,
22.10,Herpes ophthalmic,22.10
857079,Herpes virus infection,22.10,Hordeolum,22.10,Swelling,22.10,,,,,
857080,Caesarean section,22.10,Complication of pregnancy,
22.10,Eclampsia,22.10,Exposure during pregnancy,22.10,,
857081,Fatigue,22.10,Headache,22.10,Malaise,22.10,Rash pruritic,

22.10,,
857082,Injection site erythema,22.10,Injection site pain,
22.10,Injection site pruritus,22.10,Injection site swelling,
22.10,Injection site warmth,22.10
857083,Pain in extremity,22.10,,,,,
857084,Injection site nodule,22.10,Joint range of motion decreased,
22.10,Muscular weakness,22.10,Pain in extremity,22.10,Paraesthesia,
22.10
857084,Ultrasound scan,22.10,,,,,
857085,Pain in extremity,23.00,Skin warm,23.00,,,,,
857086,Erythema,22.10,Local reaction,22.10,Skin warm,22.10,Swelling,
22.10,,
857087,Chills,22.10,Nausea,22.10,Pyrexia,22.10,Vomiting,22.10,,
857088,Injection site erythema,23.00,Injection site nodule,
23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00
857088,Injection site warmth,23.00,,,,,
857102,Contraindication to vaccination,23.00,,,,,
857103,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,
857105,Death,22.10,,,,,
857106,Headache,22.10,Nausea,22.10,Rhinorrhoea,22.10,Vomiting,22.10,,
857107,Wrong product administered,23.00,,,,,
857108,Headache,22.10,Induration,22.10,Injection site rash,22.10,Mass,
22.10,Musculoskeletal stiffness,22.10
857108,Pain,22.10,Pruritus,22.10,,,,,
857109,Wrong product administered,22.10,,,,,
857110,Injection site erythema,22.10,Injection site pruritus,
22.10,,,,,
857111,Headache,22.10,Pallor,22.10,Tremor,22.10,,,,,
857114,Lip swelling,22.10,Swelling face,22.10,Swollen tongue,
22.10,Throat tightness,22.10,,
857115,Cardio-respiratory arrest,22.10,Resuscitation,22.10,,,,,
857116,Headache,22.10,Immediate post-injection reaction,22.10,Vision
blurred,22.10,Vomiting,22.10,,
857117,Dizziness,22.10,Syncope,22.10,Vomiting,22.10,,,,,
857118,Injection site erythema,23.00,Injection site reaction,
23.00,Injection site swelling,23.00,Skin lesion,23.00,,
857119,Blood glucose,22.10,Electrocardiogram,22.10,Syncope,22.10,,,,,
857120,Ecchymosis,23.00,Erythema,23.00,Feeling hot,23.00,Oedema,
23.00,Peripheral swelling,23.00
857120,Pruritus,23.00,Skin abrasion,23.00,Skin warm,23.00,,,,,
857121,Erythema,23.00,Irritability,23.00,Swelling,23.00,,,,,
857122,Mobility decreased,22.10,Pain,22.10,,,,,
857123,Disorientation,22.10,Gait disturbance,22.10,Influenza like
illness,22.10,Injection site erythema,22.10,Injection site pain,22.10
857124,Extra dose administered,22.10,,,,,
857125,Dizziness,22.10,Nausea,22.10,,,,,
857126,Dizziness,22.10,Injection site pain,22.10,Palpitations,
22.10,Tinnitus,22.10,,
857127,Dizziness,23.00,Injection site pain,23.00,,,,,

857128, Arthralgia, 23.00, Body temperature increased, 23.00, Erythema, 23.00, Injection site erythema, 23.00, Joint effusion, 23.00
857128, Pain, 23.00, Rash erythematous, 23.00, , , , , ,
857129, Chills, 22.10, Nausea, 22.10, Pyrexia, 22.10, , , , ,
857130, Erythema, 22.10, Pain, 22.10, Swelling, 22.10, , , , ,
857131, Injection site rash, 23.00, Irritability, 23.00, Rash, 23.00, Urticaria, 23.00, ,
857132, Mobility decreased, 22.10, Pain, 22.10, , , , , ,
857133, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Swelling, 23.00, ,
857134, Injection site swelling, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
857135, Inappropriate schedule of product administration, 22.10, No adverse event, 22.10, , , , , ,
857136, Diplegia, 22.10, Guillain-Barre syndrome, 22.10, Laboratory test, 22.10, , , , ,
857137, Blood pressure decreased, 22.10, Dizziness, 22.10, Hyperhidrosis, 22.10, Presyncope, 22.10, Urinary incontinence, 22.10
857138, Pruritus, 22.10, Urticaria, 22.10, , , , , ,
857139, Fall, 22.10, Syncope, 22.10, , , , , ,
857140, Local reaction, 22.10, , , , , , ,
857141, Dizziness, 23.00, Musculoskeletal stiffness, 23.00, , , , , ,
857142, Injection site pain, 22.10, , , , , , ,
857143, Erythema, 23.00, Feeling hot, 23.00, Swelling face, 23.00, Urticaria, 23.00, ,
857144, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site nodule, 23.00, Swelling, 23.00, ,
857145, Injection site mass, 22.10, Injection site pain, 22.10, Injection site warmth, 22.10, Loss of personal independence in daily activities, 22.10, ,
857146, Syncope, 22.10, , , , , , ,
857147, Rash, 22.10, Rash erythematous, 22.10, Rash papular, 22.10, , , , ,
857148, Asthenia, 22.10, Balance disorder, 22.10, Bedridden, 22.10, Chills, 22.10, Dizziness, 22.10
857148, Fatigue, 22.10, Headache, 22.10, Loss of personal independence in daily activities, 22.10, Nausea, 22.10, Pain, 22.10
857148, Tinnitus, 22.10, , , , , , ,
857149, Herpes zoster, 22.10, Oral herpes, 22.10, Oral pain, 22.10, Pyrexia, 22.10, ,
857150, Albumin CSF abnormal, 22.10, Angiogram normal, 22.10, Angiotensin converting enzyme decreased, 22.10, Blood immunoglobulin A normal, 22.10, Blood test normal, 22.10
857150, Blood thyroid stimulating hormone increased, 22.10, Borrelia test negative, 22.10, CSF cell count normal, 22.10, CSF glucose normal, 22.10, CSF lactate dehydrogenase normal, 22.10
857150, CSF protein increased, 22.10, CSF white blood cell count negative, 22.10, Computerised tomogram head normal, 22.10, Epstein-Barr virus test negative, 22.10, Facial paralysis, 22.10
857150, Gram stain, 22.10, Gram stain negative, 22.10, Guillain-Barre syndrome, 22.10, Headache, 22.10, Hyperlipidaemia, 22.10
857150, Hypoaesthesia, 22.10, Immunoglobulin therapy, 22.10, Injection site

erythema,22.10,Injection site swelling,22.10,Low density lipoprotein increased,22.10
857150,Lymph node pain,22.10,Lymphadenopathy,22.10,Magnetic resonance imaging brain normal,22.10,Neck pain,22.10,Polymerase chain reaction, 22.10
857150,Thyroxine normal,22.10,Tongue discomfort,22.10,Treponema test negative,22.10,Tri-iodothyronine normal,22.10,,
857151,Bed rest,22.10,Fatigue,22.10,Myalgia,22.10,,,,,
857152,Fatigue,22.10,Myalgia,22.10,,,,,,
857153,Chills,22.10,Headache,22.10,Lethargy,22.10,,,,,
857154,Chills,22.10,Headache,22.10,Influenza like illness,22.10,Pain, 22.10,Tremor,22.10
857155,Erythema,22.10,Rash macular,22.10,,,,,,
857156,Peripheral swelling,23.00,,,,,,
857157,Injected limb mobility decreased,22.10,,,,,,
857158,Chills,23.00,Diarrhoea,23.00,Headache,23.00,Influenza, 23.00,Injection site pain,23.00
857158,Injection site swelling,23.00,Lip pain,23.00,Mobility decreased,23.00,Oral herpes,23.00,Pain,23.00
857158,Pyrexia,23.00,Skin warm,23.00,Urticaria,23.00,Vomiting,23.00,,
857159,Cough,23.00,,,,,,
857160,Vision blurred,22.10,Visual impairment,22.10,,,,,,
857161,Arthralgia,22.10,Chills,22.10,Headache,22.10,Influenza like illness,22.10,Nausea,22.10
857161,Pain,22.10,,,,,,
857162,Back pain,22.10,Chest pain,22.10,Dizziness,22.10,,,,,
857163,Dizziness,22.10,Headache,22.10,,,,,,
857164,Body temperature increased,22.10,Cellulitis,22.10,Diarrhoea, 22.10,Joint swelling,22.10,Rash,22.10
857165,Injection site erythema,22.10,Injection site rash,22.10,,,,,,
857166,Dyskinesia,22.10,Immediate post-injection reaction, 22.10,Injected limb mobility decreased,22.10,Injection site pain, 22.10,Monoplegia,22.10
857166,Muscle spasms,22.10,Pain,22.10,Pain in extremity,22.10,,,,,
857167,Erythema,22.10,Mass,22.10,Rash,22.10,Swelling,22.10,Tenderness, 22.10
857168,Injection site urticaria,22.10,Urticaria,22.10,Wheezing, 22.10,,,,,
857169,Blood glucose increased,22.10,,,,,,
857170,Anxiety,22.10,Loss of consciousness,22.10,Syncope,22.10,,,,,
857173,Induration,22.10,Mass,22.10,Rash,22.10,Rash erythematous, 22.10,Skin warm,22.10
857174,Body temperature increased,23.00,Chest X-ray normal, 23.00,Cough,23.00,Electrocardiogram normal,23.00,Erythema,23.00
857174,Feeling hot,23.00,Full blood count normal,23.00,Headache, 23.00,Heart rate increased,23.00,Hypertension,23.00
857174,Immediate post-injection reaction,23.00,Injection site pain, 23.00,Injection site swelling,23.00,Myalgia,23.00,Tachycardia,23.00
857174,Vaccination complication,23.00,,,,,,
857175,Diarrhoea,23.00,Vomiting,23.00,,,,,,

857176, Arthralgia, 22.10, Dizziness, 22.10, Dyspnoea, 22.10, Headache, 22.10, Heart rate increased, 22.10
857176, Injection site mass, 22.10, Injection site rash, 22.10, Pyrexia, 22.10, Rash, 22.10,,
857177, Blood culture negative, 23.00, Chest X-ray normal, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza virus test negative, 23.00
857177, Mononucleosis heterophile test negative, 23.00, Pyrexia, 23.00, Streptococcus test negative, 23.00, Urticaria, 23.00, Viral test positive, 23.00
857177, White blood cells urine positive, 23.00,,,,,
857178, Herpes zoster, 23.00,,,,,
857179, Exposure during pregnancy, 23.00, Foetal disorder, 23.00, Ultrasound antenatal screen abnormal, 23.00,,,,
857180, Injection site pain, 22.10, Loss of personal independence in daily activities, 22.10, Product administered at inappropriate site, 22.10,,,,
857181, Erythema, 22.10, Injection site erythema, 22.10,,,,,
857182, Dizziness, 23.00, Feeling cold, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00
857182, Injection site reaction, 23.00, Muscle swelling, 23.00, Pain, 23.00,,,,
857183, Asthenia, 22.10, Chills, 22.10, Headache, 22.10, Injection site pain, 22.10, Pain in extremity, 22.10
857183, Pyrexia, 22.10,,,,,
857184, Back pain, 22.10, Erythema, 22.10, Headache, 22.10, Pain, 22.10, Peripheral swelling, 22.10
857184, Pyrexia, 22.10, Tenderness, 22.10,,,,,
857185, Chills, 22.10, Ear congestion, 22.10, Fatigue, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10
857185, Myalgia, 22.10, Nasal congestion, 22.10, Pyrexia, 22.10,,,,
857186, Cellulitis, 22.10,,,,,
857187, Inflammation, 22.10, Injection site pain, 22.10, Loss of personal independence in daily activities, 22.10, Mobility decreased, 22.10, Muscle atrophy, 22.10
857187, Pain, 22.10, Product administered at inappropriate site, 22.10, Therapeutic procedure, 22.10, Ultrasound scan, 22.10,,
857188, Herpes zoster, 23.00,,,,,
857189, Abdominal discomfort, 22.10, Chills, 22.10, Fatigue, 22.10, Influenza like illness, 22.10, Injection site pain, 22.10
857189, Pain, 22.10, Pyrexia, 22.10,,,,,
857190, Injection site erythema, 23.00, Injection site mass, 23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00,,
857191, Muscle spasms, 22.10,,,,,
857192, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00
857193, Body temperature increased, 23.00, Chills, 23.00, Injection site pain, 23.00, Pain, 23.00,,
857194, Abdominal pain upper, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Lymph node pain,

22.10,Lymphadenopathy,22.10
857194,Sleep disorder,22.10,,,,,
857195,Chemotherapy,22.10,Hodgkin's disease,22.10,Pneumonia,
22.10,Vaccination complication,22.10,,
857196,Respiratory tract congestion,22.10,,,,,
857197,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Pain,23.00,Peripheral swelling,23.00
857198,Lip swelling,22.10,Pruritus,22.10,Urticaria,22.10,,,
857199,Pyrexia,22.10,,,,,
857212,No adverse event,23.00,Product storage error,23.00,,,,,
857213,No adverse event,23.00,Product storage error,23.00,,,,,
857214,No adverse event,23.00,Product storage error,23.00,,,,,
857215,Expired product administered,23.00,No adverse event,23.00,,,,,
857216,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
857217,Malaise,23.00,,,,,
857218,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
857219,Blindness,22.10,Iritis,22.10,Neuralgia,22.10,Neuritis,
22.10,Pain,22.10
857219,Pruritus,22.10,Vitreous haemorrhage,22.10,,,,,
857220,Antibody test negative,23.00,Therapy non-responder,23.00,,,,,
857221,Pain in extremity,22.10,,,,,
857222,Injection site pain,22.10,,,,,
857223,Interchange of vaccine products,23.00,,,,,
857224,Erythema,22.10,Injection site erythema,22.10,Pain,22.10,Pain in
extremity,22.10,Swelling,22.10
857224,Vaccination site swelling,22.10,,,,,
857225,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,
857226,Expired product administered,23.00,,,,,
857227,No adverse event,22.10,Overdose,22.10,Product administered to
patient of inappropriate age,22.10,,,
857228,No adverse event,23.00,Product storage error,23.00,,,,,
857229,Headache,22.10,Injection site erythema,22.10,Pyrexia,22.10,,,
857230,Injection site erythema,23.00,Injection site oedema,
23.00,Injection site pain,23.00,,,
857231,Blood uric acid,22.10,C-reactive protein,22.10,Enthesopathy,
22.10,Full blood count,22.10,Gout,22.10
857231,Metabolic function test,22.10,Red blood cell sedimentation
rate,22.10,X-ray,22.10,,,
857232,Axillary pain,22.10,Injection site pain,22.10,Injection site
swelling,22.10,Oedema peripheral,22.10,,
857233,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
857234,Feeling cold,23.00,Pyrexia,23.00,,,,,
857235,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Lymphadenopathy,23.00,Nodule,23.00
857235,Ultrasound scan,23.00,,,,,
857236,Dry throat,23.00,Erythema,23.00,Mobility decreased,23.00,Pain,

23.00,Swelling,23.00
857236,Urticaria,23.00,,,,,,,,,
857237,Skin discolouration,23.00,Swelling,23.00,,,,,,,,,
857238,Discomfort,23.00,Hypotonia,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,,
857239,Erythema,22.10,Pain,22.10,Skin warm,22.10,,,,,
857240,Injected limb mobility decreased,22.10,Injection site pain,
22.10,,,,,,,,,
857241,Blood glucose normal,22.10,Blood pressure normal,22.10,Syncope,
22.10,,,,,
857245,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
857246,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
857247,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
857248,Chills,22.10,Headache,22.10,Myalgia,22.10,,,,,
857249,Chills,22.10,Hyperhidrosis,22.10,Influenza like illness,
22.10,Myalgia,22.10,Pyrexia,22.10
857250,Hypersensitivity,22.10,Musculoskeletal pain,22.10,Pruritus,
22.10,Rash papular,22.10,Tenderness,22.10
857251,Musculoskeletal stiffness,22.10,Pain,22.10,,,,,,,,,
857252,Injection site pain,22.10,,,,,,,,,
857253,Adverse event,22.10,,,,,,,,,
857254,Injection site erythema,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Skin warm,22.10,,
857255,Herpes zoster,22.10,,,,,,,,,
857256,Abdominal pain upper,22.10,Headache,22.10,Vomiting,22.10,,,,,
857257,Psychiatric symptom,22.10,Psychotic disorder,22.10,,,,,,,,,
857258,Injection site swelling,22.10,,,,,,,,,
857259,Feeling abnormal,22.10,,,,,,,,,
857260,Influenza,22.10,Vaccination failure,22.10,,,,,,,,,
857261,Detoxification,22.10,Hyperaesthesia,22.10,Language disorder,
22.10,Regressive behaviour,22.10,Tic,22.10
857261,Toe walking,22.10,,,,,,,,,
857262,Asthenia,22.10,Chills,22.10,Influenza like illness,
22.10,Nasopharyngitis,22.10,Pain,22.10
857263,Injection site induration,23.00,Injection site warmth,
23.00,Joint effusion,23.00,Pain,23.00,Vaccination site erythema,23.00
857263,Vaccination site haematoma,23.00,Vaccination site warmth,
23.00,,,,,,,,,
857264,Feeling abnormal,22.10,Feeling jittery,22.10,,,,,,,,,
857265,Mobility decreased,22.10,Myalgia,22.10,Pyrexia,22.10,,,,,
857266,Herpes virus infection,22.10,Rash,22.10,,,,,,,,,
857267,Injection site pain,22.10,Middle insomnia,22.10,,,,,,,,,
857268,Injection site pain,22.10,Muscular weakness,22.10,Pain,
22.10,Pain in extremity,22.10,Weight bearing difficulty,22.10
857269,Decreased appetite,23.00,Discomfort,23.00,Gait inability,
23.00,Hypotonia,23.00,Insomnia,23.00
857269,Malaise,23.00,Pyrexia,23.00,Screaming,23.00,,,,,
857275,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
857276,Death,22.10,,,,,,,,,

857277, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
857278, Headache, 22.10, Immediate post-injection reaction,
22.10, Injection site erythema, 22.10, Injection site pain,
22.10, Peripheral swelling, 22.10
857278, Skin warm, 22.10, , , , , , , ,
857279, Mobility decreased, 22.10, Musculoskeletal disorder, 22.10, , , , , , ,
857280, Erythema, 22.10, Peripheral swelling, 22.10, , , , , , ,
857282, Inappropriate schedule of product administration,
22.10, Injection site pain, 22.10, Nausea, 22.10, Pain, 22.10, Vaccine
positive rechallenge, 22.10
857283, Arthralgia, 22.10, Pruritus, 22.10, Rash, 22.10, Rash erythematous,
22.10, Rash papular, 22.10
857283, Rash vesicular, 22.10, , , , , , , ,
857284, Eye oedema, 22.10, Eye swelling, 22.10, , , , , , ,
857285, Erythema, 22.10, Rash, 22.10, Rash erythematous, 22.10, Urticaria,
22.10, ,
857286, Headache, 22.10, Hypoaesthesia, 22.10, Paraesthesia, 22.10, , , ,
857287, Rash, 22.10, Rash macular, 22.10, , , , , , ,
857288, Neuralgia, 22.10, Pain, 22.10, Pain in extremity, 22.10, , , , ,
857289, Arthralgia, 22.10, Feeling hot, 22.10, Grip strength decreased,
22.10, Injection site erythema, 22.10, Injection site pain, 22.10
857289, Injection site warmth, 22.10, Joint swelling, 22.10, Mobility
decreased, 22.10, Musculoskeletal pain, 22.10, Musculoskeletal stiffness,
22.10
857289, Pain, 22.10, Pain in extremity, 22.10, Tenderness, 22.10, , , , ,
857290, Blister, 22.10, Death, 22.10, Deep vein thrombosis, 22.10, Erythema,
22.10, Eyelid margin crusting, 22.10
857290, Ophthalmic herpes zoster, 22.10, Pneumonia, 22.10, , , , , , ,
857291, Blood test, 22.10, Cerebral haemorrhage, 22.10, Computerised
tomogram head, 22.10, Concussion, 22.10, Electrocardiogram, 22.10
857291, Fall, 22.10, Hypotension, 22.10, Loss of consciousness, 22.10, , , , ,
857292, Crying, 22.10, Fall, 22.10, Head injury, 22.10, Headache,
22.10, Incontinence, 22.10
857292, Syncope, 22.10, , , , , , , ,
857293, Dry skin, 23.00, Eczema, 23.00, Rash erythematous, 23.00, , , , ,
857294, Erythema, 22.10, Headache, 22.10, Peripheral swelling, 22.10, Skin
warm, 22.10, ,
857295, Mobility decreased, 23.00, Musculoskeletal stiffness,
23.00, Pyrexia, 23.00, , , , ,
857296, Pain in extremity, 22.10, , , , , , , ,
857297, Influenza like illness, 22.10, Injection site erythema,
22.10, , , , , , , ,
857298, Rash, 22.10, , , , , , , ,
857307, Seizure like phenomena, 22.10, Syncope, 22.10, , , , , , ,
857308, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
857309, Injection site pain, 22.10, Injection site swelling, 22.10, , , , , , ,
857310, Pneumonia, 22.10, Pulmonary congestion, 22.10, Pyrexia, 22.10, , , , ,
857311, Malaise, 23.00, , , , , , , ,
857312, Caesarean section, 22.10, Complication of pregnancy,
22.10, Exposure during pregnancy, 22.10, Premature separation of

placenta,22.10,,
857313,Abnormal labour affecting foetus,22.10,Apgar score normal,
22.10,Caesarean section,22.10,Foetal exposure during pregnancy,22.10,,
857314,Exposure during pregnancy,22.10,Premature delivery,
22.10,Ultrasound antenatal screen normal,22.10,,,,,
857315,Apgar score normal,22.10,Foetal exposure during pregnancy,
22.10,Premature baby,22.10,,,,,
857316,Decreased appetite,22.10,Emotional distress,22.10,Epistaxis,
22.10,Fall,22.10,Lip injury,22.10
857316,Lip swelling,22.10,Loss of personal independence in daily
activities,22.10,Presyncope,22.10,Tonic clonic movements,22.10,,
857317,Back pain,22.10,Injection site pain,22.10,,,,,,
857318,Confusional state,22.10,Headache,22.10,Immediate post-injection
reaction,22.10,Neck pain,22.10,Tremor,22.10
857319,Inappropriate schedule of product administration,22.10,No
adverse event,22.10,,,,,,
857320,Activated partial thromboplastin time normal,22.10,Alanine
aminotransferase increased,22.10,Anion gap,22.10,Aspartate
aminotransferase increased,22.10,Basophil count decreased,22.10
857320,Basophil percentage decreased,22.10,Blood albumin normal,
22.10,Blood alkaline phosphatase normal,22.10,Blood bicarbonate
normal,22.10,Blood bilirubin normal,22.10
857320,Blood calcium normal,22.10,Blood chloride increased,22.10,Blood
creatine phosphokinase increased,22.10,Blood creatinine normal,
22.10,Blood glucose normal,22.10
857320,Blood potassium normal,22.10,Blood sodium normal,22.10,Blood
urea normal,22.10,Blood urine present,22.10,C-reactive protein normal,
22.10
857320,Chest pain,22.10,Chromaturia,22.10,Eosinophil count decreased,
22.10,Eosinophil percentage,22.10,Glomerular filtration rate,22.10
857320,Glucose urine absent,22.10,Granulocyte percentage,
22.10,Haematocrit normal,22.10,Haemoglobin normal,22.10,International
normalised ratio increased,22.10
857320,Joint range of motion decreased,22.10,Lymphocyte count
decreased,22.10,Lymphocyte percentage decreased,22.10,Mean cell
haemoglobin concentration normal,22.10,Mean cell haemoglobin normal,
22.10
857320,Mean cell volume normal,22.10,Mean platelet volume normal,
22.10,Monocyte count increased,22.10,Monocyte percentage increased,
22.10,Myalgia,22.10
857320,Neutrophil count normal,22.10,Nitrite urine absent,
22.10,Platelet count normal,22.10,Protein total normal,22.10,Protein
urine absent,22.10
857320,Prothrombin time prolonged,22.10,Red blood cell count normal,
22.10,Red blood cell sedimentation rate normal,22.10,Red blood cells
urine negative,22.10,Red cell distribution width normal,22.10
857320,Rhabdomyolysis,22.10,Specific gravity urine normal,22.10,Urine
bilirubin decreased,22.10,Urine ketone body absent,22.10,Urine
leukocyte esterase,22.10
857320,Urobilinogen urine decreased,22.10,White blood cell count

normal,22.10,White blood cells urine positive,22.10,pH urine normal,
22.10,,
857321,Arthralgia,22.10,Chills,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Malaise,22.10
857321,Pyrexia,22.10,Skin warm,22.10,,,,,
857322,Abdominal discomfort,22.10,Blood pressure decreased,22.10,Body
temperature increased,22.10,Chills,22.10,Diarrhoea,22.10
857322,Dizziness,22.10,Electrocardiogram normal,22.10,Face injury,
22.10,Fall,22.10,Fatigue,22.10
857322,Headache,22.10,Loss of consciousness,22.10,Myalgia,
22.10,Nausea,22.10,Tremor,22.10
857322,Vomiting projectile,22.10,,,,,
857323,Erythema,22.10,Headache,22.10,Injection site warmth,
22.10,Pruritus,22.10,Swelling,22.10
857324,Injection site erythema,22.10,Injection site swelling,
22.10,Injection site urticaria,22.10,Injection site warmth,22.10,,
857325,Decreased eye contact,23.00,Hyperacusis,23.00,Hypotonia,
23.00,Mobility decreased,23.00,Photophobia,23.00
857325,Unresponsive to stimuli,23.00,,,,,
857326,Diarrhoea,23.00,Diarrhoea haemorrhagic,23.00,Hyperhidrosis,
23.00,Vomiting,23.00,,
857327,Blood test abnormal,22.10,Impaired work ability,
22.10,Inflammation,22.10,Injection site inflammation,22.10,Injection
site pain,22.10
857327,Joint stiffness,22.10,Mobility decreased,22.10,Musculoskeletal
pain,22.10,Neck pain,22.10,Peripheral swelling,22.10
857327,Rheumatoid arthritis,22.10,Rheumatoid factor increased,
22.10,,,,,
857328,Blood test,22.10,Fatigue,22.10,Pain of skin,22.10,Rash,
22.10,Rash erythematous,22.10
857328,Rash pruritic,22.10,,,,,
857329,Asthenia,22.10,Erythema,22.10,Feeling abnormal,22.10,Headache,
22.10,Malaise,22.10
857329,Myalgia,22.10,Nausea,22.10,Pain in extremity,
22.10,Paraesthesia,22.10,Peripheral swelling,22.10
857329,Pruritus,22.10,Rash,22.10,Rash erythematous,22.10,Restlessness,
22.10,,
857330,Extra dose administered,22.10,,,,,
857331,Mobility decreased,22.10,Pain in extremity,22.10,,,,,
857332,Throat irritation,22.10,Throat tightness,22.10,Urticaria,
22.10,,,,,
857333,Extra dose administered,22.10,,,,,
857334,Dizziness,22.10,Vision blurred,22.10,,,,,
857335,Fall,23.00,,,,,
857336,Injection site discolouration,23.00,Injection site erythema,
23.00,Injection site irritation,23.00,Injection site paraesthesia,
23.00,Injection site swelling,23.00
857336,Injection site warmth,23.00,Mobility decreased,23.00,Pain in
extremity,23.00,,,,,
857337,Erythema,22.10,Herpes zoster,22.10,Pain,22.10,Rash,22.10,,

857338, Erythema, 22.10, Peripheral swelling, 22.10, Pruritus, 22.10, , , , ,
857339, Blood test, 22.10, Culture urine positive, 22.10, Dyskinesia,
22.10, Fatigue, 22.10, Neurological symptom, 22.10
857339, Posture abnormal, 22.10, Tic, 22.10, Urinary tract infection,
22.10, , , , ,
857340, Rash, 22.10, Rash erythematous, 22.10, , , , , , ,
857341, Balance disorder, 22.10, Blood glucose increased,
22.10, Hyperhidrosis, 22.10, Nausea, 22.10, Seizure, 22.10
857342, Asthenia, 22.10, Choking, 22.10, Dizziness, 22.10, Dyspnoea,
22.10, Feeling hot, 22.10
857342, Headache, 22.10, Mobility decreased, 22.10, Pain in extremity,
22.10, Pyrexia, 22.10, Respiratory tract congestion, 22.10
857343, Erythema, 22.10, Peripheral swelling, 22.10, , , , , , ,
857344, Pain in extremity, 22.10, , , , , , , ,
857345, Urticaria, 22.10, , , , , , , ,
857346, Chest pain, 22.10, Immediate post-injection reaction,
22.10, Injection site pain, 22.10, Pain, 22.10, Spinal pain, 22.10
857346, Tenderness, 22.10, , , , , , , ,
857347, Erythema, 23.00, Fatigue, 23.00, Mass, 23.00, Pain, 23.00, Pruritus,
23.00
857363, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
857364, Expired product administered, 23.00, , , , , , , , ,
857365, Immune thrombocytopenic purpura, 22.10, Increased tendency to
bruise, 22.10, Rash, 22.10, , , , ,
857367, Abdominal pain upper, 22.10, Ear pain, 22.10, Headache,
22.10, Occipital neuralgia, 22.10, Trigeminal neuralgia, 22.10
857368, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , ,
857369, Inappropriate schedule of product administration, 22.10, , , , , , , , ,
857370, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
857371, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
857372, Contraindication to vaccination, 23.00, , , , , , , , ,
857373, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
857374, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
857375, Balance disorder, 23.00, Dizziness, 23.00, Injection site rash,
23.00, Pain, 23.00, Sleep disorder, 23.00
857375, Vertigo, 23.00, , , , , , , , ,
857376, Fatigue, 22.10, Headache, 22.10, , , , , , ,
857377, Anaphylactic reaction, 22.10, Hypotension, 22.10, Pharyngeal
swelling, 22.10, Pruritus, 22.10, Swollen tongue, 22.10
857378, Evans syndrome, 22.10, Eye movement disorder, 22.10, Photopsia,
22.10, Retinal disorder, 22.10, Vitreous disorder, 22.10
857379, Gingival erythema, 22.10, Gingival pain, 22.10, Gingival swelling,
22.10, , , , ,
857380, Pain in extremity, 23.00, Peripheral swelling, 23.00, Pruritus,
23.00, Skin warm, 23.00, , ,
857381, Injection site urticaria, 22.10, , , , , , , , ,
857382, Eczema, 23.00, Rash, 23.00, Urticaria, 23.00, , , , ,
857383, Corneal oedema, 22.10, Intraocular pressure increased,
22.10, Iritis, 22.10, Ophthalmic herpes zoster, 22.10, , ,

857384, Dyskinesia, 23.00, Lymphadenopathy, 23.00, , , , , , ,
857385, Chest discomfort, 22.10, Chills, 22.10, Musculoskeletal pain,
22.10, , , , ,
857386, Fatigue, 22.10, Hypersomnia, 22.10, Influenza like illness,
22.10, Injection site erythema, 22.10, Injection site pruritus, 22.10
857386, Injection site warmth, 22.10, Lymph node pain,
22.10, Lymphadenopathy, 22.10, Migraine, 22.10, Oedema peripheral, 22.10
857387, No adverse event, 23.00, Product preparation error, 23.00, , , , , , ,
857393, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
857394, Arthralgia, 22.10, Gait disturbance, 22.10, Joint injection,
22.10, , , , ,
857395, Hypoaesthesia, 22.10, , , , , , , ,
857396, Presyncope, 22.10, , , , , , , ,
857397, Insomnia, 22.10, Mobility decreased, 22.10, Musculoskeletal pain,
22.10, Pain, 22.10, Pain in extremity, 22.10
857398, Incorrect route of product administration, 22.10, Mass,
22.10, , , , , , , ,
857399, Altered state of consciousness, 22.10, Brain oedema,
22.10, Encephalitis, 22.10, Fatigue, 22.10, Intensive care, 22.10
857399, Pain in extremity, 22.10, Unresponsive to stimuli, 22.10, , , , , , , ,
857400, Blood test, 23.00, Influenza like illness, 23.00, Joint stiffness,
23.00, Musculoskeletal stiffness, 23.00, Pain, 23.00
857401, Pain in extremity, 22.10, , , , , , , ,
857403, Allergy to vaccine, 22.10, Injection site erythema,
22.10, Injection site induration, 22.10, Injection site pain,
22.10, Injection site rash, 22.10
857403, Paraesthesia, 22.10, , , , , , , ,
857404, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Local
reaction, 23.00
857405, Arthralgia, 22.10, Autonomic nervous system imbalance,
22.10, Constipation, 22.10, Cytogenetic analysis normal,
22.10, Electrocardiogram, 22.10
857405, Electrocardiogram ambulatory, 22.10, Electroencephalogram,
22.10, Implantable cardiac monitor insertion, 22.10, Laboratory test,
22.10, Musculoskeletal pain, 22.10
857405, Pain in extremity, 22.10, Postural orthostatic tachycardia
syndrome, 22.10, Sinus tachycardia, 22.10, Syncope, 22.10, Thyroid function
test, 22.10
857406, Injection site erythema, 22.10, Injection site swelling,
22.10, , , , , , , ,
857407, Syncope, 22.10, , , , , , , ,
857408, Erythema, 22.10, Swelling, 22.10, Vaccine positive rechallenge,
22.10, , , , ,
857410, Bursitis, 22.10, Joint range of motion decreased, 22.10, Myalgia,
22.10, Product administered at inappropriate site, 22.10, Pruritus, 22.10
857411, Dizziness, 22.10, , , , , , , ,
857425, Arthralgia, 22.10, Dysstasia, 22.10, Feeling abnormal,
22.10, Hyperhidrosis, 22.10, Loss of consciousness, 22.10
857425, Nausea, 22.10, Pain, 22.10, , , , , , , ,

857426,Nerve injury,23.00,,,,,,,,,
857427,Herpes zoster,22.10,Vaccination failure,22.10,,,,,
857428,Chills,22.10,Pyrexia,22.10,,,,,
857429,Injection site erythema,22.10,Injection site pruritus,
22.10,Injection site swelling,22.10,,,,,
857430,Blister,23.00,Erythema,23.00,Pruritus,23.00,Rash erythematous,
23.00,,
857431,Cough,22.10,Nasal congestion,22.10,Nasopharyngitis,22.10,,,,,
857432,Product administered to patient of inappropriate age,
22.10,Wrong product administered,22.10,,,,,
857433,Cough,22.10,Influenza like illness,22.10,Malaise,22.10,Pyrexia,
22.10,,
857434,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
857435,Expired product administered,23.00,,,,,
857436,Exposure via skin contact,22.10,No adverse event,22.10,Syringe
issue,22.10,Underdose,22.10,,
857437,Eye movement disorder,22.10,Seizure,22.10,,,,,
857438,Chills,22.10,Cough,22.10,Influenza,22.10,Pyrexia,
22.10,Vaccination failure,22.10
857439,No adverse event,22.10,Product storage error,22.10,,,,,
857440,Product preparation error,23.00,,,,,
857441,Contusion,22.10,Fall,22.10,Head injury,22.10,Skin abrasion,
22.10,Syncope,22.10
857442,Burning sensation,23.00,Conjunctivitis,23.00,Eye pain,
23.00,Feeling hot,23.00,Oropharyngeal pain,23.00
857442,Photophobia,23.00,Retinal exudates,23.00,,,,,
857443,Corneal reflex decreased,22.10,Crying,22.10,Musculoskeletal
stiffness,22.10,Sensory disturbance,22.10,Speech disorder,22.10
857443,Strabismus,22.10,Tic,22.10,Unresponsive to stimuli,22.10,,,,,
857444,Erythema,22.10,Pain,22.10,,,,,
857445,Injection site pain,22.10,,,,,
857446,Injection site cellulitis,23.00,Injection site reaction,
23.00,Urticaria,23.00,,,,,
857447,Mobility decreased,22.10,Pain in extremity,22.10,,,,,
857448,Diarrhoea,22.10,Injection site pain,22.10,Rash,22.10,Vomiting,
22.10,,
857449,Chills,23.00,Pyrexia,23.00,Rash,23.00,,,,,
857450,Dizziness,22.10,Headache,22.10,Nausea,22.10,Pain in extremity,
22.10,Syncope,22.10
857451,Glaucoma,22.10,Rhinorrhoea,22.10,,,,,
857452,Injection site pruritus,22.10,Rash,22.10,,,,,
857459,Injection site erythema,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Injection site warmth,22.10,,
857460,Confusional state,22.10,Headache,22.10,Micturition disorder,
22.10,Muscle rigidity,22.10,Poor quality sleep,22.10
857460,Seizure,22.10,Tension headache,22.10,Tongue biting,
22.10,Vitamin D deficiency,22.10,,
857461,Rash,23.00,,,,,
857462,No adverse event,23.00,Product administered to patient of

inappropriate age,23.00,,,,,
857463,No adverse event,23.00,Product storage error,23.00,,,,,
857464,Inappropriate schedule of product administration,23.00,,,,,
857465,Needle issue,22.10,Underdose,22.10,,,,,
857466,Expired product administered,23.00,No adverse event,23.00,,,,,
857467,Arthralgia,22.10,Pain,22.10,Walking aid user,22.10,,,,,
857468,Chills,22.10,Fatigue,22.10,Headache,22.10,Myalgia,22.10,Oral
herpes,22.10
857469,Asthenia,22.10,Headache,22.10,Malaise,22.10,Pain in extremity,
22.10,Peripheral swelling,22.10
857469,Pyrexia,22.10,Rash macular,22.10,,,,,
857470,Areflexia,22.10,CSF protein increased,22.10,Extraocular muscle
paresis,22.10,Gait disturbance,22.10,Guillain-Barre syndrome,22.10
857470,Immunoglobulin therapy,22.10,Magnetic resonance imaging brain
abnormal,22.10,Magnetic resonance imaging spinal abnormal,22.10,Miller
Fisher syndrome,22.10,Mydriasis,22.10
857470,Palatal disorder,22.10,,,,,
857471,Asthenia,22.10,Dizziness,22.10,Hyperhidrosis,22.10,Injection
site pain,22.10,Loss of personal independence in daily activities,
22.10
857471,Musculoskeletal disorder,22.10,Nausea,22.10,Neck pain,
22.10,Pain in extremity,22.10,Retching,22.10
857471,Vomiting,22.10,,,,,
857472,Erythema,23.00,Local reaction,23.00,Tenderness,23.00,Urticaria,
23.00,Vaccination complication,23.00
857473,Expired product administered,22.10,No adverse event,22.10,,,,,
857474,Deafness,22.10,Vaccination complication,22.10,,,,,
857475,No adverse event,23.00,Product storage error,23.00,,,,,
857476,Dysphagia,23.00,,,,,
857477,Abdominal discomfort,23.00,Bronchitis,23.00,Chills,
23.00,Erythema,23.00,Fatigue,23.00
857477,Grip strength decreased,23.00,Headache,23.00,Hypoaesthesia,
23.00,Injected limb mobility decreased,23.00,Musculoskeletal disorder,
23.00
857477,Myalgia,23.00,Pain,23.00,Pain in extremity,23.00,Paraesthesia,
23.00,Pyrexia,23.00
857477,Swelling,23.00,,,,,
857478,Diarrhoea,23.00,Influenza virus test,23.00,Nausea,
23.00,Pyrexia,23.00,Vomiting,23.00
857479,Chills,23.00,Dizziness,23.00,Headache,23.00,Nausea,
23.00,Swelling,23.00
857480,Injection site erythema,22.10,Injection site mass,
22.10,Injection site swelling,22.10,Injection site warmth,22.10,,
857481,Crying,22.10,High-pitched crying,22.10,Injection site
discolouration,22.10,Injection site erythema,22.10,Injection site
swelling,22.10
857481,Injection site warmth,22.10,,,,,
857482,Erythema,22.10,Pain,22.10,Pain in extremity,22.10,Peripheral
swelling,22.10,,
857483,Expired product administered,22.10,No adverse event,22.10,,,,,

857484, Decreased appetite, 23.00, Fatigue, 23.00, Nausea, 23.00, Pyrexia, 23.00,,
857485, Chills, 22.10, Erythema, 22.10, Pain, 22.10, Pyrexia, 22.10, Swelling, 22.10
857486, Asthenia, 22.10, Balance disorder, 22.10, Chest pain, 22.10, Chills, 22.10, Dizziness, 22.10
857486, Fatigue, 22.10, Headache, 22.10, Myalgia, 22.10, Pyrexia, 22.10,,
857487, Chills, 22.10, Nausea, 22.10, Vomiting, 22.10,,,,,
857488, Injection site pain, 22.10, Muscular weakness, 22.10,,,,,,
857489, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site reaction, 22.10, Injection site warmth, 22.10, Urticaria, 22.10
857490, Injection site pain, 22.10, Lymphadenitis, 22.10, Muscular weakness, 22.10,,,,,
857491, Injection site discolouration, 23.00, Injection site nodule, 23.00, Injection site reaction, 23.00, Purulent discharge, 23.00, Rash, 23.00
857492, Unevaluable event, 23.00,,,,,,
857493, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, Pain, 22.10
857494, Injected limb mobility decreased, 22.10, Injection site pain, 22.10, Injection site warmth, 22.10, X-ray normal, 22.10,,
857495, Blood glucose decreased, 22.10, Cardiac pacemaker evaluation, 22.10, Chest X-ray normal, 22.10, Computerised tomogram normal, 22.10, Disorientation, 22.10
857495, Dizziness, 22.10, Dyskinesia, 22.10, Dyspnoea, 22.10, Electrocardiogram normal, 22.10, Electroencephalogram normal, 22.10
857495, Fatigue, 22.10, Psychogenic seizure, 22.10, Seizure, 22.10, Seizure like phenomena, 22.10, Tremor, 22.10
857495, Urine analysis normal, 22.10,,,,,,
857496, Abdominal discomfort, 22.10, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Myalgia, 22.10
857497, Abdominal pain upper, 22.10, Asthenia, 22.10, Chills, 22.10, Headache, 22.10, Nausea, 22.10
857497, Pain, 22.10, Pyrexia, 22.10,,,,,
857498, Mobility decreased, 22.10, Pain in extremity, 22.10,,,,,
857499, Injection site erythema, 22.10, Injection site haemorrhage, 22.10, Injection site pain, 22.10, Injection site pruritus, 22.10, Injection site reaction, 22.10
857499, Injection site scab, 22.10, Skin abrasion, 22.10, Skin lesion, 22.10,,,,,
857500, Cellulitis, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Musculoskeletal pain, 22.10, Neck pain, 22.10
857500, Pain, 22.10, Pain in extremity, 22.10,,,,,
857501, Joint range of motion decreased, 22.10, Pain in extremity, 22.10,,,,,
857511, Expired product administered, 23.00, No adverse event, 23.00,,,,,
857512, Interchange of vaccine products, 22.10, No adverse event, 22.10,,,,,

857513,Dyspnoea,23.00,,,,,,,,,
857514,Extra dose administered,23.00,,,,,,,,,
857515,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,,,,,
857516,Erythema,22.10,Swelling,22.10,,,,,,,,,
857517,Chills,22.10,Hyperhidrosis,22.10,Pain,22.10,,,,,
857518,Dyskinesia,22.10,Insomnia,22.10,Pyrexia,22.10,,,,,
857519,Incorrect route of product administration,23.00,,,,,,,,,
857520,Arthralgia,22.10,Fatigue,22.10,Musculoskeletal pain,22.10,Pain,
22.10,,
857521,Erythema,22.10,Injection site discomfort,22.10,Injection site
pain,22.10,Limb discomfort,22.10,Product administered at inappropriate
site,22.10
857521,X-ray limb normal,22.10,,,,,,,,,
857522,Urticaria,22.10,,,,,,,,,
857523,Erythema,23.00,Injection site pain,23.00,Injection site
swelling,23.00,Loss of personal independence in daily activities,
23.00,Musculoskeletal stiffness,23.00
857523,Pain,23.00,,,,,,,,,
857524,Chills,22.10,Malaise,22.10,Nausea,22.10,Pyrexia,
22.10,Vaccination site discomfort,22.10
857524,Vaccination site pain,22.10,,,,,,,,,
857532,No adverse event,23.00,Product storage error,23.00,,,,,,
857533,Urticaria,23.00,,,,,,,,,
857534,Pruritus,23.00,Urticaria,23.00,,,,,,
857535,Neoplasm malignant,22.10,,,,,,,,,
857536,Bursitis,22.10,Injected limb mobility decreased,22.10,Injection
site pain,22.10,Insomnia,22.10,Joint injection,22.10
857536,Loss of personal independence in daily activities,22.10,,,,,,,,,
857537,Chest pain,23.00,Injection site erythema,23.00,Injection site
rash,23.00,Injection site reaction,23.00,Pallor,23.00
857537,Pruritus,23.00,Rash,23.00,Rash erythematous,23.00,Swelling
face,23.00,,
857538,Abortion spontaneous,23.00,Exposure during pregnancy,
23.00,Human chorionic gonadotropin,23.00,Ultrasound antenatal screen,
23.00,,
857539,Cough,23.00,Paraesthesia,23.00,Pharyngeal swelling,
23.00,Rhinorrhoea,23.00,,
857540,Injection site erythema,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Injection site warmth,22.10,,
857541,Anaphylactic reaction,22.10,Asthma,22.10,Condition aggravated,
22.10,Hypersensitivity,22.10,Pneumonia,22.10
857541,Respiratory syncytial virus test positive,22.10,Urticaria,
22.10,,,,,,,,,
857542,Discomfort,22.10,Injection site reaction,22.10,Muscle
tightness,22.10,Neuralgia,22.10,,
857543,Muscle spasms,22.10,Pain in extremity,22.10,Periorbital
swelling,22.10,Swelling face,22.10,,
857544,Abdominal pain upper,22.10,Chills,22.10,Erythema,22.10,Fatigue,
22.10,Pain,22.10

857544, Pruritus, 22.10, Skin warm, 22.10, Swelling, 22.10, , , , ,
857545, Chills, 22.10, Heart rate increased, 22.10, Mobility decreased,
22.10, Pyrexia, 22.10, ,
857546, Erythema, 22.10, , , , , , , , , ,
857548, Rash erythematous, 23.00, , , , , , , , , ,
857561, Cardiac failure congestive, 22.10, Cardiomyopathy, 22.10, Death,
22.10, Dyspnoea, 22.10, Failure to thrive, 22.10
857561, Fall, 22.10, Pleural effusion, 22.10, Pneumonia, 22.10, , , , ,
857562, Arthralgia, 22.10, Fatigue, 22.10, Joint swelling, 22.10, Rash,
22.10, Systemic lupus erythematosus, 22.10
857563, Chills, 22.10, Feeling abnormal, 22.10, Lethargy, 22.10, Pain,
22.10, Pyrexia, 22.10
857564, Tendonitis, 22.10, , , , , , , , , ,
857565, Injection site rash, 22.10, Rash, 22.10, , , , , , ,
857567, Influenza, 22.10, , , , , , , , , ,
857568, Adverse reaction, 22.10, , , , , , , , , ,
857569, Asthenia, 22.10, Chills, 22.10, Differential white blood cell
count, 22.10, Full blood count, 22.10, Injection site pain, 22.10
857569, Metabolic function test, 22.10, Pain, 22.10, Pain in extremity,
22.10, Pyrexia, 22.10, Red blood cell sedimentation rate, 22.10
857569, Tenderness, 22.10, Walking aid user, 22.10, , , , , , ,
857570, Chills, 22.10, Inappropriate schedule of product administration,
22.10, Pollakiuria, 22.10, Product supply issue, 22.10, Renal function test
normal, 22.10
857570, Weight decreased, 22.10, , , , , , , , , ,
857571, Abdominal discomfort, 22.10, Tremor, 22.10, , , , , , , , , ,
857572, Injection site induration, 23.00, Injection site pain,
23.00, Injection site reaction, 23.00, Skin tightness, 23.00, , ,
857574, Erythema, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10, , , , ,
857575, Asthenia, 22.10, Chills, 22.10, Dizziness, 22.10, Headache,
22.10, Myalgia, 22.10
857576, Pyrexia, 23.00, Rash, 23.00, , , , , , , , , ,
857577, Fatigue, 23.00, Inflammation, 23.00, Insomnia, 23.00, Pain, 23.00, Pain
in extremity, 23.00
857578, Rash, 22.10, Urticaria, 22.10, , , , , , , , , ,
857579, Febrile convulsion, 22.10, Injection site reaction,
22.10, Injection site warmth, 22.10, Rash erythematous, 22.10, , ,
857581, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
857582, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , , , , ,
857583, No adverse event, 22.10, Product storage error, 22.10, , , , , , , , , ,
857584, Death, 22.10, General physical health deterioration,
22.10, Laboratory test, 22.10, Life support, 22.10, Organ failure, 22.10
857584, Pneumonia, 22.10, Sepsis, 22.10, , , , , , , , , ,
857585, Oedema peripheral, 23.00, , , , , , , , , ,
857590, Chills, 23.00, Fatigue, 23.00, Pain, 23.00, Pyrexia, 23.00, Respiratory
tract congestion, 23.00
857591, Erythema, 22.10, Pruritus, 22.10, Skin warm, 22.10, Swelling, 22.10, , ,
857592, Pruritus, 22.10, Rash, 22.10, , , , , , , , , ,
857593, Injection site erythema, 23.00, Injection site haemorrhage,

23.00, Injection site swelling, 23.00, , , , ,
857594, Immediate post-injection reaction, 23.00, Injection site
haemorrhage, 23.00, Injection site inflammation, 23.00, Injection site
swelling, 23.00, ,
857595, Bedridden, 22.10, Fatigue, 22.10, Injection site erythema,
22.10, Injection site swelling, 22.10, Malaise, 22.10
857595, Nausea, 22.10, Pain, 22.10, , , , , ,
857596, Dizziness, 22.10, Pain in extremity, 22.10, Tremor, 22.10, , , , ,
857598, Extra dose administered, 22.10, Immunodeficiency, 22.10, Product
administered to patient of inappropriate age, 22.10, Product use in
unapproved indication, 22.10, Wrong product administered, 22.10
857599, Extra dose administered, 22.10, Influenza like illness,
22.10, , , , , ,
857600, Alpha 1 foetoprotein normal, 22.10, Condition aggravated,
22.10, Cough, 22.10, Exposure during pregnancy, 22.10, Herpes simplex, 22.10
857600, Prenatal screening test, 22.10, Type 2 diabetes mellitus,
22.10, Ultrasound antenatal screen normal, 22.10, , , , ,
857601, Arrested labour, 22.10, Caesarean section, 22.10, Exposure during
pregnancy, 22.10, Foetal disorder, 22.10, ,
857602, Apgar score low, 22.10, Caesarean section, 22.10, Foetal distress
syndrome, 22.10, Foetal exposure during pregnancy, 22.10, Macrosomia, 22.10
857602, Maternal condition affecting foetus, 22.10, , , , , , , ,
857603, Foetal exposure during pregnancy, 22.10, Foetal growth
restriction, 22.10, Ultrasound antenatal screen abnormal, 22.10, , , , ,
857604, Caesarean section, 22.10, Foetal exposure during pregnancy,
22.10, Low birth weight baby, 22.10, Premature baby, 22.10, ,
857605, Caesarean section, 22.10, Exposure during pregnancy, 22.10, Pre-
eclampsia, 22.10, Premature labour, 22.10, ,
857606, Cardiac arrest, 22.10, Death, 22.10, Life support, 22.10, Loss of
consciousness, 22.10, Respiratory failure, 22.10
857607, Injection site mass, 23.00, , , , , , , ,
857608, Hypersensitivity, 22.10, , , , , , , ,
857609, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00, Lethargy,
23.00, Malaise, 23.00
857609, Nausea, 23.00, Rhinorrhoea, 23.00, Vomiting, 23.00, , , , ,
857610, Head injury, 22.10, Syncope, 22.10, , , , , , ,
857611, Fatigue, 22.10, Muscle tightness, 22.10, Skin warm,
22.10, Tenderness, 22.10, ,
857612, Extra dose administered, 22.10, , , , , , , ,
857613, Erythema, 23.00, Lymphadenopathy, 23.00, , , , , , ,
857614, Mammogram normal, 22.10, Rash, 22.10, Swelling, 22.10, , , , ,
857615, Unevaluable event, 23.00, , , , , , , ,
857616, Pruritus, 23.00, Urticaria, 23.00, , , , , , ,
857617, No adverse event, 22.10, Product administered to patient of
inappropriate age, 22.10, , , , , , , ,
857618, Asthenia, 22.10, Chills, 22.10, Erythema, 22.10, Hyperhidrosis,
22.10, Hypersomnia, 22.10
857618, Pain in extremity, 22.10, Restlessness, 22.10, Tremor, 22.10, , , , ,
857619, Abdominal pain, 22.10, Asthenia, 22.10, Chest pain, 22.10, Chills,
22.10, Decreased appetite, 22.10

857619,Ileus paralytic,22.10,Lymph node pain,22.10,Nausea,22.10,Rash,
22.10,Vaccination complication,22.10
857620,Injection site erythema,22.10,Injection site pain,22.10,,,,,
857621,Injection site erythema,22.10,Injection site pain,
22.10,Injection site swelling,22.10,,,,,
857622,Burning sensation,22.10,Rash,22.10,Rash erythematous,22.10,Rash
pruritic,22.10,,
857623,Fall,22.10,Head injury,22.10,Nausea,22.10,Pallor,22.10,Tremor,
22.10
857624,Hypoaesthesia,22.10,Limb discomfort,22.10,Muscle tightness,
22.10,,,,,
857625,Computerised tomogram,22.10,Limb injury,22.10,Syncope,22.10,,,,,
857626,Arthralgia,22.10,Mobility decreased,22.10,,,,,
857627,Balance disorder,22.10,Injection site haemorrhage,
22.10,Moaning,22.10,,,,,
857628,Chills,22.10,Dehydration,22.10,Disturbance in attention,
22.10,Dizziness,22.10,Feeling hot,22.10
857628,Influenza like illness,22.10,Malaise,22.10,Nausea,22.10,Pain in
extremity,22.10,Throat irritation,22.10
857628,Vomiting,22.10,,,,,
857629,Arthralgia,22.10,Chills,22.10,Feeling abnormal,22.10,Injection
site erythema,22.10,Injection site pain,22.10
857629,Injection site streaking,22.10,Injection site swelling,
22.10,Myalgia,22.10,Nausea,22.10,Pain,22.10
857629,Pyrexia,22.10,,,,,
857632,Abdominal pain upper,22.10,Rash,22.10,Somnolence,
22.10,Unresponsive to stimuli,22.10,Urticaria,22.10
857632,Vomiting,22.10,,,,,
857633,Cerebrovascular accident,22.10,Herpes zoster,22.10,,,,,
857634,No adverse event,23.00,Product storage error,23.00,,,,,
857635,No adverse event,23.00,Product storage error,23.00,,,,,
857636,No adverse event,23.00,Product storage error,23.00,,,,,
857637,No adverse event,23.00,Product storage error,23.00,,,,,
857638,Tuberculosis,22.10,,,,,
857639,Injection site discolouration,22.10,Injection site induration,
22.10,Injection site pain,22.10,Injection site swelling,
22.10,Insomnia,22.10
857640,Expired product administered,23.00,No adverse event,23.00,,,,,
857641,Antibody test negative,23.00,Inappropriate schedule of product
administration,23.00,,,,,
857642,Exposure via skin contact,22.10,Syringe issue,22.10,Underdose,
22.10,Wrong technique in product usage process,22.10,,
857643,Extra dose administered,23.00,No adverse event,23.00,,,,,
857644,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
857645,Arthralgia,22.10,Bedridden,22.10,Fatigue,22.10,Loss of personal
independence in daily activities,22.10,Mobility decreased,22.10
857646,Urticaria,22.10,,,,,
857647,Exposure during pregnancy,23.00,No adverse event,23.00,Product
storage error,23.00,,,,,

857648,Product administered at inappropriate site,23.00,Product administered to patient of inappropriate age,23.00,Wrong product administered,23.00,,,,,
857649,Product administered to patient of inappropriate age,22.10,,,,,,
857650,Back pain,22.10,Decreased appetite,22.10,Nausea,22.10,Vomiting,22.10,,
857651,Seizure,22.10,,,,,,
857652,Expired product administered,23.00,,,,,,
857653,Diarrhoea,22.10,Erythema,22.10,Malaise,22.10,Mass,22.10,Swelling,22.10
857653,Vomiting,22.10,,,,,,
857654,Chills,23.00,Headache,23.00,Pyrexia,23.00,,,,,
857661,Lip swelling,23.00,Swelling face,23.00,Swollen tongue,23.00,Urticaria,23.00,,
857662,Expired product administered,23.00,No adverse event,23.00,,,,,
857663,No adverse event,23.00,Product storage error,23.00,,,,,
857664,Measles antibody negative,23.00,Mumps antibody test negative,23.00,Product administered to patient of inappropriate age,23.00,Rubella antibody negative,23.00,,
857665,Drug intolerance,22.10,,,,,,
857666,Injection site pain,22.10,Musculoskeletal pain,22.10,Pain,22.10,Pyrexia,22.10,,
857667,Chills,22.10,Malaise,22.10,Pyrexia,22.10,,,,,
857668,Tinnitus,22.10,,,,,,
857669,Incomplete course of vaccination,22.10,Injection site irritation,22.10,Injection site rash,22.10,,,,,
857670,Dyspnoea,23.00,Erythema,23.00,Swelling,23.00,,,,,
857671,Peripheral swelling,22.10,Rash erythematous,22.10,Rash pruritic,22.10,,,,,
857672,Herpes zoster,22.10,Nausea,22.10,Pain,22.10,Rash,22.10,Vomiting,22.10
857674,Product administered to patient of inappropriate age,23.00,,,,,,
857675,Erythema,22.10,Induration,22.10,Swelling,22.10,,,,,
857676,Altered state of consciousness,22.10,Dizziness,22.10,Fatigue,22.10,Feeling cold,22.10,Hyperhidrosis,22.10
857676,Hypoaesthesia,22.10,Insomnia,22.10,Lethargy,22.10,Nausea,22.10,Night sweats,22.10
857676,Pallor,22.10,Somnolence,22.10,Vision blurred,22.10,,,,,
857677,Injection site cellulitis,23.00,Injection site erythema,23.00,Injection site pain,23.00,Product administered at inappropriate site,23.00,,
857678,Injection site mass,22.10,Urticaria,22.10,,,,,
857679,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
857684,Product storage error,23.00,,,,,,
857685,Chills,22.10,Headache,22.10,Pain,22.10,Pyrexia,22.10,,
857686,Rash erythematous,22.10,Rash pruritic,22.10,,,,,
857687,Asthenia,22.10,Chills,22.10,Decreased appetite,

22.10, Dehydration, 22.10, Malaise, 22.10
857687, Nausea, 22.10, Pyrexia, 22.10, Vomiting, 22.10, , , ,
857688, Rash, 22.10, Urticaria, 22.10, , , , , ,
857689, Tendonitis, 22.10, , , , , , , ,
857690, Influenza like illness, 22.10, , , , , , , ,
857691, Headache, 22.10, Influenza like illness, 22.10, Injection site
pain, 22.10, Myalgia, 22.10, ,
857692, Herpes zoster, 22.10, Injection site haemorrhage, 22.10, , , , , ,
857693, Accidental underdose, 23.00, Regurgitation, 23.00, , , , , ,
857694, Pain in extremity, 22.10, Pyrexia, 22.10, , , , , ,
857695, Fatigue, 22.10, Feeling of body temperature change, 22.10, Myalgia,
22.10, , , , ,
857696, Injection site erythema, 22.10, Mass, 22.10, Myalgia, 22.10, , , , ,
857697, Extensive swelling of vaccinated limb, 22.10, Injection site
erythema, 22.10, Injection site pain, 22.10, Injection site pruritus,
22.10, Injection site swelling, 22.10
857698, Bedridden, 22.10, Fatigue, 22.10, Injection site pain,
22.10, Labelled drug-drug interaction medication error, 22.10, ,
857699, Herpes zoster, 22.10, , , , , , , ,
857700, Discomfort, 22.10, Herpes zoster, 22.10, Rash, 22.10, Vaccination
failure, 22.10, ,
857701, Body temperature increased, 22.10, , , , , , , ,
857702, Chills, 23.00, Feeling hot, 23.00, Gait disturbance, 23.00, Headache,
23.00, Hyperhidrosis, 23.00
857702, Influenza like illness, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia,
23.00, ,
857703, Dizziness, 22.10, Heart rate increased, 22.10, Hypoaesthesia,
22.10, Limb discomfort, 22.10, Muscular weakness, 22.10
857703, Night sweats, 22.10, Peripheral coldness, 22.10, , , , , , ,
857704, Injection site pain, 22.10, Mobility decreased, 22.10, Pain in
extremity, 22.10, X-ray normal, 22.10, ,
857705, Axillary pain, 22.10, Insomnia, 22.10, Loss of personal
independence in daily activities, 22.10, Musculoskeletal pain,
22.10, Peripheral swelling, 22.10
857705, X-ray, 22.10, , , , , , , ,
857706, Rash, 22.10, , , , , , , ,
857707, No adverse event, 23.00, Wrong product administered, 23.00, , , , , ,
857708, Cold sweat, 22.10, Disorientation, 22.10, Dizziness, 22.10, Immediate
post-injection reaction, 22.10, Opisthotonus, 22.10
857708, Pallor, 22.10, Posture abnormal, 22.10, Somnolence, 22.10, Visual
impairment, 22.10, ,
857716, Inappropriate schedule of product administration, 22.10, No
adverse event, 22.10, , , , , , ,
857717, Condition aggravated, 22.10, Inappropriate schedule of product
administration, 22.10, Paraesthesia, 22.10, , , , , ,
857718, Fatigue, 22.10, Injection site erythema, 22.10, Injection site
pain, 22.10, Muscular weakness, 22.10, Vaccine positive rechallenge, 22.10
857719, Arthralgia, 22.10, Blood test normal, 22.10, Dysstasia, 22.10, Eye
haemorrhage, 22.10, Feeling of body temperature change, 22.10
857719, Inflammatory marker test, 22.10, Influenza like illness,

22.10,Intervertebral disc degeneration,22.10,Limb discomfort,
22.10,Mobility decreased,22.10
857719,Movement disorder,22.10,Pain,22.10,Pain in extremity,
22.10,Pyrexia,22.10,Scan abnormal,22.10
857720,Ageusia,22.10,,,,,,, ,
857721,Headache,22.10,Injection site pain,22.10,Musculoskeletal pain,
22.10,Neck pain,22.10,Pain,22.10
857721,Pain in extremity,22.10,,,,,,, ,
857722,Burning sensation,22.10,Paraesthesia,22.10,,,,,,, ,
857723,Diarrhoea,22.10,Influenza like illness,22.10,Injected limb
mobility decreased,22.10,Myalgia,22.10,Nausea,22.10
857723,Upper respiratory tract infection,22.10,,,,,,, ,
857724,Inappropriate schedule of product administration,
22.10,Injection site pain,22.10,,,,,,, ,
857725,Oral herpes,22.10,,,,,,, ,
857726,Extensive swelling of vaccinated limb,22.10,Injection site
warmth,22.10,,,,,,, ,
857727,Bedridden,22.10,Blood iron decreased,22.10,Fatigue,22.10,Herpes
zoster,22.10,Malaise,22.10
857727,Muscular weakness,22.10,Oropharyngeal pain,22.10,Pyrexia,
22.10,Red blood cell count increased,22.10,Vitamin B12 decreased,22.10
857727,White blood cell count increased,22.10,,,,,,, ,
857728,Erythema,22.10,Myalgia,22.10,Peripheral swelling,22.10,,,,,
857729,Hypertension,22.10,Injection site pain,22.10,Insomnia,
22.10,Pain,22.10,Pyrexia,22.10
857730,Urinary tract infection,22.10,,,,,,, ,
857731,Asthenia,22.10,Fatigue,22.10,Injection site erythema,
22.10,Injection site pain,22.10,Muscular weakness,22.10
857731,Pyrexia,22.10,Skin irritation,22.10,,,,,,, ,
857732,Herpes zoster,22.10,Pain,22.10,Skin lesion,22.10,,,,,
857733,Loss of personal independence in daily activities,
22.10,Malaise,22.10,,,,,,, ,
857734,Blister,22.10,Herpes zoster,22.10,Pain,22.10,Rash erythematous,
22.10,Scab,22.10
857734,Skin discolouration,22.10,Skin irritation,22.10,,,,,,, ,
857735,Chills,22.10,Fall,22.10,Pyrexia,22.10,Syncope,22.10,,
857736,Syncope,22.10,,,,,,, ,
857737,Unevaluable event,22.10,,,,,,, ,
857738,Expired product administered,22.10,,,,,,, ,
857739,Dizziness,22.10,Headache,22.10,Myalgia,22.10,,,,,
857740,Crying,23.00,Dysstasia,23.00,Gait disturbance,23.00,Insomnia,
23.00,Pain,23.00
857740,Screaming,23.00,,,,,,, ,
857741,Product administered to patient of inappropriate age,
23.00,,,,,,, ,
857742,Mobility decreased,22.10,Myalgia,22.10,,,,,,, ,
857743,Ear pain,22.10,Headache,22.10,Influenza like illness,
22.10,Local reaction,22.10,Nausea,22.10
857743,Neck pain,22.10,Pain,22.10,Pain in extremity,22.10,Rash
macular,22.10,,

857744, Induration, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site vesicles, 23.00
857744, Mass, 23.00, Pyrexia, 23.00, Swelling, 23.00, Vaccination site rash, 23.00,,
857745, Muscle disorder, 22.10, Skin indentation, 22.10, X-ray normal, 22.10,,,,,
857746, Rash erythematous, 23.00, Rash pruritic, 23.00, Varicella post vaccine, 23.00,,,,,
857748, Chills, 22.10, Erythema, 22.10, Feeling abnormal, 22.10, Influenza like illness, 22.10, Injection site erythema, 22.10
857748, Local reaction, 22.10, Myalgia, 22.10, Nausea, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10
857748, Skin warm, 22.10,,,,,,
857749, Urticaria, 23.00,,,,,,
857750, Head injury, 22.10, Syncope, 22.10,,,,,
857751, Loss of personal independence in daily activities, 22.10, Mobility decreased, 22.10, Periarthritis, 22.10,,,,,
857752, Burning sensation, 22.10, CSF protein increased, 22.10, Full blood count, 22.10, Gait inability, 22.10, Guillain-Barre syndrome, 22.10
857752, Immunoglobulin therapy, 22.10, Lumbar puncture, 22.10, Muscular weakness, 22.10, Pain in extremity, 22.10, Paraesthesia, 22.10
857753, Facial pain, 22.10, Fatigue, 22.10, Head injury, 22.10, Headache, 22.10, Loss of consciousness, 22.10
857753, Pallor, 22.10, Syncope, 22.10,,,,,
857754, Dizziness, 23.00, Impaired driving ability, 23.00, Loss of consciousness, 23.00, Vision blurred, 23.00,,
857755, Injected limb mobility decreased, 22.10, Pain, 22.10, Pain in extremity, 22.10, Product administered at inappropriate site, 22.10,,
857756, Expired product administered, 23.00, Measles antibody positive, 23.00, No adverse event, 23.00,,,,,
857757, Rash, 23.00,,,,,,
857758, Pruritus, 23.00, Rash, 23.00, Urticaria, 23.00,,,,,
857759, Injected limb mobility decreased, 23.00, Pain in extremity, 23.00, Rash, 23.00, Rash erythematous, 23.00, Sleep disorder, 23.00
857760, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
857761, Erythema, 23.00, Induration, 23.00, Swelling, 23.00,,,,,
857762, Dizziness, 23.00, Fall, 23.00, Head injury, 23.00, Loss of consciousness, 23.00, Skin laceration, 23.00
857763, Extra dose administered, 22.10, No adverse event, 22.10,,,,,
857764, Abdominal tenderness, 22.10, Back pain, 22.10, Blood magnesium, 22.10, Chest pain, 22.10, Dyspnoea, 22.10
857764, Fibrin D dimer increased, 22.10, Full blood count, 22.10, Liver function test, 22.10, Metabolic function test, 22.10, Pain, 22.10
857764, Troponin, 22.10,,,,,,
857765, Unevaluable event, 22.10,,,,,,
857766, Arthralgia, 23.00, Cough, 23.00, Herpes zoster, 23.00, Influenza like illness, 23.00, Lymphadenopathy, 23.00
857766, Myalgia, 23.00, Rash, 23.00, Respiratory tract congestion,

23.00, Skin irritation, 23.00,,
857767, Swelling, 22.10,,,,,,
857768, Abdominal distension, 23.00, Chills, 23.00, Fatigue, 23.00, Injection
site erythema, 23.00, Injection site swelling, 23.00
857768, Injection site warmth, 23.00, Local reaction, 23.00, Nausea,
23.00, Pain, 23.00, Pyrexia, 23.00
857769, Condition aggravated, 22.10, Cough, 22.10, Ear swelling, 22.10, Rash,
22.10, Rash erythematous, 22.10
857769, Urticaria, 22.10,,,,,,
857770, Dizziness, 23.00,,,,,,
857771, Injection site erythema, 23.00, Injection site swelling,
23.00,,,,,,
857772, Injection site reaction, 23.00, Rash erythematous, 23.00, Rash
papular, 23.00,,,,,
857774, No adverse event, 22.10,,,,,,
857775, Injection site induration, 23.00, Injection site pain, 23.00,,,,,,
857776, Cyanosis, 23.00, Ear infection, 23.00, Encephalitis, 23.00, Febrile
convulsion, 23.00, Laboratory test, 23.00
857776, Laryngoscopy, 23.00, Liver injury, 23.00, Metal poisoning,
23.00, Mydriasis, 23.00, Respiratory arrest, 23.00
857777, Injection site erythema, 22.10, Injection site irritation,
22.10, Injection site pain, 22.10, Injection site warmth, 22.10, Lethargy,
22.10
857778, Injection site reaction, 22.10, Injection site warmth, 22.10, Rash
macular, 22.10,,,,,
857779, Rash, 22.10,,,,,,
857780, Blister, 23.00, Cellulitis, 23.00,,,,,,
857781, Injection site mass, 23.00, Pruritus, 23.00, Skin warm,
23.00, Swelling of eyelid, 23.00, Urticaria, 23.00
857783, Chills, 22.10, Feeling abnormal, 22.10, Feeling hot, 22.10, Influenza
like illness, 22.10, Nausea, 22.10
857783, Pain, 22.10,,,,,,
857784, Peripheral swelling, 23.00, Skin warm, 23.00,,,,,,
857785, Erythema, 22.10, Tenderness, 22.10,,,,,,
857786, Oxygen saturation decreased, 22.10, Unresponsive to stimuli,
22.10,,,,,,
857787, Injection site erythema, 23.00, Injection site pruritus,
23.00,,,,,,
857788, Unevaluable event, 23.00,,,,,,
857789, Swelling, 22.10,,,,,,
857790, Injected limb mobility decreased, 22.10, Injection site pain,
22.10, Pain, 22.10, Pain in extremity, 22.10,,
857791, Erythema, 22.10, Pruritus, 22.10, Skin exfoliation, 22.10,,,,,
857792, Crying, 23.00, Eye swelling, 23.00, Gait disturbance,
23.00, Glossodynia, 23.00, Headache, 23.00
857792, Injection site pain, 23.00, Injection site reaction, 23.00, Lip
swelling, 23.00, Muscular weakness, 23.00, Pain, 23.00
857792, Pyrexia, 23.00, Swelling face, 23.00, Vaccination complication,
23.00,,,,,
857793, Headache, 22.10, Injection site erythema, 22.10, Injection site

warmth,22.10,Nausea,22.10,,
857794,Injection site erythema,22.10,Injection site swelling,
22.10,Injection site warmth,22.10,,,,,
857795,Asthenia,23.00,Nausea,23.00,Vomiting,23.00,,,,,
857796,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site rash,23.00,Injection site warmth,23.00,,
857797,Back pain,22.10,Decreased appetite,22.10,Mobility decreased,
22.10,Musculoskeletal pain,22.10,Neck pain,22.10
857798,Cold sweat,22.10,Fatigue,22.10,Headache,22.10,,,,,
857799,Loss of consciousness,22.10,Seizure,22.10,Tremor,22.10,,,,,
857800,Headache,23.00,Malaise,23.00,Nausea,23.00,Tachycardia,23.00,,
857801,Chills,23.00,Erythema,23.00,Headache,23.00,Injection site pain,
23.00,Lymphadenitis,23.00
857801,Malaise,23.00,Pyrexia,23.00,Swelling,23.00,,,,,
857802,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Muscular weakness,23.00,Wrong technique in product usage
process,23.00,,
857803,Unevaluable event,22.10,,,,,,
857804,Dysphagia,23.00,HIV test,23.00,Hepatitis B core antibody,
23.00,Hepatitis B surface antibody,23.00,Hepatitis C virus test,23.00
857804,Swelling,23.00,Swelling face,23.00,Urticaria,23.00,,,,,
857805,Rash,23.00,,,,,,
857806,Arthralgia,23.00,Injection site pain,23.00,Injection site
swelling,23.00,Pain,23.00,Pyrexia,23.00
857807,Eye pain,22.10,Head discomfort,22.10,Headache,22.10,Injection
site pain,22.10,Nausea,22.10
857807,Oral herpes,22.10,Photophobia,22.10,Tenderness,22.10,,,,,
857808,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
857809,Herpes zoster,22.10,Malaise,22.10,,,,,
857810,Pain in extremity,22.10,,,,,,
857811,Chills,22.10,Fatigue,22.10,Injection site erythema,
22.10,Injection site pain,22.10,Injection site swelling,22.10
857811,Injection site warmth,22.10,Malaise,22.10,Pain,22.10,Pain in
extremity,22.10,Pyrexia,22.10
857812,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,Pruritus,23.00,Vaccination site swelling,23.00,,
857813,Decreased appetite,22.10,Fatigue,22.10,Headache,22.10,Influenza
virus test negative,22.10,Myalgia,22.10
857813,Nausea,22.10,Painful respiration,22.10,,,,,
857814,Chills,22.10,Diarrhoea,22.10,Fatigue,22.10,Headache,
22.10,Influenza like illness,22.10
857814,Injection site pain,22.10,Pain,22.10,Pyrexia,22.10,,,,,
857815,Headache,22.10,Influenza like illness,22.10,Poor quality sleep,
22.10,,,,,
857816,Headache,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Pain,23.00,,
857817,Burning sensation,23.00,Erythema,23.00,Induration,23.00,Mass,
23.00,Pain,23.00
857817,Pruritus,23.00,Skin warm,23.00,Swelling,23.00,,,,,

857818,Injection site erythema,22.10,Injection site haemorrhage,
22.10,Injection site swelling,22.10,Skin warm,22.10,,
857819,Dyspnoea,23.00,Feeling abnormal,23.00,Flushing,23.00,,,,
857820,Arthralgia,23.00,Cough,23.00,Diarrhoea,23.00,Fatigue,
23.00,Headache,23.00
857820,Injection site pain,23.00,Myalgia,23.00,Productive cough,
23.00,Psoriasis,23.00,Somnolence,23.00
857820,Vomiting,23.00,Wheezing,23.00,,,,,
857821,Head discomfort,22.10,Headache,22.10,Paraesthesia,
22.10,Pruritus,22.10,Pyrexia,22.10
857822,Immediate post-injection reaction,22.10,Injection site
erythema,22.10,Injection site haemorrhage,22.10,Injection site
irritation,22.10,Injection site swelling,22.10
857823,Erythema,22.10,,,,,
857824,Abdominal discomfort,22.10,Back pain,22.10,Diarrhoea,
22.10,Fatigue,22.10,Headache,22.10
857825,Influenza virus test negative,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Pain,23.00,Pyrexia,23.00
857827,Allergy to arthropod bite,23.00,Injection site erythema,
23.00,Injection site oedema,23.00,Injection site pain,23.00,Injection
site warmth,23.00
857828,Chills,22.10,Dizziness,22.10,Pain in extremity,22.10,Vertigo,
22.10,Vomiting,22.10
857829,Chills,22.10,Dizziness,22.10,Pain in extremity,22.10,Vomiting,
22.10,,
857830,Cellulitis,23.00,Chills,23.00,Rash,23.00,,,,
857831,Blood test,22.10,Guillain-Barre syndrome,22.10,Laboratory test,
22.10,Neurological examination,22.10,,
857832,Erythema,22.10,Feeling hot,22.10,Hyperhidrosis,22.10,Pruritus,
22.10,,
857833,Injection site urticaria,23.00,,,,,
857834,Discomfort,22.10,Dry skin,22.10,Pruritus,22.10,Pyrexia,
22.10,Rash,22.10
857835,Asthenia,22.10,Balance disorder,22.10,Chills,22.10,Dizziness,
22.10,Fall,22.10
857835,Headache,22.10,Hyperhidrosis,22.10,Influenza like illness,
22.10,Middle insomnia,22.10,Muscular weakness,22.10
857835,Pain,22.10,Tremor,22.10,Vertigo,22.10,,,,
857836,Headache,22.10,,,,,
857837,Computerised tomogram head,22.10,Dry eye,22.10,Dysphagia,
22.10,Eyelid function disorder,22.10,Eyelid ptosis,22.10
857837,Facial paralysis,22.10,Hypoaesthesia,22.10,Hypoaesthesia oral,
22.10,Neck pain,22.10,Pain in extremity,22.10
857837,Vision blurred,22.10,,,,,
857839,Chills,22.10,Headache,22.10,Incorrect route of product
administration,22.10,Tremor,22.10,,
857840,Feeding disorder,23.00,Oropharyngeal pain,23.00,Pharyngeal
swelling,23.00,,,,
857841,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,
857842,Headache,22.10,Pyrexia,22.10,Vision blurred,22.10,,,,

857843, Erythema, 22.10, Fatigue, 22.10, Peripheral swelling, 22.10, Pruritus, 22.10, Skin warm, 22.10
857844, Skin mass, 23.00, Vaccination site nodule, 23.00, , , , , ,
857845, Dizziness, 22.10, Headache, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10, ,
857846, Cough, 23.00, Injection site discomfort, 23.00, Injection site erythema, 23.00, Injection site rash, 23.00, Irritability, 23.00
857846, Vaccination site nodule, 23.00, , , , , , , ,
857847, Contusion, 22.10, Injection site bruising, 22.10, , , , , , ,
857848, Syncope, 22.10, , , , , , , ,
857849, Immediate post-injection reaction, 22.10, Injection site pain, 22.10, Magnetic resonance imaging, 22.10, Product administered at inappropriate site, 22.10, ,
857850, Erythema, 23.00, Feeling hot, 23.00, Swelling, 23.00, , , , ,
857851, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Influenza, 22.10, Pain, 22.10
857851, Pyrexia, 22.10, , , , , , , ,
857852, Back pain, 22.10, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Pain in extremity, 22.10
857853, Headache, 22.10, Malaise, 22.10, , , , , , ,
857854, Chills, 22.10, Influenza like illness, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Pyrexia, 22.10
857855, Pain in extremity, 23.00, Pruritus, 23.00, , , , , , ,
857856, Injection site erythema, 22.10, Injection site induration, 22.10, Injection site swelling, 22.10, Skin lesion, 22.10, Squamous cell carcinoma, 22.10
857857, Asthenia, 23.00, Back pain, 23.00, Body temperature increased, 23.00, Headache, 23.00, Injection site erythema, 23.00
857857, Injection site pain, 23.00, Injection site swelling, 23.00, Joint stiffness, 23.00, Lethargy, 23.00, Neck pain, 23.00
857857, Pyrexia, 23.00, , , , , , , ,
857858, Injected limb mobility decreased, 22.10, Pain in extremity, 22.10, , , , , , ,
857859, Injection site induration, 22.10, Injection site reaction, 22.10, Myalgia, 22.10, Pain, 22.10, Rash erythematous, 22.10
857860, Injection site erythema, 22.10, , , , , , , ,
857861, Rash, 22.10, Syncope, 22.10, , , , , , ,
857862, Chills, 22.10, Diarrhoea, 22.10, Headache, 22.10, Hyperhidrosis, 22.10, Immediate post-injection reaction, 22.10
857862, Migraine, 22.10, Nausea, 22.10, Pyrexia, 22.10, Vomiting, 22.10, ,
857863, Blood pressure increased, 22.10, Blood thyroid stimulating hormone, 22.10, Chest X-ray, 22.10, Differential white blood cell count, 22.10, Electrocardiogram, 22.10
857863, Full blood count, 22.10, Headache, 22.10, Heart rate increased, 22.10, Influenza A virus test, 22.10, Influenza B virus test, 22.10
857863, Lipase, 22.10, Liver function test, 22.10, Malaise, 22.10, Metabolic function test, 22.10, Nausea, 22.10
857863, Palpitations, 22.10, Platelet count, 22.10, Polymerase chain reaction, 22.10, Pyrexia, 22.10, Troponin T, 22.10
857864, Musculoskeletal pain, 22.10, Vomiting, 22.10, , , , , , ,

857865, Chills, 22.10, Headache, 22.10, Injection site pain, 22.10, Injection site reaction, 22.10, Neuralgia, 22.10
857865, Pain, 22.10, Pyrexia, 22.10, Rash, 22.10, , , ,
857866, Asthenia, 22.10, Chills, 22.10, Fatigue, 22.10, Headache, 22.10, Injection site pain, 22.10
857866, Pyrexia, 22.10, , , , , , , ,
857867, Crying, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Vomiting, 23.00
857868, Injection site pain, 22.10, Injection site swelling, 22.10, Myalgia, 22.10, , , , ,
857869, Blood test, 22.10, CSF test, 22.10, Dizziness, 22.10, Magnetic resonance imaging, 22.10, Nausea, 22.10
857870, Injection site discomfort, 22.10, Injection site pain, 22.10, , , , , , ,
857871, Blood test normal, 23.00, Excessive eye blinking, 23.00, Eye movement disorder, 23.00, Head titubation, 23.00, ,
857872, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site warmth, 22.10, , , , ,
857873, Back pain, 22.10, Chills, 22.10, Dizziness, 22.10, Injection site pain, 22.10, Malaise, 22.10
857873, Nausea, 22.10, Pyrexia, 22.10, Vomiting, 22.10, , , , ,
857874, Chills, 22.10, Condition aggravated, 22.10, Erythema, 22.10, Essential tremor, 22.10, Headache, 22.10
857874, Heart rate increased, 22.10, Middle insomnia, 22.10, Myalgia, 22.10, Nausea, 22.10, Pain in extremity, 22.10
857874, Tremor, 22.10, , , , , , , ,
857875, Abdominal discomfort, 22.10, Chills, 22.10, Dizziness, 22.10, Fatigue, 22.10, Headache, 22.10
857875, Injection site pain, 22.10, Injection site reaction, 22.10, Injection site swelling, 22.10, Palpitations, 22.10, Rash erythematous, 22.10
857875, Vomiting, 22.10, , , , , , , ,
857876, Chills, 22.10, Musculoskeletal pain, 22.10, Rash, 22.10, Rash pruritic, 22.10, ,
857877, Pain in extremity, 22.10, Peripheral swelling, 22.10, Pyrexia, 22.10, , , , ,
857878, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, Nausea, 22.10
857878, Pain, 22.10, , , , , , , ,
857879, Seizure, 22.10, , , , , , , ,
857880, Abdominal discomfort, 22.10, Chills, 22.10, Fatigue, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10
857880, Myalgia, 22.10, Pyrexia, 22.10, Vomiting, 22.10, , , , ,
857881, Decreased appetite, 23.00, Pyrexia, 23.00, Somnolence, 23.00, Urticaria, 23.00, Vomiting, 23.00
857882, Injection site erythema, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, , , , ,
857883, Dizziness, 23.00, Vomiting, 23.00, , , , , , ,
857884, Rash, 23.00, Rash macular, 23.00, Rash papular, 23.00, , , , ,
857885, Injection site pain, 23.00, Injection site warmth, 23.00, , , , , , ,

857886,Headache,22.10,Injection site erythema,22.10,Injection site pain,22.10,Injection site reaction,22.10,Injection site swelling,22.10
857886,Rash,22.10,Rash pruritic,22.10,Urticaria,22.10,,,,,
857888,Immediate post-injection reaction,22.10,Injection site erythema,22.10,Injection site induration,22.10,Injection site pain,22.10,Injection site pruritus,22.10
857888,Injection site swelling,22.10,Injection site warmth,22.10,,,,,,
857889,Arthralgia,23.00,Chills,23.00,Erythema,23.00,Groin pain,23.00,Musculoskeletal stiffness,23.00
857889,Myalgia,23.00,Pain in extremity,23.00,Peripheral swelling,23.00,Skin warm,23.00,,
857890,Rash,22.10,Rash papular,22.10,Rash pruritic,22.10,,,,,
857891,Insomnia,22.10,Pain in extremity,22.10,,,,,,
857892,Injection site pain,23.00,Injection site swelling,23.00,Malaise,23.00,Pain,23.00,Pyrexia,23.00
857893,Anxiety,23.00,Electrocardiogram normal,23.00,Musculoskeletal disorder,23.00,Pain in extremity,23.00,Tenderness,23.00
857894,Herpes zoster,22.10,Injection site erythema,22.10,Pain in extremity,22.10,Rash,22.10,,
857895,Abdominal discomfort,22.10,Abdominal distension,22.10,Contusion,22.10,Diarrhoea,22.10,Fatigue,22.10
857895,Gastroesophageal reflux disease,22.10,Pain,22.10,Pain in extremity,22.10,Tenderness,22.10,,
857896,Dry skin,23.00,Injection site pruritus,23.00,,,,,,
857945,Wrong product administered,23.00,,,,,,
857946,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,,
857947,Glossodynia,23.00,Nausea,23.00,Tongue discolouration,23.00,Tongue erythema,23.00,,
857948,Colposcopy,22.10,Papilloma viral infection,22.10,,,,,,
857949,No adverse event,23.00,Product storage error,23.00,,,,,,
857950,Cellulitis,23.00,Erythema,23.00,Induration,23.00,Skin warm,23.00,Tenderness,23.00
857951,No adverse event,22.10,Wrong technique in product usage process,22.10,,,,,,
857952,Inappropriate schedule of product administration,22.10,No adverse event,22.10,,,,,,
857953,Product administered to patient of inappropriate age,23.00,,,,,,
857954,No adverse event,23.00,Product storage error,23.00,,,,,,
857955,Herpes zoster,22.10,Rash,22.10,,,,,,
857956,Aortic aneurysm,22.10,Hypoaesthesia,22.10,Ischaemic stroke,22.10,Paraesthesia,22.10,Vision blurred,22.10
857957,Cellulitis,22.10,,,,,,
857959,Product storage error,23.00,,,,,,
857960,Human papilloma virus test positive,22.10,,,,,,
857961,Balance disorder,22.10,Herpes zoster,22.10,Hypoacusis,22.10,Post herpetic neuralgia,22.10,,
857962,Deafness neurosensory,22.10,Deafness unilateral,22.10,Sudden hearing loss,22.10,Tinnitus,22.10,,

857963,Product storage error,23.00,,,,,,,,,
857964,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
857965,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
857966,Product storage error,23.00,,,,,,,,,
857967,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Musculoskeletal disorder,23.00,,
857968,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
857969,Product storage error,23.00,,,,,,,,,
857970,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
857971,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
857972,Imaging procedure,23.00,Laboratory test,23.00,Pain,23.00,Pain
in extremity,23.00,,
857973,Product storage error,23.00,,,,,,,,,
857974,Product storage error,23.00,,,,,,,,,
857975,Product storage error,23.00,,,,,,,,,
857976,Product storage error,23.00,,,,,,,,,
857977,Product storage error,23.00,,,,,,,,,
857978,Product storage error,23.00,,,,,,,,,
857979,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,,,,
857980,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
857981,Expired product administered,23.00,,,,,,,,,
857982,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
857983,Diarrhoea,23.00,Food allergy,23.00,Gastrointestinal disorder,
23.00,Urinary tract infection,23.00,Vomiting,23.00
857984,Pruritus,23.00,Varicella post vaccine,23.00,,,,,,,,,
857985,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
857987,Injection site erythema,23.00,Injection site irritation,
23.00,,,,,,,,,
857988,Headache,22.10,,,,,,,,,
857989,Chills,22.10,Headache,22.10,,,,,,,,,
857990,No adverse event,23.00,,,,,,,,,
857991,Bedridden,22.10,,,,,,,,,
857992,Headache,22.10,Nausea,22.10,Vomiting,22.10,,,,,
857993,Fatigue,22.10,Myalgia,22.10,,,,,,,,,
857994,Dizziness,23.00,Pyrexia,23.00,,,,,,,,,
857995,Adverse event,22.10,,,,,,,,,
857996,Arrhythmia,22.10,Headache,22.10,Influenza like illness,
22.10,Pain,22.10,,
857997,Pain in extremity,22.10,,,,,,,,,
857998,Pain in extremity,22.10,,,,,,,,,
857999,Arthralgia,22.10,Chills,22.10,Headache,22.10,Pyrexia,
22.10,Sleep disorder,22.10
858000,Erythema,22.10,Skin warm,22.10,,,,,,,,,
858001,Loss of personal independence in daily activities,
22.10,Malaise,22.10,Vaccine positive rechallenge,22.10,,,,,
858002,Burning sensation,22.10,Pruritus,22.10,Rash,22.10,,,,,
858003,Rash,22.10,Skin reaction,22.10,,,,,,,,,
858004,Arthralgia,22.10,,,,,,,,,

858005,Injection site pain,22.10,Musculoskeletal pain,22.10,Pain in extremity,22.10,,,,,
858006,Blister,22.10,,,,,,
858007,Injection site erythema,22.10,Injection site vesicles,22.10,Injection site warmth,22.10,Tuberculin test,22.10,,
858008,Arthralgia,22.10,Herpes zoster,22.10,Insomnia,22.10,Neuralgia,22.10,Pruritus,22.10
858008,Rash,22.10,,,,,,
858009,Rash,22.10,,,,,,
858010,Injection site mass,22.10,,,,,,
858011,Chills,22.10,Headache,22.10,Influenza like illness,22.10,Myalgia,22.10,Pyrexia,22.10
858012,Immediate post-injection reaction,23.00,Injection site erythema,23.00,Injection site rash,23.00,Injection site swelling,23.00,Rash,23.00
858014,Seizure,22.10,,,,,,
858015,Chills,22.10,Feeling cold,22.10,,,,,
858016,Arrhythmia,22.10,Headache,22.10,Hot flush,22.10,Influenza like illness,22.10,Night sweats,22.10
858016,Pain,22.10,Urinary incontinence,22.10,Vaccine positive rechallenge,22.10,,,,,
858017,Fatigue,22.10,Feeling cold,22.10,Injection site pain,22.10,Pain,22.10,Pyrexia,22.10
858018,Injection site erythema,23.00,,,,,,
858019,Encephalitis,22.10,,,,,,
858020,Pain in extremity,22.10,,,,,,
858022,Erythema,22.10,Feeling hot,22.10,Induration,22.10,Injection site pain,22.10,Swelling,22.10
858023,Erythema,22.10,Labelled drug-drug interaction medication error,22.10,Pain in extremity,22.10,,,,,
858024,Herpes zoster,22.10,,,,,,
858026,Mobility decreased,22.10,Pain,22.10,Pain in extremity,22.10,Skin reaction,22.10,Skin warm,22.10
858026,Swelling,22.10,,,,,,
858027,Erythema,23.00,Mobility decreased,23.00,Pain,23.00,Skin warm,23.00,Swelling,23.00
858029,Pain,22.10,,,,,,
858030,Injection site discomfort,22.10,Injection site nodule,22.10,Pain in extremity,22.10,Product storage error,22.10,,
858031,No adverse event,22.10,Wrong product administered,22.10,,,,,
858032,Asthenia,22.10,Gait inability,22.10,Hepatic enzyme increased,22.10,,,,,
858033,Gait disturbance,23.00,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Local reaction,23.00
858033,Pyrexia,23.00,,,,,,
858034,No adverse event,22.10,Product administered to patient of inappropriate age,22.10,Wrong product administered,22.10,,,,,
858035,Extra dose administered,23.00,No adverse event,23.00,,,,,
858036,No adverse event,23.00,Product preparation issue,23.00,,,,,
858037,Injection site haemorrhage,22.10,Mobility decreased,22.10,Pain

in extremity,22.10,,,,
858038,Chills,22.10,Pyrexia,22.10,,,,,
858039,Extra dose administered,23.00,,,,,
858040,Caesarean section,22.10,Exposure during pregnancy,22.10,HELLP
syndrome,22.10,Premature delivery,22.10,Premature labour,22.10
858040,Ultrasound antenatal screen normal,22.10,,,,,
858041,Exposure during pregnancy,22.10,Gastrooesophageal reflux
disease,22.10,Nausea,22.10,Premature delivery,22.10,,
858042,Foetal exposure during pregnancy,22.10,,,,,
858043,Foetal exposure during pregnancy,22.10,,,,,
858044,Delivery,22.10,Exposure during pregnancy,22.10,Pre-eclampsia,
22.10,Premature delivery,22.10,,
858045,Apgar score abnormal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Low birth weight baby,22.10,Premature
baby,22.10
858046,Injection site erythema,23.00,Injection site induration,
23.00,Injection site warmth,23.00,,,,
858047,Apgar score normal,22.10,Foetal exposure during pregnancy,
22.10,Premature baby,22.10,,,,
858048,Blister,22.10,Crying,22.10,Erythema,22.10,Injection site
erythema,22.10,Injection site pain,22.10
858048,Skin warm,22.10,Tenderness,22.10,,,,,
858049,Pyrexia,23.00,,,,,
858050,Analgesic drug level,22.10,Audiogram abnormal,22.10,Blood test
normal,22.10,Borrelia test,22.10,C-reactive protein,22.10
858050,Computerised tomogram head,22.10,Computerised tomogram normal,
22.10,Deafness neurosensory,22.10,Deafness unilateral,
22.10,Differential white blood cell count,22.10
858050,Full blood count,22.10,International normalised ratio,
22.10,Magnetic resonance imaging normal,22.10,Metabolic function test,
22.10,Prothrombin time,22.10
858050,Red blood cell sedimentation rate,22.10,Scan with contrast
normal,22.10,Treponema test,22.10,,,,
858051,Dysphonia,22.10,Influenza like illness,22.10,,,,,
858052,Chills,22.10,Pain,22.10,Pyrexia,22.10,,,,
858053,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,Sleep disorder,23.00,,,,
858054,Haematochezia,22.10,,,,,
858055,Decreased appetite,22.10,Myalgia,22.10,Nausea,22.10,Pain,
22.10,Pyrexia,22.10
858055,Vaccination site pain,22.10,,,,,
858059,Injection site induration,23.00,Injection site warmth,
23.00,,,,,
858060,Exposure during pregnancy,22.10,No adverse event,22.10,Wrong
product administered,22.10,,,,
858061,Extra dose administered,23.00,,,,,
858062,Pain in extremity,22.10,,,,,
858063,Nodular rash,22.10,Pain,22.10,Pain in extremity,22.10,Rash,
22.10,Skin warm,22.10
858064,Fatigue,22.10,Headache,22.10,Myalgia,22.10,Pain of skin,

22.10,Sensitive skin,22.10
858065,Pain,22.10,Pain in extremity,22.10,,,,,
858066,Rash,22.10,,,,,
858067,Herpes zoster,22.10,Vaccination failure,22.10,,,,,
858068,Anxiety,22.10,Blood pressure systolic increased,22.10,Headache,
22.10,Hypertensive crisis,22.10,,
858069,Confusional state,22.10,Encephalitis,22.10,Herpes zoster,
22.10,Varicella virus test positive,22.10,Varicella zoster virus
infection,22.10
858070,Herpes zoster,22.10,Incomplete course of vaccination,
22.10,,,,,
858071,Herpes zoster,22.10,Rash,22.10,,,,,
858072,Malaise,22.10,,,,,
858073,Pain in extremity,22.10,,,,,
858074,Injected limb mobility decreased,22.10,Joint range of motion
decreased,22.10,Pain in extremity,22.10,,,,,
858075,Abdominal discomfort,22.10,Chills,22.10,Fatigue,22.10,Headache,
22.10,Muscle spasms,22.10
858075,Somnolence,22.10,,,,,
858076,Erythema,22.10,Feeling hot,22.10,Pain,22.10,Pruritus,
22.10,Swelling,22.10
858078,Dizziness,22.10,Dyspnoea,22.10,Flushing,22.10,Wheezing,22.10,,
858079,Unevaluable event,22.10,,,,,
858080,Dizziness,22.10,,,,,
858081,Syncope,22.10,,,,,
858082,Expired product administered,22.10,No adverse event,22.10,,,,,
858083,Arthralgia,22.10,Bedridden,22.10,Chills,22.10,Decreased
appetite,22.10,Headache,22.10
858083,Myalgia,22.10,Rash,22.10,Vaccination site pain,22.10,,,,,
858095,Diarrhoea,22.10,Muscle spasms,22.10,Nausea,22.10,,,,,
858096,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
858097,Eye pain,22.10,Headache,22.10,,,,,
858098,Chills,22.10,Fatigue,22.10,Feeling abnormal,22.10,Headache,
22.10,Heart rate increased,22.10
858098,Myalgia,22.10,,,,,
858099,Arthralgia,22.10,Chills,22.10,Headache,22.10,Insomnia,
22.10,Pyrexia,22.10
858100,Asthenia,22.10,Chills,22.10,Decreased appetite,22.10,,,,,
858101,Loss of personal independence in daily activities,
22.10,Malaise,22.10,Oral herpes,22.10,,,,,
858102,Headache,22.10,Injection site pain,22.10,Pyrexia,22.10,,,,,
858103,Blood group 0,22.10,Herpes zoster,22.10,,,,,
858104,Discomfort,22.10,Herpes zoster,22.10,Pruritus,22.10,Urticaria,
22.10,Vaccination failure,22.10
858106,Hepatic steatosis,23.00,Magnetic resonance imaging liver
abnormal,23.00,Vision blurred,23.00,,,,,
858107,Chills,22.10,Malaise,22.10,Nausea,22.10,Pain in extremity,
22.10,,
858108,Arthralgia,22.10,Herpes zoster,22.10,Injection site pain,

22.10,Pain,22.10,Pain in extremity,22.10
858109,Immunisation,23.00,Incorrect route of product administration,
23.00,,,,,
858111,Corneal erosion,22.10,Eye pain,22.10,Malaise,22.10,Photopsia,
22.10,Pyrexia,22.10
858112,Injection site erythema,22.10,Injection site swelling,
22.10,Migraine,22.10,,,,,
858113,Pruritus,22.10,Urticaria,22.10,,,,,
858114,Joint range of motion decreased,22.10,Musculoskeletal pain,
22.10,X-ray normal,22.10,,,,,
858115,Chest discomfort,23.00,Headache,23.00,Pyrexia,
23.00,Tachycardia,23.00,,
858116,Febrile convulsion,23.00,Pyrexia,23.00,,,,,
858117,Immediate post-injection reaction,22.10,Injection site movement
impairment,22.10,Injection site pain,22.10,,,,,
858118,Arthralgia,22.10,Influenza like illness,22.10,Nausea,
22.10,Pyrexia,22.10,,
858121,Balance disorder,22.10,Eyelid function disorder,22.10,Facial
paralysis,22.10,Herpes zoster oticus,22.10,Hypoacusis,22.10
858121,Loss of personal independence in daily activities,22.10,Pain,
22.10,Trigeminal neuralgia,22.10,,,,,
858122,Erythema,23.00,Peripheral swelling,23.00,Pyrexia,23.00,,,,,
858123,Headache,23.00,Injection site induration,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Irritability,23.00
858123,Pyrexia,23.00,,,,,
858124,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Myalgia,23.00,Pain,23.00,,
858125,Pyrexia,22.10,,,,,
858126,Injection site pain,22.10,Myalgia,22.10,Pain in extremity,
22.10,,,,,
858127,Diarrhoea,23.00,Nausea,23.00,Pyrexia,23.00,Vomiting,23.00,,
858128,Erythema,23.00,Inflammation,23.00,Injection site pruritus,
23.00,Skin warm,23.00,,
858129,Arthralgia,23.00,Blood test,23.00,Joint stiffness,23.00,Muscle
tightness,23.00,Myalgia,23.00
858130,Mobility decreased,22.10,Pain in extremity,22.10,,,,,
858131,Bruxism,22.10,Cold sweat,22.10,Erythema,22.10,Fall,22.10,Head
injury,22.10
858131,Musculoskeletal stiffness,22.10,Syncope,22.10,Toothache,
22.10,,,,,
858132,Abdominal discomfort,23.00,Abdominal pain upper,23.00,Crying,
23.00,Diarrhoea,23.00,Fatigue,23.00
858132,Pain,23.00,Tension,23.00,,,,,
858133,Cough,23.00,Lacrimation increased,23.00,Pharyngeal swelling,
23.00,,,,,
858134,Abdominal pain upper,22.10,Dark circles under eyes,
22.10,Fatigue,22.10,General physical health deterioration,22.10,Skin
discolouration,22.10
858134,Type 1 diabetes mellitus,22.10,,,,,
858135,Asthenia,22.10,Chills,22.10,Fatigue,22.10,Oropharyngeal pain,

22.10, Pyrexia, 22.10
858135, Throat irritation, 22.10, , , , , , , ,
858136, Pruritus, 23.00, Urticaria, 23.00, , , , , , ,
858137, Diarrhoea, 23.00, Feeling abnormal, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
858137, Pain, 23.00, Pyrexia, 23.00, Upper respiratory tract infection,
23.00, Vomiting, 23.00, ,
858138, Injection site erythema, 23.00, Injection site induration,
23.00, Injection site pain, 23.00, , , , ,
858139, Back pain, 23.00, , , , , , , ,
858140, Chills, 23.00, Diarrhoea, 23.00, Fatigue, 23.00, Headache,
23.00, Nausea, 23.00
858140, Pain, 23.00, Pyrexia, 23.00, , , , , , ,
858141, Erythema, 23.00, Induration, 23.00, Mass, 23.00, Pain in extremity,
23.00, Skin warm, 23.00
858141, Swelling, 23.00, , , , , , , ,
858142, Pain, 23.00, , , , , , , ,
858145, Drug hypersensitivity, 23.00, Neurological symptom, 23.00, , , , , , ,
858146, Inappropriate schedule of product administration, 22.10, No
adverse event, 22.10, , , , , , , ,
858147, Injection site pruritus, 22.10, Injection site rash,
22.10, Injection site swelling, 22.10, , , , ,
858148, Diarrhoea, 23.00, Diarrhoea haemorrhagic, 23.00, , , , , , ,
858149, Injection site rash, 22.10, Rash papular, 22.10, Rash pruritic,
22.10, , , , ,
858150, Facial paralysis, 22.10, , , , , , , ,
858151, Injection site erythema, 22.10, Injection site pain,
22.10, Injection site rash, 22.10, Injection site swelling, 22.10, ,
858152, Burning sensation, 22.10, Neuralgia, 22.10, , , , , , ,
858153, Arthralgia, 22.10, Musculoskeletal disorder, 22.10, Pain in
extremity, 22.10, , , , ,
858154, Injection site pain, 22.10, Mobility decreased, 22.10, , , , , , ,
858155, Musculoskeletal pain, 22.10, Pain, 22.10, Pain in extremity,
22.10, , , , ,
858156, Chills, 22.10, Headache, 22.10, Pain, 22.10, Pyrexia, 22.10, ,
858158, Extra dose administered, 23.00, , , , , , , ,
858159, Chills, 22.10, Fatigue, 22.10, Influenza like illness,
22.10, Injection site erythema, 22.10, Injection site pain, 22.10
858159, Injection site warmth, 22.10, Lethargy, 22.10, Pain, 22.10, Pyrexia,
22.10, ,
858160, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
858161, Exposure during pregnancy, 23.00, No adverse event, 23.00, , , , , , ,
858163, Chills, 22.10, Coccydynia, 22.10, Headache, 22.10, Mobility
decreased, 22.10, Myalgia, 22.10
858163, Tinnitus, 22.10, , , , , , , ,
858164, Hypoaesthesia, 22.10, Paraesthesia, 22.10, , , , , , ,
858165, Extra dose administered, 23.00, , , , , , , ,
858166, Abdominal discomfort, 22.10, Chills, 22.10, Headache, 22.10, Myalgia,
22.10, ,
858167, Erythema, 23.00, Skin lesion, 23.00, , , , , , ,

858168,Erythema,22.10,Injection site reaction,22.10,Skin warm,
22.10,Urticaria,22.10,,
858169,Headache,23.00,Injection site swelling,23.00,Mass,
23.00,Migraine,23.00,,
858170,Injection site induration,23.00,Injection site mass,23.00,Lymph
node pain,23.00,Lymphadenopathy,23.00,Musculoskeletal chest pain,23.00
858170,Neck pain,23.00,Night sweats,23.00,Throat irritation,23.00,,,,
858171,Wrong product administered,23.00,,,,,,,
858172,Pain in extremity,23.00,Shoulder injury related to vaccine
administration,23.00,,,,,,
858173,Nausea,22.10,Pallor,22.10,,,,,,
858175,Injection site pain,22.10,,,,,,,
858176,Chills,22.10,Fatigue,22.10,Pyrexia,22.10,,,,
858177,Arthralgia,22.10,Back pain,22.10,Rash,22.10,Rash vesicular,
22.10,Varicella virus test negative,22.10
858178,Erythema,22.10,Pruritus,22.10,Swelling,22.10,,,,
858179,Injection site pain,23.00,,,,,,,
858180,Abnormal behaviour,23.00,Aggression,23.00,Binocular eye
movement disorder,23.00,Blister,23.00,Cellulitis,23.00
858180,Confusional state,23.00,Crying,23.00,Disturbance in attention,
23.00,Ear pain,23.00,Eye movement disorder,23.00
858180,Eye pain,23.00,Haematocrit increased,23.00,Injection site
pruritus,23.00,Magnetic resonance imaging brain abnormal,
23.00,Platelet count increased,23.00
858180,Poor quality sleep,23.00,Rhinalgia,23.00,Screaming,
23.00,Sensory disturbance,23.00,Sensory processing disorder,23.00
858180,Speech disorder,23.00,Staring,23.00,Urinary incontinence,
23.00,Vith nerve paralysis,23.00,Vaccination site discolouration,23.00
858180,Vaccination site pain,23.00,Vaccination site swelling,
23.00,Vaccination site warmth,23.00,White blood cell count increased,
23.00,,
858186,No adverse event,23.00,Product storage error,23.00,,,,,,
858187,Exposure during pregnancy,23.00,Menstruation delayed,
23.00,Mumps antibody test,23.00,Pregnancy test urine positive,23.00,,
858188,Extra dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,
858189,Fatigue,23.00,Rash,23.00,Rhinorrhoea,23.00,Rubella,
23.00,Vaccination failure,23.00
858189,Viral infection,23.00,,,,,,,
858190,Expired product administered,23.00,No adverse event,23.00,,,,,,
858191,No adverse event,23.00,Product storage error,23.00,,,,,,
858192,No adverse event,23.00,Product storage error,23.00,,,,,,
858193,No adverse event,23.00,Product storage error,23.00,,,,,,
858194,No adverse event,23.00,Product storage error,23.00,,,,,,
858195,No adverse event,23.00,Product storage error,23.00,,,,,,
858196,No adverse event,23.00,Product storage error,23.00,,,,,,
858197,No adverse event,23.00,Product storage error,23.00,,,,,,
858198,No adverse event,23.00,Product storage error,23.00,,,,,,
858199,Abdominal pain,22.10,Abdominal pain upper,22.10,Diarrhoea,
22.10,,,,,

858200,Herpes zoster,22.10,Vaccination failure,22.10,,,,,
858201,Demyelinating polyneuropathy,22.10,Guillain-Barre syndrome,
22.10,Subacute inflammatory demyelinating polyneuropathy,22.10,,,,,
858202,No adverse event,23.00,Product storage error,23.00,,,,,
858203,Abdominal pain,23.00,Oropharyngeal pain,23.00,Urticaria,
23.00,Vomiting,23.00,,
858204,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
858205,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
858206,Product administered to patient of inappropriate age,
23.00,,,,,
858207,Injection site swelling,22.10,Product administered to patient
of inappropriate age,22.10,Wrong product administered,22.10,,,,,
858208,Extra dose administered,22.10,No adverse event,22.10,,,,,
858209,No adverse event,23.00,Product preparation issue,23.00,,,,,
858210,No adverse event,23.00,Product preparation error,23.00,,,,,
858211,Headache,22.10,Injection site pain,22.10,Injection site
swelling,22.10,Nausea,22.10,Neck pain,22.10
858211,Pain,22.10,Peripheral swelling,22.10,Radiculopathy,
22.10,Vaccination site inflammation,22.10,Vomiting,22.10
858212,Altered state of consciousness,22.10,Dizziness,22.10,,,,,
858213,No adverse event,23.00,Wrong product administered,23.00,,,,,
858214,Diarrhoea,22.10,Influenza like illness,22.10,Myalgia,22.10,,,,,
858215,Chills,22.10,Dizziness,22.10,Dizziness postural,22.10,Malaise,
22.10,Myalgia,22.10
858215,Pain in extremity,22.10,,,,,
858216,Headache,23.00,,,,,
858217,Asthenia,23.00,Chills,23.00,Depressed level of consciousness,
23.00,Diarrhoea,23.00,Fatigue,23.00
858217,Headache,23.00,Nausea,23.00,Pain,23.00,Pain in extremity,
23.00,Pruritus,23.00
858217,Pyrexia,23.00,,,,,
858218,Pruritus,23.00,Rash,23.00,,,,,
858227,Cerebrovascular accident,22.10,,,,,
858228,Arthralgia,22.10,Decreased appetite,22.10,Drug
hypersensitivity,22.10,Headache,22.10,Myalgia,22.10
858228,Nausea,22.10,Neuralgia,22.10,Pain,22.10,Rash,22.10,Rash
erythematous,22.10
858228,Skin warm,22.10,,,,,
858229,Mental disorder,22.10,,,,,
858231,Electromyogram,22.10,Magnetic resonance imaging,22.10,Muscular
weakness,22.10,Neuralgic amyotrophy,22.10,Pain in extremity,22.10
858233,Hyperthyroidism,22.10,Rash,22.10,Scan thyroid gland,
22.10,Swelling,22.10,Thyroid cyst,22.10
858233,Thyroiditis subacute,22.10,,,,,
858245,Inappropriate schedule of product administration,23.00,,,,,
858246,No adverse event,23.00,Product storage error,23.00,,,,,
858247,Cerebrovascular accident,22.10,Dysarthria,22.10,Muscular
weakness,22.10,,,,,

858248,Expired product administered,23.00,No adverse event,23.00,,,,,
858249,Biopsy skin,22.10,Lichen planus,22.10,Rash,22.10,Type IV
hypersensitivity reaction,22.10,,
858250,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
858251,Urticaria,22.10,,,,,
858252,Injection site discomfort,22.10,Injection site pain,
22.10,Lethargy,22.10,,,,,
858253,Erythema,22.10,Swelling,22.10,,,,,
858254,Encephalitis,22.10,,,,,
858255,Caesarean section,22.10,Exposure during pregnancy,22.10,Pre-
eclampsia,22.10,,,,,
858256,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Low birth weight baby,22.10,,
858257,Breech presentation,22.10,Caesarean section,22.10,Eclampsia,
22.10,Exposure during pregnancy,22.10,Gestational hypertension,22.10
858257,HELLP syndrome,22.10,Premature delivery,22.10,,,,,
858258,Apgar score abnormal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Low birth weight baby,22.10,Premature
baby,22.10
858259,Apgar score abnormal,22.10,Foetal exposure during pregnancy,
22.10,Shoulder dystocia,22.10,,,,,
858260,Apgar score normal,22.10,Foetal exposure during pregnancy,
22.10,,,,,
858261,Exposure during pregnancy,22.10,Pre-eclampsia,22.10,Premature
delivery,22.10,,,,,
858262,Apgar score normal,22.10,Foetal exposure during pregnancy,
22.10,Grunting,22.10,Hypoglycaemia,22.10,Intensive care,22.10
858262,Premature baby,22.10,,,,,
858263,Caesarean section,22.10,Foetal exposure during pregnancy,
22.10,Premature baby,22.10,,,,,
858264,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Low birth weight baby,22.10,Premature
baby,22.10
858264,Twin pregnancy,22.10,,,,,
858265,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Low birth weight baby,22.10,Premature
baby,22.10
858265,Twin pregnancy,22.10,,,,,
858266,Caesarean section,22.10,Exposure during pregnancy,
22.10,Hypertension,22.10,Pre-eclampsia,22.10,Premature delivery,22.10
858267,Delivery,22.10,Exposure during pregnancy,22.10,Foetal growth
restriction,22.10,,,,,
858268,Exposure during pregnancy,22.10,,,,,
858269,Immediate post-injection reaction,22.10,Injection site mass,
22.10,Injection site swelling,22.10,Mobility decreased,22.10,Pain,
22.10
858270,Gait disturbance,22.10,Pain in extremity,22.10,,,,,
858271,Injection site pain,22.10,Injection site warmth,22.10,Muscular
weakness,22.10,Pain,22.10,,

858272,Blood test,22.10,Injection site erythema,22.10,Injection site pain,22.10,Injection site swelling,22.10,Pyrexia,22.10
858272,Ultrasound scan,22.10,Weight bearing difficulty,22.10,,,,,
858273,Anti-thyroid antibody positive,22.10,Antinuclear antibody positive,22.10,Autoimmune thyroiditis,22.10,Raynaud's phenomenon, 22.10>Total complement activity increased,22.10
858274,Arthralgia,22.10,Middle insomnia,22.10,,,,,
858275,Injection site pain,22.10,Pain,22.10,,,,,
858276,Syncope,22.10,,,,,
858277,Injected limb mobility decreased,22.10,Pain in extremity, 22.10,,,,,
858278,Chills,22.10,Pain,22.10,Pain in extremity,22.10,Pyrexia,22.10,,
858279,Impaired work ability,22.10,Injection site pain,22.10,Pain, 22.10,,,,,
858280,Fatigue,22.10,Headache,22.10,Pyrexia,22.10,,,,,
858282,Extra dose administered,22.10,,,,,
858283,Body temperature increased,23.00,Chills,23.00,Erythema, 23.00,Fatigue,23.00,Headache,23.00
858283,Injection site pain,23.00,Myalgia,23.00,Pain,23.00,Pain in extremity,23.00,Pain in jaw,23.00
858284,Pruritus,22.10,Rash,22.10,Urticaria,22.10,,,,,
858285,Erythema,23.00,Injection site bruising,23.00,Injection site pain,23.00,,,,,
858286,Back pain,22.10,Blood pressure increased,22.10,Chest pain, 22.10,Gait disturbance,22.10,Gait inability,22.10
858286,Injection site pain,22.10,Muscle spasms,22.10,Pain in extremity,22.10,,,,,
858287,Blister,23.00,Chills,23.00,Erythema,23.00,Fatigue,23.00,Gastric disorder,23.00
858287,Insomnia,23.00,Nausea,23.00,Pain,23.00,Pain of skin,23.00,Rash, 23.00
858287,Skin swelling,23.00,,,,,
858288,Human papilloma virus test positive,22.10,Papilloma viral infection,22.10,,,,,
858300,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
858301,Incorrect dose administered,23.00,No adverse event,23.00,,,,,
858302,Chills,22.10,Exposure to extreme temperature,22.10,,,,,
858303,Chest X-ray,23.00,Cough,23.00,,,,,
858304,No adverse event,23.00,Product preparation issue,23.00,,,,,
858305,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain, 23.00,Myalgia,23.00
858305,Pyrexia,23.00,,,,,
858306,Fatigue,23.00,Headache,23.00,Malaise,23.00,Pyrexia, 23.00,Vaccination complication,23.00
858307,Insomnia,23.00,Musculoskeletal disorder,23.00,Pain,23.00,Pain in extremity,23.00,,
858308,Morbillivirus test positive,23.00,Polymerase chain reaction positive,23.00,Pyrexia,23.00,Rash,23.00,,
858310,Pyrexia,23.00,,,,,
858311,Erythema,22.10,Fatigue,22.10,Induration,22.10,Injection site

pain,22.10,Malaise,22.10
858311,Pain,22.10,Pallor,22.10,Pyrexia,22.10,Tenderness,22.10,,
858312,Herpes zoster,22.10,,,,,,
858313,Erythema,23.00,Fatigue,23.00,Headache,23.00,Muscle swelling,
23.00,Myosclerosis,23.00
858313,Pain,23.00,,,,,,
858314,Blood immunoglobulin G normal,23.00,Blood immunoglobulin M
increased,23.00,Pyrexia,23.00,Rash,23.00,Vaccination complication,
23.00
858315,Chills,23.00,Consciousness fluctuating,23.00,Mobility
decreased,23.00,Pain,23.00,Pyrexia,23.00
858316,Injection site erythema,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,,,,
858317,Apnoea,23.00,Cyanosis,23.00,Hypotonia,23.00,Unresponsive to
stimuli,23.00,,
858318,Chills,22.10,Feeling hot,22.10,Headache,22.10,Myalgia,
22.10,Nausea,22.10
858318,Pyrexia,22.10,,,,,,
858319,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
858320,Erythema,23.00,Peripheral swelling,23.00,Tenderness,23.00,,,,
858321,Urticaria,22.10,,,,,,
858322,Gait disturbance,23.00,Tinnitus,23.00,Weight bearing
difficulty,23.00,,,,
858323,Anti-cyclic citrullinated peptide antibody,23.00,Antibody test,
23.00,Arthralgia,23.00,Chills,23.00,Chlamydia test,23.00
858323,Full blood count,23.00,Injection site pain,23.00,Joint
swelling,23.00,Metabolic function test,23.00,Pain,23.00
858323,Pyrexia,23.00,Red blood cell sedimentation rate,
23.00,Rheumatoid factor,23.00,Urine analysis,23.00,Weight bearing
difficulty,23.00
858324,Erythema,23.00,Pruritus,23.00,,,,,
858325,Vaccination site rash,23.00,,,,,,
858326,Pyrexia,23.00,,,,,,
858328,Chills,22.10,Headache,22.10,Insomnia,22.10,Pain in extremity,
22.10,Pyrexia,22.10
858329,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
858330,Headache,22.10,Pain in extremity,22.10,Peripheral swelling,
22.10,,,,
858331,Asthenia,23.00,Body temperature increased,23.00,Chills,
23.00,Tremor,23.00,,
858332,Erythema,23.00,Headache,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,Skin warm,23.00
858334,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
858335,Muscle twitching,22.10,Syringe issue,22.10,,,,,
858336,Chills,22.10,Fatigue,22.10,Headache,22.10,Pain,22.10,Peripheral
coldness,22.10
858336,Pyrexia,22.10,,,,,,

858337, Erythema, 23.00, Swelling, 23.00, Swelling face, 23.00, Urticaria, 23.00,,
858338, Chills, 22.10, Headache, 22.10, Myalgia, 22.10, Pyrexia, 22.10, Tremor, 22.10
858339, Syncope, 22.10,,,,,,
858340, Injected limb mobility decreased, 23.00, Injection site erythema, 23.00, Vaccination site pain, 23.00, Vaccination site swelling, 23.00, Vaccination site warmth, 23.00
858341, Rash, 22.10, Rash erythematous, 22.10, Rash pruritic, 22.10, Skin discomfort, 22.10,,
858342, Syncope, 22.10,,,,,,
858343, Feeling abnormal, 22.10, Headache, 22.10, Nausea, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10
858343, Tenderness, 22.10,,,,,,
858344, Injected limb mobility decreased, 22.10, Injection site pain, 22.10,,,,,
858345, Dyspnoea, 22.10, Feeling hot, 22.10, Vaccination complication, 22.10,,,,
858346, Neoplasm malignant, 22.10, Pain in extremity, 22.10, Surgery, 22.10, Vaccination site mass, 22.10,,
858347, Fatigue, 23.00, Nausea, 23.00, Vomiting, 23.00,,,,
858348, Injected limb mobility decreased, 22.10, Injection site pain, 22.10,,,,,
858349, Arthralgia, 23.00, Axillary pain, 23.00, Back pain, 23.00, Chills, 23.00, Dysstasia, 23.00
858349, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Insomnia, 23.00, Nausea, 23.00
858349, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Tremor, 23.00, Vaccination site pain, 23.00
858350, Bacterial test positive, 22.10, Balance disorder, 22.10, Canalith repositioning procedure, 22.10, Chest X-ray, 22.10, Electrocardiogram, 22.10
858350, Eye movement disorder, 22.10, Gait disturbance, 22.10, Headache, 22.10, Magnetic resonance imaging brain, 22.10, Magnetic resonance imaging neck, 22.10
858350, Nystagmus, 22.10, Romberg test positive, 22.10, Vision blurred, 22.10, Visual impairment, 22.10, Vomiting, 22.10
858350, Walking aid user, 22.10,,,,,,
858351, Peripheral swelling, 22.10, Skin warm, 22.10, Tenderness, 22.10,,,,
858352, Arthralgia, 22.10, Back pain, 22.10, Fatigue, 22.10, Headache, 22.10,,
858353, Body temperature increased, 22.10, Chills, 22.10, Feeling hot, 22.10,,,,
858357, Incomplete course of vaccination, 22.10,,,,,,
858358, No adverse event, 22.10, Product storage error, 22.10,,,,,
858359, Exposure via eye contact, 23.00, No adverse event, 23.00,,,,,
858360, Product storage error, 23.00,,,,,,
858361, No adverse event, 23.00, Product storage error, 23.00,,,,,
858362, Abdominal discomfort, 22.10, Injection site pain, 22.10,,,,,
858363, Chills, 22.10, Feeling cold, 22.10, Pain, 22.10,,,,
858364, No adverse event, 22.10, Product administered to patient of

inappropriate age,22.10,,,,,
858365,Anal incontinence,22.10,Aphonia,22.10,Aspiration,22.10,Bilevel
positive airway pressure,22.10,Choking,22.10
858365,Electromyogram,22.10,Fall,22.10,Fine motor skill dysfunction,
22.10,Gait disturbance,22.10,Gait inability,22.10
858365,Gastrointestinal tube insertion,22.10,Guillain-Barre syndrome,
22.10,Heart rate increased,22.10,Hyperhidrosis,22.10,Immunoglobulin
therapy,22.10
858365,Loss of personal independence in daily activities,22.10,Lumbar
puncture,22.10,Mobility decreased,22.10,Muscle atrophy,22.10,Muscular
weakness,22.10
858365,Nerve conduction studies,22.10,Palpitations,22.10,Paraesthesia,
22.10,Peripheral swelling,22.10,Pneumonia,22.10
858365,Sensory disturbance,22.10,Urinary retention,22.10,Visual
impairment,22.10,Walking aid user,22.10,Weight decreased,22.10
858365,Wheelchair user,22.10,,,,,
858366,Pallor,22.10,Slow response to stimuli,22.10,Somnolence,
22.10,Visual impairment,22.10,,
858367,Blister,23.00,Erythema,23.00,Herpes simplex,23.00,Pain,
23.00,Pruritus,23.00
858368,Hypoesthesia oral,22.10,Paraesthesia oral,22.10,,,,,
858369,Injection site bruising,22.10,Joint manipulation,
22.10,Musculoskeletal pain,22.10,,,,
858370,No adverse event,22.10,Wrong product administered,22.10,,,,,
858371,Body temperature increased,23.00,Chills,23.00,Headache,
23.00,Influenza like illness,23.00,Influenza virus test negative,23.00
858371,Middle insomnia,23.00,Pain,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Tenderness,23.00
858372,Swelling face,22.10,Syncope,22.10,,,,,
858373,Arthralgia,23.00,Chills,23.00,Feeling cold,23.00,Insomnia,
23.00,Joint stiffness,23.00
858373,Musculoskeletal stiffness,23.00,Myalgia,23.00,,,,,
858378,No adverse event,23.00,Product storage error,23.00,,,,,
858379,Renal transplant,23.00,,,,,
858380,Muscle spasms,22.10,Pain,22.10,,,,,
858381,Dyspnoea,22.10,Muscle spasms,22.10,Myalgia,22.10,Post herpetic
neuralgia,22.10,,
858382,Blood test normal,22.10,Computerised tomogram normal,
22.10,Diarrhoea,22.10,Flatulence,22.10,Laboratory test,22.10
858382,Pancreatic failure,22.10,Stool analysis normal,22.10,X-ray,
22.10,,,,,
858383,Anaphylactic reaction,23.00,Dairy intolerance,23.00,Ear
pruritus,23.00,Rash,23.00,Urticaria,23.00
858383,Vomiting,23.00,,,,,
858384,Syncope,22.10,,,,,
858385,Arthralgia,22.10,Chills,22.10,Fatigue,22.10,Injection site
erythema,22.10,Myalgia,22.10
858386,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
858387,Hypotension,23.00,Loss of consciousness,23.00,,,,,

858388,Immunisation,23.00,No adverse event,23.00,Product preparation issue,23.00,,,,,
858389,Muscular weakness,22.10,Pain,22.10,Pain in extremity,22.10,Product administered at inappropriate site,22.10,,
858390,Erythema,23.00,Mobility decreased,23.00,Peripheral swelling,23.00,,,,,
858391,Product administered to patient of inappropriate age,22.10,,,,,,
858392,Erythema,23.00,Peripheral swelling,23.00,,,,,,
858393,No adverse event,23.00,Product preparation issue,23.00,,,,,,
858406,Alopecia,22.10,Condition aggravated,22.10,Feeling abnormal,22.10,Pain in extremity,22.10,,
858407,Herpes zoster,22.10,,,,,,
858408,Pruritus,22.10,,,,,,
858409,Chills,22.10,,,,,,
858410,Chills,22.10,Influenza like illness,22.10,,,,,
858411,Headache,22.10,Pyrexia,22.10,,,,,
858412,Fatigue,22.10,Injection site induration,22.10,Injection site pain,22.10,,,,,
858413,Dysstasia,22.10,Electromyogram,22.10,Fall,22.10,Hypersensitivity,22.10,Loss of control of legs,22.10
858413,Muscular weakness,22.10,Pain in extremity,22.10,Paraesthesia,22.10,Peripheral swelling,22.10,,
858414,Influenza,22.10,Intensive care,22.10,Vaccination failure,22.10,,,,,
858415,Extra dose administered,23.00,No adverse event,23.00,,,,,,
858416,Arthralgia,23.00,,,,,,
858417,Extra dose administered,22.10,No adverse event,22.10,,,,,,
858418,Expired product administered,23.00,No adverse event,23.00,,,,,,
858419,Expired product administered,23.00,No adverse event,23.00,,,,,,
858420,Exposure during pregnancy,22.10,Foetal disorder,22.10,Foetal gastrointestinal tract imaging abnormal,22.10,,,,,
858421,Wrong product administered,23.00,,,,,,
858422,Abdominal discomfort,22.10,Chills,22.10,Diarrhoea,22.10,Fatigue,22.10,Injection site pain,22.10
858422,Myalgia,22.10,Nausea,22.10,Pyrexia,22.10,,,,,
858423,Inappropriate schedule of product administration,23.00,No adverse event,23.00,,,,,
858424,Febrile convulsion,22.10,Gaze palsy,22.10,Influenza virus test,22.10,Polymerase chain reaction,22.10,Pyrexia,22.10
858424,Rash erythematous,22.10,Rash macular,22.10,Respiratory syncytial virus test negative,22.10,Tremor,22.10,,
858425,Chills,23.00,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00
858425,Pyrexia,23.00,Vertigo,23.00,,,,,,
858426,Axillary pain,22.10,Chest pain,22.10,Swelling,22.10,,,,,
858428,Balance disorder,22.10,Dizziness,22.10,Ear discomfort,22.10,Nausea,22.10,Vertigo positional,22.10
858428,Vomiting,22.10,,,,,,
858429,Blood test normal,23.00,Diarrhoea,23.00,Stool analysis normal,

23.00,,,,,
858430,Arthralgia,22.10,Decreased appetite,22.10,Injection site
discomfort,22.10,Injection site erythema,22.10,Injection site warmth,
22.10
858430,Malaise,22.10,Myalgia,22.10,Pyrexia,22.10,Somnolence,22.10,,
858431,Musculoskeletal stiffness,22.10,Pain in extremity,22.10,,,,,
858432,Burning sensation,22.10,Tenderness,22.10,,,,,
858433,Developmental regression,23.00,Ultrasound scan normal,
23.00,,,,,
858434,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Pain,23.00,Ultrasound scan normal,
23.00
858435,Rash,23.00,,,,,
858436,Bed sharing,22.10,Death,22.10,Unresponsive to stimuli,22.10,,,,
858438,Injection site nodule,23.00,Injection site swelling,23.00,,,,,
858442,Exposure during pregnancy,22.10,,,,,
858443,No adverse event,23.00,Product storage error,23.00,,,,,
858444,No adverse event,23.00,Product storage error,23.00,,,,,
858445,Arthralgia,23.00,Muscular weakness,23.00,Myalgia,23.00,,,,
858446,Deafness,22.10,Facial paralysis,22.10,Herpes zoster,22.10,,,,
858447,Injection site nodule,22.10,,,,,
858448,Peripheral swelling,22.10,,,,,
858449,Influenza like illness,22.10,,,,,
858450,Chills,23.00,Headache,23.00,,,,,
858451,Abnormal behaviour,23.00,Aphasia,23.00,Developmental
regression,23.00,Immediate post-injection reaction,23.00,Injury,23.00
858453,Immediate post-injection reaction,22.10,Intervertebral disc
degeneration,22.10,Magnetic resonance imaging abnormal,22.10,Pain,
22.10,,
858454,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,
858455,C-reactive protein increased,22.10,Influenza virus test
negative,22.10,Lethargy,22.10,Pyrexia,22.10,Red blood cell
sedimentation rate increased,22.10
858455,Somnolence,22.10,Urine analysis normal,22.10,Vomiting,
22.10,White blood cell count normal,22.10,,
858456,Erythema,23.00,Injection site swelling,23.00,Musculoskeletal
chest pain,23.00,,,,
858457,Injection site pain,23.00,Injection site swelling,
23.00,Pruritus,23.00,Rash,23.00,,
858458,Erythema,23.00,Peripheral swelling,23.00,,,,,
858459,Pruritus,23.00,Rash,23.00,,,,,
858460,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
858460,Pain,23.00,,,,,
858461,Chills,22.10,Dizziness,22.10,Headache,22.10,Influenza like
illness,22.10,Injection site pain,22.10
858461,Injection site swelling,22.10,Lethargy,22.10,Nausea,22.10,Pain,
22.10,,
858462,Abdominal pain upper,23.00,Nausea,23.00,Taste disorder,

23.00,Vomiting,23.00,,
858468,No adverse event,23.00,Product storage error,23.00,,,,,
858469,Bronchitis chronic,23.00,Facial bones fracture,23.00,Nasal
valve collapse,23.00,Seroconversion test negative,23.00,,
858470,Influenza,22.10,,,,,
858471,Injected limb mobility decreased,22.10,Injection site pain,
22.10,Insomnia,22.10,,,,
858472,Blister,22.10,Erythema,22.10,,,,,
858473,Colitis ulcerative,22.10,Condition aggravated,22.10,Diarrhoea
haemorrhagic,22.10,Endoscopy gastrointestinal,22.10,Endoscopy upper
gastrointestinal tract,22.10
858473,Frequent bowel movements,22.10,Laboratory test,22.10,Rectal
haemorrhage,22.10,,,,,
858474,Injection site reaction,22.10,Rash erythematous,22.10,Rash
papular,22.10,Rash pruritic,22.10,,
858475,Burning sensation,23.00,Feeling hot,23.00,Myalgia,23.00,Nausea,
23.00,Palmar-plantar erythrodysesthesia syndrome,23.00
858475,Pruritus,23.00,,,,,
858476,Contusion,23.00,Culture negative,23.00,Erythema,23.00,Oedema
peripheral,23.00,Peripheral swelling,23.00
858476,Skin warm,23.00,,,,,
858477,Amenorrhoea,23.00,Exposure during pregnancy,23.00,Foetal death,
23.00,Pregnancy test positive,23.00,Subchorionic haemorrhage,23.00
858477,Ultrasound antenatal screen abnormal,23.00,Vaginal haemorrhage,
23.00,,,,,
858478,Rash,23.00,Skin warm,23.00,,,,,
858479,Hypoaesthesia,23.00,Injection site erythema,23.00,Injection
site swelling,23.00,Paraesthesia,23.00,,
858480,Chills,23.00,Dysaesthesia,23.00,Neurological examination
normal,23.00,Pain,23.00,Paraesthesia,23.00
858481,Hypersensitivity,22.10,Injection site bruising,22.10,Injection
site erythema,22.10,Injection site pain,22.10,Injection site pruritus,
22.10
858481,Injection site rash,22.10,,,,,
858482,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Gingival swelling,
23.00,Headache,23.00
858482,Nausea,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,Tongue blistering,23.00
858483,Pruritus,22.10,Rash,22.10,Rash erythematous,22.10,,,,
858484,Injection site pain,23.00,,,,,
858485,Chills,22.10,Cough,22.10,Fatigue,22.10,Influenza like illness,
22.10,Pain,22.10
858485,Urticaria,22.10,Wheezing,22.10,,,,,
858486,Fatigue,22.10,Pain,22.10,Pyrexia,22.10,,,,
858487,Rash maculo-papular,23.00,,,,,
858488,Rash,23.00,Rash vesicular,23.00,Scab,23.00,Skin lesion,23.00,,
858489,Blood test,22.10,Injected limb mobility decreased,
22.10,Injection site swelling,22.10,Tension,22.10,,
858490,Injection site erythema,22.10,Injection site pruritus,
22.10,Vaccination site inflammation,22.10,Vaccination site pain,

22.10,Vaccination site swelling,22.10
858490,Vaccination site warmth,22.10,,,,,,,
858492,Abdominal pain,22.10,Back pain,22.10,Blood pressure increased,
22.10,Chest X-ray,22.10,Computerised tomogram kidney abnormal,22.10
858492,Electrocardiogram normal,22.10,Nausea,22.10,Pain,22.10,Pyrexia,
22.10,Renal infarct,22.10
858492,Scan with contrast abnormal,22.10,,,,,,,
858493,Differential white blood cell count normal,22.10,Full blood
count normal,22.10,Periorbital swelling,22.10,Rash,22.10,,
858494,Hypersensitivity,23.00,Injection site erythema,23.00,Injection
site pruritus,23.00,,,,,
858495,Injection site erythema,22.10,Injection site pain,22.10,Rash
macular,22.10,,,,,
858496,Pain,22.10,Pain in extremity,22.10,,,,,,,
858497,Arthralgia,23.00,Axillary pain,23.00,Cellulitis,23.00,Chest
discomfort,23.00,Chest pain,23.00
858497,Drug reaction with eosinophilia and systemic symptoms,
23.00,Dyspnoea,23.00,Fatigue,23.00,Headache,23.00,Injection site
erythema,23.00
858497,Injection site hypersensitivity,23.00,Injection site
induration,23.00,Injection site pain,23.00,Injection site streaking,
23.00,Injection site swelling,23.00
858497,Injection site warmth,23.00,Myalgia,23.00,Pain,23.00,Pain in
extremity,23.00,Radiculopathy,23.00
858497,Tenderness,23.00,Tinnitus,23.00,,,,,,,
858498,Headache,22.10,Loss of personal independence in daily
activities,22.10,Magnetic resonance imaging brain normal,22.10,,,,,
858499,Rash erythematous,22.10,Rash pruritic,22.10,,,,,,,
858500,Injection site pruritus,22.10,Vaccination complication,
22.10,Vaccination site erythema,22.10,Vaccination site pain,
22.10,Vaccination site warmth,22.10
858501,Blood creatine phosphokinase increased,22.10,Blood creatinine
normal,22.10,Blood urea normal,22.10,Full blood count normal,
22.10,Hypoaesthesia,22.10
858501,Injected limb mobility decreased,22.10,Injection site pain,
22.10,Metabolic function test normal,22.10,Pain,22.10,Paraesthesia,
22.10
858502,Blood test normal,22.10,Electrocardiogram normal,22.10,Pain in
extremity,22.10,Pyrexia,22.10,Tremor,22.10
858502,Urine analysis normal,22.10,Vomiting,22.10,,,,,,,
858503,Pain in extremity,23.00,Skin warm,23.00,Tenderness,23.00,,,,,
858504,Abdominal pain upper,22.10,Chills,22.10,Decreased appetite,
22.10,Headache,22.10,Insomnia,22.10
858504,Limb discomfort,22.10,Nausea,22.10,Pain in extremity,
22.10,Pyrexia,22.10,,
858505,Headache,23.00,Musculoskeletal chest pain,23.00,Vomiting,
23.00,,,,,
858506,Chest pain,22.10,Dizziness,22.10,Dyspepsia,22.10,Fatigue,
22.10,Headache,22.10
858506,Pruritus,22.10,,,,,,,

858507,Herpes zoster,22.10,,,,,
858508,Osteomyelitis,22.10,,,,,
858510,Chills,22.10,Pain,22.10,Pyrexia,22.10,,,
858511,No adverse event,23.00,,,,,
858512,Chills,22.10,Fatigue,22.10,Influenza like illness,
22.10,Injection site reaction,22.10,Pain,22.10
858512,Pain in extremity,22.10,Rash erythematous,22.10,,,,,
858513,Arthralgia,23.00,Injected limb mobility decreased,
23.00,Injection site erythema,23.00,Injection site infection,
23.00,Injection site swelling,23.00
858514,Asthenia,22.10,Chest discomfort,22.10,Constipation,
22.10,Dyspnoea,22.10,Fatigue,22.10
858514,Headache,22.10,Herpes zoster,22.10,Insomnia,22.10,Lethargy,
22.10,Tension headache,22.10
858515,Injection site pain,22.10,Pain in extremity,22.10,,,,,
858516,Injection site erythema,23.00,Injection site induration,
23.00,Injection site mass,23.00,Pain,23.00,Pain in extremity,23.00
858517,Amnesia,22.10,Seizure,22.10,,,,,
858518,Fatigue,22.10,Feeling of body temperature change,
22.10,Headache,22.10,Influenza like illness,22.10,Nausea,22.10
858518,Pain,22.10,Peripheral swelling,22.10,,,,,
858519,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
858526,Accidental exposure to product,23.00,Anxiety,23.00,Circumstance
or information capable of leading to medication error,23.00,,,
858527,Extra dose administered,23.00,,,,,
858528,Product storage error,23.00,,,,,
858529,Herpes zoster,22.10,Pain,22.10,Rash,22.10,,,
858530,Computerised tomogram normal,22.10,Electroencephalogram
abnormal,22.10,Magnetic resonance imaging normal,22.10,Seizure,22.10,,
858531,No adverse event,23.00,Product storage error,23.00,,,,,
858532,No adverse event,23.00,Product storage error,23.00,,,,,
858533,No adverse event,23.00,Product storage error,23.00,,,,,
858534,No adverse event,23.00,Product storage error,23.00,,,,,
858535,No adverse event,23.00,Product storage error,23.00,,,,,
858536,No adverse event,23.00,Product storage error,23.00,,,,,
858537,No adverse event,23.00,Product storage error,23.00,,,,,
858538,No adverse event,23.00,Product storage error,23.00,,,,,
858539,No adverse event,23.00,Product storage error,23.00,,,,,
858540,No adverse event,23.00,Product storage error,23.00,,,,,
858541,No adverse event,23.00,Product storage error,23.00,,,,,
858542,No adverse event,23.00,Product storage error,23.00,,,,,
858543,No adverse event,23.00,Product storage error,23.00,,,,,
858544,No adverse event,23.00,Product storage error,23.00,,,,,
858545,No adverse event,23.00,Product storage error,23.00,,,,,
858546,No adverse event,23.00,Product storage error,23.00,,,,,
858547,Injection site pain,23.00,Injection site reaction,
23.00,Muscular weakness,23.00,,,,,
858548,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,

858549, Deafness, 22.10, , , , , , , , , , ,
858550, Balance disorder, 22.10, Deafness, 22.10, Immediate post-injection
reaction, 22.10, Surgery, 22.10, Tinnitus, 22.10
858551, Abdominal discomfort, 22.10, Arthralgia, 22.10, Back pain,
22.10, Chills, 22.10, Headache, 22.10
858551, Immediate post-injection reaction, 22.10, Injection site pain,
22.10, Tinnitus, 22.10, , , , ,
858552, Urticaria, 22.10, , , , , , , , , , ,
858553, Myalgia, 22.10, Swelling, 22.10, , , , , , ,
858554, Knee arthroplasty, 22.10, , , , , , , , , , ,
858555, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , , , , , ,
858556, Blood test normal, 23.00, Chills, 23.00, Headache, 23.00, Malaise,
23.00, Nausea, 23.00
858556, Pyrexia, 23.00, , , , , , , , , , ,
858557, Immunisation, 23.00, Incorrect route of product administration,
23.00, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site warmth, 23.00
858557, Local reaction, 23.00, Wrong product administered, 23.00, , , , , , ,
858558, Arthralgia, 22.10, , , , , , , , , , ,
858559, Decreased appetite, 22.10, Feeling abnormal, 22.10, Injection site
pain, 22.10, Pyrexia, 22.10, , ,
858560, Injected limb mobility decreased, 22.10, Injection site nerve
damage, 22.10, Injection site pain, 22.10, Middle insomnia, 22.10, Product
administered at inappropriate site, 22.10
858562, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
858563, Erythema, 22.10, Extensive swelling of vaccinated limb,
22.10, Pain, 22.10, Pruritus, 22.10, , ,
858564, Chills, 22.10, Fatigue, 22.10, Immediate post-injection reaction,
22.10, Influenza like illness, 22.10, Injection site pain, 22.10
858564, Pain, 22.10, , , , , , , , , , ,
858566, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, , , , , , ,
858567, Chills, 23.00, Malaise, 23.00, Skin warm, 23.00, Tremor, 23.00, , ,
858568, Pyrexia, 23.00, , , , , , , , , , ,
858569, Product administered to patient of inappropriate age,
22.10, , , , , , , , , , , ,
858570, Erythema, 23.00, Pain, 23.00, Pruritus, 23.00, Swelling, 23.00, , ,
858571, Erythema, 23.00, Muscle tightness, 23.00, , , , , , , ,
858572, Decreased appetite, 23.00, Frequent bowel movements,
23.00, Haematochezia, 23.00, Mucous stools, 23.00, Skin test negative, 23.00
858572, Ultrasound abdomen normal, 23.00, , , , , , , , , , ,
858573, Computerised tomogram head, 22.10, Dizziness, 22.10, Face injury,
22.10, Fall, 22.10, Head injury, 22.10
858573, Headache, 22.10, Injection site reaction, 22.10, Lip injury,
22.10, Loss of consciousness, 22.10, Skin abrasion, 22.10
858573, X-ray limb, 22.10, , , , , , , , , , ,
858574, Dyspnoea, 23.00, Injection site pruritus, 23.00, Pruritus,
23.00, Urticaria, 23.00, , ,
858575, Abdominal pain upper, 22.10, Chills, 22.10, Fatigue, 22.10, Headache,

22.10,Injection site pain,22.10
858575,Myalgia,22.10,,,,,
858576,Asthenia,23.00,Chills,23.00,Headache,23.00,Pain,23.00,Syncope,
23.00
858576,Vomiting,23.00,,,,,
858577,Blood test normal,23.00,Laboratory test normal,23.00,Myalgia,
23.00,Pain in extremity,23.00,Scan normal,23.00
858578,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,
858584,No adverse event,23.00,Product storage error,23.00,,,,,
858585,No adverse event,23.00,Product storage error,23.00,,,,,
858586,No adverse event,23.00,Product storage error,23.00,,,,,
858587,Herpes zoster,22.10,Iritis,22.10,Ophthalmic herpes zoster,
22.10,Pain,22.10,Rash,22.10
858588,Dizziness,22.10,Nausea,22.10,,,,,
858589,Dizziness,22.10,Nausea,22.10,,,,,
858590,Headache,22.10,Pain,22.10,,,,,
858591,Erythema,22.10,Swelling,22.10,,,,,
858592,Influenza,22.10,Vaccination failure,22.10,Vaccine positive
rechallenge,22.10,,,,
858593,Injection site papule,22.10,Injection site pruritus,
22.10,Injection site rash,22.10,,,,
858594,Adverse reaction,22.10,Somnolence,22.10,,,,,
858595,Adenovirus infection,22.10,Adenovirus test positive,
22.10,Corona virus infection,22.10,Coronavirus test positive,
22.10,Cough,22.10
858595,Culture,22.10,Decreased appetite,22.10,Dehydration,
22.10,Foaming at mouth,22.10,Human metapneumovirus test positive,22.10
858595,Injection site rash,22.10,Metapneumovirus infection,
22.10,Pyrexia,22.10,Rash,22.10,Rhinorrhoea,22.10
858595,Screaming,22.10,Sleep disorder,22.10,Somnolence,22.10,X-ray
normal,22.10,,
858596,Contusion,22.10,,,,,
858597,Incomplete course of vaccination,22.10,Injection site pain,
22.10,Injection site swelling,22.10,,,,
858598,Herpes zoster,22.10,,,,,
858599,Anaphylactic reaction,22.10,,,,,
858600,Injection site pain,22.10,Injection site swelling,22.10,Pain in
extremity,22.10,Peripheral swelling,22.10,,
858601,No adverse event,23.00,Wrong product administered,23.00,,,,,
858602,Asthenia,22.10,Injection site mass,22.10,Injection site pain,
22.10,Injection site warmth,22.10,Magnetic resonance imaging normal,
22.10
858602,Mass,22.10,Night sweats,22.10,Pain in extremity,22.10,Skin
warm,22.10,Ultrasound scan,22.10
858602,X-ray normal,22.10,,,,,
858603,Fatigue,22.10,Headache,22.10,Injection site bruising,
22.10,Injection site erythema,22.10,Injection site induration,22.10
858603,Injection site mass,22.10,Injection site pain,22.10,Injection
site swelling,22.10,,,,

858604, Chills, 22.10, Nausea, 22.10, Pain, 22.10, Pyrexia, 22.10, ,
858605, Injection site pain, 23.00, Pyrexia, 23.00, , , , , , ,
858606, Injection site inflammation, 23.00, Injection site reaction,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Skin
tightness, 23.00
858607, Pyrexia, 23.00, , , , , , , , ,
858608, Abdominal pain upper, 22.10, Chills, 22.10, Decreased appetite,
22.10, Fatigue, 22.10, Headache, 22.10
858608, Injection site pain, 22.10, Pain, 22.10, Pain in extremity,
22.10, , , , ,
858609, Chills, 22.10, Influenza like illness, 22.10, Muscle spasms,
22.10, Nausea, 22.10, Pain, 22.10
858609, Pyrexia, 22.10, , , , , , , , ,
858610, Injection site pain, 22.10, , , , , , , , ,
858611, Asthenia, 22.10, Chills, 22.10, Dizziness, 22.10, Influenza like
illness, 22.10, Muscle spasms, 22.10
858611, Myalgia, 22.10, Pyrexia, 22.10, , , , , , , , ,
858612, Chills, 22.10, Fatigue, 22.10, Pain, 22.10, Pyrexia, 22.10, , ,
858613, Chills, 22.10, Headache, 22.10, Nausea, 22.10, Oropharyngeal
discomfort, 22.10, Peripheral coldness, 22.10
858613, Pruritus, 22.10, Salivary hypersecretion, 22.10, Throat irritation,
22.10, Urticaria, 22.10, , ,
858614, Eyelid rash, 22.10, Rash, 22.10, , , , , , , , ,
858615, Abdominal discomfort, 22.10, Abdominal pain, 22.10, Blood test,
22.10, Capsule endoscopy, 22.10, Colonoscopy, 22.10
858615, Constipation, 22.10, Crohn's disease, 22.10, Endoscopy,
22.10, Gastrointestinal disorder, 22.10, Magnetic resonance imaging, 22.10
858615, Scan with contrast, 22.10, Sensation of foreign body, 22.10, Stool
analysis, 22.10, , , , , ,
858617, Acute respiratory distress syndrome, 22.10, Acute respiratory
failure, 22.10, Blood albumin decreased, 22.10, Blood culture positive,
22.10, Bronchoalveolar lavage abnormal, 22.10
858617, Bronchospasm, 22.10, CD4 lymphocytes normal, 22.10, CD8 lymphocytes
decreased, 22.10, Candida infection, 22.10, Chest X-ray abnormal, 22.10
858617, Complement factor normal, 22.10, Culture urine positive,
22.10, Death, 22.10, Dysphagia, 22.10, Dyspnoea, 22.10
858617, Endotracheal intubation, 22.10, Grunting, 22.10, Hypotonia,
22.10, Irritability, 22.10, Lung infiltration, 22.10
858617, Lung opacity, 22.10, Mechanical ventilation, 22.10, Multiple organ
dysfunction syndrome, 22.10, Muscular weakness, 22.10, Neutrophil count
increased, 22.10
858617, Pneumonia viral, 22.10, Pneumothorax, 22.10, Polymerase chain
reaction positive, 22.10, Pseudomonas infection, 22.10, Pseudomonas test
positive, 22.10
858617, Pulmonary oedema, 22.10, Pyrexia, 22.10, Rash maculo-papular,
22.10, Rash vesicular, 22.10, Respiratory disorder, 22.10
858617, Respiratory distress, 22.10, Scab, 22.10, Sepsis, 22.10, Skin lesion,
22.10, Stridor, 22.10
858617, T-lymphocyte count decreased, 22.10, Tachypnoea, 22.10, Upper
respiratory tract infection, 22.10, Use of accessory respiratory

muscles,22.10,Varicella virus test positive,22.10
858617,Varicella zoster virus infection,22.10,White blood cell count normal,22.10,,,,,
858618,Expired product administered,23.00,No adverse event,23.00,,,,,
858619,Extra dose administered,23.00,No adverse event,23.00,Wrong product administered,23.00,,,,,
858620,Arthralgia,22.10,Dyspnoea,22.10,Herpes zoster,22.10,Pain of skin,22.10,Pneumonia,22.10
858620,Post herpetic neuralgia,22.10,Productive cough,22.10,Rash,22.10,Skin lesion,22.10,,
858621,No adverse event,23.00,Underdose,23.00,,,,,
858622,No adverse event,23.00,Product storage error,23.00,,,,,
858623,No adverse event,23.00,Product storage error,23.00,,,,,
858624,Burning sensation,22.10,Herpes zoster,22.10,Pain,22.10,Pruritus,22.10,Rash,22.10
858624,Trigeminal neuralgia,22.10,,,,,
858625,Inappropriate schedule of product administration,22.10,Rash,22.10,Rash erythematous,22.10,,,,,
858627,No adverse event,23.00,Product administered at inappropriate site,23.00,,,,,
858628,Extra dose administered,23.00,No adverse event,23.00,,,,,
858629,No adverse event,22.10,Product administered to patient of inappropriate age,22.10,,,,,
858630,Chest discomfort,23.00,Headache,23.00,Throat tightness,23.00,,,,,
858631,Inappropriate schedule of product administration,22.10,No adverse event,22.10,,,,,
858632,Injection site erythema,23.00,Injection site pruritus,23.00,Rash,23.00,Urticaria,23.00,,
858633,Asthenia,22.10,Chills,22.10,Dizziness,22.10,Headache,22.10,Pain,22.10
858633,Pain in extremity,22.10,Pyrexia,22.10,,,,,
858634,Burning sensation,22.10,Pruritus,22.10,Rash,22.10,,,,,
858635,Injection site pain,22.10,Myalgia,22.10,Rotator cuff syndrome,22.10,,,,,
858636,Asthenia,23.00,Feeling abnormal,23.00,Pyrexia,23.00,,,,,
858638,Incorrect route of product administration,23.00,No adverse event,23.00,,,,,
858639,No adverse event,23.00,Product storage error,23.00,,,,,
858640,No adverse event,23.00,Product storage error,23.00,,,,,
858641,No adverse event,23.00,Product storage error,23.00,,,,,
858642,No adverse event,23.00,Product storage error,23.00,,,,,
858643,Blisters,23.00,Depression,23.00,Discomfort,23.00,Pruritus,23.00,Rash,23.00
858643,Skin reaction,23.00,,,,,
858644,Cataract operation,23.00,Eye inflammation,23.00,Hypoaesthesia,23.00,Injected limb mobility decreased,23.00,Macular oedema,23.00
858644,Pain in extremity,23.00,Vision blurred,23.00,,,,,
858645,Posture abnormal,22.10,Rotator cuff syndrome,22.10,,,,,
858646,Tinnitus,22.10,,,,,

858647,Contusion,22.10,Mobility decreased,22.10,Pain in extremity,
22.10,X-ray limb,22.10,,
858648,Erythema,22.10,Injection site erythema,22.10,Pain in extremity,
22.10,,,,,
858649,Influenza like illness,22.10,,,,,,
858650,Back pain,22.10,Erythema,22.10,Fatigue,22.10,Peripheral
swelling,22.10,,
858651,Erythema,23.00,Swelling,23.00,,,,,
858652,Pain in extremity,22.10,,,,,,
858653,Erythema,23.00,Feeling hot,23.00,Tenderness,23.00,,,,,
858654,Erythema,23.00,Pruritus,23.00,Skin warm,23.00,Swelling,23.00,,
858655,Blood glucose decreased,22.10,Crying,22.10,Headache,
22.10,Pallor,22.10,Tremor,22.10
858656,Erythema,22.10,Skin warm,22.10,Swelling,22.10,,,,,
858657,Extra dose administered,22.10,,,,,,
858658,Expired product administered,23.00,,,,,,
858659,Hypoaesthesia,22.10,Mental impairment,22.10,Migraine,
22.10,Pain,22.10,Pain in extremity,22.10
858659,Speech disorder,22.10,,,,,,
858660,Erythema,22.10,Nodule,22.10,Pain,22.10,Skin warm,22.10,,
858661,Injection site inflammation,23.00,Injection site pruritus,
23.00,Injection site vesicles,23.00,,,,,
858662,Expired product administered,23.00,No adverse event,23.00,,,,,
858663,Injected limb mobility decreased,22.10,Injection site pain,
22.10,Mobility decreased,22.10,Musculoskeletal pain,22.10,,
858664,Dizziness,22.10,Gait disturbance,22.10,Headache,22.10,Nausea,
22.10,,
858665,Mobility decreased,22.10,Musculoskeletal pain,22.10,,,,,
858666,Magnetic resonance imaging,22.10,Mobility decreased,
22.10,Musculoskeletal stiffness,22.10,Pain,22.10,X-ray,22.10
858667,Injection site erythema,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site warmth,23.00,,
858668,Pruritus,22.10,Urticaria,22.10,,,,,
858669,Blood creatine phosphokinase normal,23.00,C-reactive protein
increased,23.00,Full blood count,23.00,Pain,23.00,Pain in extremity,
23.00
858669,White blood cell count increased,23.00,,,,,,
858670,Abdominal pain upper,22.10,Chills,22.10,Headache,22.10,Pyrexia,
22.10,Vision blurred,22.10
858671,Cough,23.00,Delirium,23.00,Influenza virus test negative,
23.00,Oropharyngeal pain,23.00,Pharyngeal erythema,23.00
858671,Pyrexia,23.00,Rash,23.00,Rash erythematous,23.00,Rhinorrhoea,
23.00,Streptococcus test negative,23.00
858672,Chills,22.10,Fatigue,22.10,Influenza like illness,22.10,Pain,
22.10,Pain in extremity,22.10
858672,Pyrexia,22.10,,,,,,
858673,Blindness transient,22.10,Hallucination,22.10,Mobility
decreased,22.10,Muscle tightness,22.10,Mydriasis,22.10
858673,Pain,22.10,Seizure,22.10,Viral infection,22.10,,,,,
858688,Contusion,22.10,Dizziness,22.10,Erythema,22.10,Fall,

22.10,Immediate post-injection reaction,22.10
858688,Nasal injury,22.10,Seizure like phenomena,22.10,Syncope,
22.10,Tonic clonic movements,22.10,,
858689,No adverse event,23.00,Product storage error,23.00,,,,,
858690,Transient ischaemic attack,22.10,,,,,
858691,Asthenia,22.10,Coma,22.10,Fatigue,22.10,Heart injury,
22.10,Hypoxia,22.10
858691,Infection,22.10,Intensive care,22.10,Pyrexia,22.10,Rash,
22.10,Respiratory distress,22.10
858691,Respiratory failure,22.10,Skin lesion,22.10,,,,,
858692,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
858693,Arthralgia,23.00,,,,,
858694,No adverse event,23.00,Product storage error,23.00,,,,,
858695,No adverse event,23.00,Product storage error,23.00,,,,,
858696,No adverse event,23.00,Product storage error,23.00,,,,,
858697,No adverse event,23.00,Product storage error,23.00,,,,,
858698,No adverse event,23.00,Product storage error,23.00,,,,,
858699,No adverse event,23.00,Product storage error,23.00,,,,,
858700,No adverse event,23.00,Product storage error,23.00,,,,,
858701,No adverse event,23.00,Product storage error,23.00,,,,,
858702,No adverse event,23.00,Product storage error,23.00,,,,,
858703,No adverse event,23.00,Product storage error,23.00,,,,,
858704,No adverse event,23.00,Product storage error,23.00,,,,,
858705,No adverse event,23.00,Product storage error,23.00,,,,,
858706,No adverse event,23.00,Product storage error,23.00,,,,,
858707,No adverse event,23.00,Product storage error,23.00,,,,,
858708,No adverse event,23.00,Product storage error,23.00,,,,,
858709,No adverse event,23.00,Product storage error,23.00,,,,,
858710,Pneumonia,22.10,Traumatic lung injury,22.10,,,,,
858711,Asthenia,22.10,Herpes zoster,22.10,Nerve injury,22.10,Pain,
22.10,Post herpetic neuralgia,22.10
858711,Pruritus,22.10,,,,,
858712,Chest pain,22.10,Dyspnoea,22.10,Pneumonia,22.10,Pyrexia,22.10,,
858713,Expired product administered,23.00,No adverse event,23.00,,,,,
858714,Asthenia,22.10,Cerebrovascular accident,22.10,Herpes zoster,
22.10,,,,,
858715,Asthenia,22.10,Herpes zoster,22.10,Pain,22.10,Vocal cord
paralysis,22.10,,
858716,Asthenia,22.10,Herpes zoster,22.10,Pain,22.10,Post herpetic
neuralgia,22.10,,
858717,Crying,22.10,,,,,
858718,Chest discomfort,22.10,Dyspnoea,22.10,,,,,
858719,Herpes zoster,22.10,,,,,
858720,Malaise,22.10,,,,,
858721,Musculoskeletal stiffness,22.10,,,,,
858722,Injection site erythema,22.10,,,,,
858723,Rash,22.10,Rash erythematous,22.10,,,,,
858724,Pruritus,22.10,Rash,22.10,,,,,
858725,Injection site pain,22.10,Injection site swelling,22.10,,,,,

858726, Malaise, 22.10, , , , , , , , ,
858729, Chronic inflammatory demyelinating polyradiculoneuropathy,
22.10, Guillain-Barre syndrome, 22.10, Paralysis, 22.10, , , , ,
858730, Injection site erythema, 23.00, Vaccination site pain,
23.00, Vaccination site warmth, 23.00, , , , , ,
858731, Asthenia, 23.00, Chills, 23.00, Headache, 23.00, Malaise,
23.00, Mobility decreased, 23.00
858731, Nausea, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , ,
858732, Balance disorder, 22.10, Dizziness, 22.10, Fear, 22.10, Nervousness,
22.10, , ,
858733, Body temperature increased, 22.10, Chills, 22.10, Headache,
22.10, Influenza virus test, 22.10, Pain, 22.10
858734, Erythema, 23.00, Inflammation, 23.00, Pain, 23.00, Pruritus,
23.00, Skin warm, 23.00
858735, Full blood count normal, 22.10, Hypoaesthesia, 22.10, Metabolic
function test normal, 22.10, Paraesthesia, 22.10, Urine analysis normal,
22.10
858736, Injection site pain, 22.10, Joint noise, 22.10, Pain,
22.10, Peripheral swelling, 22.10, Sleep disorder, 22.10
858742, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
858743, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
858744, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
858745, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
858746, Incomplete course of vaccination, 22.10, Influenza like illness,
22.10, Nausea, 22.10, Pain, 22.10, , ,
858747, Confusional state, 22.10, Gait disturbance, 22.10, Pain in
extremity, 22.10, , , , , ,
858748, Rash, 22.10, , , , , , , , ,
858749, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00, , , , , ,
858750, Pyrexia, 22.10, , , , , , , , ,
858751, Pain in extremity, 23.00, Pyrexia, 23.00, , , , , , ,
858752, Herpes zoster, 22.10, , , , , , , , ,
858753, Chills, 22.10, Decreased appetite, 22.10, Feeling abnormal,
22.10, Influenza like illness, 22.10, Lethargy, 22.10
858753, Pain in extremity, 22.10, Purpura, 22.10, Rash, 22.10, Rash
erythematous, 22.10, Scab, 22.10
858754, Immediate post-injection reaction, 22.10, Injected limb mobility
decreased, 22.10, Insomnia, 22.10, Loss of personal independence in daily
activities, 22.10, Neck pain, 22.10
858754, Pain in extremity, 22.10, Weight bearing difficulty, 22.10, , , , , , ,
858755, Deafness, 22.10, Tinnitus, 22.10, , , , , , , , ,
858756, Food allergy, 22.10, Myalgia, 22.10, Paraesthesia, 22.10, Rash,
22.10, , ,
858757, Chlamydial infection, 22.10, Exposure during pregnancy,
22.10, , , , , , , , ,
858758, Injection site pain, 22.10, Injection site reaction, 22.10, Pain,
22.10, Product administered at inappropriate site, 22.10, , ,
858759, Feeling hot, 22.10, Insomnia, 22.10, Pain in extremity,
22.10, Pruritus, 22.10, Rash macular, 22.10

858759, Tenderness, 22.10, , , , , , , , , ,
858760, Hypoaesthesia, 23.00, Paraesthesia, 23.00, , , , , , ,
858761, Chills, 23.00, Muscle tightness, 23.00, Nausea, 23.00, Palpitations, 23.00, Tremor, 23.00
858762, Burning sensation, 22.10, Limb discomfort, 22.10, Neck pain, 22.10, Pain in extremity, 22.10, Paraesthesia, 22.10
858763, Joint range of motion decreased, 23.00, Pain, 23.00, , , , , , ,
858764, Chills, 22.10, Pain, 22.10, , , , , , ,
858765, Abdominal pain, 23.00, Asthenia, 23.00, Blood thyroid stimulating hormone increased, 23.00, Cytomegalovirus test negative, 23.00, Epstein-Barr virus antibody negative, 23.00
858765, Fatigue, 23.00, Hypoaesthesia, 23.00, Injection site discolouration, 23.00, Liver function test increased, 23.00, Loss of personal independence in daily activities, 23.00
858765, Lymphadenopathy, 23.00, Oropharyngeal pain, 23.00, Pyrexia, 23.00, Thyroxine decreased, 23.00, ,
858766, Dermatitis atopic, 22.10, Influenza like illness, 22.10, , , , , , ,
858767, Abnormal behaviour, 22.10, Affect lability, 22.10, Autism spectrum disorder, 22.10, Dark circles under eyes, 22.10, Decreased eye contact, 22.10
858767, Eye swelling, 22.10, Lethargy, 22.10, Malaise, 22.10, Unresponsive to stimuli, 22.10, ,
858768, Fatigue, 22.10, Injection site pain, 22.10, Malaise, 22.10, , , , ,
858769, Blister, 22.10, Injection site erythema, 22.10, Pruritus, 22.10, Skin erosion, 22.10, ,
858770, Chills, 22.10, Pain in extremity, 22.10, Patellofemoral pain syndrome, 22.10, Poor quality sleep, 22.10, ,
858771, Facial paralysis, 23.00, , , , , , , ,
858772, Injection site pain, 22.10, Injection site reaction, 22.10, Paraesthesia, 22.10, , , , ,
858777, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
858778, Blindness, 22.10, Deafness, 22.10, Herpes zoster, 22.10, Loss of personal independence in daily activities, 22.10, ,
858779, Chills, 22.10, Headache, 22.10, Myalgia, 22.10, , , , , ,
858780, Bedridden, 22.10, Influenza like illness, 22.10, , , , , , ,
858781, Chills, 22.10, Erythema, 22.10, Extensive swelling of vaccinated limb, 22.10, Headache, 22.10, Injection site pain, 22.10
858781, Injection site warmth, 22.10, Malaise, 22.10, Myalgia, 22.10, Pain, 22.10, Pyrexia, 22.10
858782, Asthenia, 22.10, Fatigue, 22.10, Myalgia, 22.10, , , , , ,
858783, Herpes zoster, 22.10, Inappropriate schedule of product administration, 22.10, Loss of consciousness, 22.10, , , , , ,
858784, Extensive swelling of vaccinated limb, 22.10, Injection site erythema, 22.10, Injection site swelling, 22.10, Vaccine positive rechallenge, 22.10, ,
858785, Herpes zoster, 22.10, Rash, 22.10, , , , , , ,
858786, Blister, 22.10, , , , , , , ,
858787, Appendicitis perforated, 22.10, Incomplete course of vaccination, 22.10, , , , , , ,

858788, Arthralgia, 22.10, Pain in extremity, 22.10, , , , , ,
858789, Rash, 22.10, Rash pruritic, 22.10, Vaccine positive rechallenge,
22.10, , , ,
858790, Dizziness, 22.10, Pain, 22.10, , , , , ,
858791, Rash vesicular, 22.10, , , , , , ,
858792, Extensive swelling of vaccinated limb, 22.10, Injection site
erythema, 22.10, , , , , ,
858793, Chills, 22.10, Headache, 22.10, Pyrexia, 22.10, , , , ,
858794, Injection site bruising, 23.00, Injection site discolouration,
23.00, Injection site erythema, 23.00, Injection site inflammation,
23.00, Injection site mass, 23.00
858794, Injection site pain, 23.00, Injection site scar, 23.00, Injection
site streaking, 23.00, , , , ,
858795, Rash pruritic, 23.00, , , , , , , ,
858796, Hyperaesthesia, 23.00, Hypoaesthesia, 23.00, Injection site
hypoaesthesia, 23.00, Injection site paraesthesia, 23.00, Musculoskeletal
stiffness, 23.00
858796, Pain, 23.00, Paraesthesia, 23.00, , , , , , ,
858797, Arthralgia, 23.00, Injection site erythema, 23.00, Injection site
swelling, 23.00, Musculoskeletal pain, 23.00, Myalgia, 23.00
858797, Pain in extremity, 23.00, , , , , , , ,
858799, Ataxia, 23.00, Vestibular neuronitis, 23.00, , , , , , ,
858800, Chills, 23.00, Erythema, 23.00, Pyrexia, 23.00, , , , ,
858801, Adverse reaction, 23.00, Mobility decreased, 23.00, , , , , , ,
858802, Arthralgia, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, , , , ,
858803, Computerised tomogram head abnormal, 22.10, Dizziness, 22.10, Skin
laceration, 22.10, Syncope, 22.10, ,
858804, Rash, 23.00, , , , , , , ,
858805, Allergy test positive, 22.10, Hypersensitivity, 22.10, Rash,
22.10, Seasonal allergy, 22.10, Urticaria, 22.10
858806, Injection site bruising, 22.10, Injection site erythema,
22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Pain in
extremity, 22.10
858807, Lethargy, 23.00, Unresponsive to stimuli, 23.00, , , , , , ,
858808, Contusion, 23.00, Erythema, 23.00, Headache, 23.00, Tenderness,
23.00, ,
858809, Pain in extremity, 23.00, , , , , , , ,
858810, Product administered to patient of inappropriate age,
23.00, , , , , , , ,
858811, Chills, 23.00, Dizziness, 23.00, Injection site rash, 23.00, Nausea,
23.00, Peripheral swelling, 23.00
858811, Rash, 23.00, , , , , , , ,
858812, Dizziness, 23.00, Fatigue, 23.00, Hypersomnia, 23.00, Loss of
consciousness, 23.00, ,
858813, Product administered to patient of inappropriate age,
23.00, , , , , , , ,
858814, Dizziness, 23.00, Headache, 23.00, Lethargy, 23.00, Pain, 23.00, ,
858815, Abdominal discomfort, 23.00, Asthenia, 23.00, Chills,
23.00, Headache, 23.00, Pain in extremity, 23.00
858815, Pyrexia, 23.00, , , , , , , ,

858827,Product storage error,23.00,,,,,,,,,
858828,Injection site erythema,22.10,Injection site inflammation,
22.10,Injection site pruritus,22.10,Injection site rash,22.10,,
858829,Inappropriate schedule of product administration,23.00,,,,,,,,,
858830,Condition aggravated,23.00,Eczema,23.00,Mass,23.00,Pruritus,
23.00,Rash,23.00
858832,Asthenia,22.10,Blood pressure fluctuation,22.10,Fatigue,
22.10,Guillain-Barre syndrome,22.10,Nausea,22.10
858833,Hypersensitivity,23.00,,,,,,,,,
858834,Gait disturbance,23.00,Injection site erythema,23.00,Injection
site oedema,23.00,Injection site pain,23.00,Injection site pruritus,
23.00
858834,Injection site swelling,23.00,Pyrexia,23.00,,,,,,,,,
858835,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
858837,Wrong product administered,23.00,,,,,,,,,
858838,Erythema,23.00,Peripheral swelling,23.00,Tenderness,23.00,,,,,
858839,Haematoma,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Musculoskeletal stiffness,23.00,Pain in extremity,23.00
858839,Ultrasound scan abnormal,23.00,,,,,,,,,
858840,Dysgeusia,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Insomnia,23.00
858840,Muscular weakness,23.00,Myalgia,23.00,,,,,,,,,
858841,Lethargy,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
858842,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
858844,Balance disorder,23.00,Dysstasia,23.00,Fall,23.00,,,,,
858845,Body temperature increased,23.00,Injection site erythema,
23.00,Injection site pain,23.00,,,,,
858846,Herpes zoster,22.10,Pain,22.10,,,,,,,,,
858847,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
858848,Herpes zoster,22.10,Neuropathy peripheral,22.10,,,,,,,,,
858849,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
858850,Inappropriate schedule of product administration,23.00,Wrong
product administered,23.00,,,,,,,,,
858851,Body temperature increased,22.10,Injection site erythema,
22.10,Injection site inflammation,22.10,Injection site pain,
22.10,Injection site swelling,22.10
858851,Injection site warmth,22.10,Myalgia,22.10,,,,,,,,,
858852,Inappropriate schedule of product administration,23.00,,,,,,,,,
858853,No adverse event,23.00,Product preparation issue,23.00,,,,,,,,,
858854,No adverse event,23.00,Product preparation issue,23.00,,,,,,,,,
858855,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
858856,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
858857,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
858858,No adverse event,22.10,Product administered to patient of

inappropriate age,22.10,,,,,
858859,Erythema,22.10,Pain,22.10,Skin warm,22.10,Swelling,22.10,,
858860,Shoulder injury related to vaccine administration,23.00,,,,,,
858861,Joint range of motion decreased,22.10,Pain,22.10,Poor quality
sleep,22.10,,,,,
858862,Paraesthesia,22.10,Sensory loss,22.10,,,,,
858863,Pruritus,23.00,Rash,23.00,,,,,
858864,Abdominal pain upper,23.00,Diarrhoea,23.00,Exposure during
pregnancy,23.00,,,,,
858865,Chills,23.00,Feeling hot,23.00,Hyperhidrosis,23.00,Influenza
like illness,23.00,Pyrexia,23.00
858865,Rash,23.00,,,,,,
858866,Product administered to patient of inappropriate age,
22.10,Wrong product administered,22.10,,,,,
858867,Product administered to patient of inappropriate age,
22.10,,,,,,
858868,Immediate post-injection reaction,22.10,Injected limb mobility
decreased,22.10,Injection site pain,22.10,Joint injection,
22.10,Magnetic resonance imaging abnormal,22.10
858868,Muscle tightness,22.10,Osteoarthritis,22.10,Product
administered at inappropriate site,22.10,,,,,
858869,Joint range of motion decreased,22.10,Pain,22.10,Urticaria,
22.10,X-ray normal,22.10,,
858870,Administration site odour,23.00,Injection site cellulitis,
23.00,Injection site discharge,23.00,Injection site rash,23.00,,
858871,Hypoaesthesia,23.00,Immediate post-injection reaction,
23.00,Injection site paraesthesia,23.00,Musculoskeletal disorder,
23.00,,
858872,Chills,22.10,Injection site pain,22.10,Insomnia,22.10,Pain in
extremity,22.10,Pyrexia,22.10
858873,Adenoidal hypertrophy,22.10,Adenotonsillectomy,22.10,Crying,
22.10,Dyspnoea,22.10,Headache,22.10
858873,Infection susceptibility increased,22.10,Obstructive airways
disorder,22.10,Respiratory rate decreased,22.10,Sleep apnoea syndrome,
22.10,Sleep study abnormal,22.10
858873,Snoring,22.10,Tonsillar hypertrophy,22.10,,,,,
858874,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
858875,Computerised tomogram,22.10,Fatigue,22.10,Impaired work
ability,22.10,Mobility decreased,22.10,Pharyngeal erythema,22.10
858875,Pharyngeal inflammation,22.10,Pyrexia,22.10,Sinusitis,
22.10,Throat irritation,22.10,,
858876,Abdominal discomfort,22.10,Contusion,22.10,Headache,
22.10,Myalgia,22.10,Poor quality sleep,22.10
858877,Fatigue,23.00,Feeding disorder,23.00,Fluid intake reduced,
23.00,Oral herpes,23.00,Pyrexia,23.00
858877,Renal pain,23.00,Rhinorrhoea,23.00,Urinary retention,23.00,,,,
858878,Pain in extremity,23.00,,,,,,
858879,Chills,23.00,Decreased appetite,23.00,Fatigue,23.00,Hot flush,
23.00,Nausea,23.00

858879, Vomiting, 23.00, , , , , , , , ,
858880, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00, , , , ,
858881, Erythema, 22.10, Nodule, 22.10, Pain, 22.10, Pruritus, 22.10, Swelling,
22.10
858882, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , ,
858883, Facial paralysis, 22.10, , , , , , , , ,
858884, Accidental exposure to product, 23.00, Exposure via eye contact,
23.00, No adverse event, 23.00, , , , , ,
858885, Immediate post-injection reaction, 23.00, Injection site
erythema, 23.00, Injection site induration, 23.00, Injection site mass,
23.00, Injection site rash, 23.00
858885, Injection site swelling, 23.00, Irritability, 23.00, Nasal
congestion, 23.00, Poor quality sleep, 23.00, Rash erythematous, 23.00
858885, Urticaria, 23.00, , , , , , , , ,
858886, Abdominal pain upper, 23.00, Diarrhoea, 23.00, Vomiting, 23.00, , , , ,
858887, Diarrhoea, 23.00, Dizziness, 23.00, Fatigue, 23.00, Herpes zoster,
23.00, Skin lesion, 23.00
858887, Vomiting, 23.00, , , , , , , , ,
858888, Pain, 23.00, Skin warm, 23.00, Swelling, 23.00, , , , , ,
858889, Chills, 23.00, Fatigue, 23.00, Nausea, 23.00, Pyrexia, 23.00, , ,
858890, Dehydration, 23.00, Influenza like illness, 23.00, Injected limb
mobility decreased, 23.00, Nausea, 23.00, Pain in extremity, 23.00
858890, Tremor, 23.00, , , , , , , , ,
858891, Gastroenteritis viral, 23.00, Irritability, 23.00, Malaise,
23.00, Nasopharyngitis, 23.00, Personality change, 23.00
858891, Thirst, 23.00, Type 1 diabetes mellitus, 23.00, Weight decreased,
23.00, , , , , ,
858892, Arthralgia, 23.00, Gait disturbance, 23.00, X-ray normal, 23.00, , , , , ,
858893, Abdominal pain, 23.00, Chills, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00, Injection site rash, 23.00
858893, Pyrexia, 23.00, , , , , , , , ,
858894, Vertigo, 23.00, , , , , , , , ,
858895, Back pain, 23.00, Chills, 23.00, Fatigue, 23.00, Nausea, 23.00, , ,
858896, Burning sensation, 23.00, Herpes simplex, 23.00, Herpes simplex
test positive, 23.00, Laboratory test, 23.00, Skin ulcer, 23.00
858897, Injection site pain, 23.00, , , , , , , , ,
858898, Burning sensation, 23.00, Malaise, 23.00, Pain in extremity,
23.00, Paraesthesia, 23.00, , ,
858899, Headache, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Injection site rash, 23.00, Injection site swelling, 23.00
858899, Pyrexia, 23.00, , , , , , , , ,
858900, Erythema, 23.00, Injection site erythema, 23.00, Injection site
pruritus, 23.00, Injection site swelling, 23.00, Pruritus, 23.00
858900, Swelling, 23.00, , , , , , , , ,
858901, Flushing, 23.00, Influenza like illness, 23.00, Injection site
pain, 23.00, , , , , ,
858902, Chills, 23.00, Diarrhoea, 23.00, Pyrexia, 23.00, Vomiting, 23.00, , ,
858903, Arthralgia, 23.00, Chills, 23.00, Hypoaesthesia,
23.00, Musculoskeletal stiffness, 23.00, Myalgia, 23.00
858903, Pain in extremity, 23.00, Peripheral swelling, 23.00, Pyrexia,

23.00,,,,
858904,Asthenia,22.10,Clostridium difficile infection,22.10,Colitis,
22.10,Fatigue,22.10,Somnolence,22.10
858905,Altered state of consciousness,22.10,Back pain,22.10,Balance
disorder,22.10,Dizziness,22.10,Dysgeusia,22.10
858905,Fatigue,22.10,Head injury,22.10,Hypoaesthesia,22.10,Limb mass,
22.10,Loss of consciousness,22.10
858905,Loss of personal independence in daily activities,
22.10,Migraine,22.10,Musculoskeletal stiffness,22.10,Neck pain,
22.10,Sensory disturbance,22.10
858905,Syncope,22.10,Taste disorder,22.10,Visual impairment,22.10,,,,
858906,Chills,23.00,Dizziness,23.00,Fatigue,23.00,Injection site
erythema,23.00,Injection site pain,23.00
858906,Injection site swelling,23.00,Injection site warmth,
23.00,Listless,23.00,Paraesthesia oral,23.00,,
858907,Chills,23.00,Pyrexia,23.00,,,,,
858908,Arthralgia,23.00,Headache,23.00,Loss of personal independence
in daily activities,23.00,Pyrexia,23.00,,
858909,Headache,22.10,Immediate post-injection reaction,
22.10,Injection site bruising,22.10,Injection site haemorrhage,
22.10,Injection site swelling,22.10
858910,Joint range of motion decreased,22.10,Musculoskeletal pain,
22.10,Pain in extremity,22.10,Weight bearing difficulty,22.10,X-ray,
22.10
858911,Joint range of motion decreased,23.00,Mobility decreased,
23.00,Pain in extremity,23.00,Weight bearing difficulty,23.00,X-ray
normal,23.00
858912,Asthenia,22.10,Blood pressure increased,22.10,Chills,
22.10,Fatigue,22.10,Headache,22.10
858912,Heart rate increased,22.10,Insomnia,22.10,Pyrexia,22.10,,,,
858913,Dizziness,23.00,Headache,23.00,Nausea,23.00,Vomiting,23.00,,
858914,Rash erythematous,23.00,Rash pruritic,23.00,,,,,
858915,Pain in extremity,23.00,Peripheral swelling,23.00,Rash,
23.00,Skin warm,23.00,,
858916,Induration,23.00,Injection site rash,23.00,Pain,23.00,Papule,
23.00,Pustule,23.00
858916,Rash maculo-papular,23.00,Rash pruritic,23.00,Rash vesicular,
23.00,Scab,23.00,Skin abrasion,23.00
858916,Skin lesion,23.00,,,,,
858917,Dizziness,23.00,Nausea,23.00,Palpitations,23.00,,,,
858918,Urticaria,23.00,,,,,
858919,Cough,23.00,Headache,23.00,Influenza virus test negative,
23.00,Loss of personal independence in daily activities,23.00,Malaise,
23.00
858919,Mental status changes,23.00,Musculoskeletal stiffness,
23.00,Nausea,23.00,Photophobia,23.00,Pyrexia,23.00
858919,Vaccination complication,23.00,Vomiting,23.00,,,,,
858920,Urticaria,22.10,,,,,
858921,Cough,22.10,Injection site rash,22.10,Rhinorrhoea,22.10,,,,
858922,Abdominal discomfort,23.00,Erythema,23.00,Headache,

23.00,Nausea,23.00,Peripheral swelling,23.00
858922,Pyrexia,23.00,,,,,
858923,Abnormal dreams,23.00,Asthenia,23.00,Chills,23.00,Fatigue,
23.00,Musculoskeletal pain,23.00
858923,Pain,23.00,,,,,
858924,Erythema,23.00,Pain,23.00,Pruritus,23.00,Swelling,23.00,,
858925,Abdominal pain upper,23.00,Asthenia,23.00,Myalgia,
23.00,Nervousness,23.00,,
858926,Blister,23.00,Burning sensation,23.00,Injection site rash,
23.00,Injection site swelling,23.00,Injection site vesicles,23.00
858926,Pain,23.00,Paraesthesia,23.00,Pruritus,23.00,Rash,23.00,,
858927,Arthralgia,23.00,Headache,23.00,Influenza like illness,
23.00,Myalgia,23.00,,
858928,Burning sensation,23.00,Chills,23.00,Head discomfort,
23.00,Hyperhidrosis,23.00,Muscular weakness,23.00
858928,Myalgia,23.00,Nausea,23.00,Pyrexia,23.00,Vomiting,23.00,,
858929,Arthralgia,23.00,Asthenia,23.00,Chills,23.00,Fatigue,
23.00,Injection site pain,23.00
858929,Insomnia,23.00,Myalgia,23.00,Pyrexia,23.00,,,
858930,Chills,23.00,Pyrexia,23.00,,,,,
858931,Chills,23.00,Myalgia,23.00,Pyrexia,23.00,Vertigo,23.00,,
858932,Injected limb mobility decreased,22.10,Injection site bruising,
22.10,,,,,
858933,Arthralgia,23.00,Fatigue,23.00,Injection site pain,23.00,Pain,
23.00,,
858934,Dizziness,23.00,Immediate post-injection reaction,
23.00,Vertigo,23.00,,,
858935,Chills,23.00,Influenza A virus test negative,23.00,Influenza B
virus test,23.00,Influenza virus test negative,23.00,Pain,23.00
858935,Pyrexia,23.00,,,,,
858936,Blister,23.00,Blood thyroid stimulating hormone normal,
23.00,Facial pain,23.00,Full blood count normal,23.00,HIV test
negative,23.00
858936,Herpes zoster,23.00,Metabolic function test normal,
23.00,Pruritus,23.00,Skin lesion,23.00,,
858937,Injection site erythema,23.00,Injection site urticaria,
23.00,Injection site vesicles,23.00,Injection site warmth,
23.00,Pruritus,23.00
858938,Feeling hot,22.10,Injected limb mobility decreased,22.10,Pain
in extremity,22.10,Tenderness,22.10,,
858939,Tremor,23.00,,,,,
858940,Injection site discomfort,22.10,Injection site pain,22.10,Pain,
22.10,Quality of life decreased,22.10,,
858941,Soft tissue swelling,23.00,,,,,
858942,Incorrect dose administered,23.00,No adverse event,23.00,,,,,
858943,Contusion,22.10,Erythema,22.10,,,,,
858944,Injection site rash,23.00,Rash,23.00,,,,,
858945,Diarrhoea,23.00,Erythema,23.00,Fatigue,23.00,Pain in extremity,
23.00,Swelling,23.00
858946,Abdominal discomfort,23.00,Asthenia,23.00,Chills,

23.00,Headache,23.00,Influenza like illness,23.00
858946,Pain,23.00,Pyrexia,23.00,,,,,
858947,Cardiac arrest,22.10,Condition aggravated,22.10,Pneumonia,
22.10,Sepsis,22.10,,
858948,Chills,23.00,,,,,,
858949,Dyspnoea,23.00,Heart rate increased,23.00,Migraine,
23.00,Nausea,23.00,Palpitations,23.00
858949,Rash erythematous,23.00,,,,,,
858956,Benign rolandic epilepsy,23.00,Eye movement disorder,
23.00,Rapid eye movement sleep behaviour disorder,23.00,Seizure,
23.00,,
858957,B-lymphocyte count,22.10,Blood immunoglobulin A decreased,
22.10,Blood immunoglobulin G decreased,22.10,Blood immunoglobulin M
decreased,22.10,Conjunctival erosion,22.10
858957,Corneal erosion,22.10,Differential white blood cell count
normal,22.10,Flow cytometry,22.10,Full blood count normal,22.10,HIV
test negative,22.10
858957,Herpes simplex test negative,22.10,Hypophagia,22.10,Insomnia,
22.10,Irritability,22.10,Natural killer cell activity normal,22.10
858957,Natural killer cell count,22.10,Ophthalmic herpes zoster,
22.10,Ophthalmological examination abnormal,22.10,Polymerase chain
reaction positive,22.10,Punctate keratitis,22.10
858957,Rash,22.10,Rash papular,22.10,Scab,22.10,T-lymphocyte count
normal,22.10,Varicella virus test positive,22.10
858957,Varicella zoster virus infection,22.10,,,,,,
858959,Muscle rigidity,23.00,,,,,,
858960,No adverse event,23.00,Product storage error,23.00,,,,,
858961,No adverse event,23.00,Product storage error,23.00,,,,,
858962,No adverse event,23.00,Product storage error,23.00,,,,,
858963,No adverse event,23.00,Product storage error,23.00,,,,,
858964,No adverse event,23.00,Product storage error,23.00,,,,,
858965,No adverse event,23.00,Product storage error,23.00,,,,,
858966,No adverse event,23.00,Product storage error,23.00,,,,,
858967,No adverse event,23.00,Product storage error,23.00,,,,,
858968,No adverse event,23.00,Product storage error,23.00,,,,,
858969,No adverse event,23.00,Product storage error,23.00,,,,,
858970,No adverse event,23.00,Product storage error,23.00,,,,,
858971,No adverse event,23.00,Product storage error,23.00,,,,,
858972,Abnormal behaviour,22.10,Decreased eye contact,
22.10,Developmental regression,22.10,Electroencephalogram normal,
22.10,Speech disorder,22.10
858972,Ultrasound skull normal,22.10,,,,,,
858973,Neuropathy peripheral,22.10,,,,,,
858974,Culture throat positive,22.10,Pharyngitis streptococcal,
22.10,Streptococcus test positive,22.10,,,,
858975,Abdominal pain,22.10,Diarrhoea,22.10,,,,,
858976,Seizure,22.10,,,,,,
858977,Carotid artery dissection,22.10,,,,,,
858978,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site paraesthesia,23.00,Injection site reaction,

23.00
858978, Injection site swelling, 23.00, Injection site warmth,
23.00, Sensory loss, 23.00, , , ,
858979, Abdominal discomfort, 23.00, Altered state of consciousness,
23.00, Asthenia, 23.00, Dizziness, 23.00, Headache, 23.00
858979, Nausea, 23.00, Pain, 23.00, Pyrexia, 23.00, , , ,
858980, Unevaluable event, 23.00, , , , , , , ,
858986, Headache, 23.00, Nausea, 23.00, , , , , ,
858987, Injection site pain, 23.00, , , , , , , ,
858988, Injection site pain, 23.00, Pain in extremity, 23.00, , , , , ,
858989, Headache, 23.00, , , , , , , ,
858990, Death, 22.10, Guillain-Barre syndrome, 22.10, Respiratory failure,
22.10, , , , ,
858991, Back pain, 23.00, Inappropriate schedule of product
administration, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Nausea,
23.00
858991, Pain, 23.00, Pain in extremity, 23.00, Vaccine positive
rechallenge, 23.00, , , , ,
858992, Headache, 23.00, Inappropriate schedule of product
administration, 23.00, Injection site swelling, 23.00, Rash, 23.00, Rash
macular, 23.00
858993, Injection site pain, 23.00, , , , , , , ,
858994, Abdominal pain upper, 23.00, Bedridden, 23.00, Headache,
23.00, Nausea, 23.00, Pyrexia, 23.00
858995, Diarrhoea, 23.00, , , , , , , ,
858996, Pericarditis, 22.10, , , , , , , ,
858997, Injection site erythema, 22.10, Injection site swelling,
22.10, Injection site warmth, 22.10, Local reaction, 22.10, ,
858998, Fall, 22.10, Lip injury, 22.10, Skin abrasion, 22.10, Syncope, 22.10, ,
858999, Injection site erythema, 23.00, Injection site induration,
23.00, Injection site warmth, 23.00, , , , ,
859000, Diarrhoea, 23.00, Injection site erythema, 23.00, , , , , , ,
859001, Injection site pain, 22.10, Neuropathy peripheral,
22.10, Paraesthesia, 22.10, , , , ,
859002, Biopsy, 23.00, Diarrhoea, 23.00, Electrocardiogram ambulatory
normal, 23.00, Eosinophilic pustular folliculitis, 23.00, Heart rate
irregular, 23.00
859002, Impetigo, 23.00, Injection site reaction, 23.00, Laboratory test,
23.00, Rash, 23.00, Stereotypy, 23.00
859002, Tic, 23.00, , , , , , , ,
859003, Injection site erythema, 23.00, , , , , , , ,
859007, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
859008, Herpes zoster, 22.10, Neuropathy peripheral, 22.10, , , , , , ,
859009, Herpes zoster, 22.10, Neuropathy peripheral, 22.10, , , , , , ,
859010, Injection site extravasation, 23.00, , , , , , , ,
859011, Pyrexia, 23.00, , , , , , , ,
859012, Pyrexia, 23.00, , , , , , , ,
859013, Adverse event, 23.00, , , , , , , ,
859014, Herpes zoster, 22.10, Laboratory test abnormal, 22.10, Rash,
22.10, Vaccination failure, 22.10, ,

859015,Cough,23.00,Influenza like illness,23.00,Malaise,
23.00,Nasopharyngitis,23.00,Respiratory symptom,23.00
859015,Sinus congestion,23.00,,,,,
859016,Back pain,23.00,Balance disorder,23.00,Chills,23.00,Decreased
appetite,23.00,Dizziness,23.00
859016,Headache,23.00,Insomnia,23.00,Musculoskeletal stiffness,
23.00,Pain,23.00,Pain in extremity,23.00
859016,Pyrexia,23.00,,,,,
859017,Injection site erythema,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site warmth,23.00,,
859018,Erythema,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Pain,23.00
859018,Skin warm,23.00,,,,,
859019,Product administered to patient of inappropriate age,
23.00,,,,,
859020,Adverse event,22.10,Anaemia,22.10,Blood test,22.10,Cataract,
22.10,Cataract operation,22.10
859020,Colectomy,22.10,Hepatic enzyme increased,22.10,Large intestine
polyp,22.10,Pain in extremity,22.10,Precancerous cells present,22.10
859020,Procedural haemorrhage,22.10,Transfusion,22.10,Ultrasound scan,
22.10,,,,
859021,Burning sensation,22.10,Herpes zoster,22.10,Pruritus,
22.10,Rash,22.10,Skin abrasion,22.10
859021,Vaccination failure,22.10,,,,,
859022,Injected limb mobility decreased,23.00,Injection site rash,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,Skin
tightness,23.00
859023,Joint range of motion decreased,22.10,Musculoskeletal
stiffness,22.10,Pain in extremity,22.10,,,,
859024,Agitation,23.00,Erythema,23.00,Fatigue,23.00,,,,
859025,Administration site swelling,23.00,Chest pain,23.00,Epistaxis,
23.00,Pain in extremity,23.00,Peripheral swelling,23.00
859026,Injection site erythema,23.00,Injection site rash,23.00,,,,,
859027,Injection site bruising,23.00,Injection site erythema,
23.00,,,,,
859028,Pyrexia,23.00,Swelling,23.00,,,,,
859029,Purpura,23.00,Rash,23.00,,,,,
859030,Electroencephalogram normal,23.00,Seizure,23.00,,,,,
859031,Anti-neutrophil cytoplasmic antibody positive vasculitis,
22.10,Decreased appetite,22.10,Intensive care,22.10,Malaise,
22.10,Renal failure,22.10
859032,Headache,23.00,Injection site pain,23.00,Insomnia,
23.00,Migraine,23.00,Musculoskeletal pain,23.00
859032,Myalgia,23.00,Neck pain,23.00,Nightmare,23.00,,,,
859035,No adverse event,23.00,Product storage error,23.00,,,,,
859036,No adverse event,23.00,Product storage error,23.00,,,,,
859037,No adverse event,23.00,Product storage error,23.00,,,,,
859038,Expired product administered,23.00,No adverse event,23.00,,,,,
859039,Pain in extremity,22.10,,,,,
859040,Musculoskeletal pain,22.10,Needle issue,22.10,,,,,

859041, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , ,
859042, Extra dose administered, 22.10, Injection site pain, 22.10, , , , , , , ,
859043, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, , , , , , , ,
859044, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
859045, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
859046, Injection site erythema, 23.00, Injection site inflammation, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, , ,
860033, Injection site erythema, 23.00, Injection site streaking, 23.00, Lymph node pain, 23.00, Skin warm, 23.00, , ,
860034, Erythema, 23.00, Feeling abnormal, 23.00, Pain in extremity, 23.00, Ultrasound scan normal, 23.00, , ,
860035, Erythema, 23.00, Hypersensitivity, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Pruritus, 23.00
860035, Rash, 23.00, Skin warm, 23.00, , , , , , , ,
860036, Injection site hypoaesthesia, 22.10, Injection site pain, 22.10, , , , , , , ,
860037, Body temperature increased, 23.00, Injection site induration, 23.00, Injection site reaction, 23.00, Injection site warmth, 23.00, , ,
860038, Chills, 22.10, Cold sweat, 22.10, Fatigue, 22.10, Flushing, 22.10, Loss of personal independence in daily activities, 22.10
860038, Mental status changes, 22.10, Pyrexia, 22.10, Somnolence, 22.10, Urticaria, 22.10, , ,
860039, Aphasia, 22.10, Autism spectrum disorder, 22.10, Cyst, 22.10, Emotional distress, 22.10, Feeling abnormal, 22.10
860039, Pyrexia, 22.10, Rash, 22.10, Screaming, 22.10, X-ray, 22.10, , ,
860040, Injected limb mobility decreased, 22.10, Injection site pain, 22.10, , , , , , , ,
860041, Pruritus, 23.00, Urticaria, 23.00, , , , , , , ,
860042, Blister, 23.00, Rash, 23.00, , , , , , , ,
860043, Injected limb mobility decreased, 23.00, Pain in extremity, 23.00, , , , , , , ,
860044, Rash papular, 23.00, Skin lesion, 23.00, , , , , , , ,
860045, Amnesia, 22.10, Asthenia, 22.10, Back pain, 22.10, Balance disorder, 22.10, Blood test, 22.10
860045, Chest X-ray abnormal, 22.10, Computerised tomogram normal, 22.10, Confusional state, 22.10, Cough, 22.10, Echocardiogram normal, 22.10
860045, Fatigue, 22.10, Gait disturbance, 22.10, Immunology test normal, 22.10, Magnetic resonance imaging brain abnormal, 22.10, Memory impairment, 22.10
860045, Myocardial necrosis marker increased, 22.10, Nail bed disorder, 22.10, Pain, 22.10, Pain in extremity, 22.10, Pulmonary embolism, 22.10
860045, Renal disorder, 22.10, Rhinalgia, 22.10, Swelling, 22.10, Ultrasound scan, 22.10, Vaccination complication, 22.10
860045, Vascular test normal, 22.10, Viral infection, 22.10, X-ray, 22.10, , , , , , , ,
860047, Product storage error, 23.00, , , , , , , , , , , , , ,
860048, Contraindication to vaccination, 23.00, , , , , , , , , , , , , ,
860049, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,

860050, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , ,
860051, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
860052, Rash, 23.00, Varicella post vaccine, 23.00, , , , , ,
860053, Hypoaesthesia, 23.00, Musculoskeletal pain, 23.00, Paraesthesia,
23.00, , , , ,
860054, Angiogram normal, 23.00, Computerised tomogram normal,
23.00, Erythema, 23.00, Facial pain, 23.00, Headache, 23.00
860054, Influenza like illness, 23.00, Peripheral swelling, 23.00, , , , , ,
860055, No adverse event, 22.10, Product administered to patient of
inappropriate age, 22.10, Wrong product administered, 22.10, , , , ,
860056, Asthenia, 23.00, Chills, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia,
23.00
860057, Erythema, 23.00, Pain, 23.00, Swelling, 23.00, , , , ,
860058, Musculoskeletal disorder, 22.10, Pain in extremity, 22.10, , , , , ,
860059, Ear pain, 22.10, Influenza B virus test positive, 22.10, Malaise,
22.10, Oropharyngeal pain, 22.10, Pyrexia, 22.10
860060, Expired product administered, 23.00, , , , , , , ,
860061, Discomfort, 22.10, Pain, 22.10, Peripheral swelling, 22.10, , , , ,
860062, Arthralgia, 23.00, Back pain, 23.00, Dyspnoea, 23.00, Feeling
abnormal, 23.00, Headache, 23.00
860062, Joint swelling, 23.00, Neck pain, 23.00, Nervousness,
23.00, Pulmonary pain, 23.00, Renal pain, 23.00
860062, Somnolence, 23.00, , , , , , , ,
860063, Pruritus, 23.00, , , , , , , ,
860064, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site rash, 23.00, Rash erythematous, 23.00, Rash pruritic,
23.00
860065, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , , ,
860066, Injected limb mobility decreased, 22.10, Pain in extremity,
22.10, , , , , , ,
860067, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site reaction, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00
860067, Urticaria, 23.00, , , , , , , ,
860068, Asthenia, 23.00, Inflammatory marker test, 23.00, Myalgia, 23.00, , , , ,
860069, Blood glucose normal, 23.00, Dizziness, 23.00, Fall,
23.00, Hypotension, 23.00, Syncope, 23.00
860070, Injection site erythema, 22.10, Injection site pruritus,
22.10, Injection site warmth, 22.10, , , , , ,
860071, Haematoma infection, 23.00, Injection site erythema,
23.00, Pyrexia, 23.00, , , , , ,
860072, Erythema, 23.00, Rash, 23.00, Swelling, 23.00, , , , , ,
860073, Feeling hot, 23.00, Pruritus, 23.00, Rash, 23.00, Rash macular,
23.00, , ,
860074, Injection site erythema, 22.10, Injection site pain,
22.10, Injection site swelling, 22.10, , , , , ,
860075, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Pyrexia, 23.00, ,

860076, Cyanosis, 23.00, Hyporesponsive to stimuli, 23.00, Hypotonia, 23.00, , , , ,
860077, Bacterial infection, 23.00, Cellulitis, 23.00, Diarrhoea, 23.00, Injection site induration, 23.00, Injection site inflammation, 23.00
860077, Injection site rash, 23.00, Injection site warmth, 23.00, Insomnia, 23.00, Nausea, 23.00, Vomiting, 23.00
860078, Asthenia, 23.00, Chills, 23.00, Dizziness, 23.00, Tremor, 23.00, ,
860079, Arthralgia, 22.10, Erythema, 22.10, Pain in extremity, 22.10, Paraesthesia, 22.10, Skin warm, 22.10
860080, Crying, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Irritability, 23.00
860081, Paraesthesia, 23.00, Peripheral swelling, 23.00, , , , , , ,
860082, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00, ,
860083, Asthenia, 23.00, Contusion, 23.00, Dizziness, 23.00, Erythema, 23.00, Feeling abnormal, 23.00
860083, Feeling cold, 23.00, Influenza like illness, 23.00, Nodule, 23.00, Syncope, 23.00, ,
860084, Dizziness, 22.10, Vomiting, 22.10, , , , , , ,
860085, Fatigue, 22.10, Injection site pain, 22.10, Pain in extremity, 22.10, Pain of skin, 22.10, ,
860086, Chills, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
860087, Arthralgia, 23.00, Fatigue, 23.00, Myalgia, 23.00, Sensitive skin, 23.00, ,
860088, Angioplasty, 22.10, Electrocardiogram ST segment elevation, 22.10, Myocardial infarction, 22.10, Myocardial necrosis marker increased, 22.10, Stent placement, 22.10
860088, Troponin increased, 22.10, , , , , , , ,
860089, Pyrexia, 23.00, Rash, 23.00, , , , , , ,
860091, Dysphonia, 22.10, Urticaria, 22.10, , , , , , ,
860092, Arthralgia, 23.00, Chills, 23.00, Eye swelling, 23.00, Oedema, 23.00, Peripheral swelling, 23.00
860092, Pyrexia, 23.00, Rash, 23.00, Swelling face, 23.00, Swelling of eyelid, 23.00, Throat tightness, 23.00
860093, Influenza like illness, 22.10, Injected limb mobility decreased, 22.10, Injection site coldness, 22.10, Injection site warmth, 22.10, Joint stiffness, 22.10
860093, Nausea, 22.10, Pain, 22.10, Pain in extremity, 22.10, , , , ,
860094, Injection site vesicles, 23.00, , , , , , , ,
860095, Cough, 23.00, Diplopia, 23.00, Dizziness, 23.00, Fatigue, 23.00, Vertigo, 23.00
860096, Biopsy, 22.10, Lichen planus, 22.10, Rash, 22.10, Rash pruritic, 22.10, Urticaria, 22.10
860097, Injection site inflammation, 22.10, Injection site pain, 22.10, Magnetic resonance imaging, 22.10, Pain, 22.10, Product administered at inappropriate site, 22.10
860097, Pyrexia, 22.10, , , , , , , ,
860098, Body temperature increased, 23.00, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Pain

in extremity,23.00
860098,Peripheral swelling,23.00,,,,,,,,,
860099,Influenza like illness,23.00,Rash,23.00,,,,,
860100,Body temperature increased,23.00,Headache,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Vomiting,23.00
860108,Discomfort,23.00,Pain,23.00,,,,,
860109,Antibody test abnormal,23.00,,,,,,,,,
860110,Postural orthostatic tachycardia syndrome,23.00,,,,,,,,,
860111,No adverse event,23.00,Product storage error,23.00,,,,,
860112,No adverse event,23.00,Product storage error,23.00,,,,,
860113,No adverse event,23.00,Product storage error,23.00,,,,,
860114,Arthralgia,22.10,Muscular weakness,22.10,Musculoskeletal pain,
22.10,Musculoskeletal stiffness,22.10,Pain in extremity,22.10
860114,Polymyalgia rheumatica,22.10,,,,,,,,,
860115,Herpes zoster,22.10,,,,,,,,,
860116,Incorrect route of product administration,23.00,Myalgia,
23.00,,,,,
860117,Expired product administered,23.00,No adverse event,23.00,,,,,
860118,Skin laceration,23.00,Syringe issue,23.00,,,,,
860119,Fatigue,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,,
860120,Injection site discomfort,23.00,,,,,,,,,
860121,Erythema,23.00,Injection site erythema,23.00,,,,,
860122,Incorrect route of product administration,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site reaction,
23.00,Rash papular,23.00
860123,Herpes zoster,22.10,Pain,22.10,Vaccination failure,22.10,,,,
860124,Herpes zoster,22.10,Vaccination failure,22.10,,,,,
860125,Rash,23.00,Rash erythematous,23.00,,,,,
860126,Injection site rash,23.00,Pain,23.00,Rash,23.00,Urticaria,
23.00,,
860127,Injection site pain,23.00,,,,,,,,,
860128,Fatigue,22.10,Heart rate increased,22.10,Muscular weakness,
22.10,Musculoskeletal pain,22.10,Pain in extremity,22.10
860128,Periorbital swelling,22.10,Tremor,22.10,X-ray limb,22.10,,,,
860129,Cellulitis,22.10,Injection site erythema,22.10,Injection site
swelling,22.10,Injection site warmth,22.10,,
860130,Injection site induration,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
860131,Arthralgia,23.00,Erythema,23.00,Fatigue,23.00,Migraine,
23.00,Pyrexia,23.00
860131,Rash macular,23.00,Swelling,23.00,,,,,
860133,Presyncope,23.00,,,,,,,,,
860134,Abdominal pain upper,23.00,Diarrhoea,23.00,Ear pain,
23.00,Hypoaesthesia eye,23.00,Pain,23.00
860134,Pyrexia,23.00,Rash,23.00,,,,,
860135,Cardiac arrest,22.10,Death,22.10,,,,,
860136,Asthenia,23.00,Chest discomfort,23.00,Flushing,23.00,Injection
site pain,23.00,Insomnia,23.00
860136,Neuralgia,23.00,Pain,23.00,Pain in extremity,23.00,,,,
860137,Rhinorrhoea,23.00,Sneezing,23.00,,,,,

860138, Erythema, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00, Hypoaesthesia, 23.00, Paraesthesia, 23.00
860138, Peripheral swelling, 23.00, Urticaria, 23.00, , , , , ,
860140, Rash, 22.10, Urticaria, 22.10, , , , , ,
860148, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
860149, Deafness neurosensory, 22.10, Deafness unilateral, 22.10, Dizziness, 22.10, Ear congestion, 22.10, Ear pain, 22.10
860149, Tinnitus, 22.10, Vertigo, 22.10, , , , , ,
860150, Incorrect route of product administration, 23.00, No adverse event, 23.00, , , , , ,
860151, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , ,
860152, Loss of consciousness, 22.10, Syncope, 22.10, , , , , ,
860153, Extra dose administered, 23.00, No adverse event, 23.00, , , , , ,
860156, Cataract, 22.10, Cataract nuclear, 22.10, Condition aggravated, 22.10, Glare, 22.10, Headache, 22.10
860156, Inappropriate schedule of product administration, 22.10, Intraocular lens implant, 22.10, Lens extraction, 22.10, Loss of personal independence in daily activities, 22.10, Ophthalmic herpes zoster, 22.10
860156, Palpitations, 22.10, Vision blurred, 22.10, Vitreous detachment, 22.10, , , , ,
860157, Pyrexia, 23.00, , , , , , , ,
860158, Hyperaesthesia, 23.00, Injected limb mobility decreased, 23.00, Injection site bruising, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00
860158, Injection site reaction, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Insomnia, 23.00, Livedo reticularis, 23.00
860158, Pain, 23.00, Pain in extremity, 23.00, Skin discolouration, 23.00, Skin lesion, 23.00, , ,
860159, Erythema, 23.00, Inappropriate schedule of product administration, 23.00, Pruritus, 23.00, , , , ,
860160, Herpes zoster, 23.00, , , , , , , ,
860161, Hepatitis B antibody negative, 23.00, Therapy non-responder, 23.00, , , , , , ,
860162, Injection site pruritus, 23.00, Injection site swelling, 23.00, , , , , , ,
860163, Neck pain, 23.00, Pain in extremity, 23.00, , , , , , ,
860164, Rash, 23.00, Swelling, 23.00, , , , , , ,
860165, Diarrhoea, 23.00, Headache, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Pruritus, 23.00
860166, Congenital choroid plexus cyst, 22.10, Exposure during pregnancy, 22.10, Gestational diabetes, 22.10, Gestational hypertension, 22.10, Placental disorder, 22.10
860166, Ultrasound antenatal screen abnormal, 22.10, , , , , , , ,
860167, Caesarean section, 22.10, Exposure during pregnancy, 22.10, Gestational hypertension, 22.10, Labour complication, 22.10, Prolonged labour, 22.10
860168, Exposure during pregnancy, 22.10, Foetal disorder, 22.10, Foetal

renal imaging abnormal,22.10,Ultrasound antenatal screen abnormal,
22.10,,
860169,Apgar score normal,22.10,Congenital anomaly,22.10,Foetal
exposure during pregnancy,22.10,Penis disorder,22.10,,
860170,Exposure during pregnancy,22.10,Ultrasound antenatal screen
normal,22.10,Upper respiratory tract infection,22.10,,,,
860171,Exposure during pregnancy,22.10,Ultrasound antenatal screen
abnormal,22.10,Umbilical cord abnormality,22.10,,,,
860172,Apgar score low,22.10,Caesarean section,22.10,Foetal exposure
during pregnancy,22.10,,,,
860173,Erythema,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Injection site warmth,23.00
860173,Peripheral swelling,23.00,Skin warm,23.00,Tenderness,23.00,,,,
860174,Acne,23.00,Emotional disorder,23.00,Irritability,
23.00,Pruritus,23.00,Sleep terror,23.00
860174,Urticaria,23.00,,,,,
860175,Chills,23.00,Eye pain,23.00,Fatigue,23.00,Headache,
23.00,Nausea,23.00
860175,Pain,23.00,Pyrexia,23.00,,,,,
860176,Asthenia,23.00,Dizziness,23.00,Feeling hot,23.00,Hyperhidrosis,
23.00,,
860177,Arthralgia,22.10,Back pain,22.10,Groin pain,22.10,Muscle
spasms,22.10,,
860178,Diarrhoea,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
860178,Muscle spasms,23.00,Pain,23.00,,,,,
860179,Tinnitus,23.00,,,,,
860180,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
860181,Type IV hypersensitivity reaction,23.00,,,,,
860182,Blood test,23.00,Erythema,23.00,Impaired driving ability,
23.00,Insomnia,23.00,Pain in extremity,23.00
860182,Pruritus,23.00,Rash,23.00,Rash pruritic,23.00,Scar,
23.00,Tenderness,23.00
860183,Exposure during pregnancy,22.10,No adverse event,
22.10,Pregnancy test positive,22.10,,,,
860184,Body temperature increased,23.00,Cellulitis,23.00,Chills,
23.00,Injection site erythema,23.00,Injection site swelling,23.00
860184,Injection site warmth,23.00,,,,,
860192,Dizziness,23.00,Dyspnoea,23.00,Peripheral swelling,
23.00,Pruritus,23.00,Respiratory tract congestion,23.00
860196,Inappropriate schedule of product administration,23.00,,,,,
860197,Anxiety,22.10,Basedow's disease,22.10,Blindness,22.10,Diplopia,
22.10,Discomfort,22.10
860197,Endocrine ophthalmopathy,22.10,Fatigue,22.10,Pain,
22.10,Surgery,22.10,Tachycardia,22.10
860197,Therapeutic procedure,22.10,Tremor,22.10,,,,,
860198,Asthenopia,22.10,Dysarthria,22.10,Dysphagia,22.10,Eyelid
function disorder,22.10,Facial paralysis,22.10
860198,Facial paresis,22.10,Hypoaesthesia oral,22.10,Magnetic

resonance imaging abnormal,22.10,Mastication disorder,22.10,Muscular weakness,22.10
860198,Neuritis,22.10,Speech disorder,22.10,,,,,
860199,Limb discomfort,23.00,,,,,,
860200,Product preparation issue,23.00,,,,,,
860201,Extra dose administered,23.00,No adverse event,23.00,,,,,
860202,Injection site urticaria,23.00,Respiratory distress,23.00,Urticaria,23.00,Vaccination site swelling,23.00,,
860203,Abnormal faeces,22.10,Arthralgia,22.10,Chills,22.10,Lip blister,22.10,Malaise,22.10
860203,Nausea,22.10,Night sweats,22.10,,,,,
860204,Back pain,23.00,C-reactive protein increased,23.00,Musculoskeletal stiffness,23.00,Neck pain,23.00,Pain,23.00
860204,Pain in extremity,23.00,,,,,,
860205,Dizziness,23.00,Ear discomfort,23.00,Ear pain,23.00,Feeling abnormal,23.00,Feeling cold,23.00
860205,Headache,23.00,Hot flush,23.00,Impaired work ability,23.00,Influenza A virus test negative,23.00,Influenza B virus test,23.00
860205,Influenza virus test negative,23.00,Middle insomnia,23.00,Nausea,23.00,Pain,23.00,Pain in extremity,23.00
860205,Pallor,23.00,Tremor,23.00,Vomiting,23.00,,,
860206,Asthenia,23.00,Back pain,23.00,Headache,23.00,Neck pain,23.00,Pyrexia,23.00
860210,Blood glucose decreased,23.00,Fall,23.00,Lip injury,23.00,Suture insertion,23.00,,
860211,Blood test,23.00,Computerised tomogram,23.00,Seizure,23.00,,,,
860212,Head discomfort,22.10,Syncope,22.10,,,,,
860213,Injection site pain,23.00,Pain,23.00,Sleep disorder,23.00,,,,
860214,Dizziness,22.10,Feeling abnormal,22.10,Injection site pain,22.10,Injection site swelling,22.10,Loss of personal independence in daily activities,22.10
860214,Malaise,22.10,Pain,22.10,Sluggishness,22.10,,,,
860215,Dizziness,23.00,Dysgeusia,23.00,Dyskinesia,23.00,Feeling hot,23.00,Flushing,23.00
860215,Headache,23.00,Immediate post-injection reaction,23.00,Injection site pain,23.00,Injection site reaction,23.00,Loss of consciousness,23.00
860215,Musculoskeletal stiffness,23.00,Myalgia,23.00,Seizure,23.00,,,,
860216,Injection site pain,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,
860217,Hypersensitivity,23.00,Injection site reaction,23.00,Rash,23.00,Rash erythematous,23.00,,
860218,Abdominal pain upper,23.00,Chills,23.00,Fatigue,23.00,Pyrexia,23.00,,
860219,Chest pain,22.10,Pericarditis,22.10,Troponin increased,22.10,,,,
860220,Herpes zoster,23.00,,,,,,
860221,Dizziness,23.00,Pallor,23.00,,,,,
860222,Injection site erythema,23.00,Injection site warmth,23.00,,,,,,

860223,Injection site streaking,23.00,Injection site swelling,
23.00,,,,,
860224,Contusion,23.00,,,,,
860225,Herpes zoster,23.00,Injection site rash,23.00,Neuralgia,
23.00,Rash,23.00,,
860226,Headache,23.00,Malaise,23.00,Pain,23.00,Pyrexia,23.00,,
860227,Dizziness,23.00,Fall,23.00,Hyperhidrosis,23.00,Hypotension,
23.00,Unresponsive to stimuli,23.00
860227,Visual impairment,23.00,,,,,
860228,Gait disturbance,23.00,Pyrexia,23.00,,,,,
860229,Chills,23.00,Pyrexia,23.00,,,,,
860230,Blood test,22.10,Computerised tomogram,22.10,Electrocardiogram,
22.10,Haemorrhage,22.10,Head injury,22.10
860230,Loss of consciousness,22.10,Nausea,22.10,,,,,
860231,Rash,23.00,,,,,
860232,Dysstasia,22.10,Pain in extremity,22.10,Pyrexia,22.10,,,,,
860233,Hyperaesthesia,23.00,Injection site erythema,23.00,Myalgia,
23.00,Pyrexia,23.00,,
860234,Hyperhidrosis,23.00,Hypotonia,23.00,Loss of consciousness,
23.00,Moaning,23.00,Muscle contractions involuntary,23.00
860234,Posture abnormal,23.00,,,,,
860240,No adverse event,23.00,Product storage error,23.00,,,,,
860241,Product storage error,23.00,,,,,
860242,No adverse event,23.00,Product storage error,23.00,,,,,
860243,No adverse event,23.00,Product storage error,23.00,,,,,
860244,Wrong product administered,23.00,,,,,
860245,Expired product administered,23.00,No adverse event,23.00,,,,,
860246,Pneumonia,22.10,,,,,
860247,Blindness,22.10,Eye injury,22.10,Retinal detachment,
22.10,Surgery,22.10,Vision blurred,22.10
860248,Condition aggravated,22.10,Glare,22.10,Ophthalmic herpes
zoster,22.10,Vision blurred,22.10,Visual impairment,22.10
860248,Vitreous floaters,22.10,,,,,
860249,Insomnia,23.00,International normalised ratio increased,
23.00,Limb discomfort,23.00,Malaise,23.00,Mental impairment,23.00
860249,Musculoskeletal stiffness,23.00,Pain in extremity,23.00,Pain in
jaw,23.00,Trismus,23.00,,
860250,Injection site erythema,23.00,Limb discomfort,23.00,Wrong
product administered,23.00,,,,,
860251,Injection site mass,23.00,,,,,
860252,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
860253,Asthenia,23.00,,,,,
860254,Underdose,23.00,,,,,
860255,Mobility decreased,22.10,Muscle spasms,22.10,Pain in extremity,
22.10,,,,,
860256,Discomfort,22.10,Influenza like illness,22.10,Myalgia,22.10,,,,,
860259,Product administered to patient of inappropriate age,
23.00,Product prescribing error,23.00,,,,,
860260,Pain in extremity,23.00,,,,,

860261,Diplopia,23.00,Rash,23.00,,,,,
860262,Injection site pain,23.00,,,,,
860263,Injection site indentation,22.10,Injection site reaction,
22.10,Injection site swelling,22.10,Muscle injury,22.10,Pain in
extremity,22.10
860263,Tissue injury,22.10,,,,,
860264,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00,,
860265,Injection site nerve damage,23.00,Injection site pain,
23.00,,,,,
860266,Antinuclear antibody,22.10,Antinuclear antibody positive,
22.10,Arthralgia,22.10,,,,
860267,Abnormal behaviour,23.00,Crying,23.00,Decreased eye contact,
23.00,Dyskinesia,23.00,Feeling cold,23.00
860267,Panic reaction,23.00,Photophobia,23.00,Psychomotor
hyperactivity,23.00,Staring,23.00,Tic,23.00
860268,Confusional state,23.00,Diarrhoea,23.00,Opisthotonus,
23.00,Pain,23.00,Screaming,23.00
860268,Somnolence,23.00,Staring,23.00,,,,,
860269,Chills,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Pain,23.00
860269,Pyrexia,23.00,,,,,
860270,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,
23.00,,
860271,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00,Pyrexia,
23.00
860272,Bradypnea,23.00,Chills,23.00,Fatigue,23.00,Feeling cold,
23.00,Injected limb mobility decreased,23.00
860272,Injection site pain,23.00,Nausea,23.00,Pain,23.00,Pain in
extremity,23.00,Productive cough,23.00
860272,Pyrexia,23.00,Sinus headache,23.00,Taste disorder,23.00,,,,,
860280,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
860281,Product administered to patient of inappropriate age,
23.00,,,,,
860282,Extra dose administered,23.00,No adverse event,23.00,,,,,
860283,No adverse event,23.00,Product storage error,23.00,,,,,
860284,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
860286,Akinesia,22.10,Dizziness,22.10,Fear,22.10,General physical
health deterioration,22.10,Headache,22.10
860286,Hypoesthesia,22.10,Loss of personal independence in daily
activities,22.10,Paraesthesia,22.10,Walking aid user,22.10,,
860287,Injection site erythema,23.00,,,,,
860288,Acute respiratory distress syndrome,22.10,Bronchoalveolar
lavage abnormal,22.10,Cough,22.10,Dyspnoea,22.10,Endotracheal
intubation,22.10
860288,H1N1 influenza,22.10,Influenza A virus test positive,22.10,Lung
assist device therapy,22.10,Renal failure,22.10,Renal replacement
therapy,22.10

860288,Vaccination failure,22.10,,,,,,,,,
860289,Burning sensation,23.00,Neuralgia,23.00,,,,,,,,,
860290,Headache,23.00,Inappropriate schedule of product
administration,23.00,Injection site erythema,23.00,,,,,
860291,Headache,23.00,Inappropriate schedule of product
administration,23.00,Injection site erythema,23.00,,,,,
860292,Exposure during pregnancy,22.10,Polyhydramnios,22.10,,,,,,,,,
860293,Exposure during pregnancy,22.10,Hypothyroidism,22.10,,,,,,,,,
860294,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Large for dates baby,22.10,,
860295,Herpes zoster,23.00,,,,,,,,,
860296,Injection site urticaria,22.10,Lip erythema,22.10,Lip swelling,
22.10,Malaise,22.10,Pruritus,22.10
860296,Urticaria,22.10,,,,,,,,,
860297,Urticaria,22.10,,,,,,,,,
860298,Expired product administered,23.00,,,,,,,,,
860299,Pyrexia,22.10,Vomiting,22.10,,,,,,,,,
860300,Myalgia,23.00,,,,,,,,,
860301,Injection site induration,23.00,Pain in extremity,23.00,,,,,,,,,
860302,Erythema,23.00,Induration,23.00,,,,,,,,,
860303,Injection site mass,23.00,Injection site pain,23.00,Injection
site swelling,23.00,Local reaction,23.00,,
860304,Cold sweat,23.00,Dizziness,23.00,Pain,23.00,Pyrexia,
23.00,Tremor,23.00
860305,Injection site erythema,23.00,Injection site oedema,
23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00
860306,Mobility decreased,22.10,Pain in extremity,22.10,,,,,,,,,
860307,Unevaluable event,23.00,,,,,,,,,
860308,Abdominal pain upper,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00,,
860314,Bacterial vaginosis,22.10,Papilloma viral infection,
22.10,Vaginal discharge,22.10,Vaginal infection,22.10,Vaginal odour,
22.10
860315,Influenza virus test negative,22.10,Injection site reaction,
22.10,Injection site swelling,22.10,Papule,22.10,Pyrexia,22.10
860315,Skin lesion,22.10,,,,,,,,,
860316,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
860318,Arthralgia,23.00,Erythema,23.00,Injection site erythema,
23.00,Injection site warmth,23.00,Pain in extremity,23.00
860318,Peripheral swelling,23.00,Skin warm,23.00,,,,,,,,,
860319,Pruritus,23.00,Rash,23.00,,,,,,,,,
860320,Vertigo,22.10,,,,,,,,,
860321,Injected limb mobility decreased,22.10,Musculoskeletal pain,
22.10,,,,,,,,,
860322,Extra dose administered,22.10,Wrong product administered,
22.10,,,,,,,,,
860323,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site warmth,23.00,Local
reaction,23.00

860323,Rash,23.00,,,,,
860325,Erythema,23.00,Peripheral swelling,23.00,,,,,
860327,Ear infection,22.10,Influenza,22.10,Pyrexia,22.10,,,,,
860328,No adverse event,23.00,Product preparation issue,23.00,,,,,
860329,Expired product administered,23.00,No adverse event,23.00,,,,,
860330,Extra dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
860331,Pertussis,23.00,,,,,
860332,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
860333,Extra dose administered,22.10,No adverse event,22.10,,,,,
860334,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
860335,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
860336,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
860337,Antibody test negative,23.00,,,,,
860338,No adverse event,23.00,Product preparation error,23.00,,,,,
860339,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
860340,Urticaria,22.10,,,,,
860341,Rash,23.00,Rash erythematous,23.00,Rash papular,23.00,,,,,
860342,Malaise,23.00,,,,,
860343,Arthralgia,23.00,Injection site erythema,23.00,Injection site
nodule,23.00,Injection site swelling,23.00,Joint stiffness,23.00
860344,Headache,23.00,Herpes zoster,23.00,Pain,23.00,Pain in
extremity,23.00,Rash,23.00
860345,Chills,23.00,Injected limb mobility decreased,23.00,Injection
site pain,23.00,Injection site swelling,23.00,Poor quality sleep,23.00
860345,Pyrexia,23.00,,,,,
860346,Herpes zoster,23.00,,,,,
860347,Extra dose administered,22.10,No adverse event,22.10,,,,,
860348,Dizziness,22.10,Fall,22.10,,,,,
860349,Pain in extremity,22.10,Ultrasound scan,22.10,,,,,
860350,Loss of consciousness,23.00,,,,,
860351,Chills,23.00,Influenza like illness,23.00,Pain,23.00,Pyrexia,
23.00,,
860352,Injection site pain,23.00,Injection site swelling,23.00,,,,,
860353,Hypoaesthesia,23.00,,,,,
860354,Incorrect route of product administration,23.00,Injection site
erythema,23.00,Injection site irritation,23.00,,,,,
860355,Allergy to vaccine,23.00,Rash,23.00,,,,,
860356,Asthenia,23.00,Influenza like illness,23.00,Lethargy,
23.00,Pain,23.00,,
860357,Asthenia,23.00,Lethargy,23.00,Myalgia,23.00,,,,,
860358,Pain in extremity,23.00,Peripheral swelling,23.00,Skin
reaction,23.00,Tenderness,23.00,,
860359,Asthenia,23.00,Decreased appetite,23.00,Dizziness,
23.00,Fatigue,23.00,Feeling cold,23.00

860359,Heart rate increased,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00,Loss of
personal independence in daily activities,23.00
860359,Nausea,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,,
860360,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site oedema,23.00,Injection site swelling,23.00,,
860361,Skin laceration,22.10,Syncope,22.10,,,,,
860362,Chills,23.00,Headache,23.00,Pain,23.00,Pain in extremity,
23.00,Pyrexia,23.00
860363,Influenza like illness,22.10,Oropharyngeal discomfort,
22.10,Pain in extremity,22.10,Somnolence,22.10,Urticaria,22.10
860364,Herpes zoster,23.00,,,,,
860365,Asthenia,23.00,Feeling abnormal,23.00,Hypersomnia,
23.00,Paraesthesia,23.00,Tremor,23.00
860366,Arthralgia,23.00,Pain in extremity,23.00,Pyrexia,23.00,Staring,
23.00,,
860367,Musculoskeletal pain,23.00,Pain in extremity,23.00,,,,,
860368,Lip swelling,23.00,Mouth swelling,23.00,,,,,
860379,No adverse event,23.00,Product storage error,23.00,,,,,
860380,Biopsy cervix,23.00,Colposcopy,23.00,Smear cervix abnormal,
23.00,,,,,
860381,Herpes zoster,22.10,,,,,
860382,Therapeutic product effect decreased,23.00,,,,,
860383,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
860384,Cardiac disorder,22.10,Pain,22.10,Pneumonia,22.10,Rash,
22.10,Swelling,22.10
860385,Blindness unilateral,22.10,Neuromyelitis optica spectrum
disorder,22.10,,,,,
860386,No adverse event,23.00,Product storage error,23.00,,,,,
860387,Staring,23.00,,,,,
860388,Injection site cellulitis,22.10,Swelling,22.10,,,,,
860389,Diabetes mellitus,22.10,,,,,
860390,Product storage error,23.00,,,,,
860391,Injection site swelling,22.10,Injection site warmth,22.10,Pain
in extremity,22.10,,,,,
860392,Antibody test negative,23.00,,,,,
860393,No adverse event,23.00,Product storage error,23.00,,,,,
860394,No adverse event,23.00,Product storage error,23.00,,,,,
860395,No adverse event,23.00,Product storage error,23.00,,,,,
860396,Asthenia,23.00,Dizziness,23.00,Pain,23.00,,,,,
860397,Headache,23.00,Pain,23.00,,,,,
860398,Balance disorder,23.00,Pain,23.00,,,,,
860399,Myalgia,23.00,,,,,
860400,Rash vesicular,23.00,,,,,
860401,Fatigue,23.00,Pain,23.00,,,,,
860402,Discomfort,23.00,Pain,23.00,Pruritus,23.00,,,,,
860403,Urticaria,23.00,,,,,
860404,Herpes zoster,23.00,,,,,
860405,Injection site pain,23.00,,,,,

860406,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
860407,Injection site pain,23.00,Myalgia,23.00,Pain in extremity,
23.00,,,,,
860408,Injection site pain,23.00,Injection site rash,23.00,,,,,,
860409,Herpes zoster,23.00,,,,,,,
860410,Pain in extremity,23.00,,,,,,,
860411,Herpes zoster,23.00,,,,,,,
860412,Injection site erythema,23.00,Injection site induration,
23.00,,,,,,
860413,Chest discomfort,23.00,Respiratory disorder,23.00,,,,,,
860414,Abdominal pain upper,23.00,Arthralgia,23.00,Chills,
23.00,Headache,23.00,Injection site erythema,23.00
860414,Injection site pain,23.00,Injection site swelling,
23.00,Pyrexia,23.00,,,,,
860415,Unevaluable event,23.00,,,,,,,
860416,Aspiration,22.10,Ear infection,22.10,Gait inability,
22.10,Guillain-Barre syndrome,22.10,Immobile,22.10
860416,Immunoglobulin therapy,22.10,Loss of personal independence in
daily activities,22.10,Magnetic resonance imaging brain normal,
22.10,Magnetic resonance imaging normal,22.10,Musculoskeletal
disorder,22.10
860416,Paralysis,22.10,Pyrexia,22.10,Rash,22.10,Swallow study
abnormal,22.10,White blood cell count increased,22.10
860417,Cyanosis,22.10,Electrocardiogram,22.10,Hyperventilation,
22.10,Hypotonia,22.10,Pallor,22.10
860417,Vomiting,22.10,,,,,,,
860418,Chills,23.00,Hyperhidrosis,23.00,Injection site erythema,
23.00,Injection site nodule,23.00,Injection site swelling,23.00
860418,Pain,23.00,Pyrexia,23.00,,,,,,
860419,No adverse event,23.00,Product storage error,23.00,,,,,,
860420,Fatigue,23.00,Headache,23.00,Urticaria,23.00,,,,,
860421,Fall,23.00,Hypoaesthesia,23.00,Rib fracture,23.00,Sensory loss,
23.00,,
860422,Musculoskeletal pain,23.00,Myalgia,23.00,,,,,,
860423,Computerised tomogram,22.10,Dizziness,22.10,Headache,
22.10,Herpes zoster,22.10,Impaired driving ability,22.10
860423,Neck pain,22.10,Rash,22.10,Vaccination failure,22.10,,,,,
860424,Acne,23.00,Headache,23.00,Immediate post-injection reaction,
23.00,Injected limb mobility decreased,23.00,Injection site erythema,
23.00
860424,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Rash erythematous,23.00,Skin
discolouration,23.00
860425,Heart rate increased,23.00,Heart rate irregular,23.00,Pain,
23.00,,,,,
860426,Herpes zoster,23.00,,,,,,,
860427,Erythema,23.00,Pain,23.00,Peripheral swelling,23.00,,,,,
860428,Dizziness,22.10,Fall,22.10,Fatigue,22.10,Hypersomnia,22.10,Loss
of consciousness,22.10

860429,Dizziness,23.00,Fall,23.00,Muscle fatigue,23.00,Paralysis,
23.00,,
860430,Expired product administered,23.00,No adverse event,23.00,,,,,,
860431,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
860432,Rash,23.00,,,,,,
860433,Acute zonal occult outer retinopathy,22.10,Bartonella test
negative,22.10,Borrelia test negative,22.10,Central vision loss,
22.10,Dengue virus test negative,22.10
860433,Retinal vasculitis,22.10,Retinitis,22.10,Viral test negative,
22.10,Visual field defect,22.10,,
860434,Chills,23.00,Dizziness,23.00,Gait inability,23.00,Nausea,
23.00,Pyrexia,23.00
860435,Chills,23.00,Headache,23.00,Injection site pain,23.00,Injection
site swelling,23.00,,
860436,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
860437,Chills,23.00,Injection site pain,23.00,Injection site swelling,
23.00,Pain in extremity,23.00,,
860438,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,
860439,Blood pressure increased,23.00,Influenza A virus test negative,
23.00,Influenza B virus test,23.00,Influenza like illness,
23.00,Influenza virus test negative,23.00
860439,Pain,23.00,Pyrexia,23.00,,,,,
860440,Crying,23.00,Cyanosis,23.00,Dehydration,23.00,Diarrhoea,
23.00,Dyskinesia,23.00
860440,Emotional disorder,23.00,Fatigue,23.00,Glassy eyes,
23.00,Hyporesponsive to stimuli,23.00,Immediate post-injection
reaction,23.00
860440,Irritability,23.00,Lethargy,23.00,Oxygen saturation decreased,
23.00,Personality change,23.00,Staring,23.00
860440,Vital signs measurement,23.00,,,,,,
860441,Antibody test,23.00,Differential white blood cell count,
23.00,Full blood count,23.00,Platelet count,23.00,Pruritus,23.00
860441,Swelling,23.00,Urticaria,23.00,,,,,
860442,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,
860457,No adverse event,23.00,Product storage error,23.00,,,,,
860458,Retinal artery occlusion,22.10,Vision blurred,22.10,,,,,
860459,Allergy to vaccine,23.00,Drug hypersensitivity,23.00,,,,,
860460,Pain in extremity,23.00,Vaccine positive rechallenge,
23.00,,,,,
860461,Headache,23.00,Injection site swelling,23.00,Pyrexia,23.00,,,,
860462,Myalgia,23.00,,,,,,
860463,Chest discomfort,23.00,,,,,,
860464,Abdominal pain upper,23.00,Dizziness,23.00,Palpitations,
23.00,,,,
860465,Chills,23.00,Pyrexia,23.00,,,,,
860466,Adverse event,23.00,,,,,,

860467, Inappropriate schedule of product administration, 23.00, Pain in extremity, 23.00, , , , , , , ,
860468, Injection site pruritus, 23.00, , , , , , , ,
860469, Throat tightness, 23.00, , , , , , , ,
860471, Chills, 23.00, Erythema, 23.00, Fatigue, 23.00, Insomnia, 23.00, Myalgia, 23.00
860471, Pyrexia, 23.00, , , , , , , ,
860472, Herpes zoster, 23.00, , , , , , , ,
860473, Nausea, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, , , , ,
860475, Immediate post-injection reaction, 23.00, Rash, 23.00, , , , , , ,
860476, Arthralgia, 23.00, Immediate post-injection reaction, 23.00, Injection site pain, 23.00, Pain in extremity, 23.00, ,
860477, Herpes zoster, 23.00, , , , , , , ,
860478, Herpes zoster, 23.00, , , , , , , ,
860479, Erythema, 23.00, Injection site erythema, 23.00, , , , , , , ,
860480, Injection site erythema, 23.00, Injection site pain, 23.00, Skin discolouration, 23.00, , , , ,
860481, Immediate post-injection reaction, 23.00, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, , ,
860483, Exposure during pregnancy, 23.00, Injection site pruritus, 23.00, Skin mass, 23.00, , , , , ,
860484, Headache, 23.00, Injection site inflammation, 23.00, Injection site pain, 23.00, , , , , ,
860485, Cough, 23.00, Dizziness, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00, Nasal congestion, 23.00
860485, Nervousness, 23.00, Pain, 23.00, Productive cough, 23.00, Rhinorrhoea, 23.00, Somnolence, 23.00
860486, Injection site erythema, 23.00, Injection site mass, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Musculoskeletal disorder, 23.00
860486, Pain, 23.00, Rash, 23.00, , , , , , , ,
860487, Dyskinesia, 23.00, Electroencephalogram, 23.00, Staring, 23.00, Tremor, 23.00, , ,
860488, Wrong product administered, 23.00, , , , , , , , ,
860489, Cough, 22.10, Eye swelling, 22.10, Mouth swelling, 22.10, Rash, 22.10, Swelling face, 22.10
860499, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
860500, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
860501, Expired product administered, 23.00, , , , , , , , ,
860502, Injection site induration, 22.10, , , , , , , , ,
860503, Herpes zoster, 22.10, Rash, 22.10, , , , , , , , ,
860504, Incorrect route of product administration, 23.00, No adverse event, 23.00, , , , , , , ,
860505, Product administered to patient of inappropriate age, 23.00, , , , , , , , ,
860506, Inappropriate schedule of product administration, 23.00, , , , , , , , ,
860507, Incomplete course of vaccination, 23.00, , , , , , , , ,
860508, Extra dose administered, 23.00, Musculoskeletal pain, 23.00, Pain in extremity, 23.00, Secretion discharge, 23.00, , ,
860509, Chills, 23.00, Headache, 23.00, Influenza like illness,

23.00,Malaise,23.00,Mobility decreased,23.00
860509,Pain in extremity,23.00,Pyrexia,23.00,,,,,
860510,Fatigue,23.00,,,,,
860511,Chills,23.00,Pyrexia,23.00,Swelling,23.00,Tenderness,23.00,,
860512,Delivery,22.10,Exposure during pregnancy,22.10,Foetal heart
rate abnormal,22.10,Folliculitis,22.10,Haemorrhoids,22.10
860512,Premature separation of placenta,22.10,,,,,
860513,Discomfort,22.10,Hypoaesthesia,22.10,Neck pain,22.10,Pain,
22.10,Pain in extremity,22.10
860513,Paraesthesia,22.10,,,,,
860514,Exposure during pregnancy,22.10,Gestational diabetes,
22.10,Hypersensitivity,22.10,Polyhydramnios,22.10,,
860515,Exposure during pregnancy,22.10,Gestational diabetes,
22.10,Hypersensitivity,22.10,Polyhydramnios,22.10,,
860516,Exposure during pregnancy,22.10,Foetal cardiac disorder,
22.10,Ultrasound antenatal screen abnormal,22.10,,,,
860517,Caesarean section,22.10,Foetal exposure during pregnancy,
22.10,Foetal heart rate abnormal,22.10,,,,
860518,Atrioventricular block first degree,22.10,Delivery,
22.10,Eclampsia,22.10,Exposure during pregnancy,22.10,Ocular
myasthenia,22.10
860518,Pre-eclampsia,22.10,Premature delivery,22.10,,,,,
860519,Amniotic cavity infection,22.10,Apgar score normal,22.10,Foetal
exposure during pregnancy,22.10,,,,
860520,Heart rate increased,23.00,Syncope,23.00,,,,,
860521,Asthenia,22.10,CSF protein increased,22.10,Computerised
tomogram head,22.10,Computerised tomogram neck,22.10,Demyelination,
22.10
860521,Electromyogram abnormal,22.10,Gait disturbance,22.10,Guillain-
Barre syndrome,22.10,Hypoaesthesia,22.10,Immunoglobulin therapy,22.10
860521,Lumbar puncture,22.10,Magnetic resonance imaging brain normal,
22.10,Magnetic resonance imaging spinal normal,22.10,Paraesthesia,
22.10,Walking aid user,22.10
860522,Blister,23.00,Culture positive,23.00,Herpes simplex test
positive,23.00,Influenza like illness,23.00,,
860523,Musculoskeletal pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,Rash,23.00,,
860524,Heart rate increased,23.00,Injection site rash,23.00,Injection
site swelling,23.00,Injection site urticaria,23.00,,
860525,Body temperature increased,23.00,Dizziness,23.00,Heart rate
increased,23.00,Injection site pain,23.00,,
860526,Dizziness,23.00,Posture abnormal,23.00,,,,,
860527,Cellulitis,23.00,Chills,23.00,Headache,23.00,Injection site
erythema,23.00,Rash macular,23.00
860527,Rash pruritic,23.00,Vaccination site swelling,23.00,Vaccination
site warmth,23.00,,,,
860529,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
860530,Thrombocytopenic purpura,22.10,,,,,
860531,No adverse event,23.00,Product storage error,23.00,,,,,

860532, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
860533, Deafness, 22.10, Deafness neurosensory, 22.10, Dizziness,
22.10, Nausea, 22.10, Sudden hearing loss, 22.10
860533, Tinnitus, 22.10, Vertigo, 22.10, , , , , ,
860534, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, Wrong product administered, 23.00, , , , ,
860535, No adverse event, 23.00, Product preparation error, 23.00, Product
preparation issue, 23.00, , , , , ,
860536, No adverse event, 23.00, Product preparation issue, 23.00, , , , , ,
860537, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, Wrong product administered, 23.00, , , , ,
860538, Extra dose administered, 23.00, No adverse event, 23.00, , , , , ,
860539, Exposure via eye contact, 23.00, Occupational exposure to
product, 23.00, , , , , ,
860540, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860541, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860542, Expired product administered, 23.00, , , , , , , , , , ,
860543, Incorrect dose administered, 22.10, Overdose, 22.10, Product
administered to patient of inappropriate age, 22.10, , , , , ,
860544, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
860545, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site
oedema, 23.00, Injection site pain, 23.00, Injection site warmth, 23.00
860546, Basedow's disease, 22.10, Blood test, 22.10, Goitre, 22.10, Scan
thyroid gland, 22.10, , ,
860547, Immune thrombocytopenic purpura, 22.10, Petechiae, 22.10, Platelet
count decreased, 22.10, , , , , ,
860548, Injection site swelling, 23.00, Injection site warmth,
23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , ,
860549, Urticaria, 23.00, , , , , , , , , , ,
860550, Herpes zoster, 23.00, Ophthalmic herpes zoster, 23.00, Rash,
23.00, , , , , ,
860551, Dizziness, 23.00, Flushing, 23.00, Nausea, 23.00, , , , , ,
860552, Erythema, 23.00, , , , , , , , , , ,
860553, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
860554, Discomfort, 23.00, Headache, 23.00, Immediate post-injection
reaction, 23.00, Injection site swelling, 23.00, Malaise, 23.00
860555, Erythema, 23.00, , , , , , , , , , ,
860556, Back pain, 23.00, Exposure during pregnancy, 23.00, Injection site
swelling, 23.00, Musculoskeletal pain, 23.00, Pain, 23.00
860556, Peripheral swelling, 23.00, Tenderness, 23.00, , , , , , , , , , ,
860557, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia,
23.00
860557, Rash erythematous, 23.00, Rash pruritic, 23.00, Skin warm, 23.00, , , , , ,
860558, Chest pain, 23.00, Dyspnoea, 23.00, Electrocardiogram, 23.00, Full
blood count, 23.00, Injection site pain, 23.00
860558, Metabolic function test, 23.00, Myocarditis, 23.00, Troponin,
23.00, , , , , ,
860559, Headache, 23.00, Muscle spasms, 23.00, Myalgia, 23.00, , , , , ,
860560, Full blood count, 23.00, Metabolic function test, 23.00, Nausea,

23.00,Pain,23.00,Urine analysis,23.00
860560,Vomiting,23.00,,,,,
860561,Arthralgia,22.10,C-reactive protein,22.10,Chest X-ray,
22.10,Computerised tomogram thorax,22.10,Dyspnoea,22.10
860561,Electrocardiogram,22.10,Full blood count,22.10,Impaired work
ability,22.10,Metabolic function test,22.10,Peripheral swelling,22.10
860561,Red blood cell sedimentation rate,22.10,Serum sickness,
22.10,Troponin,22.10,,,,,
860562,Erythema multiforme,22.10,Skin lesion,22.10,,,,,
860563,Erythema,23.00,,,,,
860564,Injection site erythema,23.00,Injection site rash,23.00,,,,,
860565,Erythema,23.00,Hypoaesthesia,23.00,,,,,
860566,Abdominal discomfort,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Injection site pain,23.00
860566,Myalgia,23.00,,,,,
860567,Back pain,22.10,Chest X-ray normal,22.10,Chest pain,
22.10,Cough,22.10,Muscle spasms,22.10
860567,Musculoskeletal chest pain,22.10,Musculoskeletal pain,
22.10,Respiration abnormal,22.10,Spinal X-ray normal,22.10,,
860568,Erythema,23.00,Peripheral swelling,23.00,Pruritus,23.00,,,,,
860569,Hypersomnia,23.00,Lethargy,23.00,Nausea,23.00,Sinus headache,
23.00,Vomiting,23.00
860570,Aphthous ulcer,23.00,Chills,23.00,Headache,23.00,Hypoaesthesia,
23.00,Influenza like illness,23.00
860570,Loss of personal independence in daily activities,23.00,Pain,
23.00,Pain in extremity,23.00,,,,,
860571,Erythema,23.00,Feeling abnormal,23.00,Feeling hot,
23.00,Flushing,23.00,Injection site erythema,23.00
860571,Injection site pruritus,23.00,Palpitations,23.00,Pruritus,
23.00,Tremor,23.00,,
860572,Injection site pain,23.00,Muscular weakness,23.00,,,,,
860573,Hyperaesthesia,23.00,Injection site erythema,23.00,Injection
site reaction,23.00,Injection site warmth,23.00,,
860574,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
860575,Injection site erythema,23.00,Injection site rash,
23.00,Injection site warmth,23.00,,,,,
860576,Fatigue,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site reaction,23.00,Musculoskeletal stiffness,
23.00
860577,Extra dose administered,22.10,,,,,
860578,Musculoskeletal disorder,23.00,Pain in extremity,23.00,,,,,
860579,Injection site haematoma,23.00,Injection site induration,
23.00,Injection site nodule,23.00,Injection site pain,23.00,,
860580,Chills,23.00,,,,,
860581,Injection site erythema,23.00,Injection site rash,
23.00,Injection site warmth,23.00,Pain in extremity,23.00,,
860583,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,,
860584,Chest discomfort,23.00,Malaise,23.00,Oxygen saturation normal,
23.00,,,,,

860585, Chills, 23.00, Lethargy, 23.00, Pain, 23.00, Pyrexia, 23.00,,
860586, Arthralgia, 23.00, Erythema, 23.00, Pain, 23.00,,,,,
860587, Pruritus, 23.00, Urticaria, 23.00,,,,,,
860588, Arthralgia, 23.00, Fatigue, 23.00, Headache, 23.00, Hypersensitivity,
23.00, Influenza like illness, 23.00
860588, Injection site discolouration, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site swelling,
23.00, Injection site urticaria, 23.00
860588, Injection site warmth, 23.00, Myalgia, 23.00,,,,,,
860589, Arthralgia, 22.10, Back pain, 22.10, Body temperature decreased,
22.10, Burning sensation, 22.10, Chills, 22.10
860589, Facial nerve disorder, 22.10, Facial paralysis, 22.10, Gait
inability, 22.10, Guillain-Barre syndrome, 22.10, Heart rate increased,
22.10
860589, Hypertension, 22.10, Immunoglobulin therapy, 22.10, Lumbar
puncture, 22.10, Magnetic resonance imaging brain, 22.10, Magnetic
resonance imaging spinal, 22.10
860589, Muscle disorder, 22.10, Neuropathy peripheral, 22.10, Paraesthesia,
22.10,,,,,
860590, Erythema, 23.00, Local reaction, 23.00, Nodule, 23.00, Swelling,
23.00,,
860601, Antibody test negative, 23.00, Incorrect route of product
administration, 23.00,,,,,,
860602, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00,,,,,,
860603, Herpes zoster, 23.00, Rash, 23.00, Varicella virus test positive,
23.00,,,,,
860604, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00,,,,,,
860605, Extra dose administered, 23.00, Mumps antibody test negative,
23.00,,,,,,
860606, Dry eye, 22.10, Endocrine ophthalmopathy, 22.10, Exophthalmos,
22.10, Pain, 22.10, Vision blurred, 22.10
860607, Cerebrovascular accident, 22.10, Dysarthria, 22.10, Facial
paralysis, 22.10, Hemiparesis, 22.10, Hypoaesthesia, 22.10
860608, Herpes zoster, 22.10, Rash, 22.10, Rash vesicular, 22.10,,,,,
860609, Ageusia, 22.10, Balance disorder, 22.10, Deafness neurosensory,
22.10, Deafness unilateral, 22.10, Tinnitus, 22.10
860610, Burning sensation, 22.10, Herpes zoster, 22.10, Post herpetic
neuralgia, 22.10, Rash, 22.10,,
860611, Deafness, 22.10,,,,,,
860612, General physical health deterioration, 23.00, Postural
orthostatic tachycardia syndrome, 23.00, Staring, 23.00,,,,,
860613, Headache, 23.00, Injection site erythema, 23.00,,,,,,
860614, Fatigue, 23.00,,,,,,
860615, Fatigue, 23.00, Feeling cold, 23.00, Hyperhidrosis, 23.00, Incomplete
course of vaccination, 23.00, Pyrexia, 23.00
860616, Erythema, 23.00, Injection site erythema, 23.00, Injection site
warmth, 23.00, Skin warm, 23.00,,
860617, Muscle disorder, 23.00, Nervous system disorder, 23.00,,,,,,

860618, Back pain, 22.10, Herpes zoster, 22.10, Vaccination failure, 22.10, , , , ,
860619, Arthralgia, 22.10, Asthenia, 22.10, Fatigue, 22.10, Guillain-Barre syndrome, 22.10, Monoplegia, 22.10
860619, Neurological decompensation, 22.10, Upper respiratory tract infection, 22.10, , , , , , ,
860620, Diarrhoea, 22.10, Headache, 22.10, Hyperhidrosis, 22.10, Lymphadenopathy, 22.10, Nausea, 22.10
860620, Pyrexia, 22.10, , , , , , , ,
860621, Arthralgia, 22.10, Immediate post-injection reaction, 22.10, Middle insomnia, 22.10, Mobility decreased, 22.10, Pain, 22.10
860622, Abdominal pain upper, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site pain, 23.00
860622, Injection site swelling, 23.00, Malaise, 23.00, Nausea, 23.00, Pyrexia, 23.00, ,
860625, Blood glucose abnormal, 22.10, Blood ketone body present, 22.10, Feeling abnormal, 22.10, Loss of personal independence in daily activities, 22.10, Vaccination complication, 22.10
860626, Hypoaesthesia oral, 23.00, , , , , , , , ,
860627, Arthritis bacterial, 22.10, Burning sensation, 22.10, Central venous catheterisation, 22.10, Infection, 22.10, Injection site erythema, 22.10
860627, Joint surgery, 22.10, Osteomyelitis, 22.10, Pain, 22.10, Swelling, 22.10, ,
860631, Influenza like illness, 23.00, Injection site pain, 23.00, Pain, 23.00, , , , ,
860632, Rash, 23.00, , , , , , , , ,
860633, Headache, 23.00, Influenza like illness, 23.00, Pain, 23.00, Pyrexia, 23.00, ,
860634, Herpes zoster, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
860635, Influenza like illness, 23.00, Injection site pain, 23.00, Pyrexia, 23.00, , , , ,
860636, Anxiety, 22.10, Blister, 22.10, Fall, 22.10, Foot deformity, 22.10, Herpes zoster, 22.10
860636, Orthosis user, 22.10, Pruritus, 22.10, Upper limb fracture, 22.10, Vaccination failure, 22.10, ,
860637, Asthenia, 23.00, Gait disturbance, 23.00, Headache, 23.00, Injection site pain, 23.00, Nausea, 23.00
860637, Pain, 23.00, , , , , , , , ,
860638, Chills, 23.00, Feeling cold, 23.00, Headache, 23.00, Hyperhidrosis, 23.00, Incomplete course of vaccination, 23.00
860638, Malaise, 23.00, Nausea, 23.00, Pyrexia, 23.00, Tremor, 23.00, , ,
860639, Injection site rash, 23.00, , , , , , , , ,
860640, Chills, 22.10, Headache, 22.10, Influenza like illness, 22.10, Pyrexia, 22.10, Rash pruritic, 22.10
860640, Rash pustular, 22.10, Rash vesicular, 22.10, Urticaria, 22.10, , , , ,
860641, Injection site inflammation, 23.00, Injection site swelling, 23.00, , , , , , ,
860642, Fatigue, 23.00, Myalgia, 23.00, , , , , , ,

860643, Chills, 23.00, Malaise, 23.00, , , , , , ,
860644, Injection site rash, 23.00, , , , , , , ,
860645, Nerve compression, 23.00, Pain in extremity, 23.00, , , , , , ,
860663, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
860664, Rash, 22.10, Rash vesicular, 22.10, , , , , , ,
860665, Ear infection, 22.10, Influenza virus test negative,
22.10, Injection site discolouration, 22.10, Injection site induration,
22.10, Measles, 22.10
860665, Measles post vaccine, 22.10, Pyrexia, 22.10, Rash, 22.10, Rash
maculo-papular, 22.10, ,
860666, Expired product administered, 23.00, Wrong product administered,
23.00, , , , , , , ,
860667, Feeling cold, 23.00, Pain in extremity, 23.00, , , , , , , ,
860668, Chills, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia, 23.00, , ,
860669, Rash, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, , , , ,
860670, Adverse drug reaction, 23.00, , , , , , , , ,
860671, Feeling cold, 23.00, Pain in extremity, 23.00, , , , , , , ,
860672, Back pain, 23.00, Hypoaesthesia, 23.00, Injection site pain,
23.00, Muscle spasticity, 23.00, Pain, 23.00
860673, Injection site pain, 23.00, Product preparation issue,
23.00, Product storage error, 23.00, , , , , ,
860674, Influenza like illness, 23.00, Injected limb mobility decreased,
23.00, Injection site pain, 23.00, Poor quality sleep, 23.00, Pyrexia, 23.00
860675, Influenza like illness, 23.00, Injection site pain, 23.00, Pyrexia,
23.00, , , , , ,
860676, Influenza like illness, 23.00, Injection site pain, 23.00, , , , , , ,
860677, Inflammation, 23.00, Malaise, 23.00, , , , , , , ,
860678, Gait inability, 23.00, Headache, 23.00, , , , , , , ,
860679, Myasthenia gravis crisis, 22.10, , , , , , , , , ,
860680, Angiogram retina, 22.10, Bacterial test negative, 22.10, Blood
immunoglobulin G increased, 22.10, C-reactive protein increased,
22.10, Cardiolipin antibody negative, 22.10
860680, Central vision loss, 22.10, Computerised tomogram normal,
22.10, Coxsackie virus test positive, 22.10, Eye disorder,
22.10, Fluorescence angiogram, 22.10
860680, Fluorescence angiogram abnormal, 22.10, Full blood count normal,
22.10, Fundoscopy abnormal, 22.10, HLA marker study positive,
22.10, Headache, 22.10
860680, Inflammatory marker test, 22.10, Intraocular pressure test,
22.10, Lumbar puncture normal, 22.10, Macular oedema, 22.10, Magnetic
resonance imaging normal, 22.10
860680, Metabolic function test normal, 22.10, Ophthalmological
examination abnormal, 22.10, Optical coherence tomography abnormal,
22.10, Retinal pigment epitheliopathy, 22.10, Slit-lamp examination, 22.10
860680, Viral test negative, 22.10, Visual acuity reduced, 22.10, Visual
acuity tests abnormal, 22.10, Visual field defect, 22.10, X-ray normal,
22.10
860681, Vomiting, 23.00, , , , , , , , , , ,
860682, Erythema, 23.00, Loss of personal independence in daily
activities, 23.00, Pain, 23.00, Rash papular, 23.00, Tenderness, 23.00

860683, Abdominal pain upper, 23.00, Blister, 23.00, Diarrhoea, 23.00, Flatulence, 23.00, Gastric disorder, 23.00
860683, Headache, 23.00, Mucous stools, 23.00, Musculoskeletal pain, 23.00, Nausea, 23.00, Rash pruritic, 23.00
860684, Feeling hot, 23.00, Headache, 23.00, Injection site pain, 23.00, Pain, 23.00,,
860685, Injection site vesicles, 23.00, Pain in extremity, 23.00, Rash, 23.00,,,,
860686, Lymphadenopathy, 23.00, Peripheral swelling, 23.00, Ultrasound scan abnormal, 23.00,,,,
860688, Bedridden, 23.00, Chills, 23.00, Ear pain, 23.00, Headache, 23.00, Injection site pain, 23.00
860688, Malaise, 23.00, Pain, 23.00, Pain in extremity, 23.00,,,,
860689, Chills, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Myalgia, 23.00
860690, Chills, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Myalgia, 23.00
860691, Chills, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Myalgia, 23.00
860692, Pneumonia, 22.10, Surgery, 22.10,,,,,
860693, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, Wrong product administered, 23.00,,,,
860694, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00,,,,,
860695, Expired product administered, 23.00, No adverse event, 23.00,,,,,
860696, No adverse event, 22.10, Product storage error, 22.10,,,,,
860697, Expired product administered, 23.00, No adverse event, 23.00,,,,,
860698, Expired product administered, 23.00, No adverse event, 23.00,,,,,
860699, Expired product administered, 23.00, No adverse event, 23.00,,,,,
860700, No adverse event, 23.00, Wrong product administered, 23.00,,,,,
860701, No adverse event, 23.00, Product storage error, 23.00,,,,,
860702, No adverse event, 23.00, Product storage error, 23.00,,,,,
860703, Biopsy skin, 22.10, Pruritus, 22.10, Rash erythematous, 22.10, Skin test, 22.10, Swelling, 22.10
860704, Joint range of motion decreased, 22.10, Loss of personal independence in daily activities, 22.10, Musculoskeletal pain, 22.10,,,,
860705, Dizziness, 22.10, Erythema, 22.10, Headache, 22.10, Injection site urticaria, 22.10, Nausea, 22.10
860705, Pruritus, 22.10, Rash, 22.10, Swelling, 22.10,,,,
860706, Injection site cellulitis, 22.10,,,,,
860707, Wrong product administered, 23.00,,,,,
860708, Chills, 23.00, Headache, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
860709, Arthralgia, 23.00, Bone pain, 23.00, Injection site joint pain, 23.00, Injection site pain, 23.00, Nausea, 23.00
860709, Pain, 23.00,,,,,
860710, Body temperature increased, 23.00, Dizziness, 23.00, Feeling hot, 23.00, Headache, 23.00, Nausea, 23.00
860710, Peripheral coldness, 23.00,,,,,
860711, Loss of personal independence in daily activities,

23.00,Myalgia,23.00,Pain,23.00,,,,,
860712,Joint range of motion decreased,22.10,Musculoskeletal pain,
22.10,,,,,,
860713,Crying,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,,
860714,Arthralgia,23.00,Fatigue,23.00,Impaired driving ability,
23.00,Incomplete course of vaccination,23.00,Pain,23.00
860714,Screaming,23.00,Spinal pain,23.00,,,,,,
860750,No adverse event,23.00,Product storage error,23.00,,,,,,
860751,Extra dose administered,23.00,No adverse event,23.00,,,,,,
860752,Chills,23.00,Fatigue,23.00,Hyperhidrosis,23.00,Inappropriate
schedule of product administration,23.00,Malaise,23.00
860752,Paraesthesia,23.00,Pruritus,23.00,Vaccine positive rechallenge,
23.00,,,,,
860753,Pyrexia,23.00,,,,,,
860754,Pyrexia,23.00,Vaccine positive rechallenge,23.00,,,,,,
860755,Injection site pain,23.00,,,,,,
860756,Chest pain,22.10,Herpes zoster,22.10,Rash,22.10,,,,,
860757,Feeling hot,23.00,Injection site erythema,23.00,Injection site
pruritus,23.00,Injection site swelling,23.00,Myalgia,23.00
860757,Pain,23.00,Pyrexia,23.00,,,,,,
860758,Asthenia,23.00,Erythema,23.00,Musculoskeletal pain,23.00,Pain
in extremity,23.00,Rash,23.00
860758,Sleep disorder,23.00,,,,,,
860759,Arthralgia,23.00,Chest discomfort,23.00,Gait inability,
23.00,Injection site erythema,23.00,Joint injury,23.00
860759,Ligament rupture,23.00,Mobility decreased,23.00,Pain,
23.00,Weight bearing difficulty,23.00,,
860760,Pneumonia,23.00,,,,,,
860761,Headache,22.10,Injection site cellulitis,22.10,Injection site
pain,22.10,Pain,22.10,Pain of skin,22.10
860761,Paraesthesia,22.10,Pyrexia,22.10,,,,,,
860762,Asthenia,23.00,Blood electrolytes,23.00,Blood glucose,
23.00,Blood urea nitrogen/creatinine ratio,23.00,Blood urine present,
23.00
860762,Chills,23.00,Chromaturia,23.00,Cough,23.00,Decreased appetite,
23.00,Dehydration,23.00
860762,Diarrhoea,23.00,Dizziness,23.00,Dyspnoea,23.00,Eye irritation,
23.00,Fatigue,23.00
860762,Feeling of body temperature change,23.00,Glycosylated
haemoglobin,23.00,Haematuria,23.00,Headache,23.00,Hepatic enzyme
increased,23.00
860762,Hypersomnia,23.00,Lethargy,23.00,Mononucleosis heterophile test
negative,23.00,Nausea,23.00,Neck pain,23.00
860762,Ocular hyperaemia,23.00,Pallor,23.00,Protein urine present,
23.00,Pyrexia,23.00,Red blood cells urine positive,23.00
860762,Respiratory tract congestion,23.00,Skin warm,
23.00,Sluggishness,23.00,Specific gravity urine normal,
23.00,Tachycardia,23.00
860762,Ultrasound abdomen abnormal,23.00,Urinary tract infection,

23.00,Urine analysis,23.00,Urine ketone body present,23.00,Visual field defect,23.00
860762,Visual impairment,23.00,Vomiting,23.00,Weight decreased, 23.00,pH urine normal,23.00,,
860763,Inappropriate schedule of product administration,23.00,,,,,,
860764,Herpes zoster,22.10,Ophthalmic herpes zoster,22.10,,,,,
860765,Inappropriate schedule of product administration,23.00,No adverse event,23.00,,,,,
860766,Peripheral swelling,23.00,Pruritus,23.00,Rash,23.00,Urticaria, 23.00,,
860767,Anxiety,23.00,Feeling abnormal,23.00,Injection site reaction, 23.00,Swelling,23.00,,
860768,Local reaction,22.10,,,,,,
860769,Product administered to patient of inappropriate age, 23.00,,,,,,
860771,Decreased appetite,23.00,Dizziness,23.00,Erythema, 23.00,Malaise,23.00,Pain in extremity,23.00
860771,Tenderness,23.00,,,,,,
860772,Pain,23.00,Pain in extremity,23.00,Urticaria,23.00,,,
860773,Peripheral swelling,22.10,,,,,,
860774,Body temperature increased,23.00,Dizziness,23.00,Malaise, 23.00,,,
860775,Condition aggravated,23.00,Headache,23.00,Hypertension, 23.00,Injection site swelling,23.00,Myalgia,23.00
860775,Pyrexia,23.00,Tachycardia,23.00,,,,,
860776,Altered state of consciousness,23.00,Asthenia,23.00,Dizziness, 23.00,Hyperhidrosis,23.00,,
860777,Influenza like illness,23.00,Rash,23.00,Rash pruritic,23.00,,,
860778,Erythema,23.00,Injection site erythema,23.00,Injection site swelling, 23.00,Rash,23.00,Swelling,23.00
860779,Pain in extremity,23.00,Rash,23.00,,,,,
860781,Chills,23.00,Dyspnoea,23.00,Pyrexia,23.00,Tremor,23.00,,
860782,Extra dose administered,23.00,No adverse event,23.00,,,,,
860783,Ataxia,22.10,Hyporeflexia,22.10,Laboratory test normal, 22.10,Muscular weakness,22.10,Pyrexia,22.10
860784,Injection site pain,22.10,Insomnia,22.10,Loss of personal independence in daily activities, 22.10,Pain,22.10,,
860785,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Nausea, 23.00
860785,Pyrexia,23.00,,,,,,
860786,Erythema,23.00,Fatigue,23.00,Lip blister,23.00,Malaise, 23.00,Pruritus,23.00
860788,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,
860789,Arthralgia,22.10,Immediate post-injection reaction, 22.10,Incorrect route of product administration,22.10,Injection site pain, 22.10,Rotator cuff syndrome,22.10
860790,Erythema,23.00,Pain,23.00,Skin warm,23.00,,,
860791,Extra dose administered,23.00,Wrong product administered, 23.00,,,,,
860792,Altered state of consciousness,23.00,Balance disorder,

23.00,Dysarthria,23.00,Gait disturbance,23.00,Imaging procedure,23.00
860792,Magnetic resonance imaging brain abnormal,23.00,Malaise,
23.00,Orthostatic hypotension,23.00,Pain in extremity,23.00,,
860793,Injection site erythema,22.10,Injection site swelling,
22.10,,,,,
860794,Feeding disorder,23.00,Paraesthesia,23.00,,,,,
860795,Rotator cuff syndrome,23.00,X-ray,23.00,,,,,
860796,Chills,23.00,Impaired work ability,23.00,Pain,23.00,Pain in
extremity,23.00,Pyrexia,23.00
860796,Tremor,23.00,,,,,
860797,Injected limb mobility decreased,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Lymphadenopathy,23.00,Neck pain,23.00
860797,Product administered at inappropriate site,23.00,Tenderness,
23.00,,,,,
860798,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,
860799,Amenorrhoea,22.10,,,,,
860800,Fatigue,23.00,Injection site rash,23.00,Pain,23.00,Pain in
extremity,23.00,,
860801,Injection site pain,22.10,Pain in extremity,22.10,,,,,
860802,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,
860803,Cardiogenic shock,22.10,Cerebrovascular accident,
22.10,Intraventricular haemorrhage,22.10,Malaise,22.10,Pulseless
electrical activity,22.10
860803,Resuscitation,22.10,,,,,
860804,Dermatitis contact,22.10,Erythema,22.10,Pruritus,22.10,Rash,
22.10,Swelling face,22.10
860804,Urticaria,22.10,,,,,
860805,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,Pyrexia,23.00,,
860806,Asthenia,23.00,Dizziness,23.00,Erythema,23.00,Fatigue,
23.00,Headache,23.00
860806,Musculoskeletal stiffness,23.00,Pain in extremity,23.00,,,,,
860807,Expired product administered,23.00,,,,,
860808,Anxiety,23.00,Insomnia,23.00,Paraesthesia,23.00,,,,
860809,Induration,23.00,Swelling,23.00,,,,,
860810,Injection site erythema,23.00,Injection site inflammation,
23.00,Injection site warmth,23.00,,,,
860811,Hypoaesthesia,23.00,Influenza like illness,23.00,Pain,
23.00,Pyrexia,23.00,,
860812,Diarrhoea,23.00,Pruritus,23.00,,,,,
860813,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00,,
860815,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,
860816,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,
860817,Mobility decreased,23.00,Pain,23.00,,,,,
860818,Condition aggravated,22.10,Grip strength decreased,22.10,,,,,
860819,Cough,23.00,Dyspnoea,23.00,Hypertension,23.00,Immediate post-
injection reaction,23.00,Pain in extremity,23.00
860819,Paraesthesia,23.00,Peripheral swelling,23.00,Pruritus,
23.00,Tachycardia,23.00,Throat tightness,23.00

860819, Wheezing, 23.00, , , , , , , , , , ,
860820, Agitation, 23.00, Arthralgia, 23.00, Chapped lips, 23.00, Dry skin, 23.00, Dysphagia, 23.00
860820, Eye pain, 23.00, Fatigue, 23.00, Feeling cold, 23.00, Hallucination, 23.00, Headache, 23.00
860820, Insomnia, 23.00, Lip dry, 23.00, Livedo reticularis, 23.00, Lymphadenopathy, 23.00, Migraine, 23.00
860820, Muscle tightness, 23.00, Musculoskeletal stiffness, 23.00, Nausea, 23.00, Neck pain, 23.00, Pain in extremity, 23.00
860820, Pain in jaw, 23.00, Pallor, 23.00, Peripheral coldness, 23.00, Photophobia, 23.00, Pyrexia, 23.00
860820, Salivary gland pain, 23.00, Skin fissures, 23.00, Somnolence, 23.00, Temporomandibular joint syndrome, 23.00, Tenderness, 23.00
860821, Injection site erythema, 22.10, Injection site pain, 22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, Local reaction, 22.10
860821, Pain, 22.10, , , , , , , , , , ,
860822, Influenza, 22.10, Influenza A virus test positive, 22.10, Lung assist device therapy, 22.10, Respiratory distress, 22.10, ,
860824, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , , , , , ,
860825, Induration, 23.00, Nodule, 23.00, Tenderness, 23.00, , , , , , , , , , ,
860826, Discomfort, 22.10, Gingival swelling, 22.10, Lip swelling, 22.10, Pain, 22.10, Rash, 22.10
860826, Rash macular, 22.10, , , , , , , , , , ,
860827, Chills, 23.00, Influenza like illness, 23.00, Myalgia, 23.00, Pyrexia, 23.00, ,
860828, Anger, 23.00, Insomnia, 23.00, Screaming, 23.00, , , , , , , , , , ,
860829, Back pain, 22.10, Muscular weakness, 22.10, Myalgia, 22.10, , , , , , , , , , ,
860830, Asthenia, 23.00, Fatigue, 23.00, Loss of personal independence in daily activities, 23.00, Pain, 23.00, ,
860831, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site warmth, 23.00, , , , , , , , , , ,
860832, Musculoskeletal pain, 22.10, Pain, 22.10, , , , , , , , , , ,
860833, Hypoaesthesia, 22.10, Mobility decreased, 22.10, Myalgia, 22.10, Paraesthesia, 22.10, ,
860834, Cellulitis, 23.00, Erythema, 23.00, Headache, 23.00, Induration, 23.00, Myalgia, 23.00
860834, Pyrexia, 23.00, , , , , , , , , , ,
860835, Fatigue, 23.00, Hypersomnia, 23.00, Pain, 23.00, Pruritus, 23.00, ,
860836, Injection site rash, 23.00, , , , , , , , , , ,
860837, Chills, 23.00, Eructation, 23.00, Influenza like illness, 23.00, Pain, 23.00, Upper respiratory tract congestion, 23.00
860838, Headache, 23.00, Injection site rash, 23.00, Nausea, 23.00, Rash, 23.00, ,
860839, Injection site erythema, 23.00, Injection site warmth, 23.00, Pruritus, 23.00, , , , , , , , , , ,
860840, Erythema, 23.00, Pain, 23.00, Pyrexia, 23.00, Swelling, 23.00, ,
860841, Injected limb mobility decreased, 23.00, Injection site erythema, 23.00, Pain in extremity, 23.00, Vaccination site induration, 23.00, Vaccination site nodule, 23.00

860842, Chills, 23.00, Dizziness, 23.00, Dyspnoea, 23.00, Exercise tolerance decreased, 23.00, Fatigue, 23.00
860842, Feeling hot, 23.00, Heart rate increased, 23.00, Hyperhidrosis, 23.00, Loss of personal independence in daily activities, 23.00, Motion sickness, 23.00
860842, Pain in extremity, 23.00, Palpitations, 23.00, , , , , , ,
860843, Gluten sensitivity, 23.00, Hyperthermia, 23.00, Somnolence, 23.00, , , , ,
860857, Blood culture negative, 22.10, CSF culture negative, 22.10, CSF lymphocyte count increased, 22.10, CSF protein increased, 22.10, Fatigue, 22.10
860857, Headache, 22.10, Herpes zoster, 22.10, Herpes zoster meningitis, 22.10, Mydriasis, 22.10, Nuchal rigidity, 22.10
860857, Pain in extremity, 22.10, Pallor, 22.10, Photophobia, 22.10, Pleocytosis, 22.10, Polymerase chain reaction positive, 22.10
860857, Pyrexia, 22.10, Rash, 22.10, Rash erythematous, 22.10, Rash maculopapular, 22.10, Urine analysis, 22.10
860857, Varicella virus test positive, 22.10, , , , , , , ,
860858, Adnexa uteri pain, 22.10, Arthralgia, 22.10, Blood test, 22.10, Fatigue, 22.10, Gait disturbance, 22.10
860858, Influenza like illness, 22.10, Malaise, 22.10, Memory impairment, 22.10, Papilloma viral infection, 22.10, Pelvic inflammatory disease, 22.10
860858, Postural orthostatic tachycardia syndrome, 22.10, Syncope, 22.10, , , , , , ,
860859, Herpes zoster, 23.00, , , , , , , ,
860860, Herpes zoster, 22.10, Ophthalmic herpes zoster, 22.10, , , , , , ,
860861, Herpes zoster, 22.10, , , , , , , ,
860862, Immediate post-injection reaction, 22.10, Seizure, 22.10, , , , , , ,
860863, Blepharospasm, 23.00, Muscle twitching, 23.00, , , , , , ,
860864, Herpes zoster, 22.10, , , , , , , ,
860865, Expired product administered, 23.00, , , , , , , ,
860866, Diarrhoea, 23.00, , , , , , , ,
860867, Herpes zoster, 22.10, , , , , , , ,
860868, Abdominal adhesions, 22.10, Abdominal operation, 22.10, Abdominal pain, 22.10, Abdominal pain upper, 22.10, Constipation, 22.10
860868, Diagnostic procedure, 22.10, Enema administration, 22.10, Faecal vomiting, 22.10, Gastrointestinal pain, 22.10, Gastrointestinal tube insertion, 22.10
860868, Intestinal obstruction, 22.10, Procedural nausea, 22.10, Vomiting, 22.10, , , , , ,
860869, Diarrhoea, 22.10, Irritable bowel syndrome, 22.10, , , , , , , ,
860870, Incomplete course of vaccination, 22.10, Nausea, 22.10, , , , , , , ,
860871, Urinary tract infection, 22.10, , , , , , , ,
860872, Oral administration complication, 22.10, Vomiting, 22.10, , , , , , , ,
860873, Pruritus, 22.10, Rash, 22.10, , , , , , , ,
860874, Inappropriate schedule of product administration, 22.10, Incomplete course of vaccination, 22.10, Sinusitis, 22.10, , , , , ,
860875, Ill-defined disorder, 23.00, Inappropriate schedule of product administration, 23.00, , , , , , , ,

860876, Fatigue, 23.00, Incomplete course of vaccination, 23.00, Influenza like illness, 23.00, , , , ,
860877, Erythema, 23.00, Extensive swelling of vaccinated limb, 23.00, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00
860877, Product administered to patient of inappropriate age, 23.00, Pruritus, 23.00, , , , , , ,
860878, Arthritis bacterial, 23.00, Blood culture negative, 23.00, Clostridium test positive, 23.00, Culture negative, 23.00, Diarrhoea, 23.00
860878, Gout, 23.00, Gram stain, 23.00, Gram stain negative, 23.00, Incisional drainage, 23.00, Microbiology test normal, 23.00
860878, Pyrexia, 23.00, Synovial fluid white blood cells positive, 23.00, , , , , , ,
860879, Erythema, 23.00, Peripheral swelling, 23.00, , , , , , ,
860880, Acoustic stimulation tests normal, 23.00, Blood glucose normal, 23.00, Computerised tomogram head abnormal, 23.00, Ophthalmological examination normal, 23.00, Product administered to patient of inappropriate age, 23.00
860881, Gaze palsy, 23.00, Posture abnormal, 23.00, , , , , , ,
860882, Injection site oedema, 23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00, , , , ,
860883, Erythema, 23.00, Fatigue, 23.00, Influenza like illness, 23.00, Injection site pain, 23.00, Lymph node pain, 23.00
860883, Pyrexia, 23.00, , , , , , , ,
860884, Chills, 22.10, Decreased appetite, 22.10, Eye irritation, 22.10, Inflammation, 22.10, Musculoskeletal pain, 22.10
860884, Neck pain, 22.10, Pain, 22.10, Pyrexia, 22.10, Rash erythematous, 22.10, Skin discolouration, 22.10
860885, Headache, 23.00, Migraine, 23.00, Rhinorrhoea, 23.00, Sinus disorder, 23.00, ,
860886, Tinnitus, 23.00, , , , , , , ,
860887, Chills, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
860887, Pyrexia, 23.00, , , , , , , ,
860888, Hallucination, 22.10, Moaning, 22.10, Pyrexia, 22.10, Tremor, 22.10, Vertigo, 22.10
860889, Injection site cellulitis, 23.00, , , , , , , ,
860890, Grip strength decreased, 22.10, Injected limb mobility decreased, 22.10, Pain in extremity, 22.10, , , , ,
860891, Discomfort, 23.00, , , , , , , ,
860892, Blood uric acid increased, 22.10, Bursitis, 22.10, Cellulitis, 22.10, Injected limb mobility decreased, 22.10, Injection site erythema, 22.10
860892, Injection site joint movement impairment, 22.10, Injection site pain, 22.10, Injection site reaction, 22.10, Injection site swelling, 22.10, Joint stiffness, 22.10
860892, Magnetic resonance imaging abnormal, 22.10, Muscle strain, 22.10, Musculoskeletal stiffness, 22.10, Pain in extremity, 22.10, Peripheral swelling, 22.10

860892, Tendon disorder, 22.10, X-ray limb, 22.10, , , , , ,
860893, Anxiety, 23.00, Dry throat, 23.00, Nervousness, 23.00, Pharyngeal swelling, 23.00, ,
860894, Hypoaesthesia, 22.10, Injected limb mobility decreased, 22.10, Injection site pain, 22.10, Joint range of motion decreased, 22.10, Magnetic resonance imaging abnormal, 22.10
860894, Nerve injury, 22.10, Pain in extremity, 22.10, X-ray abnormal, 22.10, , , , ,
860895, Erythema, 23.00, Mass, 23.00, , , , , ,
860898, Extra dose administered, 23.00, No adverse event, 23.00, , , , , ,
860899, Malaise, 23.00, , , , , , ,
860900, Malaise, 23.00, Vaccine positive rechallenge, 23.00, , , , , ,
860901, Herpes zoster, 23.00, Influenza like illness, 23.00, Malaise, 23.00, Rash, 23.00, ,
860902, Erythema, 23.00, Rash, 23.00, Rash erythematous, 23.00, Swelling, 23.00, ,
860903, Influenza like illness, 22.10, , , , , , ,
860904, Hypoaesthesia, 23.00, Paraesthesia, 23.00, , , , , ,
860905, Arthralgia, 23.00, Joint swelling, 23.00, , , , , ,
860906, Needle issue, 23.00, , , , , , ,
860907, Injection site erythema, 23.00, Injection site urticaria, 23.00, Injection site vesicles, 23.00, , , ,
860908, Herpes zoster, 23.00, , , , , , ,
860909, Injection site pain, 23.00, , , , , , ,
860910, Pruritus, 23.00, Rash, 23.00, , , , , ,
860911, Facial paralysis, 22.10, , , , , , ,
860912, Blood pressure increased, 23.00, Dizziness, 23.00, Immediate post-injection reaction, 23.00, Palpitations, 23.00, ,
860913, Injection site pain, 22.10, Joint range of motion decreased, 22.10, Pain in extremity, 22.10, , , , ,
860914, Fontanelle bulging, 23.00, Pyrexia, 23.00, , , , , ,
860915, Body temperature increased, 23.00, Chills, 23.00, Fatigue, 23.00, , , , ,
860917, Computerised tomogram abnormal, 23.00, Lymph node pain, 23.00, Lymph node rupture, 23.00, Lymphadenopathy, 23.00, Positron emission tomogram abnormal, 23.00
860918, Musculoskeletal pain, 22.10, , , , , , ,
860919, Rash macular, 23.00, Tenderness, 23.00, , , , , ,
860920, Injection site cellulitis, 23.00, Injection site erythema, 23.00, Injection site infection, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00
860920, Vaccination site pain, 23.00, Vaccination site swelling, 23.00, Vaccination site warmth, 23.00, , , , ,
860921, Aphthous ulcer, 23.00, Constipation, 23.00, Depression, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00
860921, Injection site pain, 23.00, Injection site rash, 23.00, Lymph node pain, 23.00, Pain, 23.00, Pyrexia, 23.00
860922, Chills, 23.00, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00, Hyperhidrosis, 23.00
860922, Nausea, 23.00, Paraesthesia, 23.00, Presyncope, 23.00, Pyrexia, 23.00, ,

860923,Dizziness,23.00,Headache,23.00,,,,,
860932,Expired product administered,23.00,No adverse event,23.00,,,,,
860933,Product storage error,23.00,,,,,
860934,Cardiomyopathy,22.10,Cerebrovascular disorder,22.10,Chest
discomfort,22.10,Chest pain,22.10,Dyspnoea,22.10
860935,Herpes zoster,22.10,Rash,22.10,,,,,
860936,Headache,23.00,,,,,
860937,Injection site pain,23.00,Pain,23.00,Pain in extremity,
23.00,Sleep disorder,23.00,,
860938,Chills,23.00,Fatigue,23.00,Headache,23.00,Lethargy,
23.00,Myalgia,23.00
860939,Herpes zoster,23.00,Pain,23.00,,,,,
860940,Herpes zoster,23.00,,,,,
860941,Immediate post-injection reaction,23.00,Injection site pain,
23.00,,,,,
860942,Chills,23.00,Injected limb mobility decreased,23.00,Injection
site pain,23.00,Product administered to patient of inappropriate age,
23.00,Pyrexia,23.00
860943,Injection site pain,23.00,Injection site swelling,23.00,,,,,
860944,Injection site bruising,23.00,,,,,
860946,Erythema,23.00,Pain,23.00,,,,,
860947,Mass,23.00,Pain,23.00,Swelling,23.00,,,
860948,Herpes zoster,22.10,Vaccination failure,22.10,,,,,
860949,Eye pain,23.00,Influenza like illness,23.00,Ocular discomfort,
23.00,Ophthalmological examination normal,23.00,Photopsia,23.00
860949,Vitreous floaters,23.00,,,,,
860950,Pruritus,23.00,Rash erythematous,23.00,Rash pruritic,23.00,,,
860951,Balance disorder,23.00,,,,,
860952,Arthralgia,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
860953,Arthritis,22.10,Injection site discomfort,22.10,Insomnia,
22.10,Joint range of motion decreased,22.10,Limb discomfort,22.10
860953,Mobility decreased,22.10,Pain,22.10,Pain in extremity,22.10,X-
ray limb abnormal,22.10,,
860954,Injection site erythema,23.00,Injection site induration,
23.00,Vaccination site swelling,23.00,Vaccination site warmth,23.00,,
860955,Expired product administered,23.00,Wrong product administered,
23.00,,,,,
860956,Blisters rupture,22.10,Injection site erythema,22.10,Injection
site vesicles,22.10,Pain in extremity,22.10,Peripheral swelling,22.10
860957,Chills,23.00,Feeling hot,23.00,Malaise,23.00,Middle insomnia,
23.00,Mobility decreased,23.00
860957,Nausea,23.00,Pyrexia,23.00,,,,,
860958,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Vaccination site pain,23.00,,
860959,Eyelid function disorder,23.00,Facial asymmetry,23.00,Facial
paresis,23.00,Sensory loss,23.00,,
860960,Rash,23.00,Rash erythematous,23.00,Rash pruritic,
23.00,Urticaria,23.00,,
860961,Asthenia,23.00,Decreased appetite,23.00,Myalgia,23.00,Nausea,
23.00,Vertigo,23.00

860962, Cardiac arrest, 22.10, Death, 22.10, Hypoxia, 22.10, Influenza, 22.10, Respiratory failure, 22.10
860968, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
860969, No adverse event, 23.00, Wrong product administered, 23.00, , , , , ,
860970, No adverse event, 23.00, Wrong product administered, 23.00, , , , , ,
860971, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860972, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860973, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860974, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860975, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
860976, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860977, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860978, No adverse event, 23.00, Product preparation error, 23.00, , , , , ,
860979, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860980, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, , , , , ,
860981, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
860982, Injection site pain, 23.00, Insomnia, 23.00, Pain in extremity, 23.00, , , ,
860983, Chills, 23.00, Hypersomnia, 23.00, Lethargy, 23.00, Pain, 23.00, Pyrexia, 23.00
860984, Erythema, 22.10, Immune system disorder, 22.10, Induration, 22.10, Injection site erythema, 22.10, Injection site induration, 22.10
860984, Injection site swelling, 22.10, Injection site warmth, 22.10, Insomnia, 22.10, Joint range of motion decreased, 22.10, Musculoskeletal pain, 22.10
860984, Pain, 22.10, Pain in extremity, 22.10, Pyrexia, 22.10, Skin warm, 22.10, Swelling, 22.10
860985, Product administered to patient of inappropriate age, 23.00, , , , , , ,
860986, Injection site erythema, 23.00, Injection site haemorrhage, 23.00, Injection site mass, 23.00, Pyrexia, 23.00, ,
860987, Chest discomfort, 23.00, Cough, 23.00, Ear pruritus, 23.00, Eye pruritus, 23.00, Injection site pain, 23.00
860987, Respiratory tract congestion, 23.00, Rhinorrhoea, 23.00, Throat irritation, 23.00, Throat tightness, 23.00, Wheezing, 23.00
860988, Insomnia, 23.00, Mobility decreased, 23.00, Musculoskeletal pain, 23.00, Nausea, 23.00, Pain in extremity, 23.00
860988, Vomiting, 23.00, , , , , , ,
860989, Injection site erythema, 22.10, Injection site swelling, 22.10, , , , , ,
860992, Herpes zoster, 23.00, , , , , , ,
860993, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
860994, Unevaluable event, 23.00, , , , , , ,
860995, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , ,
860996, Feeling hot, 23.00, Headache, 23.00, Mobility decreased, 23.00, , , , ,
860997, Injection site erythema, 22.10, Injection site warmth, 22.10, Skin infection, 22.10, , , , ,

860998, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site inflammation, 23.00, Injection site warmth, 23.00, Muscle spasms, 23.00
860998, Nodule, 23.00, , , , , , , ,
860999, Fatigue, 23.00, Headache, 23.00, Lethargy, 23.00, Pain, 23.00, Pyrexia, 23.00
861000, Allergy test, 22.10, Blister, 22.10, Blister rupture, 22.10, Pain, 22.10, Parasitic test, 22.10
861000, Pruritus, 22.10, Rash, 22.10, Scab, 22.10, Staphylococcus test, 22.10, Swelling, 22.10
861001, Flushing, 22.10, Hyperhidrosis, 22.10, Immediate post-injection reaction, 22.10, , , , ,
861002, Appendicectomy, 23.00, Barium enema, 23.00, Colectomy, 23.00, Colostomy, 23.00, Enema administration, 23.00
861002, Fatigue, 23.00, Haematochezia, 23.00, Hypophagia, 23.00, Ileectomy, 23.00, Intensive care, 23.00
861002, Intussusception, 23.00, Surgery, 23.00, Vomiting, 23.00, , , , ,
861003, Vaccination site cellulitis, 23.00, , , , , , , ,
861004, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , ,
861005, Pustule, 23.00, , , , , , , ,
861006, Headache, 23.00, Pruritus, 23.00, Rash, 23.00, , , , ,
861007, Anaphylactic reaction, 22.10, Pharyngeal swelling, 22.10, Swollen tongue, 22.10, , , , ,
861008, Burning sensation, 22.10, Demyelinating polyneuropathy, 22.10, Gait disturbance, 22.10, Guillain-Barre syndrome, 22.10, Hypoaesthesia, 22.10
861008, Magnetic resonance imaging brain normal, 22.10, Magnetic resonance imaging spinal normal, 22.10, Pain, 22.10, Pain in extremity, 22.10, Paraesthesia, 22.10
861008, Weight decreased, 22.10, , , , , , , ,
861009, Cellulitis, 23.00, Erythema, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, Ultrasound scan normal, 23.00
861010, Arthralgia, 23.00, Diarrhoea, 23.00, Fatigue, 23.00, Immediate post-injection reaction, 23.00, Influenza like illness, 23.00
861010, Injection site pain, 23.00, Myalgia, 23.00, , , , , , ,
861011, Chills, 23.00, Pyrexia, 23.00, , , , , , ,
861012, Injected limb mobility decreased, 22.10, Product administered at inappropriate site, 22.10, , , , , , ,
861013, Erythema, 23.00, Pruritus, 23.00, Skin warm, 23.00, Tenderness, 23.00, , ,
861020, Underdose, 23.00, , , , , , , ,
861021, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , ,
861022, Deafness bilateral, 22.10, Deafness neurosensory, 22.10, , , , , , ,
861023, Acute kidney injury, 22.10, Acute left ventricular failure, 22.10, Bacteraemia, 22.10, Coordination abnormal, 22.10, Dyspnoea, 22.10
861023, Endocarditis, 22.10, Hemiparesis, 22.10, Herpes zoster, 22.10, Mental status changes, 22.10, Metabolic encephalopathy, 22.10
861023, Rash vesicular, 22.10, Transient ischaemic attack, 22.10, , , , , , ,
861024, Product storage error, 23.00, , , , , , , ,
861025, Product administered to patient of inappropriate age,

23.00,Wrong product administered,23.00,,,,,
861026,Herpes zoster,22.10,,,,,
861027,Herpes zoster,22.10,,,,,
861028,Inappropriate schedule of product administration,23.00,,,,,
861029,No adverse event,23.00,Product storage error,23.00,,,,,
861030,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
861031,Extra dose administered,23.00,No adverse event,23.00,,,,,
861032,No adverse event,23.00,Product storage error,23.00,,,,,
861033,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,
861034,Abdominal pain upper,23.00,Chills,23.00,Diarrhoea,
23.00,Dizziness,23.00,Nausea,23.00
861034,Pain,23.00,Tremor,23.00,,,,,
861035,Abdominal pain upper,23.00,Chills,23.00,Nausea,23.00,Pruritus,
23.00,,
861036,Erythema,23.00,Feeling hot,23.00,Hyperhidrosis,23.00,Injection
site erythema,23.00,Injection site pruritus,23.00
861036,Injection site rash,23.00,Nausea,23.00,,,,,
861037,Extra dose administered,23.00,,,,,
861038,Sinusitis,22.10,,,,,
861039,Injection site pain,23.00,Lymph node pain,
23.00,Lymphadenopathy,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00
861040,Adverse event,23.00,,,,,
861042,Insomnia,23.00,Pain,23.00,,,,,
861043,Injection site pain,23.00,,,,,
861044,Injection site pain,23.00,Malaise,23.00,Myalgia,23.00,,,,,
861045,Body temperature increased,23.00,Chills,23.00,Nausea,
23.00,Photosensitivity reaction,23.00,Vomiting,23.00
861046,Injection site rash,23.00,Injection site urticaria,
23.00,Pyrexia,23.00,,,,,
861048,Aldolase normal,23.00,Antibody test negative,23.00,Blood
creatine phosphokinase normal,23.00,Electromyogram abnormal,
23.00,Magnetic resonance imaging spinal abnormal,23.00
861048,Muscular weakness,23.00,Myopathy,23.00,Torticollis,23.00,,,,,
861049,Influenza A virus test,22.10,Influenza B virus test,
22.10,Injection site reaction,22.10,Rash macular,22.10,,
861050,Hypoaesthesia,23.00,Injected limb mobility decreased,23.00,Pain
in extremity,23.00,,,,,
861057,Sudden hearing loss,22.10,,,,,
861058,Arthralgia,23.00,Joint swelling,23.00,Lethargy,23.00,Mobility
decreased,23.00,Pain in extremity,23.00
861059,Arthritis,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site rash,23.00
861059,Musculoskeletal pain,23.00,Neck pain,23.00,,,,,
861060,Body temperature increased,23.00,Fatigue,23.00,Injection site
erythema,23.00,Injection site swelling,23.00,Pruritus,23.00
861061,Chills,23.00,Headache,23.00,Hyperhidrosis,23.00,Nausea,
23.00,Poor quality sleep,23.00
861062,Dermatitis contact,23.00,Food allergy,23.00,Injection site

reaction,23.00,Rash,23.00,Rash erythematous,23.00
861062,Rash papular,23.00,,,,,
861063,Injection site pain,23.00,Muscle spasms,23.00,Pain in
extremity,23.00,,,,,
861064,Macule,22.10,,,,,
861065,Body temperature,23.00,Chills,23.00,Headache,23.00,Injection
site erythema,23.00,Injection site pain,23.00
861065,Myalgia,23.00,,,,,
861066,Body temperature increased,22.10,Febrile convulsion,
22.10,Irritability,22.10,Seizure,22.10,Skin warm,22.10
861067,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
861068,Expired product administered,23.00,,,,,
861069,Candida infection,23.00,Dermatitis diaper,23.00,Erythema,
23.00,Hand-foot-and-mouth disease,23.00,Injection site erythema,23.00
861069,Injection site rash,23.00,Pruritus,23.00,Rash,23.00,Urticaria,
23.00,,
861070,Headache,23.00,Injection site pain,23.00,Muscle fatigue,
23.00,Myalgia,23.00,Oral herpes,23.00
861071,Febrile convulsion,22.10,,,,,
861072,Pruritus,23.00,Rash,23.00,,,,,
861073,Condition aggravated,23.00,Dermatitis diaper,23.00,Injection
site erythema,23.00,Injection site rash,23.00,Injection site
urticaria,23.00
861073,Rash,23.00,Urticaria,23.00,,,,,
861077,Exposure during pregnancy,23.00,,,,,
861078,Cyanosis,22.10,Dyspnoea,22.10,Rash,22.10,,,,,
861079,Underdose,23.00,,,,,
861080,Chills,23.00,Nausea,23.00,Pyrexia,23.00,Vision blurred,23.00,,
861081,Autoimmune disorder,23.00,Back pain,23.00,Crying,23.00,Gait
disturbance,23.00,Hypoaesthesia,23.00
861081,Loss of personal independence in daily activities,
23.00,Muscular weakness,23.00,Musculoskeletal stiffness,23.00,Pain,
23.00,Paraesthesia,23.00
861082,Injection site pain,23.00,Injection site swelling,23.00,,,,,
861083,Abdominal pain upper,23.00,Blood cortisol,23.00,Blood
magnesium,23.00,Blood thyroid stimulating hormone,23.00,C-reactive
protein,23.00
861083,Chest X-ray,23.00,Computerised tomogram abdomen,
23.00,Diarrhoea,23.00,Electrocardiogram,23.00,Full blood count,23.00
861083,Gastrointestinal inflammation,23.00,Mental disorder,
23.00,Metabolic function test,23.00,Nausea,23.00,Polymerase chain
reaction,23.00
861083,Red blood cell sedimentation rate,23.00,,,,,
861084,Blister,23.00,Blister rupture,23.00,Rash,23.00,Rash pruritic,
23.00,Rash vesicular,23.00
861085,Anxiety,23.00,Cardiac flutter,23.00,Heart rate increased,
23.00,Insomnia,23.00,Neck pain,23.00
861085,Palpitations,23.00,Pyrexia,23.00,,,,,
861086,Blood thyroid stimulating hormone,22.10,Chest X-ray,22.10,Full

blood count,22.10,HIV test,22.10,Lymphadenopathy,22.10
861086,Metabolic function test,22.10,Nodule,22.10,,,,,
861090,No adverse event,23.00,Product storage error,23.00,,,,,
861091,Herpes zoster,22.10,,,,,
861092,Herpes zoster,22.10,,,,,
861093,Herpes zoster,22.10,,,,,
861094,Deafness,22.10,,,,,
861095,Herpes zoster,22.10,,,,,
861097,Exposure during pregnancy,22.10,,,,,
861098,Back pain,23.00,Dysphonia,23.00,Lip pain,23.00,Oral discomfort,
23.00,Oropharyngeal pain,23.00
861098,Throat irritation,23.00,,,,,
861099,Asthenia,23.00,Bone pain,23.00,Dizziness,23.00,Fall,
23.00,Nausea,23.00
861099,Nervousness,23.00,,,,,
861100,Arthralgia,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Myalgia,23.00
861101,Erythema,23.00,Pruritus,23.00,,,,,
861103,Abdominal pain,23.00,Diarrhoea,23.00,Fatigue,23.00,Feeling
cold,23.00,Feeling hot,23.00
861103,Headache,23.00,Limb discomfort,23.00,Migraine,23.00,Nausea,
23.00,Pain in extremity,23.00
861103,Pyrexia,23.00,Vomiting,23.00,,,,,
861104,Axillary pain,23.00,Herpes zoster,23.00,Hypoaesthesia,
23.00,Rash,23.00,,
861105,Wrong product administered,22.10,,,,,
861106,Paraesthesia,23.00,,,,,
861108,Body temperature increased,22.10,Cough,22.10,Diarrhoea,
22.10,Gastrointestinal disorder,22.10,Injection site erythema,22.10
861108,Injection site induration,22.10,Injection site papule,
22.10,Injection site rash,22.10,Otorrhoea,22.10,Vomiting,22.10
861109,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site rash,
23.00,Injection site swelling,23.00
861109,Pyrexia,23.00,,,,,
861119,Measles,22.10,Pallor,22.10,Rash,22.10,Rash erythematous,
22.10,Rhinorrhoea,22.10
861120,Influenza virus test negative,22.10,Pallor,22.10,Pyrexia,
22.10,Rash erythematous,22.10,Rash maculo-papular,22.10
861121,Measles antibody negative,23.00,Mumps antibody test negative,
23.00,Rubella antibody negative,23.00,,,,,
861122,Autonomic nervous system imbalance,22.10,,,,,
861123,Herpes zoster,22.10,,,,,
861124,Herpes zoster,22.10,Vaccination failure,22.10,,,,,
861125,Chills,22.10,Gait inability,22.10,Headache,22.10,Injected limb
mobility decreased,22.10,Loss of control of legs,22.10
861125,Pain in extremity,22.10,Tremor,22.10,Walking aid user,22.10,,,,,
861126,Expired product administered,23.00,No adverse event,23.00,,,,,
861127,Expired product administered,23.00,No adverse event,23.00,,,,,
861128,Extra dose administered,23.00,No adverse event,23.00,,,,,

861129,Expired product administered,23.00,No adverse event,
23.00,Product administered to patient of inappropriate age,23.00,Wrong
product administered,23.00,,
861130,No adverse event,23.00,Product preparation issue,23.00,,,,,
861131,Product administered to patient of inappropriate age,
22.10,,,,,
861132,Nausea,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,Vomiting,23.00
861133,Blood lactic acid,23.00,Blood magnesium,23.00,Cellulitis,
23.00,Chills,23.00,Differential white blood cell count,23.00
861133,Full blood count,23.00,Headache,23.00,Influenza like illness,
23.00,Injection site erythema,23.00,Injection site pain,23.00
861133,Metabolic function test,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00,,
861134,Headache,23.00,Musculoskeletal stiffness,23.00,Nausea,23.00,,,
861135,Magnetic resonance imaging,22.10,Musculoskeletal pain,
22.10,,,,,
861136,Insomnia,23.00,Pain,23.00,Peripheral swelling,23.00,,,
861137,Blister,22.10,Pruritus,22.10,Urticaria,22.10,,,
861138,Cardiac imaging procedure normal,22.10,Cardiac stress test
normal,22.10,Computerised tomogram thorax normal,22.10,Cough,
22.10,Fatigue,22.10
861138,Peripheral swelling,22.10,,,,,
861139,Rash,23.00,Rash erythematous,23.00,Rash pruritic,23.00,,,
861140,Injection site infection,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
861141,Pain,23.00,Rash,23.00,,,,,
861142,Cellulitis,22.10,Pain,22.10,Skin bacterial infection,22.10,,,
861143,Erythema,23.00,Injection site warmth,23.00,Malaise,23.00,Rash,
23.00,,
861144,Apnoeic attack,23.00,Bradycardia,23.00,Continuous positive
airway pressure,23.00,Cyanosis central,23.00,Oxygen saturation
decreased,23.00
861144,Unresponsive to stimuli,23.00,,,,,
861145,Erythema,23.00,Injection site reaction,23.00,Pruritus,
23.00,Rash vesicular,23.00,Swelling,23.00
861146,Wrong product administered,23.00,,,,,
861147,Adverse event,23.00,,,,,
861148,Haemorrhage,22.10,Pain in extremity,22.10,Peripheral swelling,
22.10,Rash,22.10,,
861149,Pruritus,23.00,,,,,
861150,Injection site pain,22.10,,,,,
861151,Pain,23.00,Product administered at inappropriate site,
23.00,,,,,
861152,Injection site mass,23.00,Injection site pain,23.00,Pain,
23.00,Pain in extremity,23.00,,
861153,Chills,23.00,"Hallucination, auditory",23.00,"Hallucination,
visual",23.00,Insomnia,23.00,Nausea,23.00
861154,Pain in extremity,23.00,Pyrexia,23.00,,,,,

861155, Chills, 22.10, Fatigue, 22.10, Myalgia, 22.10, Pyrexia, 22.10,,
861156, Dizziness, 23.00, Fall, 23.00, Syncope, 23.00,,,,,
861157, Headache, 23.00, Loss of consciousness, 23.00,,,,,,
861158, Back pain, 23.00, Electrocardiogram normal, 23.00, Injection site
pain, 23.00, X-ray normal, 23.00,,
861171, Product storage error, 23.00,,,,,,,
861172, Incorrect route of product administration, 23.00, No adverse
event, 23.00,,,,,,
861173, Mobility decreased, 23.00, Pain in extremity, 23.00, Paraesthesia,
23.00, Tenderness, 23.00,,
861174, Inappropriate schedule of product administration,
23.00, Interchange of vaccine products, 23.00,,,,,,
861175, Corneal reflex decreased, 23.00, Tic, 23.00,,,,,,
861176, No adverse event, 23.00, Product storage error, 23.00,,,,,,
861177, Deafness, 22.10,,,,,,,
861178, Blindness, 22.10,,,,,,,
861180, Herpes zoster, 22.10,,,,,,,
861181, Injection site cellulitis, 23.00,,,,,,,
861182, Herpes zoster, 22.10,,,,,,,
861183, Herpes zoster, 22.10,,,,,,,
861184, Herpes zoster, 22.10,,,,,,,
861185, Incorrect route of product administration, 23.00, No adverse
event, 23.00,,,,,,
861186, Blindness, 22.10, Deafness neurosensory, 22.10,,,,,,
861187, Extra dose administered, 23.00, No adverse event, 23.00,,,,,,
861188, Product storage error, 23.00,,,,,,,
861189, Expired product administered, 23.00,,,,,,,
861190, Abdominal pain upper, 23.00, Blood pressure increased,
23.00, Diarrhoea, 23.00, Nausea, 23.00,,
861191, Erythema, 23.00, Pain in extremity, 23.00, Skin irritation,
23.00,,,,,
861192, Dizziness, 23.00, Headache, 23.00, Nausea, 23.00,,,,,
861193, Erythema, 23.00, Feeling hot, 23.00, Hyperhidrosis, 23.00, Injection
site rash, 23.00, Nausea, 23.00
861193, Pruritus, 23.00,,,,,,,
861194, Face injury, 22.10, Syncope, 22.10,,,,,,
861195, Erythema, 23.00, Pain in extremity, 23.00,,,,,,
861196, Headache, 23.00, Influenza like illness, 23.00, Pain, 23.00,,,,,
861197, Fatigue, 22.10, Malaise, 22.10, Pyrexia, 22.10,,,,,
861198, Abdominal pain, 23.00, Nausea, 23.00, Urticaria, 23.00,,,,,
861203, No adverse event, 23.00, Product storage error, 23.00,,,,,,
861204, Herpes zoster, 22.10,,,,,,,
861205, No adverse event, 23.00, Product storage error, 23.00,,,,,,
861206, Asthenia, 23.00, Biopsy skin abnormal, 23.00, Erythema, 23.00, Fungal
test negative, 23.00, Gram stain negative, 23.00
861206, Granulomatous dermatitis, 23.00, Haemorrhage, 23.00, Immunoglobulin
therapy, 23.00, Immunology test, 23.00, Induration, 23.00
861206, Mycobacterium test negative, 23.00, Papule, 23.00, Scab, 23.00, Scar,
23.00, Short stature, 23.00
861206, Skin erosion, 23.00, Skin exfoliation, 23.00, Skin lesion,

23.00, Skin mass, 23.00, Skin plaque, 23.00
861206, Speech disorder, 23.00, Telangiectasia, 23.00, Unresponsive to stimuli, 23.00, Wheelchair user, 23.00,,
861207, Injection site pain, 23.00, Pain in extremity, 23.00,,,,,
861208, Herpes zoster, 22.10, Vaccination failure, 22.10,,,,,
861209, Extra dose administered, 23.00,,,,,
861210, Dyspnoea, 23.00, Muscle spasms, 23.00, Tremor, 23.00,,,,
861211, Injection site erythema, 23.00, Injection site swelling, 23.00, Pyrexia, 23.00, Screaming, 23.00, Speech disorder developmental, 23.00
861212, Erythema, 23.00, Hypoaesthesia, 23.00, Paraesthesia, 23.00, Swelling, 23.00,,
861213, Local reaction, 23.00, Pain, 23.00, Peripheral swelling, 23.00, Pruritus, 23.00,,
861214, Arthralgia, 23.00, Blood test, 23.00, Chest X-ray, 23.00, Chills, 23.00, Computerised tomogram, 23.00
861214, Culture, 23.00, Impaired work ability, 23.00, Pain, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00
861214, Swelling, 23.00, Transaminases increased, 23.00,,,,,
861218, Herpes zoster, 22.10,,,,,
861219, Herpes zoster, 22.10,,,,,
861220, Herpes zoster, 22.10,,,,,
861221, Mobility decreased, 23.00, Pain in extremity, 23.00,,,,,
861222, Loss of consciousness, 22.10,,,,,
861223, Arthralgia, 23.00, Erythema, 23.00, Feeling hot, 23.00, Inflammation, 23.00, Influenza like illness, 23.00
861223, Neuralgia, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00,,,,
861224, Influenza like illness, 23.00,,,,,
861225, Pain, 23.00,,,,,
861226, Muscular weakness, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Weight bearing difficulty, 23.00
861227, Blood test, 22.10, Computerised tomogram, 22.10, Disorientation, 22.10, Electrocardiogram, 22.10, Electroencephalogram, 22.10
861227, Impaired driving ability, 22.10, Impaired work ability, 22.10, Incoherent, 22.10, Loss of consciousness, 22.10, Pain, 22.10
861227, Pyrexia, 22.10, Seizure, 22.10,,,,,
861228, Injection site erythema, 23.00, Injection site warmth, 23.00, Local reaction, 23.00,,,,
861229, Hypotension, 23.00, Pallor, 23.00, Presyncope, 23.00,,,,
861230, Eye pain, 23.00, Pain of skin, 23.00,,,,,
861231, Blood glucose normal, 23.00, Dizziness, 23.00, Hyperhidrosis, 23.00, Seizure like phenomena, 23.00, Syncope, 23.00
861231, Vomiting, 23.00,,,,,
861232, Hyperaesthesia, 23.00, Pain, 23.00,,,,,
861233, Back pain, 23.00, Chills, 23.00, Dizziness, 23.00, Feeling abnormal, 23.00, Hyperhidrosis, 23.00
861233, Nausea, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Swelling, 23.00
861234, Influenza like illness, 23.00, Pyrexia, 23.00, Rash,

23.00,Respiratory tract congestion,23.00,,
861235,Pain,23.00,Pain in extremity,23.00,,,,,
861236,Burning sensation,23.00,Influenza like illness,23.00,Lethargy,
23.00,Nausea,23.00,Pain,23.00
861236,Pain in extremity,23.00,Pyrexia,23.00,,,,,
861243,No adverse event,23.00,Product storage error,23.00,,,,,
861244,Cellulitis,22.10,Injection site erythema,22.10,Injection site
reaction,22.10,Injection site swelling,22.10,Injection site warmth,
22.10
861244,Skin reaction,22.10,,,,,
861245,Circumstance or information capable of leading to medication
error,23.00,No adverse event,23.00,Wrong product administered,
23.00,,,,,
861246,Expired product administered,23.00,,,,,
861247,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
861248,Injection site pain,23.00,,,,,
861249,Pain in extremity,23.00,,,,,
861250,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Low birth weight baby,22.10,Premature
baby,22.10
861251,Diarrhoea,22.10,Feeling abnormal,22.10,Food allergy,
22.10,Pyrexia,22.10,Vaccination complication,22.10
861251,Vomiting,22.10,,,,,
861252,Caesarean section,22.10,Exposure during pregnancy,
22.10,Premature delivery,22.10,,,,,
861253,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
861254,Middle insomnia,23.00,Myalgia,23.00,,,,,
861255,Rash,23.00,Varicella virus test positive,23.00,,,,,
861256,Herpes zoster,23.00,Rash,23.00,,,,,
861257,Dizziness,22.10,Respiratory tract congestion,22.10,,,,,
861258,Chest discomfort,23.00,Chills,23.00,Dysphonia,23.00,Erythema,
23.00,Headache,23.00
861258,Peripheral swelling,23.00,Rash,23.00,Wheezing,23.00,,,,,
861259,Cellulitis,23.00,Erythema,23.00,Peripheral swelling,23.00,,,,,
861260,Chills,22.10,Injection site erythema,22.10,Injection site pain,
22.10,Injection site swelling,22.10,Nausea,22.10
861260,Pain,22.10,Pyrexia,22.10,,,,,
861261,Herpes zoster,23.00,,,,,
861263,Computerised tomogram,23.00,Electrocardiogram,23.00,Facial
paralysis,23.00,Magnetic resonance imaging,23.00,,
861264,Oxygen saturation decreased,23.00,,,,,
861265,Loss of consciousness,23.00,Pallor,23.00,,,,,
861266,Exposure during pregnancy,23.00,Inappropriate schedule of
product administration,23.00,Menstruation irregular,23.00,Pregnancy
test urine positive,23.00,,
861267,No adverse event,23.00,Product storage error,23.00,,,,,
861268,Haematochezia,22.10,Mucous stools,22.10,,,,,
861269,Oxygen saturation decreased,23.00,,,,,

861270,Headache,23.00,Hypoaesthesia,23.00,Injected limb mobility decreased,23.00,Peripheral swelling,23.00,,
861271,Erythema,23.00,Injection site nodule,23.00,Injection site pain,23.00,Injection site rash,23.00,,
861272,Body temperature fluctuation,23.00,Bradycardia,23.00,,,,,
861273,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,
861274,Dizziness,23.00,Dysstasia,23.00,Headache,23.00,Influenza like illness,23.00,Pain,23.00
861274,Peripheral coldness,23.00,Pyrexia,23.00,,,,,
861275,Loss of consciousness,22.10,Pallor,22.10,,,,,
861276,Eye swelling,23.00,Pain,23.00,Pyrexia,23.00,Rash,23.00,,
861277,Arthralgia,23.00,Fatigue,23.00,Immediate post-injection reaction,23.00,Injection site erythema,23.00,Injection site pain,23.00
861277,Myalgia,23.00,Pyrexia,23.00,,,,,
861278,Injection site nodule,23.00,,,,,
861279,Pain in extremity,23.00,Paraesthesia,23.00,,,,,
861280,Erythema,23.00,Peripheral swelling,23.00,,,,,
861281,Eye swelling,23.00,Lip swelling,23.00,Penile swelling,23.00,Urticaria,23.00,,
861282,Expired product administered,22.10,No adverse event,22.10,,,,,
861283,Intensive care,23.00,Pneumonia pneumococcal,23.00,Seizure,23.00,Syncope,23.00,,
861285,Expired product administered,22.10,No adverse event,22.10,,,,,
861286,Cough,22.10,Injection site urticaria,22.10,Lip swelling,22.10,Pyrexia,22.10,Respiratory tract congestion,22.10
861286,Urticaria,22.10,,,,,
861287,Erythema,23.00,Feeling cold,23.00,Pain in extremity,23.00,Pyrexia,23.00,Swelling,23.00
861288,Panic attack,23.00,,,,,
861289,Syncope,22.10,,,,,
861290,No adverse event,22.10,Product administered to patient of inappropriate age,22.10,,,,,
861291,Injection site erythema,23.00,Injection site swelling,23.00,Pain,23.00,Product administered at inappropriate site,23.00,,
861292,Injection site erythema,22.10,Injection site swelling,22.10,Rash,22.10,Skin discolouration,22.10,,
861293,Asthenia,22.10,Influenza like illness,22.10,Injection site pain,22.10,Malaise,22.10,Toothache,22.10
861294,Injection site pain,23.00,Injection site rash,23.00,Malaise,23.00,Pyrexia,23.00,,
861295,Rash macular,23.00,,,,,
861296,Dizziness,22.10,Fall,22.10,Feeling abnormal,22.10,Loss of consciousness,22.10,Nausea,22.10
861297,Abdominal pain upper,23.00,Chills,23.00,Fatigue,23.00,Feeding disorder,23.00,Headache,23.00
861297,Muscular weakness,23.00,Myalgia,23.00,Nausea,23.00,Tachypnea,23.00,,
861298,Immediate post-injection reaction,23.00,Pain,23.00,Pain in extremity,23.00,,,,

861299,Blood culture negative,23.00,Blood thyroid stimulating hormone normal,23.00,Chest pain,23.00,Chills,23.00,Culture urine negative, 23.00
861299,Leukocytosis,23.00,Neutrophil count increased,23.00,Pyrexia, 23.00,Sepsis,23.00,Tachycardia,23.00
861299,White blood cell count increased,23.00,,,,,
861300,Induration,23.00,Pain in extremity,23.00,Peripheral swelling, 23.00,Rash,23.00,,
861316,Exposure during pregnancy,23.00,Pre-eclampsia,23.00,,,,,
861317,Expired product administered,23.00,,,,,
861318,Extra dose administered,23.00,,,,,
861319,No adverse event,23.00,Product storage error,23.00,,,,,
861320,No adverse event,23.00,Product storage error,23.00,,,,,
861321,Syncope,22.10,,,,,
861322,Syncope,22.10,,,,,
861323,Herpes zoster,22.10,,,,,
861324,Herpes zoster,22.10,,,,,
861325,Herpes zoster,22.10,,,,,
861326,Herpes zoster,22.10,,,,,
861327,Herpes zoster,22.10,,,,,
861328,Herpes zoster,22.10,,,,,
861329,Herpes zoster,22.10,,,,,
861331,Herpes zoster,22.10,,,,,
861332,Inappropriate schedule of product administration,23.00,No adverse event,23.00,,,,,
861333,Migraine,22.10,Myasthenic syndrome,22.10,Post herpetic neuralgia,22.10,Rash vesicular,22.10,Vertigo,22.10
861334,No adverse event,23.00,Product storage error,23.00,,,,,
861335,Expired product administered,23.00,No adverse event,23.00,,,,,
861336,Injected limb mobility decreased,22.10,Musculoskeletal stiffness,22.10,Pain,22.10,Vaccination site pain,22.10,,
861337,Product storage error,23.00,,,,,
861338,Malaise,23.00,Overdose,23.00,Pain,23.00,,,
861339,Pain,23.00,,,,,
861340,Injection site erythema,23.00,,,,,
861341,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,
861342,No adverse event,23.00,Product preparation error,23.00,,,,,
861343,Arthritis,22.10,Hand deformity,22.10,Injection site pain, 22.10,Mobility decreased,22.10,Pain,22.10
861343,Pain in extremity,22.10,Product administered at inappropriate site,22.10,Swelling,22.10,,,
861344,Shoulder injury related to vaccine administration,22.10,,,,,
861345,Rash erythematous,23.00,,,,,
861346,Extra dose administered,23.00,,,,,
861347,Product preparation issue,23.00,,,,,
861348,Product administered to patient of inappropriate age, 22.10,Pyrexia,22.10,Vomiting,22.10,,,
861349,Chest X-ray,22.10,Chest pain,22.10,Chills,22.10,Dizziness, 22.10,Dyspnoea,22.10
861349,Echocardiogram,22.10,Pyrexia,22.10,,,,,

861350, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00,,
861351, Injection site pain, 22.10, Injection site swelling, 22.10, Ultrasound scan, 22.10,,,,,
861352, Cough, 23.00, Decreased appetite, 23.00, Dizziness, 23.00, Eyelid margin crusting, 23.00, Fatigue, 23.00
861352, Feeling abnormal, 23.00, Hypoaesthesia, 23.00, Mobility decreased, 23.00, Ocular hyperaemia, 23.00, Rhinorrhoea, 23.00
861353, Arthralgia, 22.10, Injected limb mobility decreased, 22.10, Injection site erythema, 22.10, Injection site induration, 22.10, Injection site warmth, 22.10
861353, Joint swelling, 22.10, Ultrasound scan normal, 22.10,,,,,,
861354, Wrong product administered, 23.00,,,,,,
861355, Injection site erythema, 23.00,,,,,,
861356, Chills, 23.00, Influenza like illness, 23.00, Injection site pain, 23.00, Mobility decreased, 23.00, Musculoskeletal stiffness, 23.00
861356, Pain, 23.00, Pyrexia, 23.00,,,,,
861357, Blood glucose normal, 22.10, Dizziness, 22.10, Electrocardiogram normal, 22.10, Face injury, 22.10, Loss of consciousness, 22.10
861357, Pallor, 22.10, Pregnancy test negative, 22.10, Syncope, 22.10, Vomiting projectile, 22.10,,
861358, Erythema, 23.00, Injection site swelling, 23.00,,,,,
861360, Herpes zoster, 23.00,,,,,,
861361, Pyrexia, 23.00, Seizure, 23.00, Wrong product administered, 23.00,,,,,
861362, Blood test abnormal, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Muscle spasms, 23.00
861362, Musculoskeletal pain, 23.00, Neck pain, 23.00, Pain in extremity, 23.00, X-ray abnormal, 23.00,,
861363, Body temperature increased, 22.10, Condition aggravated, 22.10, Eczema, 22.10, Irritability, 22.10, Rash vesicular, 22.10
861364, Crying, 23.00, Injection site discolouration, 23.00, Injection site erythema, 23.00, Injection site nodule, 23.00, Injection site swelling, 23.00
861364, Injection site warmth, 23.00, Irritability, 23.00, Poor peripheral circulation, 23.00, Vomiting, 23.00,,
861365, Aspiration, 23.00, Influenza virus test negative, 23.00, Pyrexia, 23.00, Viral test, 23.00, Vomiting projectile, 23.00
861366, Blood glucose normal, 22.10, Cold sweat, 22.10, Discomfort, 22.10, Dizziness, 22.10, Electrocardiogram abnormal, 22.10
861366, Hyperhidrosis, 22.10, Myalgia, 22.10, Pallor, 22.10, Syncope, 22.10, Tinnitus, 22.10
861366, Unresponsive to stimuli, 22.10, Visual field defect, 22.10,,,,,
861367, Photopsia, 23.00, Vision blurred, 23.00,,,,,
861368, Erythema, 23.00, Headache, 23.00, Nausea, 23.00, Night sweats, 23.00, Pain, 23.00
861368, Peripheral swelling, 23.00, Skin warm, 23.00, Vomiting, 23.00,,,,,
861369, Chills, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia, 23.00,,
861370, Injection site discolouration, 23.00, Nodule, 23.00, Pain, 23.00,,,,,

861371, Vaccination site erythema, 23.00, Vaccination site swelling, 23.00, , , , , , , ,
861375, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
861376, Full blood count normal, 22.10, Injection site erythema, 22.10, Injection site inflammation, 22.10, Measles post vaccine, 22.10, Pyrexia, 22.10
861376, Rash, 22.10, , , , , , , , ,
861377, Bone pain, 23.00, Feeling abnormal, 23.00, Injection site pain, 23.00, Malaise, 23.00, Myalgia, 23.00
861377, Pain, 23.00, Pain in extremity, 23.00, Vision blurred, 23.00, Visual impairment, 23.00, ,
861378, Fatigue, 23.00, Headache, 23.00, Pain in extremity, 23.00, Pain of skin, 23.00, ,
861379, Headache, 23.00, Visual impairment, 23.00, , , , , , , ,
861380, Anaphylactic reaction, 22.10, Heart rate increased, 22.10, Hyperhidrosis, 22.10, Hypotension, 22.10, Presyncope, 22.10
861380, Vomiting, 22.10, , , , , , , , ,
861381, Injection site reaction, 22.10, , , , , , , , ,
861382, Incorrect dose administered, 23.00, Pain in extremity, 23.00, Product preparation issue, 23.00, , , , ,
861383, Incorrect dose administered, 23.00, Pain in extremity, 23.00, Product preparation issue, 23.00, , , , ,
861384, Erythema, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Rash erythematous, 23.00, ,
861385, Heart rate increased, 23.00, Palpitations, 23.00, , , , , , , ,
861386, Abdominal discomfort, 23.00, Arthralgia, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00
861386, Injection site pain, 23.00, Insomnia, 23.00, Pyrexia, 23.00, , , , ,
861387, Erythema, 23.00, Feeling hot, 23.00, Inflammation, 23.00, , , , ,
861388, Burning sensation, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, , , , ,
861389, Adverse reaction, 23.00, , , , , , , , ,
861390, Malaise, 23.00, Pain in extremity, 23.00, , , , , , , ,
861391, Blood test, 23.00, Loss of personal independence in daily activities, 23.00, Lymphadenopathy, 23.00, Mass, 23.00, Nasal congestion, 23.00
861391, Nasopharyngitis, 23.00, Pain in extremity, 23.00, , , , , , , ,
861392, Chills, 23.00, Contraindication to vaccination, 23.00, Fatigue, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00
861392, Pain, 23.00, , , , , , , , ,
861393, Electromyogram abnormal, 22.10, Hypoaesthesia, 22.10, Joint swelling, 22.10, Nerve conduction studies abnormal, 22.10, Neuropathy peripheral, 22.10
861393, Paraesthesia, 22.10, Serum sickness, 22.10, , , , , , , ,
861394, Bursitis, 22.10, Injected limb mobility decreased, 22.10, Mobility decreased, 22.10, Pain, 22.10, Ultrasound scan abnormal, 22.10
861394, X-ray limb, 22.10, , , , , , , , ,
861395, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site warmth, 23.00, , , , ,

861396,Genital rash,23.00,Oral mucosal eruption,23.00,Rash,23.00,Rash pruritic,23.00,,
861397,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
861398,Presyncope,23.00,,,,,
861399,Pallor,23.00,Posture abnormal,23.00,Slow response to stimuli,23.00,Tremor,23.00,,
861408,No adverse event,23.00,Product storage error,23.00,,,,,
861409,Herpes zoster,23.00,Rash,23.00,,,,,
861410,Erythema,23.00,,,,,
861411,Burning sensation,23.00,Contusion,23.00,Herpes zoster,23.00,Injection site erythema,23.00,Injection site pain,23.00
861411,Neuralgia,23.00,Pain,23.00,Pain in extremity,23.00,Rash,23.00,Rash erythematous,23.00
861411,Rash macular,23.00,Sleep disorder,23.00,,,,,
861412,Chills,23.00,Influenza like illness,23.00,Off label use,23.00,Pain,23.00,Pyrexia,23.00
861413,Chills,23.00,Headache,23.00,Influenza like illness,23.00,Mobility decreased,23.00,Pain,23.00
861413,Pyrexia,23.00,,,,,
861414,Feeling abnormal,23.00,Injection site pain,23.00,Pain in extremity,23.00,,,,
861415,Bronchial disorder,23.00,Cough,23.00,Upper-airway cough syndrome,23.00,,,,
861416,Injection site rash,23.00,Injection site swelling,23.00,Injection site urticaria,23.00,Pyrexia,23.00,,
861417,Pneumonia,23.00,,,,,
861418,Alpha 1 foetoprotein normal,22.10,Exposure during pregnancy,22.10,Foetal cardiac disorder,22.10,Foetal gastrointestinal tract imaging abnormal,22.10,Ultrasound antenatal screen abnormal,22.10
861419,Anaemia,22.10,Exposure during pregnancy,22.10,Foetal gastrointestinal tract imaging abnormal,22.10,Gestational hypertension,22.10,Pre-eclampsia,22.10
861420,Anxiety,22.10,Exposure during pregnancy,22.10,Foetal malformation,22.10,Prenatal screening test,22.10,Ultrasound antenatal screen,22.10
861420,Ultrasound antenatal screen abnormal,22.10,,,,,
861421,Arthralgia,22.10,Blood glucose increased,22.10,Cellulitis,22.10,Ear pain,22.10,Foot fracture,22.10
861421,Gait disturbance,22.10,Headache,22.10,Herpes zoster,22.10,Influenza like illness,22.10,Pain in extremity,22.10
861421,Peripheral swelling,22.10,Pyrexia,22.10,Serum sickness,22.10,Sinus pain,22.10,Skin discolouration,22.10
861421,Trigeminal neuralgia,22.10,,,,,
861422,Condition aggravated,23.00,Depressed level of consciousness,23.00,Ear infection,23.00,Erythema,23.00,Failure to thrive,23.00
861422,Full blood count,23.00,Headache,23.00,Immune-mediated adverse reaction,23.00,Immunodeficiency,23.00,Loss of consciousness,23.00
861422,Methylenetetrahydrofolate reductase gene mutation,23.00,Pain in extremity,23.00,Peripheral swelling,23.00,Pneumonia,23.00,Pyrexia,

23.00
861422, Renal disorder, 23.00, Skin warm, 23.00, Viral infection, 23.00, Vomiting, 23.00, Weight gain poor, 23.00
861423, Audiogram abnormal, 22.10, Chills, 22.10, Deafness neurosensory, 22.10, Deafness unilateral, 22.10, Discomfort, 22.10
861423, Dysphonia, 22.10, Ear discomfort, 22.10, Ear pain, 22.10, Facial pain, 22.10, Hypoacusis, 22.10
861423, Magnetic resonance imaging normal, 22.10, Musculoskeletal discomfort, 22.10, Neck pain, 22.10, Nerve injury, 22.10, Ocular discomfort, 22.10
861423, Pain, 22.10, Pyrexia, 22.10, Tinnitus, 22.10, , , , ,
861424, Syncope, 23.00, , , , , , , ,
861425, Dizziness, 23.00, Malaise, 23.00, Nausea, 23.00, Visual impairment, 23.00, ,
861426, Pain in extremity, 23.00, , , , , , , ,
861427, Abdominal pain, 23.00, Anaphylactic reaction, 23.00, Anxiety disorder, 23.00, Asthma, 23.00, Body temperature increased, 23.00
861427, Central auditory processing disorder, 23.00, Chest X-ray, 23.00, Computerised tomogram head, 23.00, Cyanosis, 23.00, Dairy intolerance, 23.00
861427, Diarrhoea, 23.00, Dyspnoea, 23.00, Eczema, 23.00, Electroencephalogram, 23.00, Encephalitis, 23.00
861427, Failure to thrive, 23.00, Febrile convulsion, 23.00, Food allergy, 23.00, Gastrointestinal disorder, 23.00, High-pitched crying, 23.00
861427, Immunodeficiency, 23.00, Irritable bowel syndrome, 23.00, Methylenetetrahydrofolate reductase gene mutation, 23.00, Pneumonia, 23.00, Screaming, 23.00
861427, Seizure, 23.00, Sensory processing disorder, 23.00, Sinusitis, 23.00, Skull X-ray, 23.00, Sleep apnoea syndrome, 23.00
861427, Trichotillomania, 23.00, Ultrasound kidney, 23.00, Varicella, 23.00, Vomiting, 23.00, Vomiting projectile, 23.00
861433, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , ,
861434, Polymyalgia rheumatica, 22.10, , , , , , , ,
861435, Unevaluable event, 23.00, , , , , , , ,
861436, Decreased eye contact, 23.00, Speech disorder, 23.00, Tic, 23.00, , , , ,
861437, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Muscle spasms, 23.00, Pyrexia, 23.00
861438, No adverse event, 22.10, Product administered to patient of inappropriate age, 22.10, Wrong product administered, 22.10, , , , ,
861439, Asthenia, 23.00, Chills, 23.00, Headache, 23.00, Muscle spasms, 23.00, Nausea, 23.00
861439, Panic attack, 23.00, Tinnitus, 23.00, Tremor, 23.00, , , , ,
861440, Influenza like illness, 23.00, Injection site pain, 23.00, Muscular weakness, 23.00, , , , ,
861441, Chills, 23.00, Fatigue, 23.00, Myalgia, 23.00, Nausea, 23.00, , ,
861443, Erythema, 22.10, Pruritus, 22.10, Urticaria, 22.10, , , , ,
861444, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , ,
861445, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , ,
861446, Lymphadenopathy, 23.00, Musculoskeletal stiffness,

23.00, Oropharyngeal pain, 23.00, Pyrexia, 23.00,,
861447, Erythema, 22.10, Skin warm, 22.10, Swelling, 22.10,,,,,
861448, Chills, 23.00, Diarrhoea, 23.00, Feeling cold, 23.00, Influenza virus
test negative, 23.00, Injection site discomfort, 23.00
861448, Loss of personal independence in daily activities,
23.00, Malaise, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia, 23.00
861448, Sinus congestion, 23.00, Wheezing, 23.00,,,,,,
861449, Pain, 23.00, Pain in extremity, 23.00,,,,,,
861450, Back pain, 22.10, Injection site pain, 22.10, Pain, 22.10, Painful
respiration, 22.10,,
861451, Injection site pain, 22.10,,,,,,
861452, Impaired driving ability, 23.00, Loss of personal independence in
daily activities, 23.00, Mobility decreased, 23.00, Musculoskeletal
disorder, 23.00, Nerve injury, 23.00
861452, Pain, 23.00, Tremor, 23.00,,,,,,
861453, Ear swelling, 22.10, Erythema, 22.10, Flushing, 22.10, Rash macular,
22.10, Vomiting, 22.10
861454, Computerised tomogram normal, 22.10, Dizziness, 22.10, Hearing aid
user, 22.10,,,,,
861455, Injection site rash, 23.00, Pruritus, 23.00,,,,,,
861456, Injected limb mobility decreased, 22.10, Loss of personal
independence in daily activities, 22.10, Pain in extremity, 22.10,,,,,
861457, Influenza like illness, 22.10, Rash, 22.10,,,,,,
861458, Guillain-Barre syndrome, 23.00, Hypoaesthesia, 23.00,,,,,,
861459, Expired product administered, 23.00,,,,,,
861460, Pain, 23.00,,,,,,
861461, Arthralgia, 23.00, Chills, 23.00, Condition aggravated,
23.00, Fatigue, 23.00, Fibromyalgia, 23.00
861461, Headache, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Pain of
skin, 23.00, Pyrexia, 23.00
861462, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site pain,
23.00, Myalgia, 23.00
861462, Pyrexia, 23.00,,,,,,
861463, Chills, 23.00, Headache, 23.00, Tremor, 23.00,,,,,
861464, Injection site erythema, 23.00, Injection site swelling,
23.00,,,,,,
861475, Expired product administered, 23.00, No adverse event, 23.00,,,,,,
861476, No adverse event, 23.00, Product storage error, 23.00,,,,,,
861477, Rash vesicular, 23.00, Skin lesion, 23.00, Varicella post vaccine,
23.00, Varicella virus test positive, 23.00,,
861478, Injected limb mobility decreased, 22.10, Injection site erythema,
22.10, Injection site pain, 22.10,,,,,
861479, Herpes zoster, 22.10,,,,,,
861480, Herpes zoster, 22.10,,,,,,
861481, Inappropriate schedule of product administration, 23.00,,,,,,
861482, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00,,,,,
861483, No adverse event, 23.00, Product storage error, 23.00,,,,,,
861484, Flushing, 23.00, Tachycardia, 23.00,,,,,,
861485, Back pain, 23.00, Myalgia, 23.00, Pain, 23.00, Pyrexia, 23.00, Viral

infection,23.00
861486,Chills,23.00,Fatigue,23.00,Influenza,23.00,Pain,23.00,Pyrexia,
23.00
861487,Hypoaesthesia,23.00,Injection site hypoaesthesia,23.00,,,,,
861488,Fatigue,23.00,Headache,23.00,Influenza virus test negative,
23.00,Pyrexia,23.00,,
861489,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
861490,Delirium,22.10,Fatigue,22.10,Injection site pain,22.10,Malaise,
22.10,Pain,22.10
861491,Product administered to patient of inappropriate age,
23.00,,,,,
861492,Contusion,22.10,Inflammation,22.10,,,,,
861493,Exposure during pregnancy,23.00,Injected limb mobility
decreased,23.00,Injection site pain,23.00,,,,,
861494,Expired product administered,23.00,No adverse event,23.00,,,,,
861495,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
861496,Expired product administered,23.00,No adverse event,23.00,,,,,
861497,Expired product administered,23.00,,,,,
861498,Expired product administered,23.00,,,,,
861499,Pyrexia,22.10,Vomiting,22.10,,,,,
861500,Blood test normal,22.10,Body temperature increased,22.10,Chest
X-ray normal,22.10,Computerised tomogram thorax normal,22.10,Condition
aggravated,22.10
861500,Electrocardiogram abnormal,22.10,Influenza virus test negative,
22.10,Injection site erythema,22.10,Injection site pain,22.10,Pain,
22.10
861500,Supraventricular extrasystoles,22.10,Tachycardia,22.10,Urine
analysis normal,22.10,Ventricular extrasystoles,22.10,,
861501,Crying,23.00,Emotional distress,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site nodule,23.00
861501,Injection site swelling,23.00,Irritability,23.00,Middle
insomnia,23.00,Screaming,23.00,Urine output decreased,23.00
861502,Blood calcium normal,23.00,Blood magnesium normal,23.00,C-
reactive protein normal,23.00,Metabolic function test normal,
23.00,Muscle contractions involuntary,23.00
861502,Red blood cell sedimentation rate normal,23.00,,,,,
861503,Erythema,23.00,Muscle swelling,23.00,Myalgia,
23.00,Myosclerosis,23.00,,
861504,Incorrect route of product administration,23.00,,,,,
861505,Urticaria,23.00,,,,,
861506,Peripheral swelling,23.00,Pruritus,23.00,,,,,
861507,Chills,23.00,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pyrexia,23.00
861507,Tremor,23.00,,,,,
861508,Neck pain,23.00,Pain in extremity,23.00,,,,,
861509,Influenza like illness,23.00,Pruritus,23.00,Pyrexia,23.00,Rash,
23.00,,
861510,Laboratory test,23.00,Rash,23.00,,,,,
861516,Herpes zoster,22.10,,,,,

861517, Chills, 23.00, Fatigue, 23.00, Myalgia, 23.00, , , , ,
861518, Decreased appetite, 23.00, Fatigue, 23.00, Flushing, 23.00, Headache, 23.00, Injection site pain, 23.00
861518, Muscular weakness, 23.00, , , , , , , , ,
861519, Blister, 23.00, Chills, 23.00, Myalgia, 23.00, Pyrexia, 23.00, Rash, 23.00
861519, Rash macular, 23.00, Rash pruritic, 23.00, , , , , , ,
861520, Diarrhoea, 23.00, , , , , , , , ,
861521, Herpes zoster, 23.00, , , , , , , , ,
861522, Dizziness, 23.00, Headache, 23.00, Myalgia, 23.00, Nasal congestion, 23.00, Neck pain, 23.00
861523, Hemiparesis, 22.10, Hypoaesthesia, 22.10, , , , , , ,
861525, Arthralgia, 22.10, , , , , , , , ,
861526, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , , ,
861527, Joint injection, 23.00, Joint range of motion decreased, 23.00, Loss of personal independence in daily activities, 23.00, Magnetic resonance imaging, 23.00, Musculoskeletal pain, 23.00
861527, Pain, 23.00, Weight bearing difficulty, 23.00, X-ray limb normal, 23.00, , , , ,
861528, Chills, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
861529, Crying, 23.00, Listless, 23.00, Unresponsive to stimuli, 23.00, , , , ,
861530, Nervousness, 23.00, Syncope, 23.00, , , , , , ,
861531, Fatigue, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00, Malaise, 23.00, Rash macular, 23.00
861536, Product storage error, 23.00, , , , , , , , ,
861537, Injection site pruritus, 23.00, , , , , , , , ,
861538, Fatigue, 23.00, , , , , , , , ,
861539, Influenza like illness, 23.00, Muscle twitching, 23.00, , , , , , ,
861540, Influenza like illness, 23.00, , , , , , , , ,
861541, Pruritus, 23.00, Rash, 23.00, , , , , , ,
861542, Chills, 23.00, Fatigue, 23.00, Incomplete course of vaccination, 23.00, Lethargy, 23.00, Pain, 23.00
861542, Pyrexia, 23.00, , , , , , , , ,
861543, Swelling, 23.00, , , , , , , , ,
861544, Pain, 23.00, , , , , , , , ,
861545, Incomplete course of vaccination, 23.00, Influenza like illness, 23.00, Pyrexia, 23.00, , , , ,
861546, Injection site erythema, 23.00, , , , , , , , ,
861547, Headache, 23.00, Injection site pain, 23.00, Pain, 23.00, Pyrexia, 23.00, , ,
861548, Rash vesicular, 23.00, , , , , , , , ,
861549, Erythema, 23.00, Pain in extremity, 23.00, , , , , , , ,
861550, Electrocardiogram abnormal, 22.10, Syncope, 22.10, , , , , , , ,
861551, Injection site pain, 23.00, , , , , , , , ,
861552, Rash, 23.00, , , , , , , , ,
861553, Injection site mass, 23.00, Injection site rash, 23.00, , , , , , , ,
861554, Arthralgia, 23.00, Balance disorder, 23.00, Chills, 23.00, Erythema, 23.00, Feeling abnormal, 23.00
861554, Feeling hot, 23.00, Hunger, 23.00, Nausea, 23.00, , , , ,
861556, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza like

illness,23.00,Myalgia,23.00
861557,Herpes zoster,23.00,,,,,
861558,Pain in extremity,23.00,,,,,
861559,Injected limb mobility decreased,23.00,Malaise,23.00,Pyrexia,
23.00,,,,,
861560,Urticaria,23.00,,,,,
861561,Burning sensation,23.00,Chills,23.00,Feeling cold,
23.00,Injection site pain,23.00,Myalgia,23.00
861561,Pain in extremity,23.00,Pyrexia,23.00,,,,,
861562,Asthenia,23.00,Body temperature increased,23.00,Chills,
23.00,Dizziness,23.00,Fatigue,23.00
861562,Feeling abnormal,23.00,Headache,23.00,Heart rate increased,
23.00,Hypotension,23.00,Nasal congestion,23.00
861562,Nausea,23.00,,,,,
861563,Myalgia,23.00,,,,,
861564,Immediate post-injection reaction,23.00,Injection site pain,
23.00,Myalgia,23.00,,,,,
861565,Diarrhoea,23.00,,,,,
861566,Chills,23.00,Fatigue,23.00,Injection site erythema,23.00,,,,,
861567,Bedridden,23.00,Influenza like illness,23.00,,,,,
861568,Rash vesicular,23.00,,,,,
861569,Arthralgia,23.00,Dermatitis contact,23.00,Nausea,23.00,Pain,
23.00,,
861570,Herpes zoster,23.00,,,,,
861572,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
861573,Rash,23.00,Urticaria,23.00,,,,,
861574,Chills,23.00,Fatigue,23.00,Headache,23.00,Injected limb
mobility decreased,23.00,Injection site pain,23.00
861574,Pain,23.00,Somnolence,23.00,,,,,
861575,Pyrexia,23.00,,,,,
861577,Erythema,23.00,Immunodeficiency,23.00,Rash vesicular,
23.00,Urticaria,23.00,,
861578,Blister,23.00,,,,,
861579,Erythema,23.00,Peripheral swelling,23.00,,,,,
861580,Anaphylactic reaction,23.00,Sensation of foreign body,
23.00,Throat irritation,23.00,,,,,
861581,Injection site erythema,22.10,Injection site pruritus,
22.10,Injection site warmth,22.10,Urticaria,22.10,,
861582,Gait disturbance,23.00,Headache,23.00,Hot flush,23.00,Injection
site erythema,23.00,Injection site pain,23.00
861582,Injection site rash,23.00,Injection site swelling,
23.00,Insomnia,23.00,Mobility decreased,23.00,Nausea,23.00
861582,Neck pain,23.00,Pain,23.00,Pruritus,23.00,Tenderness,
23.00,Vaccination complication,23.00
861583,Chills,22.10,Erythema,22.10,Pyrexia,22.10,,,,,
861584,Injection site erythema,23.00,,,,,
861585,Pain in extremity,23.00,Peripheral swelling,23.00,Skin
discolouration,23.00,,,,,
861586,Injection site erythema,23.00,Injection site induration,

23.00,Injection site pruritus,23.00,Injection site warmth,
23.00,Pruritus,23.00
861587,Extra dose administered,23.00,,,,,
861588,Injection site reaction,23.00,Rash erythematous,23.00,Rash
pruritic,23.00,,,,,
861589,CSF test,22.10,Computerised tomogram head,22.10,Computerised
tomogram spine,22.10,Demyelinating polyneuropathy,22.10,Guillain-Barre
syndrome,22.10
861589,Immunoglobulin therapy,22.10,Laboratory test,22.10,Magnetic
resonance imaging brain,22.10,Magnetic resonance imaging spinal,
22.10,,
861590,Injection site reaction,23.00,Skin reaction,23.00,,,,,
861593,No adverse event,23.00,Product storage error,23.00,,,,,
861594,Abdominal pain upper,23.00,Diarrhoea,23.00,,,,,
861595,Influenza like illness,23.00,,,,,
861596,Axillary pain,23.00,Chills,23.00,Localised oedema,23.00,Pain,
23.00,Pyrexia,23.00
861598,No adverse event,23.00,Product preparation issue,23.00,,,,,
861599,No adverse event,22.10,Product storage error,22.10,,,,,
861600,Off label use,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
861601,No adverse event,23.00,Product preparation error,23.00,,,,,
861602,Expired product administered,23.00,No adverse event,23.00,,,,,
861603,Expired product administered,23.00,No adverse event,23.00,,,,,
861604,Expired product administered,23.00,No adverse event,23.00,,,,,
861605,Exposure during pregnancy,23.00,Injection site nodule,
23.00,Injection site pain,23.00,,,,,
861606,Erythema,23.00,Exposure during pregnancy,23.00,Induration,
23.00,Swelling,23.00,,
861607,No adverse event,23.00,Product preparation issue,23.00,,,,,
861608,Injection site discolouration,23.00,Injection site reaction,
23.00,Skin reaction,23.00,,,,,
861609,Expired product administered,23.00,No adverse event,23.00,,,,,
861610,No adverse event,23.00,Product storage error,23.00,,,,,
861611,No adverse event,23.00,Product storage error,23.00,,,,,
861612,No adverse event,22.10,Product storage error,22.10,,,,,
861613,No adverse event,22.10,Product storage error,22.10,,,,,
861614,No adverse event,22.10,Product storage error,22.10,,,,,
861615,No adverse event,22.10,Product storage error,22.10,,,,,
861616,No adverse event,22.10,Product storage error,22.10,,,,,
861617,No adverse event,22.10,Product storage error,22.10,,,,,
861618,No adverse event,22.10,Product storage error,22.10,,,,,
861619,No adverse event,22.10,Product storage error,22.10,,,,,
861620,No adverse event,22.10,Product storage error,22.10,,,,,
861621,Exposure during pregnancy,22.10,Foetal disorder,22.10,Foetal
gastrointestinal tract imaging abnormal,22.10,,,,,
861622,Beta haemolytic streptococcal infection,22.10,Depression,
22.10,Exposure during pregnancy,22.10,Streptococcus test positive,
22.10,,
861623,Apgar score normal,22.10,Breech presentation,22.10,Caesarean

section,22.10,Foetal exposure during pregnancy,22.10,,
861624,Dizziness,23.00,Pallor,23.00,Pulse abnormal,23.00,,,,
861626,Injection site reaction,23.00,Rash,23.00,Rash erythematous,
23.00,Rash pruritic,23.00,,
861627,Decreased appetite,23.00,Irritability,23.00,Pyrexia,
23.00,Weight decreased,23.00,,
861628,Alopecia,22.10,Condition aggravated,22.10,,,,,,
861629,Cellulitis,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,,,,,
861630,Injection site swelling,23.00,,,,,,,
861631,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,Type
II hypersensitivity,23.00,,
861636,Blindness,22.10,,,,,,,
861637,Pain in extremity,23.00,,,,,,,
861638,Drug ineffective,23.00,Pneumonia,23.00,,,,,,
861639,Pyrexia,23.00,Vomiting,23.00,,,,,,
861640,Injection site pain,23.00,,,,,,,
861641,Pyrexia,23.00,Vomiting,23.00,,,,,,
861642,Pyrexia,23.00,Vomiting,23.00,,,,,,
861643,Vaccination site bruising,23.00,Vaccination site
discolouration,23.00,,,,,,
861644,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
861645,Chills,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Pain,23.00
861646,Injection site reaction,23.00,Skin lesion,23.00,Vaccination
complication,23.00,,,,,
861647,Injection site discolouration,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site warmth,23.00,,
861648,Dizziness,23.00,Hyperhidrosis,23.00,Nausea,23.00,Seizure like
phenomena,23.00,Syncope,23.00
861649,Skin lesion,23.00,,,,,,,
861650,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
861651,Injection site erythema,23.00,Injection site inflammation,
23.00,Injection site rash,23.00,Injection site swelling,23.00,Mobility
decreased,23.00
861652,Abdominal discomfort,23.00,Discomfort,23.00,Dizziness,
23.00,Loss of personal independence in daily activities,23.00,Malaise,
23.00
861652,Nasopharyngitis,23.00,Nausea,23.00,,,,,,
861653,Blister,23.00,Burning sensation,23.00,Eye pain,23.00,Headache,
23.00,Pruritus,23.00
861654,Abdominal discomfort,23.00,Chest discomfort,23.00,Cough,
23.00,Dizziness,23.00,Fatigue,23.00
861654,Gastroesophageal reflux disease,23.00,Loss of personal
independence in daily activities,23.00,Nasopharyngitis,
23.00,Oropharyngeal pain,23.00,,
861655,Malaise,23.00,Pain,23.00,Pyrexia,23.00,Rash,23.00,Vomiting,
23.00

861656, Chills, 23.00, Headache, 23.00, Influenza like illness, 23.00, Nausea, 23.00, Pain, 23.00
861656, Pyrexia, 23.00, , , , , , , , ,
861657, Headache, 23.00, Loss of personal independence in daily activities, 23.00, , , , , , , , ,
861658, Insomnia, 22.10, Mobility decreased, 22.10, Musculoskeletal pain, 22.10, Neck pain, 22.10, ,
861659, Blood glucose normal, 22.10, Rash, 22.10, Unresponsive to stimuli, 22.10, , , , ,
861660, Facial paralysis, 23.00, Facial paresis, 23.00, Hypoaesthesia, 23.00, , , , ,
861661, Altered state of consciousness, 22.10, Vomiting, 22.10, , , , , , , , ,
861662, Injection site erythema, 23.00, Injection site inflammation, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00
861662, Injection site warmth, 23.00, Pyrexia, 23.00, , , , , , , , ,
861663, Cerumen impaction, 23.00, Cough, 23.00, Ear irrigation, 23.00, Injection site movement impairment, 23.00, Injection site pain, 23.00
861663, Pyrexia, 23.00, Upper respiratory tract infection, 23.00, , , , , , , , , ,
861664, Abdominal pain upper, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site pain, 23.00
861664, Tremor, 23.00, , , , , , , , , , ,
861665, Cough, 22.10, Gait disturbance, 22.10, Nasal congestion, 22.10, Otitis media acute, 22.10, Pain in extremity, 22.10
861665, Pyrexia, 22.10, Rhinorrhoea, 22.10, Tympanic membrane perforation, 22.10, , , , ,
861666, Injection site pain, 22.10, , , , , , , , , , ,
861667, Urticaria, 23.00, , , , , , , , , , ,
861668, Fatigue, 22.10, Intensive care, 22.10, Pain, 22.10, Pancreatitis acute, 22.10, Pancreatitis necrotising, 22.10
861668, Vaccination complication, 22.10, , , , , , , , , , ,
861669, Dizziness, 23.00, Nausea, 23.00, Vomiting, 23.00, , , , , , , , , ,
861670, Abdominal discomfort, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00
861670, Injection site erythema, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , ,
861671, Hypoaesthesia, 23.00, Injected limb mobility decreased, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Sensory loss, 23.00
861672, Herpes zoster, 23.00, Pruritus, 23.00, Pyrexia, 23.00, Rash, 23.00, , ,
861673, Cardiac failure congestive, 22.10, , , , , , , , , , ,
861674, Pruritus, 23.00, Rash macular, 23.00, , , , , , , , , , ,
861675, Arthralgia, 23.00, Joint swelling, 23.00, Pain, 23.00, , , , , , , , , ,
861676, Hypersensitivity, 23.00, Injection site erythema, 23.00, Injection site reaction, 23.00, Injection site swelling, 23.00, , ,
861677, Bone contusion, 22.10, Immediate post-injection reaction, 22.10, Inflammation, 22.10, Joint effusion, 22.10, Loss of personal independence in daily activities, 22.10
861677, Pain, 22.10, Rotator cuff syndrome, 22.10, , , , , , , , , , ,
861680, Injection site induration, 23.00, Injection site pain, 23.00, Limb

mass,23.00,Pain in extremity,23.00,,
861681,Abdominal pain upper,23.00,Arthralgia,23.00,Headache,
23.00,Hypersomnia,23.00,Joint range of motion decreased,23.00
861681,Joint swelling,23.00,Lethargy,23.00,Nausea,23.00,Pain in
extremity,23.00,Peripheral swelling,23.00
861682,Injection site nodule,23.00,Injection site pruritus,23.00,,,,,
861683,Pruritus,23.00,Rash,23.00,,,,,
861684,Pain,22.10,Product administered at inappropriate site,
22.10,Sleep disorder,22.10,X-ray limb,22.10,,
861685,Erythema,23.00,Peripheral swelling,23.00,Pyrexia,23.00,,,,
861686,Arthralgia,23.00,Gait disturbance,23.00,Headache,
23.00,Injection site pain,23.00,Injection site swelling,23.00
861686,Joint swelling,23.00,Pyrexia,23.00,,,,,
861687,Erythema,23.00,Injection site nodule,23.00,Oropharyngeal pain,
23.00,Pain in extremity,23.00,,
861688,Dizziness,23.00,,,,,
861689,Injection site erythema,23.00,Vaccination site swelling,
23.00,Vaccination site warmth,23.00,,,,
861690,Contusion,22.10,Erythema,22.10,Pain,22.10,Pruritus,
22.10,Swelling,22.10
861691,Asthenia,22.10,Injected limb mobility decreased,22.10,Injection
site pain,22.10,Joint range of motion decreased,22.10,Loss of personal
independence in daily activities,22.10
861691,Magnetic resonance imaging abnormal,22.10,Pain,22.10,,,,,
861692,Dizziness,23.00,,,,,
861693,Headache,23.00,Injected limb mobility decreased,23.00,Injection
site pain,23.00,Loss of personal independence in daily activities,
23.00,Nausea,23.00
861693,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,Sleep
disorder,23.00,Tenderness,23.00
861694,Loss of consciousness,23.00,Syncope,23.00,,,,,
861695,Dizziness,23.00,,,,,
861696,Injection site pain,23.00,,,,,
861697,Fall,23.00,Loss of consciousness,23.00,Pain,23.00,,,,
861698,Arthritis bacterial,22.10,Incisional drainage,22.10,,,,,
861699,Chills,23.00,Cold sweat,23.00,Pain,23.00,,,,
861700,Chills,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,
861701,Erythema,23.00,Feeling hot,23.00,Swelling,23.00,,,,
861702,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain,23.00,Tremor,
23.00
861703,Chills,23.00,Erythema,23.00,Pain,23.00,Pruritus,23.00,Swelling,
23.00
861704,Anti-cyclic citrullinated peptide antibody negative,
22.10,Antibody test,22.10,Arthralgia,22.10,Blood creatine
phosphokinase normal,22.10,Blood thyroid stimulating hormone normal,
22.10
861704,Blood uric acid normal,22.10,C-reactive protein increased,
22.10,Mobility decreased,22.10,Myalgia,22.10,Polymyalgia rheumatica,
22.10
861704,Red blood cell sedimentation rate increased,22.10,Rheumatoid

factor negative,22.10,Urine analysis normal,22.10,,,,,
861706,Chills,23.00,Discomfort,23.00,Fatigue,23.00,Headache,
23.00,Injection site erythema,23.00
861706,Injection site pain,23.00,Loss of personal independence in
daily activities,23.00,Myalgia,23.00,,,,,
861707,Cold sweat,23.00,Crying,23.00,Hyperhidrosis,23.00,Injection
site erythema,23.00,Injection site pain,23.00
861707,Injection site swelling,23.00,Screaming,23.00,,,,,,
861708,Facial paralysis,23.00,,,,,,
861709,Pain in extremity,23.00,,,,,,
861710,Rash,23.00,,,,,,
861711,Headache,23.00,Immediate post-injection reaction,
23.00,Injection site pain,23.00,Myalgia,23.00,Nausea,23.00
861711,Pain in extremity,23.00,,,,,,
861712,Asthenia,23.00,Chills,23.00,Dizziness,23.00,Feeling abnormal,
23.00,Headache,23.00
861712,Influenza like illness,23.00,Injection site bruising,
23.00,Injection site pain,23.00,Nausea,23.00,Pain,23.00
861712,Pyrexia,23.00,Thirst,23.00,,,,,
861713,Burning sensation,22.10,Hypoaesthesia,22.10,Injection site
pain,22.10,Paraesthesia,22.10,Peripheral swelling,22.10
861714,Axillary pain,23.00,Back pain,23.00,Musculoskeletal pain,
23.00,Neck pain,23.00,Pain in extremity,23.00
861715,Erythema,23.00,Malaise,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,Pyrexia,23.00
861715,Skin warm,23.00,,,,,,
861716,Pruritus,23.00,Urticaria,23.00,,,,,
861717,Axillary pain,23.00,Hypoaesthesia,23.00,Lymph node pain,
23.00,Musculoskeletal pain,23.00,,
861718,Asthenia,23.00,Heart rate increased,23.00,Hypersomnia,
23.00,Muscle rigidity,23.00,Musculoskeletal stiffness,23.00
861718,Nausea,23.00,Pyrexia,23.00,Tremor,23.00,,,,,
861719,Chills,23.00,Headache,23.00,Influenza like illness,23.00,Pain,
23.00,Pyrexia,23.00
861719,Rash erythematous,23.00,Rash pruritic,23.00,,,,,
861720,Joint range of motion decreased,22.10,Musculoskeletal pain,
22.10,Pain,22.10,Pain in extremity,22.10,,
861721,Hypersensitivity,22.10,,,,,,
861722,Allergy to vaccine,22.10,Erythema,22.10,Hypersensitivity,
22.10,,,,,
861723,Vertigo,23.00,,,,,,
861724,Unevaluable event,23.00,,,,,,
861725,Anger,22.10,Diarrhoea,22.10,Dyskinesia,22.10,Ear infection,
22.10,Ear tube insertion,22.10
861725,Eating disorder,22.10,Emotional distress,22.10,Enzyme
abnormality,22.10,Faeces pale,22.10,Gastric disorder,22.10
861725,Head banging,22.10,Jaundice neonatal,22.10,Opisthotonus,
22.10,Phototherapy,22.10,Premature baby,22.10
861725,Respiratory arrest,22.10,Screaming,22.10,Speech disorder
developmental,22.10,Stereotypy,22.10,,

861726,Back pain,23.00,Injection site bruising,23.00,Injection site erythema,23.00,Injection site mass,23.00,Pain in extremity,23.00
861727,Gingival swelling,23.00,Injection site rash,23.00,Pain,23.00,,,,,
861728,Chills,23.00,Headache,23.00,Injection site erythema,23.00,Injection site pain,23.00,Injection site pruritus,23.00
861728,Injection site swelling,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
861729,Unevaluable event,23.00,,,,,,
861730,Back pain,23.00,Decreased appetite,23.00,Fatigue,23.00,Incoherent,23.00,Influenza virus test negative,23.00
861730,Pyrexia,23.00,Streptococcus test negative,23.00,Vaccination complication,23.00,Vomiting,23.00,,
861731,Injection site erythema,23.00,Injection site induration,23.00,Type III immune complex mediated reaction,23.00,,,,,
861732,Asthenia,22.10,Hypokinesia,22.10,Mood altered,22.10,Musculoskeletal pain,22.10,Neck pain,22.10
861732,Pain in extremity,22.10,,,,,,
861733,Erythema,23.00,Muscular weakness,23.00,Pain in extremity,23.00,Peripheral swelling,23.00,Somnolence,23.00
861734,Death,23.00,Dizziness,23.00,Eye pain,23.00,Pain in extremity,23.00,Tinnitus,23.00
861735,Back pain,23.00,Chills,23.00,Fatigue,23.00,Injection site reaction,23.00,Injection site swelling,23.00
861735,Pain,23.00,Rash macular,23.00,,,,,
861739,No adverse event,23.00,Product storage error,23.00,,,,,
861740,No adverse event,23.00,Product storage error,23.00,,,,,
861741,No adverse event,23.00,Product storage error,23.00,,,,,
861742,Facial pain,23.00,Flushing,23.00,Lip swelling,23.00,Pruritus,23.00,,
861743,Herpes zoster,22.10,,,,,,
861744,Syncope,22.10,,,,,,
861745,Herpes zoster,22.10,,,,,,
861746,Haematochezia,22.10,Mucous stools,22.10,Polymerase chain reaction positive,22.10,Rotavirus test positive,22.10,,
861747,Culture stool negative,22.10,Diarrhoea,22.10,Diarrhoea haemorrhagic,22.10,Inappropriate schedule of product administration,22.10,Mucous stools,22.10
861748,No adverse event,23.00,Product storage error,23.00,,,,,
861749,Conjunctivitis,22.10,Deafness bilateral,22.10,Deafness neurosensory,22.10,Dizziness,22.10,Dyspnoea,22.10
861749,Myocardial ischaemia,22.10,Nausea,22.10,Pneumonia,22.10,Tinnitus,22.10,Vertigo,22.10
861750,No adverse event,23.00,Product storage error,23.00,,,,,
861751,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
861752,No adverse event,23.00,Therapeutic response unexpected,23.00,,,,,
861753,Interchange of vaccine products,23.00,,,,,,
861754,Rash erythematous,23.00,,,,,,
861755,Chills,23.00,Influenza like illness,23.00,Nasal congestion,

23.00,Pain,23.00,Pyrexia,23.00
861756,Pain,23.00,,,,,
861757,Drug ineffective,23.00,,,,,
861758,Erythema,23.00,Fatigue,23.00,Malaise,23.00,Swelling,23.00,,
861759,Mouth swelling,23.00,Swelling face,23.00,,,,,
861760,Chills,23.00,Headache,23.00,Pain,23.00,,,,,
861761,Culture urine negative,23.00,Differential white blood cell
count normal,23.00,Full blood count normal,23.00,Influenza virus test
negative,23.00,Paraesthesia,23.00
861761,Pyrexia,23.00,Tetany,23.00,Vomiting,23.00,,,,,
861762,Ear infection,23.00,Erythema,23.00,Swelling,23.00,,,,,
861763,Injection site cellulitis,22.10,,,,,
861764,No adverse event,23.00,Wrong patient received product,
23.00,,,,,
861765,Expired product administered,23.00,,,,,
861766,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
861769,Axillary mass,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
861770,Asthenia,23.00,Muscular weakness,23.00,,,,,
861771,Hypomania,23.00,,,,,
861772,Influenza like illness,23.00,Malaise,23.00,Oropharyngeal
discomfort,23.00,Pain,23.00,,
861773,Rash,23.00,,,,,
861774,Erythema multiforme,23.00,Pruritus,23.00,Rash,23.00,Urticaria,
23.00,,
861775,Abdominal pain,23.00,Ear infection,23.00,Headache,
23.00,Muscular weakness,23.00,Ocular discomfort,23.00
861775,Pyrexia,23.00,Vomiting,23.00,,,,,
861776,Seizure,23.00,,,,,
861777,Angiogram,22.10,Cerebrovascular accident,22.10,Computerised
tomogram,22.10,Injection site pain,22.10,Lumbar puncture,22.10
861777,Magnetic resonance imaging spinal abnormal,22.10,Mobility
decreased,22.10,Myalgia,22.10,Myelitis transverse,22.10,Spinal cord
oedema,22.10
861778,Headache,23.00,,,,,
861779,Injection site erythema,23.00,Injection site hypersensitivity,
23.00,Injection site pruritus,23.00,Injection site swelling,23.00,,
861780,Computerised tomogram head normal,22.10,Investigation,
22.10,Seizure,22.10,,,,,
861781,Incomplete course of vaccination,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Pyrexia,23.00,,
861782,Rash,23.00,Swelling,23.00,,,,,
861783,Body temperature increased,23.00,Chest X-ray,23.00,Influenza
virus test,23.00,Respiratory syncytial virus test,23.00,Seizure,23.00
861783,Tremor,23.00,,,,,
861784,Erythema,23.00,Injection site reaction,23.00,Local reaction,
23.00,Swelling,23.00,,
861785,Fatigue,23.00,Musculoskeletal discomfort,23.00,Pain,23.00,,,,,
861786,Product preparation issue,23.00,,,,,
861787,Fatigue,23.00,Headache,23.00,Malaise,23.00,Myalgia,23.00,,
861788,Unevaluable event,23.00,,,,,

861789,Injection site induration,23.00,,,,,,,,,
861790,Pain,23.00,,,,,,,,,
861791,Pruritus,23.00,Urticaria,23.00,,,,,,,,,
861802,No adverse event,23.00,Therapeutic response unexpected,
23.00,,,,,,,,,
861803,Cellulitis,22.10,Injection site cellulitis,22.10,Pyrexia,
22.10,Rash,22.10,,
861804,Abdominal discomfort,23.00,Fatigue,23.00,Pain,23.00,,,,,
861805,Hypersensitivity,23.00,Rash vesicular,23.00,Urticaria,23.00,,,,,
861806,Hypoaesthesia,23.00,Immediate post-injection reaction,
23.00,,,,,,,,,
861807,Erythema,23.00,,,,,,,,,
861808,Pyrexia,23.00,,,,,,,,,
861809,Herpes zoster,23.00,,,,,,,,,
861810,Adverse event,23.00,,,,,,,,,
861811,Adverse event,23.00,Fatigue,23.00,,,,,,,,,
861812,Chills,23.00,,,,,,,,,
861813,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
861814,Influenza like illness,23.00,,,,,,,,,
861816,Pain in extremity,23.00,Rash,23.00,,,,,,,,,
861817,Adverse event,23.00,Myalgia,23.00,Walking aid user,23.00,,,,,
861818,Herpes zoster,23.00,,,,,,,,,
861819,Injection site pruritus,23.00,Injection site rash,
23.00,Injection site swelling,23.00,,,,,
861820,Injection site rash,23.00,Pruritus,23.00,,,,,,,,,
861821,Chills,22.10,Pyrexia,22.10,Syncope,22.10,,,,,
861822,Rash,23.00,,,,,,,,,
861823,Diarrhoea,23.00,Headache,23.00,Injection site pain,
23.00,Nausea,23.00,,
861824,Chills,23.00,Injection site erythema,23.00,Injection site
induration,23.00,Injection site nodule,23.00,Injection site swelling,
23.00
861824,Pyrexia,23.00,,,,,,,,,
861825,Mobility decreased,23.00,,,,,,,,,
861826,Erythema,23.00,Pain,23.00,,,,,,,,,
861827,Acoustic stimulation tests,23.00,Audiogram,23.00,Ear
discomfort,23.00,Tinnitus,23.00,,
861828,Lymph node pain,23.00,Lymphadenopathy,23.00,,,,,,,,,
861829,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Insomnia,23.00,Musculoskeletal stiffness,23.00,Pain in
extremity,23.00
861830,Rash,23.00,,,,,,,,,
861831,Herpes zoster,23.00,,,,,,,,,
861832,Product storage error,23.00,,,,,,,,,
861833,Colitis ulcerative,22.10,Condition aggravated,
22.10,Inappropriate schedule of product administration,22.10,,,,,
861834,Pruritus,23.00,Rash,23.00,,,,,,,,,
861835,Abortion spontaneous,22.10,Expired product administered,
22.10,Exposure during pregnancy,22.10,Immunisation,22.10,,

861836,Injection site erythema,23.00,Injection site induration,
23.00,Injection site warmth,23.00,,,,,
861837,Injection site pain,23.00,Injection site swelling,23.00,Muscle
spasms,23.00,Pain,23.00,Swelling,23.00
861837,Tenderness,23.00,,,,,,
861838,Diarrhoea haemorrhagic,23.00,Nausea,23.00,,,,,
861839,Seizure,22.10,,,,,
861840,Arthralgia,23.00,Feeling abnormal,23.00,Impaired work ability,
23.00,Pain,23.00,Paraesthesia,23.00
861840,Pruritus,23.00,,,,,
861841,Hypoaesthesia,22.10,Injection site pain,22.10,Joint range of
motion decreased,22.10,Mobility decreased,22.10,Pain,22.10
861841,Skin discolouration,22.10,X-ray normal,22.10,,,,,
861842,Erythema,23.00,Swelling,23.00,,,,,
861844,Inappropriate schedule of product administration,23.00,,,,,
861845,Expired product administered,23.00,No adverse event,23.00,,,,,
861846,Back pain,23.00,Bone pain,23.00,Breast pain,
23.00,Musculoskeletal pain,23.00,Nausea,23.00
861846,Pain in extremity,23.00,,,,,
861847,Limb discomfort,23.00,Rash,23.00,Skin warm,23.00,,,,,
861848,Computerised tomogram,23.00,Constipation,23.00,Diarrhoea,
23.00,Gastrointestinal motility disorder,23.00,Pain,23.00
861848,Scan with contrast,23.00,Urinary tract infection,23.00,,,,,
861849,Pain,23.00,Pain in extremity,23.00,,,,,
861850,Acute myeloid leukaemia,22.10,Biopsy bone marrow abnormal,
22.10,Blast cell count increased,22.10,Blood test,22.10,Chemotherapy,
22.10
861850,Cytogenetic analysis abnormal,22.10,Influenza virus test
negative,22.10,Laboratory test abnormal,22.10,Nasopharyngitis,
22.10,Oral herpes,22.10
861850,Oral infection,22.10,,,,,
861851,Autism spectrum disorder,22.10,Disability,22.10,,,,,
861852,Injected limb mobility decreased,22.10,Injection site pain,
22.10,Injection site reaction,22.10,Pain,22.10,Thrombosis,22.10
861853,Extra dose administered,23.00,Pain in extremity,23.00,,,,,
861854,Injection site erythema,23.00,Injection site oedema,
23.00,Injection site warmth,23.00,,,,,
861855,Burning sensation,23.00,Chills,23.00,Dizziness,23.00,Erythema,
23.00,Fall,23.00
861855,Gait disturbance,23.00,Headache,23.00,Injection site swelling,
23.00,Migraine,23.00,Pain in extremity,23.00
861855,Pyrexia,23.00,,,,,
861856,Contusion,23.00,Erythema,23.00,Injection site bruising,
23.00,Injection site erythema,23.00,,
861857,Dizziness,23.00,Eructation,23.00,Immediate post-injection
reaction,23.00,Loss of consciousness,23.00,Nausea,23.00
861857,Unresponsive to stimuli,23.00,,,,,
861858,Injection site erythema,23.00,Injection site inflammation,
23.00,Injection site pruritus,23.00,,,,,
861859,Erythema,23.00,Induration,23.00,Lymph node pain,

23.00,Lymphadenopathy,23.00,Malaise,23.00
861859,Musculoskeletal stiffness,23.00,,,,,,,
861860,Chills,23.00,Headache,23.00,Injection site pain,23.00,Pain,
23.00,Pyrexia,23.00
861860,Toothache,23.00,,,,,,,
861861,Varicella,23.00,,,,,,,
861862,Joint range of motion decreased,23.00,Musculoskeletal disorder,
23.00,,,,,
861863,Abdominal discomfort,23.00,Decreased appetite,23.00,Headache,
23.00,Pain in extremity,23.00,,
861864,Erythema,23.00,Mobility decreased,23.00,Pain,23.00,Swelling,
23.00,,
861865,Insomnia,23.00,Joint range of motion decreased,23.00,Mobility
decreased,23.00,Musculoskeletal pain,23.00,Pain,23.00
861866,Abdominal pain upper,23.00,Arthralgia,23.00,Asthenia,23.00,Bed
rest,23.00,Chills,23.00
861866,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Loss of personal independence in
daily activities,23.00
861866,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,,,
861867,Abdominal pain upper,23.00,Arthralgia,23.00,Asthenia,23.00,Bed
rest,23.00,Dizziness,23.00
861867,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Loss of
personal independence in daily activities,23.00,Nausea,23.00
861867,Pain,23.00,Pyrexia,23.00,,,,,
861868,Arthralgia,23.00,Diarrhoea,23.00,Headache,23.00,Nausea,
23.00,Pain,23.00
861868,Pyrexia,23.00,,,,,,,
861869,Syncope,23.00,,,,,,,
861870,Acupuncture,23.00,Eating disorder,23.00,Eyelid ptosis,
23.00,Facial asymmetry,23.00,Facial neuralgia,23.00
861870,Facial paralysis,23.00,Facial paresis,23.00,Herpes simplex test
negative,23.00,Speech disorder developmental,23.00,Strabismus,23.00
861870,Swelling face,23.00,,,,,,,
861871,Rash,23.00,Rash erythematous,23.00,Rash pruritic,23.00,Skin
warm,23.00,,
861872,Chills,23.00,Computerised tomogram head normal,23.00,Eye pain,
23.00,Headache,23.00,Hyperhidrosis,23.00
861872,Influenza virus test negative,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,
23.00,Laboratory test normal,23.00
861872,Lumbar puncture,23.00,Myalgia,23.00,Neck pain,23.00,Neuralgia,
23.00,Pyrexia,23.00
861872,Rash vesicular,23.00,White blood cell count normal,23.00,,,,,
861873,Injection site rash,23.00,Rash,23.00,,,,,
861884,Dizziness,23.00,Inappropriate schedule of product
administration,23.00,Injection site hypoesthesia,23.00,,,,
861885,Herpes zoster,22.10,Rash,22.10,,,,,
861886,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,

861887, Fatigue, 23.00, Incomplete course of vaccination, 23.00, Pain, 23.00, Pyrexia, 23.00, ,
861889, Atrial fibrillation, 22.10, Chest X-ray, 22.10, Electrocardiogram abnormal, 22.10, Erythema, 22.10, Hypoxia, 22.10
861889, Lung infiltration, 22.10, Pain, 22.10, Peripheral swelling, 22.10, Pneumonia, 22.10, Pulmonary mass, 22.10
861889, Swelling, 22.10, Ultrasound scan, 22.10, , , , , ,
861890, Erythema, 22.10, Peripheral swelling, 22.10, , , , , ,
861891, Burning sensation, 23.00, Discomfort, 23.00, Erythema, 23.00, Rash, 23.00, Rash pruritic, 23.00
861891, Skin exfoliation, 23.00, Skin irritation, 23.00, , , , , ,
861892, Arthralgia, 23.00, Cough, 23.00, Dry mouth, 23.00, Dysgeusia, 23.00, Fatigue, 23.00
861892, Feeling of body temperature change, 23.00, Injection site pain, 23.00, Pain, 23.00, , , , ,
861896, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
861898, Malaise, 23.00, Vaccine positive rechallenge, 23.00, , , , , ,
861899, Seizure like phenomena, 22.10, Syncope, 22.10, , , , , ,
861900, Paraesthesia, 23.00, Tinnitus, 23.00, , , , , ,
861901, Wrong product administered, 23.00, , , , , , ,
861902, Breast pain, 23.00, Fatigue, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Lymph node pain, 23.00
861902, Mammogram normal, 23.00, Middle insomnia, 23.00, Oedema peripheral, 23.00, Pain, 23.00, Pyrexia, 23.00
861903, Anaphylactic reaction, 23.00, Presyncope, 23.00, , , , , ,
861904, Abdominal pain, 23.00, Arthralgia, 23.00, Chills, 23.00, Fatigue, 23.00, Injection site pain, 23.00
861904, Nausea, 23.00, Pyrexia, 23.00, , , , , ,
861905, Blister, 23.00, Herpes zoster, 23.00, Pain, 23.00, , , , ,
861906, Chills, 23.00, Erythema, 23.00, Headache, 23.00, Nausea, 23.00, Peripheral swelling, 23.00
861906, Pruritus, 23.00, Pyrexia, 23.00, Urticaria, 23.00, , , , ,
861907, No adverse event, 22.10, , , , , , ,
861908, Unevaluable event, 22.10, , , , , , ,
861909, Unevaluable event, 22.10, , , , , , ,
861910, Unevaluable event, 22.10, , , , , , ,
861911, Unevaluable event, 22.10, , , , , , ,
861912, Unevaluable event, 22.10, , , , , , ,
861913, Irritability, 23.00, Poor quality sleep, 23.00, Pyrexia, 23.00, Rash, 23.00, ,
861922, Extra dose administered, 23.00, , , , , , , ,
861923, Extra dose administered, 23.00, , , , , , , ,
861924, Pyrexia, 22.10, Seizure, 22.10, Speech disorder, 22.10, , , , ,
861925, Product storage error, 23.00, , , , , , , ,
861926, Electroencephalogram normal, 22.10, Eye movement disorder, 22.10, Injection site bruising, 22.10, Petechiae, 22.10, Product administered to patient of inappropriate age, 22.10
861926, Rash, 22.10, Seizure, 22.10, Vaccination site induration, 22.10, , , , ,
861927, Adverse drug reaction, 23.00, , , , , , , ,
861928, Pain in extremity, 23.00, , , , , , , ,

861929,Vaccine positive rechallenge,23.00,,,,,
861930,Pyrexia,23.00,,,,,
861931,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,
861932,Compression fracture,22.10,Syncope,22.10,,,,,
861933,Pain,23.00,,,,,
861934,Sinusitis,23.00,,,,,
861935,Injection site induration,23.00,Injection site swelling,
23.00,,,,,
861936,Chills,23.00,Fatigue,23.00,Hypersomnia,23.00,Injection site
erythema,23.00,Injection site pain,23.00
861936,Injection site swelling,23.00,Vaccine positive rechallenge,
23.00,,,,,
861937,Acute hepatic failure,22.10,Alanine aminotransferase increased,
22.10,Analgesic drug level therapeutic,22.10,Aspartate
aminotransferase increased,22.10,Asthenia,22.10
861937,Bilirubin conjugated increased,22.10,Blood alkaline phosphatase
increased,22.10,Blood bilirubin increased,22.10,Blood ethanol normal,
22.10,Death,22.10
861937,HIV test negative,22.10,Hepatitis A,22.10,Hepatitis A antibody
positive,22.10,Hepatitis B DNA assay negative,22.10,Hepatitis B core
antibody negative,22.10
861937,Hepatitis B surface antibody negative,22.10,Hepatitis B surface
antigen negative,22.10,Hepatitis C RNA negative,22.10,Hepatitis C
antibody negative,22.10,Hepatitis E antibody negative,22.10
861937,Hepatorenal syndrome,22.10,Hospice care,22.10,International
normalised ratio increased,22.10,Jaundice,22.10,Polymerase chain
reaction,22.10
861937,Transaminases increased,22.10,Vaccination failure,22.10,,,,,
861938,Rash,23.00,,,,,
861939,Blister,23.00,Erythema,23.00,Incomplete course of vaccination,
23.00,Pain,23.00,Rash,23.00
861939,Rash vesicular,23.00,Skin warm,23.00,,,,,
861940,Bronchitis,23.00,Influenza,23.00,Malaise,23.00,Vaccination
failure,23.00,,
861941,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
861942,Bacterial infection,22.10,Dysphagia,22.10,Infection,
22.10,Intensive care,22.10,Mechanical ventilation,22.10
861942,Oropharyngeal pain,22.10,Streptococcus test negative,
22.10,Swelling,22.10,Viral infection,22.10,,
861943,Alopecia,23.00,,,,,
861944,Injection site pain,23.00,,,,,
861945,Chills,23.00,Pyrexia,23.00,,,,,
861947,Arrested labour,22.10,Arterial injury,22.10,Caesarean section,
22.10,Cystoscopy,22.10,Exposure during pregnancy,22.10
861947,Foetal disorder,22.10,,,,,
861948,Alpha 1 foetoprotein normal,22.10,Eustachian tube dysfunction,
22.10,Exposure during pregnancy,22.10,Exposure to communicable
disease,22.10,Otitis media acute,22.10
861948,Prenatal screening test,22.10,Ultrasound antenatal screen,

22.10,Ultrasound antenatal screen normal,22.10,,,,,
861949,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Premature baby,22.10,,
861950,Caesarean section,22.10,Exposure during pregnancy,
22.10,Hypothyroidism,22.10,,,,,
861951,Anxiety,22.10,Caesarean section,22.10,Exposure during
pregnancy,22.10,Gastrooesophageal reflux disease,22.10,Premature
separation of placenta,22.10
861952,Caesarean section,22.10,Exposure during pregnancy,
22.10,Premature delivery,22.10,,,,,
861953,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Premature baby,22.10,,
861954,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Premature baby,22.10,,
861955,Unevaluable event,22.10,,,,,,,
861956,Product administered to patient of inappropriate age,
22.10,,,,,,,
861958,Madarosis,22.10,,,,,,,
861959,Unevaluable event,22.10,,,,,,,
861960,Injection site rash,23.00,Injection site warmth,23.00,Pyrexia,
23.00,,,,,
861961,Injection site pain,23.00,Injection site rash,23.00,Injection
site swelling,23.00,Injection site warmth,23.00,,
861962,Injection site pain,23.00,Injection site swelling,
23.00,Peripheral swelling,23.00,,,,,
861963,Cellulitis,23.00,,,,,,,
861964,Nodule,23.00,Pain in extremity,23.00,,,,,
861965,Oral herpes,23.00,Vaccination complication,23.00,,,,,
861966,Erythema,22.10,Muscle tightness,22.10,Myalgia,22.10,Peripheral
swelling,22.10,Pruritus,22.10
861976,No adverse event,23.00,Product storage error,23.00,,,,,
861977,Pyrexia,23.00,Seizure,23.00,,,,,
861979,Headache,23.00,,,,,,,
861980,Pyrexia,23.00,Vomiting,23.00,,,,,
861981,Pyrexia,23.00,Vomiting,23.00,,,,,
861982,Bacterial infection,23.00,Pneumococcal sepsis,23.00,,,,,
861983,Injection site rash,23.00,Injection site vesicles,23.00,Lip
blister,23.00,Lip swelling,23.00,Peripheral swelling,23.00
861984,Injection site cellulitis,23.00,,,,,,,
861985,Cough,23.00,,,,,,,
861986,Erythema,23.00,,,,,,,
861987,Inappropriate schedule of product administration,23.00,,,,,,,
861988,Cough,22.10,Immunodeficiency,22.10,Madarosis,22.10,Malaise,
22.10,Pain,22.10
861988,Pyrexia,22.10,,,,,,,
861989,Haematoma,23.00,Injection site haematoma,23.00,Ultrasound
Doppler normal,23.00,,,,,
861990,Injection site erythema,22.10,Injection site pain,22.10,Rash,
22.10,Rash erythematous,22.10,,
861991,Bone pain,23.00,Erythema,23.00,Limb mass,23.00,Myalgia,

23.00,Peripheral swelling,23.00
861991,Throat tightness,23.00,,,,,
861992,Erythema,22.10,Full blood count,22.10,Influenza virus test,
22.10,Rash,22.10,Swelling,22.10
861992,Ultrasound scan,22.10,X-ray,22.10,,,,,
861993,Ankle fracture,22.10,Asthenia,22.10,Guillain-Barre syndrome,
22.10,Laboratory test,22.10,Lumbar puncture,22.10
861993,Magnetic resonance imaging spinal,22.10,Muscular weakness,
22.10,Paraesthesia,22.10,,,,,
861994,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
861996,Extra dose administered,23.00,No adverse event,23.00,,,,,
861997,Extra dose administered,23.00,No adverse event,23.00,,,,,
861998,Injection site erythema,23.00,Injection site oedema,
23.00,Injection site pain,23.00,Injection site pruritus,23.00,,
861999,Infant irritability,23.00,Muscle spasms,23.00,Pyrexia,
23.00,Seizure,23.00,,
862000,Infantile apnoea,23.00,Oxygen saturation decreased,
23.00,Respiratory arrest,23.00,,,,,
862001,Abdominal discomfort,23.00,Headache,23.00,Injection site
erythema,23.00,Injection site mass,23.00,Pain in extremity,23.00
862002,Rash,23.00,,,,,
862003,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Pain,23.00,,,,,
862004,Injection site pain,22.10,Magnetic resonance imaging,
22.10,,,,,
862005,Rash,23.00,,,,,
862006,Unevaluable event,22.10,,,,,
862007,Unevaluable event,22.10,,,,,
862008,Chills,23.00,Headache,23.00,Impaired work ability,23.00,Nausea,
23.00,Vomiting,23.00
862009,Asthenia,23.00,Dizziness,23.00,Headache,23.00,Vomiting,23.00,,
862010,Maternal exposure during breast feeding,23.00,No adverse event,
23.00,,,,,
862011,Feeling cold,23.00,Feeling hot,23.00,Headache,
23.00,Hyperhidrosis,23.00,Influenza like illness,23.00
862011,Nausea,23.00,Pain,23.00,Syncope,23.00,,,,,
862012,Erythema,23.00,Pain,23.00,Pyrexia,23.00,,,,,
862013,Disorientation,23.00,Injection site pain,23.00,Injection site
swelling,23.00,Insomnia,23.00,Mania,23.00
862013,Oral disorder,23.00,Oral mucosal erythema,23.00,Oral pain,
23.00,,,,,
862014,Differential white blood cell count,23.00,Fatigue,23.00,Full
blood count,23.00,Injection site erythema,23.00,Injection site pain,
23.00
862014,Injection site swelling,23.00,Insomnia,23.00,Metabolic function
test,23.00,Pain,23.00,Vascular imaging,23.00
862015,Tenderness,23.00,,,,,
862016,Groin pain,23.00,Muscle spasms,23.00,,,,,
862017,Seizure,23.00,,,,,

862018,Rash,23.00,Rash macular,23.00,,,,,
862019,Arthralgia,23.00,Cough,23.00,Feeling abnormal,23.00,Injection
site erythema,23.00,Injection site swelling,23.00
862019,Injection site warmth,23.00,Loss of personal independence in
daily activities,23.00,Myalgia,23.00,Nausea,23.00,Pain,23.00
862019,Periorbital swelling,23.00,Pyrexia,23.00,Swelling face,
23.00,,,,,
862020,Herpes zoster,23.00,Hypersensitivity,23.00,Pruritus,23.00,,,,,
862021,Chills,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00,,
862022,Headache,23.00,Kinesitherapy,23.00,Pyrexia,23.00,Tic,23.00,,
862023,Erythema,23.00,Peripheral swelling,23.00,Pruritus,23.00,Rash,
23.00,,
862024,Injection site erythema,23.00,Injection site induration,
23.00,Injection site mass,23.00,Injection site swelling,23.00,,
862025,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Hypersomnia,23.00
862025,Insomnia,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,
862027,Chills,23.00,Headache,23.00,Myalgia,23.00,,,,,
862028,Injection site pain,23.00,Pain in extremity,23.00,,,,,
862029,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Myalgia,23.00
862037,Exposure during pregnancy,23.00,,,,,
862038,Butterfly rash,22.10,Histone antibody positive,22.10,Immunology
test normal,22.10,Loss of personal independence in daily activities,
22.10,Swelling face,22.10
862039,Human papilloma virus test positive,23.00,,,,,
862040,Cervical dysplasia,23.00,Loop electrosurgical excision
procedure,23.00,,,,,
862041,Expired product administered,23.00,No adverse event,23.00,,,,,
862042,Deafness bilateral,22.10,Deafness neurosensory,22.10,Sudden
hearing loss,22.10,,,,,
862043,Herpes zoster,23.00,,,,,
862044,Hypersensitivity,23.00,,,,,
862045,Chills,23.00,Pyrexia,23.00,,,,,
862046,Ophthalmic herpes zoster,22.10,Vaccination failure,22.10,,,,,
862047,Burning sensation,23.00,Injection site erythema,23.00,Injection
site pain,23.00,Miliaria,23.00,Pain,23.00
862047,Pain in extremity,23.00,Peripheral swelling,23.00,Rash,
23.00,Skin exfoliation,23.00,Tenderness,23.00
862047,Wound secretion,23.00,,,,,
862048,Immunisation,23.00,Incorrect dose administered,23.00,Injection
site extravasation,23.00,No adverse event,23.00,,
862049,Exposure during pregnancy,23.00,Pain in extremity,23.00,,,,,
862050,Expired product administered,23.00,No adverse event,23.00,,,,,
862051,No adverse event,23.00,Product storage error,23.00,,,,,
862052,No adverse event,23.00,Product storage error,23.00,,,,,
862053,No adverse event,23.00,Product storage error,23.00,,,,,
862054,No adverse event,23.00,Product storage error,23.00,,,,,
862055,No adverse event,23.00,Product storage error,23.00,,,,,
862056,Expired product administered,23.00,No adverse event,23.00,,,,,

862057,Expired product administered,23.00,No adverse event,23.00,,,,,
862058,No adverse event,23.00,Occupational exposure to product,
23.00,Product physical issue,23.00,,,,,
862059,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
862060,Arthralgia,23.00,Fatigue,23.00,Headache,23.00,Myalgia,
23.00,Nausea,23.00
862060,Pain in extremity,23.00,,,,,
862062,Dizziness,23.00,Gingival swelling,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site warmth,23.00
862062,Oropharyngeal pain,23.00,Palpitations,23.00,,,,,
862063,Chills,23.00,Hyperhidrosis,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Myalgia,23.00
862063,Nausea,23.00,Pyrexia,23.00,,,,,
862064,Blister,23.00,Pyrexia,23.00,Rash,23.00,,,,,
862068,Pruritus,23.00,Pyrexia,23.00,Rash,23.00,Scab,23.00,Skin lesion,
23.00
862068,Varicella post vaccine,23.00,Varicella virus test positive,
23.00,,,,,
862069,Neoplasm malignant,22.10,Positron emission tomogram abnormal,
22.10,,,,,
862070,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site warmth,23.00,,,,,
862071,Headache,23.00,Injected limb mobility decreased,23.00,Pain in
extremity,23.00,Skin warm,23.00,Tenderness,23.00
862072,Chills,23.00,Dizziness,23.00,Influenza like illness,23.00,Pain,
23.00,Pyrexia,23.00
862073,Alopecia,23.00,Angiogram,23.00,Biopsy bone marrow,23.00,C-
reactive protein increased,23.00,Computerised tomogram,23.00
862073,Fatigue,23.00,Heart rate abnormal,23.00,Housebound,
23.00,Impaired gastric emptying,23.00,Magnetic resonance imaging,23.00
862073,Nausea,23.00,Postural orthostatic tachycardia syndrome,
23.00,Pyrexia,23.00,Red blood cell sedimentation rate increased,
23.00,Syncope,23.00
862073,Vomiting,23.00,,,,,
862074,Blister,23.00,Erythema,23.00,Injection site erythema,
23.00,Injection site papule,23.00,Injection site vesicles,23.00
862074,Papule,23.00,Pruritus,23.00,Pyrexia,23.00,,,,,
862075,Lip swelling,22.10,Mouth swelling,22.10,,,,,
862076,Chills,23.00,,,,,
862077,Anaphylactic reaction,23.00,,,,,
862078,Chills,23.00,Diarrhoea,23.00,Nausea,23.00,Pain,23.00,,
862079,Wrong product administered,23.00,,,,,
862080,Erythema multiforme,23.00,Rash,23.00,,,,,
862093,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
862094,Abdominal discomfort,23.00,Chills,23.00,Myalgia,23.00,,,,,
862095,Erythema,23.00,Swelling,23.00,,,,,
862096,Injection site pain,23.00,Vaccine positive rechallenge,
23.00,,,,,
862097,Headache,23.00,Induration,23.00,Peripheral swelling,

23.00, Pyrexia, 23.00, Rash, 23.00
862098, Autoimmune disorder, 22.10, Biopsy eyelid, 22.10, Skin ulcer,
22.10, , , ,
862099, Imaging procedure, 22.10, Injected limb mobility decreased,
22.10, Injection site pain, 22.10, Magnetic resonance imaging abnormal,
22.10, Rotator cuff syndrome, 22.10
862099, Shoulder injury related to vaccine administration, 22.10, Type
III immune complex mediated reaction, 22.10, Wrong technique in product
usage process, 22.10, X-ray limb normal, 22.10, ,
862100, Chills, 23.00, Headache, 23.00, Influenza like illness,
23.00, Mobility decreased, 23.00, Pain, 23.00
862100, Pyrexia, 23.00, , , , , , , ,
862101, Muscle spasms, 23.00, Musculoskeletal stiffness, 23.00, , , , , ,
862102, Nausea, 23.00, Pyrexia, 23.00, , , , , , ,
862103, Pruritus, 23.00, , , , , , , ,
862104, Adverse event, 23.00, , , , , , , ,
862105, Herpes zoster, 23.00, , , , , , , ,
862106, Inappropriate schedule of product administration,
23.00, Peripheral swelling, 23.00, Product supply issue, 23.00, Pyrexia,
23.00, , ,
862107, Pyrexia, 23.00, , , , , , , ,
862108, Urticaria, 23.00, , , , , , , ,
862109, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , , ,
862110, Unevaluable event, 23.00, , , , , , , ,
862111, Abdominal discomfort, 23.00, Chills, 23.00, Influenza like illness,
23.00, Myalgia, 23.00, Pyrexia, 23.00
862111, Vaccine positive rechallenge, 23.00, , , , , , , ,
862112, Chills, 23.00, Injection site erythema, 23.00, Injection site
swelling, 23.00, Injection site warmth, 23.00, Pain, 23.00
862112, Rash, 23.00, Rash papular, 23.00, , , , , , ,
862113, Dyspnoea, 22.10, Fatigue, 22.10, Haematuria, 22.10, Injection site
rash, 22.10, Pruritus, 22.10
862113, Throat irritation, 22.10, Tremor, 22.10, , , , , , , ,
862114, Arthralgia, 23.00, Injection site joint pain, 23.00, , , , , , , ,
862115, Dizziness, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia,
23.00, Vomiting, 23.00
862116, Arthralgia, 23.00, Dizziness, 23.00, Muscular weakness, 23.00, Pain
in extremity, 23.00, , ,
862117, Injection site discomfort, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00
862118, Product storage error, 22.10, , , , , , , ,
862119, Product storage error, 22.10, , , , , , , ,
862120, Product storage error, 22.10, , , , , , , ,
862121, Product storage error, 22.10, , , , , , , ,
862122, Product storage error, 22.10, , , , , , , ,
862123, Product storage error, 22.10, , , , , , , ,
862124, Product storage error, 22.10, , , , , , , ,
862125, Product storage error, 22.10, , , , , , , ,
862126, Product storage error, 22.10, , , , , , , ,

862127,Product storage error,22.10,,,,,,,,,
862128,Product storage error,22.10,,,,,,,,,
862129,Product storage error,22.10,,,,,,,,,
862130,Product storage error,22.10,,,,,,,,,
862131,Product storage error,22.10,,,,,,,,,
862133,Product storage error,22.10,,,,,,,,,
862134,Product storage error,22.10,,,,,,,,,
862135,Product storage error,22.10,,,,,,,,,
862144,Dyspnoea,23.00,Pyrexia,23.00,,,,,,,,,
862145,Limb discomfort,23.00,Mobility decreased,23.00,Pain in
extremity,23.00,Vaccination complication,23.00,,
862146,Erythema,23.00,Pain,23.00,Rheumatoid arthritis,23.00,Swelling,
23.00,Tenderness,23.00
862147,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
862148,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
862149,Erythema,23.00,Impaired work ability,23.00,Pain,23.00,Pain in
extremity,23.00,Peripheral swelling,23.00
862149,Swelling,23.00,Tenderness,23.00,,,,,,,,,
862150,Urticaria,23.00,,,,,,,,,
862151,Pneumonia,23.00,,,,,,,,,
862152,Erythema,23.00,Peripheral swelling,23.00,Pyrexia,23.00,,,,,
862153,Alpha 1 foetoprotein normal,22.10,Exposure during pregnancy,
22.10,Exposure to communicable disease,22.10,Prenatal screening test,
22.10,Ultrasound antenatal screen,22.10
862153,Ultrasound antenatal screen normal,22.10,,,,,,,,,
862154,Guillain-Barre syndrome,22.10,,,,,,,,,
862155,Caesarean section,22.10,Exposure during pregnancy,22.10,Foetal
non-stress test normal,22.10,Premature delivery,22.10,Ultrasound
antenatal screen normal,22.10
862156,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Premature baby,22.10,Twin pregnancy,
22.10
862157,Apgar score normal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Premature baby,22.10,Twin pregnancy,
22.10
862158,Injection site pain,22.10,Musculoskeletal pain,22.10,Neck pain,
22.10,X-ray,22.10,,
862159,Caesarean section,22.10,Exposure during pregnancy,
22.10,Neonatal disorder,22.10,Pre-eclampsia,22.10,Premature delivery,
22.10
862160,Apgar score abnormal,22.10,Caesarean section,22.10,Foetal
exposure during pregnancy,22.10,Premature baby,22.10,,
862161,Rash,23.00,,,,,,,,,
862162,Product storage error,22.10,,,,,,,,,
862163,Incorrect dose administered,22.10,No adverse event,22.10,,,,,,,,,
862164,Product storage error,22.10,,,,,,,,,
862165,Product storage error,22.10,,,,,,,,,
862166,Product storage error,22.10,,,,,,,,,

862167,Product storage error,22.10,,,,,,,,,
862168,Product storage error,22.10,,,,,,,,,
862169,Product storage error,22.10,,,,,,,,,
862170,Product storage error,22.10,,,,,,,,,
862171,Product storage error,22.10,,,,,,,,,
862172,Product storage error,22.10,,,,,,,,,
862173,Product storage error,22.10,,,,,,,,,
862174,Product storage error,22.10,,,,,,,,,
862175,Product storage error,22.10,,,,,,,,,
862176,Product storage error,22.10,,,,,,,,,
862177,Product storage error,22.10,,,,,,,,,
862178,Product storage error,22.10,,,,,,,,,
862179,Product storage error,22.10,,,,,,,,,
862180,Product storage error,22.10,,,,,,,,,
862181,Product storage error,22.10,,,,,,,,,
862182,Feeling abnormal,22.10,Influenza like illness,22.10,Injection
site pain,22.10,Muscle twitching,22.10,,
862183,Product storage error,22.10,,,,,,,,,
862185,Product storage error,22.10,,,,,,,,,
862186,Product storage error,22.10,,,,,,,,,
862187,Product storage error,22.10,,,,,,,,,
862189,Mobility decreased,22.10,Pain,22.10,,,,,
862190,No adverse event,23.00,Wrong product administered,23.00,,,,,
862192,Injection site erythema,23.00,,,,,,,,,
862193,Erythema,23.00,Induration,23.00,,,,,
862194,Injection site reaction,23.00,Rash macular,23.00,,,,,
862195,Product storage error,22.10,,,,,,,,,
862196,Product storage error,22.10,,,,,,,,,
862197,Product storage error,22.10,,,,,,,,,
862198,Product storage error,22.10,,,,,,,,,
862199,Product storage error,22.10,,,,,,,,,
862200,Product storage error,22.10,,,,,,,,,
862201,Product storage error,22.10,,,,,,,,,
862202,Product storage error,22.10,,,,,,,,,
862203,Product storage error,22.10,,,,,,,,,
862204,Eczema,23.00,,,,,,,,,
862205,Product storage error,22.10,,,,,,,,,
862206,Product storage error,22.10,,,,,,,,,
862207,Product storage error,22.10,,,,,,,,,
862208,Product storage error,22.10,,,,,,,,,
862209,Product storage error,22.10,,,,,,,,,
862210,Gaze palsy,23.00,Injection site pain,23.00,Myalgia,
23.00,Nausea,23.00,Pyrexia,23.00
862211,Product storage error,22.10,,,,,,,,,
862212,Product storage error,22.10,,,,,,,,,
862213,Product storage error,22.10,,,,,,,,,
862214,Injection site erythema,23.00,Injection site rash,23.00,,,,,
862215,Product storage error,22.10,,,,,,,,,
862216,Product storage error,22.10,,,,,,,,,
862217,Product storage error,22.10,,,,,,,,,

862218,Product storage error,22.10,,,,,,,,,
862219,Product storage error,22.10,,,,,,,,,
862220,Product storage error,22.10,,,,,,,,,
862221,Product storage error,22.10,,,,,,,,,
862222,Product storage error,22.10,,,,,,,,,
862223,Product storage error,22.10,,,,,,,,,
862224,Product storage error,22.10,,,,,,,,,
862225,Product storage error,22.10,,,,,,,,,
862226,Product storage error,22.10,,,,,,,,,
862227,Product storage error,22.10,,,,,,,,,
862228,Asthenia,22.10,Asthma,22.10,Blood test,22.10,Bursitis,
22.10,Condition aggravated,22.10
862228,Loss of personal independence in daily activities,
22.10,Malaise,22.10,Musculoskeletal pain,22.10,Pain,22.10,Pain in
extremity,22.10
862228,Rotator cuff syndrome,22.10,Tendon injury,22.10,X-ray normal,
22.10,,,,,
862229,Product storage error,22.10,,,,,,,,,
862230,Product storage error,22.10,,,,,,,,,
862231,Product storage error,22.10,,,,,,,,,
862232,Product storage error,22.10,,,,,,,,,
862233,Product storage error,22.10,,,,,,,,,
862234,Product storage error,22.10,,,,,,,,,
862235,Product storage error,22.10,,,,,,,,,
862236,Product storage error,22.10,,,,,,,,,
862237,Product storage error,22.10,,,,,,,,,
862238,Product storage error,22.10,,,,,,,,,
862239,Product storage error,22.10,,,,,,,,,
862240,Product storage error,22.10,,,,,,,,,
862241,Product storage error,22.10,,,,,,,,,
862242,Product storage error,22.10,,,,,,,,,
862243,Product storage error,22.10,,,,,,,,,
862244,Product storage error,22.10,,,,,,,,,
862245,Product storage error,22.10,,,,,,,,,
862246,Product storage error,22.10,,,,,,,,,
862247,Product storage error,22.10,,,,,,,,,
862248,Blister,23.00,Constipation,23.00,Herpes zoster,23.00,,,,,
862249,Product storage error,22.10,,,,,,,,,
862250,Product storage error,22.10,,,,,,,,,
862251,Product storage error,22.10,,,,,,,,,
862252,Product storage error,22.10,,,,,,,,,
862253,Product storage error,22.10,,,,,,,,,
862254,Product storage error,22.10,,,,,,,,,
862255,Product storage error,22.10,,,,,,,,,
862256,Injection site reaction,23.00,Rash macular,23.00,Rash pruritic,
23.00,,,,,
862257,Product storage error,22.10,,,,,,,,,
862258,Product storage error,22.10,,,,,,,,,
862259,Product storage error,22.10,,,,,,,,,
862260,Product storage error,22.10,,,,,,,,,

862261,Product storage error,22.10,,,,,,,,,
862262,Product storage error,22.10,,,,,,,,,
862263,Product storage error,22.10,,,,,,,,,
862264,Product storage error,22.10,,,,,,,,,
862265,Product storage error,22.10,,,,,,,,,
862266,Product storage error,22.10,,,,,,,,,
862267,Product storage error,22.10,,,,,,,,,
862268,Product storage error,22.10,,,,,,,,,
862269,Product storage error,22.10,,,,,,,,,
862270,Product storage error,22.10,,,,,,,,,
862271,Product storage error,22.10,,,,,,,,,
862272,Product storage error,22.10,,,,,,,,,
862273,Product storage error,22.10,,,,,,,,,
862274,Product storage error,22.10,,,,,,,,,
862275,Product storage error,22.10,,,,,,,,,
862276,Product storage error,22.10,,,,,,,,,
862277,Product storage error,22.10,,,,,,,,,
862278,Product storage error,22.10,,,,,,,,,
862279,Injection site erythema,23.00,Injection site reaction,
23.00,Injection site swelling,23.00,Injection site warmth,
23.00,Pyrexia,23.00
862279,Urticaria,23.00,,,,,,,,,
862280,Feeling abnormal,23.00,Feeling hot,23.00,Head injury,
23.00,Headache,23.00,Loss of consciousness,23.00
862280,Nausea,23.00,Night sweats,23.00,Poor quality sleep,23.00,,,,,
862281,Product storage error,22.10,,,,,,,,,
862282,Product storage error,22.10,,,,,,,,,
862283,Product storage error,22.10,,,,,,,,,
862284,Product storage error,22.10,,,,,,,,,
862285,Product storage error,22.10,,,,,,,,,
862286,Product storage error,22.10,,,,,,,,,
862287,Product storage error,22.10,,,,,,,,,
862288,Product storage error,22.10,,,,,,,,,
862289,Product storage error,22.10,,,,,,,,,
862291,Product storage error,22.10,,,,,,,,,
862292,Product storage error,22.10,,,,,,,,,
862293,Product storage error,22.10,,,,,,,,,
862294,Product storage error,22.10,,,,,,,,,
862295,Product storage error,22.10,,,,,,,,,
862297,Product storage error,22.10,,,,,,,,,
862298,Product storage error,22.10,,,,,,,,,
862299,Product storage error,22.10,,,,,,,,,
862300,Cough,23.00,Dyspnoea,23.00,Oropharyngeal pain,23.00,Respiratory
tract congestion,23.00,,
862301,Product storage error,22.10,,,,,,,,,
862302,Product storage error,22.10,,,,,,,,,
862303,Product storage error,22.10,,,,,,,,,
862304,Product storage error,22.10,,,,,,,,,
862305,Product storage error,22.10,,,,,,,,,
862306,Product storage error,22.10,,,,,,,,,

862307,Pyrexia,23.00,Rash pustular,23.00,Varicella post vaccine,
23.00,,,,,
862308,Product storage error,22.10,,,,,,
862309,Product storage error,22.10,,,,,,
862310,Product storage error,22.10,,,,,,
862311,Product storage error,22.10,,,,,,
862312,Product storage error,22.10,,,,,,
862313,Product storage error,22.10,,,,,,
862314,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
862316,Immediate post-injection reaction,23.00,Loss of consciousness,
23.00,,,,,,
862317,Product storage error,22.10,,,,,,
862318,Product storage error,22.10,,,,,,
862319,Decreased appetite,22.10,Injection site bruising,
22.10,Injection site pain,22.10,Injection site swelling,22.10,Loss of
personal independence in daily activities,22.10
862319,Malaise,22.10,Pyrexia,22.10,,,,,
862320,Product storage error,22.10,,,,,,
862321,Product storage error,22.10,,,,,,
862322,Product storage error,22.10,,,,,,
862323,Product storage error,22.10,,,,,,
862324,Product storage error,22.10,,,,,,
862325,Product storage error,22.10,,,,,,
862326,Product storage error,22.10,,,,,,
862327,Product storage error,22.10,,,,,,
862328,Product storage error,22.10,,,,,,
862329,Product storage error,22.10,,,,,,
862330,Product storage error,22.10,,,,,,
862331,Product storage error,22.10,,,,,,
862332,Product storage error,22.10,,,,,,
862333,Product storage error,22.10,,,,,,
862334,Expired product administered,23.00,,,,,,
862335,Product storage error,22.10,,,,,,
862336,Product storage error,22.10,,,,,,
862337,Product storage error,22.10,,,,,,
862338,Product storage error,22.10,,,,,,
862339,Product storage error,22.10,,,,,,
862340,Product storage error,22.10,,,,,,
862341,Product storage error,22.10,,,,,,
862342,Product storage error,22.10,,,,,,
862343,Product storage error,22.10,,,,,,
862344,Product storage error,22.10,,,,,,
862345,Product storage error,22.10,,,,,,
862346,Product storage error,22.10,,,,,,
862347,Product storage error,22.10,,,,,,
862348,Product storage error,22.10,,,,,,
862349,Product storage error,22.10,,,,,,
862350,Product storage error,22.10,,,,,,
862351,Product storage error,22.10,,,,,,

862352,Product storage error,22.10,,,,,,,,,
862353,Product storage error,22.10,,,,,,,,,
862354,Product storage error,22.10,,,,,,,,,
862355,Product storage error,22.10,,,,,,,,,
862356,Product storage error,22.10,,,,,,,,,
862357,Product storage error,22.10,,,,,,,,,
862358,Product storage error,22.10,,,,,,,,,
862359,Product storage error,22.10,,,,,,,,,
862361,Product storage error,22.10,,,,,,,,,
862362,Product storage error,22.10,,,,,,,,,
862363,Product storage error,22.10,,,,,,,,,
862364,Product storage error,22.10,,,,,,,,,
862365,Product storage error,22.10,,,,,,,,,
862366,Ear swelling,22.10,HIV antibody negative,22.10,Rash,22.10,Rash
pruritic,22.10,,
862367,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
862368,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,Pain,23.00,Pruritus,23.00
862368,Rash,23.00,Swelling,23.00,,,,,
862369,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Myalgia,23.00,,
862370,Blood culture,23.00,Blood ethanol,23.00,Blood lactic acid,
23.00,Blood magnesium,23.00,Brain natriuretic peptide,23.00
862370,Culture urine,23.00,Differential white blood cell count,
23.00,Dizziness,23.00,Drug screen,23.00,Full blood count,23.00
862370,Injection site erythema,23.00,Injection site swelling,
23.00,Metabolic function test,23.00,Nausea,23.00,Troponin I,23.00
862370,Urine analysis,23.00,Urticaria,23.00,Vomiting,23.00,,,,,
862371,Abdominal pain upper,22.10,Anxiety,22.10,Blood test,22.10,Chest
X-ray,22.10,Computerised tomogram,22.10
862371,Dizziness,22.10,Dyspnoea,22.10,Feeling cold,
22.10,Hyperhidrosis,22.10,Muscle contractions involuntary,22.10
862371,Nausea,22.10,Paraesthesia,22.10,Syncope,22.10,,,,,
862372,Syncope,22.10,,,,,,
862373,Cellulitis,23.00,,,,,,
862374,Arthralgia,23.00,Chills,23.00,Disturbance in attention,
23.00,Fatigue,23.00,Headache,23.00
862374,Influenza like illness,23.00,Injection site pain,23.00,Myalgia,
23.00,Pain of skin,23.00,,
862375,Syncope,23.00,,,,,,
862376,Balance disorder,22.10,C-reactive protein,22.10,Fall,
22.10,Feeling abnormal,22.10,Full blood count,22.10
862376,Hemiparesis,22.10,Neurological examination normal,
22.10,Pyrexia,22.10,Rash,22.10,Red blood cell sedimentation rate,22.10
862376,Toe walking,22.10,Unresponsive to stimuli,22.10,Vestibular
disorder,22.10,Walking aid user,22.10,,
862377,Erythema,23.00,Injection site bruising,23.00,Injection site
pain,23.00,Injection site pruritus,23.00,Pain,23.00
862377,Pyrexia,23.00,,,,,,

862378,Erythema,23.00,Injection site pain,23.00,Peripheral swelling,
23.00,,,,,
862383,No adverse event,23.00,Product storage error,23.00,,,,,
862384,No adverse event,23.00,Product storage error,23.00,,,,,
862385,Cough,22.10,Herpes zoster,22.10,Pneumonia,22.10,Post herpetic
neuralgia,22.10,Rash,22.10
862386,Product administered to patient of inappropriate age,
23.00,,,,,
862387,Product storage error,23.00,,,,,
862388,Feeling abnormal,23.00,Musculoskeletal pain,23.00,Pain,
23.00,Pain in extremity,23.00,,
862389,Arthralgia,23.00,Discomfort,23.00,Injection site pain,
23.00,Insomnia,23.00,Lethargy,23.00
862389,Mobility decreased,23.00,Musculoskeletal pain,23.00,,,,,
862391,Chills,23.00,Headache,23.00,Injection site bruising,
23.00,Injection site erythema,23.00,Injection site pain,23.00
862391,Injection site swelling,23.00,Pyrexia,23.00,Rash,23.00,Rash
erythematous,23.00,Skin exfoliation,23.00
862392,Injection site rash,23.00,Rash,23.00,,,,,
862393,Arthralgia,23.00,Injection site pain,23.00,Musculoskeletal
pain,23.00,,,,,
862394,Injected limb mobility decreased,23.00,Pain,23.00,Pain in
extremity,23.00,,,,,
862395,Rash,23.00,,,,,
862396,Expired product administered,23.00,No adverse event,23.00,,,,,
862397,Expired product administered,23.00,No adverse event,23.00,,,,,
862398,Expired product administered,23.00,No adverse event,23.00,,,,,
862399,Expired product administered,23.00,No adverse event,23.00,,,,,
862400,Inappropriate schedule of product administration,23.00,,,,,
862401,No adverse event,23.00,Wrong product administered,23.00,,,,,
862402,Expired product administered,23.00,No adverse event,23.00,,,,,
862403,No adverse event,22.10,Product administered to patient of
inappropriate age,22.10,,,,,
862404,Expired product administered,23.00,No adverse event,23.00,,,,,
862405,Expired product administered,23.00,No adverse event,23.00,,,,,
862406,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
862407,Expired product administered,23.00,No adverse event,23.00,,,,,
862408,Expired product administered,23.00,No adverse event,23.00,,,,,
862409,Expired product administered,23.00,No adverse event,23.00,,,,,
862410,Expired product administered,23.00,No adverse event,23.00,,,,,
862411,Crying,23.00,,,,,
862412,Injection site hypoaesthesia,22.10,Injection site pain,
22.10,,,,,
862413,Injected limb mobility decreased,23.00,Magnetic resonance
imaging abnormal,23.00,Tendon rupture,23.00,,,,,
862414,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site warmth,23.00
862415,Bursa disorder,22.10,Injection site pain,22.10,Joint effusion,

22.10,Magnetic resonance imaging abnormal,22.10,Muscle strain,22.10
862415,Osteoarthritis,22.10,Rotator cuff syndrome,22.10,Synovitis,
22.10,Tenosynovitis,22.10,Ultrasound scan abnormal,22.10
862416,Gait disturbance,23.00,Injection site rash,23.00,Rash macular,
23.00,,,,,
862417,Blood culture negative,23.00,CSF test normal,
23.00,Electroencephalogram normal,23.00,Febrile convulsion,
23.00,Influenza virus test,23.00
862417,Respiratory syncytial virus infection,23.00,Respiratory
syncytial virus test positive,23.00,Seizure,23.00,,,,,
862418,High-pitched crying,23.00,Screaming,23.00,,,,,,
862423,Oropharyngeal pain,23.00,,,,,,,
862424,Manufacturing product shipping issue,23.00,,,,,,,
862425,Blood test normal,23.00,Pruritus,23.00,Rash erythematous,
23.00,,,,,
862426,Acupuncture,23.00,Gait disturbance,23.00,Mobility decreased,
23.00,Muscle spasms,23.00,Musculoskeletal pain,23.00
862426,Musculoskeletal stiffness,23.00,Nodule,23.00,Pain,23.00,Pain in
extremity,23.00,,
862427,Blister,23.00,Peripheral swelling,23.00,,,,,,
862428,Pyrexia,23.00,,,,,,,
862429,Urticaria,23.00,,,,,,,
862430,Arthralgia,23.00,Headache,23.00,Nausea,23.00,,,,,
862431,Pain in extremity,22.10,Peripheral swelling,22.10,,,,,,
862432,Abdominal pain upper,23.00,Arthralgia,23.00,Back pain,
23.00,Balance disorder,23.00,Blood glucose increased,23.00
862432,Decreased appetite,23.00,Diplopia,23.00,Dizziness,23.00,Dry
mouth,23.00,Feeling of body temperature change,23.00
862432,Nausea,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
862433,Erythema,23.00,Pain,23.00,Peripheral swelling,23.00,Pruritus,
23.00,Skin warm,23.00
862434,Chills,23.00,Decreased appetite,23.00,Nausea,23.00,Pain,
23.00,Pyrexia,23.00
862438,Expired product administered,23.00,No adverse event,23.00,,,,,,
862439,Fatigue,23.00,Headache,23.00,Malaise,23.00,Pain,23.00,,
862440,Nausea,23.00,,,,,,,
862441,Influenza like illness,23.00,,,,,,,
862442,Chills,23.00,Headache,23.00,Influenza like illness,23.00,Pain,
23.00,Pain in extremity,23.00
862442,Photosensitivity reaction,23.00,Post herpetic neuralgia,
23.00,Rash,23.00,,,,,
862443,Bedridden,23.00,Diarrhoea,23.00,Feeling abnormal,
23.00,Injection site erythema,23.00,Loss of personal independence in
daily activities,23.00
862443,Myalgia,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
862444,Injection site bruising,23.00,Injection site haematoma,
23.00,Injection site inflammation,23.00,Injection site oedema,
23.00,Injection site pain,23.00
862444,Injection site reaction,23.00,Magnetic resonance imaging
abnormal,23.00,Product administered at inappropriate site,

23.00, Tendonitis, 23.00,,
862445, Burning sensation, 23.00, Fatigue, 23.00, Injection site
induration, 23.00, Injection site warmth, 23.00, Mobility decreased, 23.00
862445, Musculoskeletal stiffness, 23.00, Pain, 23.00, Swelling, 23.00,,,,,
862446, Chills, 23.00, Fatigue, 23.00, Immediate post-injection reaction,
23.00,,,,,
862447, Pain, 23.00, Pyrexia, 23.00,,,,,,
862448, Urticaria, 23.00,,,,,,
862449, Rash, 23.00, Urticaria, 23.00,,,,,,
862450, Diarrhoea, 23.00, Grunting, 23.00, Irritability, 23.00, Mood altered,
23.00, Pyrexia, 23.00
862451, Injected limb mobility decreased, 23.00, Injection site pain,
23.00,,,,,,
862452, Injection site erythema, 23.00, Injection site rash,
23.00, Neuralgia, 23.00, Pain, 23.00, X-ray, 23.00
862453, Arthralgia, 23.00, Pyrexia, 23.00,,,,,,
862454, Blood immunoglobulin A, 22.10, Blood immunoglobulin G, 22.10, Full
blood count, 22.10, Henoch-Schonlein purpura, 22.10, Metabolic function
test, 22.10
862454, Urine analysis, 22.10,,,,,,
862455, Rash, 22.10,,,,,,
862456, Blood test normal, 23.00, Chest pain, 23.00, Feeling hot,
23.00, Hyperhidrosis, 23.00, Pain in extremity, 23.00
862457, Ear infection, 23.00, Headache, 23.00, Sinus congestion,
23.00, Tinnitus, 23.00,,
862459, Erythema, 23.00,,,,,,
862460, Eye discharge, 22.10, Eye swelling, 22.10, Ocular hyperaemia,
22.10, Rash, 22.10,,
862461, Computerised tomogram head, 22.10, Facial pain, 22.10, Magnetic
resonance imaging brain, 22.10, Trigeminal neuralgia, 22.10,,
862468, No adverse event, 23.00, Underdose, 23.00,,,,,,
862469, Nausea, 23.00, Pallor, 23.00, Vomiting, 23.00,,,,,
862470, Erythema, 23.00,,,,,,
862471, Erythema, 23.00,,,,,,
862472, Injection site pain, 23.00,,,,,,
862473, Guillain-Barre syndrome, 22.10, Hypoaesthesia,
22.10, Immunoglobulin therapy, 22.10, Lumbar puncture abnormal, 22.10,,
862474, Erythema, 23.00, Local reaction, 23.00, Rash, 23.00, Skin warm,
23.00, Swelling, 23.00
862475, Pain in extremity, 23.00, Peripheral swelling, 23.00,,,,,,
862476, Chills, 23.00, Ear pain, 23.00, Fatigue, 23.00, Headache,
23.00, Injection site pain, 23.00
862476, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00,,,,,
862477, Mobility decreased, 23.00,,,,,,
862480, Chest discomfort, 23.00, Cough, 23.00, Drug eruption, 23.00, Drug
interaction, 23.00, Injection site erythema, 23.00
862481, Deafness neurosensory, 22.10, Deafness unilateral, 22.10, Ear
discomfort, 22.10, Hypoacusis, 22.10, Sudden hearing loss, 22.10
862481, Tinnitus, 22.10,,,,,,
862482, Adverse drug reaction, 23.00,,,,,,

862483,Expired product administered,23.00,No adverse event,23.00,,,,,
862484,No adverse event,23.00,Product preparation error,23.00,,,,,
862485,Crying,23.00,,,,,
862486,Extra dose administered,22.10,No adverse event,22.10,,,,,
862487,Blister,23.00,Erythema,23.00,Myalgia,23.00,Skin reaction,
23.00,Swelling,23.00
862488,Blister,23.00,Herpes zoster,23.00,Peripheral swelling,
23.00,Skin discolouration,23.00,,
862489,Autonomic nervous system imbalance,23.00,Orthostatic
hypotension,23.00,Postural orthostatic tachycardia syndrome,23.00,,,,
862490,Wrong product administered,22.10,,,,,
862491,Asthenia,23.00,Back pain,23.00,Decreased appetite,23.00,Gait
disturbance,23.00,Myalgia,23.00
862492,Back pain,23.00,Chills,23.00,Pain,23.00,Pain in extremity,
23.00,Painful respiration,23.00
862493,Muscular weakness,23.00,Vaccination site pain,23.00,,,,,
862494,Erythema,23.00,Pain,23.00,Skin warm,23.00,,,,
862495,Arthralgia,23.00,Bone pain,23.00,Chills,23.00,Crying,
23.00,Hyperhidrosis,23.00
862495,Immediate post-injection reaction,23.00,Injected limb mobility
decreased,23.00,Injection site pain,23.00,Injection site swelling,
23.00,Myalgia,23.00
862495,Pain,23.00,Pyrexia,23.00,,,,,
862496,Unevaluable event,23.00,,,,,
862497,Injection site erythema,23.00,,,,,
862498,Extra dose administered,23.00,,,,,
862499,Rash erythematous,23.00,Rash macular,23.00,,,,,
862500,Erythema,23.00,Hypersensitivity,23.00,Injection site erythema,
23.00,Injection site reaction,23.00,Rash maculo-papular,23.00
862500,Rash papular,23.00,Rash pruritic,23.00,,,,,
862501,Loss of consciousness,23.00,Pallor,23.00,Vomiting,23.00,,,,,
862502,Fatigue,22.10,Headache,22.10,Nausea,22.10,Sneezing,22.10,,
862503,Injection site erythema,23.00,Injection site rash,23.00,,,,,
862504,Asthenia,23.00,Body temperature increased,23.00,Chills,
23.00,Decreased appetite,23.00,Headache,23.00
862504,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
862505,Back pain,23.00,Dyspnoea,23.00,,,,,
862506,Arthralgia,23.00,Chills,23.00,Diarrhoea,23.00,Headache,
23.00,Hyperhidrosis,23.00
862506,Injection site erythema,23.00,Injection site swelling,
23.00,Pain,23.00,Pyrexia,23.00,,
862507,Erythema,23.00,Pain,23.00,Pruritus,23.00,Rash,23.00,Skin
irritation,23.00
862508,Chills,23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site reaction,23.00,Injection site swelling,23.00
862508,Injection site warmth,23.00,Myalgia,23.00,Pain,23.00,Pyrexia,
23.00,Rash erythematous,23.00
862509,Injection site pain,23.00,Muscle tightness,23.00,,,,,
862510,Peripheral swelling,23.00,Rash,23.00,Rash erythematous,

23.00,Tenderness,23.00,,
862512,Anti-thyroid antibody,23.00,Antinuclear antibody,
23.00,Arthralgia,23.00,Blood creatine phosphokinase,23.00,Blood
immunoglobulin A,23.00
862512,Blood immunoglobulin G,23.00,Blood immunoglobulin M,23.00,Blood
thyroid stimulating hormone,23.00,C-reactive protein,23.00,Epstein-
Barr virus antibody,23.00
862512,Full blood count,23.00,HLA-B*27 assay,23.00,Joint swelling,
23.00,Pain in extremity,23.00,Parvovirus B19 test,23.00
862512,Peripheral swelling,23.00,Red blood cell sedimentation rate,
23.00,Rheumatoid factor,23.00,Streptococcus test,23.00,Urine analysis,
23.00
862512,Vitamin D,23.00,,,,,,,,,
862514,Axillary mass,23.00,Lymph node pain,23.00,Lymphadenopathy,
23.00,,,,,
862516,Pain in extremity,22.10,,,,,,,,,
862517,Gait disturbance,23.00,Neck pain,23.00,Pain,23.00,Pyrexia,
23.00,Vertigo,23.00
862518,Injection site pain,23.00,,,,,,,,,
862519,Chills,23.00,Fatigue,23.00,Pain,23.00,,,,,
862520,Ecchymosis,23.00,Immediate post-injection reaction,23.00,Pain,
23.00,Pyrexia,23.00,Tenderness,23.00
862521,Myalgia,23.00,Pyrexia,23.00,Tremor,23.00,,,,,
862522,Acute generalised exanthematous pustulosis,23.00,Rash,
23.00,Robust take following exposure to vaccinia virus,23.00,,,,,
862523,Injection site induration,23.00,Swelling,23.00,,,,,,,,,
862524,Cough,23.00,Eye discharge,23.00,Urticaria,23.00,,,,,
862525,Blister,23.00,Fatigue,23.00,Feeling hot,23.00,Injection site
erythema,23.00,Injection site warmth,23.00
862525,Malaise,23.00,,,,,,,,,
862526,Seizure like phenomena,23.00,Skin warm,23.00,,,,,,,,,
862539,Erythema,23.00,Peripheral swelling,23.00,,,,,,,,,
862541,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
862544,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
862545,No adverse event,23.00,Underdose,23.00,,,,,,,,,
862546,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
862547,Chills,23.00,Headache,23.00,Influenza virus test negative,
23.00,Mobility decreased,23.00,Nausea,23.00
862547,Pain in extremity,23.00,Streptococcus test negative,23.00,,,,,,,,,
862548,Abdominal pain upper,22.10,Product storage error,22.10,,,,,,,,,
862549,Flushing,22.10,,,,,,,,,
862550,Nausea,22.10,,,,,,,,,
862551,Oral administration complication,22.10,Vomiting,22.10,,,,,,,,,
862552,Influenza,22.10,Nausea,22.10,Vomiting,22.10,,,,,
862553,Labelled drug-drug interaction medication error,
22.10,Pharyngitis streptococcal,22.10,,,,,,,,,
862554,Fatigue,23.00,Headache,23.00,Influenza like illness,23.00,Pain
in extremity,23.00,,
862555,Injection site mass,23.00,Injection site pain,
23.00,Lymphadenitis,23.00,Nasal congestion,23.00,Secretion discharge,

23.00
862555,Swelling,23.00,Ultrasound scan abnormal,23.00,Upper-airway
cough syndrome,23.00,Viral infection,23.00,,
862556,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,
862557,Erythema,23.00,Nodule,23.00,Pain in extremity,23.00,Rash,
23.00,Skin warm,23.00
862558,Fall,23.00,Muscular weakness,23.00,Pyrexia,23.00,,,,,
862559,Product preparation issue,22.10,,,,,,,,,
862560,Injection site pain,23.00,Pallor,23.00,Syncope,23.00,Vision
blurred,23.00,,
862561,Arthralgia,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Pyrexia,23.00
862562,Musculoskeletal pain,23.00,Peripheral swelling,23.00,,,,,
862565,No adverse event,23.00,Product storage error,23.00,,,,,
862566,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
862567,Abdominal discomfort,23.00,Anxiety,23.00,Asthma,23.00,Chills,
23.00,Condition aggravated,23.00
862567,Dyspnoea,23.00,Fatigue,23.00,Feeling abnormal,23.00,Injection
site pruritus,23.00,,
862568,Dyspnoea,23.00,Fatigue,23.00,,,,,
862569,Product preparation error,23.00,,,,,,,,,
862570,Muscle tightness,23.00,Pain,23.00,,,,,
862571,Abdominal pain upper,23.00,Dizziness,23.00,Extrasystoles,
23.00,Heart rate increased,23.00,Nausea,23.00
862571,Pain in extremity,23.00,Palpitations,23.00,Pulse abnormal,
23.00,Vomiting,23.00,,
862572,Eosinophil count increased,23.00,,,,,,,,,
862573,Intercepted product administration error,23.00,Product
complaint,23.00,,,,,
862574,Influenza like illness,23.00,Malaise,23.00,,,,,
862575,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Gastrointestinal
disorder,23.00,Headache,23.00
862575,Influenza like illness,23.00,Malaise,23.00,Myalgia,
23.00,Nausea,23.00,,
862576,Injection site induration,23.00,Rash,23.00,,,,,
862577,Seizure,22.10,,,,,,,,,
862578,Herpes zoster,23.00,Neuralgia,23.00,,,,,
862579,Pruritus,23.00,Urticaria,23.00,,,,,
862580,Nausea,23.00,Pain in extremity,23.00,Syncope,23.00,,,,,
862581,Nausea,23.00,Vertigo,23.00,,,,,
862582,Influenza like illness,23.00,Injection site erythema,
23.00,Injection site pruritus,23.00,,,,,
862583,Urticaria,23.00,,,,,,,,,
862584,Urticaria,23.00,,,,,,,,,
862585,Chills,23.00,Headache,23.00,Injection site pain,23.00,Loss of
personal independence in daily activities,23.00,Malaise,23.00
862585,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,,,,
862586,Injection site reaction,23.00,Rash papular,23.00,Rash
vesicular,23.00,,,,,

862587,Rash,22.10,Skin warm,22.10,,,,,
862588,Chills,23.00,Injection site urticaria,23.00,,,,,
862596,Extra dose administered,23.00,,,,,
862597,Pyrexia,23.00,,,,,
862598,Chills,23.00,Erythema,23.00,Feeling abnormal,23.00,Induration,
23.00,Injection site erythema,23.00
862598,Injection site induration,23.00,Injection site pain,23.00,Pain
in extremity,23.00,Peripheral swelling,23.00,Pruritus,23.00
862598,Pyrexia,23.00,Skin discolouration,23.00,Skin irritation,
23.00,,,,,
862599,Incorrect route of product administration,23.00,,,,,
862600,No adverse event,23.00,Product storage error,23.00,,,,,
862601,Abdominal discomfort,23.00,Fatigue,23.00,,,,,
862602,Chills,23.00,Headache,23.00,Oxygen saturation decreased,
23.00,Pain,23.00,Pyrexia,23.00
862603,Facial pain,23.00,Feeling abnormal,23.00,Headache,23.00,Oral
pain,23.00,Pain,23.00
862603,Pain in jaw,23.00,,,,,
862604,Headache,23.00,Neck pain,23.00,,,,,
862605,Acne,23.00,Condition aggravated,23.00,Eczema,23.00,Herpes
zoster,23.00,Oral herpes,23.00
862605,Pain,23.00,Pain of skin,23.00,Pruritus,23.00,Rash,
23.00,Subcutaneous abscess,23.00
862606,Herpes zoster,23.00,,,,,
862607,Injection site pain,23.00,,,,,
862608,Influenza like illness,23.00,,,,,
862609,Condition aggravated,23.00,Dyspnoea,23.00,Lymphoedema,
23.00,Malaise,23.00,Pyrexia,23.00
862609,Sinus congestion,23.00,,,,,
862610,Chills,23.00,Fatigue,23.00,Feeling abnormal,23.00,Headache,
23.00,Injection site pain,23.00
862610,Malaise,23.00,Mammogram abnormal,23.00,Rotator cuff syndrome,
23.00,Skin discolouration,23.00,Urinary tract infection,23.00
862610,Vertigo,23.00,,,,,
862611,Incomplete course of vaccination,23.00,,,,,
862613,Chills,23.00,Coagulopathy,23.00,Condition aggravated,
23.00,Dizziness,23.00,Headache,23.00
862613,International normalised ratio increased,23.00,Malaise,
23.00,Nausea,23.00,Pyrexia,23.00,Vaginal discharge,23.00
862613,Vaginal ulceration,23.00,Vulvovaginal burning sensation,
23.00,Vulvovaginal pruritus,23.00,,,,,
862614,Caesarean section,22.10,Complication of pregnancy,
22.10,Condition aggravated,22.10,Exposure during pregnancy,
22.10,Gastroesophageal reflux disease,22.10
862614,Placenta praevia,22.10,,,,,
862615,Exposure during pregnancy,22.10,Foetal disorder,
22.10,Gastroschisis,22.10,Gene mutation identification test negative,
22.10,Influenza,22.10
862615,Prenatal screening test,22.10,Rash,22.10,Rash erythematous,
22.10,Ultrasound antenatal screen abnormal,22.10,,

862616, Apgar score normal, 22.10, Caesarean section, 22.10, Foetal exposure during pregnancy, 22.10, Large for dates baby, 22.10,,
862617, Beta haemolytic streptococcal infection, 22.10, Delivery, 22.10, Exposure during pregnancy, 22.10, Neonatal disorder, 22.10, Streptococcus test positive, 22.10
862617, Ultrasound antenatal screen normal, 22.10,,,,,,
862618, Abdominal discomfort, 23.00, Chills, 23.00, Fatigue, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00
862618, Injection site swelling, 23.00, Malaise, 23.00, Myalgia, 23.00, Oral herpes, 23.00,,
862619, Immediate post-injection reaction, 23.00, Injection site cellulitis, 23.00, Injection site discharge, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00
862620, Chills, 23.00, Fatigue, 23.00, Myalgia, 23.00,,,,
862621, Incorrect dose administered, 23.00, Injection site pain, 23.00,,,,,
862623, Discomfort, 22.10, Rash, 22.10, Rash erythematous, 22.10, Rash morbilliform, 22.10, Rash pruritic, 22.10
862623, Respiratory syncytial virus infection, 22.10, Respiratory syncytial virus test positive, 22.10, Vaccination complication, 22.10,,,,
862624, Arthralgia, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Injection site pain, 23.00
862624, Injection site reaction, 23.00, Muscle spasms, 23.00,,,,,
862625, Injection site erythema, 22.10, Pain in extremity, 22.10, Pruritus, 22.10,,,,,
862626, Pruritus, 22.10, Urticaria, 22.10,,,,,
862627, Fatigue, 23.00, Feeling abnormal, 23.00, Mobility decreased, 23.00,,,,,
862628, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Pain, 23.00
862628, Respiratory tract congestion, 23.00,,,,,,
862629, Body temperature increased, 23.00, Chills, 23.00,,,,,
862630, Fatigue, 23.00, Nausea, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
862632, Influenza like illness, 23.00, Injection site pain, 23.00, Pain, 23.00,,,,,
862633, Headache, 23.00, Injection site paraesthesia, 23.00, Paraesthesia, 23.00, Swelling of eyelid, 23.00, Urticaria, 23.00
862641, Antibody test negative, 23.00, Extra dose administered, 23.00,,,,,
862643, Extra dose administered, 23.00, No adverse event, 23.00,,,,,
862644, Blepharospasm, 23.00, Cheilitis, 23.00, Pain, 23.00, Rhinorrhoea, 23.00,,
862645, Erythema, 23.00, Skin warm, 23.00,,,,,
862646, Hypersensitivity, 23.00, Pain, 23.00, Pyrexia, 23.00, Rash, 23.00,,
862647, Injection site pruritus, 23.00, Vaccination site erythema, 23.00, Vaccination site pain, 23.00, Vaccination site rash, 23.00,,
862648, Abnormal behaviour, 23.00, Eye movement disorder, 23.00, Facial paralysis, 23.00, Magnetic resonance imaging brain normal, 23.00, Strabismus, 23.00

862648, Vith nerve paralysis, 23.00, , , , , , , , ,
 862649, Arthralgia, 22.10, Decreased appetite, 22.10, Disorientation, 22.10, Disturbance in attention, 22.10, Dizziness, 22.10
 862649, Fatigue, 22.10, Feeling hot, 22.10, Headache, 22.10, Hyperacusis, 22.10, Insomnia, 22.10
 862649, Lymphadenopathy, 22.10, Memory impairment, 22.10, Neck pain, 22.10, Oropharyngeal pain, 22.10, Photosensitivity reaction, 22.10
 862649, Social avoidant behaviour, 22.10, Temperature regulation disorder, 22.10, Visual impairment, 22.10, , , , ,
 862651, Urinary tract infection, 22.10, , , , , , , , , ,
 862652, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
 862653, Expired product administered, 23.00, Extra dose administered, 23.00, No adverse event, 23.00, , , , , ,
 862654, Exposure during pregnancy, 22.10, Premature delivery, 22.10, Premature labour, 22.10, Preterm premature rupture of membranes, 22.10, Skin candida, 22.10
 862654, Ultrasound antenatal screen normal, 22.10, , , , , , , , , ,
 862655, Apgar score normal, 22.10, Foetal exposure during pregnancy, 22.10, Intensive care, 22.10, Premature baby, 22.10, , ,
 862656, Chills, 23.00, Heart rate increased, 23.00, Nausea, 23.00, Pallor, 23.00, Tachycardia, 23.00
 862657, Injection site erythema, 23.00, Injection site reaction, 23.00, Injection site warmth, 23.00, Myalgia, 23.00, Oropharyngeal pain, 23.00
 862657, Stomatitis, 23.00, Urticaria, 23.00, , , , , , , , , ,
 862658, Hypoaesthesia, 23.00, Musculoskeletal discomfort, 23.00, Nerve compression, 23.00, , , , , , ,
 862659, Asthenia, 23.00, Dizziness, 23.00, Erythema, 23.00, Nausea, 23.00, Pain, 23.00
 862659, Peripheral swelling, 23.00, Pyrexia, 23.00, Skin warm, 23.00, , , , , , ,
 862660, Asthenia, 23.00, Chills, 23.00, Fall, 23.00, Fatigue, 23.00, , ,
 862661, Urticaria, 22.10, , , , , , , , , ,
 862662, Arthritis, 23.00, Injected limb mobility decreased, 23.00, Injection site pain, 23.00, Musculoskeletal disorder, 23.00, Product administered at inappropriate site, 23.00
 862662, Shoulder injury related to vaccine administration, 23.00, Sleep disorder, 23.00, X-ray limb abnormal, 23.00, , , , , , ,
 862663, Aphasia, 23.00, Developmental delay, 23.00, Diet refusal, 23.00, Disturbance in social behaviour, 23.00, Language disorder, 23.00
 862663, Lethargy, 23.00, Pyrexia, 23.00, , , , , , , , , ,
 862664, Injection site cellulitis, 23.00, Injection site erythema, 23.00, Injection site nodule, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
 862664, Irritability, 23.00, , , , , , , , , , ,
 862665, Death, 22.10, Seizure, 22.10, , , , , , , , , , ,
 862666, Hypersensitivity, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , , , , ,
 862667, Erythema, 23.00, Injection site discolouration, 23.00, Injection site induration, 23.00, Injection site reaction, 23.00, Injection site swelling, 23.00
 862667, Injection site warmth, 23.00, Pallor, 23.00, Pruritus,

23.00, Swelling, 23.00,,
862668, Crying, 23.00, Urticaria, 23.00,,,,,
862669, Infection, 23.00, Injected limb mobility decreased,
23.00, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00
862669, Injection site swelling, 23.00,,,,,
862670, Musculoskeletal pain, 23.00,,,,,
862671, Autism spectrum disorder, 23.00, Decreased eye contact,
23.00, Encephalitis, 23.00, Irritability, 23.00, Personality change, 23.00
862671, Social avoidant behaviour, 23.00,,,,,
862672, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00
862673, Blister, 23.00, Dry mouth, 23.00, Erythema, 23.00, Oral mucosal
blistering, 23.00, Rash, 23.00
862674, Erythema, 23.00, Skin warm, 23.00,,,,,
862675, Conjunctivitis, 23.00, Irritability, 23.00, Malaise, 23.00, Pyrexia,
23.00, Rash, 23.00
862676, Consciousness fluctuating, 22.10, Fall, 22.10, Head injury,
22.10, Loss of consciousness, 22.10, Pallor, 22.10
862676, Syncope, 22.10,,,,,
862677, Dysphagia, 22.10, Dyspnoea, 22.10, Pain in jaw, 22.10, Urticaria,
22.10,,
862678, Contusion, 23.00, Myalgia, 23.00,,,,,
862679, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site
erythema, 23.00, Injection site swelling, 23.00
862679, Myalgia, 23.00, Nausea, 23.00,,,,,
862682, Injection site erythema, 22.10, Injection site pain,
22.10, Injection site swelling, 22.10, Injection site warmth, 22.10, Local
reaction, 22.10
862682, Pyrexia, 22.10, Urticaria, 22.10,,,,,
862683, Injection site pain, 22.10, Tendon disorder, 22.10,,,,,
862684, Injection site erythema, 23.00, Injection site swelling,
23.00,,,,,
862685, Arthralgia, 22.10, C-reactive protein, 22.10, Chills,
22.10, Decreased appetite, 22.10, Diarrhoea, 22.10
862685, Differential white blood cell count, 22.10, Fatigue, 22.10, Full
blood count, 22.10, Headache, 22.10, Metabolic function test, 22.10
862685, Microscopy, 22.10, Nausea, 22.10, Pain, 22.10, Pyrexia, 22.10, Rash,
22.10
862685, Red blood cell sedimentation rate, 22.10, Urine analysis,
22.10,,,,,
862686, Neck pain, 23.00, Pain in extremity, 23.00,,,,,
862687, Arthralgia, 23.00, Body temperature increased, 23.00, Discomfort,
23.00, Fatigue, 23.00, Immediate post-injection reaction, 23.00
862687, Influenza like illness, 23.00, Injection site pain, 23.00, Joint
stiffness, 23.00, Myalgia, 23.00,,
862688, Injection site pain, 22.10, Injection site reaction, 22.10, Limb
discomfort, 22.10,,,,
862689, Axillary pain, 23.00, Breast pain, 23.00, Mobility decreased,

23.00,Pain in extremity,23.00,Peripheral swelling,23.00
862689,Skin warm,23.00,Sleep disorder,23.00,,,,,
862690,Eye movement disorder,22.10,Irritability,22.10,Seizure,
22.10,Sleep terror,22.10,,
862691,Joint injection,23.00,Pain,23.00,,,,,
862692,Chills,23.00,Injection site pain,23.00,Myalgia,23.00,,,,,
862693,Injection site erythema,23.00,Injection site hypersensitivity,
23.00,Injection site urticaria,23.00,,,,,
862694,Arthralgia,23.00,Dizziness,23.00,Influenza virus test negative,
23.00,Loss of personal independence in daily activities,23.00,Myalgia,
23.00
862694,Neck pain,23.00,Pelvic pain,23.00,Pyrexia,23.00,Vomiting,
23.00,,
862695,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Pain,23.00,,
862696,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Hyperhidrosis,23.00
862696,Injection site pain,23.00,Loss of personal independence in
daily activities,23.00,Mobility decreased,23.00,,,,,
862697,Immediate post-injection reaction,23.00,Injection site
haemorrhage,23.00,Swelling,23.00,,,,,
862698,Injection site pain,23.00,Paraesthesia,23.00,,,,,
862699,Neuralgia,22.10,Pain in extremity,22.10,Product administered at
inappropriate site,22.10,,,,,
862700,Injection site erythema,23.00,Injection site induration,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
862701,Diarrhoea,23.00,Gaze palsy,23.00,Pyrexia,23.00,,,,,
862702,Back pain,22.10,Breast pain,22.10,Chest pain,22.10,Confusional
state,22.10,Hypoesthesia,22.10
862702,Limb discomfort,22.10,Nipple pain,22.10,Pain,22.10,Pain in
extremity,22.10,,
862703,Immediate post-injection reaction,22.10,Injection site pain,
22.10,Musculoskeletal stiffness,22.10,Pain,22.10,,
862704,Rash pruritic,23.00,Urticaria,23.00,,,,,
862705,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site
erythema,23.00,Pain,23.00
862705,Pain in extremity,23.00,Pyrexia,23.00,,,,,
862706,Diarrhoea,23.00,Dizziness,23.00,Headache,23.00,Myalgia,
23.00,Nausea,23.00
862706,Syncope,23.00,,,,,
862707,Exposure during pregnancy,23.00,Foetal death,23.00,Laboratory
test abnormal,23.00,Premature delivery,23.00,Ultrasound antenatal
screen abnormal,23.00
862708,Dizziness,23.00,Rash,23.00,,,,,
862709,Chills,23.00,Headache,23.00,Injection site pain,23.00,Night
sweats,23.00,,
862710,Impaired work ability,22.10,Insomnia,22.10,Pain in extremity,
22.10,Product administered at inappropriate site,22.10,,
862711,Local reaction,23.00,,,,,
862712,Cough,23.00,Fatigue,23.00,Pyrexia,23.00,,,,,

862713,Gastrointestinal obstruction,23.00,,,,,
862714,Balance disorder,23.00,Diplopia,23.00,,,,,
862715,Erythema,23.00,Feeling cold,23.00,Pain in extremity,
23.00,Swelling,23.00,,
862716,Dizziness,23.00,Headache,23.00,Nausea,23.00,Pain in extremity,
23.00,,
862717,Condition aggravated,23.00,Disturbance in attention,
23.00,Dysphemia,23.00,Irritability,23.00,Poor quality sleep,23.00
862717,Terminal insomnia,23.00,,,,,
862718,Syncope,23.00,,,,,
862719,Influenza like illness,23.00,Malaise,23.00,,,,,
862720,Grip strength decreased,23.00,Hypoaesthesia,23.00,Insomnia,
23.00,Pain,23.00,Paraesthesia,23.00
862721,Blister,23.00,Pain,23.00,Swelling,23.00,,,,
862722,Aphonia,23.00,Insomnia,23.00,,,,,
862723,Erythema,23.00,Peripheral swelling,23.00,,,,,
862724,Pain in extremity,22.10,,,,,
862725,Diarrhoea,23.00,Heart rate increased,23.00,Varicella,23.00,,,,
862726,Pain in extremity,23.00,,,,,
862727,Anaphylactic reaction,23.00,Erythema,23.00,Hypersensitivity,
23.00,Injection site erythema,23.00,Injection site inflammation,23.00
862727,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site reaction,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
862727,Pruritus,23.00,,,,,
862728,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,
23.00,Pyrexia,23.00
862729,Injection site pain,23.00,Mobility decreased,23.00,Nerve
injury,23.00,,,,
862730,Deep vein thrombosis,23.00,Malaise,23.00,Myocardial strain,
23.00,Pain in extremity,23.00,Pneumonia,23.00
862730,Pulmonary embolism,23.00,Right ventricular failure,
23.00,Syncope,23.00,,,,
862758,Expired product administered,23.00,No adverse event,23.00,,,,,
862759,Asthenia,22.10,Dizziness,22.10,Headache,22.10,Hypoaesthesia,
22.10,Syncope,22.10
862759,Transient ischaemic attack,22.10,,,,,
862760,Peripheral swelling,23.00,Pruritus,23.00,,,,,
862761,Cough,22.10,Dizziness,22.10,Dyspnoea,22.10,Pneumonia,22.10,,
862762,Inappropriate schedule of product administration,23.00,,,,,
862763,Adverse reaction,23.00,,,,,
862764,No adverse event,23.00,Product storage error,23.00,,,,,
862765,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
862766,Alopecia,22.10,Ankylosing spondylitis,22.10,Arthritis,
22.10,Back disorder,22.10,Biopsy,22.10
862766,Biopsy stomach abnormal,22.10,Chronic gastritis,22.10,Condition
aggravated,22.10,Dyspepsia,22.10,Eye disorder,22.10
862766,Eye pain,22.10,Muscle twitching,22.10,Musculoskeletal
discomfort,22.10,Musculoskeletal pain,22.10,Myalgia,22.10

862766,Ocular hyperaemia,22.10,Parietal cell antibody positive,
22.10,Photophobia,22.10,Pruritus,22.10,Tendon pain,22.10
862766,Tinnitus,22.10,Visual impairment,22.10,Vitamin B12 deficiency,
22.10,,,,,
862767,Erythema,23.00,Feeling hot,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,,
862768,Pain in extremity,23.00,Rash,23.00,,,,,,
862769,Chills,23.00,Pyrexia,23.00,,,,,,
862770,Fatigue,23.00,Injection site bruising,23.00,Platelet count
decreased,23.00,,,,,
862771,Influenza like illness,23.00,Injection site erythema,
23.00,Injection site pain,23.00,,,,,
862773,Post herpetic neuralgia,23.00,,,,,,,
862774,Colonoscopy,22.10,Ileostomy,22.10,Incomplete course of
vaccination,22.10,Large intestinal obstruction,22.10,Surgery,22.10
862775,Lymphadenopathy,23.00,,,,,,,
862776,Injection site cellulitis,23.00,,,,,,,
862777,Unevaluable event,23.00,,,,,,,
862778,Papule,22.10,Pruritus,22.10,Rash vesicular,22.10,Scab,
22.10,Varicella virus test positive,22.10
862779,Pyrexia,23.00,Rash,23.00,Rash maculo-papular,23.00,,,,,
862780,Erythema,23.00,Hyperhidrosis,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site reaction,23.00
862780,Local reaction,23.00,Pruritus,23.00,Rash,23.00,Rash papular,
23.00,Rash vesicular,23.00
862780,Teething,23.00,Vaccination complication,23.00,,,,,,
862781,Asthma,23.00,Herpes zoster,23.00,Pyrexia,23.00,,,,,
862782,Dizziness,23.00,Expired product administered,23.00,,,,,,
862783,Fatigue,23.00,Head injury,23.00,Pyrexia,23.00,Syncope,23.00,,
862792,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,,,,
862793,Adverse event,23.00,,,,,,,
862794,Diarrhoea,23.00,Fatigue,23.00,Injection site pain,23.00,Pain,
23.00,Vomiting,23.00
862795,Pruritus,23.00,Urticaria,23.00,,,,,,
862796,Decreased appetite,22.10,Fatigue,22.10,Headache,22.10,Injection
site pain,22.10,Pain,22.10
862797,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Neck pain,23.00,,
862798,Dry skin,23.00,Pruritus,23.00,,,,,,
862799,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site rash,
23.00,Injection site swelling,23.00
862800,Herpes zoster,23.00,Pustule,23.00,,,,,,
862801,Diarrhoea,23.00,Hyperhidrosis,23.00,Pyrexia,23.00,Skin warm,
23.00,,
862802,Wrong product administered,23.00,,,,,,,
862803,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
862804,Erythema,23.00,Mass,23.00,Pain in extremity,23.00,Skin warm,
23.00,,

862814,Aortic arteriosclerosis,22.10,Chronic obstructive pulmonary disease,22.10,Chronic spontaneous urticaria,22.10,Cryoglobulinaemia,22.10,Dermatitis,22.10
862814,Dysphagia,22.10,Pneumonia,22.10,Rash,22.10,Rash vesicular,22.10,Swelling face,22.10
862814,Vasculitis,22.10,,,,,,,,,
862815,Extra dose administered,23.00,No adverse event,23.00,,,,,,,,,
862816,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,,
862817,Erythema,23.00,Induration,23.00,Pain,23.00,,,,,
862818,Fatigue,23.00,Somnolence,23.00,,,,,,,,,
862819,Pain,23.00,,,,,,,,,
862820,Dizziness,23.00,Pyrexia,23.00,,,,,,,,,
862821,Pyrexia,23.00,,,,,,,,,
862822,Diarrhoea,23.00,,,,,,,,,
862823,Adverse event,23.00,,,,,,,,,
862824,Adverse event,23.00,Vaccine positive rechallenge,23.00,,,,,,,,,
862825,Headache,23.00,Lethargy,23.00,Malaise,23.00,,,,,
862827,Herpes zoster,23.00,Pain,23.00,Vaccination failure,23.00,,,,,
862828,Erythema,22.10,Injection site erythema,22.10,Injection site warmth,22.10,Local reaction,22.10,Skin warm,22.10
862828,Swelling,22.10,,,,,,,,,
862829,Injection site pain,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
862830,Immediate post-injection reaction,22.10,Injection site pain,22.10,Musculoskeletal pain,22.10,,,,,
862831,Allergy test,23.00,Anxiety,23.00,Asthenia,23.00,Disturbance in attention,23.00,Dizziness,23.00
862831,Exercise tolerance decreased,23.00,Fatigue,23.00,Feeling cold,23.00,Food allergy,23.00,Gastrointestinal disorder,23.00
862831,Hypersensitivity,23.00,Hypertension,23.00,Oropharyngeal pain,23.00,Palpitations,23.00,Paraesthesia,23.00
862831,Postural orthostatic tachycardia syndrome,23.00,Rhinorrhoea,23.00,,,,,,,,,
862832,Eye movement disorder,23.00,Loss of consciousness,23.00,,,,,,,,,
862833,Anxiety,23.00,,,,,,,,,
862834,Mobility decreased,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
862835,Arthralgia,22.10,Immediate post-injection reaction,22.10,Injection site pain,22.10,Magnetic resonance imaging,22.10,Mobility decreased,22.10
862836,Asthenia,22.10,Loss of consciousness,22.10,,,,,,,,,
862850,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
862851,Abdominal discomfort,23.00,Angioedema,23.00,Arthralgia,23.00,Chills,23.00,Depressed mood,23.00
862851,Diarrhoea,23.00,Dysphagia,23.00,Feeling abnormal,23.00,Injection site erythema,23.00,Injection site pain,23.00
862851,Lip swelling,23.00,Myalgia,23.00,Pain,23.00,Pyrexia,23.00,Swelling face,23.00
862852,Arthralgia,23.00,Fatigue,23.00,Herpes zoster,23.00,,,,,
862853,Antibody test abnormal,23.00,,,,,,,,,
862854,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,

862855,Expired product administered,23.00,No adverse event,23.00,,,,,
862856,Extra dose administered,23.00,No adverse event,23.00,,,,,
862857,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
862858,No adverse event,23.00,Product preparation issue,23.00,,,,,
862859,Expired product administered,23.00,No adverse event,23.00,,,,,
862860,No adverse event,23.00,Wrong product administered,23.00,,,,,
862861,Expired product administered,23.00,No adverse event,23.00,,,,,
862862,Dizziness,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Injection site warmth,23.00
862862,Pyrexia,23.00,Vaccination site inflammation,23.00,,,,,
862863,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
862864,Ear infection,23.00,Pyrexia,23.00,Rash,23.00,,,,,
862865,Chills,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain,
23.00
862865,Pyrexia,23.00,,,,,
862866,Injection site mass,23.00,Injection site nodule,23.00,Injection
site pruritus,23.00,,,,,
862867,Chills,23.00,Fatigue,23.00,Headache,23.00,Hypersomnia,
23.00,Malaise,23.00
862867,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,Restlessness,
23.00,,
862868,Decreased appetite,23.00,Depression,23.00,Diarrhoea,
23.00,Disturbance in attention,23.00,Fatigue,23.00
862868,Gastrointestinal disorder,23.00,Helplessness,23.00,Hypersomnia,
23.00,Migraine with aura,23.00,Nausea,23.00
862870,"Hallucination, auditory",23.00,Headache,23.00,Pain,23.00,,,,,
862871,Unevaluable event,23.00,,,,,
862872,Rash vesicular,23.00,,,,,
862873,Injection site urticaria,23.00,Vaccination site erythema,
23.00,Vaccination site induration,23.00,Vaccination site pain,
23.00,Vaccination site rash,23.00
862874,Headache,23.00,Nausea,23.00,,,,,
862875,Blood test normal,23.00,Dizziness,23.00,Hypoaesthesia,
23.00,Myalgia,23.00,Neuralgia,23.00
862875,Paraesthesia,23.00,Vitamin D decreased,23.00,,,,,
862876,Headache,23.00,Pyrexia,23.00,Vaccination site pain,
23.00,Vaccination site swelling,23.00,,
862877,Joint swelling,23.00,Myalgia,23.00,Pain in extremity,
23.00,Paraesthesia,23.00,,
862881,Basal ganglia stroke,22.10,Coordination abnormal,
22.10,Dizziness,22.10,Facial paralysis,22.10,Gait disturbance,22.10
862881,Ischaemic stroke,22.10,Muscular weakness,22.10,Speech disorder,
22.10,Vertigo,22.10,,
862882,Deafness neurosensory,22.10,,,,,
862883,Abnormal behaviour,23.00,Blepharospasm,23.00,Body temperature
increased,23.00,Crying,23.00,Decreased appetite,23.00
862883,Decreased eye contact,23.00,Ill-defined disorder,
23.00,Lethargy,23.00,Skin warm,23.00,Somnolence,23.00

862883,Speech disorder developmental,23.00,Urine output decreased,
23.00,,,,,
862884,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site mass,23.00,Injection site pain,23.00,Injection
site swelling,23.00
862884,Pyrexia,23.00,Rash,23.00,Rash erythematous,23.00,,,
862886,Febrile convulsion,23.00,,,,,
862887,Abdominal pain upper,23.00,Arthralgia,23.00,Chills,
23.00,Decreased appetite,23.00,Diarrhoea,23.00
862887,Headache,23.00,Hypersomnia,23.00,Injection site pain,
23.00,Injection site warmth,23.00,Nausea,23.00
862887,Pain,23.00,Pain in extremity,23.00,Peripheral coldness,
23.00,Swelling,23.00,,
862888,Myalgia,23.00,Pyrexia,23.00,,,,,
862889,CSF test,22.10,Myelitis transverse,22.10,,,,,
862890,Acute respiratory distress syndrome,22.10,Adenovirus infection,
22.10,Adenovirus test positive,22.10,Arthropathy,22.10,Cellulitis,
22.10
862890,Culture negative,22.10,Cytomegalovirus infection,
22.10,Cytomegalovirus test positive,22.10,Endotracheal intubation,
22.10,Epiglottitis,22.10
862890,Epstein-Barr virus infection,22.10,Epstein-Barr virus test
positive,22.10,Herpes simplex,22.10,Herpes simplex test positive,
22.10,Immunodeficiency,22.10
862890,Immunoglobulin therapy,22.10,Immunology test,22.10,Incisional
drainage,22.10,Lung assist device therapy,22.10,Lymphadenitis,22.10
862890,Morbillivirus test positive,22.10,Multiple organ dysfunction
syndrome,22.10,Otitis media,22.10,Polymerase chain reaction positive,
22.10,Respiratory failure,22.10
862890,Respiratory syncytial virus test positive,22.10,Roseolovirus
test positive,22.10,Stridor,22.10,Viral infection,22.10,,
862891,Incorrect route of product administration,23.00,Wrong technique
in product usage process,23.00,,,,,
862892,Erythema,23.00,Injection site inflammation,23.00,Swelling,
23.00,,,,,
862893,Epistaxis,22.10,Head injury,22.10,Headache,22.10,Lip injury,
22.10,Loss of consciousness,22.10
862893,Nasal injury,22.10,Rhinalgia,22.10,Syncope,22.10,,,
862894,Chills,23.00,Influenza like illness,23.00,Lethargy,23.00,Pain,
23.00,Pyrexia,23.00
862894,Tremor,23.00,,,,,
862895,Lymphadenopathy,23.00,,,,,
862896,Asthenia,23.00,Eye movement disorder,23.00,Grunting,
23.00,Influenza virus test negative,23.00,Opisthotonus,23.00
862896,Pyrexia,23.00,Respiratory syncytial virus test negative,
23.00,Seizure,23.00,,,,,
862897,Influenza,23.00,Insomnia,23.00,Mobility decreased,
23.00,Myalgia,23.00,Pain in extremity,23.00
862898,Injection site nodule,22.10,Pain in extremity,22.10,,,,,
862899,Unevaluable event,23.00,,,,,

862900,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
862902,Injection site pain,22.10,X-ray limb,22.10,,,,,
862903,Erythema,23.00,Injection site rash,23.00,Swelling,
23.00,Vaccination site swelling,23.00,,
862904,Asthenia,23.00,Auditory disorder,23.00,Dizziness,
23.00,Hypotension,23.00,Nausea,23.00
862904,Pallor,23.00,,,,,
862905,Cellulitis,22.10,Injection site erythema,22.10,Injection site
pain,22.10,Injection site swelling,22.10,Pyrexia,22.10
862906,Blisters,23.00,Burning sensation,23.00,Cellulitis,
23.00,Decreased appetite,23.00,Discomfort,23.00
862906,Erythema,23.00,Fatigue,23.00,Injection site pain,23.00,Pyrexia,
23.00,Skin warm,23.00
862906,Swelling,23.00,,,,,
862907,Abnormal behaviour,22.10,Generalised tonic-clonic seizure,
22.10,Speech disorder,22.10,,,,
862908,Dysphonia,23.00,Swelling,23.00,Throat irritation,23.00,,,,
862909,Abdominal discomfort,23.00,Feeling abnormal,23.00,Headache,
23.00,,,,
862927,Mobility decreased,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,,,,
862928,No adverse event,23.00,Product storage error,23.00,,,,,
862929,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
862930,No adverse event,23.00,Product storage error,23.00,,,,,
862931,Unevaluable event,23.00,,,,,
862933,Death,22.10,General physical health deterioration,22.10,Organ
failure,22.10,Renal failure,22.10,,
862934,Inappropriate schedule of product administration,23.00,,,,,
862935,No adverse event,23.00,Product storage error,23.00,,,,,
862936,Herpes zoster,23.00,Rash pruritic,23.00,,,,,
862937,Chills,23.00,Drug eruption,23.00,Erythema,23.00,Injection site
erythema,23.00,Nausea,23.00
862937,Pruritus,23.00,Rash papular,23.00,Skin abrasion,23.00,Skin
lesion,23.00,,
862938,Fatigue,23.00,Myalgia,23.00,Pain in extremity,23.00,,,,
862939,Feeling abnormal,23.00,Headache,23.00,Tremor,23.00,,,,
862940,Product reconstitution quality issue,23.00,,,,,
862942,Circumstance or information capable of leading to medication
error,23.00,Haemorrhage,23.00,Scratch,23.00,,,,
862943,Dizziness,23.00,Dyspnoea,23.00,Erythema,23.00,Fatigue,
23.00,Headache,23.00
862943,Impaired work ability,23.00,Lymphadenopathy,23.00,Nausea,
23.00,Oropharyngeal pain,23.00,Pain,23.00
862943,Pyrexia,23.00,Swelling,23.00,,,,,
862944,Asthenia,23.00,Decreased appetite,23.00,Dizziness,
23.00,Headache,23.00,Injection site erythema,23.00
862944,Injection site induration,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Nasopharyngitis,23.00,,

862946, Skin papilloma, 23.00, , , , , , , , , ,
862950, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , , , ,
862951, Infectious mononucleosis, 23.00, Ovarian failure, 23.00, , , , , , , , , ,
862952, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , ,
862953, Herpes zoster, 23.00, Pruritus, 23.00, , , , , , , , , ,
862954, Musculoskeletal pain, 23.00, Pain in extremity, 23.00, , , , , , , , , ,
862955, Headache, 23.00, , , , , , , , , , ,
862956, Limb discomfort, 23.00, Pruritus, 23.00, Rash, 23.00, Vaccination site rash, 23.00, , ,
862957, Rash, 23.00, , , , , , , , , , ,
862958, Cellulitis, 23.00, Dizziness, 23.00, Headache, 23.00, Influenza virus test negative, 23.00, Injection site reaction, 23.00
862958, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Vaccination complication, 23.00, , ,
862959, Rash, 23.00, , , , , , , , , , ,
862960, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , , , , ,
862961, Chills, 23.00, Feeling cold, 23.00, Gastrointestinal disorder, 23.00, Headache, 23.00, Heart rate increased, 23.00
862962, Erythema, 23.00, Pruritus, 23.00, Swelling, 23.00, , , , , ,
862963, Hypersensitivity, 23.00, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, , ,
862964, Cough, 23.00, Lacrimation disorder, 23.00, Pruritus, 23.00, Rash, 23.00, , ,
862965, Chills, 23.00, Contusion, 23.00, Fall, 23.00, Head injury, 23.00, Hyperhidrosis, 23.00
862965, Joint injury, 23.00, Loss of consciousness, 23.00, Malaise, 23.00, Palpitations, 23.00, Pyrexia, 23.00
862965, Swelling, 23.00, , , , , , , , , , ,
862966, Oral herpes, 23.00, , , , , , , , , , ,
862967, Injection site erythema, 23.00, Injection site mass, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, , ,
862968, Arthralgia, 22.10, Aspiration joint normal, 22.10, Blood culture negative, 22.10, Chondrocalcinosis, 22.10, Culture negative, 22.10
862968, Injection site pain, 22.10, Joint swelling, 22.10, Joint warmth, 22.10, Magnetic resonance imaging normal, 22.10, Musculoskeletal pain, 22.10
862968, Neutrophil count decreased, 22.10, Neutrophil count increased, 22.10, Pain in extremity, 22.10, Psoriatic arthropathy, 22.10, White blood cell count decreased, 22.10
862968, White blood cell count increased, 22.10, X-ray limb abnormal, 22.10, X-ray of pelvis and hip abnormal, 22.10, , , , ,
862969, Injection site discolouration, 23.00, Injection site erythema, 23.00, Injection site pruritus, 23.00, , , , , ,
862983, Inappropriate schedule of product administration, 23.00, Wrong technique in product usage process, 23.00, , , , , , , , , ,
862984, Herpes zoster, 23.00, Rash pruritic, 23.00, Vaccination failure, 23.00, , , , , ,
862986, Abdominal pain upper, 23.00, Headache, 23.00, Muscular weakness, 23.00, Nausea, 23.00, Vomiting, 23.00
862987, Incorrect dose administered, 23.00, , , , , , , , , , ,

862988,Chest pain,23.00,Diarrhoea,23.00,Pain in extremity,
23.00,Vomiting,23.00,,
862989,Decreased appetite,23.00,Injection site discomfort,
23.00,Injection site pruritus,23.00,Injection site rash,23.00,,
862990,Exposure during pregnancy,23.00,Pregnancy test positive,
23.00,,,,,,
862991,Chills,23.00,Feeling abnormal,23.00,Headache,23.00,Migraine,
23.00,Nausea,23.00
862991,Pain,23.00,Pyrexia,23.00,,,,,,
862992,Body temperature increased,23.00,Dysphagia,23.00,Laryngitis,
23.00,Oropharyngeal pain,23.00,Pharyngeal swelling,23.00
862992,Productive cough,23.00,Throat tightness,23.00,,,,,,
862993,Chills,23.00,Influenza like illness,23.00,Pyrexia,23.00,,,,,
862994,Biopsy skin abnormal,23.00,Eczema,23.00,Eosinophilia,
23.00,Hypersensitivity,23.00,Injection site pruritus,23.00
862994,Injection site reaction,23.00,Pruritus,23.00,Rash,23.00,Rash
erythematous,23.00,,
862995,Chills,23.00,Fatigue,23.00,Feeling abnormal,23.00,Feeling cold,
23.00,Headache,23.00
862995,Hypersomnia,23.00,Influenza like illness,23.00,Pain,23.00,Pain
of skin,23.00,Tremor,23.00
862996,Headache,23.00,Nasal congestion,23.00,Pyrexia,23.00,,,,,
862997,Abdominal pain upper,23.00,Back pain,23.00,Chills,
23.00,Fatigue,23.00,Feeling cold,23.00
862997,Feeling hot,23.00,Headache,23.00,Malaise,23.00,Musculoskeletal
pain,23.00,Myalgia,23.00
862997,Nausea,23.00,Pain,23.00,Pyrexia,23.00,Rhinorrhoea,23.00,,
862998,Urticaria,23.00,,,,,,
862999,Diarrhoea,23.00,Nausea,23.00,,,,,,
863007,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
863008,No adverse event,23.00,Product storage error,23.00,,,,,,
863009,Haematemesis,22.10,Incomplete course of vaccination,
22.10,Vomiting,22.10,,,,,
863010,Blood calcium increased,22.10,Blood creatine phosphokinase
normal,22.10,Blood testosterone decreased,22.10,Body height decreased,
22.10,Computerised tomogram,22.10
863010,Gait disturbance,22.10,Injection site pain,22.10,Injection site
swelling,22.10,Mobility decreased,22.10,Myalgia,22.10
863010,Nodule,22.10,Pain in extremity,22.10,Peripheral swelling,
22.10,Polymyalgia rheumatica,22.10,Red blood cell sedimentation rate
increased,22.10
863010,Weight decreased,22.10,,,,,,
863011,Injection site cellulitis,22.10,Injection site erythema,
22.10,Injection site pain,22.10,Injection site swelling,
22.10,Injection site warmth,22.10
863012,Erythema,23.00,Peripheral swelling,23.00,,,,,,
863013,Feeling of despair,23.00,Pallor,23.00,Somnolence,
23.00,Vomiting,23.00,,
863014,Injection site erythema,22.10,Injection site pain,

22.10,Vaccination site inflammation,22.10,Vaccination site swelling,
22.10,,
863015,Expired product administered,23.00,No adverse event,23.00,,,,,
863016,Expired product administered,23.00,No adverse event,23.00,,,,,
863017,Expired product administered,23.00,No adverse event,23.00,,,,,
863018,Expired product administered,23.00,No adverse event,23.00,,,,,
863019,Expired product administered,23.00,No adverse event,23.00,,,,,
863020,Expired product administered,23.00,No adverse event,23.00,,,,,
863021,Expired product administered,23.00,No adverse event,23.00,,,,,
863022,Expired product administered,23.00,No adverse event,23.00,,,,,
863023,Expired product administered,23.00,No adverse event,23.00,,,,,
863024,No adverse event,22.10,Overdose,22.10,Product administered to
patient of inappropriate age,22.10,Wrong product administered,22.10,,
863025,No adverse event,22.10,Product storage error,22.10,,,,,
863026,Expired product administered,23.00,No adverse event,23.00,,,,,
863027,Arthralgia,23.00,Inflammation,23.00,Injection site pain,
23.00,Myalgia,23.00,Nausea,23.00
863027,Peripheral swelling,23.00,,,,,
863028,Influenza like illness,23.00,Nodule,23.00,,,,,
863029,Chills,23.00,Dehydration,23.00,Diarrhoea,23.00,Dizziness,
23.00,Injection site swelling,23.00
863029,Migraine,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,Vomiting,
23.00
863029,White blood cell count increased,23.00,,,,,
863030,Influenza like illness,23.00,Myalgia,23.00,Pain,23.00,Pain in
extremity,23.00,Pyrexia,23.00
863031,Product administered to patient of inappropriate age,
23.00,,,,,
863032,Rash,23.00,,,,,
863033,Antibody test,22.10,Malaise,22.10,Meningitis aseptic,
22.10,Pyrexia,22.10,,
863034,Expired product administered,23.00,No adverse event,23.00,,,,,
863035,Tremor,23.00,,,,,
863036,Hyperhidrosis,23.00,Injection site erythema,23.00,Injection
site pain,23.00,Injection site warmth,23.00,Pyrexia,23.00
863037,Blood potassium decreased,22.10,Blood sodium decreased,
22.10,CSF culture negative,22.10,Full blood count,22.10,Gram stain
negative,22.10
863037,Headache,22.10,Metabolic function test,22.10,Musculoskeletal
stiffness,22.10,Myalgia,22.10,Nausea,22.10
863037,Photophobia,22.10,Rash,22.10,Vomiting,22.10,White blood cell
count increased,22.10,,
863038,Balance disorder,22.10,Electroencephalogram normal,22.10,Eye
movement disorder,22.10,Fall,22.10,Gait inability,22.10
863038,Syncope,22.10,,,,,
863039,Drug dispensed to wrong patient,22.10,No adverse event,
22.10,,,,,
863040,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Mobility decreased,23.00,Pyrexia,
23.00

863041, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Pain in extremity, 23.00,,
863042, Syncope, 23.00,,,,,,
863043, Injection site erythema, 22.10, Injection site oedema, 22.10, Injection site reaction, 22.10, Injection site warmth, 22.10, Pruritus, 22.10
863043, Urticaria, 22.10,,,,,,
863044, Dizziness, 23.00, Hyperhidrosis, 23.00, Nausea, 23.00, Pallor, 23.00,,
863045, Blood glucose normal, 23.00, Dizziness, 23.00, Nausea, 23.00,,,,
863046, Dysphemia, 23.00, Musculoskeletal pain, 23.00, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
863046, Swelling, 23.00,,,,,,
863047, Erythema, 23.00, Injection site erythema, 23.00, Injection site warmth, 23.00, Skin warm, 23.00,,
863048, Chills, 23.00, Hypoaesthesia oral, 23.00, Laboratory test normal, 23.00, Pruritus, 23.00, Urticaria, 23.00
863049, Wrong product administered, 23.00,,,,,,
863050, Wrong product administered, 23.00,,,,,,
863051, Injection site erythema, 23.00, Injection site swelling, 23.00,,,,,
863052, Dyspnoea, 23.00, Headache, 23.00, Hyperhidrosis, 23.00, Immediate post-injection reaction, 23.00, Influenza like illness, 23.00
863052, Malaise, 23.00, Throat tightness, 23.00,,,,,
863053, Myalgia, 23.00, Pain in extremity, 23.00,,,,,
863054, Pain, 23.00, Pruritus, 23.00, Pyrexia, 23.00, Rash erythematous, 23.00,,
863055, Injection site pain, 23.00, Injection site pruritus, 23.00, Rash erythematous, 23.00, Scab, 23.00, White blood cell count increased, 23.00
863056, Chills, 23.00, Headache, 23.00, Injected limb mobility decreased, 23.00, Insomnia, 23.00, Musculoskeletal stiffness, 23.00
863056, Pain, 23.00, Pain in extremity, 23.00, Tremor, 23.00,,,,
863057, Rash, 22.10, Rash erythematous, 22.10, Swelling, 22.10,,,,
863058, Back pain, 23.00, Herpes zoster, 23.00,,,,,
863059, Contusion, 23.00, Ear pain, 23.00, Neck pain, 23.00, Neuralgia, 23.00, Oropharyngeal pain, 23.00
863059, Pain, 23.00, Pain in extremity, 23.00, Vaccination complication, 23.00,,,,
863060, Bacterial test negative, 23.00, Giardia test negative, 23.00, Intertrigo, 23.00, Parasite stool test negative, 23.00, Rash, 23.00
863060, White blood cells stool negative, 23.00,,,,,,
863061, Aphthous ulcer, 23.00, Arthralgia, 23.00, Diarrhoea, 23.00, Feeling abnormal, 23.00, Injection site rash, 23.00
863061, Malaise, 23.00, Oral herpes, 23.00, Pharyngeal erythema, 23.00, Pyrexia, 23.00, Rash pruritic, 23.00
863062, Depressed level of consciousness, 23.00, Heart rate increased, 23.00, Rash, 23.00,,,,
863063, Breast inflammation, 23.00, Psoriasis, 23.00, Soft tissue inflammation, 23.00,,,,
863064, Body temperature increased, 23.00, Chills, 23.00, Myalgia, 23.00,,,,
863065, Head banging, 23.00, Injection site swelling, 23.00, Pyrexia,

23.00,Rash,23.00,Speech disorder developmental,23.00
863066,Erythema,23.00,Injection site erythema,23.00,Nausea,23.00,Pain,
23.00,Pyrexia,23.00
863066,Rash,23.00,,,,,,,,,
863093,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
863094,No adverse event,22.10,Product storage error,22.10,,,,,,,,,
863095,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
863096,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
863097,Crying,23.00,Inappropriate schedule of product administration,
23.00,Irritability,23.00,Pyrexia,23.00,Rash morbilliform,23.00
863098,Cellulitis,22.10,Erythema,22.10,Pain in extremity,
22.10,Peripheral swelling,22.10,Pyrexia,22.10
863098,Syringe issue,22.10,,,,,,,,,
863099,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
863100,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
863101,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
863102,Abdominal discomfort,23.00,,,,,,,,,
863103,Abdominal discomfort,23.00,Fatigue,23.00,Headache,23.00,,,,,
863105,Malaise,23.00,,,,,,,,,
863106,Abdominal pain,23.00,Asthenia,23.00,Chills,23.00,Eye pruritus,
23.00,Headache,23.00
863106,Myalgia,23.00,Pain of skin,23.00,Palpitations,23.00,Pruritus,
23.00,Pyrexia,23.00
863106,Rash,23.00,,,,,,,,,
863107,Back injury,22.10,Head injury,22.10,Headache,22.10,Injection
site pain,22.10,Loss of consciousness,22.10
863107,Nausea,22.10,,,,,,,,,
863108,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Nausea,
23.00
863109,Asthenia,23.00,Chills,23.00,Dizziness,23.00,Headache,
23.00,Injection site pain,23.00
863109,Malaise,23.00,Pyrexia,23.00,,,,,,,,,
863110,Hypoaesthesia,23.00,Injection site pain,23.00,,,,,,,,,
863111,Peripheral swelling,23.00,Rash papular,23.00,,,,,,,,,
863112,Abdominal pain upper,23.00,Chills,23.00,Cold sweat,
23.00,Fatigue,23.00,Pain,23.00
863112,Pyrexia,23.00,Vomiting,23.00,,,,,,,,,
863113,Blister,23.00,Oral discomfort,23.00,Oral herpes,
23.00,Paraesthesia oral,23.00,Pyrexia,23.00
863113,Swelling,23.00,Tenderness,23.00,,,,,,,,,
863114,Death,22.10,,,,,,,,,
863115,Arthritis,23.00,Chills,23.00,Hyperaesthesia,
23.00,Musculoskeletal pain,23.00,Pain in extremity,23.00
863116,Joint range of motion decreased,23.00,Pain,23.00,,,,,,,,,
863117,Pruritus,23.00,Rash,23.00,Rash papular,23.00,,,,,
863118,Cellulitis,23.00,Chills,23.00,Hyperhidrosis,
23.00,Hypersensitivity,23.00,Injection site erythema,23.00
863118,Injection site pain,23.00,Pyrexia,23.00,,,,,,,,,
863132,Immediate post-injection reaction,23.00,Muscular weakness,
23.00,Musculoskeletal pain,23.00,,,,,

863133, Abdominal discomfort, 23.00, Fatigue, 23.00, Headache, 23.00, Immediate post-injection reaction, 23.00, Injection site pain, 23.00
863133, Loss of personal independence in daily activities, 23.00, Myalgia, 23.00, , , , , ,
863134, Blister, 23.00, Myalgia, 23.00, Pruritus, 23.00, Rash, 23.00, Vaccine positive rechallenge, 23.00
863135, Chills, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Hyperaesthesia, 23.00, Influenza like illness, 23.00
863135, Injection site warmth, 23.00, Pain, 23.00, Pain in extremity, 23.00, , , , ,
863136, Pyrexia, 23.00, Rash, 23.00, Rash vesicular, 23.00, Skin exfoliation, 23.00, ,
863137, Erythema, 23.00, Pain, 23.00, Peripheral swelling, 23.00, , , , ,
863139, Erythema, 22.10, Pain, 22.10, Pyrexia, 22.10, Swelling, 22.10, , ,
863140, Burning sensation, 23.00, Rash, 23.00, Rash pruritic, 23.00, Smear test, 23.00, Varicella virus test positive, 23.00
863141, Lethargy, 23.00, Nausea, 23.00, Vomiting, 23.00, , , , ,
863142, Musculoskeletal disorder, 23.00, Pain in extremity, 23.00, X-ray, 23.00, , , , ,
863143, Joint range of motion decreased, 22.10, Loss of personal independence in daily activities, 22.10, Magnetic resonance imaging, 22.10, Pain, 22.10, Pain in extremity, 22.10
863143, X-ray, 22.10, , , , , , , , ,
863144, Erythema, 23.00, Lethargy, 23.00, Swelling, 23.00, , , , ,
863145, Immediate post-injection reaction, 23.00, Injection site induration, 23.00, Injection site swelling, 23.00, Local reaction, 23.00, ,
863156, Injection site rash, 22.10, Injection site swelling, 22.10, , , , , , ,
863157, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
863158, Gait disturbance, 23.00, Myalgia, 23.00, , , , , , ,
863159, Decreased appetite, 23.00, Fatigue, 23.00, Feeling cold, 23.00, Hyperaesthesia, 23.00, Influenza like illness, 23.00
863159, Injection site warmth, 23.00, Pain, 23.00, Pain in extremity, 23.00, Tenderness, 23.00, ,
863160, Abdominal pain upper, 23.00, Dyspepsia, 23.00, Headache, 23.00, , , , ,
863161, Deafness unilateral, 22.10, Sudden hearing loss, 22.10, Vision blurred, 22.10, , , , ,
863162, Sudden hearing loss, 22.10, , , , , , , , ,
863163, Rash, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, , , , ,
863164, Chills, 23.00, Fatigue, 23.00, Herpes zoster, 23.00, Nausea, 23.00, Nightmare, 23.00
863164, Pyrexia, 23.00, , , , , , , , ,
863165, Muscle spasms, 23.00, Pain, 23.00, Paraesthesia, 23.00, , , , ,
863167, Pain in extremity, 23.00, Peripheral swelling, 23.00, , , , , , ,
863168, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00
863169, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00
863170, Autopsy, 22.10, Death, 22.10, Laboratory test, 22.10, Pathology test,

22.10,,
863171,Cellulitis,23.00,Condition aggravated,23.00,Erythema,
23.00,Injection site erythema,23.00,Injection site pain,23.00
863171,Injection site warmth,23.00,Skin warm,23.00,Tenderness,
23.00,Wound complication,23.00,,
863172,Loss of consciousness,23.00,Seizure like phenomena,
23.00,Syncope,23.00,Urinary incontinence,23.00,,
863173,Chills,23.00,Injection site erythema,23.00,Injection site rash,
23.00,Injection site swelling,23.00,,
863174,Myalgia,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,
863175,Contusion,23.00,Immune thrombocytopenia,23.00,Platelet count
decreased,23.00,,,,
863176,Abdominal pain,22.10,Biopsy,22.10,Death,22.10,Diarrhoea,
22.10,Graft versus host disease in gastrointestinal tract,22.10
863176,Muscle spasms,22.10,,,,,,
863177,Crying,23.00,Dizziness,23.00,Electroencephalogram normal,
23.00,Magnetic resonance imaging normal,23.00,Respiratory rate
increased,23.00
863177,Tremor,23.00,Unresponsive to stimuli,23.00,,,,,
863178,Injection site erythema,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site swelling,23.00,,
863179,Insomnia,23.00,Loss of personal independence in daily
activities,23.00,Mobility decreased,23.00,Musculoskeletal pain,23.00,,
863180,Feeling cold,23.00,Injection site pain,23.00,Injection site
swelling,23.00,Nausea,23.00,Palpitations,23.00
863181,Influenza like illness,23.00,Pyrexia,23.00,,,,,
863182,Back pain,22.10,Bowel movement irregularity,22.10,Chills,
22.10,Diarrhoea,22.10,Dizziness,22.10
863182,Feeling of body temperature change,22.10,Groin pain,
22.10,Hypotension,22.10,Nausea,22.10,Pain,22.10
863182,Pain in extremity,22.10,Pelvic pain,22.10,Pollakiuria,
22.10,Sensory disturbance,22.10,Small fibre neuropathy,22.10
863182,Tremor,22.10,Uterine infection,22.10,Weight decreased,22.10,,,,
863183,Pruritus,23.00,,,,,
863184,Immediate post-injection reaction,23.00,Nausea,23.00,Pain in
extremity,23.00,Pallor,23.00,Skin discolouration,23.00
863184,Skin warm,23.00,Vomiting,23.00,,,,,
863185,Chills,23.00,Feeling hot,23.00,,,,,
863186,Injection site pain,23.00,Joint range of motion decreased,
23.00,Muscular weakness,23.00,,,,
863187,Dyspnoea,23.00,Dyspnoea exertional,23.00,Interstitial lung
disease,23.00,,,,
863189,Burning sensation,23.00,Feeling cold,23.00,Feeling hot,
23.00,Paraesthesia,23.00,,
863190,Extra dose administered,23.00,No adverse event,23.00,,,,,
863191,Expired product administered,23.00,No adverse event,23.00,,,,,
863192,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,
863193,No adverse event,23.00,Product preparation error,23.00,Product
preparation issue,23.00,,,,

863194,Expired product administered,23.00,No adverse event,23.00,,,,,
863195,Apgar score low,22.10,Foetal exposure during pregnancy,
22.10,,,,,
863196,Foetal exposure during pregnancy,22.10,Intensive care,
22.10,Neonatal respiratory distress,22.10,Premature baby,22.10,,
863197,Apgar score low,22.10,Breech presentation,22.10,Caesarean
section,22.10,Foetal exposure during pregnancy,22.10,Large for dates
baby,22.10
863198,Apgar score normal,22.10,Foetal exposure during pregnancy,
22.10,Foetal growth restriction,22.10,Neonatal gastrointestinal
disorder,22.10,Splenic calcification,22.10
863199,Apgar score normal,22.10,Foetal exposure during pregnancy,
22.10,Large for dates baby,22.10,,,,,
863200,Computerised tomogram normal,23.00,Electrocardiogram normal,
23.00,Fall,23.00,Syncope,23.00,,
863201,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,
863202,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,,,
863203,Extra dose administered,23.00,Infantile spitting up,23.00,No
adverse event,23.00,Oral administration complication,23.00,,
863204,Injection site rash,22.10,Rash erythematous,22.10,,,,,
863205,Extra dose administered,23.00,No adverse event,23.00,,,,,
863206,Rash,23.00,Rash erythematous,23.00,Rash vesicular,23.00,,,,
863209,Adverse reaction,22.10,Laboratory test normal,22.10,Nerve
injury,22.10,Paraesthesia,22.10,Peroneal nerve palsy,22.10
863210,Abdominal pain upper,23.00,Axillary mass,23.00,Axillary pain,
23.00,Communication disorder,23.00,Fatigue,23.00
863210,Musculoskeletal pain,23.00,Neck pain,23.00,Pain,23.00,Pyrexia,
23.00,,
863211,Cheilitis,23.00,Diarrhoea,23.00,Headache,23.00,Pyrexia,23.00,,
863212,Extra dose administered,23.00,No adverse event,23.00,,,,,
863213,Incorrect product formulation administered,23.00,,,,,
863214,Injection site pain,22.10,Injection site pruritus,22.10,,,,,
863215,Bowel movement irregularity,23.00,Constipation,23.00,Diarrhoea,
23.00,Dyschezia,23.00,Irritability,23.00
863216,Erythema,23.00,Pain in extremity,23.00,Pruritus,23.00,,,,
863217,Arthropathy,23.00,Dizziness,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Muscle disorder,23.00
863218,Asthenia,23.00,Atrial fibrillation,23.00,Full blood count
normal,23.00,Headache,23.00,Hyperhidrosis,23.00
863218,Hypotension,23.00,Myocardial necrosis marker normal,
23.00,Nausea,23.00,Pain,23.00,Tachycardia,23.00
863219,Balance disorder,23.00,Dark circles under eyes,23.00,Diarrhoea,
23.00,Injection site pain,23.00,Nausea,23.00
863219,Oropharyngeal pain,23.00,Pain,23.00,Pyrexia,23.00,,,,
863220,Injected limb mobility decreased,22.10,Mobility decreased,
22.10,Pain in extremity,22.10,,,,
863221,Injection site erythema,23.00,Injection site warmth,23.00,,,,,
863222,Magnetic resonance imaging,23.00,Middle insomnia,23.00,Mobility
decreased,23.00,Musculoskeletal disorder,23.00,Musculoskeletal pain,
23.00

863223,Expired product administered,22.10,Pain in extremity,
22.10,,,,,
863224,Injection site pain,22.10,,,,,
863225,Chills,23.00,Fatigue,23.00,Influenza like illness,23.00,Nausea,
23.00,Pain,23.00
863225,Pyrexia,23.00,,,,,
863226,Erythema,23.00,Pruritus,23.00,Urticaria,23.00,,,,,
863227,Chills,23.00,Fatigue,23.00,Headache,23.00,Pyrexia,23.00,,
863228,Erythema,22.10,Extra dose administered,22.10,Pain in extremity,
22.10,Peripheral swelling,22.10,,
863229,Herpes zoster,23.00,,,,,
863230,Injection site erythema,22.10,Injection site swelling,
22.10,Injection site warmth,22.10,,,,,
863231,Activated partial thromboplastin time shortened,
23.00,Contusion,23.00,Full blood count,23.00,Immune thrombocytopenia,
23.00,Petechiae,23.00
863231,Platelet count decreased,23.00,Thrombocytopenia,23.00,,,,,
863232,Exfoliative rash,23.00,Inflammation,23.00,Rash erythematous,
23.00,Rash papular,23.00,,
863233,Chills,23.00,Injection site erythema,23.00,Injection site
paraesthesia,23.00,Injection site warmth,23.00,,
863234,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Nausea,23.00,Pain,
23.00
863234,Pain in extremity,23.00,Poor quality sleep,23.00,Pyrexia,
23.00,Skin reaction,23.00,,
863235,Musculoskeletal pain,23.00,Pain,23.00,Pain in extremity,
23.00,,,,,
863236,Chills,23.00,Headache,23.00,Pain,23.00,Pain in extremity,
23.00,,
863237,Influenza like illness,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Pain in extremity,23.00,,
863238,Expired product administered,23.00,No adverse event,23.00,,,,,
863239,Injection site erythema,23.00,Injection site swelling,
23.00,Vaccination complication,23.00,,,,,
863240,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
863241,Bronchiolitis,23.00,Cough,23.00,Dermatitis,23.00,Dyspnoea,
23.00,Ear pain,23.00
863241,Eczema,23.00,Eyelid rash,23.00,Otitis media,23.00,Wheezing,
23.00,,
863242,Headache,23.00,Pain,23.00,Swelling,23.00,,,,,
863243,Joint swelling,23.00,Muscle twitching,23.00,Pyrexia,
23.00,Tremor,23.00,Urticaria,23.00
863244,Chills,23.00,Headache,23.00,Myalgia,23.00,Nausea,23.00,Pain in
extremity,23.00
863244,Vomiting,23.00,,,,,
863256,Diarrhoea,22.10,Diarrhoea haemorrhagic,22.10,Laboratory test
normal,22.10,Rotavirus infection,22.10,Rotavirus test positive,22.10
863257,No adverse event,23.00,Product storage error,23.00,,,,,
863258,Eye pain,22.10,Herpes zoster,22.10,Ophthalmic herpes zoster,

22.10,Pain,22.10,Vaccination failure,22.10
863259,Expired product administered,23.00,No adverse event,23.00,,,,,
863260,Expired product administered,23.00,No adverse event,23.00,,,,,
863261,No adverse event,23.00,Product storage error,23.00,,,,,
863262,No adverse event,23.00,Product storage error,23.00,,,,,
863263,No adverse event,23.00,Product storage error,23.00,,,,,
863264,No adverse event,23.00,Product storage error,23.00,,,,,
863265,No adverse event,23.00,Product storage error,23.00,,,,,
863266,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
863267,No adverse event,23.00,Product storage error,23.00,,,,,
863268,No adverse event,23.00,Product storage error,23.00,,,,,
863269,Extra dose administered,23.00,No adverse event,23.00,,,,,
863270,No adverse event,23.00,Product storage error,23.00,,,,,
863271,Serum sickness,23.00,,,,,
863272,No adverse event,23.00,Product storage error,23.00,,,,,
863273,No adverse event,23.00,Product storage error,23.00,,,,,
863274,Condition aggravated,22.10,Systemic lupus erythematosus,
22.10,,,,,
863278,CSF test,22.10,Guillain-Barre syndrome,22.10,Immunoglobulin
therapy,22.10,Muscular weakness,22.10,Vaccination complication,22.10
863279,Angiopathy,23.00,Full blood count normal,23.00,Metabolic
function test normal,23.00,Pyrexia,23.00,Red blood cell sedimentation
rate normal,23.00
863279,Serum sickness-like reaction,23.00,Urine analysis normal,
23.00,Urticaria,23.00,,,,,
863280,Wrong product administered,23.00,,,,,
863281,Drug effective for unapproved indication,23.00,,,,,
863282,Death,23.00,Product use in unapproved indication,23.00,,,,,
863283,Product administered to patient of inappropriate age,
23.00,,,,,
863284,Complications of transplanted kidney,22.10,Death,22.10,Product
use in unapproved indication,22.10,Skin papilloma,22.10,,
863285,Drug effective for unapproved indication,23.00,,,,,
863286,Anogenital warts,23.00,Skin papilloma,23.00,,,,,
863293,Antibody test abnormal,23.00,,,,,
863294,No adverse event,23.00,Product storage error,23.00,,,,,
863295,Extra dose administered,23.00,,,,,
863296,Pain,23.00,Product administered at inappropriate site,
23.00,,,,,
863297,Product use in unapproved indication,23.00,Skin papilloma,
23.00,,,,,
863298,Product use in unapproved indication,23.00,,,,,
863299,Product use in unapproved indication,23.00,,,,,
863300,Product use in unapproved indication,23.00,,,,,
863301,Product use in unapproved indication,23.00,,,,,
863302,Drug effective for unapproved indication,23.00,,,,,
863303,Erythema,23.00,Injection site swelling,23.00,Pyrexia,
23.00,Swelling,23.00,Tenderness,23.00
863304,Inappropriate schedule of product administration,23.00,,,,,

863305, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
863306, Pain, 23.00, Pyrexia, 23.00, Vaccine positive rechallenge, 23.00, , , , ,
863307, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza like
illness, 23.00, Injection site erythema, 23.00
863307, Injection site swelling, 23.00, Injection site warmth, 23.00, Skin
discolouration, 23.00, Spinal pain, 23.00, Vaccine positive rechallenge,
23.00
863308, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling,
23.00, Skin warm, 23.00, ,
863309, Asthenia, 23.00, Chills, 23.00, Dizziness, 23.00, Myalgia,
23.00, Pyrexia, 23.00
863310, Incorrect dose administered, 23.00, , , , , , , ,
863311, Incorrect dose administered, 23.00, , , , , , , ,
863321, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
863322, Blister, 22.10, Eyelid rash, 22.10, Facial paralysis, 22.10, Facial
paresis, 22.10, Herpes zoster, 22.10
863322, Post herpetic neuralgia, 22.10, Rash, 22.10, Vision blurred,
22.10, , , , ,
863323, Inappropriate schedule of product administration, 23.00, , , , , , , ,
863324, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
863325, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
863326, Abdominal pain upper, 23.00, Asthenia, 23.00, Diarrhoea, 23.00, Ear
pain, 23.00, Erythema, 23.00
863326, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Neck pain, 23.00, Pain
in extremity, 23.00
863327, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Herpes zoster,
23.00, Injection site erythema, 23.00
863327, Injection site pain, 23.00, Injection site swelling,
23.00, Myalgia, 23.00, Pyrexia, 23.00, Rash, 23.00
863328, Herpes zoster, 23.00, , , , , , , ,
863329, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863330, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863331, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863332, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863333, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863334, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863335, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863336, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863337, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,
863338, Foetal exposure during pregnancy, 22.10, Premature baby,
22.10, , , , , , ,

863339,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863340,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863341,Tinnitus,23.00,,,,,
863342,Chest X-ray,22.10,Computerised tomogram head,22.10,Dizziness,
22.10,Impaired driving ability,22.10,Loss of personal independence in
daily activities,22.10
863342,Magnetic resonance imaging brain,22.10,Nausea,22.10,Neuritis,
22.10,Vertigo,22.10,Vertigo positional,22.10
863342,Vomiting,22.10,,,,,
863343,Eye discharge,22.10,Eye pruritus,22.10,Lip swelling,
22.10,Paraesthesia oral,22.10,Swollen tongue,22.10
863344,Rash,23.00,Rash erythematous,23.00,Rash papular,23.00,Rash
pruritic,23.00,Scab,23.00
863345,Headache,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Myalgia,23.00,,
863346,Myalgia,23.00,,,,,
863347,Joint range of motion decreased,23.00,Pain,23.00,Swelling,
23.00,,,,
863348,Injection site erythema,23.00,Injection site swelling,
23.00,Neck pain,23.00,,,,
863349,Fatigue,23.00,Feeling abnormal,23.00,Feeling cold,23.00,Pain,
23.00,Pain in extremity,23.00
863349,Tinnitus,23.00,,,,,
863350,Fatigue,23.00,Headache,23.00,Hypoaesthesia,23.00,Injection site
induration,23.00,Injection site mass,23.00
863350,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site rash,23.00,Injection site warmth,
23.00,Musculoskeletal stiffness,23.00
863350,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,
863354,No adverse event,23.00,Underdose,23.00,,,,,
863355,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863356,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863357,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863358,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863359,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863360,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863361,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863362,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863363,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,

863364, Myalgia, 23.00, Pyrexia, 23.00, , , , , , ,
863365, Arthritis, 23.00, Asthenia, 23.00, Epistaxis, 23.00, Injection site pain, 23.00, Joint injection, 23.00
863365, Magnetic resonance imaging, 23.00, Mucosal dryness, 23.00, Nasal crusting, 23.00, Oedema mucosal, 23.00, Pain in extremity, 23.00
863365, Pyrexia, 23.00, X-ray limb abnormal, 23.00, , , , , , ,
863366, Blister, 23.00, Body temperature increased, 23.00, Cellulitis, 23.00, Erythema, 23.00, Hypersensitivity, 23.00
863366, Induration, 23.00, Malaise, 23.00, Peripheral swelling, 23.00, Scab, 23.00, ,
863367, Herpes zoster, 23.00, , , , , , , ,
863368, Chills, 23.00, Depressed mood, 23.00, Influenza like illness, 23.00, Injection site pain, 23.00, Pyrexia, 23.00
863369, Feeling abnormal, 23.00, Feeling hot, 23.00, Loss of consciousness, 23.00, Muscle rigidity, 23.00, Paraesthesia, 23.00
863369, Retching, 23.00, , , , , , , ,
863370, Injection site rash, 23.00, Rash, 23.00, Rash pruritic, 23.00, , , , ,
863371, Injection site erythema, 23.00, Pain in extremity, 23.00, , , , , , ,
863372, Influenza, 22.10, Polymerase chain reaction positive, 22.10, Rash vesicular, 22.10, Varicella post vaccine, 22.10, Varicella virus test positive, 22.10
863374, Dizziness, 23.00, Vision blurred, 23.00, , , , , , ,
863375, Brain neoplasm, 23.00, Brain oedema, 23.00, Condition aggravated, 23.00, Meningioma, 23.00, ,
863379, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
863380, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
863381, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
863382, Chills, 23.00, Cough, 23.00, Feeling abnormal, 23.00, Feeling cold, 23.00, Headache, 23.00
863382, Insomnia, 23.00, Nausea, 23.00, Paranoia, 23.00, Vision blurred, 23.00, Visual impairment, 23.00
863383, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
863384, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
863385, Extra dose administered, 22.10, No adverse event, 22.10, , , , , , ,
863386, Malaise, 23.00, Pain in extremity, 23.00, Rash, 23.00, , , , ,
863387, Erythema, 22.10, Inflammation, 22.10, Nodule, 22.10, Skin mass, 22.10, Tenderness, 22.10
863388, Eczema, 22.10, Erythema, 22.10, Feeling hot, 22.10, Pruritus, 22.10, Skin exfoliation, 22.10
863388, Skin fissures, 22.10, , , , , , , ,
863389, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site urticaria, 23.00
863390, Injection site mass, 22.10, Injection site necrosis, 22.10, Ultrasound scan abnormal, 22.10, , , , ,
863391, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , ,
863392, Chills, 23.00, Feeling cold, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Pyrexia, 23.00

863393,Extra dose administered,22.10,,,,,,,,,
863394,Confusional state,22.10,Dizziness,22.10,Hyperhidrosis,
22.10,Hypopnoea,22.10,Speech disorder,22.10
863395,Extra dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
863396,Chills,23.00,Headache,23.00,Pain,23.00,,,,,
863397,Rash,23.00,Rash erythematous,23.00,Rash vesicular,23.00,,,,,
863398,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,,,,,,
863399,Mobility decreased,23.00,Pain in extremity,23.00,,,,,,
863400,Cardiac monitoring,23.00,Myalgia,23.00,Neck pain,
23.00,Neuralgia,23.00,Pain,23.00
863400,Pain in extremity,23.00,Sleep disorder,23.00,,,,,,
863401,Incorrect route of product administration,23.00,,,,,,,
863402,Immediate post-injection reaction,23.00,Musculoskeletal pain,
23.00,Myalgia,23.00,Pain,23.00,Pain in extremity,23.00
863403,Peripheral swelling,23.00,Pruritus,23.00,Skin reaction,
23.00,,,,,
863404,Chills,23.00,Headache,23.00,Influenza like illness,
23.00,Injection site erythema,23.00,Injection site induration,23.00
863404,Injection site pain,23.00,Lethargy,23.00,Pain,23.00,,,,,
863405,Arthralgia,22.10,Chills,22.10,Fatigue,22.10,Flushing,
22.10,Headache,22.10
863405,Hypersensitivity,22.10,Pyrexia,22.10,,,,,,
863406,Nausea,23.00,Vomiting,23.00,,,,,,
863407,Product administered to patient of inappropriate age,
23.00,Wrong product administered,23.00,,,,,,
863408,Blisters,23.00,Herpes zoster,23.00,Ocular discomfort,
23.00,Ocular hyperaemia,23.00,Rash,23.00
863409,Erythema,23.00,Injected limb mobility decreased,23.00,Injection
site pain,23.00,,,,,
863410,Abdominal pain upper,23.00,Chills,23.00,Cough,23.00,Headache,
23.00,Pain in extremity,23.00
863410,Pyrexia,23.00,,,,,,,
863411,Chills,23.00,Dry mouth,23.00,Dysphagia,23.00,Headache,
23.00,Heart rate increased,23.00
863411,Injection site pain,23.00,Insomnia,23.00,Pain,23.00,Speech
disorder,23.00,Tremor,23.00
863412,Injection site pain,23.00,,,,,,,
863413,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Malaise,23.00,,
863414,Headache,23.00,Injection site pain,23.00,Pain,23.00,,,,,
863415,Musculoskeletal stiffness,23.00,Neck pain,23.00,Pyrexia,
23.00,,,,,
863416,Blood culture,22.10,CSF culture,22.10,CSF test,
22.10,Confusional state,22.10,Diplopia,22.10
863416,Headache,22.10,Lumbar puncture,22.10,Magnetic resonance imaging
brain,22.10,Pyrexia,22.10,,
863417,Pain in extremity,23.00,,,,,,,
863418,Diarrhoea,23.00,Full blood count normal,23.00,Irritable bowel

syndrome,23.00,Stool analysis normal,23.00,,
863419,Blood calcium increased,23.00,Blood magnesium normal,
23.00,Blood potassium normal,23.00,Chest X-ray normal,
23.00,Electrocardiogram ST segment abnormal,23.00
863419,Electrocardiogram T wave abnormal,23.00,Full blood count
normal,23.00,Heart rate increased,23.00,International normalised ratio
normal,23.00,Metabolic function test,23.00
863419,Prothrombin time prolonged,23.00,Supraventricular tachycardia,
23.00,Troponin I increased,23.00,,,,,
863440,No adverse event,23.00,Product storage error,23.00,,,,,
863441,Cough,22.10,Decreased appetite,22.10,Dehydration,
22.10,Echocardiogram normal,22.10,Electrocardiogram normal,22.10
863441,Kawasaki's disease,22.10,Laboratory test normal,22.10,Lethargy,
22.10,Pyrexia,22.10,Rash,22.10
863441,Respiratory viral panel,22.10,Viral infection,22.10,Vomiting,
22.10,,,,,
863442,Colposcopy,23.00,Depressed level of consciousness,
23.00,Dizziness,23.00,Human papilloma virus test positive,
23.00,Incomplete course of vaccination,23.00
863442,Visual impairment,23.00,,,,,
863443,Syncope,22.10,,,,,
863444,No adverse event,23.00,Product storage error,23.00,,,,,
863445,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
863446,Incorrect dose administered,23.00,,,,,
863447,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
863448,Paralysis,22.10,,,,,
863449,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
863450,Haematochezia,23.00,,,,,
863451,Injection site erythema,23.00,Injection site swelling,
23.00,Peripheral swelling,23.00,,,,,
863452,Asthenia,23.00,Headache,23.00,Joint stiffness,23.00,Pain,
23.00,Pyrexia,23.00
863453,Streptococcus test negative,23.00,Urticaria,23.00,,,,,
863454,Chills,23.00,Headache,23.00,Injection site pain,23.00,Malaise,
23.00,Neck pain,23.00
863454,Pain in jaw,23.00,Pyrexia,23.00,,,,,
863455,Aggression,23.00,Computerised tomogram abdomen,
23.00,Computerised tomogram head,23.00,Computerised tomogram pelvis,
23.00,Condition aggravated,23.00
863455,Culture throat,23.00,Food refusal,23.00,Full blood count,
23.00,Hypophagia,23.00,Metabolic function test,23.00
863455,Obsessive-compulsive symptom,23.00,Phobia,23.00,Pruritus,
23.00,Screaming,23.00,Selective eating disorder,23.00
863455,Sensory processing disorder,23.00,Streptococcus test,
23.00,Thyroid function test,23.00,Ultrasound abdomen,23.00,Urine
output decreased,23.00
863455,Vitamin D,23.00,,,,,

863461,Gait inability,23.00,Hypoaesthesia,23.00,Laboratory test,
23.00,Paraesthesia,23.00,,
863462,Feeling abnormal,23.00,Injected limb mobility decreased,
23.00,Injection site reaction,23.00,Rash,23.00,Rash papular,23.00
863462,Rash pruritic,23.00,Scab,23.00,,,,,
863463,Chills,23.00,Fatigue,23.00,Headache,23.00,Hyperacusis,
23.00,Injection site erythema,23.00
863463,Myalgia,23.00,Pyrexia,23.00,,,,,
863464,No adverse event,23.00,Wrong product administered,23.00,,,,,
863465,Musculoskeletal pain,23.00,Pain in extremity,23.00,,,,,
863466,Headache,23.00,Influenza like illness,23.00,Lymph node pain,
23.00,Lymphadenopathy,23.00,Oropharyngeal pain,23.00
863466,Respiratory tract congestion,23.00,,,,,
863467,Arthralgia,23.00,Fatigue,23.00,Nausea,23.00,Pyrexia,23.00,,
863468,Mobility decreased,23.00,Rash,23.00,Rash erythematous,
23.00,Rash pruritic,23.00,Swelling,23.00
863469,Arthralgia,23.00,Fatigue,23.00,Pyrexia,23.00,,,,
863470,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site rash,
23.00,Injection site swelling,23.00
863470,Injection site warmth,23.00,,,,,
863471,Arthralgia,23.00,Gait inability,23.00,Hallucination,
23.00,Headache,23.00,Hyperhidrosis,23.00
863471,Middle insomnia,23.00,Mobility decreased,23.00,Pain in
extremity,23.00,Pyrexia,23.00,,
863472,Musculoskeletal stiffness,23.00,Myalgia,23.00,,,,,
863473,Dry skin,23.00,Injection site nodule,23.00,Mastocytoma,
23.00,Skin discolouration,23.00,Skin induration,23.00
863473,Skin swelling,23.00,Skin warm,23.00,,,,,
863479,Expired product administered,23.00,No adverse event,23.00,,,,,
863480,Anxiety,22.10,Chills,22.10,Condition aggravated,
22.10,Depression,22.10,Injection site erythema,22.10
863480,Rheumatoid arthritis,22.10,,,,,
863482,Facial paralysis,22.10,,,,,
863483,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863484,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863485,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863486,Foetal exposure during pregnancy,22.10,Premature baby,
22.10,,,,,
863487,Erythema,23.00,Headache,23.00,Impaired work ability,23.00,Pain
in extremity,23.00,,
863488,Bone pain,23.00,Fatigue,23.00,Lethargy,23.00,Oropharyngeal
pain,23.00,Pain,23.00
863488,Pharyngeal ulceration,23.00,Pyrexia,23.00,Skin ulcer,
23.00,Tongue ulceration,23.00,,
863489,Hypersensitivity,23.00,Urticaria,23.00,,,,,
863490,Wrong product administered,23.00,,,,,

863491,Injection site erythema,23.00,Injection site pain,23.00,,,,,
863493,Crying,23.00,Dyskinesia,23.00,,,,,
863494,Autopsy,22.10,Death,22.10,Resuscitation,22.10,Unresponsive to
stimuli,22.10,,
863495,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site rash,23.00,,
863496,Blood test,22.10,Febrile convulsion,22.10,Pyrexia,
22.10,Seizure,22.10,Urine analysis,22.10
863497,Erythema,23.00,Pain,23.00,Pruritus,23.00,Rash,23.00,,
863498,Rash erythematous,23.00,,,,,,
863499,Chest X-ray abnormal,23.00,Chest pain,23.00,Electrocardiogram
ST-T change,23.00,Injection site pain,23.00,Neck pain,23.00
863499,Pain,23.00,Pain in extremity,23.00,Spinal osteoarthritis,
23.00,,,,
863500,Chills,23.00,Headache,23.00,Injection site pain,23.00,Malaise,
23.00,Pain,23.00
863503,No adverse event,23.00,Product storage error,23.00,,,,,
863504,No adverse event,23.00,Product storage error,23.00,,,,,
863506,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
863507,No adverse event,23.00,Product storage error,23.00,,,,,
863508,No adverse event,23.00,Product storage error,23.00,,,,,
863509,Injection site pain,23.00,Pain in extremity,23.00,,,,,
863510,Neoplasm malignant,22.10,,,,,,
863511,Confusional state,22.10,Encephalitis,22.10,Gait disturbance,
22.10,Haemorrhage intracranial,22.10,Herpes zoster,22.10
863511,Hydrocephalus,22.10,Injection site erythema,22.10,Myalgia,
22.10,Pain,22.10,Rash,22.10
863511,Urinary incontinence,22.10,,,,,,
863512,No adverse event,23.00,Overdose,23.00,Product administered to
patient of inappropriate age,23.00,,,,
863513,No adverse event,23.00,Product preparation error,23.00,,,,,
863514,Expired product administered,23.00,No adverse event,23.00,,,,,
863515,Expired product administered,23.00,No adverse event,23.00,,,,,
863516,Expired product administered,23.00,,,,,,
863517,No adverse event,23.00,Product storage error,23.00,,,,,
863518,No adverse event,23.00,Product storage error,23.00,,,,,
863519,Expired product administered,23.00,No adverse event,23.00,,,,,
863520,Expired product administered,23.00,No adverse event,23.00,,,,,
863522,Pain,23.00,,,,,,
863523,Chills,23.00,Fatigue,23.00,Injection site pain,23.00,Pyrexia,
23.00,,
863524,Urticaria,23.00,,,,,,
863525,Crying,23.00,Diarrhoea,23.00,Eating disorder,23.00,Fatigue,
23.00,Irritability,23.00
863525,Pyrexia,23.00,,,,,,
863526,Product preparation issue,23.00,,,,,,
863527,Hypotonia,23.00,,,,,,
863531,Incorrect dose administered,23.00,No adverse event,23.00,,,,,
863532,Injection site swelling,23.00,Product preparation issue,

23.00,,,,,
863533,Guillain-Barre syndrome,22.10,,,,,
863536,Headache,23.00,Hyperhidrosis,23.00,Pain,23.00,Pyrexia,
23.00,Tremor,23.00
863537,Cough,23.00,Erythema,23.00,Fatigue,23.00,Pyrexia,23.00,Rash,
23.00
863537,Rhinorrhoea,23.00,Varicella,23.00,,,,,
863538,Asthenia,23.00,Chills,23.00,Headache,23.00,Myalgia,
23.00,Nausea,23.00
863538,Rash macular,23.00,Tinnitus,23.00,,,,,
863539,No adverse event,23.00,Product preparation issue,23.00,,,,,
863540,Abdominal pain upper,23.00,Chills,23.00,Diarrhoea,
23.00,Fatigue,23.00,Flatulence,23.00
863540,Nausea,23.00,Pain,23.00,,,,,
863541,Bone pain,23.00,Injection site pain,23.00,Pain,23.00,Pain in
extremity,23.00,,
863542,Abdominal pain upper,23.00,Decreased appetite,23.00,Fatigue,
23.00,Injection site pain,23.00,Pyrexia,23.00
863542,Vomiting,23.00,,,,,
863543,Chills,23.00,Dyspepsia,23.00,Erythema,23.00,Headache,
23.00,Influenza virus test negative,23.00
863543,Nausea,23.00,Pain,23.00,Peripheral swelling,23.00,Pyrexia,
23.00,Tenderness,23.00
863543,Vomiting,23.00,,,,,
863544,Urticaria,23.00,,,,,
863545,Chest X-ray,23.00,Computerised tomogram,23.00,Magnetic
resonance imaging,23.00,Seizure,23.00,,
863546,Injection site erythema,23.00,Injection site urticaria,
23.00,Injection site warmth,23.00,Local reaction,23.00,Urticaria,23.00
863547,Injection site erythema,23.00,Vaccination site swelling,
23.00,,,,,
863548,Fatigue,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pruritus,23.00,Injection site swelling,23.00
863548,Nausea,23.00,Pain in extremity,23.00,Pruritus,23.00,Rash,
23.00,Rash erythematous,23.00
863548,Rash pruritic,23.00,Skin warm,23.00,,,,,
863549,Erythema,23.00,Skin warm,23.00,Swelling,23.00,,,,,
863550,Angioedema,23.00,Dyspnoea,23.00,Flushing,
23.00,Hypersensitivity,23.00,,
863551,Cerebrovascular accident,23.00,,,,,
863553,Skin warm,23.00,Swelling,23.00,,,,,
863554,Arthralgia,23.00,Condition aggravated,23.00,Fibromyalgia,
23.00,Mobility decreased,23.00,,
863555,Erythema,23.00,Swelling,23.00,,,,,
863556,Fatigue,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
863557,Erythema,23.00,Influenza like illness,23.00,Pain in extremity,
23.00,,,,,
863558,Chills,23.00,Influenza like illness,23.00,Pain,23.00,Pruritus,
23.00,Pyrexia,23.00
863558,Rash,23.00,Rash macular,23.00,,,,,

863559,Injection site rash,23.00,Nausea,23.00,Pruritus,23.00,,,,,
863560,Pruritus,23.00,Rash,23.00,,,,,,
863561,Dry mouth,23.00,Pain in extremity,23.00,Paraesthesia oral,
23.00,Pharyngeal swelling,23.00,,
863562,Mobility decreased,23.00,Pain in extremity,23.00,,,,,,
863563,Influenza like illness,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00,Rash,
23.00
863564,Autopsy,22.10,Death,22.10,Resuscitation,22.10,Rhinorrhoea,
22.10,,
863565,Rash erythematous,23.00,Rash pruritic,23.00,,,,,,
863566,Influenza like illness,23.00,Malaise,23.00,Pain in extremity,
23.00,,,,,
863567,Abdominal pain upper,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Myalgia,23.00
863567,Pain in extremity,23.00,,,,,,
863568,Intensive care,22.10,Magnetic resonance imaging brain normal,
22.10,Muscular weakness,22.10,Sensory disturbance,22.10,Vaccination
complication,22.10
863569,Injection site erythema,23.00,Injection site swelling,
23.00,Pain in extremity,23.00,Pyrexia,23.00,Swelling,23.00
863570,Chills,23.00,Discomfort,23.00,Fatigue,23.00,Pain,23.00,,
863571,Adverse reaction,23.00,Cellulitis,23.00,Injected limb mobility
decreased,23.00,Injection site erythema,23.00,Injection site nodule,
23.00
863571,Injection site swelling,23.00,Injection site warmth,
23.00,Pyrexia,23.00,,,,,
863572,Diarrhoea,23.00,Discomfort,23.00,Feeding disorder,
23.00,Irritability,23.00,Vomiting projectile,23.00
863573,Arthralgia,23.00,Chills,23.00,Diarrhoea,23.00,Injection site
bruising,23.00,Nausea,23.00
863573,Pain,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
863574,Abnormal behaviour,23.00,Acoustic stimulation tests,
23.00,Acoustic stimulation tests normal,23.00,Anger,
23.00,Communication disorder,23.00
863574,Decreased eye contact,23.00,Hypersomnia,23.00,Pyrexia,
23.00,Restlessness,23.00,Screaming,23.00
863574,Sleep disorder,23.00,Social avoidant behaviour,
23.00,Somnolence,23.00,Speech disorder,23.00,Unresponsive to stimuli,
23.00
863575,Injection site erythema,23.00,Injection site swelling,
23.00,Local reaction,23.00,,,,,
863576,Abdominal discomfort,23.00,Abdominal pain upper,23.00,Chills,
23.00,Headache,23.00,Injection site pain,23.00
863576,Lymphadenopathy,23.00,Pain,23.00,Pyrexia,23.00,Sleep disorder,
23.00,,
863577,Hypersensitivity,23.00,Injection site erythema,23.00,Injection
site reaction,23.00,Injection site urticaria,23.00,,
863578,Feeling cold,23.00,Headache,23.00,Pain,23.00,Pain in jaw,
23.00,Pyrexia,23.00

863579, Asthenia, 23.00, Chills, 23.00, Erythema, 23.00, Fatigue,
23.00, Headache, 23.00
863579, Injection site swelling, 23.00, Myalgia, 23.00, Nausea, 23.00, Pain
in extremity, 23.00, Rash, 23.00
863580, Chills, 23.00, Diarrhoea, 23.00, Hyperhidrosis, 23.00, Hypoaesthesia,
23.00, Injection site erythema, 23.00
863580, Injection site pain, 23.00, Injection site swelling, 23.00, Muscle
tightness, 23.00, Nausea, 23.00, Neck pain, 23.00
863580, Pain, 23.00, , , , , , , , , , ,
863581, Asthenia, 23.00, Chills, 23.00, Gingival swelling, 23.00, Headache,
23.00, Nausea, 23.00
863581, Pain, 23.00, Pyrexia, 23.00, , , , , , ,
863582, Discomfort, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Injection site swelling, 23.00, Mobility decreased, 23.00
863582, Pain, 23.00, , , , , , , , , , ,
863583, Immediate post-injection reaction, 23.00, Injection site
erythema, 23.00, Injection site extravasation, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00
863583, Injection site warmth, 23.00, , , , , , , , , , ,
863584, Eye pain, 23.00, Herpes zoster, 23.00, , , , , , , , , , ,
863585, Loss of consciousness, 23.00, , , , , , , , , , ,
863586, Arthralgia, 23.00, Joint injury, 23.00, Mobility decreased,
23.00, Peripheral swelling, 23.00, ,
863587, Headache, 23.00, Pyrexia, 23.00, , , , , , , , , , ,
863588, Aphasia, 23.00, Fatigue, 23.00, Hypoaesthesia, 23.00, Paraesthesia,
23.00, Pharyngeal swelling, 23.00
863588, Speech disorder, 23.00, Throat tightness, 23.00, , , , , , , , , , ,
863589, Dizziness, 23.00, Face injury, 23.00, Fall, 23.00, Immediate post-
injection reaction, 23.00, Loss of consciousness, 23.00
863589, Syncope, 23.00, Tooth fracture, 23.00, , , , , , , , , , ,
863590, Fatigue, 23.00, Influenza like illness, 23.00, Injection site pain,
23.00, Pain, 23.00, Sinus congestion, 23.00
863591, Feeling abnormal, 23.00, Injection site pain, 23.00, Insomnia,
23.00, Malaise, 23.00, Musculoskeletal pain, 23.00
863591, Nausea, 23.00, Pain in extremity, 23.00, , , , , , , , , , ,
863592, Fatigue, 23.00, Feeling abnormal, 23.00, Headache, 23.00, Injection
site erythema, 23.00, Injection site pain, 23.00
863592, Myalgia, 23.00, , , , , , , , , , ,
863593, Communication disorder, 23.00, Dyskinesia, 23.00, Erythema,
23.00, Headache, 23.00, Mobility decreased, 23.00
863593, Peripheral swelling, 23.00, Swelling of eyelid, 23.00, , , , , , , , , , ,
863594, Erythema, 23.00, Injection site pain, 23.00, Injection site
swelling, 23.00, Swelling, 23.00, ,
863595, Rash, 23.00, , , , , , , , , , ,
863596, Arthralgia, 23.00, Chills, 23.00, Dizziness, 23.00, Gait inability,
23.00, Myalgia, 23.00
863596, Rhinorrhoea, 23.00, , , , , , , , , , ,
863597, Injection site pain, 23.00, , , , , , , , , , ,
863598, Abdominal discomfort, 23.00, Dizziness, 23.00, Erythema,
23.00, Fatigue, 23.00, Headache, 23.00

863598,Injection site pain,23.00,Nausea,23.00,,,,,
863599,Blood culture negative,23.00,Echocardiogram,
23.00,Echocardiogram normal,23.00,Malaise,23.00,Pyrexia,23.00
863600,Chills,23.00,Condition aggravated,23.00,Migraine,23.00,Pain,
23.00,Pain in extremity,23.00
863601,Chills,23.00,Fatigue,23.00,Feeling abnormal,23.00,Gait
disturbance,23.00,Headache,23.00
863602,Erythema,23.00,Pruritus,23.00,Urticaria,23.00,,,,,
863603,Arthralgia,23.00,Fatigue,23.00,Headache,23.00,Injection site
erythema,23.00,Injection site pain,23.00
863603,Injection site swelling,23.00,Loss of personal independence in
daily activities,23.00,Muscular weakness,23.00,Nausea,23.00,Pain,23.00
863604,Chills,23.00,Headache,23.00,Lethargy,23.00,Pain,23.00,,
863605,Abnormal behaviour,23.00,Delusion,23.00,Lethargy,
23.00,Migraine,23.00,Pyrexia,23.00
863606,Cough,23.00,Lymphadenopathy,23.00,,,,,
863607,Mobility decreased,23.00,Musculoskeletal pain,23.00,Pain in
extremity,23.00,,,,,
863608,Fatigue,23.00,Injection site pain,23.00,Pain,23.00,Pyrexia,
23.00,,
863609,Chills,23.00,Eye pain,23.00,Headache,23.00,Myalgia,
23.00,Pyrexia,23.00
863610,Peripheral swelling,23.00,Skin warm,23.00,,,,,
863611,Herpes zoster,23.00,Loss of personal independence in daily
activities,23.00,Pruritus,23.00,Quality of life decreased,23.00,Sleep
disorder,23.00
863611,Transient acantholytic dermatosis,23.00,,,,,
863612,Influenza,23.00,Rash,23.00,,,,,
863613,Asthenia,23.00,Bursitis,23.00,Injection site warmth,
23.00,Insomnia,23.00,Limb discomfort,23.00
863613,Musculoskeletal pain,23.00,Pain in extremity,23.00,Vaccination
complication,23.00,X-ray limb normal,23.00,,
863614,Arthralgia,23.00,Headache,23.00,Influenza like illness,
23.00,Injection site pain,23.00,Myalgia,23.00
863614,Nausea,23.00,,,,,
863615,Injection site nodule,23.00,Injection site pain,23.00,Pyrexia,
23.00,,,,,
863617,Abdominal pain upper,23.00,Chills,23.00,Fatigue,
23.00,Hypersomnia,23.00,Nausea,23.00
863617,Pyrexia,23.00,Syncope,23.00,,,,,
863618,Exposure during pregnancy,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
863619,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site inflammation,23.00,Injection site pain,
23.00,,
863620,Chills,23.00,Headache,23.00,Myalgia,23.00,Pain,23.00,Pyrexia,
23.00
863621,Fatigue,23.00,Headache,23.00,Influenza like illness,
23.00,Injection site pain,23.00,Myalgia,23.00

863621, Pyrexia, 23.00, , , , , , , , ,
863622, Chills, 23.00, Feeling cold, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site induration, 23.00
863622, Injection site urticaria, 23.00, Pain in extremity, 23.00, , , , , , , ,
863623, Chills, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Headache, 23.00, Insomnia, 23.00
863623, Musculoskeletal stiffness, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , , ,
863624, Injection site swelling, 23.00, Myalgia, 23.00, Nausea, 23.00, , , , ,
863629, Incontinence, 22.10, Loss of consciousness, 22.10, Seizure, 22.10, , , , ,
863630, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
863631, Cerebral palsy, 22.10, , , , , , , , ,
863632, Candida infection, 23.00, , , , , , , , ,
863633, Candida infection, 23.00, Pyrexia, 23.00, , , , , , , ,
863634, Candida infection, 23.00, Pyrexia, 23.00, , , , , , , ,
863635, Candida infection, 23.00, Pyrexia, 23.00, , , , , , , ,
863636, Candida infection, 23.00, Pyrexia, 23.00, , , , , , , ,
863637, Candida infection, 23.00, Pyrexia, 23.00, , , , , , , ,
863638, Product administered to patient of inappropriate age, 23.00, Seizure, 23.00, Wrong product administered, 23.00, , , , ,
863639, Coeliac disease, 23.00, Erythema, 23.00, , , , , , , ,
863640, Altered state of consciousness, 23.00, Fatigue, 23.00, Injected limb mobility decreased, 23.00, Spinal pain, 23.00, ,
863641, Pain in extremity, 23.00, , , , , , , , , ,
863642, Bone pain, 23.00, Chills, 23.00, Cough, 23.00, Dyspnoea, 23.00, Gait disturbance, 23.00
863642, Headache, 23.00, Initial insomnia, 23.00, Loss of personal independence in daily activities, 23.00, Lymph node pain, 23.00, Myalgia, 23.00
863642, Nausea, 23.00, Psychomotor hyperactivity, 23.00, Pyrexia, 23.00, , , , , ,
863643, Chills, 23.00, Headache, 23.00, Influenza like illness, 23.00, Loss of personal independence in daily activities, 23.00, Malaise, 23.00
863643, Oropharyngeal pain, 23.00, Pyrexia, 23.00, , , , , , , ,
863644, Injection site erythema, 23.00, Injection site streaking, 23.00, Injection site swelling, 23.00, , , , , ,
863645, Feeling hot, 23.00, Nausea, 23.00, Vomiting, 23.00, , , , , ,
863646, Injection site pain, 23.00, Joint range of motion decreased, 23.00, , , , , , , ,
863647, Chills, 23.00, Feeling abnormal, 23.00, Headache, 23.00, Pyrexia, 23.00, ,
863648, Erythema, 23.00, Pain, 23.00, Rash, 23.00, Skin discolouration, 23.00, ,
863649, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , ,
863650, Exposure during pregnancy, 23.00, Pregnancy test negative, 23.00, Ultrasound antenatal screen normal, 23.00, , , , , ,
863651, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Skin lesion, 23.00, Swelling, 23.00
863652, Injection site erythema, 23.00, Skin lesion, 23.00, , , , , , , ,
863653, Blood glucose increased, 23.00, Brain natriuretic peptide normal,

23.00, Full blood count, 23.00, Injected limb mobility decreased,
23.00, Injection site pain, 23.00
863653, Injection site swelling, 23.00, Liver function test normal,
23.00, Musculoskeletal stiffness, 23.00, Myocardial necrosis marker
normal, 23.00, Pain, 23.00
863653, White blood cell count increased, 23.00, , , , , , , ,
863654, Vertigo, 23.00, , , , , , , ,
863655, Hypersensitivity, 23.00, Rash, 23.00, Varicella virus test
negative, 23.00, , , , ,
863656, Chills, 23.00, Headache, 23.00, Injection site pain, 23.00, Nausea,
23.00, Pain, 23.00
863656, Pyrexia, 23.00, , , , , , , ,
863657, Bed rest, 23.00, Cough, 23.00, Headache, 23.00, Malaise,
23.00, Myalgia, 23.00
863657, Oropharyngeal pain, 23.00, Pain in extremity, 23.00, Respiratory
tract congestion, 23.00, Rhinorrhoea, 23.00, ,
863658, Headache, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
863658, Myalgia, 23.00, Neck pain, 23.00, Pyrexia, 23.00, , , , ,
863659, Blood culture negative, 23.00, Blood glucose normal, 23.00, Body
temperature increased, 23.00, C-reactive protein normal, 23.00, Culture
urine negative, 23.00
863659, Full blood count normal, 23.00, Hypothermia, 23.00, Irritability,
23.00, Metabolic function test normal, 23.00, Rash erythematous, 23.00
863659, Rash maculo-papular, 23.00, Respiratory viral panel, 23.00, Septic
screen, 23.00, Thyroid function test normal, 23.00, Urine analysis normal,
23.00
863659, Viral test negative, 23.00, , , , , , , ,
863660, Influenza, 23.00, Influenza virus test, 23.00, , , , , , , ,
863662, Injection site erythema, 23.00, Injection site ulcer, 23.00, , , , , , , ,
863663, Injection site swelling, 23.00, , , , , , , ,
863664, Cellulitis, 23.00, , , , , , , ,
863665, Chills, 23.00, Feeling abnormal, 23.00, Pain in extremity, 23.00, , , , ,
863666, Back pain, 23.00, Condition aggravated, 23.00, Hypoaesthesia,
23.00, Pain in extremity, 23.00, Paraesthesia, 23.00
863666, Paraesthesia oral, 23.00, , , , , , , ,
863667, Rash vesicular, 23.00, Scab, 23.00, , , , , , , ,
863668, Diarrhoea, 23.00, Eye swelling, 23.00, Headache, 23.00, Joint
swelling, 23.00, Peripheral swelling, 23.00
863668, Swelling face, 23.00, , , , , , , ,
863669, Rash, 23.00, , , , , , , ,
863670, Pruritus, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, , , , ,
863671, Cellulitis, 23.00, Erythema, 23.00, Injection site urticaria,
23.00, Pain, 23.00, Pallor, 23.00
863671, Pyrexia, 23.00, Rash, 23.00, , , , , , , ,
863672, Fatigue, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Injection site swelling, 23.00, Pain, 23.00
863672, Pyrexia, 23.00, , , , , , , ,
863673, Fatigue, 23.00, Headache, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site swelling, 23.00

863673,Injection site warmth,23.00,Nausea,23.00,Pain in extremity,
23.00,,,,,
863674,Injection site pain,23.00,Mobility decreased,23.00,Neck pain,
23.00,Nuchal rigidity,23.00,,
863675,Febrile convulsion,23.00,Influenza,23.00,Influenza A virus test
positive,23.00,Respiratory syncytial virus infection,23.00,Respiratory
syncytial virus test positive,23.00
863676,Headache,23.00,Pain,23.00,Pruritus,23.00,Pyrexia,23.00,Rash,
23.00
863678,Inflammation,23.00,Pain,23.00,Swelling,23.00,,,,,
863679,Haemorrhage,23.00,Injection site erythema,23.00,Injection site
pruritus,23.00,Injection site warmth,23.00,Pain,23.00
863679,Pyrexia,23.00,Rash,23.00,Vaccination site mass,23.00,,,,,
863681,Injection site swelling,23.00,,,,,,
863682,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
863683,Bone pain,23.00,Chills,23.00,Fatigue,23.00,Feeling abnormal,
23.00,Feeling cold,23.00
863683,Headache,23.00,Influenza,23.00,Influenza like illness,
23.00,Pain,23.00,,
863684,Headache,23.00,Injection site pain,23.00,Pain,23.00,,,,,
863685,Injection site cellulitis,23.00,,,,,,
863686,Arthralgia,23.00,Asthenia,23.00,Chills,23.00,Diarrhoea,
23.00,Fatigue,23.00
863686,Feeling abnormal,23.00,Headache,23.00,Injection site pain,
23.00,Muscle spasms,23.00,Myalgia,23.00
863686,Pyrexia,23.00,Vomiting,23.00,,,,,
863687,Cough,23.00,Erythema,23.00,Papule,23.00,Pyrexia,23.00,Rash,
23.00
863687,Rhinorrhoea,23.00,,,,,,
863688,Erythema,23.00,Swelling,23.00,,,,,
863689,Pain,23.00,Pain in extremity,23.00,,,,,
863690,Extra dose administered,23.00,,,,,
863691,Axillary pain,23.00,Joint range of motion decreased,
23.00,Malaise,23.00,Rash,23.00,Respiratory tract congestion,23.00
863691,Vomiting,23.00,,,,,
863697,Body temperature increased,23.00,Headache,23.00,Myalgia,
23.00,,,,,
863698,Erythema,23.00,Feeling hot,23.00,Myalgia,23.00,Swelling,23.00,,
863699,Deafness bilateral,22.10,Deafness neurosensory,22.10,Tinnitus,
22.10,,,,,
863700,No adverse event,23.00,Product storage error,23.00,,,,,
863701,Erythema,22.10,Herpes zoster,22.10,Pain,22.10,Post herpetic
neuralgia,22.10,Rash vesicular,22.10
863701,Swelling,22.10,,,,,
863702,Herpes zoster,22.10,Neuropathy peripheral,22.10,Rash,22.10,,,,,
863703,No adverse event,23.00,Product storage error,23.00,,,,,
863704,Coma,22.10,Mental disability,22.10,Physical disability,
22.10,,,,,
863705,Tinnitus,23.00,,,,,,

863706,Feeling hot,22.10,Influenza like illness,22.10,Injection site pain,22.10,Loss of consciousness,22.10,Platelet count increased,22.10
863706,Thrombocytosis,22.10,,,,,
863707,Neoplasm malignant,22.10,,,,,
863708,Chills,23.00,Hyperhidrosis,23.00,Injection site erythema,23.00,Injection site pruritus,23.00,Nasopharyngitis,23.00
863708,Oropharyngeal pain,23.00,Pruritus,23.00,,,,,
863709,Erythema,23.00,Swelling,23.00,,,,,
863710,Apgar score low,22.10,Caesarean section,22.10,Foetal exposure during pregnancy,22.10,Low birth weight baby,22.10,Premature baby,22.10
863711,Chills,23.00,Fatigue,23.00,Headache,23.00,Loss of personal independence in daily activities,23.00,Nausea,23.00
863712,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Injection site urticaria,23.00,Injection site warmth,23.00
863713,Swelling of eyelid,23.00,,,,,
863714,Arthritis,23.00,Immediate post-injection reaction,23.00,Pain in extremity,23.00,X-ray limb abnormal,23.00,,
863715,Pain in extremity,23.00,Peripheral swelling,23.00,,,,,
863716,Pain in extremity,23.00,,,,,
863717,Injection site erythema,23.00,Injection site nodule,23.00,Mass,23.00,Peripheral swelling,23.00,Rash,23.00
863717,Skin discolouration,23.00,Swelling face,23.00,Swelling of eyelid,23.00,Urticaria,23.00,,
863718,Dizziness,23.00,Heart rate decreased,23.00,Hot flush,23.00,Hyperhidrosis,23.00,Migraine,23.00
863719,Musculoskeletal stiffness,23.00,Neck pain,23.00,,,,,
863720,Arthralgia,23.00,Feeling cold,23.00,Headache,23.00,Pain,23.00,Skin exfoliation,23.00
863721,Blister,23.00,Erythema,23.00,Oedema peripheral,23.00,Peripheral swelling,23.00,Swelling,23.00
863722,Peripheral swelling,23.00,Rash,23.00,,,,,
863723,Injection site erythema,23.00,Injection site pain,23.00,Injection site pruritus,23.00,Injection site warmth,23.00,Musculoskeletal stiffness,23.00
863724,Erythema,23.00,Mass,23.00,Pain,23.00,Pruritus,23.00,Skin warm,23.00
863724,Swelling,23.00,,,,,
863725,Cellulitis,23.00,Erythema,23.00,Pain in extremity,23.00,Rash,23.00,Sinusitis,23.00
863725,Skin warm,23.00,,,,,
863726,Pruritus,23.00,Urticaria,23.00,,,,,
863728,Fatigue,23.00,Somnolence,23.00,,,,,
863729,Headache,23.00,Injection site pain,23.00,Pain,23.00,,,,,
863730,Rash,23.00,,,,,
863731,Headache,23.00,Malaise,23.00,,,,,
863732,Computerised tomogram head normal,23.00,Facial paralysis,23.00,Magnetic resonance imaging normal,23.00,Paralysis,23.00,,
863733,Abnormal sensation in eye,23.00,Arthralgia,23.00,Asthenia,

23.00, Chills, 23.00, Decreased appetite, 23.00
863733, Dizziness, 23.00, Feeling cold, 23.00, Feeling hot, 23.00, Headache, 23.00, Malaise, 23.00
863733, Mood altered, 23.00, Myalgia, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
863733, Syncope, 23.00, Vomiting, 23.00, , , , , , ,
863734, Borrelia test negative, 23.00, CSF protein increased, 23.00, CSF red blood cell count positive, 23.00, Guillain-Barre syndrome, 23.00, Hypoaesthesia, 23.00
863734, Lumbar puncture, 23.00, Magnetic resonance imaging spinal, 23.00, Muscular weakness, 23.00, , , , ,
863735, Chronic obstructive pulmonary disease, 22.10, Cough, 22.10, Dyspnoea, 22.10, Pneumonia, 22.10, Pyrexia, 22.10
863735, Respiratory failure, 22.10, , , , , , , ,
863736, Headache, 23.00, Lethargy, 23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00, Pain, 23.00
863736, Pyrexia, 23.00, , , , , , , ,
863737, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
863738, Blood glucose, 23.00, Dizziness, 23.00, Loss of consciousness, 23.00, Vomiting, 23.00, ,
863739, Erythema, 23.00, Peripheral swelling, 23.00, , , , , , , ,
863740, Caesarean section, 22.10, Complication of pregnancy, 22.10, Exposure during pregnancy, 22.10, Premature delivery, 22.10, Premature rupture of membranes, 22.10
863740, Ultrasound antenatal screen normal, 22.10, , , , , , , ,
863741, Apgar score normal, 22.10, Foetal exposure during pregnancy, 22.10, Large for dates baby, 22.10, Polyhydramnios, 22.10, Premature baby, 22.10
863742, Apgar score normal, 22.10, Foetal exposure during pregnancy, 22.10, Large for dates baby, 22.10, , , , ,
863743, Magnetic resonance imaging, 23.00, Mobility decreased, 23.00, Pain, 23.00, X-ray, 23.00, ,
863744, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, , , , ,
863745, Injection site pain, 23.00, Loss of personal independence in daily activities, 23.00, , , , , , , ,
863746, Blood glucose, 23.00, Dizziness, 23.00, Syncope, 23.00, Tooth infection, 23.00, ,
863747, Herpes zoster, 23.00, Injection site reaction, 23.00, Injection site vesicles, 23.00, Rash, 23.00, Rash papular, 23.00
863747, Rash pruritic, 23.00, , , , , , , ,
863748, Body temperature increased, 23.00, Chills, 23.00, Hyperhidrosis, 23.00, Myalgia, 23.00, ,
863749, Pyrexia, 23.00, Rash, 23.00, , , , , , , ,
863750, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
863751, Rash, 23.00, , , , , , , ,
863752, Erythema, 23.00, Papule, 23.00, , , , , , , ,
863753, Pyrexia, 23.00, Rash, 23.00, , , , , , , ,
863754, Injection site erythema, 23.00, Injection site pain,

23.00, Injection site urticaria, 23.00, Pyrexia, 23.00, ,
863755, Cellulitis, 23.00, Erythema, 23.00, Swelling, 23.00, , , ,
863756, Chills, 23.00, Myalgia, 23.00, Pyrexia, 23.00, Rash, 23.00, ,
863757, Abdominal discomfort, 23.00, Body temperature increased,
23.00, Chills, 23.00, Dizziness, 23.00, Ear discomfort, 23.00
863758, Abdominal pain upper, 23.00, Chest X-ray, 23.00, Decreased
appetite, 23.00, Pneumonia, 23.00, Respiratory tract congestion, 23.00
863759, Blood test, 23.00, Chills, 23.00, Disorientation, 23.00, Dizziness,
23.00, Fatigue, 23.00
863759, Hyperhidrosis, 23.00, Hypotension, 23.00, Loss of consciousness,
23.00, Pyrexia, 23.00, Urine analysis, 23.00
863760, Erythema, 23.00, Headache, 23.00, Heart rate increased, 23.00, Rash,
23.00, ,
863761, Extra dose administered, 23.00, No adverse event, 23.00, , , , , ,
863762, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Musculoskeletal pain,
23.00, Nausea, 23.00
863762, Pain in extremity, 23.00, Pyrexia, 23.00, , , , , ,
863765, Injection site erythema, 23.00, , , , , , , ,
863766, Blister, 23.00, Cellulitis, 23.00, Dizziness, 23.00, Ear pain,
23.00, Ear swelling, 23.00
863766, Erythema, 23.00, Eyelid function disorder, 23.00, Facial paralysis,
23.00, Headache, 23.00, Herpes zoster oticus, 23.00
863766, Skin ulcer, 23.00, Speech disorder, 23.00, , , , , , ,
863769, Hyperhidrosis, 23.00, Hypopnoea, 23.00, Hypotonia, 23.00, Pallor,
23.00, Respiratory rate increased, 23.00
863770, Influenza like illness, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia,
23.00, Vomiting, 23.00
863771, Rash, 23.00, , , , , , , ,
863772, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , ,
863773, Rash, 23.00, , , , , , , ,
863774, Chills, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Insomnia,
23.00, Pain, 23.00
863774, Tremor, 23.00, , , , , , , ,
863775, Injection site erythema, 23.00, Nausea, 23.00, Vomiting, 23.00, , , ,
863776, Arthralgia, 23.00, Decreased appetite, 23.00, Myalgia, 23.00, Poor
quality sleep, 23.00, Pyrexia, 23.00
863777, Condition aggravated, 22.10, Generalised tonic-clonic seizure,
22.10, Partial seizures, 22.10, Respiratory rate decreased, 22.10, Seizure,
22.10
863778, Blister, 23.00, Injection site erythema, 23.00, Pain,
23.00, Pruritus, 23.00, ,
863779, Erythema, 23.00, Pustule, 23.00, Rash, 23.00, Rash pruritic, 23.00, ,
863780, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, Local reaction, 23.00, Tenderness,
23.00
863781, Blood glucose, 23.00, Syncope, 23.00, , , , , , ,
863782, Diarrhoea, 23.00, Malaise, 23.00, Nausea, 23.00, Vomiting, 23.00, ,
863783, Burning sensation, 23.00, Pruritus, 23.00, , , , , , ,
863784, Chills, 23.00, Electrocardiogram, 23.00, Headache, 23.00, Laboratory

test,23.00,Nausea,23.00
863784,Pain,23.00,Pain in extremity,23.00,Poor quality sleep,
23.00,Pyrexia,23.00,Restlessness,23.00
863784,Syncope,23.00,,,,,
863785,Pruritus,23.00,Rash,23.00,Rash pruritic,23.00,Urticaria,23.00,,
863786,Urticaria,23.00,,,,,
863789,Erythema,23.00,Pain,23.00,Swelling,23.00,Tenderness,23.00,,
863790,Abdominal pain upper,23.00,Nausea,23.00,Pyrexia,23.00,Vomiting,
23.00,,
863791,Injection site erythema,23.00,Injection site warmth,
23.00,Nausea,23.00,,,,
863792,Pain,23.00,,,,,
863793,Cellulitis,23.00,Erythema,23.00,Pyrexia,23.00,Rash,23.00,,
863794,Laboratory test,23.00,Peripheral swelling,23.00,Rash,23.00,,,,
863795,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Loss of
consciousness,23.00,Tinnitus,23.00
863796,Ear pain,23.00,Fatigue,23.00,Otitis media acute,23.00,Pain,
23.00,Pyrexia,23.00
863796,Rash,23.00,Rash pruritic,23.00,,,,,
863797,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,Pyrexia,23.00
863798,Atrial fibrillation,23.00,Condition aggravated,23.00,,,,,
863799,Erythema,23.00,Pain in extremity,23.00,Rash,23.00,,,,
863802,No adverse event,23.00,Product storage error,23.00,,,,,
863803,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Myalgia,23.00,Pain,23.00
863804,Rash,23.00,,,,,
863805,Borrelia test,23.00,Facial paralysis,23.00,Hypoaesthesia oral,
23.00,Paraesthesia oral,23.00,,
863806,Feeling abnormal,23.00,Hormone level abnormal,23.00,Pain in
extremity,23.00,Polycystic ovaries,23.00,Syncope,23.00
863807,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site infection,23.00,Injection site pain,
23.00,Injection site swelling,23.00
863807,Injection site warmth,23.00,,,,,
863808,Injection site cellulitis,23.00,Injection site erythema,
23.00,,,,,
863809,Computerised tomogram,23.00,Dyskinesia,23.00,Nausea,23.00,Pain,
23.00,Pain in extremity,23.00
863809,Vomiting,23.00,X-ray limb,23.00,,,,,
863810,Herpes zoster,23.00,Rash,23.00,,,,,
863811,Erythema,23.00,Skin warm,23.00,,,,,
863812,Nodule,23.00,Pruritus,23.00,,,,,
863813,Erythema,23.00,Rash,23.00,Urticaria,23.00,,,,
863814,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
863815,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Insomnia,23.00,,
863816,Headache,23.00,Pyrexia,23.00,,,,,
863817,Blood electrolytes normal,23.00,Blood potassium decreased,

23.00, Chills, 23.00, Dizziness, 23.00, Influenza like illness, 23.00
863817, Myalgia, 23.00, Palpitations, 23.00, , , , , ,
863838, Injection site swelling, 23.00, , , , , , , ,
863839, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
863840, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
863841, Exposure during pregnancy, 23.00, No adverse event, 23.00, Wrong
product administered, 23.00, , , , , ,
863842, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
863844, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
863845, Bursa disorder, 23.00, , , , , , , ,
863846, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
863847, Expired product administered, 23.00, , , , , , , ,
863848, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, , , , , ,
863850, Chills, 23.00, Nightmare, 23.00, Pyrexia, 23.00, Somnolence, 23.00, ,
863854, Pain in extremity, 23.00, , , , , , , ,
863855, Hot flush, 23.00, Pyrexia, 23.00, Rash, 23.00, Rash erythematous,
23.00, Tooth infection, 23.00
863856, Incorrect route of product administration, 23.00, , , , , , , ,
863857, Feeling abnormal, 23.00, , , , , , , ,
863858, Erythema, 23.00, , , , , , , ,
863859, Injection site pruritus, 23.00, Rash erythematous, 23.00, Rash
pruritic, 23.00, , , , , , ,
863860, Cellulitis, 23.00, , , , , , , ,
863861, Swelling, 23.00, , , , , , , ,
863862, Injection site erythema, 23.00, Injection site oedema, 23.00, , , , , , ,
863863, Injection site erythema, 23.00, Injection site pruritus,
23.00, , , , , , , ,
863865, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
863866, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
863867, Endoscopy abnormal, 23.00, Oesophageal achalasia,
23.00, Oesophageal dilatation, 23.00, Oesophagogastroduodenoscopy
abnormal, 23.00, Productive cough, 23.00
863867, Tremor, 23.00, , , , , , , ,
863868, Chills, 23.00, Diarrhoea, 23.00, Headache, 23.00, Influenza like
illness, 23.00, Myalgia, 23.00
863868, Pyrexia, 23.00, Vomiting, 23.00, , , , , , ,
863869, Chills, 23.00, Fatigue, 23.00, Hyperhidrosis, 23.00, Loss of personal
independence in daily activities, 23.00, Myalgia, 23.00
863869, Pyrexia, 23.00, , , , , , , ,
863870, Oral mucosal erythema, 23.00, Soft tissue swelling, 23.00, , , , , , ,
863871, Peripheral swelling, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , , , ,
863872, Blister, 23.00, Erythema, 23.00, Herpes zoster, 23.00, Injection site
reaction, 23.00, Pain, 23.00
863872, Pruritus, 23.00, Swelling, 23.00, Varicella virus test positive,
23.00, , , , , , ,
863874, Dizziness, 23.00, Ear disorder, 23.00, Fatigue, 23.00, Headache,
23.00, Myalgia, 23.00
863874, Oropharyngeal pain, 23.00, Pyrexia, 23.00, Sinus congestion,

23.00,Somnolence,23.00,,
863875,Chills,23.00,Fatigue,23.00,Feeling cold,23.00,Headache,
23.00,Muscle twitching,23.00
863875,Myalgia,23.00,Neck pain,23.00,,,,,
863876,Chills,23.00,Myalgia,23.00,Tremor,23.00,,,,,
863877,Acoustic stimulation tests,23.00,Deafness unilateral,
23.00,Magnetic resonance imaging brain normal,23.00,Scan with contrast
normal,23.00,Somnolence,23.00
863877,Tinnitus,23.00,,,,,
863878,Incorrect dose administered,23.00,,,,,
863879,Gait disturbance,23.00,Myalgia,23.00,Nausea,23.00,Pain,
23.00,Pain in extremity,23.00
863880,Influenza like illness,23.00,Pyrexia,23.00,,,,,
863881,Headache,23.00,Herpes zoster,23.00,Rash,23.00,,,,,
863882,Injection site bruising,23.00,Injection site discolouration,
23.00,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
863883,Chest X-ray normal,23.00,Cyanosis,23.00,Febrile convulsion,
23.00,Influenza virus test negative,23.00,Pyrexia,23.00
863883,Respiratory syncytial virus test negative,23.00,Tremor,
23.00,,,,,
863884,No adverse event,23.00,Product storage error,23.00,,,,,
863885,No adverse event,23.00,Product storage error,23.00,,,,,
863886,Inappropriate schedule of product administration,23.00,,,,,
863887,Rash,23.00,,,,,
863888,Herpes zoster,23.00,Oral mucosal blistering,23.00,Rash,
23.00,,,,,
863889,Dizziness,23.00,Injection site reaction,23.00,Loss of personal
independence in daily activities,23.00,Rash pruritic,23.00,,
863890,Migraine,23.00,Pyrexia,23.00,,,,,
863891,Back pain,23.00,Chiropractic,23.00,Hypersensitivity,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
863891,Mobility decreased,23.00,Pain in extremity,23.00,,,,,
863894,Cough,23.00,Malaise,23.00,,,,,
863895,Injection site cellulitis,23.00,,,,,
863896,Arthralgia,23.00,Asthenia,23.00,Blood creatinine normal,
23.00,Blood culture negative,23.00,Blood pressure decreased,23.00
863896,Chest X-ray normal,23.00,Chills,23.00,Pain in extremity,
23.00,Pyrexia,23.00,Sepsis,23.00
863896,Urine analysis normal,23.00,White blood cell count increased,
23.00,,,,,
863897,Cough,23.00,Crying,23.00,Diarrhoea,23.00,Feeling abnormal,
23.00,Food refusal,23.00
863897,Hypersomnia,23.00,Infantile back arching,23.00,Poor feeding
infant,23.00,Pyrexia,23.00,Screaming,23.00
863897,Somnolence,23.00,Vomiting,23.00,,,,,
863898,Abdominal pain,23.00,Cough,23.00,Diarrhoea,23.00,Dyspepsia,
23.00,Headache,23.00
863898,Lethargy,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
863899,Febrile convulsion,23.00,Pyrexia,23.00,,,,,

863900,Immediate post-injection reaction,23.00,Injected limb mobility decreased,23.00,Injection site pain,23.00,Injection site reaction, 23.00,Insomnia,23.00
863900,Loss of personal independence in daily activities, 23.00,Magnetic resonance imaging abnormal,23.00,Product administered at inappropriate site,23.00,Rotator cuff repair,23.00,Rotator cuff syndrome,23.00
863900,Sensory disturbance,23.00,,,,,
863901,Axillary pain,23.00,Chills,23.00,Feeling abnormal, 23.00,Immediate post-injection reaction,23.00,Malaise,23.00
863901,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,Vaccination complication,23.00,,
863903,Dizziness,23.00,Influenza like illness,23.00,Pain,23.00,,,,
863904,Dizziness,23.00,Fatigue,23.00,Impaired work ability, 23.00,Lethargy,23.00,Malaise,23.00
863905,Dizziness,23.00,Feeling hot,23.00,Nausea,23.00,,,,
863907,Pruritus,23.00,Urticaria,23.00,,,,,
863908,Chills,23.00,Myalgia,23.00,Pain in extremity,23.00,Pyrexia, 23.00,,
863909,Haemorrhage,23.00,Immediate post-injection reaction, 23.00,Nodule,23.00,Peripheral swelling,23.00,,
863911,Inappropriate schedule of product administration,23.00,No adverse event,23.00,,,,,
863912,Underdose,23.00,,,,,
863913,Chills,23.00,Pyrexia,23.00,,,,,
863914,Expired product administered,23.00,,,,,
863915,Cold sweat,23.00,Fall,23.00,Feeling abnormal,23.00,Head injury, 23.00,Loss of consciousness,23.00
863915,Pallor,23.00,,,,,
863922,Cellulitis,23.00,Erythema,23.00,Injection site pain, 23.00,Musculoskeletal stiffness,23.00,Pain,23.00
863922,Peripheral swelling,23.00,Pruritus,23.00,,,,,
863923,No adverse event,23.00,Product storage error,23.00,,,,,
863924,Injection site erythema,23.00,Injection site swelling, 23.00,,,,,
863925,Meningococcal infection,23.00,,,,,
863926,Back pain,23.00,Blood test,23.00,Chest pain,23.00,Muscle twitching,23.00,Myalgia,23.00
863927,Back pain,22.10,Diarrhoea,22.10,Nausea,22.10,Pyrexia,22.10,,
863928,Back pain,23.00,Diarrhoea,23.00,Nausea,23.00,Pyrexia,23.00,,
863929,Back pain,23.00,Diarrhoea,23.00,Nausea,23.00,Pyrexia,23.00,,
863930,Back pain,23.00,Diarrhoea,23.00,Nausea,23.00,Pyrexia,23.00,,
863931,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
863932,Expired product administered,23.00,No adverse event,23.00,,,,,
863933,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
863934,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
863935,Expired product administered,23.00,No adverse event,23.00,,,,,

863936,Extra dose administered,23.00,No adverse event,23.00,,,,,
863937,Rash,23.00,,,,,
863938,Computerised tomogram,23.00,Dysphagia,23.00,Oropharyngeal
discomfort,23.00,Peritonsillar abscess,23.00,Pharyngeal swelling,23.00
863938,Tonsillar cyst,23.00,Tonsillar hypertrophy,23.00,Tonsillitis,
23.00,,,,,
863939,Beta haemolytic streptococcal infection,23.00,Delivery,
23.00,Exposure during pregnancy,23.00,Streptococcus test positive,
23.00,,
863940,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Single umbilical artery,23.00,,
863941,Beta haemolytic streptococcal infection,23.00,Exposure during
pregnancy,23.00,Streptococcus test positive,23.00,,,,,
863942,Apgar score low,23.00,Breech presentation,23.00,Foetal exposure
during pregnancy,23.00,,,,,
863943,Exposure during pregnancy,23.00,Foetal cardiac disorder,
23.00,Ultrasound antenatal screen abnormal,23.00,,,,,
863944,Exposure during pregnancy,23.00,Foetal cardiac disorder,
23.00,Pyelocaliectasis,23.00,Ultrasound antenatal screen abnormal,
23.00,,
863945,Injection site erythema,23.00,Rash,23.00,,,,,
863946,Chills,23.00,Injection site erythema,23.00,Myalgia,23.00,Pain,
23.00,Pyrexia,23.00
863947,Influenza,23.00,Influenza B virus test positive,23.00,Injection
site erythema,23.00,Injection site infection,23.00,Injection site
warmth,23.00
863947,Pyrexia,23.00,,,,,
863948,Abnormal behaviour,23.00,Analgesic drug level,23.00,Balance
disorder,23.00,Blood ethanol,23.00,Blood sodium normal,23.00
863948,Cerebellar ataxia,23.00,Culture urine,23.00,Differential white
blood cell count,23.00,Drug screen negative,23.00,Full blood count
normal,23.00
863948,Liver function test normal,23.00,Mean cell volume normal,
23.00,Mean platelet volume normal,23.00,Metabolic function test
normal,23.00,Monocyte count increased,23.00
863948,Mydriasis,23.00,Neutrophil count increased,23.00,Protein total
normal,23.00,Red blood cells urine positive,23.00,Specific gravity
urine increased,23.00
863948,Urine ketone body present,23.00,White blood cell count
increased,23.00,White blood cells urine,23.00,,,,,
863949,Chills,23.00,Decreased appetite,23.00,Fatigue,23.00,Headache,
23.00,Injection site pain,23.00
863949,Palpitations,23.00,Pruritus,23.00,Pyrexia,23.00,Rash,
23.00,Restlessness,23.00
863950,Injection site cellulitis,23.00,Injection site swelling,
23.00,,,,,
863951,Injection site erythema,23.00,Injection site oedema,
23.00,Injection site pain,23.00,,,,,
863952,Musculoskeletal pain,23.00,Pain,23.00,,,,,
863953,Chills,23.00,Headache,23.00,Hyperhidrosis,23.00,Tremor,23.00,,

863954,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
863955,Exposure during pregnancy,23.00,Fatigue,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00
863955,Injection site warmth,23.00,Pyrexia,23.00,Tachycardia,
23.00,Upper respiratory tract infection,23.00,,
863956,No adverse event,23.00,Pain,23.00,Pain in extremity,
23.00,Product administered to patient of inappropriate age,
23.00,Pyrexia,23.00
863957,Injection site reaction,23.00,Injection site warmth,23.00,Rash
erythematous,23.00,Rash papular,23.00,,
863958,No adverse event,23.00,Wrong patient received product,
23.00,,,,,
863959,Erythema,23.00,Pain,23.00,Skin warm,23.00,,,,
863960,Anxiety,23.00,Dyspnoea,23.00,Fear of injection,23.00,Pallor,
23.00,Syncope,23.00
863961,Chills,23.00,Erythema,23.00,Induration,23.00,Pain,23.00,Papule,
23.00
863961,Peripheral swelling,23.00,Pyrexia,23.00,Rash,23.00,Sensitive
skin,23.00,Skin warm,23.00
863962,Erythema,23.00,Immediate post-injection reaction,
23.00,Underdose,23.00,Urticaria,23.00,,
863963,Loss of consciousness,23.00,Syncope,23.00,,,,,
863964,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00,Pyrexia,
23.00
863965,Injection site pain,23.00,Joint dislocation,23.00,,,,,
863966,Fatigue,23.00,Injection site pain,23.00,Injection site
swelling,23.00,Pain,23.00,Pyrexia,23.00
863967,Cough,23.00,Injection site rash,23.00,Sneezing,23.00,,,,
863968,Bronchoalveolar lavage,23.00,Chest X-ray normal,
23.00,Computerised tomogram thorax abnormal,23.00,Lung disorder,
23.00,Malaise,23.00
863968,Pneumonia,23.00,Scan with contrast,23.00,Sinusitis,23.00,,,,
863969,No adverse event,23.00,Wrong product administered,23.00,,,,,
863970,Erythema,23.00,Swelling,23.00,,,,,
863971,Erythema,23.00,Pain in extremity,23.00,Pruritus,23.00,,,,
863972,Blood test,23.00,Computerised tomogram,23.00,Generalised tonic-
clonic seizure,23.00,Injection site haemorrhage,23.00,Injection site
reaction,23.00
863972,Joint dislocation,23.00,Magnetic resonance imaging,
23.00,Petechiae,23.00,Spinal compression fracture,23.00,X-ray,23.00
863973,Injection site erythema,23.00,Injection site pain,23.00,,,,,
863974,Arthralgia,23.00,Injection site pain,23.00,Pain,23.00,,,,
863980,Extra dose administered,23.00,Inappropriate schedule of product
administration,23.00,Incorrect dose administered,23.00,Product
administration error,23.00,,
863981,Axillary pain,23.00,Epistaxis,23.00,Erythema,23.00,Oedema
peripheral,23.00,,
863982,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,

863983,Extra dose administered,23.00,Varicella virus test negative,
23.00,,,,,
863984,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
863985,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,
863986,Blood culture positive,23.00,Herpes zoster,23.00,Paraesthesia,
23.00,Rash,23.00,Skin burning sensation,23.00
863986,Smear test,23.00,,,,,
863987,Lip swelling,23.00,Urticaria,23.00,,,,,
863988,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
863989,Injection site induration,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
863990,Rash,23.00,,,,,
864009,No adverse event,23.00,Product storage error,23.00,,,,,
864010,Ischaemic stroke,23.00,,,,,
864011,Deafness neurosensory,23.00,Hearing aid user,23.00,,,,,
864012,No adverse event,23.00,Product storage error,23.00,,,,,
864013,No adverse event,23.00,Product storage error,23.00,,,,,
864014,No adverse event,23.00,Product storage error,23.00,,,,,
864015,No adverse event,23.00,Product storage error,23.00,,,,,
864016,No adverse event,23.00,Product storage error,23.00,,,,,
864017,No adverse event,23.00,Product storage error,23.00,,,,,
864018,Local reaction,23.00,,,,,
864019,Fatigue,23.00,,,,,
864020,Fatigue,23.00,Pain,23.00,,,,,
864021,Injection site erythema,23.00,Injection site pain,23.00,Product
administered to patient of inappropriate age,23.00,,,,,
864022,Arthralgia,23.00,Erythema,23.00,Headache,23.00,Induration,
23.00,Joint swelling,23.00
864022,Neck pain,23.00,Oedema,23.00,Pain in extremity,23.00,Paranasal
sinus discomfort,23.00,Peripheral swelling,23.00
864022,Skin warm,23.00,Swelling,23.00,,,,,
864023,Dry mouth,23.00,Headache,23.00,Nausea,23.00,Pyrexia,
23.00,Thirst,23.00
864024,Erythema,23.00,Pain in extremity,23.00,Skin warm,23.00,,,,,
864025,Hypoaesthesia,23.00,Pain,23.00,Paraesthesia,23.00,,,,,
864026,Chills,23.00,Headache,23.00,Nausea,23.00,Pain in extremity,
23.00,,
864027,Peripheral swelling,23.00,,,,,
864028,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
864029,Alopecia,23.00,Blood test,23.00,,,,,
864030,Inappropriate schedule of product administration,23.00,,,,,
864031,Chills,23.00,Dyspnoea,23.00,Lymphadenopathy,23.00,Pain,23.00,,
864032,Injection site reaction,23.00,Rash maculo-papular,23.00,,,,,
864033,Discomfort,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,,
864034,Circumstance or information capable of leading to medication
error,23.00,Haemorrhage,23.00,Scratch,23.00,,,,,
864035,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain in extremity,

23.00, Pyrexia, 23.00
864048, Arthralgia, 23.00, Erythema, 23.00, Fatigue, 23.00, Feeling hot, 23.00, Injection site erythema, 23.00
864048, Injection site swelling, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00, Swelling, 23.00, Vaccine positive rechallenge, 23.00
864049, Arthralgia, 23.00, Erythema, 23.00, Incorrect route of product administration, 23.00, Weight bearing difficulty, 23.00,,
864050, Injection site erythema, 23.00,,,,,
864051, Erythema, 23.00, Pruritus, 23.00, Rash, 23.00,,,,
864052, Local reaction, 23.00,,,,,
864053, Injection site pain, 23.00,,,,,
864054, Injection site erythema, 23.00, Injection site pruritus, 23.00,,,,,
864055, Fatigue, 23.00,,,,,
864056, Obsessive-compulsive disorder, 23.00,,,,,
864057, Erythema, 23.00, Injection site erythema, 23.00, Skin warm, 23.00, Swelling, 23.00,,
864058, Urticaria, 23.00,,,,,
864059, Arthralgia, 23.00, Immediate post-injection reaction, 23.00, Joint swelling, 23.00, Myalgia, 23.00, Pain in extremity, 23.00
864060, Headache, 23.00, Injection site bruising, 23.00, Injection site erythema, 23.00, Injection site nodule, 23.00, Injection site swelling, 23.00
864060, Nausea, 23.00, Palpitations, 23.00,,,,,
864061, No adverse event, 23.00, Product storage error, 23.00,,,,,
864062, Pain, 23.00, Vomiting, 23.00,,,,,
864063, Injection site pain, 23.00,,,,,
864064, Pruritus, 23.00, Swelling, 23.00,,,,,
864065, Fatigue, 23.00, Nausea, 23.00, Pain, 23.00,,,,
864066, Body temperature increased, 23.00, Chills, 23.00, Feeling of body temperature change, 23.00, Headache, 23.00, Influenza like illness, 23.00
864066, Injection site erythema, 23.00, Injection site swelling, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Rash erythematous, 23.00
864067, Varicella, 23.00,,,,,
864078, Eye discharge, 23.00, Eye pain, 23.00, Herpes ophthalmic, 23.00, Ocular hyperaemia, 23.00, Photophobia, 23.00
864078, Vision blurred, 23.00,,,,,
864080, Exposure during pregnancy, 23.00, Premature delivery, 23.00, Ultrasound antenatal screen normal, 23.00,,,,
864081, No adverse event, 23.00, Wrong product administered, 23.00,,,,,
864082, Dyskinesia, 23.00, Joint hyperextension, 23.00, Lip discolouration, 23.00, Loss of consciousness, 23.00, Muscle contractions involuntary, 23.00
864082, Musculoskeletal stiffness, 23.00, Nausea, 23.00, Pallor, 23.00, Seizure like phenomena, 23.00, Syncope, 23.00
864082, Unresponsive to stimuli, 23.00,,,,,
864083, Apgar score low, 23.00, Foetal exposure during pregnancy, 23.00,,,,,
864084, Exposure during pregnancy, 23.00, Foetal growth restriction, 23.00,,,,,

864085, Beta haemolytic streptococcal infection, 23.00, Exposure during pregnancy, 23.00, Streptococcus test positive, 23.00, , , , ,
864086, Apgar score normal, 23.00, Foetal exposure during pregnancy, 23.00, Premature baby, 23.00, , , , ,
864087, Abdominal pain upper, 23.00, Chills, 23.00, Feeling cold, 23.00, Headache, 23.00, Nausea, 23.00
864087, Skin warm, 23.00, Tremor, 23.00, , , , , , ,
864088, Erythema, 23.00, Rash, 23.00, , , , , , ,
864089, Abscess drainage, 23.00, Abscess sterile, 23.00, Cellulitis, 23.00, Culture negative, 23.00, Drain placement, 23.00
864089, Full blood count, 23.00, Incisional drainage, 23.00, Leukocytosis, 23.00, Pain, 23.00, Pyrexia, 23.00
864089, Red blood cell sedimentation rate increased, 23.00, Surgery, 23.00, Viral test negative, 23.00, White blood cell count increased, 23.00, Wound closure, 23.00
864090, Injection site erythema, 23.00, Injection site pain, 23.00, Vaccination site inflammation, 23.00, , , , ,
864091, Clostridium test negative, 23.00, Culture stool, 23.00, Diarrhoea, 23.00, Parasite stool test negative, 23.00, Polymerase chain reaction, 23.00
864091, Rotavirus test negative, 23.00, , , , , , , , ,
864092, Influenza like illness, 23.00, Injection site bruising, 23.00, , , , , , ,
864093, Erythema, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, Skin warm, 23.00
864094, Circumstance or information capable of leading to medication error, 23.00, Cold sweat, 23.00, Dyskinesia, 23.00, Eye movement disorder, 23.00, Fatigue, 23.00
864094, Heart rate decreased, 23.00, Hyperhidrosis, 23.00, Hypotonia, 23.00, Pallor, 23.00, Presyncope, 23.00
864094, Screaming, 23.00, Unresponsive to stimuli, 23.00, , , , , , ,
864124, Hepatitis A, 23.00, Hepatitis B antibody positive, 23.00, Liver disorder, 23.00, Pyrexia, 23.00, , ,
864125, Exposure during pregnancy, 23.00, No adverse event, 23.00, , , , , , ,
864126, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
864127, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , ,
864128, Product administered to patient of inappropriate age, 23.00, , , , , , , , ,
864129, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
864130, Inappropriate schedule of product administration, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
864131, Circumstance or information capable of leading to medication error, 23.00, Extra dose administered, 23.00, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , ,
864132, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
864133, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
864134, Product administered to patient of inappropriate age, 23.00, , , , , , , , ,
864135, Incorrect route of product administration, 23.00, , , , , , , , ,

864136, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , ,
864137, Expired product administered, 23.00, Incorrect dose administered, 23.00, No adverse event, 23.00, , , , , ,
864138, Ophthalmic herpes zoster, 23.00, , , , , , , , , , , ,
864139, Extra dose administered, 23.00, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , ,
864140, Inappropriate schedule of product administration, 23.00, Product dose omission, 23.00, , , , , , , ,
864141, Headache, 23.00, , , , , , , , , , , ,
864142, Neuropathy peripheral, 23.00, , , , , , , , , , , ,
864143, Injection site induration, 23.00, Injection site pain, 23.00, Rash, 23.00, , , , , ,
864144, Peripheral sensory neuropathy, 23.00, , , , , , , , , , , ,
864145, Aponia, 23.00, Asthenia, 23.00, Balance disorder, 23.00, Blister, 23.00, Chest discomfort, 23.00
864145, Chills, 23.00, Circumstance or information capable of leading to medication error, 23.00, Computerised tomogram, 23.00, Cough, 23.00, Fall, 23.00
864145, Gait disturbance, 23.00, Gait inability, 23.00, Headache, 23.00, Impaired driving ability, 23.00, Limb injury, 23.00
864145, Muscular weakness, 23.00, Oropharyngeal pain, 23.00, Orthosis user, 23.00, Pain, 23.00, Pain in extremity, 23.00
864145, Product complaint, 23.00, Product preparation issue, 23.00, Tendon injury, 23.00, Tremor, 23.00, Viral test negative, 23.00
864145, Vomiting, 23.00, Wheelchair user, 23.00, , , , , , , ,
864146, Asthenia, 23.00, Bronchitis, 23.00, Dizziness, 23.00, Influenza, 23.00, Malaise, 23.00
864146, Nasopharyngitis, 23.00, Pain in extremity, 23.00, Pneumonia, 23.00, Sinus disorder, 23.00, , ,
864147, Enteritis infectious, 23.00, , , , , , , , , , , ,
864148, Cancer in remission, 23.00, Inappropriate schedule of product administration, 23.00, Neoplasm malignant, 23.00, , , , , ,
864151, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , , ,
864152, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , , ,
864153, Expired product administered, 23.00, , , , , , , , , , , ,
864154, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, Wrong product administered, 23.00, , , , , ,
864155, Extra dose administered, 23.00, , , , , , , , , , , ,
864156, Incorrect product formulation administered, 23.00, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , , ,
864157, No adverse event, 23.00, Overdose, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
864158, Overdose, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , , , , , ,
864159, Overdose, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , , , , , ,
864160, No adverse event, 23.00, Underdose, 23.00, , , , , , , , , , , ,
864161, Contusion, 23.00, Mass, 23.00, Rash, 23.00, Skin warm, 23.00, , ,
864162, Back pain, 23.00, Injected limb mobility decreased,

23.00, Injection site pain, 23.00, Myofascitis, 23.00, Neck pain, 23.00
864162, Pain, 23.00, , , , , , , , ,
864163, Cyanosis, 23.00, Eye movement disorder, 23.00, Hyperhidrosis,
23.00, Pallor, 23.00, Unresponsive to stimuli, 23.00
864164, Immobile, 23.00, Myalgia, 23.00, , , , , , ,
864165, Erythema, 23.00, Pruritus, 23.00, Swelling, 23.00, , , , ,
864166, Injection site erythema, 23.00, Injection site pruritus,
23.00, , , , , , , ,
864167, Headache, 23.00, Malaise, 23.00, Pain, 23.00, Pyrexia, 23.00, , ,
864168, Erythema, 23.00, Injection site erythema, 23.00, Peripheral
swelling, 23.00, Pyrexia, 23.00, Skin warm, 23.00
864169, Dizziness, 23.00, Hyperhidrosis, 23.00, Hypopnoea, 23.00, Malaise,
23.00, Unresponsive to stimuli, 23.00
864170, Injection site erythema, 23.00, Injection site oedema,
23.00, Injection site swelling, 23.00, Penile erythema, 23.00, , ,
864174, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
864175, Exposure during pregnancy, 23.00, , , , , , , , ,
864176, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
864177, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , , , ,
864179, Arthralgia, 23.00, Pain in extremity, 23.00, Paraesthesia,
23.00, Tenderness, 23.00, , ,
864180, C-reactive protein normal, 23.00, Full blood count normal,
23.00, Headache, 23.00, Metabolic function test, 23.00, Pyrexia, 23.00
864180, Red blood cell sedimentation rate normal, 23.00, , , , , , , , ,
864181, Injection site pain, 23.00, Neuralgia, 23.00, Pain in extremity,
23.00, Rash, 23.00, Rotator cuff syndrome, 23.00
864182, Chills, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00, , ,
864183, Mechanical urticaria, 23.00, Urticaria chronic, 23.00, , , , , , ,
864184, Expired product administered, 23.00, , , , , , , , ,
864185, Erythema, 23.00, Pain, 23.00, , , , , , , , ,
864186, Confusional state, 23.00, Dizziness, 23.00, Fall, 23.00, Feeling
abnormal, 23.00, Head injury, 23.00
864186, Headache, 23.00, Neck pain, 23.00, Pallor, 23.00, Unresponsive to
stimuli, 23.00, Vomiting, 23.00
864187, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
864188, Arthralgia, 23.00, Blood test normal, 23.00, Burning sensation,
23.00, Electrocardiogram, 23.00, Increased upper airway secretion, 23.00
864188, Joint swelling, 23.00, Laboratory test, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, Productive cough, 23.00
864189, Blood pressure increased, 23.00, Cardiac murmur, 23.00, Headache,
23.00, Malaise, 23.00, Tinnitus, 23.00
864189, Vomiting, 23.00, , , , , , , , ,
864190, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site rash, 23.00, Injection site swelling, 23.00, , ,
864191, Body temperature increased, 23.00, Dyspnoea, 23.00, Incorrect route
of product administration, 23.00, Localised infection, 23.00, , ,
864192, Injection site pain, 23.00, Musculoskeletal stiffness, 23.00, , , , , , ,
864193, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00, , ,

864194,Blood pressure decreased,23.00,Confusional state,
23.00,Dizziness,23.00,Loss of consciousness,23.00,Syncope,23.00
864195,Headache,23.00,Nausea,23.00,Pyrexia,23.00,Swelling,23.00,,
864196,Immobile,23.00,Musculoskeletal pain,23.00,,,,,
864197,Injection site pain,23.00,X-ray limb,23.00,,,,,
864198,Chills,23.00,Pain,23.00,,,,,
864199,Chills,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00,,
864200,Muscle spasms,23.00,Myalgia,23.00,,,,,
864213,Cardiac failure congestive,23.00,Chest pain,23.00,Cough,
23.00,Pneumonia,23.00,Pyrexia,23.00
864214,No adverse event,23.00,Product storage error,23.00,,,,,
864215,Basal ganglia haemorrhage,23.00,Dysarthria,23.00,Pain in
extremity,23.00,Unresponsive to stimuli,23.00,Vomiting,23.00
864216,Acute left ventricular failure,23.00,Atrial fibrillation,
23.00,Cardiac failure congestive,23.00,Dyspnoea,23.00,Herpes zoster,
23.00
864216,Hypertensive heart disease,23.00,Rash,23.00,Rash pruritic,
23.00,,,,,
864218,Vision blurred,23.00,Vitreous detachment,23.00,,,,,
864219,Headache,23.00,Herpes zoster,23.00,Ophthalmic herpes zoster,
23.00,Post herpetic neuralgia,23.00,Rash vesicular,23.00
864219,Vision blurred,23.00,Vitreous detachment,23.00,,,,,
864220,Conjunctivitis viral,23.00,Deafness neurosensory,23.00,Sudden
hearing loss,23.00,Vision blurred,23.00,Visual impairment,23.00
864221,Cough,23.00,Pneumonia,23.00,Respiratory tract congestion,
23.00,,,,,
864222,Demyelinating polyneuropathy,23.00,Dyspnoea,23.00,Guillain-
Barre syndrome,23.00,Muscular weakness,23.00,,
864223,No adverse event,23.00,Product storage error,23.00,,,,,
864224,Blood test,23.00,Dizziness,23.00,Heart rate increased,
23.00,Nausea,23.00,,
864225,Expired product administered,23.00,No adverse event,23.00,,,,,
864226,Cardiomegaly,23.00,Injection site reaction,23.00,Pulmonary
oedema,23.00,,,,,
864227,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
864228,Dry skin,23.00,Lip dry,23.00,Oral herpes,23.00,Rash,23.00,Rash
erythematous,23.00
864229,Headache,23.00,Insomnia,23.00,,,,,
864230,Chills,23.00,Pyrexia,23.00,Swelling,23.00,,,,,
864231,Adverse reaction,23.00,,,,,
864232,Erythema,23.00,Local reaction,23.00,,,,,
864233,Injection site pain,23.00,,,,,
864234,Injected limb mobility decreased,23.00,Injection site pain,
23.00,,,,,
864235,Erythema,23.00,Rash,23.00,Rash erythematous,23.00,Rash papular,
23.00,,
864236,Abnormal dreams,23.00,Asthenia,23.00,Decreased appetite,
23.00,Feeling abnormal,23.00,Thirst,23.00
864237,Abdominal pain upper,23.00,Blood test,23.00,Chest X-ray normal,
23.00,Chills,23.00,Cough,23.00

864237,Diarrhoea,23.00,Headache,23.00,Impaired work ability,
23.00,Malaise,23.00,Pain,23.00
864237,Pain in extremity,23.00,Pyrexia,23.00,Tenderness,23.00,,,,,
864238,Diarrhoea,23.00,Gait inability,23.00,Vaccination site erythema,
23.00,Vaccination site oedema,23.00,Vomiting,23.00
864239,Pyrexia,23.00,Rash,23.00,,,,,,
864240,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,,,,,
864243,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
864244,Rash,23.00,,,,,,
864245,Injection site pain,23.00,Myalgia,23.00,Pain,23.00,,,,,
864246,Herpes zoster,23.00,,,,,,
864247,Herpes zoster,23.00,Immune system disorder,23.00,Vaccination
failure,23.00,,,,,
864248,Chills,23.00,Fatigue,23.00,,,,,,
864249,Asthenia,23.00,Bedridden,23.00,Fatigue,23.00,Injection site
pain,23.00,Magnetic resonance imaging,23.00
864249,Musculoskeletal pain,23.00,Nerve injury,23.00,Product
administered at inappropriate site,23.00,,,,,
864250,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Hangover,
23.00,Injection site pain,23.00
864250,Musculoskeletal pain,23.00,Pain,23.00,Pain in extremity,
23.00,,,,,
864251,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
864252,Influenza like illness,23.00,,,,,,
864253,Rash,23.00,,,,,,
864254,Pain in jaw,23.00,Swelling face,23.00,,,,,
864255,Arthralgia,23.00,Blood culture negative,23.00,Blood lactic acid
normal,23.00,Blood sodium decreased,23.00,Borrelia test negative,23.00
864255,Clostridium test negative,23.00,Complement factor
C3,23.00,Complement factor C4 decreased,23.00,Diarrhoea,23.00,Malaise,
23.00
864255,Myalgia,23.00,Polymerase chain reaction,23.00,Pyrexia,
23.00,Rash,23.00,Rash macular,23.00
864255,Respiratory viral panel,23.00>Total complement activity
decreased,23.00,Urticaria,23.00,White blood cell count normal,23.00,,
864256,Injection site erythema,23.00,Pain in extremity,
23.00,Vaccination site bruising,23.00,Vaccination site rash,23.00,,
864257,Rash,23.00,,,,,,
864258,Chest discomfort,23.00,Feeling abnormal,23.00,Headache,
23.00,Malaise,23.00,,
864259,Anxiety,23.00,Blood pressure increased,23.00,Chest pain,
23.00,Heart rate increased,23.00,Moaning,23.00
864259,Pain,23.00,,,,,,
864260,Erythema,23.00,Pruritus,23.00,Urticaria,23.00,,,,,
864261,Body temperature increased,23.00,,,,,,
864263,Dizziness,23.00,Nausea,23.00,Vomiting,23.00,,,,,
864269,No adverse event,23.00,Product administered to patient of

inappropriate age,23.00,,,,,
864270,Malaise,23.00,,,,,
864271,Product administered to patient of inappropriate age,
23.00,,,,,
864272,Herpes zoster,23.00,Rash,23.00,,,,,
864273,Nausea,23.00,,,,,
864274,Abdominal discomfort,23.00,Bedridden,23.00,Fatigue,
23.00,Headache,23.00,Myalgia,23.00
864275,Erythema,23.00,,,,,
864276,Adverse event,23.00,,,,,
864277,Axillary mass,23.00,Pain,23.00,,,,,
864278,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site warmth,23.00,Pain in extremity,23.00,,
864281,Fatigue,23.00,Feeling hot,23.00,Hypokinesia,23.00,Incomplete
course of vaccination,23.00,Injection site pain,23.00
864282,Asthenia,23.00,Fatigue,23.00,Injection site pain,23.00,Pyrexia,
23.00,,
864283,Injection site erythema,23.00,Injection site mass,
23.00,Injection site pain,23.00,Injection site reaction,
23.00,Injection site warmth,23.00
864283,Myalgia,23.00,,,,,
864284,Incorrect route of product administration,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site pruritus,
23.00,,
864285,Fatigue,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site warmth,23.00,,
864286,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
864287,Asthenia,23.00,Chills,23.00,Headache,23.00,Malaise,23.00,Middle
insomnia,23.00
864287,Pain,23.00,Pain in extremity,23.00,,,,,
864288,Fatigue,23.00,Headache,23.00,Nausea,23.00,,,,,
864289,Cough,23.00,Erythema,23.00,Pruritus,23.00,,,,,
864290,Pharyngeal swelling,23.00,,,,,
864291,Herpes zoster,23.00,,,,,
864292,Injection site erythema,23.00,Injection site warmth,
23.00,Swelling,23.00,Tenderness,23.00,,
864293,Electrocardiogram normal,23.00,Hyperhidrosis,23.00,Immediate
post-injection reaction,23.00,Loss of consciousness,23.00,Malaise,
23.00
864293,Pallor,23.00,,,,,
864296,Blood test normal,23.00,Inappropriate schedule of product
administration,23.00,Measles antibody negative,23.00,Mumps antibody
test negative,23.00,Product administered to patient of inappropriate
age,23.00
864296,Rubella antibody negative,23.00,,,,,
864297,Asthma,23.00,,,,,
864299,Muscular weakness,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
864300,Middle insomnia,23.00,Musculoskeletal pain,23.00,Pain in
extremity,23.00,Sleep disorder,23.00,,

864301,Expired product administered,23.00,No adverse event,23.00,,,,,
864302,Expired product administered,23.00,No adverse event,23.00,,,,,
864303,Expired product administered,23.00,No adverse event,23.00,,,,,
864304,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
864305,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
864306,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
864307,Dizziness,23.00,,,,,
864308,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Joint lock,23.00,Musculoskeletal disorder,23.00,Pain,23.00
864308,Pyrexia,23.00,,,,,
864309,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
864310,Rash papular,23.00,,,,,
864311,Erythema,23.00,Injection site erythema,23.00,,,,,
864312,Decreased appetite,23.00,Dermatitis diaper,23.00,Drooling,
23.00,Erythema,23.00,Irritability,23.00
864312,Rash,23.00,Rhinorrhoea,23.00,Snoring,23.00,,,,,
864317,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
864318,Nausea,23.00,Somnolence,23.00,,,,,
864319,Mobility decreased,23.00,Pain in extremity,23.00,Swelling,
23.00,,,,,
864320,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
864321,Acute cardiac event,23.00,Asthenia,23.00,Dehydration,
23.00,Diarrhoea,23.00,Gastrointestinal disorder,23.00
864321,Nausea,23.00,Sudden death,23.00,Vomiting,23.00,,,,,
864322,Dizziness,23.00,,,,,
864323,Erythema,23.00,Swelling,23.00,,,,,
864324,Pyrexia,23.00,Rash morbilliform,23.00,Rhinorrhoea,23.00,,,,,
864325,Erythema,23.00,Skin warm,23.00,Swelling,23.00,,,,,
864326,Product administration error,23.00,,,,,
864327,Injection site discomfort,23.00,Injection site pain,23.00,Pain
in extremity,23.00,,,,,
864328,Tenderness,23.00,Urticaria,23.00,,,,,
864329,Erythema,23.00,Fatigue,23.00,Myalgia,23.00,Pain,23.00,Pyrexia,
23.00
864329,Skin warm,23.00,Sunburn,23.00,,,,,
864332,Extra dose administered,23.00,,,,,
864333,Dizziness,23.00,Erythema,23.00,Malaise,23.00,Skin warm,
23.00,Swelling,23.00
864334,Exposure during pregnancy,23.00,,,,,
864335,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
864336,Pruritus,23.00,,,,,
864337,Hyperresponsive to stimuli,23.00,Hypotension,23.00,,,,,

864338,Injection site erythema,23.00,Injection site induration,
23.00,Ultrasound scan,23.00,,,,,
864339,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
864340,Fall,23.00,Head injury,23.00,Loss of consciousness,23.00,,,,,
864341,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
864342,Swelling,23.00,,,,,,,
864343,Chills,23.00,Pyrexia,23.00,Tremor,23.00,,,,,
864344,Pain,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
864345,Dizziness,23.00,Laboratory test normal,23.00,Metabolic function
test normal,23.00,Syncope,23.00,,
864346,Aphasia,23.00,Fear,23.00,Mobility decreased,23.00,,,,,
864347,Erythema,23.00,Fatigue,23.00,Flushing,23.00,Headache,
23.00,Injection site pain,23.00
864347,Injection site swelling,23.00,Pyrexia,23.00,,,,,,
864348,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
864349,Feeling cold,23.00,Hyperhidrosis,23.00,Pallor,23.00,Syncope,
23.00,Vomiting,23.00
864350,Rash,23.00,Rash erythematous,23.00,Skin tightness,23.00,,,,,
864351,Chills,23.00,Fatigue,23.00,Influenza virus test negative,
23.00,Injection site erythema,23.00,Injection site pain,23.00
864351,Injection site swelling,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,,,,
864352,Diarrhoea,23.00,Discomfort,23.00,Fatigue,23.00,Pain,23.00,Pain
in extremity,23.00
864353,Chills,23.00,Feeling abnormal,23.00,Myalgia,23.00,Pyrexia,
23.00,,
864354,Abdominal discomfort,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Myalgia,23.00
864354,Pyrexia,23.00,,,,,,,
864355,Eye pruritus,23.00,Peripheral swelling,23.00,,,,,,
864356,Erythema,23.00,Injection site pain,23.00,Musculoskeletal
stiffness,23.00,Skin warm,23.00,,
864357,Rash pruritic,23.00,,,,,,,
864358,Injection site erythema,23.00,Injection site inflammation,
23.00,Pruritus,23.00,,,,,
864359,Mobility decreased,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,,,,,
864360,Asthenia,23.00,Blood test normal,23.00,Dyskinesia,
23.00,Electrocardiogram normal,23.00,Gait disturbance,23.00
864360,Head titubation,23.00,Loss of personal independence in daily
activities,23.00,Magnetic resonance imaging brain normal,
23.00,Movement disorder,23.00,Muscle contractions involuntary,23.00
864360,Neurological examination normal,23.00,Pulmonary function test,
23.00,Pulmonary function test normal,23.00,Speech disorder,
23.00,Tremor,23.00
864361,Dysarthria,23.00,Injection site erythema,23.00,Injection site
warmth,23.00,,,,,

864362,Contusion,23.00,Pain,23.00,Swelling,23.00,,,,,
864363,Injection site erythema,23.00,Injection site mass,
23.00,Injection site warmth,23.00,,,,,
864364,Discomfort,23.00,Injection site pain,23.00,Pain,23.00,Pain in
extremity,23.00,Rotator cuff syndrome,23.00
864365,Skin tightness,23.00,Skin warm,23.00,Swelling,23.00,,,,,
864366,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
864367,Immediate post-injection reaction,23.00,Injected limb mobility
decreased,23.00,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00
864368,Oral herpes,23.00,Pyrexia,23.00,,,,,,
864369,Discomfort,23.00,Injection site erythema,23.00,Pain,23.00,Pain
in extremity,23.00,,
864370,Abdominal pain upper,23.00,Atrial fibrillation,23.00,Back pain,
23.00,Pain,23.00,Pancreatitis,23.00
864370,Vomiting,23.00,,,,,,
864371,Arthralgia,23.00,Gait disturbance,23.00,Neuralgia,
23.00,Orthosis user,23.00,Pain in extremity,23.00
864371,Pruritus,23.00,Rash,23.00,Rash macular,23.00,Walking aid user,
23.00,,
864372,Abdominal discomfort,23.00,Bone pain,23.00,Chills,
23.00,Fatigue,23.00,Feeling cold,23.00
864372,Headache,23.00,Insomnia,23.00,Myalgia,23.00,Pain in extremity,
23.00,Pruritus,23.00
864372,Swelling,23.00,,,,,,
864373,Paraesthesia,23.00,,,,,,
864374,Chills,23.00,Eye swelling,23.00,Headache,23.00,Influenza like
illness,23.00,Pain in extremity,23.00
864374,Pyrexia,23.00,,,,,,
864375,Erythema,23.00,Inflammation,23.00,Pyrexia,23.00,Tenderness,
23.00,,
864376,Abdominal pain,23.00,Anaphylactic reaction,23.00,Cough,
23.00,Swelling,23.00,Urticaria,23.00
864377,Haemorrhage,23.00,Immediate post-injection reaction,
23.00,Inflammation,23.00,,,,,
864378,Asthenia,23.00,Fatigue,23.00,Feeling cold,23.00,Headache,
23.00,Nasal dryness,23.00
864379,Burning sensation,23.00,Chills,23.00,Feeling abnormal,
23.00,Loss of personal independence in daily activities,23.00,Pyrexia,
23.00
864379,Rash,23.00,Skin warm,23.00,Swelling,23.00,,,,,
864380,Rash,23.00,,,,,,
864381,Aphasia,23.00,Autism spectrum disorder,23.00,Brain injury,
23.00,Dyskinesia,23.00,Toe walking,23.00
864381,Vaccination complication,23.00,,,,,,
864382,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
864383,Pain in extremity,23.00,,,,,,
864384,Injection site erythema,23.00,Injection site pruritus,

23.00, Injection site rash, 23.00, Paraesthesia, 23.00,,
864385, Haematochezia, 23.00,,,,,,
864386, Nightmare, 23.00,,,,,,
864387, Laboratory test, 23.00, Loss of consciousness, 23.00, Pyrexia,
23.00,,,,,
864388, Erythema, 23.00, Headache, 23.00, Myalgia, 23.00, Nodule, 23.00, Pain
in extremity, 23.00
864388, Pyrexia, 23.00,,,,,,
864389, Asthenia, 23.00, Chills, 23.00, Headache, 23.00, Injection site pain,
23.00, Nausea, 23.00
864389, Palpitations, 23.00, Pyrexia, 23.00,,,,,
864390, Back pain, 23.00, Body temperature increased, 23.00, Headache,
23.00, Influenza, 23.00, Neck pain, 23.00
864390, Pain, 23.00, Pain in extremity, 23.00,,,,,
864391, Autoimmune haemolytic anaemia, 23.00, Jaundice, 23.00, Pallor,
23.00,,,,,
864392, Burning sensation, 23.00, Pruritus, 23.00,,,,,
864393, Arthralgia, 23.00, Asthenia, 23.00, Cold sweat, 23.00, Decreased
appetite, 23.00, Dizziness, 23.00
864393, Injection site pain, 23.00, Pyrexia, 23.00, Taste disorder,
23.00,,,,,
864405, Exposure during pregnancy, 23.00, No adverse event, 23.00,,,,,
864406, Extra dose administered, 23.00, No adverse event, 23.00,,,,,
864407, Loss of personal independence in daily activities, 23.00, Mental
impairment, 23.00, Neurological symptom, 23.00,,,,,
864408, Chest discomfort, 23.00, Cough, 23.00, Dyspnoea, 23.00, Obstructive
airways disorder, 23.00, Pneumonia, 23.00
864408, Pyrexia, 23.00, Wheezing, 23.00,,,,,
864409, Eye pain, 23.00, Herpes ophthalmic, 23.00, Keratitis, 23.00, Vision
blurred, 23.00,,
864410, Deafness neurosensory, 23.00,,,,,,
864412, Chills, 23.00, Erythema, 23.00, Induration, 23.00, Injection site
erythema, 23.00, Injection site swelling, 23.00
864412, Injection site warmth, 23.00, Joint range of motion decreased,
23.00, Mobility decreased, 23.00, Respiratory tract congestion,
23.00, Swelling, 23.00
864413, Accidental exposure to product, 23.00, Exposure via eye contact,
23.00, Exposure via skin contact, 23.00, Headache, 23.00,,
864414, Immediate post-injection reaction, 23.00, Syncope, 23.00,,,,,
864415, Type 2 diabetes mellitus, 23.00,,,,,,
864416, Inappropriate schedule of product administration, 23.00,,,,,,
864417, Herpes zoster, 23.00,,,,,,
864418, Eye pain, 23.00, Headache, 23.00, Injection site irritation,
23.00, Pyrexia, 23.00, Vomiting, 23.00
864419, Discomfort, 23.00, Hypoaesthesia, 23.00, Musculoskeletal pain,
23.00, Musculoskeletal stiffness, 23.00, Product administered at
inappropriate site, 23.00
864420, Dyspnoea, 23.00, Rash, 23.00,,,,,
864421, Chest X-ray abnormal, 23.00, Drug ineffective, 23.00, Impaired work
ability, 23.00, Lower limb fracture, 23.00, Malaise, 23.00

864421,Pneumonia,23.00,,,,,,,,,
864423,Contusion,23.00,Discomfort,23.00,Injection site discolouration,
23.00,Injection site discomfort,23.00,Injection site irritation,23.00
864423,Injection site swelling,23.00,Lymph node pain,
23.00,Lymphadenopathy,23.00,Malaise,23.00,Musculoskeletal stiffness,
23.00
864423,Myalgia,23.00,Pain in extremity,23.00,Rash,23.00,Swelling,
23.00,,
864424,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
864425,Headache,23.00,Injected limb mobility decreased,23.00,Injection
site pain,23.00,Malaise,23.00,Pain in extremity,23.00
864426,Chills,23.00,Hypotension,23.00,Pyrexia,23.00,Vaccination
complication,23.00,,
864427,Injection site erythema,23.00,Injection site pain,
23.00,Pyrexia,23.00,Vomiting,23.00,,
864428,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site reaction,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
864428,Lymphadenopathy,23.00,,,,,,,,,
864431,Pain,23.00,,,,,,,,,
864432,Influenza,23.00,Vaccination failure,23.00,,,,,,,,,
864433,Arthralgia,23.00,,,,,,,,,
864434,Urticaria,23.00,,,,,,,,,
864435,Borrelia test negative,23.00,Brain natriuretic peptide
increased,23.00,C-reactive protein increased,23.00,Chills,
23.00,Dizziness,23.00
864435,Fibrin D dimer increased,23.00,Haematocrit normal,
23.00,Haemoglobin normal,23.00,Headache,23.00,International normalised
ratio normal,23.00
864435,Laboratory test normal,23.00,Pain,23.00,Platelet count normal,
23.00,Prothrombin time normal,23.00,Red blood cell sedimentation rate
increased,23.00
864435,Vitamin D,23.00,,,,,,,,,
864436,Rash,23.00,,,,,,,,,
864437,Pain in extremity,23.00,Vertigo,23.00,,,,,,,,,
864438,Rash pruritic,23.00,,,,,,,,,
864439,Skin discolouration,23.00,,,,,,,,,
864440,Pyrexia,23.00,,,,,,,,,
864441,Syncope,23.00,,,,,,,,,
864442,Headache,23.00,Injected limb mobility decreased,23.00,Injection
site erythema,23.00,Injection site pain,23.00,Pruritus,23.00
864442,Rash,23.00,Rash erythematous,23.00,Rash papular,23.00,,,,,
864443,Pyrexia,23.00,,,,,,,,,
864444,Continuous positive airway pressure,23.00,Respiratory distress,
23.00,,,,,,,,,
864445,Deafness unilateral,23.00,Dizziness,23.00,Ear discomfort,
23.00,Fatigue,23.00,Feeling abnormal,23.00
864445,Magnetic resonance imaging,23.00,Vertigo,23.00,,,,,,,,,
864446,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,

864447, Fatigue, 23.00, Flushing, 23.00, Injection site reaction, 23.00, Rash erythematous, 23.00,,
864448, Injection site induration, 23.00, Injection site urticaria, 23.00, Injection site warmth, 23.00,,,,,
864449, Erythema, 23.00, Pain, 23.00, Skin wound, 23.00,,,,,
864450, Arthralgia, 23.00, Blood glucose normal, 23.00, Fatigue, 23.00, Headache, 23.00,,
864451, Wrong product administered, 23.00,,,,,,
864452, Blood immunoglobulin G, 23.00, Blood immunoglobulin M, 23.00, Chills, 23.00, Cough, 23.00, Culture throat, 23.00
864452, Polymerase chain reaction, 23.00, Pyrexia, 23.00, Rash, 23.00, Urine analysis, 23.00,,
864460, Hepatitis B antibody negative, 23.00,,,,,,
864461, No adverse event, 23.00, Product storage error, 23.00,,,,,
864462, Dyspnoea, 23.00,,,,,,
864463, Arthralgia, 23.00, Injection site pain, 23.00, Pain in extremity, 23.00,,,,,
864464, Decreased appetite, 23.00, Lethargy, 23.00, Pyrexia, 23.00,,,,,
864465, Erythema, 23.00, Skin warm, 23.00, Urticaria, 23.00,,,,,
864466, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Loss of personal independence in daily activities, 23.00, Pain, 23.00
864466, Pain in extremity, 23.00,,,,,,
864467, Delirium, 23.00, Dysgraphia, 23.00, Impaired driving ability, 23.00, Mobility decreased, 23.00, Muscular weakness, 23.00
864467, Pyrexia, 23.00,,,,,,
864468, Rash, 23.00, Urticaria, 23.00,,,,,
864469, Biopsy skin, 23.00, Eye pain, 23.00, Influenza like illness, 23.00, Rash, 23.00,,
864470, Erythema, 23.00, Influenza like illness, 23.00, Lymphadenopathy, 23.00, Odynophagia, 23.00, Pustule, 23.00
864470, Rash, 23.00, Rash macular, 23.00, Rash papular, 23.00, Rash pruritic, 23.00, Salivary gland enlargement, 23.00
864470, Urticaria, 23.00,,,,,,
864471, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Tenderness, 23.00,,
864472, Diarrhoea, 23.00, Pyrexia, 23.00, Vomiting, 23.00,,,,,
864473, Blister, 23.00, Erythema, 23.00, Pruritus, 23.00, Rash, 23.00, Scab, 23.00
864483, Expired product administered, 23.00, No adverse event, 23.00,,,,,
864484, Erythema, 23.00, Headache, 23.00, Pain, 23.00, Rash, 23.00,,
864485, Abdominal pain lower, 23.00, Abdominal pain upper, 23.00, Chills, 23.00, Condition aggravated, 23.00, Feeling of body temperature change, 23.00
864485, Irritable bowel syndrome, 23.00,,,,,,
864486, Extra dose administered, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00,,
864487, Rash macular, 23.00, Rash pruritic, 23.00,,,,,
864488, Injection site reaction, 23.00, Rash, 23.00, Rash erythematous, 23.00,,,,,
864489, Cough, 23.00, Productive cough, 23.00, Wheezing, 23.00,,,,,

864490,Diarrhoea,23.00,Influenza like illness,23.00,,,,,
864491,Pain in extremity,23.00,,,,,
864492,Herpes zoster,23.00,Migraine with aura,23.00,Photophobia,
23.00,,,,
864493,Blood test,23.00,Cough,23.00,Electrocardiogram,23.00,Eye
pruritus,23.00,Eye swelling,23.00
864493,Feeling hot,23.00,Flushing,23.00,Ocular hyperaemia,
23.00,Oropharyngeal pain,23.00,Pain,23.00
864493,Stomatitis,23.00,Throat irritation,23.00,X-ray,23.00,,,
864499,Injection site erythema,23.00,,,,,
864500,No adverse event,23.00,Product storage error,23.00,,,,,
864501,No adverse event,23.00,Product storage error,23.00,,,,,
864502,No adverse event,23.00,Product preparation issue,23.00,,,,,
864503,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong patient received product,23.00,,,
864504,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
864505,Expired product administered,23.00,No adverse event,23.00,,,,,
864506,Influenza,23.00,Influenza A virus test positive,
23.00,Vaccination failure,23.00,,,
864507,Pruritus,23.00,Rash,23.00,,,,,
864508,Pain,23.00,Pain in extremity,23.00,,,,,
864509,Dizziness,23.00,Headache,23.00,Nausea,23.00,Vision blurred,
23.00,,
864510,Erythema,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Nausea,23.00
864510,Pain,23.00,Peripheral swelling,23.00,Pyrexia,23.00,,,
864511,Blister,23.00,Scab,23.00,Varicella,23.00,,,
864512,Erythema,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Skin warm,23.00
864512,Swelling,23.00,,,,,
864513,Breath holding,23.00,Crying,23.00,Eye movement disorder,
23.00,Skin discolouration,23.00,,
864514,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Pyrexia,23.00,,
864515,Erythema,23.00,Pain in extremity,23.00,Swelling,23.00,,,
864516,Injection site cellulitis,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,
864517,Cellulitis,23.00,,,,,
864518,Chills,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
864518,Lethargy,23.00,Nausea,23.00,Photophobia,23.00,Pyrexia,
23.00,Rhinorrhoea,23.00
864518,Thirst,23.00,,,,,
864519,Lip swelling,23.00,Swelling face,23.00,Urticaria,23.00,,,
864520,Injection site rash,23.00,Malaise,23.00,Rash,23.00,Sinusitis,
23.00,,
864521,Injection site joint movement impairment,23.00,Injection site
pain,23.00,X-ray limb,23.00,,,
864522,Inappropriate schedule of product administration,

23.00, Incorrect dose administered, 23.00, , , , , ,
864523, Mobility decreased, 23.00, Pain in extremity, 23.00, , , , , ,
864524, Erythema, 23.00, , , , , , ,
864525, Rash erythematous, 23.00, Rash pruritic, 23.00, , , , , ,
864526, Chills, 23.00, Headache, 23.00, Pain in extremity, 23.00, Pruritus,
23.00, Pyrexia, 23.00
864526, Rash, 23.00, , , , , , , ,
864527, Abdominal discomfort, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , , ,
864528, Aphasia, 23.00, Decreased eye contact, 23.00, Eczema, 23.00, , , , ,
864529, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , ,
864530, Bacterial infection, 23.00, Injection site erythema,
23.00, Injection site reaction, 23.00, Injection site swelling,
23.00, Pain, 23.00
864532, Cough, 23.00, Laryngitis, 23.00, , , , , , ,
864533, Rash, 23.00, Urticaria, 23.00, , , , , , ,
864534, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , ,
864535, Oral discomfort, 23.00, Pruritus, 23.00, Rash, 23.00, Urticaria,
23.00, ,
864536, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site urticaria, 23.00, , , , ,
864537, Abdominal pain upper, 23.00, Contusion, 23.00, Injection site pain,
23.00, Pain, 23.00, ,
864538, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , ,
864540, Bursitis, 23.00, Pain, 23.00, Shoulder injury related to vaccine
administration, 23.00, Tendonitis, 23.00, X-ray limb, 23.00
864546, Arthralgia, 23.00, Arthritis, 23.00, Dermatitis allergic,
23.00, Dizziness, 23.00, Headache, 23.00
864546, Herpes zoster, 23.00, Hyperhidrosis, 23.00, Laboratory test normal,
23.00, Malaise, 23.00, Nausea, 23.00
864546, Pain in extremity, 23.00, Urticaria, 23.00, Urticaria chronic,
23.00, Vomiting, 23.00, ,
864548, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
864549, Chest pain, 23.00, Gastroesophageal reflux disease,
23.00, Hepatitis B DNA assay negative, 23.00, Hepatitis B core antibody
negative, 23.00, Hepatitis Be antigen negative, 23.00
864549, Hepatitis B surface antibody positive, 23.00, Hepatitis B surface
antigen negative, 23.00, , , , , , ,
864550, Pneumonia, 23.00, , , , , , , ,
864551, Herpes zoster, 23.00, , , , , , , ,
864552, Chest pain, 23.00, Chronic obstructive pulmonary disease,
23.00, Discomfort, 23.00, Dyspnoea, 23.00, Facial paralysis, 23.00
864552, Pneumonia, 23.00, Transient ischaemic attack, 23.00, , , , , , ,
864553, Circumstance or information capable of leading to medication
error, 23.00, No adverse event, 23.00, , , , , , ,
864554, Inappropriate schedule of product administration, 23.00, , , , , , , ,
864555, Herpes zoster, 23.00, , , , , , , ,
864556, Herpes zoster, 23.00, , , , , , , ,
864557, Hepatitis B DNA assay positive, 23.00, Hepatitis B core antibody

positive,23.00,Hepatitis B e antibody negative,23.00,Hepatitis B e antigen negative,23.00,Viral load undetectable,23.00
864558,Chills,23.00,Cough,23.00,Insomnia,23.00,Malaise,23.00,Nausea,23.00
864558,Pyrexia,23.00,,,,,,
864559,Dizziness,23.00,Nausea,23.00,,,,,
864560,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
864561,Chills,23.00,Headache,23.00,Injection site swelling,23.00,Myalgia,23.00,,
864563,Hypotonia,23.00,Unresponsive to stimuli,23.00,,,,,
864564,Antibody test negative,23.00,,,,,,
864565,No adverse event,23.00,Product storage error,23.00,,,,,
864566,Pneumonia,23.00,,,,,,
864567,Herpes zoster,23.00,,,,,,
864568,Abnormal behaviour,23.00,Alanine aminotransferase normal,23.00,Anion gap,23.00,Aspartate aminotransferase normal,23.00,Base excess increased,23.00
864568,Basophil count normal,23.00,Basophil percentage,23.00,Blood albumin normal,23.00,Blood alkaline phosphatase normal,23.00,Blood bicarbonate normal,23.00
864568,Blood bilirubin normal,23.00,Blood calcium normal,23.00,Blood chloride normal,23.00,Blood creatinine,23.00,Blood glucose normal,23.00
864568,Blood pH normal,23.00,Blood potassium normal,23.00,Blood sodium normal,23.00,Blood urea normal,23.00,Carbon dioxide decreased,23.00
864568,Chest X-ray normal,23.00,Decreased appetite,23.00,Drug screen negative,23.00,Dyspnoea,23.00,Electrocardiogram normal,23.00
864568,Eosinophil count normal,23.00,Eosinophil percentage,23.00,Fibrin D dimer,23.00,Fraction of inspired oxygen,23.00,Haematocrit increased,23.00
864568,Haemoglobin increased,23.00,Headache,23.00,Limb discomfort,23.00,Lymphocyte count increased,23.00,Lymphocyte percentage,23.00
864568,Malaise,23.00,Mean cell haemoglobin concentration normal,23.00,Mean cell haemoglobin normal,23.00,Mean cell volume normal,23.00,Mean platelet volume decreased,23.00
864568,Monocyte count normal,23.00,Monocyte percentage,23.00,Neutrophil count normal,23.00,PCO2 increased,23.00,Platelet count normal,23.00
864568,Protein total normal,23.00,Red blood cell count normal,23.00,Red cell distribution width normal,23.00,Somnolence,23.00,Troponin I,23.00
864568,Urine analysis normal,23.00,White blood cell count normal,23.00,Yellow skin,23.00,,,,
864569,Injection site bruising,23.00,Injection site erythema,23.00,Injection site rash,23.00,Vomiting,23.00,,
864570,Drug hypersensitivity,23.00,Injection site bruising,23.00,Injection site discolouration,23.00,Injection site erythema,23.00,Injection site rash,23.00
864570,Injection site swelling,23.00,Injection site warmth,23.00,,,,,,

864571,Immediate post-injection reaction,23.00,Injection site pain,
23.00,Pain,23.00,Pain in extremity,23.00,Ultrasound scan,23.00
864572,No adverse event,23.00,Product storage error,23.00,,,,,
864573,Cough,23.00,Oropharyngeal pain,23.00,Pain,23.00,Pruritus,
23.00,Swelling,23.00
864574,Arthralgia,23.00,Chills,23.00,Headache,23.00,Injection site
pain,23.00,Myalgia,23.00
864574,Pyrexia,23.00,,,,,
864575,Early onset familial Alzheimer's disease,23.00,,,,,
864576,Back pain,23.00,Gait inability,23.00,Mobility decreased,
23.00,Peripheral swelling,23.00,,
864577,Injection site pain,23.00,Pain in extremity,23.00,,,,,
864578,Blindness,23.00,Deafness,23.00,Myalgia,23.00,,,,,
864579,Chills,23.00,Pyrexia,23.00,Skin warm,23.00,,,,,
864580,Product administered to patient of inappropriate age,
23.00,,,,,
864581,Abdominal pain,23.00,Emotional distress,23.00,Irritability,
23.00,,,,,
864582,Arthralgia,23.00,Fatigue,23.00,Headache,23.00,Injection site
pain,23.00,Myalgia,23.00
864587,Expired product administered,23.00,No adverse event,23.00,,,,,
864588,No adverse event,23.00,Product storage error,23.00,,,,,
864589,Transient ischaemic attack,23.00,,,,,
864590,Abdominal pain,23.00,Back pain,23.00,Burning sensation,
23.00,Herpes zoster,23.00,Radicular pain,23.00
864591,Injection site swelling,23.00,Mobility decreased,23.00,,,,,
864592,Herpes zoster,23.00,,,,,
864593,Herpes zoster,23.00,,,,,
864594,No adverse event,23.00,Product administered at inappropriate
site,23.00,,,,,
864595,Asthenia,23.00,Dizziness,23.00,Palpitations,23.00,,,,,
864596,Blister,23.00,Rash,23.00,Rash pruritic,23.00,,,,,
864609,Trigeminal neuralgia,23.00,,,,,
864610,Deafness neurosensory,23.00,Tinnitus,23.00,,,,,
864611,Herpes zoster,23.00,,,,,
864612,Expired product administered,23.00,No adverse event,23.00,,,,,
864613,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
864614,Blood test,23.00,Extra dose administered,23.00,No adverse
event,23.00,,,,,
864615,Product administered to patient of inappropriate age,
23.00,Wrong product administered,23.00,,,,,
864616,Expired product administered,23.00,No adverse event,23.00,,,,,
864617,No adverse event,23.00,Wrong product administered,23.00,,,,,
864618,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
864619,Headache,23.00,,,,,
864620,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
864621,No adverse event,23.00,Product administered to patient of

inappropriate age,23.00,,,,,
864622,Expired product administered,23.00,No adverse event,23.00,,,,,
864623,No adverse event,23.00,Overdose,23.00,Product administered to
patient of inappropriate age,23.00,,,,,
864624,Cough,23.00,Eye irritation,23.00,Fatigue,23.00,Heart rate
increased,23.00,Ocular hyperaemia,23.00
864624,Throat tightness,23.00,,,,,
864625,Blood test normal,23.00,Complication of pregnancy,
23.00,Delivery,23.00,Exposure during pregnancy,23.00,Foetal non-stress
test normal,23.00
864625,Placental disorder,23.00,Ultrasound antenatal screen normal,
23.00,,,,,
864627,Condition aggravated,23.00,Dry skin,23.00,Eczema,23.00,Rash
erythematous,23.00,,
864628,Chills,23.00,Diarrhoea,23.00,Influenza A virus test negative,
23.00,Influenza B virus test,23.00,Influenza virus test negative,23.00
864628,Pyrexia,23.00,Vomiting,23.00,,,,,
864629,Rash,23.00,,,,,
864630,Blood creatinine increased,23.00,Blood pressure increased,
23.00,Caesarean section,23.00,Exposure during pregnancy,23.00,Pre-
eclampsia,23.00
864630,Premature delivery,23.00,Protein urine present,23.00,,,,,
864631,Abdominal pain upper,23.00,Chills,23.00,Ear pain,
23.00,Injection site pain,23.00,Nausea,23.00
864631,Pain,23.00,Pain in extremity,23.00,Paraesthesia,23.00,Pyrexia,
23.00,,
864632,Injection site induration,23.00,,,,,
864633,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site urticaria,23.00,,,,,
864634,Product administered to patient of inappropriate age,
23.00,,,,,
864635,Injection site nodule,23.00,Injection site pruritus,23.00,,,,,
864637,Herpes zoster,23.00,,,,,
864638,Antinuclear antibody negative,23.00,C-reactive protein normal,
23.00,Joint range of motion decreased,23.00,Loss of personal
independence in daily activities,23.00,Periarthritis,23.00
864638,Rheumatoid factor negative,23.00,,,,,
864639,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Skin warm,23.00,,
864640,Muscle spasms,23.00,Pain in extremity,23.00,,,,,
864641,Dyspepsia,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
864642,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
864643,Chills,23.00,Injection site erythema,23.00,Injection site pain,
23.00,Tremor,23.00,,
864644,Arthralgia,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,
864645,Urticaria,23.00,,,,,
864646,Abdominal pain upper,23.00,Diarrhoea,23.00,Syncope,23.00,,,,,
864647,Cold sweat,23.00,Influenza,23.00,Injection site reaction,
23.00,Malaise,23.00,Myalgia,23.00

864647,Nasopharyngitis,23.00,Rash erythematous,23.00,,,,,
864648,Blister,23.00,Immediate post-injection reaction,23.00,,,,,
864649,Urticaria,23.00,,,,,
864650,Injection site swelling,23.00,,,,,
864663,No adverse event,23.00,Product storage error,23.00,,,,,
864664,Herpes zoster,23.00,,,,,
864665,Herpes zoster,23.00,,,,,
864666,Herpes zoster,23.00,,,,,
864667,Myelitis transverse,23.00,,,,,
864668,Myelitis transverse,23.00,,,,,
864669,Exposure during pregnancy,23.00,Pregnancy test positive,
23.00,Seroconversion test negative,23.00,,,,,
864670,Seroconversion test negative,23.00,,,,,
864671,Erythema,23.00,Feeling hot,23.00,Gait disturbance,
23.00,Mobility decreased,23.00,Ocular discomfort,23.00
864671,Peripheral swelling,23.00,,,,,
864672,Ill-defined disorder,23.00,Joint swelling,23.00,Limb
discomfort,23.00,Myalgia,23.00,Neuralgia,23.00
864672,Pain,23.00,Pain in extremity,23.00,,,,,
864673,Induration,23.00,Limb mass,23.00,,,,,
864674,Adverse reaction,23.00,,,,,
864675,Biopsy skin abnormal,23.00,Lichen striatus,23.00,Rash,23.00,,,,,
864676,Chills,23.00,Feeling cold,23.00,Night sweats,23.00,Pain,
23.00,Pyrexia,23.00
864677,Ectopic pregnancy,23.00,Exposure during pregnancy,23.00,Human
chorionic gonadotropin increased,23.00,Mass,23.00,Muscle spasms,23.00
864677,Pain,23.00,Surgery,23.00,Ultrasound antenatal screen abnormal,
23.00,Vaginal haemorrhage,23.00,,
864678,Computerised tomogram normal,23.00,Feeling hot,23.00,Head
injury,23.00,Hyperhidrosis,23.00,Loss of consciousness,23.00
864678,Musculoskeletal stiffness,23.00,Pain,23.00,Suture insertion,
23.00,X-ray normal,23.00,,
864679,Blood thyroid stimulating hormone,23.00,Epstein-Barr virus
antibody,23.00,Fatigue,23.00,Full blood count,23.00,Headache,23.00
864679,Hyperaesthesia,23.00,Hypersomnia,23.00,Influenza virus test
negative,23.00,Injected limb mobility decreased,23.00,Injection site
erythema,23.00
864679,Injection site pain,23.00,Injection site reaction,
23.00,Laboratory test,23.00,Limb discomfort,23.00,Metabolic function
test,23.00
864679,Mononucleosis heterophile test,23.00,Pain in extremity,
23.00,Pyrexia,23.00,Thyroxine free,23.00,Vomiting,23.00
864680,Dyspnoea,23.00,Headache,23.00,Injection site swelling,
23.00,Urticaria,23.00,,
864685,Herpes zoster,23.00,,,,,
864686,Herpes zoster oticus,23.00,,,,,
864687,Herpes zoster,23.00,,,,,
864688,Injection site pain,23.00,Injection site warmth,23.00,,,,,
864689,Formication,23.00,Musculoskeletal stiffness,23.00,,,,,
864690,Hepatitis B antibody negative,23.00,Therapy non-responder,

23.00,,,,,
864691, Concussion, 23.00, Fall, 23.00, Head injury, 23.00, Presyncope,
23.00,,
864692, Erythema, 23.00, Malaise, 23.00, Pain, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00
864692, Pruritus, 23.00, Pyrexia, 23.00, Skin warm, 23.00,,,,,
864693, Pain, 23.00,,,,,
864694, Arthralgia, 23.00, Condition aggravated, 23.00, Fibromyalgia,
23.00, Incomplete course of vaccination, 23.00, Insomnia, 23.00
864694, Myalgia, 23.00,,,,,
864695, Chills, 23.00, Headache, 23.00, Hypersomnia, 23.00, Influenza like
illness, 23.00, Myalgia, 23.00
864695, Nausea, 23.00, Nightmare, 23.00, Pain in extremity, 23.00, Peripheral
swelling, 23.00, Pyrexia, 23.00
864696, Chills, 23.00, Cough, 23.00, Decreased appetite,
23.00, Hyperhidrosis, 23.00, Nasal congestion, 23.00
864697, Dizziness, 23.00, Muscle spasms, 23.00, Nocturia, 23.00,,,,,
864698, Chills, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00,,,,,
864699, Product administered to patient of inappropriate age,
23.00,,,,,
864709, Herpes zoster, 23.00,,,,,
864710, Polymyalgia rheumatica, 23.00,,,,,
864711, Herpes zoster, 23.00,,,,,
864712, Herpes zoster, 23.00,,,,,
864713, Product administered to patient of inappropriate age,
23.00,,,,,
864714, Pyrexia, 23.00,,,,,
864715, Injection site haemorrhage, 23.00,,,,,
864716, Immune system disorder, 23.00,,,,,
864717, Pain, 23.00, Pain in extremity, 23.00,,,,,
864718, Pain in extremity, 23.00,,,,,
864719, Headache, 23.00, Myalgia, 23.00, Pain, 23.00,,,,,
864720, Discomfort, 23.00, Headache, 23.00, Pain, 23.00, Vaccine positive
rechallenge, 23.00,,
864721, Balance disorder, 23.00, Dizziness, 23.00,,,,,
864722, Fatigue, 23.00, Local reaction, 23.00, Neuralgia, 23.00,,,,,
864723, Hepatitis B antibody negative, 23.00, Therapeutic response
decreased, 23.00,,,,,
864724, Rash, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, Rash
pustular, 23.00,,
864725, Herpes zoster, 23.00,,,,,
864727, Miliaria, 23.00, Rash, 23.00,,,,,
864728, Body temperature increased, 23.00, Cough, 23.00, Respiratory
symptom, 23.00, Respiratory tract congestion, 23.00,,
864729, Cellulitis, 23.00, Erythema, 23.00, Extra dose administered,
23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
864730, Depressed level of consciousness, 23.00, Dysgeusia, 23.00, Feeling
hot, 23.00, Glossodynia, 23.00, Headache, 23.00
864730, Injection site pain, 23.00, Injection site swelling, 23.00, Oral
pain, 23.00, Pain, 23.00, Paraesthesia, 23.00

864730, Paraesthesia oral, 23.00, Perineal pain, 23.00, , , , , , ,
864731, Hyperhidrosis, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , , ,
864732, CSF test abnormal, 23.00, Gait disturbance, 23.00, Guillain-Barre
syndrome, 23.00, Immunoglobulin therapy, 23.00, Lumbar puncture, 23.00
864732, Magnetic resonance imaging spinal abnormal, 23.00, Muscular
weakness, 23.00, , , , , , ,
864733, Presyncope, 23.00, , , , , , , ,
864734, Chills, 23.00, Pain in extremity, 23.00, Peripheral coldness,
23.00, Pyrexia, 23.00, Skin warm, 23.00
864735, Guillain-Barre syndrome, 23.00, Lumbar puncture, 23.00, Magnetic
resonance imaging, 23.00, Nerve conduction studies, 23.00, ,
864736, Asthenia, 23.00, Chills, 23.00, Influenza like illness, 23.00, Vision
blurred, 23.00, ,
864737, Abdominal discomfort, 23.00, Chills, 23.00, Diarrhoea,
23.00, Headache, 23.00, Influenza like illness, 23.00
864737, Injection site bruising, 23.00, Neck pain, 23.00, Pain,
23.00, Vomiting, 23.00, ,
864738, Hyperhidrosis, 23.00, Injection site erythema, 23.00, Injection
site pain, 23.00, Injection site warmth, 23.00, Tachycardia, 23.00
864740, Pyrexia, 23.00, Rash, 23.00, Urticaria, 23.00, , , , ,
864741, Injection site erythema, 23.00, Injection site reaction,
23.00, Rash macular, 23.00, , , , ,
864742, Abdominal X-ray, 23.00, Back pain, 23.00, Culture urine negative,
23.00, Rash, 23.00, Urine analysis normal, 23.00
864742, X-ray normal, 23.00, , , , , , , ,
864743, Asthenia, 23.00, Mobility decreased, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, Skin warm, 23.00
864744, Injection site rash, 23.00, , , , , , , ,
864745, Extra dose administered, 23.00, Wrong patient received product,
23.00, , , , , , , ,
864746, Abdominal pain upper, 23.00, Dizziness, 23.00, Myalgia,
23.00, Pyrexia, 23.00, Vomiting, 23.00
864747, Cellulitis, 23.00, Immediate post-injection reaction,
23.00, Injection site erythema, 23.00, Injection site induration,
23.00, Injection site swelling, 23.00
864747, Pain, 23.00, , , , , , , ,
864748, Rash, 23.00, Rash macular, 23.00, Rash papular, 23.00, , , , ,
864749, Rash, 23.00, Urticaria, 23.00, , , , , , ,
864750, Rash, 23.00, , , , , , , ,
864764, Asthenia, 23.00, Breath sounds abnormal, 23.00, Cough,
23.00, Oropharyngeal pain, 23.00, Pyrexia, 23.00
864764, Throat irritation, 23.00, , , , , , , ,
864765, Herpes zoster, 23.00, , , , , , , ,
864766, Extra dose administered, 23.00, Herpes zoster, 23.00, , , , , , ,
864767, Herpes zoster, 23.00, , , , , , , ,
864768, Contraindication to vaccination, 23.00, Disseminated varicella
zoster vaccine virus infection, 23.00, Rash, 23.00, Vaccination error,
23.00, , ,
864769, Herpes zoster, 23.00, , , , , , , ,
864770, Herpes zoster, 23.00, , , , , , , ,

864771,Herpes zoster,23.00,,,,,
864772,Herpes zoster,23.00,,,,,
864774,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,Vaccine positive
rechallenge,23.00,,
864775,Fall,23.00,Loss of consciousness,23.00,,,,,
864776,Blood culture negative,23.00,C-reactive protein normal,
23.00,Computerised tomogram head normal,23.00,Culture urine negative,
23.00,Full blood count normal,23.00
864776,Herpes simplex test negative,23.00,Human herpesvirus 6
encephalitis,23.00,Hypophagia,23.00,Hypotonia,23.00,Influenza virus
test negative,23.00
864776,Irritability,23.00,Lumbar puncture normal,23.00,Metabolic
function test normal,23.00,Neck pain,23.00,Pain,23.00
864776,Polymerase chain reaction,23.00,Procalcitonin normal,
23.00,Respiratory syncytial virus test negative,23.00,Roseolovirus
test positive,23.00,Urine analysis normal,23.00
864777,Diarrhoea,23.00,Vomiting,23.00,,,,,
864778,Back pain,23.00,Diarrhoea,23.00,Headache,23.00,Musculoskeletal
pain,23.00,Neuralgia,23.00
864778,Pain in extremity,23.00,,,,,
864779,Chills,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,23.00,,
864780,Fatigue,23.00,Rash vesicular,23.00,,,,,
864781,Injection site erythema,23.00,Injection site induration,
23.00,Injection site warmth,23.00,,,,,
864782,Chills,23.00,Decreased appetite,23.00,Hypersomnia,
23.00,Impaired work ability,23.00,Limb discomfort,23.00
864782,Pain in extremity,23.00,,,,,
864783,Inappropriate schedule of product administration,23.00,,,,,
864785,Hypoaesthesia,23.00,,,,,
864786,Syncope,23.00,,,,,
864787,Pain,23.00,Pain in extremity,23.00,Skin warm,23.00,Urticaria,
23.00,,
864788,Erythema,23.00,Injection site erythema,23.00,Pruritus,23.00,,,,,
864789,Erythema,23.00,Immediate post-injection reaction,23.00,Pain,
23.00,Swelling,23.00,,
864790,Headache,23.00,Injection site urticaria,23.00,Pyrexia,23.00,,,,,
864791,Asthenia,23.00,Dizziness,23.00,Headache,23.00,Hyperaesthesia,
23.00,,
864792,Condition aggravated,23.00,Magnetic resonance imaging,
23.00,Parotitis,23.00,Salivary gland calculus,23.00,,
864794,Dizziness,23.00,Fatigue,23.00,Nausea,23.00,,,,,
864795,Chills,23.00,Erythema,23.00,Peripheral swelling,23.00,Pyrexia,
23.00,,
864796,Chills,23.00,Injection site induration,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Pain,23.00
864796,Pyrexia,23.00,,,,,
864797,Asthenia,23.00,Impaired driving ability,23.00,Injection site
bruising,23.00,Injection site inflammation,23.00,Injection site pain,
23.00
864797,Injection site swelling,23.00,Loss of personal independence in

daily activities,23.00,Muscular weakness,23.00,Pain in extremity,
23.00,Sensory loss,23.00
864797,Sleep disorder,23.00,,,,,
864798,Bursitis,23.00,Crying,23.00,Injected limb mobility decreased,
23.00,Injection site joint pain,23.00,Injection site pain,23.00
864798,Joint range of motion measurement,23.00,Pain in extremity,
23.00,Shoulder injury related to vaccine administration,23.00,X-ray,
23.00,,
864799,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,
864800,Amnesia,23.00,Clavicle fracture,23.00,Cognitive disorder,
23.00,Dysarthria,23.00,Fall,23.00
864800,Magnetic resonance imaging,23.00,,,,,
864801,Dizziness,23.00,Stress,23.00,,,,,
864802,Adverse reaction,23.00,Erythema,23.00,Peripheral swelling,
23.00,Pruritus,23.00,Pyrexia,23.00
864803,Mobility decreased,23.00,Musculoskeletal disorder,
23.00,Pyrexia,23.00,Swelling,23.00,Vomiting,23.00
864804,Erythema,23.00,Skin warm,23.00,Swelling,23.00,Tenderness,
23.00,,
864805,Arthralgia,23.00,Fatigue,23.00,Influenza like illness,
23.00,Injection site erythema,23.00,Injection site pain,23.00
864805,Injection site swelling,23.00,Lymphadenopathy,23.00,Pyrexia,
23.00,,,
864806,Insomnia,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,
864807,Erythema,23.00,Peripheral swelling,23.00,Skin warm,
23.00,Tenderness,23.00,,
864808,Exposure during pregnancy,23.00,Hypoaesthesia,23.00,Injected
limb mobility decreased,23.00,Insomnia,23.00,Pain,23.00
864808,Pain in extremity,23.00,,,,,
864809,Chills,23.00,Muscle fatigue,23.00,Pain,23.00,,,
864821,No adverse event,23.00,Product storage error,23.00,,,,,
864822,Deafness,23.00,,,,,
864823,Herpes zoster,23.00,,,,,
864824,Herpes zoster,23.00,,,,,
864825,Facial paralysis,23.00,,,,,
864826,No adverse event,23.00,Product storage error,23.00,,,,,
864827,Syncope,23.00,,,,,
864828,Herpes zoster,23.00,,,,,
864829,Antibody test negative,23.00,Incorrect route of product
administration,23.00,,,,,
864830,Herpes zoster,23.00,,,,,
864831,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
864832,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
864833,Chills,23.00,Fatigue,23.00,Pain,23.00,,,
864834,Pain,23.00,,,,,
864835,Injection site cellulitis,23.00,Injection site pain,
23.00,Product complaint,23.00,,,,

864836, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
864837, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , ,
864838, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, Product storage error, 23.00, , , , ,
864839, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
864840, No adverse event, 23.00, Product preparation issue, 23.00, , , , , ,
864841, Fatigue, 23.00, Headache, 23.00, Injection site pain,
23.00, Insomnia, 23.00, Myalgia, 23.00
864842, Chills, 23.00, Fatigue, 23.00, Injection site erythema,
23.00, Injection site joint pain, 23.00, Injection site swelling, 23.00
864843, Abdominal discomfort, 23.00, Abdominal pain upper, 23.00, Altered
state of consciousness, 23.00, Asthenia, 23.00, Chills, 23.00
864843, Constipation, 23.00, Headache, 23.00, Muscle spasms, 23.00, Myalgia,
23.00, Pain, 23.00
864843, Posture abnormal, 23.00, Pyrexia, 23.00, , , , , ,
864845, Induration, 23.00, Pruritus, 23.00, Swelling, 23.00, , , , ,
864846, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, Wrong product administered, 23.00, , , , ,
864847, Amnesia, 23.00, Confusional state, 23.00, Dizziness, 23.00, Fatigue,
23.00, Generalised tonic-clonic seizure, 23.00
864847, Immediate post-injection reaction, 23.00, Loss of consciousness,
23.00, Mydriasis, 23.00, Postictal state, 23.00, , ,
864849, Herpes zoster, 23.00, , , , , , , , ,
864850, Chills, 23.00, Peripheral swelling, 23.00, Rash, 23.00, , , , ,
864851, Asthenia, 23.00, Herpes zoster, 23.00, Pain, 23.00, Post herpetic
neuralgia, 23.00, , ,
864853, Pain, 23.00, Pyrexia, 23.00, , , , , ,
864854, Hepatic enzyme increased, 23.00, Liver function test increased,
23.00, , , , , , ,
864855, Headache, 23.00, Pain in extremity, 23.00, , , , , ,
864856, Breast cancer female, 23.00, Circumstance or information capable
of leading to medication error, 23.00, Lymphadenectomy, 23.00, Product
administered at inappropriate site, 23.00, , ,
864858, Product administered to patient of inappropriate age,
23.00, Wrong product administered, 23.00, , , , , ,
864859, Product administered to patient of inappropriate age,
23.00, , , , , , , , ,
864860, Inappropriate schedule of product administration, 23.00, Myalgia,
23.00, , , , , , ,
864861, Erythema, 23.00, Localised oedema, 23.00, Pain, 23.00, Skin warm,
23.00, , ,
864862, Rash, 23.00, , , , , , , , ,
864863, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , , ,
864865, Joint range of motion decreased, 23.00, Magnetic resonance
imaging, 23.00, Pain, 23.00, Quality of life decreased, 23.00, , ,
864866, Exposure during pregnancy, 23.00, Human chorionic gonadotropin
increased, 23.00, Human chorionic gonadotropin negative, 23.00, , , , ,
864867, Peripheral swelling, 23.00, , , , , , , , ,

864872,Acute coronary syndrome,23.00,Acute myocardial infarction,
23.00,Chest pain,23.00,Herpes zoster,23.00,Musculoskeletal pain,23.00
864872,Pain,23.00,Pain in extremity,23.00,Rash,23.00,,,,,
864873,Injection site pruritus,23.00,,,,,,
864874,Decreased vibratory sense,23.00,Electromyogram normal,
23.00,Facet joint syndrome,23.00,Hyperaesthesia,23.00,Hypoaesthesia,
23.00
864874,Hyporeflexia,23.00,Intervertebral disc degeneration,
23.00,Intervertebral disc space narrowing,23.00,Magnetic resonance
imaging spinal abnormal,23.00,Osteoarthritis,23.00
864874,Pain in extremity,23.00,Paraesthesia,23.00,Sensory loss,
23.00,Spinal disorder,23.00,Spinal flattening,23.00
864874,Spinal osteoarthritis,23.00,Spinal stenosis,23.00,X-ray limb
abnormal,23.00,,,,,
864875,Injection site pain,23.00,,,,,,
864876,Oral herpes,23.00,,,,,,
864877,Cystitis,23.00,,,,,,
864878,Pain in extremity,23.00,Pyrexia,23.00,,,,,
864880,Crying,23.00,Feeling abnormal,23.00,Injection site pain,
23.00,Musculoskeletal stiffness,23.00,,
864881,Body temperature increased,23.00,Erythema,23.00,Injection site
erythema,23.00,Injection site swelling,23.00,Muscle spasms,23.00
864881,Musculoskeletal stiffness,23.00,Skin warm,23.00,,,,,
864882,Cellulitis,23.00,,,,,,
864883,Hypoaesthesia,23.00,Rash,23.00,Swelling face,23.00,Urticaria,
23.00,,
864884,Unevaluable event,23.00,,,,,,
864885,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,Influenza like
illness,23.00,Myalgia,23.00
864885,Pain in extremity,23.00,,,,,,
864886,Hyperhidrosis,23.00,Malaise,23.00,Pallor,23.00,,,,,
864887,Erythema,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,23.00,Swelling,
23.00
864887,Tenderness,23.00,,,,,,
864888,Injection site urticaria,23.00,,,,,,
864889,Back pain,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Hypoaesthesia,23.00
864889,Injection site pain,23.00,Night sweats,23.00,Sinus pain,
23.00,Testicular pain,23.00,Tremor,23.00
864893,Herpes zoster,23.00,,,,,,
864894,Chills,23.00,Pain,23.00,Vaccine positive rechallenge,23.00,,,,,
864895,Allergy to vaccine,23.00,Drug hypersensitivity,23.00,Food
allergy,23.00,,,,,
864896,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
864897,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Large for dates baby,23.00,,,,,
864898,Anticonvulsant drug level,23.00,Condition aggravated,
23.00,Seizure,23.00,,,,,
864899,Hypersensitivity,23.00,Injection site erythema,23.00,Local

reaction,23.00,Pain,23.00,Rash,23.00
864899,Vaccination complication,23.00,,,,,,,,,
864900,Confusional state,23.00,Crying,23.00,Dyspnoea,23.00,Febrile
convulsion,23.00,Respiratory arrest,23.00
864900,Unresponsive to stimuli,23.00,,,,,,,,,
864901,Asthenia,23.00,Mobility decreased,23.00,Nasopharyngitis,
23.00,Tremor,23.00,,
864902,Chills,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Injection site pain,23.00
864902,Lethargy,23.00,Neck pain,23.00,Pain,23.00,Pain in extremity,
23.00,Pyrexia,23.00
864903,Intussusception,23.00,,,,,,,,,
864904,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,
864905,Paraesthesia,23.00,,,,,,,,,
864906,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Rash,23.00,Urticaria,23.00
864908,Abdominal distension,23.00,Areflexia,23.00,Asthenia,
23.00,Ataxia,23.00,CSF test normal,23.00
864908,Computerised tomogram head normal,23.00,Demyelinating
polyneuropathy,23.00,Dysphagia,23.00,Electromyogram abnormal,
23.00,Endotracheal intubation,23.00
864908,Gastrostomy,23.00,Guillain-Barre syndrome,23.00,Headache,
23.00,Immunoglobulin therapy,23.00,Injection site pain,23.00
864908,Mechanical ventilation,23.00,Muscle strength abnormal,
23.00,Myalgia,23.00,Nausea,23.00,Paraesthesia,23.00
864908,Plasmapheresis,23.00,Pyrexia,23.00,Respiratory failure,
23.00,Respiratory muscle weakness,23.00,Tracheostomy,23.00
864908,Weaning failure,23.00,,,,,,,,,
864909,Inappropriate schedule of product administration,23.00,,,,,,,,,
864910,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site induration,23.00,Injection site pain,
23.00,Injection site swelling,23.00
864911,Erythema,23.00,Skin warm,23.00,,,,,,,,,
864912,Arthritis,23.00,Grip strength decreased,23.00,Musculoskeletal
stiffness,23.00,X-ray limb abnormal,23.00,,
864913,Axillary pain,23.00,Chills,23.00,Fatigue,23.00,Pain in
extremity,23.00,Pyrexia,23.00
864914,Petechiae,23.00,,,,,,,,,
864915,Urticaria,23.00,,,,,,,,,
864916,Ear infection,23.00,Ear pain,23.00,Pyrexia,23.00,,,,,
864917,Pain,23.00,Rash,23.00,Rash papular,23.00,Rash pruritic,
23.00,Skin tightness,23.00
864918,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pain,23.00,,
864919,Cellulitis,23.00,Injection site swelling,23.00,,,,,,,,,
864920,Injection site discolouration,23.00,Injection site induration,
23.00,Irritability,23.00,Pyrexia,23.00,,
864921,Apnoea,23.00,Cyanosis,23.00,Pallor,23.00,,,,,
864922,Injection site pain,23.00,Myalgia,23.00,Swelling,23.00,,,,,
864923,Mobility decreased,23.00,,,,,,,,,

864924, Arthralgia, 23.00, Asthenia, 23.00, Feeling abnormal, 23.00, Headache, 23.00, Insomnia, 23.00
864924, Mobility decreased, 23.00, Myalgia, 23.00, Tremor, 23.00, , , , ,
864926, Asthenia, 23.00, Blood creatine phosphokinase normal, 23.00, Blood test normal, 23.00, Bursitis, 23.00, C-reactive protein normal, 23.00
864926, Dyskinesia, 23.00, Exposure during pregnancy, 23.00, Full blood count, 23.00, Injected limb mobility decreased, 23.00, Injection site pain, 23.00
864926, Magnetic resonance imaging abnormal, 23.00, Metabolic function test normal, 23.00, Muscle oedema, 23.00, Pain in extremity, 23.00, Product administered at inappropriate site, 23.00
864926, Red blood cell sedimentation rate normal, 23.00, , , , , , , , ,
864927, Chills, 23.00, Erythema, 23.00, Feeling hot, 23.00, Pain, 23.00, Pyrexia, 23.00
864927, Swelling, 23.00, , , , , , , , ,
864928, Injection site pain, 23.00, , , , , , , , ,
864929, Headache, 23.00, Influenza like illness, 23.00, Nasopharyngitis, 23.00, , , , ,
864930, Headache, 23.00, Injection site mass, 23.00, Pyrexia, 23.00, , , , ,
864931, Immunisation, 23.00, No adverse event, 23.00, Product preparation issue, 23.00, , , , ,
864932, Injection site pain, 23.00, Loss of personal independence in daily activities, 23.00, Mobility decreased, 23.00, , , , ,
864933, Pain in extremity, 23.00, , , , , , , , ,
864934, Injection site erythema, 23.00, Injection site swelling, 23.00, Product administered at inappropriate site, 23.00, , , , ,
864935, Immediate post-injection reaction, 23.00, Injection site pain, 23.00, , , , , , ,
864936, Rash, 23.00, , , , , , , , ,
864937, Erythema, 23.00, Mass, 23.00, Pain, 23.00, , , , ,
864938, Unevaluable event, 23.00, , , , , , , , ,
864948, Product storage error, 23.00, , , , , , , , ,
864949, Herpes zoster, 23.00, , , , , , , , ,
864950, Herpes zoster, 23.00, , , , , , , , ,
864951, Herpes zoster, 23.00, , , , , , , , ,
864952, Herpes zoster, 23.00, , , , , , , , ,
864953, Deafness unilateral, 23.00, Ear discomfort, 23.00, Lumbar puncture, 23.00, Magnetic resonance imaging brain abnormal, 23.00, Optic neuritis, 23.00
864953, Visual impairment, 23.00, , , , , , , , ,
864954, Blindness, 23.00, Visual impairment, 23.00, , , , , , , , ,
864955, Immediate post-injection reaction, 23.00, Oropharyngeal discomfort, 23.00, Urticaria, 23.00, , , , ,
864956, Pain in extremity, 23.00, , , , , , , , ,
864957, No adverse event, 23.00, Overdose, 23.00, Product administered to patient of inappropriate age, 23.00, , , , ,
864958, Myalgia, 23.00, Neuralgia, 23.00, Pyrexia, 23.00, , , , ,
864959, Asthma, 23.00, Bronchial hyperreactivity, 23.00, Dyspnoea, 23.00, , , , ,
864960, Expired product administered, 23.00, , , , , , , , ,
864961, Rash, 23.00, Rash erythematous, 23.00, Rash maculo-papular,

23.00,Rash pruritic,23.00,,
864962,Hypersensitivity,23.00,Sneezing,23.00,Throat tightness,
23.00,,,,,
864965,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
864966,No adverse event,23.00,Wrong product administered,23.00,,,,,,
864967,Diarrhoea,23.00,Myalgia,23.00,Nausea,23.00,,,,,
864968,Adverse event,23.00,,,,,,,
864969,Fatigue,23.00,Injection site pain,23.00,,,,,,
864970,Immediate post-injection reaction,23.00,Iritis,23.00,,,,,,
864971,Administration site pain,23.00,Incorrect dose administered,
23.00,Product preparation issue,23.00,,,,,
864972,Dyspnoea,23.00,Rash,23.00,,,,,,
864973,Herpes zoster,23.00,Pain,23.00,,,,,,
864974,Pyrexia,23.00,,,,,,,
864975,Asthenia,23.00,Balance disorder,23.00,Chills,23.00,Dizziness,
23.00,Headache,23.00
864975,Insomnia,23.00,Paraesthesia,23.00,,,,,,
864976,Herpes zoster,23.00,Inappropriate schedule of product
administration,23.00,Vaccination failure,23.00,,,,,
864977,Rash papular,23.00,Rash vesicular,23.00,,,,,,
864978,Chills,23.00,Computerised tomogram head,23.00,Confusional
state,23.00,Differential white blood cell count,23.00,Disorientation,
23.00
864978,Dizziness,23.00,Electrocardiogram,23.00,Fall,23.00,Fatigue,
23.00,Feeling abnormal,23.00
864978,Full blood count,23.00,Head injury,23.00,Metabolic function
test,23.00,Platelet count,23.00,Skin warm,23.00,
864978,Syncope,23.00,Troponin I,23.00,Vision blurred,23.00,,,,,
864979,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
864980,No adverse event,23.00,Underdose,23.00,,,,,,
864981,Fatigue,23.00,Injection site erythema,23.00,Myalgia,23.00,Pain
in extremity,23.00,Pyrexia,23.00
864983,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Skin warm,23.00,,
864984,No adverse event,23.00,Underdose,23.00,,,,,,
864989,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,,
864990,No adverse event,23.00,Product distribution issue,23.00,,,,,,
864991,Erythema,23.00,Rash macular,23.00,Rash pruritic,23.00,Skin
exfoliation,23.00,,
864992,Arthralgia,23.00,Gait disturbance,23.00,Insomnia,23.00,Loss of
personal independence in daily activities,23.00,Pain in extremity,
23.00
864993,Feeling abnormal,23.00,Pain,23.00,Pyrexia,23.00,,,,,
864994,Fatigue,23.00,Headache,23.00,,,,,,
864995,Heart rate increased,23.00,Palpitations,23.00,,,,,,
864996,Chills,23.00,Erythema,23.00,Influenza like illness,23.00,Pain,
23.00,Pyrexia,23.00
864996,Swelling,23.00,,,,,,,

864997, Adverse event, 23.00, , , , , , , ,
864998, Chills, 23.00, Feeling cold, 23.00, Heart rate increased,
23.00, Heart rate irregular, 23.00, Sleep disorder, 23.00
864999, Adverse drug reaction, 23.00, , , , , , , ,
865000, Fatigue, 23.00, Injection site pain, 23.00, , , , , ,
865001, Tinnitus, 23.00, , , , , , , ,
865002, Joint stiffness, 23.00, Pain in extremity, 23.00, , , , , , ,
865003, Injection site reaction, 23.00, Muscle twitching, 23.00, , , , , , ,
865004, Pruritus, 23.00, , , , , , , ,
865005, Malaise, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, , , ,
865006, Pain in extremity, 23.00, , , , , , , ,
865007, Crying, 23.00, Pyrexia, 23.00, , , , , , , ,
865008, Altered state of consciousness, 23.00, Blood glucose normal,
23.00, Disorientation, 23.00, Dizziness, 23.00, Drooling, 23.00
865008, Dyspnoea, 23.00, Eye movement disorder, 23.00, Feeling hot,
23.00, Hyperhidrosis, 23.00, Hypoglycaemia, 23.00
865008, Respiratory arrest, 23.00, Seizure like phenomena, 23.00, Tremor,
23.00, , , , ,
865009, Abdominal pain, 23.00, Blood glucose normal, 23.00, Drooling,
23.00, Febrile convulsion, 23.00, Gaze palsy, 23.00
865009, Headache, 23.00, Hypotonia, 23.00, Influenza virus test negative,
23.00, Posture abnormal, 23.00, Rash erythematous, 23.00
865009, Seizure, 23.00, Somnolence, 23.00, Streptococcus test negative,
23.00, Tachycardia, 23.00, Unresponsive to stimuli, 23.00
865009, Vomiting, 23.00, , , , , , , ,
865010, Chills, 23.00, Headache, 23.00, Injection site pain, 23.00, Pain,
23.00, Pyrexia, 23.00
865011, Mobility decreased, 23.00, Peripheral swelling, 23.00, Vaccination
site pain, 23.00, , , , ,
865012, Injection site erythema, 23.00, Injection site swelling,
23.00, , , , , , , ,
865014, Skin irritation, 23.00, Skin lesion, 23.00, Urticaria, 23.00, , , , ,
865035, Pain, 23.00, , , , , , , ,
865036, Crying, 23.00, Incomplete course of vaccination, 23.00, , , , , , , ,
865037, Acarodermatitis, 23.00, Acne, 23.00, Chills, 23.00, Feeling abnormal,
23.00, Hyperaesthesia, 23.00
865037, Rash, 23.00, Rash papular, 23.00, , , , , , , ,
865038, Exposure during pregnancy, 23.00, Premature delivery,
23.00, Ultrasound antenatal screen abnormal, 23.00, Upper respiratory
tract infection, 23.00, ,
865039, Apgar score, 23.00, Foetal exposure during pregnancy,
23.00, Intensive care, 23.00, Premature baby, 23.00, ,
865040, Anaemia, 23.00, Exposure during pregnancy, 23.00, Polyhydramnios,
23.00, Ultrasound antenatal screen normal, 23.00, ,
865041, Discomfort, 23.00, Mobility decreased, 23.00, Pain in extremity,
23.00, , , , ,
865042, Injection site erythema, 23.00, Injection site warmth, 23.00, , , , , , , ,
865043, Product administered to patient of inappropriate age,
23.00, , , , , , , ,
865044, Allergy to vaccine, 23.00, Contraindication to vaccination,

23.00, Dermatitis allergic, 23.00, , , , ,
865045, Injection site erythema, 23.00, Injection site oedema, 23.00, , , , , , ,
865046, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Injection site swelling, 23.00, Neck pain, 23.00
865046, Pain, 23.00, Pain in extremity, 23.00, , , , , , ,
865048, Emotional distress, 23.00, Pruritus, 23.00, Rash, 23.00, Rash
erythematous, 23.00, Rash macular, 23.00
865048, Urticaria, 23.00, , , , , , , ,
865050, Extra dose administered, 23.00, No adverse event, 23.00, Wrong
product administered, 23.00, , , , , ,
865051, No adverse event, 23.00, Overdose, 23.00, Product administered to
patient of inappropriate age, 23.00, , , , , ,
865052, Overdose, 23.00, Product administered to patient of inappropriate
age, 23.00, , , , , , ,
865053, Injection site mass, 23.00, Peripheral swelling, 23.00, , , , , , ,
865054, Blood bicarbonate normal, 23.00, Blood creatinine normal,
23.00, Blood glucose normal, 23.00, Blood potassium normal, 23.00, Blood
sodium normal, 23.00
865054, Blood urea normal, 23.00, Chest X-ray normal, 23.00, Pregnancy test
negative, 23.00, Pyrexia, 23.00, Syncope, 23.00
865054, White blood cell count increased, 23.00, , , , , , , ,
865055, Decreased appetite, 23.00, Headache, 23.00, , , , , , ,
865056, Herpes zoster, 23.00, Rash, 23.00, , , , , , ,
865057, Mobility decreased, 23.00, Pain in extremity, 23.00, X-ray limb,
23.00, , , , , ,
865058, Pain in extremity, 23.00, Product administered at inappropriate
site, 23.00, Tendonitis, 23.00, , , , , ,
865059, Urticaria, 23.00, , , , , , , ,
865060, Injection site cellulitis, 23.00, Injection site erythema,
23.00, Injection site induration, 23.00, , , , , , ,
865061, Feeling abnormal, 23.00, Gait inability, 23.00, Irritability,
23.00, Lethargy, 23.00, Pain in extremity, 23.00
865061, Pyrexia, 23.00, Screaming, 23.00, , , , , , ,
865062, Injection site rash, 23.00, Paraesthesia oral, 23.00, Throat
tightness, 23.00, , , , , , ,
865063, Arthralgia, 23.00, Inflammation, 23.00, , , , , , ,
865064, Erythema, 23.00, Fatigue, 23.00, Oedema peripheral, 23.00, Pain in
extremity, 23.00, Peripheral swelling, 23.00
865065, Injection site abscess, 23.00, Injection site swelling,
23.00, , , , , , ,
865066, Rash erythematous, 23.00, Rash papular, 23.00, , , , , , ,
865067, Confusional state, 23.00, Disorientation, 23.00, Hypoaesthesia,
23.00, Hypoaesthesia oral, 23.00, Rash, 23.00
865067, Swelling face, 23.00, Swollen tongue, 23.00, Urticaria, 23.00, , , , , ,
865068, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
865069, Injection site erythema, 23.00, Vaccination site pain, 23.00, , , , , , , ,
865070, Asthenia, 23.00, Headache, 23.00, Nausea, 23.00, , , , , , ,
865071, Papule, 23.00, Rash, 23.00, , , , , , ,
865072, Chills, 23.00, Headache, 23.00, Injection site pain, 23.00, Neck
pain, 23.00, Pyrexia, 23.00

865073, Musculoskeletal pain, 23.00, Pain in extremity, 23.00, , , , , , ,
865074, Arthralgia, 23.00, Asthenia, 23.00, Fatigue, 23.00, Injection site
erythema, 23.00, Injection site swelling, 23.00
865074, Nausea, 23.00, Pain in extremity, 23.00, , , , , , ,
865075, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site
induration, 23.00, Injection site pain, 23.00, ,
865076, Product administered to patient of inappropriate age,
23.00, , , , , , , , , ,
865077, Oedema peripheral, 23.00, , , , , , , , , ,
865078, Chills, 23.00, Flushing, 23.00, Headache, 23.00, Influenza like
illness, 23.00, Injection site pain, 23.00
865078, Insomnia, 23.00, Myalgia, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia,
23.00
865079, Chills, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Pyrexia,
23.00, ,
865080, Blood pressure increased, 23.00, Dizziness, 23.00, Feeling jittery,
23.00, Lip swelling, 23.00, ,
865081, Adenotonsillectomy, 23.00, Antibody test negative, 23.00, Autism
spectrum disorder, 23.00, Blood immunoglobulin A decreased, 23.00, Breath
holding, 23.00
865081, CD8 lymphocytes decreased, 23.00, Choking, 23.00, Crying,
23.00, DiGeorge's syndrome, 23.00, Ear infection, 23.00
865081, Ear tube insertion, 23.00, Ehlers-Danlos syndrome, 23.00, Fall,
23.00, Head injury, 23.00, Immune system disorder, 23.00
865081, Loss of consciousness, 23.00, Malaise,
23.00, Methylenetetrahydrofolate reductase gene mutation,
23.00, Opisthotonus, 23.00, Resuscitation, 23.00
865081, Seizure, 23.00, Sleep apnoea syndrome, 23.00, Viral rash,
23.00, Vomiting, 23.00, X-ray normal, 23.00
865083, Rash, 23.00, , , , , , , , , , ,
865084, Accidental exposure to product, 23.00, , , , , , , , , , ,
865085, Asthenia, 23.00, Injection site pain, 23.00, Pain in extremity,
23.00, , , , ,
865086, Injection site bruising, 23.00, Injection site mass,
23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Pain,
23.00
865087, Chills, 23.00, Influenza like illness, 23.00, Injection site pain,
23.00, Insomnia, 23.00, Pain, 23.00
865087, Vaccine positive rechallenge, 23.00, , , , , , , , , , ,
865088, Body temperature increased, 23.00, Chills, 23.00, Headache,
23.00, Pain, 23.00, ,
865089, Rash erythematous, 23.00, , , , , , , , , , ,
865090, Burning sensation, 23.00, Induration, 23.00, Lymphadenopathy,
23.00, Musculoskeletal pain, 23.00, Neuropathy peripheral, 23.00
865090, Pain in extremity, 23.00, , , , , , , , , , ,
865091, Back pain, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Neck
pain, 23.00, Pain in extremity, 23.00
865091, Shoulder injury related to vaccine administration, 23.00, , , , , , , , , , ,
865092, Erythema, 23.00, Gait inability, 23.00, Mobility decreased,
23.00, Pain in extremity, 23.00, , ,

865093, Erythema, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Peripheral swelling, 23.00
865093, Skin warm, 23.00, , , , , , , , , ,
865094, Axillary pain, 23.00, Musculoskeletal pain, 23.00, Paraesthesia, 23.00, Sensory disturbance, 23.00, ,
865095, Diarrhoea, 23.00, Headache, 23.00, Injection site pain, 23.00, Muscle spasms, 23.00, Vomiting, 23.00
865096, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , , ,
865097, Hot flush, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
865098, Fatigue, 23.00, Myalgia, 23.00, Pain, 23.00, Pyrexia, 23.00, ,
865099, Arthralgia, 23.00, Chills, 23.00, Headache, 23.00, Injected limb mobility decreased, 23.00, Pain in extremity, 23.00
865099, Pyrexia, 23.00, , , , , , , , , ,
865100, Condition aggravated, 23.00, Hypersensitivity, 23.00, Rash, 23.00, Respiratory tract congestion, 23.00, Swelling face, 23.00
865101, Fibromyalgia, 23.00, Pain, 23.00, Pain in extremity, 23.00, , , , ,
865102, Allergy test negative, 23.00, Biopsy skin abnormal, 23.00, Dermatitis atopic, 23.00, Dry skin, 23.00, Insomnia, 23.00
865102, Pruritus, 23.00, Quality of life decreased, 23.00, Rash, 23.00, Scab, 23.00, ,
865103, Fatigue, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site inflammation, 23.00, Injection site pain, 23.00
865103, Injection site pruritus, 23.00, , , , , , , , , ,
865104, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
865104, Pyrexia, 23.00, , , , , , , , , ,
865105, Herpes zoster, 23.00, Skin lesion, 23.00, , , , , , , , , ,
865106, Herpes zoster, 23.00, Lip swelling, 23.00, Pain, 23.00, Paraesthesia oral, 23.00, ,
865107, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site warmth, 23.00, , , , , ,
865108, Injection site erythema, 23.00, Injection site rash, 23.00, Rash pruritic, 23.00, , , , , ,
865109, Agitation, 23.00, Decreased appetite, 23.00, Diarrhoea, 23.00, Irritability, 23.00, Vomiting, 23.00
865110, Cellulitis, 23.00, Chills, 23.00, Erythema, 23.00, Pain, 23.00, Swelling, 23.00
865111, Headache, 23.00, Vomiting, 23.00, , , , , , , , , ,
865112, Muscle injury, 23.00, Ultrasound scan, 23.00, , , , , , , , , ,
865113, Pain in extremity, 23.00, X-ray, 23.00, , , , , , , , , ,
865114, Unevaluable event, 23.00, , , , , , , , , ,
865115, Injection site reaction, 23.00, Injection site swelling, 23.00, , , , , , , , , ,
865124, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , ,
865125, Inappropriate schedule of product administration, 23.00, Injection site mass, 23.00, , , , , , , , , ,
865126, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , ,
865127, Herpes zoster, 23.00, , , , , , , , , ,

865128,Herpes zoster,23.00,,,,,,,,,
865129,Inappropriate schedule of product administration,23.00,,,,,,,,,
865130,Herpes zoster,23.00,,,,,,,,,
865131,Herpes zoster,23.00,,,,,,,,,
865133,Flank pain,23.00,Herpes zoster,23.00,Post herpetic neuralgia,
23.00,Rash,23.00,,
865134,Food allergy,23.00,Mumps antibody test negative,23.00,Mycotic
allergy,23.00,Rheumatoid arthritis,23.00,Rubber sensitivity,23.00
865135,Varicella virus test positive,23.00,,,,,,,,,
865136,Erythema,23.00,Headache,23.00,Pain in extremity,23.00,,,,,
865137,Chills,23.00,Cough,23.00,Dyspnoea,23.00,Malaise,
23.00,Productive cough,23.00
865137,Pyrexia,23.00,Rectal haemorrhage,23.00,,,,,,,,,
865140,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
865141,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,,,,,
865142,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pruritus,23.00,Urticaria,23.00
865144,Erythema,23.00,Headache,23.00,Impaired work ability,23.00,Pain,
23.00,Peripheral swelling,23.00
865144,Pyrexia,23.00,Skin warm,23.00,,,,,,,,,
865147,Dizziness,23.00,Headache,23.00,Influenza virus test,
23.00,Laboratory test,23.00,Petechiae,23.00
865147,Streptococcus test,23.00,Swelling face,23.00,Urine analysis,
23.00,Vomiting,23.00,,
865148,Hypersensitivity,23.00,Subcutaneous abscess,23.00,,,,,,,,,
865149,Blood test,23.00,Computerised tomogram head,23.00,Ear pain,
23.00,Eye pain,23.00,Headache,23.00
865149,Nausea,23.00,Neck pain,23.00,Pharyngitis,23.00,Urinary tract
infection,23.00,Vomiting,23.00
865150,Malaise,23.00,Presyncope,23.00,,,,,,,,,
865151,Injection site pain,23.00,Injection site reaction,23.00,Rash
erythematous,23.00,Rash pruritic,23.00,Rash vesicular,23.00
865162,Loss of consciousness,23.00,,,,,,,,,
865163,Vomiting,23.00,,,,,,,,,
865164,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865165,Incorrect dose administered,23.00,No adverse event,23.00,,,,,,,,,
865166,Erythema,23.00,Feeling hot,23.00,Headache,23.00,Injection site
erythema,23.00,Injection site swelling,23.00
865166,Nausea,23.00,Pain,23.00,Poor quality sleep,23.00,,,,,
865167,Pain,23.00,Pain in extremity,23.00,,,,,,,,,
865168,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
865169,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
865170,Delivery,23.00,Exposure during pregnancy,
23.00,Hypersensitivity,23.00,Prolonged pregnancy,23.00,Rhinitis
allergic,23.00
865170,Trichomoniasis,23.00,Ultrasound antenatal screen normal,
23.00,Urinary tract infection,23.00,,,,,
865171,Caesarean section,23.00,Exposure during pregnancy,23.00,Pre-

eclampsia,23.00,Premature delivery,23.00,Ultrasound antenatal screen normal,23.00
865172,Presyncope,23.00,,,,,
865173,Injection site pain,23.00,Injection site reaction,23.00,Pain,23.00,,,,,
865175,Adverse reaction,23.00,Feeling abnormal,23.00,Immediate post-injection reaction,23.00,Posture abnormal,23.00,Tremor,23.00
865176,Blood test,23.00,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,
865177,Swollen tongue,23.00,,,,,
865178,Chills,23.00,Contusion,23.00,Dizziness,23.00,Facial bones fracture,23.00,Haemorrhage,23.00
865178,Influenza virus test negative,23.00,Laboratory test normal,23.00,Loss of consciousness,23.00,Nasal injury,23.00,Nausea,23.00
865178,Pain in extremity,23.00,Scar,23.00,,,,,
865179,Myalgia,23.00,,,,,
865180,Asthenia,23.00,Bacterial infection,23.00,Chapped lips,23.00,Chills,23.00,Decreased appetite,23.00
865180,Diarrhoea,23.00,Dysphagia,23.00,Dyspnoea,23.00,Dysstasia,23.00,Electrocardiogram normal,23.00
865180,Epistaxis,23.00,Fatigue,23.00,Feeding disorder,23.00,Feeling hot,23.00,Gait disturbance,23.00
865180,Hand-foot-and-mouth disease,23.00,Headache,23.00,Hyperhidrosis,23.00,Hypersomnia,23.00,Influenza virus test negative,23.00
865180,Lip swelling,23.00,Nasal congestion,23.00,Nausea,23.00,Oral pain,23.00,Pain,23.00
865180,Palpitations,23.00,Pharyngeal erythema,23.00,Productive cough,23.00,Pyrexia,23.00,Sputum discoloured,23.00
865180,Stomatitis,23.00,Streptococcus test negative,23.00,Tonsillar hypertrophy,23.00,Tonsillitis,23.00,Toothache,23.00
865180,Viral infection,23.00,Weight decreased,23.00,,,,,
865181,Seizure,23.00,,,,,
865182,Bone pain,23.00,Dyspepsia,23.00,Injection site pain,23.00,Injection site swelling,23.00,Swelling,23.00
865184,No adverse event,23.00,Product storage error,23.00,,,,,
865185,Hordeolum,23.00,Injection site erythema,23.00,Injection site pain,23.00,Nausea,23.00,Pain,23.00
865185,Pyrexia,23.00,,,,,
865186,Abdominal pain,23.00,Chills,23.00,Constipation,23.00,Diarrhoea,23.00,Fatigue,23.00
865186,Headache,23.00,Impaired work ability,23.00,Loss of personal independence in daily activities,23.00,Nausea,23.00,Vomiting,23.00
865187,Exposure during pregnancy,23.00,,,,,
865188,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,,
865189,Blister,23.00,Erythema,23.00,Fatigue,23.00,Headache,23.00,Influenza like illness,23.00
865189,Musculoskeletal pain,23.00,Neck pain,23.00,Pain in extremity,23.00,Skin erosion,23.00,,
865190,Chills,23.00,Decreased appetite,23.00,Headache,23.00,Injection site inflammation,23.00,Pyrexia,23.00

865191,Abdominal distension,23.00,Injection site erythema,
23.00,Injection site pain,23.00,,,,,
865192,Injection site erythema,23.00,Injection site rash,
23.00,Injection site swelling,23.00,,,,,
865193,Injection site pain,23.00,Pruritus,23.00,Rash,23.00,Skin ulcer,
23.00,Urticaria,23.00
865194,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Insomnia,23.00,,,,,
865195,Discomfort,23.00,Herpes zoster,23.00,Pruritus,23.00,,,,,
865196,Chills,23.00,Headache,23.00,Nausea,23.00,Pyrexia,23.00,,
865197,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Rash maculo-papular,23.00,,
865201,Herpes zoster,23.00,,,,,,,
865202,Headache,23.00,Inflammation,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,Rash,23.00
865202,Vomiting,23.00,,,,,,,
865203,Unevaluable event,23.00,,,,,,,
865204,Adverse event,23.00,,,,,,,
865205,Blood test,23.00,Burning sensation,23.00,Ear discomfort,
23.00,Pruritus,23.00,,
865206,Expired product administered,23.00,No adverse event,23.00,,,,,,
865207,No adverse event,23.00,Product storage error,23.00,,,,,,
865208,No adverse event,23.00,Product storage error,23.00,,,,,,
865209,No adverse event,23.00,Product storage error,23.00,,,,,,
865210,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,,
865211,No adverse event,23.00,Product storage error,23.00,,,,,,
865212,No adverse event,23.00,Product storage error,23.00,,,,,,
865213,No adverse event,23.00,Product storage error,23.00,,,,,,
865214,No adverse event,23.00,Product storage error,23.00,,,,,,
865215,No adverse event,23.00,Product storage error,23.00,,,,,,
865216,No adverse event,23.00,Product storage error,23.00,,,,,,
865217,No adverse event,23.00,Product storage error,23.00,,,,,,
865218,No adverse event,23.00,Product storage error,23.00,,,,,,
865219,No adverse event,23.00,Product storage error,23.00,,,,,,
865220,Product storage error,23.00,,,,,,,
865221,No adverse event,23.00,Product preparation error,23.00,,,,,,
865222,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
865223,Expired product administered,23.00,No adverse event,23.00,,,,,,
865224,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
865225,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
865226,Expired product administered,23.00,No adverse event,23.00,,,,,,
865227,Injection site swelling,23.00,Viral upper respiratory tract
infection,23.00,,,,,,
865228,Arthralgia,23.00,Mobility decreased,23.00,Musculoskeletal pain,
23.00,,,,,
865229,Joint range of motion decreased,23.00,Pain in extremity,

23.00,Peripheral swelling,23.00,Skin warm,23.00,,
865230,Migraine,23.00,Musculoskeletal pain,23.00,Musculoskeletal
stiffness,23.00,,,,,
865231,Rash pruritic,23.00,,,,,,,
865232,Injection site reaction,23.00,Pyrexia,23.00,Rash erythematous,
23.00,Rash macular,23.00,,
865233,Lymph node pain,23.00,Lymphadenopathy,23.00,,,,,,
865234,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
865235,Asthenia,23.00,Cough,23.00,Fatigue,23.00,Headache,
23.00,Hypersensitivity,23.00
865235,Malaise,23.00,Oropharyngeal pain,23.00,Rhinorrhoea,
23.00,Secretion discharge,23.00,,
865236,Peripheral coldness,23.00,Vascular test,23.00,,,,,,
865237,Product administered to patient of inappropriate age,
23.00,,,,,,,
865238,Arthritis,23.00,Asthenia,23.00,Chills,23.00,Condition
aggravated,23.00,Feeling cold,23.00
865238,Flushing,23.00,Impaired work ability,23.00,Pain,
23.00,Peripheral swelling,23.00,,
865239,Anaphylactic reaction,23.00,Pruritus,23.00,Pyrexia,23.00,Rash,
23.00,Urticaria,23.00
865240,Abdominal discomfort,23.00,Musculoskeletal discomfort,
23.00,Urinary tract infection,23.00,,,,,
865241,Wrong product administered,23.00,,,,,,,
865242,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,,
865243,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Pruritus,23.00,Swelling,23.00
865244,Erythema,23.00,Mobility decreased,23.00,Rash,23.00,Swelling,
23.00,,
865245,Chills,23.00,Headache,23.00,Injection site pain,23.00,Nausea,
23.00,Pain,23.00
865246,Hypoaesthesia,23.00,Paraesthesia,23.00,,,,,,
865247,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
865248,Dizziness,23.00,Headache,23.00,Injection site erythema,
23.00,Rash,23.00,,
865252,Inappropriate schedule of product administration,23.00,,,,,,,
865253,Product administered to patient of inappropriate age,
23.00,,,,,,,
865254,No adverse event,23.00,Product preparation issue,23.00,Product
use issue,23.00,,,,,
865255,Eye pruritus,23.00,Swelling of eyelid,23.00,,,,,,
865256,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
865257,Diarrhoea,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Vomiting,23.00,,
865258,Cellulitis,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,,,,,

865259,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
865260,Neck pain,23.00,Pain,23.00,,,,,
865261,Chills,23.00,Fatigue,23.00,,,,,
865262,Contraindication to vaccination,23.00,,,,,
865263,Injection site erythema,23.00,Injection site induration,
23.00,Injection site reaction,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
865263,Muscle tightness,23.00,Vaccination complication,23.00,,,,,
865264,Back pain,23.00,Fatigue,23.00,Headache,23.00,Impaired work
ability,23.00,Influenza like illness,23.00
865264,Neck pain,23.00,Rash macular,23.00,Urticaria,23.00,,,,
865265,Chills,23.00,Erythema,23.00,Nasopharyngitis,23.00,,,,
865266,Injection site reaction,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Rash,23.00,Rash erythematous,23.00
865266,Skin warm,23.00,Swelling,23.00,,,,,
865267,Arthralgia,23.00,Bedridden,23.00,Decreased activity,
23.00,Fatigue,23.00,Gait disturbance,23.00
865267,Hypersomnia,23.00,Impaired driving ability,23.00,Influenza like
illness,23.00,Injection site erythema,23.00,Injection site pruritus,
23.00
865267,Injection site rash,23.00,Injection site swelling,
23.00,Lethargy,23.00,Malaise,23.00,Myalgia,23.00
865267,Pain in extremity,23.00,Pyrexia,23.00,Somnolence,23.00,,,,
865268,Blister,23.00,Erythema,23.00,Injection site erythema,
23.00,Injection site pruritus,23.00,Injection site vesicles,23.00
865268,Pruritus,23.00,Pyrexia,23.00,,,,,
865269,Mobility decreased,23.00,Myalgia,23.00,,,,,
865270,Diarrhoea,23.00,,,,,
865323,No adverse event,23.00,Product storage error,23.00,,,,,
865324,No adverse event,23.00,Wrong product administered,23.00,,,,,
865325,Dizziness,23.00,Erythema,23.00,Flushing,23.00,,,,
865326,Adverse event,23.00,,,,,
865327,Human papilloma virus test positive,23.00,,,,,
865329,Back pain,23.00,Herpes zoster,23.00,Pain,23.00,Rash,23.00,,
865330,No adverse event,23.00,Product storage error,23.00,,,,,
865331,No adverse event,23.00,Product storage error,23.00,,,,,
865332,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
865333,No adverse event,23.00,Product storage error,23.00,,,,,
865334,Asthenia,23.00,Dizziness,23.00,Dyspnoea,23.00,Fatigue,
23.00,Injection site erythema,23.00
865334,Injection site pain,23.00,Injection site swelling,
23.00,Mobility decreased,23.00,,,,
865335,No adverse event,23.00,Product storage error,23.00,,,,,
865336,No adverse event,23.00,Product storage error,23.00,,,,,
865337,No adverse event,23.00,Product storage error,23.00,,,,,
865338,No adverse event,23.00,Product storage error,23.00,,,,,
865339,No adverse event,23.00,Product storage error,23.00,,,,,
865340,No adverse event,23.00,Product storage error,23.00,,,,,

865341, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865342, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865343, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865344, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865345, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865346, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865347, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865348, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865349, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865350, Product use in unapproved indication, 23.00, , , , , , ,
865351, Exposure during pregnancy, 23.00, , , , , , ,
865352, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865353, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865354, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
865355, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
865356, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
865357, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865358, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865359, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865360, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865361, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865362, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865363, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865364, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865365, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865366, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865367, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865368, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865369, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865370, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865371, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865372, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865373, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865374, Deafness, 23.00, Herpes zoster, 23.00, Neuropathy peripheral,
23.00, , , , ,
865376, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865377, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865378, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865379, Incorrect route of product administration, 23.00, No adverse
event, 23.00, , , , , , ,
865380, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865381, Acanthosis, 23.00, Biopsy skin abnormal, 23.00, Blister,
23.00, Erythema, 23.00, Hyperkeratosis, 23.00
865381, Lichen planus, 23.00, Papule, 23.00, Rash, 23.00, Rash erythematous,
23.00, Rash pruritic, 23.00
865381, Rash vesicular, 23.00, Skin disorder, 23.00, Skin exfoliation,
23.00, , , , ,
865382, Pain in extremity, 23.00, , , , , , , ,
865383, Adverse drug reaction, 23.00, , , , , , , ,

865384, Malaise, 23.00, Underdose, 23.00, , , , , , ,
865385, Exfoliative rash, 23.00, Pruritus, 23.00, Rash erythematous,
23.00, , , ,
865386, Abdominal discomfort, 23.00, Chills, 23.00, Fatigue,
23.00, Musculoskeletal stiffness, 23.00, Nausea, 23.00
865386, Peripheral swelling, 23.00, Pyrexia, 23.00, , , , , , ,
865387, Condition aggravated, 23.00, Gout, 23.00, , , , , , ,
865388, Arthralgia, 23.00, Chills, 23.00, Headache, 23.00, Injection site
rash, 23.00, Injection site warmth, 23.00
865388, Myalgia, 23.00, Pruritus, 23.00, , , , , , ,
865389, Abdominal discomfort, 23.00, Arthralgia, 23.00, Headache, 23.00, , , , ,
865390, Malaise, 23.00, , , , , , , ,
865391, Immune system disorder, 23.00, Psoriasis, 23.00, , , , , , ,
865392, Asthenia, 23.00, Bedridden, 23.00, Blood creatine phosphokinase
increased, 23.00, Legionella infection, 23.00, Legionella test positive,
23.00
865392, Myalgia, 23.00, Rhabdomyolysis, 23.00, , , , , , ,
865393, Acute motor axonal neuropathy, 23.00, Guillain-Barre syndrome,
23.00, Spinal cord compression, 23.00, , , , ,
865394, Meningococcal infection, 23.00, Neisseria test positive,
23.00, Vaccination failure, 23.00, , , , ,
865395, Cytogenetic analysis, 23.00, Gene sequencing, 23.00, Gram stain,
23.00, Heterosexuality, 23.00, Meningococcal infection, 23.00
865395, Neisseria test positive, 23.00, Polymerase chain reaction
positive, 23.00, Urethritis, 23.00, Vaccination failure, 23.00, ,
865396, Rash, 23.00, , , , , , , ,
865397, Eye pruritus, 23.00, Eye swelling, 23.00, Ocular hyperaemia,
23.00, Pain, 23.00, Pyrexia, 23.00
865397, Urticaria, 23.00, , , , , , , ,
865399, Injection site extravasation, 23.00, Injection site swelling,
23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , ,
865400, Biopsy skin, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , , ,
865401, Arthralgia, 23.00, , , , , , , ,
865402, Dizziness, 23.00, Fall, 23.00, Head injury, 23.00, Skin laceration,
23.00, Suture insertion, 23.00
865402, Syncope, 23.00, , , , , , , ,
865403, Cellulitis, 23.00, , , , , , , ,
865404, Guillain-Barre syndrome, 23.00, , , , , , , ,
865405, Pain, 23.00, , , , , , , ,
865406, Atypical pneumonia, 23.00, , , , , , , ,
865407, Antinuclear antibody positive, 23.00, Arthralgia, 23.00, Arthritis,
23.00, Borrelia test positive, 23.00, C-reactive protein increased, 23.00
865407, Mobility decreased, 23.00, Neck pain, 23.00, Pyrexia, 23.00, Rash,
23.00, , ,
865408, Dizziness, 23.00, Nausea, 23.00, Pallor, 23.00, , , , ,
865409, Inflammation, 23.00, Swelling, 23.00, Tenderness, 23.00, , , , ,
865417, Vomiting, 23.00, , , , , , , ,
865418, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865419, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865420, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,

865421,Cellulitis,23.00,Injection site erythema,23.00,Injection site induration,23.00,Injection site warmth,23.00,,
865422,Sleep apnoea syndrome,23.00,,,,,,,,,
865423,Injection site swelling,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
865426,No adverse event,23.00,Product storage error,23.00,,,,,,
865427,Inappropriate schedule of product administration,23.00,No adverse event,23.00,,,,,,
865428,Chills,23.00,Fatigue,23.00,Influenza like illness,23.00,Pain,23.00,Pyrexia,23.00
865429,Injection site swelling,23.00,Neck pain,23.00,,,,,,
865430,Back pain,23.00,Chest X-ray normal,23.00,Influenza like illness,23.00,Pollakiuria,23.00,Pyrexia,23.00
865430,Urine analysis normal,23.00,,,,,,,,,
865431,Urinary tract infection,23.00,Urine analysis abnormal,23.00,,,,,,
865432,Inappropriate schedule of product administration,23.00,,,,,,,,,
865446,Aggression,23.00,Blindness unilateral,23.00,Urinary retention,23.00,,,,,
865447,Blepharitis,23.00,Herpes zoster,23.00,Pneumonia,23.00,Rash,23.00,Visual impairment,23.00
865447,Vitreous floaters,23.00,,,,,,,,,
865448,No adverse event,23.00,Product storage error,23.00,,,,,,
865449,Herpes zoster,23.00,Vaccination failure,23.00,,,,,,
865450,Herpes zoster,23.00,Vaccination failure,23.00,,,,,,
865451,Deafness unilateral,23.00,Ear infection,23.00,Ear pain,23.00,Facial paralysis,23.00,Headache,23.00
865451,Herpes zoster oticus,23.00,Skin ulcer,23.00,,,,,,
865452,Bronchitis,23.00,Exposure during pregnancy,23.00,Nausea,23.00,Oral herpes,23.00,Prenatal screening test,23.00
865452,Rash pruritic,23.00,Ultrasound antenatal screen,23.00,Ultrasound antenatal screen normal,23.00,,,,,
865453,Chills,23.00,Fatigue,23.00,Influenza,23.00,Influenza like illness,23.00,Pain,23.00
865453,Pyrexia,23.00,,,,,,,,,
865454,Alpha 1 foetoprotein normal,23.00,Delivery,23.00,Exposure during pregnancy,23.00,Foetal heart rate deceleration abnormality,23.00,Neonatal disorder,23.00
865454,Premature delivery,23.00,Premature rupture of membranes,23.00,Premature separation of placenta,23.00,Ultrasound antenatal screen normal,23.00,,
865455,Apgar score low,23.00,Delivery,23.00,Foetal exposure during pregnancy,23.00,Intensive care,23.00,Low birth weight baby,23.00
865455,Premature baby,23.00,,,,,,,,,
865457,Anxiety,23.00,"Hallucinations, mixed",23.00,Intentional self-injury,23.00,,,,,
865458,Fatigue,23.00,Nausea,23.00,Pain,23.00,,,,,
865460,Blood pressure abnormal,23.00,Nausea,23.00,Pharyngeal swelling,23.00,Vomiting,23.00,,
865461,Body temperature increased,23.00,Erythema,23.00,Headache,

23.00,Hyperhidrosis,23.00,Influenza,23.00
865461,Nausea,23.00,Skin discolouration,23.00,,,,,
865462,Angioedema,23.00,Urticaria,23.00,,,,,
865463,Chills,23.00,Decreased appetite,23.00,Diarrhoea,23.00,Pyrexia,
23.00,,
865464,Contusion,23.00,Pain,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,,
865465,Culture negative,23.00,Injection site cellulitis,
23.00,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site vesicles,23.00
865468,Infectious mononucleosis,23.00,,,,,
865469,No adverse event,23.00,Product storage error,23.00,,,,,
865470,Expired product administered,23.00,No adverse event,23.00,,,,,
865471,Expired product administered,23.00,No adverse event,23.00,,,,,
865472,Expired product administered,23.00,No adverse event,23.00,,,,,
865473,Musculoskeletal pain,23.00,,,,,
865474,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
865475,Facial paralysis,23.00,,,,,
865476,Blood thyroid stimulating hormone,23.00,Bradycardia,
23.00,Electrocardiogram,23.00,Metabolic function test,
23.00,Ventricular extrasystoles,23.00
865477,Nausea,23.00,,,,,
865478,Abdominal pain upper,23.00,Chills,23.00,Diarrhoea,
23.00,Fatigue,23.00,Headache,23.00
865478,Musculoskeletal pain,23.00,Nausea,23.00,Neck pain,23.00,Pain,
23.00,Pain in extremity,23.00
865478,Tenderness,23.00,Vaccination site pain,23.00,,,,,
865479,Back pain,23.00,Muscle spasms,23.00,Neuralgia,23.00,Pain in
extremity,23.00,,
865480,Pain,23.00,Pain in extremity,23.00,,,,,
865481,Headache,23.00,Herpes zoster,23.00,Rash pruritic,23.00,Vision
blurred,23.00,,
865482,Cellulitis,23.00,Pain,23.00,Swelling,23.00,,,
865483,Abdominal distension,23.00,Crying,23.00,Injection site pain,
23.00,,,
865484,Contusion,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Swelling,23.00
865485,Chills,23.00,Hallucination,23.00,Hyperhidrosis,23.00,Nausea,
23.00,Somnolence,23.00
865486,Erythema,23.00,Pruritus,23.00,Rash,23.00,,,
865487,Fatigue,23.00,Headache,23.00,Hypersomnia,23.00,Injection site
erythema,23.00,Injection site swelling,23.00
865487,Lymphadenopathy,23.00,Pain,23.00,Paranasal sinus discomfort,
23.00,Pyrexia,23.00,,
865488,Muscular weakness,23.00,Pain in extremity,23.00,,,,,
865489,Erythema,23.00,Myalgia,23.00,Peripheral swelling,23.00,Skin
tightness,23.00,,
865490,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,

865491, Fatigue, 23.00, Headache, 23.00, Injection site erythema, 23.00, Myalgia, 23.00, Pyrexia, 23.00
865491, Vaccination site swelling, 23.00, , , , , , , , , , ,
865500, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865501, Exposure during pregnancy, 23.00, No adverse event, 23.00, Pregnancy test urine positive, 23.00, , , , , , , , , , ,
865502, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865503, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865504, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865505, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865506, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865507, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, Rash, 23.00, Rash vesicular, 23.00, , , , , , , , , , ,
865508, Herpes zoster, 23.00, Rash, 23.00, , , , , , , , , , ,
865509, Herpes zoster, 23.00, Neuralgia, 23.00, Rash, 23.00, , , , , , , , , , ,
865510, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
865511, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865512, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure, 23.00, , , , , , , , , , ,
865513, Herpes zoster, 23.00, Pain, 23.00, Post herpetic neuralgia, 23.00, Rash vesicular, 23.00, Vaccination failure, 23.00
865514, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure, 23.00, , , , , , , , , , ,
865515, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure, 23.00, , , , , , , , , , ,
865517, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure, 23.00, , , , , , , , , , ,
865518, Herpes zoster, 23.00, Rash, 23.00, , , , , , , , , , ,
865520, Heart rate decreased, 23.00, Hypotension, 23.00, Immediate post-injection reaction, 23.00, Muscle twitching, 23.00, Pallor, 23.00
865520, Syncope, 23.00, , , , , , , , , , ,
865522, Urticaria, 23.00, , , , , , , , , , ,
865523, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , , , , , , , , , ,
865524, Musculoskeletal pain, 23.00, Pain, 23.00, , , , , , , , , , ,
865531, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure, 23.00, , , , , , , , , , ,
865532, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure, 23.00, , , , , , , , , , ,
865533, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
865534, Herpes zoster, 23.00, Pain, 23.00, Rash vesicular, 23.00, , , , , , , , , , ,
865535, Immediate post-injection reaction, 23.00, Seizure, 23.00, , , , , , , , , , ,
865536, Intensive care, 23.00, Seizure, 23.00, , , , , , , , , , ,
865538, Peripheral swelling, 23.00, , , , , , , , , , ,
865539, Dry skin, 23.00, Oral mucosal erythema, 23.00, Pruritus, 23.00, Rash, 23.00, , , , , , , , , , ,
865540, Bradycardia, 23.00, Diarrhoea, 23.00, Lip swelling, 23.00, Nausea, 23.00, Presyncope, 23.00
865540, Swelling face, 23.00, Syncope, 23.00, Tachycardia, 23.00, Vomiting, 23.00, , , , , , , , , , ,

865541, Pyrexia, 23.00, Tremor, 23.00, , , , , , ,
865545, Adrenal gland cancer metastatic, 23.00, Asthenia,
23.00, Atelectasis, 23.00, Back injury, 23.00, Blood test abnormal, 23.00
865545, Bone cancer metastatic, 23.00, Bronchoscopy abnormal,
23.00, Cellulitis, 23.00, Central nervous system lesion, 23.00, Chest X-ray
abnormal, 23.00
865545, Cough, 23.00, Death, 23.00, Dyskinesia, 23.00, Dyspnoea,
23.00, Epidural analgesia, 23.00
865545, Extradural abscess, 23.00, Fall, 23.00, Feeling abnormal,
23.00, General physical health deterioration, 23.00, Haemorrhage, 23.00
865545, Hyperhidrosis, 23.00, Laboratory test, 23.00, Lung carcinoma cell
type unspecified stage IV, 23.00, Lung infiltration, 23.00, Magnetic
resonance imaging, 23.00
865545, Malaise, 23.00, Mobility decreased, 23.00, Muscle twitching,
23.00, Oxygen saturation decreased, 23.00, Pain, 23.00
865545, Pallor, 23.00, Pneumonia, 23.00, Pneumothorax, 23.00, Productive
cough, 23.00, Pulmonary embolism, 23.00
865545, Pyrexia, 23.00, Radiotherapy, 23.00, Rash, 23.00, Surgery, 23.00, ,
865546, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
865547, Herpes zoster, 23.00, Nerve injury, 23.00, Pain, 23.00, Post herpetic
neuralgia, 23.00, Rash vesicular, 23.00
865548, Herpes zoster, 23.00, Rash vesicular, 23.00, , , , , , ,
865549, Herpes zoster, 23.00, Pain, 23.00, Rash vesicular, 23.00, , , , ,
865550, Wrong product administered, 23.00, , , , , , , , ,
865551, Chills, 23.00, Headache, 23.00, Influenza like illness, 23.00, Pain,
23.00, Pyrexia, 23.00
865552, Abdominal pain, 23.00, Arthralgia, 23.00, Asthenia, 23.00, Chills,
23.00, Crying, 23.00
865552, Diarrhoea, 23.00, Dizziness, 23.00, Hypersomnia, 23.00, Muscle
spasms, 23.00, Pain, 23.00
865552, Pallor, 23.00, Vomiting, 23.00, Weight decreased, 23.00, , , , ,
865553, Inappropriate schedule of product administration, 23.00, , , , , , , , ,
865554, Rash, 23.00, , , , , , , , ,
865566, No adverse event, 23.00, Product distribution issue, 23.00, , , , , , ,
865567, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure,
23.00, , , , ,
865568, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure,
23.00, , , , ,
865569, Herpes zoster, 23.00, Rash vesicular, 23.00, Vaccination failure,
23.00, , , , ,
865570, Herpes zoster, 23.00, Rash vesicular, 23.00, , , , , , ,
865571, Herpes zoster, 23.00, Rash vesicular, 23.00, , , , , , ,
865572, Herpes zoster, 23.00, Rash vesicular, 23.00, , , , , , ,
865573, Herpes zoster, 23.00, Rash vesicular, 23.00, , , , , , ,
865574, Blister, 23.00, Herpes zoster, 23.00, Rash vesicular, 23.00, , , , ,
865575, Injection site pain, 23.00, , , , , , , , ,
865576, Anaemia, 23.00, Delivery, 23.00, Exposure during pregnancy,
23.00, Foetal non-stress test normal, 23.00, Placental disorder, 23.00
865576, Ultrasound antenatal screen normal, 23.00, , , , , , , , ,
865577, Asthenia, 23.00, Fatigue, 23.00, Headache, 23.00, Pain, 23.00, , ,

865578,CSF glucose normal,23.00,CSF lymphocyte count normal,23.00,CSF monocyte count decreased,23.00,CSF neutrophil count increased,23.00,CSF protein increased,23.00
865578,CSF red blood cell count positive,23.00,CSF white blood cell count increased,23.00,Demyelinating polyneuropathy,23.00,Immunoglobulin therapy,23.00,Intensive care,23.00
865578,Magnetic resonance imaging spinal abnormal,23.00,Muscular weakness,23.00,Spinal osteoarthritis,23.00,,,,,
865579,Allergy to metals,23.00,Asthma,23.00,Bronchitis,23.00,Condition aggravated,23.00,Dairy intolerance,23.00
865579,Epstein-Barr virus infection,23.00,Fatigue,23.00,Hypoaesthesia,23.00,Immunodeficiency,23.00,Impaired work ability,23.00
865579,Injected limb mobility decreased,23.00,Malaise,23.00,Pain,23.00,Skin laceration,23.00,,
865580,Crying,23.00,Immediate post-injection reaction,23.00,Musculoskeletal stiffness,23.00,,,,,
865583,No adverse event,23.00,Product storage error,23.00,,,,,,
865584,Facial paralysis,23.00,Hypoaesthesia,23.00,,,,,,
865585,Herpes zoster,23.00,Pain,23.00,,,,,,
865586,Blister,23.00,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865587,Blister,23.00,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,Vaccination failure,23.00
865588,Blister,23.00,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,23.00,,
865589,Blister,23.00,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865590,Blister,23.00,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865591,Blister,23.00,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865592,Fatigue,23.00,Headache,23.00,Pain,23.00,Pain in extremity,23.00,,
865593,Abdominal discomfort,23.00,Arthralgia,23.00,Chills,23.00,Dizziness,23.00,Erythema,23.00
865593,Headache,23.00,Inflammation,23.00,Myalgia,23.00,Pain in extremity,23.00,,
865594,Dizziness,23.00,Dysphagia,23.00,Muscular weakness,23.00,Paraesthesia,23.00,Paraesthesia oral,23.00
865594,Throat tightness,23.00,,,,,,,
865595,Body temperature increased,23.00,Discomfort,23.00,Dizziness,23.00,Headache,23.00,Lymphadenopathy,23.00
865595,Pain,23.00,Pain in extremity,23.00,,,,,,
865596,Blister,23.00,Erythema,23.00,Pain,23.00,Tenderness,23.00,,
865597,Injection site erythema,23.00,Injection site pruritus,23.00,Injection site swelling,23.00,,,,,
865598,Burning sensation,23.00,Injection site erythema,23.00,Injection site swelling,23.00,Pain in extremity,23.00,Pyrexia,23.00
865599,Cough,23.00,Influenza A virus test negative,23.00,Influenza B virus test,23.00,Influenza virus test negative,23.00,Nasal congestion,23.00
865599,Pyrexia,23.00,Rash,23.00,Rhinorrhoea,23.00,Streptococcus test negative,23.00,,
865601,Arthralgia,23.00,Influenza virus test negative,23.00,Pain in

extremity,23.00,,,,,
865602,No adverse event,23.00,Product preparation error,23.00,,,,,,
865603,Asthma,23.00,Dyspnoea,23.00,Erythema,23.00,Peripheral swelling,
23.00,,
865606,Herpes zoster,23.00,,,,,,,
865607,Injection site erythema,23.00,Pyrexia,23.00,,,,,,
865616,No adverse event,23.00,Product storage error,23.00,,,,,,
865617,Herpes zoster,23.00,Neuropathy peripheral,23.00,,,,,,
865618,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865619,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865620,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865621,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865622,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865623,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865624,Blister,23.00,Herpes zoster,23.00,Pain,23.00,Rash vesicular,
23.00,,
865625,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865626,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865627,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,,,,,
865628,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865629,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865630,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865631,Herpes zoster,23.00,Neuralgia,23.00,Pain,23.00,Rash vesicular,
23.00,,
865632,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865633,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865634,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865635,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
865637,Chills,23.00,Fatigue,23.00,Headache,23.00,Incomplete course of
vaccination,23.00,Myalgia,23.00
865637,Pyrexia,23.00,,,,,,,
865638,Incorrect dose administered,23.00,Irritability,23.00,,,,,,
865639,Blood disorder,23.00,Inappropriate schedule of product
administration,23.00,,,,,,
865640,Lip swelling,23.00,Rash,23.00,Throat tightness,23.00,,,,,
865641,Influenza virus test,23.00,Pain,23.00,Peripheral swelling,
23.00,Streptococcus test,23.00,Urine analysis,23.00
865642,Hypoaesthesia,23.00,Laboratory test normal,23.00,Urticaria,
23.00,,,,,
865650,Blood pressure increased,23.00,,,,,,,
865651,Breast cancer female,23.00,,,,,,,
865652,Injection site erythema,23.00,Rash,23.00,,,,,,
865653,Arthralgia,23.00,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,,
865654,Erythema,23.00,,,,,,,
865655,Capillary nail refill test,23.00,Injection site erythema,

23.00,Injection site induration,23.00,Injection site reaction,
23.00,Injection site swelling,23.00
865655,Skin lesion,23.00,,,,,,, ,
865656,Injection site rash,23.00,,,,,,, ,
865657,Rash,23.00,Urticaria,23.00,,,,,,, ,
865665,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,Vaccination
failure,23.00,,
865666,Blister,23.00,Herpes zoster,23.00,Rash vesicular,
23.00,Vaccination failure,23.00,,
865668,Expired product administered,23.00,No adverse event,23.00,,,,,,, ,
865669,Burning sensation,23.00,Erythema,23.00,Incorrect route of
product administration,23.00,Paraesthesia,23.00,Swelling,23.00
865670,Blister,23.00,Chills,23.00,Fatigue,23.00,Lymph node pain,
23.00,Lymphadenopathy,23.00
865670,Pain,23.00,Pyrexia,23.00,Rash macular,23.00,,,,,
865671,Rash,23.00,,,,,,, ,
865672,Induration,23.00,Pain,23.00,Swelling,23.00,,,,,
865673,Cellulitis,23.00,Erythema,23.00,Swelling,23.00,,,,,
865674,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
865680,Exposure during pregnancy,23.00,Pregnancy test urine positive,
23.00,,,,,,, ,
865681,No adverse event,23.00,Product storage error,23.00,,,,,,, ,
865682,Cerebrovascular accident,23.00,Hemiparesis,23.00,Hypoaesthesia,
23.00,Transient ischaemic attack,23.00,,
865683,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865684,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,Vaccination
failure,23.00,,
865685,Feeling abnormal,23.00,,,,,,, ,
865686,Renal failure,23.00,Wrong product administered,23.00,,,,,,, ,
865690,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,, ,
865691,Condition aggravated,23.00,Exposure during pregnancy,
23.00,Herpes simplex,23.00,Nausea,23.00,Placenta praevia,23.00
865691,Ultrasound antenatal screen abnormal,23.00,,,,,,, ,
865692,Anaemia,23.00,Exposure during pregnancy,23.00,Foetal non-stress
test normal,23.00,Pharyngitis,23.00,Placental disorder,23.00
865692,Premature delivery,23.00,Ultrasound antenatal screen normal,
23.00,,,,,,, ,
865693,Blister,23.00,Injection site rash,23.00,Rash pruritic,23.00,,,,,
865694,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site rash,
23.00,Injection site swelling,23.00
865694,Urticaria,23.00,,,,,,, ,
865695,Musculoskeletal pain,23.00,,,,,,, ,
865696,Rash vesicular,23.00,Tenderness,23.00,,,,,,, ,
865697,Pain in extremity,23.00,,,,,,, ,
865698,Electromyogram,23.00,Hypoaesthesia,23.00,Magnetic resonance
imaging brain,23.00,Magnetic resonance imaging spinal,23.00,Malaise,
23.00

865698, Muscle twitching, 23.00, Pain in extremity, 23.00, Ultrasound scan, 23.00, , , , ,
865699, Herpes zoster, 23.00, , , , , , , , , , ,
865701, Acute respiratory failure, 23.00, Anaphylactic reaction, 23.00, Atrial fibrillation, 23.00, Cardioversion, 23.00, Condition aggravated, 23.00
865701, Dyspnoea, 23.00, Echocardiogram, 23.00, Endotracheal intubation, 23.00, Pneumonia, 23.00, Stress cardiomyopathy, 23.00
865701, Tremor, 23.00, Weight decreased, 23.00, , , , , , , , , , ,
865702, Erythema, 23.00, Musculoskeletal disorder, 23.00, Pain, 23.00, Skin warm, 23.00, , ,
865703, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Pain, 23.00, , ,
865704, Pyrexia, 23.00, Rash, 23.00, , , , , , , , , , ,
865705, Asthenia, 23.00, Feeling abnormal, 23.00, Headache, 23.00, Impaired work ability, 23.00, , ,
865706, Arthralgia, 23.00, Blood pressure increased, 23.00, Chest discomfort, 23.00, Dysstasia, 23.00, , ,
865707, Nausea, 23.00, Pyrexia, 23.00, , , , , , , , , , ,
865708, Back pain, 23.00, Chills, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Immediate post-injection reaction, 23.00
865708, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site warmth, 23.00, Neck pain, 23.00
865708, Nodule, 23.00, Pyrexia, 23.00, , , , , , , , , , ,
865709, Lymph node pain, 23.00, Lymphadenopathy, 23.00, , , , , , , , , , ,
865710, Pain in extremity, 23.00, , , , , , , , , , , , ,
865711, Rash, 23.00, , , , , , , , , , , , ,
865712, Abdominal X-ray, 23.00, Enema administration, 23.00, Full blood count, 23.00, Intussusception, 23.00, Metabolic function test, 23.00
865712, Occult blood, 23.00, Ultrasound abdomen, 23.00, , , , , , , , , , ,
865713, Asthenia, 23.00, Dizziness, 23.00, Hypoaesthesia, 23.00, , , , , , , , , , ,
865714, Erythema, 23.00, Hypoaesthesia, 23.00, Local reaction, 23.00, Pain in extremity, 23.00, Paraesthesia, 23.00
865714, X-ray normal, 23.00, , , , , , , , , , , , ,
865715, Chills, 23.00, Headache, 23.00, Influenza like illness, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00
865715, Injection site rash, 23.00, Myalgia, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia, 23.00
865716, Discomfort, 23.00, Immediate post-injection reaction, 23.00, Pain, 23.00, Tenderness, 23.00, , ,
865717, Arthralgia, 23.00, Fatigue, 23.00, Loss of personal independence in daily activities, 23.00, Myalgia, 23.00, , ,
865718, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, , , , , , , , , , ,
865719, Aphasia, 23.00, Blindness cortical, 23.00, Blood test, 23.00, Brain injury, 23.00, Communication disorder, 23.00
865719, Culture, 23.00, Depressed level of consciousness, 23.00, Dystonia, 23.00, Echocardiogram, 23.00, Electroencephalogram, 23.00
865719, Encephalitis, 23.00, Endotracheal intubation, 23.00, Epilepsy,

23.00,Gait inability,23.00,Lumbar puncture,23.00
865719,Magnetic resonance imaging brain abnormal,23.00,Mechanical
ventilation,23.00,Medical induction of coma,23.00,Respiratory arrest,
23.00,Seizure,23.00
865719,Status epilepticus,23.00,Wheelchair user,23.00,,,,,
865720,Arthralgia,23.00,Asthenia,23.00,Chills,23.00,Fatigue,
23.00,Hallucination,23.00
865720,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Myalgia,23.00
865720,Pyrexia,23.00,Respiratory arrest,23.00,,,,,
865721,Discomfort,23.00,Insomnia,23.00,Loss of personal independence
in daily activities,23.00,Mobility decreased,23.00,Pain in extremity,
23.00
865722,Asthenopia,23.00,Headache,23.00,Pain in extremity,
23.00,Pyrexia,23.00,,
865723,Erythema,23.00,Swelling,23.00,Tenderness,23.00,Urticaria,
23.00,,
865724,Mobility decreased,23.00,Pyrexia,23.00,,,,,
865725,Peripheral swelling,23.00,,,,,,,
865726,Pain,23.00,Sensitive skin,23.00,,,,,
865727,Acute kidney injury,23.00,Benign prostatic hyperplasia,
23.00,Blood culture negative,23.00,Computerised tomogram head,
23.00,Confusional state,23.00
865727,Delirium,23.00,Diabetic neuropathy,23.00,Electrocardiogram,
23.00,Encephalomalacia,23.00,Encephalopathy,23.00
865727,Erythema,23.00,Feeling abnormal,23.00,Full blood count,
23.00,Gastrointestinal disorder,23.00,Gliosis,23.00
865727,Headache,23.00,Hypertension,23.00,Hypotension,23.00,Induration,
23.00,Injection site cellulitis,23.00
865727,Laboratory test,23.00,Leukocytosis,23.00,Localised infection,
23.00,Mental status changes,23.00,Metabolic encephalopathy,23.00
865727,Pain,23.00,Pyrexia,23.00,Sepsis,23.00,Type 2 diabetes mellitus,
23.00,Ultrasound Doppler normal,23.00
865727,Vaccination complication,23.00,Vascular test,23.00,White blood
cell count increased,23.00,,,,,
865728,Tic,23.00,Toe walking,23.00,,,,,
865729,Hypoaesthesia,23.00,Mobility decreased,23.00,Myalgia,
23.00,Paraesthesia,23.00,,
865730,Immediate post-injection reaction,23.00,Injection site
inflammation,23.00,Injection site pain,23.00,,,,,
865739,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
865740,Incorrect dose administered,23.00,,,,,,,
865741,No adverse event,23.00,Product storage error,23.00,,,,,
865742,Arthralgia,23.00,Blood test,23.00,Myalgia,23.00,Rheumatoid
factor negative,23.00,,
865743,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
865744,No adverse event,23.00,Product storage error,23.00,,,,,
865745,Therapeutic response unexpected,23.00,,,,,,,

865746,Expired product administered,23.00,No adverse event,23.00,,,,,
865748,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865749,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865750,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865752,Decreased immune responsiveness,23.00,Herpes zoster,23.00,Rash
vesicular,23.00,,,,,
865753,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865754,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865755,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865756,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,,,,,
865757,Burning sensation,23.00,Herpes zoster,23.00,Rash,23.00,,,,,
865758,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,,,,,
865759,Blister,23.00,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865760,Blister,23.00,Herpes zoster,23.00,Pain,23.00,Rash vesicular,
23.00,,
865761,Blister,23.00,Herpes zoster,23.00,Rash vesicular,
23.00,Vaccination failure,23.00,,
865762,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865763,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,,,,,
865764,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865765,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,,,,,
865766,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865767,Decreased immune responsiveness,23.00,Herpes zoster,23.00,Pain,
23.00,Rash vesicular,23.00,,
865768,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865769,Herpes zoster,23.00,Rash vesicular,23.00,Vaccination failure,
23.00,,,,,
865770,Decreased immune responsiveness,23.00,Rash vesicular,
23.00,Vaccination failure,23.00,,,,,
865771,Blister,23.00,Death,23.00,Herpes zoster,23.00,Pain,23.00,Rash
vesicular,23.00
865772,No adverse event,23.00,Product storage error,23.00,,,,,
865773,No adverse event,23.00,Product storage error,23.00,,,,,
865774,Product storage error,23.00,,,,,
865775,No adverse event,23.00,Product storage error,23.00,,,,,
865777,No adverse event,23.00,Product storage error,23.00,,,,,
865778,No adverse event,23.00,Product storage error,23.00,,,,,
865779,No adverse event,23.00,Product storage error,23.00,,,,,
865780,No adverse event,23.00,Product storage error,23.00,,,,,
865781,Antinuclear antibody positive,23.00,Blood creatinine normal,
23.00,Blood urea normal,23.00,Rheumatoid arthritis,23.00,Rheumatoid
factor negative,23.00
865782,Abdominal pain upper,23.00,Diarrhoea,23.00,Vomiting,23.00,,,,,
865783,Herpes zoster,23.00,,,,,
865784,Chills,23.00,Injection site erythema,23.00,Injection site mass,
23.00,Injection site warmth,23.00,Pain in extremity,23.00

865784,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
865785,Injection site pain,23.00,,,,,,,,,
865786,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
865787,Bone swelling,23.00,Computerised tomogram,23.00,Electrocution,
23.00,Fluid retention,23.00,Injection site pain,23.00
865787,Insomnia,23.00,Joint noise,23.00,Joint swelling,
23.00,Musculoskeletal pain,23.00,Neuralgia,23.00
865787,Pyrexia,23.00,,,,,,,,,
865788,Incomplete course of vaccination,23.00,,,,,,,,,
865789,Muscle spasms,23.00,,,,,,,,,
865790,Eye pain,23.00,Headache,23.00,Neuralgia,23.00,Pain,
23.00,Sensitive skin,23.00
865791,Influenza like illness,23.00,,,,,,,,,
865792,Localised oedema,23.00,,,,,,,,,
865795,Accident,23.00,Inappropriate schedule of product
administration,23.00,Meniscus injury,23.00,Meniscus operation,23.00,,
865796,Herpes zoster,23.00,Nerve injury,23.00,Pain,23.00,Post herpetic
neuralgia,23.00,Rash vesicular,23.00
865797,No adverse event,23.00,Product storage error,23.00,,,,,
865798,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
865799,Injected limb mobility decreased,23.00,Neuralgia,23.00,Pain,
23.00,X-ray,23.00,,
865800,Asthenia,23.00,Headache,23.00,Presyncope,23.00,,,,,
865801,Injection site pain,23.00,,,,,,,,,
865802,Angioedema,23.00,,,,,,,,,
865803,Asthenia,23.00,Headache,23.00,Pain,23.00,Pain in extremity,
23.00,,
865804,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site mass,23.00,Injection site swelling,23.00,,
865805,Asthenia,23.00,Injection site reaction,23.00,Myalgia,
23.00,Pyrexia,23.00,,
865806,Pain,23.00,Pain in extremity,23.00,Sleep disorder,23.00,,,,,
865807,Vomiting,23.00,,,,,,,,,
865808,Chills,23.00,Fatigue,23.00,Headache,23.00,Heart rate increased,
23.00,Injection site erythema,23.00
865808,Injection site pain,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
865809,Asthenia,23.00,Chest X-ray normal,23.00,Computerised tomogram
normal,23.00,Deafness unilateral,23.00,Dizziness,23.00
865809,Ear discomfort,23.00,Headache,23.00,Hypertension,23.00,Magnetic
resonance imaging normal,23.00,Ultrasound scan,23.00
865809,Vomiting,23.00,,,,,,,,,
865812,Herpes zoster,23.00,Pain,23.00,Rash vesicular,23.00,,,,,
865813,No adverse event,23.00,Product storage error,23.00,,,,,
865814,No adverse event,23.00,Product storage error,23.00,,,,,
865815,No adverse event,23.00,Product storage error,23.00,,,,,
865816,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
865817,Inappropriate schedule of product administration,23.00,Rash,
23.00,,,,,
865818,Inappropriate schedule of product administration,

23.00, Injection site pain, 23.00, , , , , , ,
865819, Abdominal discomfort, 23.00, Chills, 23.00, Headache, 23.00, Pyrexia, 23.00, ,
865820, Rash, 23.00, , , , , , , ,
865821, Biopsy skin, 23.00, Dermatitis contact, 23.00, Injection site pain, 23.00, Rash pruritic, 23.00, ,
865822, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , ,
865823, Abdominal discomfort, 23.00, Asthenia, 23.00, Constipation, 23.00, Fatigue, 23.00, Headache, 23.00
865823, Heart rate increased, 23.00, Insomnia, 23.00, Mouth swelling, 23.00, Pain, 23.00, Pyrexia, 23.00
865824, Arthralgia, 23.00, Joint range of motion decreased, 23.00, Joint swelling, 23.00, Medical device site joint pain, 23.00, Myalgia, 23.00
865824, Pain in extremity, 23.00, , , , , , , ,
865825, Body temperature increased, 23.00, Erythema, 23.00, Injection site cellulitis, 23.00, , , , ,
865826, Altered state of consciousness, 23.00, Blood glucose normal, 23.00, Crying, 23.00, Eye movement disorder, 23.00, Flushing, 23.00
865826, Injection site haemorrhage, 23.00, Moaning, 23.00, Pain in extremity, 23.00, Pallor, 23.00, Paraesthesia, 23.00
865826, Posture abnormal, 23.00, Syncope, 23.00, , , , , , , ,
865827, Dermatitis allergic, 23.00, Injection site erythema, 23.00, Injection site warmth, 23.00, , , , , ,
865838, Inflammation, 23.00, Rash, 23.00, Rash vesicular, 23.00, , , , , , , ,
865839, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
865840, Chills, 23.00, Fatigue, 23.00, Feeling cold, 23.00, Headache, 23.00, Insomnia, 23.00
865840, Pyrexia, 23.00, , , , , , , ,
865841, Fatigue, 23.00, Nausea, 23.00, , , , , , , ,
865842, Herpes zoster, 23.00, , , , , , , ,
865843, Blister, 23.00, Pruritus, 23.00, Rash, 23.00, , , , , , , ,
865844, Myalgia, 23.00, , , , , , , ,
865845, Myalgia, 23.00, , , , , , , ,
865846, Myalgia, 23.00, , , , , , , ,
865847, Adverse drug reaction, 23.00, , , , , , , ,
865848, Injection site pain, 23.00, , , , , , , ,
865849, Arthralgia, 23.00, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Pain, 23.00
865850, Hypoaesthesia, 23.00, Injection site pain, 23.00, Insomnia, 23.00, Peripheral swelling, 23.00, ,
865851, Arthralgia, 23.00, Fatigue, 23.00, Influenza like illness, 23.00, Pain, 23.00, ,
865852, Product storage error, 23.00, , , , , , , ,
865854, Injection site pain, 23.00, Pain, 23.00, , , , , , , ,
865855, Acupuncture, 23.00, Back pain, 23.00, Chest pain, 23.00, Herpes zoster, 23.00, Injection site erythema, 23.00
865855, Vaccination site pain, 23.00, Vaccination site warmth, 23.00, , , , , , , ,
865856, Muscle spasms, 23.00, Myoclonus, 23.00, , , , , , , ,
865857, Immediate post-injection reaction, 23.00, Injected limb mobility decreased, 23.00, Injection site pain, 23.00, Shoulder injury related to

vaccine administration,23.00,,
865858,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
865859,Incorrect dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
865860,Erythema,23.00,Nausea,23.00,Peripheral swelling,23.00,Skin
warm,23.00,Urticaria,23.00
865861,Inappropriate schedule of product administration,23.00,,,,,,,,,
865863,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
865864,Ear infection,23.00,Ear pain,23.00,,,,,,,,,
865865,Abdominal pain,23.00,,,,,,,,,
865867,Injection site erythema,23.00,Injection site swelling,
23.00,Rash vesicular,23.00,,,,,
865868,Erythema,23.00,Papule,23.00,,,,,,,,,
865869,Measles antibody,23.00,Measles antibody negative,23.00,Mumps
antibody test,23.00,Pyrexia,23.00,Rash,23.00
865870,Rash,23.00,,,,,,,,,
865871,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865872,Injection site haematoma,23.00,Injection site pain,
23.00,Injection site rash,23.00,Myalgia,23.00,Rash,23.00
865873,Strabismus,23.00,Vision blurred,23.00,,,,,,,,,
865874,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
865875,Amnesia,23.00,Contusion,23.00,Fall,23.00,Headache,
23.00,Injection site pain,23.00
865875,Laboratory test normal,23.00,Pain in extremity,23.00,Seizure,
23.00,,,,,
865876,Amnesia,23.00,Asthenia,23.00,Deafness unilateral,
23.00,Diplopia,23.00,Disorientation,23.00
865876,Dizziness,23.00,Facial paralysis,23.00,Fall,23.00,Fatigue,
23.00,Feeling abnormal,23.00
865876,Myalgia,23.00,Oropharyngeal pain,23.00,Photophobia,
23.00,Sensory disturbance,23.00,Tinnitus,23.00
865876,Vision blurred,23.00,,,,,,,,,
865877,Feeling hot,23.00,Headache,23.00,Influenza like illness,
23.00,Injection site pain,23.00,Malaise,23.00
865877,Pain,23.00,Pyrexia,23.00,,,,,,,,,
865878,Product preparation error,23.00,,,,,,,,,
865879,Musculoskeletal stiffness,23.00,Myalgia,23.00,Rash
erythematous,23.00,,,,,
865888,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865889,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865890,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865891,Circumstance or information capable of leading to medication
error,23.00,No adverse event,23.00,,,,,,,,,
865892,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865893,Cardiac failure congestive,23.00,Cerebrovascular accident,
23.00,Confusional state,23.00,Ischaemic stroke,23.00,Left ventricular
failure,23.00
865893,Mental status changes,23.00,,,,,,,,,
865894,Incorrect route of product administration,23.00,No adverse

event,23.00,,,,,
865895,No adverse event,23.00,Product storage error,23.00,,,,,
865896,No adverse event,23.00,Wrong product administered,23.00,,,,,
865897,Ear discomfort,23.00,Inappropriate schedule of product
administration,23.00,,,,,
865899,Diarrhoea,23.00,,,,,
865900,Abdominal pain upper,23.00,Pyrexia,23.00,,,,,
865901,Diarrhoea,23.00,Nausea,23.00,Product storage error,
23.00,Pyrexia,23.00,,
865902,Chills,23.00,Erythema,23.00,Localised oedema,23.00,Loss of
personal independence in daily activities,23.00,Malaise,23.00
865902,Myalgia,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,
865903,Abdominal discomfort,23.00,Headache,23.00,Pyrexia,23.00,,,,,
865905,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Foetal growth restriction,23.00,Low
birth weight baby,23.00
865905,Premature baby,23.00,,,,,
865909,Expired product administered,23.00,No adverse event,23.00,,,,,
865910,Influenza like illness,23.00,Malaise,23.00,Pain,23.00,Pyrexia,
23.00,,
865911,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,,,,,
865912,Dysphonia,23.00,,,,,
865913,Injection site urticaria,23.00,Local reaction,23.00,,,,,
865914,Urticaria,23.00,,,,,
865915,Malaise,23.00,Pyrexia,23.00,,,,,
865926,Herpes zoster,23.00,,,,,
865927,Abdominal discomfort,23.00,Chills,23.00,Dysstasia,
23.00,Erythema,23.00,Fatigue,23.00
865927,Feeling hot,23.00,Headache,23.00,Myalgia,23.00,Pain in
extremity,23.00,Peripheral swelling,23.00
865927,Pyrexia,23.00,Vomiting,23.00,,,,,
865928,Back pain,23.00,Injection site pain,23.00,Myalgia,23.00,Spinal
pain,23.00,,
865929,Product supply issue,23.00,Pruritus,23.00,,,,,
865930,Incomplete course of vaccination,23.00,Malaise,23.00,Pain,
23.00,Rash pruritic,23.00,Skin warm,23.00
865930,Swelling,23.00,,,,,
865931,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
865932,Injected limb mobility decreased,23.00,Injection site pain,
23.00,,,,,
865933,Pyrexia,23.00,,,,,
865934,Swelling,23.00,,,,,
865935,Ear pain,23.00,Facial paralysis,23.00,Fatigue,23.00,Headache,
23.00,Hypoaesthesia oral,23.00
865935,Influenza like illness,23.00,Malaise,23.00,Mobility decreased,
23.00,Oropharyngeal pain,23.00,Pain in extremity,23.00
865935,Peripheral swelling,23.00,Pyrexia,23.00,Upper respiratory tract
congestion,23.00,,,,,
865937,No adverse event,23.00,Wrong product administered,23.00,,,,,

865938, Dry skin, 23.00, Papule, 23.00, Rash, 23.00, , , , ,
865939, Abdominal pain upper, 23.00, Abnormal dreams, 23.00, Fatigue, 23.00, Hallucination, 23.00, Headache, 23.00
865939, Pyrexia, 23.00, , , , , , , , ,
865942, Herpes zoster, 23.00, , , , , , , , ,
865944, Pain in extremity, 23.00, Peripheral swelling, 23.00, , , , , , , , ,
865945, Adverse drug reaction, 23.00, Gastroenteritis viral, 23.00, , , , , , , , ,
865946, Adverse reaction, 23.00, , , , , , , , ,
865947, Adverse reaction, 23.00, , , , , , , , ,
865948, Adverse event, 23.00, , , , , , , , ,
865949, Fatigue, 23.00, Headache, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, ,
865950, Feeling hot, 23.00, Headache, 23.00, Herpes zoster, 23.00, Rash, 23.00, ,
865951, Fatigue, 23.00, Injection site pain, 23.00, Pyrexia, 23.00, Somnolence, 23.00, ,
865952, Incomplete course of vaccination, 23.00, Pruritus, 23.00, , , , , , , , ,
865953, Pain in extremity, 23.00, Pyrexia, 23.00, , , , , , , , ,
865954, Chills, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, , , , , , , , ,
865955, Adverse event, 23.00, , , , , , , , ,
865956, Adverse reaction, 23.00, , , , , , , , ,
865957, Rash macular, 23.00, , , , , , , , ,
865958, Abdominal pain upper, 23.00, Chills, 23.00, Fatigue, 23.00, Influenza like illness, 23.00, Pain, 23.00
865959, Arthralgia, 23.00, Fatigue, 23.00, Influenza like illness, 23.00, Pain, 23.00, ,
865960, Chills, 23.00, Fatigue, 23.00, Nausea, 23.00, Pruritus, 23.00, Swelling, 23.00
865960, Urticaria, 23.00, , , , , , , , ,
865961, Back pain, 23.00, Chest pain, 23.00, Herpes zoster, 23.00, Pain, 23.00, ,
865962, Injection site cellulitis, 23.00, Local reaction, 23.00, , , , , , , , ,
865963, Body temperature increased, 23.00, Chills, 23.00, Decreased appetite, 23.00, Erythema, 23.00, Headache, 23.00
865963, Injection site discolouration, 23.00, Musculoskeletal pain, 23.00, Neck pain, 23.00, Night sweats, 23.00, Skin warm, 23.00
865963, Sleep disorder, 23.00, , , , , , , , ,
865965, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , , , ,
865974, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , , ,
865975, Apgar score normal, 23.00, Foetal exposure during pregnancy, 23.00, Large for dates baby, 23.00, , , , , , , , ,
865976, Pruritus, 23.00, Rash, 23.00, , , , , , , , ,
865977, Injection site pruritus, 23.00, Rash, 23.00, , , , , , , , ,
865978, Mobility decreased, 23.00, Musculoskeletal disorder, 23.00, Musculoskeletal pain, 23.00, , , , , , , , ,
865979, Hypoaesthesia, 23.00, Injection site swelling, 23.00, Paraesthesia, 23.00, , , , , , , , ,
865980, Autism spectrum disorder, 23.00, Condition aggravated, 23.00, Crying, 23.00, Dairy intolerance, 23.00, Diet refusal, 23.00

865980,Eczema,23.00,Encephalopathy,23.00,Injection site erythema,
23.00,Irritability,23.00,Pyrexia,23.00
865980,Rash,23.00,Rash erythematous,23.00,Screaming,23.00,Vaccination
site mass,23.00,,
865981,Feeling abnormal,23.00,Injection site erythema,23.00,Injection
site pain,23.00,Injection site swelling,23.00,Pyrexia,23.00
865981,Syncope,23.00,,,,,,,,,
865982,Rash,23.00,Vomiting,23.00,,,,,,,,,
865983,Injection site pain,23.00,Product administered at inappropriate
site,23.00,Tendon rupture,23.00,X-ray,23.00,,
865984,Urticaria,23.00,,,,,,,,,
865992,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865993,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
865994,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,,,,,
865995,Inappropriate schedule of product administration,23.00,,,,,,,,,
865996,Chest pain,23.00,Erythema,23.00,Insomnia,23.00,Pain in
extremity,23.00,Streptococcus test,23.00
865998,Chills,23.00,Dizziness,23.00,Vaccine positive rechallenge,
23.00,,,,,
865999,Chills,23.00,,,,,,,,,
866000,Injection site discomfort,23.00,Malaise,23.00,Pyrexia,
23.00,Rash,23.00,Rash erythematous,23.00
866000,Rash macular,23.00,Rash maculo-papular,23.00,Rash papular,
23.00,Skin warm,23.00,,
866001,Arthralgia,23.00,Musculoskeletal pain,23.00,Pain in extremity,
23.00,,,,,
866002,Erythema,23.00,Extensive swelling of vaccinated limb,
23.00,Injection site erythema,23.00,Peripheral swelling,23.00,,
866003,Pain in extremity,23.00,Pyrexia,23.00,Skin tightness,
23.00,Vaccine positive rechallenge,23.00,,
866004,Chills,23.00,Flushing,23.00,Pain,23.00,,,,,
866005,Burning sensation,23.00,Injection site pain,23.00,Joint range
of motion decreased,23.00,Middle insomnia,23.00,Musculoskeletal pain,
23.00
866005,Pain,23.00,Pain in extremity,23.00,Paraesthesia,
23.00,Peripheral nerve neurostimulation,23.00,Shoulder injury related
to vaccine administration,23.00
866008,Incorrect route of product administration,23.00,Injection site
erythema,23.00,,,,,,,,,
866009,Injection site erythema,23.00,Injection site warmth,23.00,Local
reaction,23.00,Pain in extremity,23.00,,
866010,Bursitis,23.00,Inflammation,23.00,Injection site mass,
23.00,Injection site pain,23.00,Joint range of motion decreased,23.00
866010,Magnetic resonance imaging,23.00,Musculoskeletal pain,
23.00,Pain in extremity,23.00,Tendonitis,23.00,X-ray,23.00
866011,Incorrect dose administered,23.00,No adverse event,23.00,,,,,,,,,
866012,Injection site discolouration,23.00,Injection site urticaria,
23.00,Musculoskeletal pain,23.00,Pain in extremity,23.00,,
866013,No adverse event,23.00,Unevaluable event,23.00,,,,,,,,,

866014, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
866015, Chills, 23.00, Erythema, 23.00, Pyrexia, 23.00, Swelling, 23.00, ,
866016, Pruritus, 23.00, Rash, 23.00, , , , , , , ,
866017, Injection site pain, 23.00, , , , , , , , ,
866018, Blister, 23.00, Chills, 23.00, Headache, 23.00, Herpes zoster, 23.00, Injection site pain, 23.00
866018, Insomnia, 23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00, Malaise, 23.00, Pain, 23.00
866018, Rash, 23.00, , , , , , , , ,
866028, Erythema, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , ,
866029, Herpes zoster, 23.00, , , , , , , , ,
866030, Herpes zoster, 23.00, , , , , , , , ,
866031, Hypoaesthesia, 23.00, , , , , , , , ,
866032, Oral infection, 23.00, Pharyngitis, 23.00, , , , , , , ,
866033, Pain in extremity, 23.00, Pyrexia, 23.00, , , , , , , ,
866034, Bedridden, 23.00, Burning sensation, 23.00, Fatigue, 23.00, Pain, 23.00, Pain in extremity, 23.00
866034, Pruritus, 23.00, Pyrexia, 23.00, Rash erythematous, 23.00, Scratch, 23.00, ,
866035, Abdominal discomfort, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site erythema, 23.00
866035, Injection site pain, 23.00, Injection site swelling, 23.00, Myalgia, 23.00, Pyrexia, 23.00, ,
866036, Feeling abnormal, 23.00, , , , , , , , ,
866037, Malaise, 23.00, , , , , , , , ,
866038, Anaphylactic reaction, 23.00, Rash, 23.00, Rash erythematous, 23.00, , , , ,
866039, Chest discomfort, 23.00, Rash, 23.00, , , , , , , ,
866040, Chills, 23.00, Influenza like illness, 23.00, Injection site pain, 23.00, Pyrexia, 23.00, ,
866041, Injection site pain, 23.00, , , , , , , , ,
866042, Allergy test positive, 23.00, Food allergy, 23.00, Pain in extremity, 23.00, Pruritus, 23.00, Rash, 23.00
866042, Rash erythematous, 23.00, Skin sensitisation, 23.00, , , , , , , ,
866043, Arthralgia, 23.00, Fatigue, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00
866043, Pain, 23.00, , , , , , , , ,
866044, Rash, 23.00, , , , , , , , ,
866045, Dizziness, 23.00, Eye movement disorder, 23.00, Feeling cold, 23.00, Loss of consciousness, 23.00, Muscle twitching, 23.00
866045, Posture abnormal, 23.00, Seizure like phenomena, 23.00, , , , , , , ,
866046, Abnormal behaviour, 23.00, Decreased eye contact, 23.00, Eczema, 23.00, Food allergy, 23.00, Gene mutation identification test, 23.00
866046, Impaired healing, 23.00, Rash, 23.00, Skin erosion, 23.00, , , , , ,
866047, Chills, 23.00, Dizziness, 23.00, Fall, 23.00, Hyperhidrosis, 23.00, Loss of consciousness, 23.00
866048, Syncope, 23.00, , , , , , , , ,
866049, Erythema, 23.00, Injection site pain, 23.00, Swelling, 23.00, , , , , ,
866050, Erythema, 23.00, Erythema multiforme, 23.00, , , , , , , ,

866055,Herpes zoster,23.00,,,,,,,,,
866056,Herpes zoster,23.00,,,,,,,,,
866057,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Musculoskeletal pain,23.00,Neck pain,23.00
866057,Vaccine positive rechallenge,23.00,,,,,,,,,
866058,Dyspnoea,23.00,Heart rate increased,23.00,,,,,,,,,
866059,Pyrexia,23.00,,,,,,,,,
866060,Angiotensin converting enzyme decreased,23.00,Anti-aquaporin-4
antibody negative,23.00,Blindness,23.00,Borrelia test negative,
23.00,C-reactive protein normal,23.00
866060,CSF culture negative,23.00,CSF glucose normal,23.00,CSF
oligoclonal band absent,23.00,CSF protein normal,23.00,CSF red blood
cell count positive,23.00
866060,CSF white blood cell count negative,23.00,Epstein-Barr virus
test negative,23.00,Fundoscopy abnormal,23.00,Herpes simplex test
negative,23.00,Magnetic resonance imaging brain abnormal,23.00
866060,Magnetic resonance imaging spinal abnormal,23.00,Neuro-
ophthalmological test normal,23.00,Optic atrophy,23.00,Optic disc
haemorrhage,23.00,Optic neuritis,23.00
866060,Optic neuropathy,23.00,Optical coherence tomography abnormal,
23.00,Papilloedema,23.00,Polymerase chain reaction,23.00,Pupillary
reflex impaired,23.00
866060,Red blood cell sedimentation rate normal,23.00,Scan with
contrast abnormal,23.00,Serology negative,23.00,Varicella virus test
negative,23.00,Vision blurred,23.00
866060,Visual acuity reduced,23.00,Visual impairment,23.00,White blood
cell count normal,23.00,,,,,
866061,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,,,,,
866062,Pyrexia,23.00,,,,,,,,,
866063,Abdominal pain,23.00,Carnett's sign positive,23.00,Chills,
23.00,Muscle rupture,23.00,Rib fracture,23.00
866064,Delivery,23.00,Exposure during pregnancy,23.00,Foetal non-
stress test normal,23.00,Placental disorder,23.00,Ultrasound antenatal
screen normal,23.00
866065,Injection site erythema,23.00,Injection site reaction,
23.00,Injection site urticaria,23.00,,,,,
866066,Back pain,23.00,Dizziness,23.00,Fall,23.00,Feeling cold,
23.00,Head injury,23.00
866066,Hypoaesthesia,23.00,Loss of consciousness,23.00,Muscle
twitching,23.00,Posture abnormal,23.00,Seizure,23.00
866067,Injection site pain,23.00,Pain,23.00,,,,,,,,,
866069,Dyspnoea,23.00,Pharyngeal swelling,23.00,Respiratory
depression,23.00,Syncope,23.00,,
866070,Confusional state,23.00,Delirium,23.00,Myalgia,23.00,Nausea,
23.00,Pyrexia,23.00
866070,Vomiting,23.00,,,,,,,,,
866071,Dyskinesia,23.00,Headache,23.00,Neck pain,23.00,Pain in jaw,
23.00,,
866072,Nausea,23.00,Vomiting,23.00,,,,,,,,,

866073, Chills, 23.00, Pain, 23.00, Pyrexia, 23.00, Vomiting, 23.00,,
866074, No adverse event, 23.00, Product storage error, 23.00,,,,,
866075, Herpes zoster, 23.00, Hypersensitivity, 23.00,,,,,
866077, Musculoskeletal pain, 23.00,,,,,
866078, Chills, 23.00, Headache, 23.00, Injection site pain, 23.00, Pyrexia,
23.00,,
866079, Unevaluable event, 23.00,,,,,
866080, Loss of personal independence in daily activities,
23.00, Mobility decreased, 23.00, Muscular weakness, 23.00,,,,,
866082, Blood test, 23.00, Magnetic resonance imaging, 23.00, Magnetic
resonance imaging neck, 23.00, Ophthalmological examination abnormal,
23.00, Optic ischaemic neuropathy, 23.00
866082, Optic nerve injury, 23.00, Photopsia, 23.00, Scan with contrast,
23.00, Sleep study, 23.00, Ultrasound Doppler, 23.00
866082, Visual impairment, 23.00,,,,,
866083, Blood test normal, 23.00, Urticaria, 23.00,,,,,
866084, Injection site erythema, 23.00, Product administered at
inappropriate site, 23.00,,,,,
866085, Chills, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia, 23.00, Vomiting,
23.00
866086, Myalgia, 23.00, X-ray normal, 23.00,,,,,
866087, Peripheral swelling, 23.00, Skin warm, 23.00,,,,,
866088, Chest X-ray abnormal, 23.00, Cough, 23.00, Dyspnoea,
23.00, Hyperhidrosis, 23.00, Injection site erythema, 23.00
866088, Injection site pruritus, 23.00, Injection site swelling,
23.00, Malaise, 23.00, Pain, 23.00, Pleuritic pain, 23.00
866088, Pneumonia, 23.00, Pyrexia, 23.00, Respiratory viral panel,
23.00, SARS-CoV-2 test, 23.00, SARS-CoV-2 test negative, 23.00
866089, Fatigue, 23.00, Pain, 23.00, Somnolence, 23.00,,,,,
866090, Chills, 23.00, Headache, 23.00, Nausea, 23.00,,,,,
866102, No adverse event, 23.00, Product storage error, 23.00,,,,,
866103, No adverse event, 23.00, Product storage error, 23.00,,,,,
866104, No adverse event, 23.00, Product storage error, 23.00,,,,,
866105, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00,,,,,
866106, No adverse event, 23.00, Product storage error, 23.00,,,,,
866107, No adverse event, 23.00, Product storage error, 23.00,,,,,
866110, No adverse event, 23.00, Product storage error, 23.00,,,,,
866111, Herpes zoster, 23.00,,,,,
866113, Nausea, 23.00, Product storage error, 23.00,,,,,
866114, Diarrhoea, 23.00, Vomiting, 23.00,,,,,
866115, Abdominal discomfort, 23.00,,,,,
866117, Abdominal discomfort, 23.00,,,,,
866118, Diarrhoea, 23.00,,,,,
866119, Vomiting, 23.00,,,,,
866120, Abdominal pain, 23.00,,,,,
866121, Diarrhoea, 23.00, Oral administration complication,
23.00, Vomiting, 23.00,,,,,
866123, Asthenia, 23.00, Myalgia, 23.00,,,,,
866124, Headache, 23.00, Immediate post-injection reaction, 23.00, Malaise,

23.00,Vaccine positive rechallenge,23.00,,
866125,Headache,23.00,Malaise,23.00,,,,,
866126,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,,,
866127,Blood test normal,23.00,Fatigue,23.00,Headache,23.00,Malaise,
23.00,Vaccine positive rechallenge,23.00
866127,Viral infection,23.00,,,,,
866128,Injection site erythema,23.00,Pain in extremity,23.00,,,,,
866129,Computerised tomogram head normal,23.00,Ear pain,23.00,Eyelid
function disorder,23.00,Facial pain,23.00,Facial paralysis,23.00
866129,Hypoaesthesia,23.00,Hypoaesthesia oral,23.00,,,,,
866130,Full blood count normal,23.00,Injected limb mobility decreased,
23.00,Injection site induration,23.00,Injection site pain,
23.00,Injection site swelling,23.00
866130,Local reaction,23.00,,,,,
866131,Guillain-Barre syndrome,23.00,,,,,
866132,Swelling,23.00,,,,,
866133,Abdominal discomfort,23.00,Dizziness,23.00,Fatigue,
23.00,Injection site pain,23.00,Nausea,23.00
866134,Peripheral swelling,23.00,,,,,
866137,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,
866138,Product storage error,23.00,,,,,
866139,Wrong product administered,23.00,,,,,
866146,Herpes zoster,23.00,,,,,
866147,Injection site pain,23.00,Intercepted product administration
error,23.00,,,,,
866148,Pruritus,23.00,,,,,
866149,Rash erythematous,23.00,,,,,
866150,Body temperature increased,23.00,Headache,23.00,Peripheral
coldness,23.00,Peripheral swelling,23.00,,
866151,Injection site discomfort,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Sensitive skin,23.00,,
866152,Pain,23.00,,,,,
866153,Malaise,23.00,,,,,
866154,Influenza like illness,23.00,,,,,
866155,Chills,23.00,Pyrexia,23.00,,,,,
866156,Injection site erythema,23.00,Pain,23.00,,,,,
866157,Headache,23.00,Influenza like illness,23.00,Pain,23.00,,,,
866158,Chills,23.00,Dizziness,23.00,Fatigue,23.00,Feeling hot,
23.00,Headache,23.00
866158,Myalgia,23.00,Pain in extremity,23.00,,,,,
866159,Incorrect route of product administration,23.00,Injection site
erythema,23.00,Injection site swelling,23.00,Injection site warmth,
23.00,Peripheral swelling,23.00
866161,Chills,23.00,Headache,23.00,Nausea,23.00,Pyrexia,
23.00,Retching,23.00
866162,Swelling,23.00,,,,,
866163,Headache,23.00,Injection site erythema,23.00,,,,,
866164,Fatigue,23.00,Influenza like illness,23.00,Pain,23.00,Pyrexia,
23.00,Rhinorrhoea,23.00

866164, Sneezing, 23.00, , , , , , , , ,
866165, Adverse drug reaction, 23.00, , , , , , , ,
866166, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
866167, Peripheral swelling, 23.00, , , , , , , ,
866179, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866180, Abdominal discomfort, 23.00, Immunisation, 23.00, Oral
administration complication, 23.00, Vomiting, 23.00, ,
866182, Vomiting, 23.00, , , , , , , ,
866183, Foreign body in throat, 23.00, Oesophageal injury, 23.00, , , , , ,
866184, Abdominal discomfort, 23.00, , , , , , , ,
866187, Blister, 23.00, Herpes zoster, 23.00, Pain, 23.00, Pruritus,
23.00, Rash, 23.00
866187, Vaccination failure, 23.00, , , , , , , ,
866188, Pyrexia, 23.00, , , , , , , ,
866189, Fatigue, 23.00, Headache, 23.00, Myalgia, 23.00, , , , ,
866190, Vertigo, 23.00, Vestibular neuronitis, 23.00, , , , , , ,
866191, Ophthalmic herpes zoster, 23.00, , , , , , , ,
866192, Erythema, 23.00, Injection site reaction, 23.00, Pain, 23.00, , , , ,
866195, Injection site erythema, 23.00, , , , , , , ,
866208, Herpes zoster, 23.00, , , , , , , ,
866209, Incorrect route of product administration, 23.00, No adverse
event, 23.00, , , , , , , ,
866210, Diarrhoea, 23.00, Nausea, 23.00, Rash, 23.00, , , , , ,
866211, Abdominal pain, 23.00, Abdominal pain upper, 23.00, Feeling
abnormal, 23.00, Incomplete course of vaccination, 23.00, , ,
866212, Oral administration complication, 23.00, Vomiting, 23.00, , , , , , ,
866214, Nausea, 23.00, Product storage error, 23.00, , , , , , , ,
866215, Nausea, 23.00, Oral administration complication, 23.00, Vomiting,
23.00, , , , , , , ,
866216, Blood test abnormal, 23.00, Fallopian tube cancer, 23.00, Fallopian
tube cancer metastatic, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00
866216, Urinary tract infection, 23.00, Vaccination complication,
23.00, Vaccination site infection, 23.00, , , , , , ,
866217, Hypoaesthesia, 23.00, Immediate post-injection reaction,
23.00, Injection site joint movement impairment, 23.00, Injection site
pain, 23.00, Neck pain, 23.00
866217, Pain in extremity, 23.00, , , , , , , , ,
866218, Abdominal pain upper, 23.00, Alopecia, 23.00, Benign breast lump
removal, 23.00, Blood test, 23.00, Breast pain, 23.00
866218, Colonoscopy, 23.00, Computerised tomogram abdomen,
23.00, Diarrhoea, 23.00, Drug hypersensitivity, 23.00, Dyspnoea, 23.00
866218, Eating disorder, 23.00, Endoscopy, 23.00, Gastric disorder,
23.00, Gastric emptying study, 23.00, Headache, 23.00
866218, Helicobacter infection, 23.00, Hypophagia, 23.00, Irritable bowel
syndrome, 23.00, Laboratory test, 23.00, Muscular weakness, 23.00
866218, Nausea, 23.00, Pain in extremity, 23.00, Rash, 23.00, Rash
erythematous, 23.00, Throat tightness, 23.00
866218, Vomiting, 23.00, Weight decreased, 23.00, , , , , , , ,
866219, Pollakiuria, 23.00, Polydipsia, 23.00, Type 1 diabetes mellitus,

23.00,,,,,
866220,Alopecia areata,23.00,Benign breast lump removal,23.00,Benign breast neoplasm,23.00,Breast pain,23.00,Cough,23.00
866220,Diarrhoea,23.00,Headache,23.00,Laboratory test,23.00,Muscular weakness,23.00,Nausea,23.00
866220,Oropharyngeal pain,23.00,Pain in extremity,23.00,Upper respiratory tract infection,23.00,,,,,
866221,Immediate post-injection reaction,23.00,Injection site erythema,23.00,Injection site pruritus,23.00,,,,,
866223,Injection site pain,23.00,Injection site reaction,23.00,Joint range of motion decreased,23.00,Pain,23.00,Pyrexia,23.00
866223,Rash erythematous,23.00,,,,,,
866224,Chills,23.00,Eye swelling,23.00,Incomplete course of vaccination,23.00,Tremor,23.00,,
866225,Alopecia areata,23.00,Benign breast lump removal,23.00,Breast pain,23.00,Drug hypersensitivity,23.00,Dyspnoea,23.00
866225,Headache,23.00,Helicobacter infection,23.00,Hypophagia,23.00,Injection site pain,23.00,Irritable bowel syndrome,23.00
866225,Laboratory test,23.00,Myalgia,23.00,Throat tightness,23.00,Weight decreased,23.00,,
866226,Seizure,23.00,,,,,,
866227,Chills,23.00,Fatigue,23.00,Nausea,23.00,,,,,
866228,Injection site erythema,23.00,Skin warm,23.00,,,,,,
866229,Bedridden,23.00,Chills,23.00,Pain,23.00,Pyrexia,23.00,,
866230,Hypoaesthesia,23.00,,,,,,
866231,Erythema,23.00,Inflammation,23.00,Skin warm,23.00,,,,,
866232,Injection site cellulitis,23.00,Injection site erythema,23.00,Injection site pustule,23.00,Injection site swelling,23.00,,
866233,Vaccination site rash,23.00,Vaccination site swelling,23.00,,,,,
866234,Dizziness,23.00,Malaise,23.00,Visual impairment,23.00,,,,,
866248,Body temperature increased,23.00,Febrile convulsion,23.00,Generalised tonic-clonic seizure,23.00,Influenza virus test negative,23.00,,
866249,Blindness transient,23.00,,,,,,
866250,No adverse event,23.00,Product storage error,23.00,,,,,
866253,No adverse event,23.00,Product storage error,23.00,,,,,
866254,No adverse event,23.00,Product storage error,23.00,,,,,
866255,No adverse event,23.00,Product storage error,23.00,,,,,
866256,Herpes zoster,23.00,,,,,,
866257,Aortic valve incompetence,23.00,Aortic valve replacement,23.00,Cardiac murmur,23.00,Diabetes mellitus,23.00,Knee arthroplasty,23.00
866257,Stent placement,23.00,,,,,,
866258,No adverse event,23.00,Product storage error,23.00,,,,,
866259,No adverse event,23.00,Product storage error,23.00,,,,,
866260,No adverse event,23.00,Product storage error,23.00,,,,,
866261,No adverse event,23.00,Product storage error,23.00,,,,,
866262,No adverse event,23.00,Product storage error,23.00,,,,,
866263,No adverse event,23.00,Product storage error,23.00,,,,,

866264, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866265, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866266, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866267, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866268, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866269, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866270, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866271, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866272, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866273, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866274, Abdominal pain upper, 23.00, , , , , , ,
866275, Herpes zoster, 23.00, Inappropriate schedule of product
administration, 23.00, Pain, 23.00, Rash, 23.00, Vaccination failure, 23.00
866276, Injection site discomfort, 23.00, Injection site erythema,
23.00, Injection site rash, 23.00, Injection site reaction,
23.00, Injection site swelling, 23.00
866276, Injection site warmth, 23.00, Rash macular, 23.00, , , , , ,
866277, Immediate post-injection reaction, 23.00, Injection site
erythema, 23.00, Injection site pain, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00
866278, Injection site pain, 23.00, Insomnia, 23.00, Musculoskeletal pain,
23.00, Pain, 23.00, Pain in extremity, 23.00
866279, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling,
23.00, , , , ,
866284, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
866285, Extra dose administered, 23.00, Inappropriate schedule of product
administration, 23.00, Pruritus, 23.00, , , , ,
866286, Injection site dryness, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site rash, 23.00, ,
866287, Antibody test negative, 23.00, Product administered to patient of
inappropriate age, 23.00, Therapy non-responder, 23.00, , , , ,
866288, Chills, 23.00, Fatigue, 23.00, Loss of personal independence in
daily activities, 23.00, Pain, 23.00, Pyrexia, 23.00
866297, Influenza like illness, 23.00, Musculoskeletal pain, 23.00, , , , , ,
866298, Injection site haematoma, 23.00, Sensitive skin, 23.00, Skin
discolouration, 23.00, , , , ,
866299, Adverse drug reaction, 23.00, , , , , , , ,
866301, Headache, 23.00, Pain in extremity, 23.00, , , , , ,
866302, Chills, 23.00, Product colour issue, 23.00, Product complaint,
23.00, Pyrexia, 23.00, ,
866303, Chills, 23.00, Injection site reaction, 23.00, Local reaction,
23.00, Muscle spasms, 23.00, ,
866304, Blister, 23.00, Labelled drug-drug interaction medication error,
23.00, Rash vesicular, 23.00, , , , ,
866305, Dizziness, 23.00, Influenza like illness, 23.00, Malaise,
23.00, Pain, 23.00, Paraesthesia, 23.00
866306, Malaise, 23.00, , , , , , , ,
866307, Fatigue, 23.00, , , , , , , ,
866308, Adverse reaction, 23.00, , , , , , , ,
866310, Injection site cellulitis, 23.00, , , , , , , ,

866311, Adverse reaction, 23.00, , , , , , , , ,
866312, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00, , , , ,
866313, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , , , ,
866314, Feeling abnormal, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00
866314, Injection site warmth, 23.00, Lethargy, 23.00, Urticaria, 23.00, , , , , ,
866326, Bronchospasm, 23.00, Cough, 23.00, Dyspnoea, 23.00, Pneumonia, 23.00, Pyrexia, 23.00
866326, Sepsis, 23.00, , , , , , , , ,
866327, Diarrhoea, 23.00, , , , , , , , ,
866328, Feeling abnormal, 23.00, Influenza like illness, 23.00, Pain, 23.00, , , , ,
866329, Adverse drug reaction, 23.00, , , , , , , , ,
866330, Headache, 23.00, Pyrexia, 23.00, , , , , , , , ,
866331, Pain, 23.00, , , , , , , , ,
866332, Immunisation reaction, 23.00, Incomplete course of vaccination, 23.00, , , , , , , , ,
866333, Bordetella test positive, 23.00, C-reactive protein increased, 23.00, Chest X-ray abnormal, 23.00, Endotracheal intubation, 23.00, General physical health deterioration, 23.00
866333, Hypoxia, 23.00, Intensive care, 23.00, Leukaemoid reaction, 23.00, Pertussis, 23.00, Respiratory distress, 23.00
866333, Respiratory failure, 23.00, Sedation, 23.00, Sputum culture positive, 23.00, Streptococcal infection, 23.00, Streptococcus test positive, 23.00
866333, Vaccination failure, 23.00, White blood cell count increased, 23.00, , , , , , , , ,
866334, Chills, 23.00, Injection site erythema, 23.00, Pyrexia, 23.00, , , , , , , , ,
866335, Pain in extremity, 23.00, , , , , , , , ,
866337, Headache, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Nausea, 23.00, , ,
866338, Rash, 23.00, Rash vesicular, 23.00, , , , , , , , ,
866339, Chills, 23.00, Fatigue, 23.00, Mobility decreased, 23.00, Movement disorder, 23.00, Myalgia, 23.00
866339, Pain in extremity, 23.00, , , , , , , , ,
866340, Injection site pain, 23.00, , , , , , , , ,
866341, Arthralgia, 23.00, Injection site pain, 23.00, Neuralgia, 23.00, Pain, 23.00, , ,
866342, Condition aggravated, 23.00, Pneumonia, 23.00, , , , , , , , ,
866343, Arrested labour, 23.00, Caesarean section, 23.00, Exposure during pregnancy, 23.00, Failed induction of labour, 23.00, Gestational hypertension, 23.00
866343, Premature baby, 23.00, Ultrasound antenatal screen normal, 23.00, , , , , , , , ,
866344, Caesarean section, 23.00, Foetal distress syndrome, 23.00, Foetal exposure during pregnancy, 23.00, , , , , , , , ,
866345, Caesarean section, 23.00, Exposure during pregnancy, 23.00, Neonatal disorder, 23.00, Premature delivery, 23.00, Premature labour, 23.00

866345,Syphilis,23.00,Ultrasound antenatal screen normal,23.00,,,,,
866347,Arthralgia,23.00,Dehydration,23.00,Dizziness,23.00,Fatigue,
23.00,Hypotension,23.00
866347,Impaired work ability,23.00,Pyrexia,23.00,Vertigo,
23.00,Vestibular disorder,23.00,Vestibular neuronitis,23.00
866348,Night sweats,23.00,Pain,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Pyrexia,23.00
866349,Product administered to patient of inappropriate age,
23.00,,,,,
866350,Injection site pain,23.00,,,,,
866351,Unevaluable event,23.00,,,,,
866353,Herpes zoster,23.00,,,,,
866356,No adverse event,23.00,Product storage error,23.00,,,,,
866357,No adverse event,23.00,Product storage error,23.00,,,,,
866377,No adverse event,23.00,Product storage error,23.00,,,,,
866378,No adverse event,23.00,Product storage error,23.00,,,,,
866380,Erythema,23.00,Hypoaesthesia,23.00,Hypotension,23.00,Injection
site pain,23.00,Insomnia,23.00
866380,Mobility decreased,23.00,Nausea,23.00,Pain,23.00,Pain in
extremity,23.00,Paraesthesia,23.00
866380,Peripheral coldness,23.00,Radiculitis brachial,23.00,Swelling,
23.00,Tenderness,23.00,,
866381,Myalgia,23.00,Pyrexia,23.00,,,,,
866382,Fatigue,23.00,Gingival pain,23.00,Gingival swelling,
23.00,Injection site pain,23.00,Myalgia,23.00
866382,Oral herpes,23.00,Tongue disorder,23.00,Vaccination site pain,
23.00,,,,,
866383,Myalgia,23.00,Uterine pain,23.00,,,,,
866386,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site reaction,23.00,Injection site swelling,
23.00,Urticaria,23.00
866388,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
866389,Fall,23.00,Gait disturbance,23.00,Muscular weakness,23.00,Pain
in extremity,23.00,Urinary incontinence,23.00
866390,Loss of consciousness,23.00,Syncope,23.00,,,,,
866391,Influenza like illness,23.00,Skin reaction,23.00,Urticaria,
23.00,,,,,
866392,Rash,23.00,Rash papular,23.00,,,,,
866393,No adverse event,23.00,Wrong product administered,23.00,,,,,
866394,Abdominal pain upper,23.00,Blood test normal,23.00,Chest
discomfort,23.00,Dizziness,23.00,Headache,23.00
866394,Heart rate increased,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Nausea,23.00,Urine analysis
normal,23.00
866395,Erythema,23.00,Pustule,23.00,Swelling,23.00,,,,,
866396,Injected limb mobility decreased,23.00,Injection site bruising,
23.00,Injection site mass,23.00,Injection site pain,23.00,Injection
site swelling,23.00
866396,Injection site warmth,23.00,,,,,

866397, Blood test, 23.00, Cardiac monitoring, 23.00, Computerised tomogram, 23.00, Disorientation, 23.00, Electrocardiogram, 23.00
866397, Electroencephalogram, 23.00, Intensive care, 23.00, Loss of consciousness, 23.00, Mechanical ventilation, 23.00, Syncope, 23.00
866398, Bursitis, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00, Magnetic resonance imaging abnormal, 23.00, Muscular weakness, 23.00
866398, Pain, 23.00, Product administered at inappropriate site, 23.00, Rotator cuff syndrome, 23.00, , , ,
866399, Myalgia, 23.00, , , , , , , ,
866400, Fatigue, 23.00, Headache, 23.00, Hypersomnia, 23.00, Nausea, 23.00, Pyrexia, 23.00
866401, Asthenia, 23.00, Guillain-Barre syndrome, 23.00, Immunoglobulin therapy, 23.00, Intensive care, 23.00, Paralysis, 23.00
866402, Rash, 23.00, Rash erythematous, 23.00, , , , , , ,
866403, Chills, 23.00, Headache, 23.00, Pain, 23.00, Pain in extremity, 23.00, Paraesthesia, 23.00
866404, Erythema, 23.00, Injection site pruritus, 23.00, Skin reaction, 23.00, Skin warm, 23.00, Vaccination site nodule, 23.00
866405, Chills, 23.00, Influenza like illness, 23.00, Nausea, 23.00, Pyrexia, 23.00, ,
866406, Uveitis, 23.00, , , , , , , ,
866408, Immediate post-injection reaction, 23.00, Injection site bruising, 23.00, Injection site erythema, 23.00, Skin warm, 23.00, Vaccination site haemorrhage, 23.00
866408, Vaccination site swelling, 23.00, , , , , , , ,
866409, Abdominal pain, 23.00, Colonoscopy, 23.00, Dyspnoea, 23.00, Endoscopy, 23.00, Epistaxis, 23.00
866409, Fatigue, 23.00, Fructose intolerance, 23.00, Gastrointestinal tube insertion, 23.00, Headache, 23.00, Hypersensitivity, 23.00
866409, Immune system disorder, 23.00, Iron deficiency anaemia, 23.00, Irritable bowel syndrome, 23.00, Laboratory test abnormal, 23.00, Malaise, 23.00
866409, Muscle spasms, 23.00, Oropharyngeal pain, 23.00, Pyrexia, 23.00, Rash, 23.00, Small intestinal obstruction, 23.00
866409, Vitamin D deficiency, 23.00, , , , , , , ,
866410, Abnormal behaviour, 23.00, Aphasia, 23.00, Autism spectrum disorder, 23.00, Blood test abnormal, 23.00, Decreased eye contact, 23.00
866410, Developmental delay, 23.00, Immediate post-injection reaction, 23.00, Laboratory test abnormal, 23.00, Regressive behaviour, 23.00, Sensory processing disorder, 23.00
866410, Stool analysis abnormal, 23.00, , , , , , , ,
866413, Herpes zoster, 23.00, Hypersensitivity, 23.00, Hypoaesthesia, 23.00, Immunodeficiency, 23.00, Myelitis transverse, 23.00
866413, Paraesthesia, 23.00, , , , , , , ,
866414, Arthritis, 23.00, Confusional state, 23.00, Inflammation, 23.00, Magnetic resonance imaging, 23.00, Pain in extremity, 23.00
866414, Skin lesion, 23.00, , , , , , , ,
866421, Herpes zoster, 23.00, , , , , , , ,
866422, Herpes zoster, 23.00, , , , , , , ,

866423,Herpes zoster,23.00,,,,,
866424,Exposure to vaccinated person,23.00,Furuncle,23.00,Secondary
transmission,23.00,Vaccinia virus infection,23.00,,
866425,Injection site erythema,23.00,Injection site oedema,23.00,,,,,
866426,Dizziness,23.00,Hyperhidrosis,23.00,Pruritus,23.00,Rash,
23.00,Urticaria,23.00
866427,Contusion,23.00,Mouth haemorrhage,23.00,Petechiae,
23.00,Ultrasound scan normal,23.00,,
866428,Unevaluable event,23.00,,,,,
866429,Arthralgia,23.00,Musculoskeletal stiffness,23.00,,,,,
866430,Erythema,23.00,Malaise,23.00,Peripheral swelling,23.00,Pyrexia,
23.00,,
866431,Blood test,23.00,Joint stiffness,23.00,Joint swelling,
23.00,Laboratory test,23.00,Musculoskeletal disorder,23.00
866431,Musculoskeletal stiffness,23.00,Urine analysis,23.00,,,,,
866432,Asthenia,23.00,Blood test normal,23.00,Chills,23.00,Dizziness,
23.00,Headache,23.00
866432,Hot flush,23.00,Influenza like illness,23.00,Malaise,
23.00,Respiration abnormal,23.00,SARS-CoV-2 test negative,23.00
866433,Lip swelling,23.00,Rash,23.00,Swelling face,23.00,,,,
866434,Musculoskeletal pain,23.00,Tendonitis,23.00,,,,,
866435,No adverse event,23.00,Product storage error,23.00,,,,,
866436,Back pain,23.00,Chills,23.00,Cholecystectomy,23.00,Computerised
tomogram abdomen,23.00,Gallbladder disorder,23.00
866436,Headache,23.00,Hepatic enzyme increased,23.00,Nausea,
23.00,Platelet count decreased,23.00,Pyrexia,23.00
866436,Ultrasound abdomen abnormal,23.00,Vomiting,23.00,White blood
cell count decreased,23.00,,,,
866437,Eyelid function disorder,23.00,Eyelid pain,23.00,Rash pruritic,
23.00,Swelling of eyelid,23.00,,
866438,Irritability,23.00,Skin warm,23.00,Urticaria,23.00,,,,
866459,Exposure during pregnancy,23.00,,,,,
866460,Herpes zoster,23.00,Hypersensitivity,23.00,Rash,23.00,,,,
866461,Herpes zoster,23.00,,,,,
866462,Expired product administered,23.00,No adverse event,23.00,,,,,
866463,Herpes zoster,23.00,,,,,
866464,Blindness,23.00,Herpes zoster,23.00,,,,,
866465,Blindness,23.00,Herpes zoster,23.00,,,,,
866466,Herpes zoster,23.00,,,,,
866467,Herpes zoster,23.00,,,,,
866468,No adverse event,23.00,Product storage error,23.00,,,,,
866469,Deafness,23.00,Deafness neurosensory,23.00,Visual impairment,
23.00,,,,
866470,Pain in extremity,23.00,Vaccination complication,23.00,,,,,
866471,Tendonitis,23.00,,,,,
866472,Alpha 1 foetoprotein normal,23.00,Amniotic fluid volume,
23.00,Caesarean section,23.00,Cervical dilatation,23.00,Exposure
during pregnancy,23.00
866472,Foetal disorder,23.00,Foetal growth restriction,
23.00,Gestational diabetes,23.00,Precipitate labour,23.00,Premature

delivery,23.00
866472,Trichomoniasis,23.00,Ultrasound antenatal screen,
23.00,Ultrasound antenatal screen abnormal,23.00,,,,,
866473,Alpha 1 foetoprotein normal,23.00,Anaemia,23.00,Back pain,
23.00,Exposure during pregnancy,23.00,Migraine,23.00
866473,Mixed anxiety and depressive disorder,23.00,Nausea,
23.00,Ultrasound antenatal screen,23.00,Ultrasound antenatal screen
normal,23.00,Urinary tract infection,23.00
866473,Vomiting,23.00,,,,,,,
866474,Alpha 1 foetoprotein normal,23.00,Back pain,23.00,Cervical
dysplasia,23.00,Exposure during pregnancy,23.00,Headache,23.00
866474,Trichomoniasis,23.00,Ultrasound antenatal screen,
23.00,Ultrasound antenatal screen normal,23.00,,,,,
866475,Apgar score abnormal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Low birth weight baby,23.00,Premature
baby,23.00
866476,Alpha 1 foetoprotein normal,23.00,Exposure during pregnancy,
23.00,Gestational diabetes,23.00,Ultrasound antenatal screen,
23.00,Ultrasound antenatal screen normal,23.00
866477,Caesarean section,23.00,Exposure during pregnancy,
23.00,Placental disorder,23.00,Ultrasound antenatal screen normal,
23.00,,
866478,Rash,23.00,Rash pruritic,23.00,Rash vesicular,23.00,,,,,
866479,Unevaluable event,23.00,,,,,,,
866480,Arthralgia,23.00,Joint swelling,23.00,Pain,23.00,,,,,
866481,Blood glucose normal,23.00,Hyperhidrosis,23.00,Pallor,23.00,,,,,
866482,Chills,23.00,Injection site pain,23.00,Pyrexia,23.00,,,,,
866483,Rash,23.00,,,,,,,
866484,Injection site pain,23.00,Insomnia,23.00,Joint range of motion
decreased,23.00,Laboratory test,23.00,Loss of personal independence in
daily activities,23.00
866484,Musculoskeletal pain,23.00,Weight bearing difficulty,
23.00,,,,,,,
866485,Pain in extremity,23.00,,,,,,,
866486,Injection site discolouration,23.00,Injection site pain,
23.00,Pain,23.00,Pain in extremity,23.00,,
866487,Asthenia,23.00,Cough,23.00,Dysphonia,23.00,Dyspnoea,
23.00,Hyperhidrosis,23.00
866487,Mouth swelling,23.00,Productive cough,23.00,Swelling face,
23.00,Wheezing,23.00,,
866488,Condition aggravated,23.00,Crying,23.00,Dysstasia,23.00,Eczema,
23.00,Gene mutation identification test positive,23.00
866488,Methylenetetrahydrofolate reductase gene mutation,23.00,Rash,
23.00,,,,,,,
866504,No adverse event,23.00,Product storage error,23.00,,,,,,,
866505,No adverse event,23.00,Product storage error,23.00,,,,,,,
866506,No adverse event,23.00,Product storage error,23.00,,,,,,,
866507,No adverse event,23.00,Product storage error,23.00,,,,,,,
866508,Herpes zoster,23.00,,,,,,,
866509,Corneal oedema,23.00,Eye pain,23.00,Herpes zoster,23.00,Ocular

hyperaemia,23.00,Punctate keratitis,23.00
866510,Arthralgia,23.00,Fatigue,23.00,Headache,23.00,Joint stiffness,
23.00,Pain,23.00
866510,Polyarthritis,23.00,Polymyalgia rheumatica,23.00,,,,,
866511,Deafness,23.00,Herpes zoster,23.00,,,,,
866512,Herpes zoster,23.00,,,,,
866513,Herpes zoster,23.00,,,,,
866514,Herpes zoster,23.00,,,,,
866515,Blindness,23.00,Cardiac failure congestive,23.00,Herpes zoster,
23.00,,,,,
866516,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
866517,Herpes zoster,23.00,,,,,
866518,Herpes zoster,23.00,,,,,
866519,Herpes zoster,23.00,,,,,
866520,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
866521,Herpes zoster,23.00,,,,,
866522,Herpes zoster,23.00,,,,,
866523,Herpes zoster,23.00,,,,,
866524,Inappropriate schedule of product administration,23.00,Product
administered to patient of inappropriate age,23.00,,,,,
866525,No adverse event,23.00,Product storage error,23.00,,,,,
866526,No adverse event,23.00,Product storage error,23.00,,,,,
866527,Product storage error,23.00,,,,,
866528,No adverse event,23.00,Product storage error,23.00,,,,,
866529,No adverse event,23.00,Product storage error,23.00,,,,,
866530,No adverse event,23.00,Product storage error,23.00,,,,,
866531,No adverse event,23.00,Product storage error,23.00,,,,,
866532,No adverse event,23.00,Product storage error,23.00,,,,,
866533,Oral administration complication,23.00,Vomiting,23.00,,,,,
866534,Nausea,23.00,Oral administration complication,23.00,Vomiting,
23.00,,,,,
866535,Abdominal pain upper,23.00,,,,,
866536,Abdominal pain,23.00,,,,,
866537,Abdominal pain,23.00,,,,,
866538,Nausea,23.00,,,,,
866540,Oral administration complication,23.00,Vomiting,23.00,,,,,
866541,Abdominal pain upper,23.00,,,,,
866546,Vomiting,23.00,,,,,
866547,Abdominal discomfort,23.00,Abdominal pain upper,23.00,,,,,
866549,Dysmenorrhoea,23.00,Muscle spasms,23.00,Vomiting,23.00,,,,,
866551,Abdominal pain upper,23.00,Nausea,23.00,Vomiting,23.00,,,,,
866552,Abdominal distension,23.00,Abdominal pain,23.00,Diarrhoea,
23.00,Flatulence,23.00,Inappropriate schedule of product
administration,23.00
866552,Muscle spasms,23.00,Nausea,23.00,,,,,
866553,Diarrhoea,23.00,,,,,
866554,Diarrhoea,23.00,Nausea,23.00,,,,,
866555,Abdominal pain upper,23.00,Diarrhoea,23.00,Nausea,
23.00,Vomiting,23.00,,
866556,Injection site pain,23.00,Weight bearing difficulty,23.00,,,,,

866557,Herpes zoster,23.00,,,,,,,,,
866558,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
866559,Delivery,23.00,Exposure during pregnancy,23.00,Gestational diabetes,23.00,Ultrasound antenatal screen normal,23.00,,
866560,Apgar score normal,23.00,Foetal exposure during pregnancy,23.00,Premature baby,23.00,,,,,
866561,Apgar score abnormal,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Head circumference abnormal,23.00,Intensive care,23.00
866561,Premature baby,23.00,Small for dates baby,23.00,Umbilical cord prolapse,23.00,Waist circumference decreased,23.00,,
866562,Abnormal labour affecting foetus,23.00,Apgar score normal,23.00,Caesarean section,23.00,Congenital megacolon,23.00,Foetal distress syndrome,23.00
866562,Foetal exposure during pregnancy,23.00,,,,,,,,,
866563,Alpha 1 foetoprotein normal,23.00,Caesarean section,23.00,Exposure during pregnancy,23.00,Gestational diabetes,23.00,Hypertension,23.00
866563,Pre-eclampsia,23.00,Premature delivery,23.00,Prenatal screening test,23.00,Ultrasound antenatal screen normal,23.00,,
866564,Apgar score normal,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Premature baby,23.00,,
866565,Apgar score normal,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Premature baby,23.00,,
866566,Apgar score normal,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Foetal growth restriction,23.00,Low birth weight baby,23.00
866566,Premature baby,23.00,,,,,,,,,
866567,Apgar score normal,23.00,Foetal exposure during pregnancy,23.00,Foetal growth restriction,23.00,,,,,
866568,Diarrhoea,23.00,Headache,23.00,Injection site pain,23.00,Injection site warmth,23.00,Lymphadenopathy,23.00
866568,Nausea,23.00,Pain,23.00,,,,,,,,,
866572,Herpes zoster,23.00,,,,,,,,,
866573,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
866574,Musculoskeletal chest pain,23.00,,,,,,,,,
866575,Pyrexia,23.00,,,,,,,,,
866576,Discomfort,23.00,Dry eye,23.00,Eye pain,23.00,Fatigue,23.00,Headache,23.00
866576,Induration,23.00,Influenza like illness,23.00,Lichen sclerosus,23.00,Malaise,23.00,Mobility decreased,23.00
866576,Pain in extremity,23.00,Peripheral swelling,23.00,Pruritus,23.00,Skin warm,23.00,,
866577,Induration,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
866591,Burning sensation,23.00,Post herpetic neuralgia,23.00,Rash,23.00,Rash vesicular,23.00,,
866592,Injection site reaction,23.00,,,,,,,,,
866593,Chills,23.00,Injection site pain,23.00,Movement disorder,23.00,,,,,
866594,Injection site erythema,23.00,Injection site pain,

23.00,Musculoskeletal pain,23.00,Neck pain,23.00,,
866595,Pruritus,23.00,,,,,,,,,
866596,Dizziness,23.00,Fatigue,23.00,Feeling abnormal,23.00,Headache,
23.00,Myalgia,23.00
866596,Pain,23.00,Pyrexia,23.00,Retching,23.00,,,,,
866597,Pain,23.00,Pyrexia,23.00,,,,,,,,,
866598,Adverse drug reaction,23.00,,,,,,,,,
866599,Injection site erythema,23.00,Injection site rash,23.00,,,,,,,,,
866600,Abdominal discomfort,23.00,Abdominal pain upper,23.00,,,,,,,,,
866601,Fatigue,23.00,Headache,23.00,Pain,23.00,Pain in extremity,
23.00,,
866602,Arthralgia,23.00,Back pain,23.00,Headache,23.00,,,,,
866603,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,,,,
866604,Immediate post-injection reaction,23.00,Loss of personal
independence in daily activities,23.00,Musculoskeletal pain,23.00,Pain
in extremity,23.00,,
866605,Pain,23.00,,,,,,,,,
866606,Injection site pain,23.00,,,,,,,,,
866607,Malaise,23.00,Pyrexia,23.00,Reaction to preservatives,
23.00,Rhinorrhoea,23.00,,
866608,Chills,23.00,Nausea,23.00,,,,,
866609,Chills,23.00,Injection site erythema,23.00,Injection site mass,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
866609,Nasopharyngitis,23.00,Pain,23.00,,,,,,,,,
866610,Nasopharyngitis,23.00,,,,,,,,,
866611,Influenza like illness,23.00,Malaise,23.00,,,,,,,,,
866612,Adverse reaction,23.00,Influenza,23.00,Vaccination failure,
23.00,,,,,
866613,Herpes zoster,23.00,Pain,23.00,Pruritus,23.00,,,,,
866614,Fatigue,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,
866615,Malaise,23.00,Pain,23.00,Pyrexia,23.00,,,,,
866616,Arthralgia,23.00,Gait disturbance,23.00,Myalgia,23.00,Pain in
extremity,23.00,,
866617,Mobility decreased,23.00,Vaccination site pain,23.00,,,,,,,,,
866618,Musculoskeletal stiffness,23.00,Pain,23.00,Pneumonitis,
23.00,,,,,
866619,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
866621,Wrong product administered,23.00,,,,,,,,,
866622,Extra dose administered,23.00,No adverse event,23.00,Product
administered to patient of inappropriate age,23.00,Wrong product
administered,23.00,,
866623,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
866624,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
866625,No adverse event,23.00,Overdose,23.00,Product administered to
patient of inappropriate age,23.00,,,,,
866626,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
866627,Unevaluable event,23.00,,,,,,,,,
866628,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,

866629, No adverse event, 23.00, Wrong product administered, 23.00, , , , , ,
866630, Erythema, 23.00, Herpes zoster, 23.00, Rash, 23.00, , , ,
866632, Unevaluable event, 23.00, , , , , , , ,
866633, Injection site erythema, 23.00, Injection site swelling,
23.00, Pyrexia, 23.00, , , , ,
866634, Brain scan normal, 23.00, Chest X-ray normal,
23.00, Electrocardiogram normal, 23.00, Orthostatic hypotension,
23.00, Syncope, 23.00
866635, Erythema, 23.00, Hypersensitivity, 23.00, Pruritus, 23.00, Swelling,
23.00, Urticaria, 23.00
866639, Product storage error, 23.00, , , , , , , ,
866640, Chills, 23.00, Herpes zoster, 23.00, Pain, 23.00, Rash, 23.00, ,
866641, Pain in extremity, 23.00, , , , , , , ,
866642, Adverse event, 23.00, , , , , , , ,
866644, Adverse reaction, 23.00, , , , , , , ,
866645, Chills, 23.00, Myalgia, 23.00, , , , , , , ,
866646, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site reaction, 23.00, Injection site vesicles,
23.00, Local reaction, 23.00
866647, Asthenia, 23.00, Injection site reaction, 23.00, , , , , , , ,
866648, Chills, 23.00, Dizziness, 23.00, Hyperhidrosis, 23.00, Pain in
extremity, 23.00, Visual impairment, 23.00
866649, Injection site erythema, 23.00, Injection site swelling,
23.00, Rash, 23.00, Swelling, 23.00, ,
866650, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site warmth, 23.00, , , , ,
866653, Apnoea, 23.00, Blood test normal, 23.00, Generalised tonic-clonic
seizure, 23.00, Incontinence, 23.00, Magnetic resonance imaging, 23.00
866653, Ophthalmological examination normal, 23.00, Vision blurred,
23.00, , , , , , , ,
866654, Abnormal behaviour, 23.00, Cardiac function test normal,
23.00, Computerised tomogram head normal, 23.00, Hypoaesthesia,
23.00, Hypoaesthesia oral, 23.00
866654, Laboratory test normal, 23.00, Speech disorder, 23.00, Urticaria,
23.00, , , , ,
866655, Injection site rash, 23.00, Rash papular, 23.00, , , , , , , ,
866656, Apgar score normal, 23.00, Aphasia, 23.00, Apnoea, 23.00, Autism
spectrum disorder, 23.00, Cyanosis, 23.00
866656, Delayed myelination, 23.00, Disability, 23.00, Epilepsy,
23.00, Feeding tube user, 23.00, Gastric disorder, 23.00
866656, Intensive care, 23.00, Intraventricular haemorrhage,
23.00, Musculoskeletal stiffness, 23.00, Nervous system disorder,
23.00, Respiratory arrest, 23.00
866656, Seizure, 23.00, Selective eating disorder, 23.00, Speech disorder
developmental, 23.00, Tremor, 23.00, Vomiting, 23.00
866656, Wheelchair user, 23.00, , , , , , , ,
866657, Epstein-Barr virus antibody positive, 23.00, Epstein-Barr virus
test negative, 23.00, Lymphadenopathy, 23.00, Mononucleosis heterophile
test negative, 23.00, ,
866658, Insomnia, 23.00, Irritability, 23.00, Pyrexia, 23.00, Rash

morbilliform,23.00,Rash pruritic,23.00
866658,Rhinitis,23.00,,,,,
866690,Oropharyngeal pain,23.00,Pharyngeal paraesthesia,
23.00,Pharyngeal swelling,23.00,,,,,
866691,Expired product administered,23.00,No adverse event,23.00,,,,,
866692,Injection site induration,23.00,Injection site pain,23.00,,,,,
866693,Death,23.00,Myocardial infarction,23.00,,,,,
866694,Herpes zoster,23.00,Rash,23.00,,,,,
866695,No adverse event,23.00,Product storage error,23.00,,,,,
866696,No adverse event,23.00,Product storage error,23.00,,,,,
866697,Cerebrovascular accident,23.00,Dysarthria,23.00,Hemiparesis,
23.00,,,,,
866698,Flank pain,23.00,Herpes zoster,23.00,Pruritus,23.00,,,,,
866699,Eyelid ptosis,23.00,Facial paralysis,23.00,Herpes zoster,
23.00,Hypoaesthesia,23.00,Oral pain,23.00
866699,Oral pustule,23.00,,,,,
866700,Abdominal pain upper,23.00,,,,,
866701,Oral administration complication,23.00,Vomiting,23.00,,,,,
866702,Haematochezia,23.00,,,,,
866703,Extra dose administered,23.00,Nausea,23.00,,,,,
866704,Incomplete course of vaccination,23.00,Vomiting,23.00,,,,,
866705,Diarrhoea,23.00,Incomplete course of vaccination,23.00,Oral
administration complication,23.00,Vomiting,23.00,,
866706,Oral administration complication,23.00,Vomiting,23.00,,,,,
866707,Abdominal pain upper,23.00,,,,,
866708,Nausea,23.00,Product storage error,23.00,Pyrexia,23.00,,,,,
866709,Vomiting,23.00,,,,,
866710,Oral administration complication,23.00,Vomiting,23.00,,,,,
866711,Oral administration complication,23.00,Vomiting,23.00,,,,,
866712,Dysphagia,23.00,,,,,
866713,Oral administration complication,23.00,Vomiting,23.00,,,,,
866714,Abdominal discomfort,23.00,Abdominal pain,23.00,Flatulence,
23.00,Headache,23.00,Nausea,23.00
866718,Arthralgia,23.00,Decreased appetite,23.00,Fatigue,23.00,Feeling
abnormal,23.00,Feeling hot,23.00
866718,Immediate post-injection reaction,23.00,Injection site pain,
23.00,Malaise,23.00,Pain,23.00,Pyrexia,23.00
866718,Vaccine positive rechallenge,23.00,X-ray normal,23.00,,,,,
866719,Injection site pain,23.00,Tinnitus,23.00,,,,,
866720,Dizziness,23.00,Flushing,23.00,Headache,23.00,Injection site
pain,23.00,Nausea,23.00
866720,Pyrexia,23.00,,,,,
866721,Abdominal discomfort,23.00,Blister,23.00,Chills,
23.00,Diarrhoea,23.00,Headache,23.00
866721,Herpes zoster,23.00,Neck pain,23.00,Pyrexia,23.00,Rash
pruritic,23.00,Rash vesicular,23.00
866721,Scab,23.00,,,,,
866722,Malaise,23.00,,,,,
866723,Blood test normal,23.00,Chills,23.00,Fatigue,23.00,Gait
disturbance,23.00,Headache,23.00

866723, Muscular weakness, 23.00, Pyrexia, 23.00, , , , , , ,
866724, Injection site rash, 23.00, Rash, 23.00, , , , , , ,
866725, Injection site rash, 23.00, Rash, 23.00, , , , , , ,
866726, Herpes zoster, 23.00, , , , , , , , ,
866727, Acute leukaemia, 23.00, Fatigue, 23.00, Myalgia, 23.00, White blood
cell count decreased, 23.00, ,
866728, Influenza, 23.00, Lethargy, 23.00, Muscular weakness, 23.00, Myalgia,
23.00, Nausea, 23.00
866728, Pain, 23.00, Tremor, 23.00, , , , , , ,
866729, Asthenia, 23.00, Dizziness, 23.00, Influenza like illness, 23.00, , , ,
866730, Dizziness, 23.00, Influenza like illness, 23.00, , , , , , ,
866731, Chills, 23.00, Feeling cold, 23.00, Feeling hot,
23.00, Hyperhidrosis, 23.00, Migraine, 23.00
866731, Pain in extremity, 23.00, , , , , , , , ,
866732, Inflammation, 23.00, Swelling, 23.00, Vaccine positive rechallenge,
23.00, , , , ,
866733, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia,
23.00
866738, Incorrect route of product administration, 23.00, , , , , , , , ,
866739, Herpes zoster, 23.00, Immediate post-injection reaction,
23.00, Rash erythematous, 23.00, Rash vesicular, 23.00, ,
866740, Chills, 23.00, Fatigue, 23.00, Laboratory test abnormal, 23.00, Liver
disorder, 23.00, Liver function test abnormal, 23.00
866740, Night sweats, 23.00, Pain, 23.00, Pyrexia, 23.00, Renal impairment,
23.00, ,
866741, Injection site erythema, 23.00, Injection site swelling,
23.00, , , , , , ,
866742, Paraesthesia, 23.00, Pharyngeal swelling, 23.00, Throat irritation,
23.00, , , , ,
866743, Back pain, 23.00, Chills, 23.00, Headache, 23.00, Inflammation,
23.00, Injection site erythema, 23.00
866743, Injection site swelling, 23.00, Injection site warmth,
23.00, Mobility decreased, 23.00, , , , , ,
866759, Herpes zoster, 23.00, , , , , , , , ,
866760, Herpes zoster, 23.00, , , , , , , , ,
866761, Herpes zoster, 23.00, , , , , , , , ,
866762, Insomnia, 23.00, Limb discomfort, 23.00, Mobility decreased,
23.00, Pain in extremity, 23.00, ,
866763, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
866764, Herpes zoster, 23.00, , , , , , , , ,
866765, Headache, 23.00, Influenza like illness, 23.00, Injection site
pain, 23.00, Nausea, 23.00, Pyrexia, 23.00
866765, Vaccine positive rechallenge, 23.00, , , , , , , , ,
866766, Injection site rash, 23.00, , , , , , , , ,
866767, Nausea, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
866768, Pain in extremity, 23.00, , , , , , , , ,
866769, Rash, 23.00, , , , , , , , ,
866770, Rash pruritic, 23.00, , , , , , , , ,
866771, Injection site pain, 23.00, Insomnia, 23.00, Mobility decreased,

23.00,Muscular weakness,23.00,Tremor,23.00
866772,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,Injection site swelling,23.00
866772,Muscular weakness,23.00,Pyrexia,23.00,,,,,
866773,Chills,23.00,Dizziness,23.00,Fatigue,23.00,Headache,
23.00,Influenza like illness,23.00
866773,Pyrexia,23.00,,,,,
866774,Nodule,23.00,,,,,
866775,Chills,23.00,Headache,23.00,Influenza like illness,
23.00,Nausea,23.00,,
866776,Herpes zoster,23.00,,,,,
866777,Headache,23.00,Immediate post-injection reaction,23.00,,,,,
866778,Injection site erythema,23.00,Injection site reaction,
23.00,Rash papular,23.00,,,,,
866779,Herpes zoster,23.00,Pain,23.00,,,,,
866780,Asthenia,23.00,Fatigue,23.00,Gait inability,23.00,,,,,
866781,Dysstasia,23.00,Nausea,23.00,Syncope,23.00,,,,,
866782,Abdominal discomfort,23.00,Abdominal tenderness,23.00,Chills,
23.00,Decreased appetite,23.00,Headache,23.00
866782,Injection site pain,23.00,Malaise,23.00,Pain,23.00,Pyrexia,
23.00,,
866804,Extra dose administered,23.00,No adverse event,23.00,,,,,
866805,Diarrhoea,23.00,,,,,
866806,Abdominal pain upper,23.00,Diarrhoea,23.00,Fatigue,
23.00,Headache,23.00,Insomnia,23.00
866806,Vomiting,23.00,,,,,
866807,Gastrooesophageal reflux disease,23.00,Hyperhidrosis,23.00,Oral
administration complication,23.00,Pyrexia,23.00,Regurgitation,23.00
866808,Tinnitus,23.00,,,,,
866809,Headache,23.00,Muscular weakness,23.00,,,,,
866810,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
866811,Diarrhoea,23.00,,,,,
866812,Lymphadenopathy,23.00,,,,,
866813,Abdominal discomfort,23.00,Asthenia,23.00,Dysstasia,
23.00,Injection site erythema,23.00,Injection site swelling,23.00
866813,Somnolence,23.00,,,,,
866814,Influenza like illness,23.00,,,,,
866815,Blister,23.00,Erythema,23.00,Fatigue,23.00,Injection site
vesicles,23.00,,
866816,Headache,23.00,Nausea,23.00,Pain,23.00,Paraesthesia,
23.00,Pruritus,23.00
866816,Pyrexia,23.00,,,,,
866817,Erythema,23.00,Feeling hot,23.00,,,,,
866818,Chills,23.00,Influenza like illness,23.00,Pain,23.00,Pyrexia,
23.00,,
866819,Pruritus,23.00,Urticaria,23.00,,,,,
866820,Chills,23.00,Fatigue,23.00,Myalgia,23.00,,,,,
866821,Herpes zoster,23.00,Inappropriate schedule of product
administration,23.00,Pain in extremity,23.00,Rash,23.00,Sciatica,23.00
866822,Malaise,23.00,,,,,

866823,Alpha 1 foetoprotein normal,23.00,Exposure during pregnancy,23.00,Premature delivery,23.00,Premature labour,23.00,Prenatal screening test,23.00
866823,Preterm premature rupture of membranes,23.00,Ultrasound antenatal screen normal,23.00,,,,,
866824,Apgar score normal,23.00,Foetal exposure during pregnancy,23.00,Intensive care,23.00,Low birth weight baby,23.00,Premature baby,23.00
866825,Alpha 1 foetoprotein normal,23.00,Arrested labour,23.00,Caesarean section,23.00,Dyspnoea,23.00,Exposure during pregnancy,23.00
866825,Influenza,23.00,Nausea,23.00,Pelvic pain,23.00,Premature delivery,23.00,Prolonged labour,23.00
866825,Ultrasound antenatal screen normal,23.00,Vomiting,23.00,,,,,
866826,Caesarean section,23.00,Exposure during pregnancy,23.00,Oligohydramnios,23.00,Premature delivery,23.00,Ultrasound antenatal screen normal,23.00
866827,Exposure during pregnancy,23.00,Gestational diabetes,23.00,Nausea,23.00,Ultrasound antenatal screen normal,23.00,,
866828,Injection site pruritus,23.00,Injection site reaction,23.00,Injection site warmth,23.00,,,,,
866831,Herpes zoster,23.00,,,,,
866832,Herpes zoster,23.00,,,,,
866859,Arrested labour,23.00,Caesarean section,23.00,Exposure during pregnancy,23.00,Prolonged labour,23.00,,
866860,Apgar score normal,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Large for dates baby,23.00,Premature baby,23.00
866861,Pneumonia,23.00,Pyrexia,23.00,,,,,
866862,Erythema,23.00,Swelling face,23.00,Urticaria,23.00,,,,,
866863,Product preparation issue,23.00,,,,,
866864,Injected limb mobility decreased,23.00,Injection site rash,23.00,Rash,23.00,,,,,
866865,Guillain-Barre syndrome,23.00,,,,,
866866,Injected limb mobility decreased,23.00,Injection site pain,23.00,Injection site swelling,23.00,,,,,
866867,Injection site erythema,23.00,Injection site pain,23.00,Injection site pruritus,23.00,Joint swelling,23.00,,
866908,Accidental exposure to product,23.00,Exposure via eye contact,23.00,No adverse event,23.00,,,,,
866909,Expired product administered,23.00,,,,,
866910,Vaccination site mass,23.00,,,,,
866911,No adverse event,23.00,Product storage error,23.00,,,,,
866912,Herpes zoster,23.00,,,,,
866913,Herpes zoster,23.00,,,,,
866914,Herpes zoster,23.00,,,,,
866915,Herpes zoster,23.00,,,,,
866916,Herpes zoster,23.00,,,,,
866917,Herpes zoster,23.00,,,,,
866918,Herpes zoster,23.00,,,,,

866919,Herpes zoster,23.00,,,,,,,,,
866920,Herpes zoster,23.00,,,,,,,,,
866921,Herpes zoster,23.00,,,,,,,,,
866922,Herpes zoster,23.00,,,,,,,,,
866923,Cardiac failure congestive,23.00,Herpes zoster,23.00,,,,,
866924,Cerebrovascular accident,23.00,Coordination abnormal,
23.00,Dysarthria,23.00,Hemiparesis,23.00,,
866925,Histiocytic necrotising lymphadenitis,23.00,Pathology test,
23.00,Swelling,23.00,,,,,
866926,Deafness bilateral,23.00,Deafness neurosensory,23.00,,,,,
866927,No adverse event,23.00,Product storage error,23.00,,,,,
866928,No adverse event,23.00,Product storage error,23.00,,,,,
866929,Product storage error,23.00,,,,,
866930,Product use issue,23.00,,,,,
866931,Deafness,23.00,Pain,23.00,Pneumonia,23.00,,,,,
866932,No adverse event,23.00,Product storage error,23.00,,,,,
866933,Herpes zoster,23.00,Staphylococcal infection,23.00,,,,,
866934,Nausea,23.00,Product storage error,23.00,,,,,
866935,Oral administration complication,23.00,Vomiting,23.00,,,,,
866937,Abdominal discomfort,23.00,Abdominal pain upper,23.00,Feeling
abnormal,23.00,Flatulence,23.00,Nausea,23.00
866938,Arthralgia,23.00,Musculoskeletal pain,23.00,Pyrexia,
23.00,Tremor,23.00,,
866939,Abdominal discomfort,23.00,Nausea,23.00,,,,,
866942,Abdominal pain upper,23.00,Fatigue,23.00,Feeling abnormal,
23.00,Headache,23.00,Nausea,23.00
866942,Pain,23.00,Pyrexia,23.00,Somnolence,23.00,,,,,
866943,Headache,23.00,Pyrexia,23.00,,,,,
866944,Diarrhoea,23.00,Feeling abnormal,23.00,Product storage error,
23.00,Pyrexia,23.00,,
866946,Influenza like illness,23.00,,,,,
866947,Chills,23.00,Influenza like illness,23.00,Injection site pain,
23.00,Pyrexia,23.00,,
866948,Chills,23.00,Inappropriate schedule of product administration,
23.00,Influenza like illness,23.00,Injection site pain,23.00,Pyrexia,
23.00
866949,Abdominal discomfort,23.00,Chills,23.00,Headache,23.00,Myalgia,
23.00,,
866950,Herpes zoster,23.00,,,,,
866951,Adverse event,23.00,,,,,
866952,Arthralgia,23.00,Immediate post-injection reaction,
23.00,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Joint swelling,23.00
866952,Limb mass,23.00,Musculoskeletal stiffness,23.00,Pain in
extremity,23.00,Peripheral swelling,23.00,,
866953,Oral herpes,23.00,,,,,
866954,Urinary tract infection,23.00,,,,,
866955,Herpes zoster,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
866956,Chills,23.00,Ear pain,23.00,Fatigue,23.00,Headache,23.00,Herpes

zoster,23.00
866956,Myalgia,23.00,Neck pain,23.00,Pain in extremity,23.00,Pain in jaw,23.00,Rash,23.00
866957,Erythema,23.00,Extensive swelling of vaccinated limb,23.00,Pain,23.00,,,,,
866958,Pain in extremity,23.00,Product administered to patient of inappropriate age,23.00,,,,,,
866959,Erythema,23.00,Herpes zoster,23.00,Pruritus,23.00,Rash vesicular,23.00,,
866960,Herpes zoster,23.00,Neuralgia,23.00,,,,,,
866961,Coronavirus infection,23.00,Malaise,23.00,,,,,,
866962,Acne,23.00,Injection site pain,23.00,,,,,,
866963,Arthropod bite,23.00,Herpes virus infection,23.00,Muscular weakness,23.00,Neuropathy peripheral,23.00,Rash,23.00
866964,Adverse drug reaction,23.00,Herpes zoster,23.00,,,,,,
866965,Malaise,23.00,Pain in extremity,23.00,Swelling,23.00,,,,,
866966,Peripheral swelling,23.00,,,,,,
866967,Headache,23.00,Malaise,23.00,Pain,23.00,Pyrexia,23.00,,
866968,Hypoaesthesia,23.00,Injection site reaction,23.00,Mass,23.00,Pain in extremity,23.00,Peripheral swelling,23.00
866969,Rash,23.00,,,,,,
866971,Product administered to patient of inappropriate age,23.00,,,,,,
866972,Adverse drug reaction,23.00,,,,,,
866973,Blood immunoglobulin G increased,23.00,Condition aggravated,23.00,Hypersensitivity,23.00,,,,,
866974,Erythema,23.00,Feeling hot,23.00,Rash,23.00,Swelling,23.00,,
866975,Adverse drug reaction,23.00,,,,,,
866976,Bronchiectasis,23.00,Condition aggravated,23.00,Incomplete course of vaccination,23.00,Pneumonia,23.00,Pseudomonas infection,23.00
866976,Pyrexia,23.00,,,,,,
866977,Pain in extremity,23.00,,,,,,
866978,Bursal fluid accumulation,23.00,Bursitis,23.00,Immediate post-injection reaction,23.00,Injected limb mobility decreased,23.00,Injection site pain,23.00
866978,Magnetic resonance imaging abnormal,23.00,Magnetic resonance imaging spinal,23.00,Product administration error,23.00,Quality of life decreased,23.00,Shoulder injury related to vaccine administration,23.00
866979,Syncope,23.00,,,,,,
866983,Fatigue,23.00,Headache,23.00,Malaise,23.00,,,,,
866984,Influenza like illness,23.00,Pain,23.00,Pyrexia,23.00,,,,,
866986,Pyrexia,23.00,,,,,,
866987,Hot flush,23.00,Injection site pain,23.00,Injection site swelling,23.00,Nausea,23.00,Pyrexia,23.00
866988,Blister,23.00,Nausea,23.00,Vomiting,23.00,,,,,
866989,Influenza,23.00,Nasopharyngitis,23.00,,,,,,
866990,Asthenia,23.00,Chills,23.00,Headache,23.00,Malaise,23.00,,
866991,Rash papular,23.00,Rash pruritic,23.00,Varicella,23.00,,,,,

866992, Inflammation, 23.00, , , , , , , , ,
866993, Chills, 23.00, Influenza like illness, 23.00, Injection site
cellulitis, 23.00, Injection site erythema, 23.00, Injection site pain,
23.00
866993, Malaise, 23.00, Pruritus, 23.00, Pyrexia, 23.00, Restlessness, 23.00, ,
866994, Feeling abnormal, 23.00, Pain in extremity, 23.00, , , , , , ,
866995, Chills, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, ,
866996, Blood test normal, 23.00, Chills, 23.00, Fatigue, 23.00, Headache,
23.00, Pyrexia, 23.00
866997, Herpes zoster, 23.00, Incomplete course of vaccination,
23.00, , , , , , ,
866998, Injected limb mobility decreased, 23.00, Injection site erythema,
23.00, Injection site swelling, 23.00, Pain in extremity, 23.00, ,
866999, Erythema, 23.00, Swelling, 23.00, , , , , , ,
867000, Diarrhoea, 23.00, Papule, 23.00, Rash erythematous, 23.00, Rash
pruritic, 23.00, ,
867001, Flushing, 23.00, Pain, 23.00, , , , , , ,
867002, Discomfort, 23.00, Periorbital swelling, 23.00, Vulvovaginal
swelling, 23.00, , , , ,
867003, Lip discolouration, 23.00, Loss of consciousness, 23.00, Pyrexia,
23.00, Vomiting, 23.00, ,
867006, Dyspnoea, 23.00, Pneumonia, 23.00, Sepsis, 23.00, Wheezing, 23.00, ,
867008, Asthma, 23.00, Condition aggravated, 23.00, Cough, 23.00, Drug
ineffective, 23.00, Dyspnoea, 23.00
867008, Post-tussive vomiting, 23.00, Smear cervix, 23.00, Wheezing,
23.00, , , , ,
867009, Asthenia, 23.00, Chills, 23.00, Malaise, 23.00, Pain, 23.00, ,
867010, Headache, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
867011, Pain in extremity, 23.00, , , , , , , , ,
867012, Pain, 23.00, Wound infection, 23.00, , , , , , , ,
867013, Asthenia, 23.00, Headache, 23.00, Hyperpyrexia, 23.00, , , , ,
867014, Myalgia, 23.00, , , , , , , , , , ,
867015, Herpes zoster, 23.00, Hypoaesthesia, 23.00, , , , , , , ,
867016, Injection site pain, 23.00, Pain, 23.00, , , , , , , ,
867017, Exposure during pregnancy, 23.00, Placenta praevia,
23.00, Ultrasound antenatal screen normal, 23.00, , , , , ,
867018, Exposure during pregnancy, 23.00, Foetal growth restriction,
23.00, , , , , , ,
867019, Apnoea, 23.00, Blood culture negative, 23.00, Bronchopulmonary
dysplasia, 23.00, Culture urine negative, 23.00, Cyanosis, 23.00
867019, Food refusal, 23.00, Full blood count normal, 23.00, Hypothermia,
23.00, Intensive care, 23.00, Oxygen saturation decreased, 23.00
867019, Sepsis, 23.00, Somnolence, 23.00, Urine analysis normal, 23.00, , , , ,
867020, Crying, 23.00, Emotional distress, 23.00, Hypophagia,
23.00, Irritability, 23.00, Staring, 23.00
867020, Unresponsive to stimuli, 23.00, , , , , , , , ,
867021, Culture throat negative, 23.00, Decreased appetite, 23.00, Fatigue,
23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00
867021, Pyrexia, 23.00, Streptococcus test negative, 23.00, , , , , , ,
867032, Erythema, 23.00, Lymph node pain, 23.00, Urticaria, 23.00, , , , ,

867033, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , ,
867034, Herpes zoster, 23.00, , , , , , , , , ,
867035, Chest discomfort, 23.00, Herpes zoster, 23.00, Rash, 23.00, , , , ,
867036, Injection site pain, 23.00, , , , , , , , , ,
867037, Adverse drug reaction, 23.00, , , , , , , , , ,
867038, Adverse drug reaction, 23.00, , , , , , , , , ,
867039, Pain in extremity, 23.00, , , , , , , , , ,
867040, Eye pain, 23.00, Hyperaesthesia, 23.00, Hypoaesthesia, 23.00, Lacrimation increased, 23.00, Ocular discomfort, 23.00
867040, Ophthalmic herpes zoster, 23.00, Photophobia, 23.00, Tenderness, 23.00, , , , ,
867041, Pyrexia, 23.00, , , , , , , , , ,
867042, Dizziness, 23.00, Loss of consciousness, 23.00, , , , , , , , , ,
867043, Chills, 23.00, Feeling cold, 23.00, Muscular weakness, 23.00, Myalgia, 23.00, ,
867044, Dyspnoea, 23.00, Urticaria, 23.00, , , , , , , , , ,
867045, Injection site pain, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
867053, Urinary tract infection, 23.00, , , , , , , , , ,
867077, Human papilloma virus test positive, 23.00, Smear cervix abnormal, 23.00, , , , , , , , , ,
867078, Dizziness, 23.00, Headache, 23.00, Neurological symptom, 23.00, Tinnitus, 23.00, Vertigo, 23.00
867079, Product storage error, 23.00, , , , , , , , , ,
867080, Herpes zoster, 23.00, , , , , , , , , ,
867081, Herpes zoster, 23.00, , , , , , , , , ,
867082, Herpes zoster, 23.00, , , , , , , , , ,
867083, Herpes zoster, 23.00, , , , , , , , , ,
867084, Expired product administered, 23.00, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , ,
867085, Varicella zoster pneumonia, 23.00, , , , , , , , , ,
867086, Sensation of foreign body, 23.00, , , , , , , , , ,
867087, Condition aggravated, 23.00, Fatigue, 23.00, Headache, 23.00, Lower respiratory tract infection, 23.00, Malaise, 23.00
867087, Productive cough, 23.00, Respiratory tract congestion, 23.00, Sputum discoloured, 23.00, Wheezing, 23.00, ,
867088, Inappropriate schedule of product administration, 23.00, Product storage error, 23.00, , , , , , , , , ,
867089, Blood glucose increased, 23.00, Blood ketone body increased, 23.00, Gastroenteritis viral, 23.00, Vomiting, 23.00, ,
867091, Incomplete course of vaccination, 23.00, Influenza, 23.00, Pyrexia, 23.00, , , , , ,
867092, Cough, 23.00, Influenza, 23.00, Pyrexia, 23.00, Respiratory symptom, 23.00, Rhinorrhoea, 23.00
867093, Influenza like illness, 23.00, Pyrexia, 23.00, , , , , , , , , ,
867094, Urinary tract infection, 23.00, , , , , , , , , ,
867095, Cystitis, 23.00, , , , , , , , , ,
867096, Gingivitis, 23.00, , , , , , , , , ,
867097, Chills, 23.00, Vomiting, 23.00, , , , , , , , , ,
867098, Feeling abnormal, 23.00, Headache, 23.00, Influenza like illness,

23.00, Malaise, 23.00, Nausea, 23.00
867098, Product storage error, 23.00, Streptococcus test negative,
23.00, , , , , ,
867099, Nasopharyngitis, 23.00, Sinusitis, 23.00, , , , , ,
867101, Abdominal pain, 23.00, Chest pain, 23.00, Chills, 23.00, Dizziness,
23.00, Dyspnoea, 23.00
867101, Feeling abnormal, 23.00, Gait inability, 23.00, Headache,
23.00, Heart rate abnormal, 23.00, Heart rate irregular, 23.00
867101, Nausea, 23.00, Painful respiration, 23.00, Palpitations,
23.00, Pyrexia, 23.00, ,
867103, Pain, 23.00, Pyrexia, 23.00, , , , , ,
867104, Urinary tract infection, 23.00, , , , , , ,
867105, Cystitis, 23.00, , , , , , ,
867108, Chills, 23.00, Inappropriate schedule of product administration,
23.00, Influenza like illness, 23.00, Injection site pain, 23.00, Pyrexia,
23.00
867109, Rash, 23.00, Rash pruritic, 23.00, Rash vesicular, 23.00, , , ,
867110, Adverse drug reaction, 23.00, Immune system disorder, 23.00, , , , , ,
867111, Feeling abnormal, 23.00, Vomiting, 23.00, , , , , ,
867112, Neuralgia, 23.00, , , , , , ,
867113, Abdominal discomfort, 23.00, Abdominal distension, 23.00, Asthenia,
23.00, Chills, 23.00, Decreased appetite, 23.00
867113, Fatigue, 23.00, Feeling abnormal, 23.00, Headache, 23.00, Influenza
like illness, 23.00, Injection site pain, 23.00
867113, Myalgia, 23.00, Nausea, 23.00, , , , , ,
867114, Injection site pain, 23.00, Limb discomfort, 23.00, Pyrexia,
23.00, , , , ,
867115, Dermatitis diaper, 23.00, Frequent bowel movements, 23.00, Pyrexia,
23.00, , , , ,
867117, Herpes zoster, 23.00, , , , , , ,
867118, Flushing, 23.00, Pruritus, 23.00, , , , , ,
867119, Chills, 23.00, Cough, 23.00, Diarrhoea, 23.00, Dysphonia,
23.00, Dyspnoea, 23.00
867119, Oropharyngeal pain, 23.00, Pharyngeal erythema, 23.00, Pharyngeal
swelling, 23.00, Pustule, 23.00, Sleep disorder, 23.00
867119, Throat tightness, 23.00, Tinnitus, 23.00, Wheezing, 23.00, , , , ,
867120, Arthralgia, 23.00, Arthritis, 23.00, Asthenia, 23.00, Myalgia, 23.00, ,
867121, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00, Injection site rash,
23.00, Injection site swelling, 23.00
867121, Injection site warmth, 23.00, , , , , , ,
867123, Injection site erythema, 23.00, Injection site swelling,
23.00, Pyrexia, 23.00, , , , ,
867129, Drug effective for unapproved indication, 23.00, Therapeutic
response unexpected, 23.00, , , , , ,
867132, Headache, 23.00, Pyrexia, 23.00, , , , , ,
867133, Immediate post-injection reaction, 23.00, Peripheral swelling,
23.00, Pruritus, 23.00, Pyrexia, 23.00, Swollen tongue, 23.00
867133, Urticaria, 23.00, , , , , , ,
867134, Headache, 23.00, Injection site pain, 23.00, Myalgia, 23.00, Pyrexia,

23.00,,
867135,Adverse reaction,23.00,,,,,,,,,
867136,Adverse event,23.00,,,,,,,,,
867137,Blister,23.00,Herpes zoster,23.00,Neuralgia,23.00,Pain in
extremity,23.00,Scab,23.00
867138,Muscle spasms,23.00,Musculoskeletal pain,23.00,Pain in
extremity,23.00,Product administered at inappropriate site,
23.00,Rotator cuff syndrome,23.00
867138,X-ray,23.00,,,,,,,,,
867140,Abdominal discomfort,23.00,Diarrhoea,23.00,Head discomfort,
23.00,Hyperhidrosis,23.00,Nausea,23.00
867140,Pain in extremity,23.00,Pallor,23.00,Vomiting,23.00,,,,,
867141,Abdominal pain upper,23.00,Blood pressure increased,
23.00,Dizziness,23.00,Overdose,23.00,,
867142,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,
23.00,Nasopharyngitis,23.00
867142,Nausea,23.00,Pyrexia,23.00,,,,,,,,,
867143,Back pain,23.00,Chills,23.00,Musculoskeletal stiffness,
23.00,Pain,23.00,Pyrexia,23.00
867143,Tenderness,23.00,,,,,,,,,
867144,Pyrexia,23.00,Rash,23.00,,,,,,,,,
867156,Product use in unapproved indication,23.00,Therapeutic response
unexpected,23.00,,,,,,,,,
867161,Herpes zoster,23.00,,,,,,,,,
867162,Herpes zoster,23.00,Retinal detachment,23.00,,,,,,,,,
867163,Erythema,23.00,Skin warm,23.00,,,,,,,,,
867164,Back pain,23.00,Chills,23.00,Dyspnoea,23.00,Feeling abnormal,
23.00,Headache,23.00
867164,Insomnia,23.00,Musculoskeletal chest pain,23.00,Nausea,
23.00,Pain,23.00,Spinal pain,23.00
867165,Herpes zoster,23.00,,,,,,,,,
867166,Chills,23.00,Influenza like illness,23.00,Pain,23.00,,,,,
867167,Injection site discolouration,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site warmth,23.00
867167,Peripheral swelling,23.00,,,,,,,,,
867168,Pneumonia,23.00,,,,,,,,,
867169,Nausea,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
867170,Nausea,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
867171,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Large for dates baby,23.00,,,,,
867172,Foetal exposure during pregnancy,23.00,,,,,,,,,
867173,Acarodermatitis,23.00,Blister,23.00,Blood test normal,
23.00,Dizziness,23.00,Headache,23.00
867173,Immediate post-injection reaction,23.00,Pain,23.00,Pyrexia,
23.00,Rash vesicular,23.00,Scab,23.00
867173,Skin exfoliation,23.00,Staphylococcal infection,23.00,,,,,,,,,
867174,Cyanosis,23.00,Dyspnoea,23.00,Lethargy,23.00,Livedo
reticularis,23.00,Pyrexia,23.00
867174,Skin discolouration,23.00,Tremor,23.00,,,,,,,,,

867178, Herpes zoster, 23.00, Rash, 23.00, , , , , , ,
867180, Blood test, 23.00, Surgery, 23.00, , , , , , ,
867181, Incomplete course of vaccination, 23.00, Injection site rash,
23.00, Injection site swelling, 23.00, Rash, 23.00, Rash erythematous, 23.00
867181, Rash pustular, 23.00, , , , , , , , ,
867182, Dry skin, 23.00, Eczema, 23.00, Skin exfoliation, 23.00, , , , ,
867183, Burning sensation, 23.00, Pain, 23.00, Pain in extremity,
23.00, Pruritus, 23.00, Rash, 23.00
867184, Asthenia, 23.00, Erythema, 23.00, Fatigue, 23.00, Headache,
23.00, Mobility decreased, 23.00
867184, Nausea, 23.00, Pain, 23.00, Skin warm, 23.00, Swelling,
23.00, Tenderness, 23.00
867185, Injection site mass, 23.00, Injection site pain,
23.00, Musculoskeletal pain, 23.00, X-ray limb, 23.00, , ,
867186, Erythema, 23.00, Induration, 23.00, Peripheral swelling, 23.00, , , , ,
867187, Asthenia, 23.00, Endotracheal intubation, 23.00, Gait inability,
23.00, Gastrointestinal tube insertion, 23.00, Guillain-Barre syndrome,
23.00
867187, Hypoaesthesia, 23.00, Life support, 23.00, Loss of consciousness,
23.00, Mechanical ventilation, 23.00, Musculoskeletal disorder, 23.00
867187, Respiratory failure, 23.00, Sedation, 23.00, Sensory loss,
23.00, Tracheostomy, 23.00, , ,
867190, Erythema, 23.00, Injection site pain, 23.00, Swelling, 23.00, , , , ,
867191, Insomnia, 23.00, Lymphadenopathy, 23.00, Odynophagia, 23.00, , , , ,
867192, Fall, 23.00, Loss of consciousness, 23.00, , , , , , ,
867193, Injection site cellulitis, 23.00, Injection site erythema,
23.00, Injection site swelling, 23.00, , , , , , ,
867194, Culture, 23.00, Herpes zoster, 23.00, , , , , , , , ,
867195, Abdominal discomfort, 23.00, Chills, 23.00, Fatigue, 23.00, Headache,
23.00, Injection site erythema, 23.00
867195, Injection site pain, 23.00, Injection site swelling,
23.00, Myalgia, 23.00, Skin warm, 23.00, , ,
867196, Biopsy, 23.00, Lichen planus, 23.00, Rash, 23.00, Swelling face,
23.00, , ,
867197, Blister, 23.00, Laboratory test abnormal, 23.00, Pemphigoid,
23.00, , , , ,
867198, Immediate post-injection reaction, 23.00, Injection site pain,
23.00, Joint range of motion decreased, 23.00, Musculoskeletal stiffness,
23.00, Pain, 23.00
867218, Death, 23.00, Product use in unapproved indication, 23.00, , , , , , ,
867219, Product use in unapproved indication, 23.00, , , , , , , , ,
867222, Product use in unapproved indication, 23.00, , , , , , , , ,
867223, Drug effective for unapproved indication, 23.00, Product use in
unapproved indication, 23.00, , , , , , , , ,
867225, Product use in unapproved indication, 23.00, , , , , , , , ,
867226, Injection site reaction, 23.00, Insomnia, 23.00, Limb discomfort,
23.00, Local reaction, 23.00, Product use in unapproved indication, 23.00
867226, Skin irritation, 23.00, , , , , , , , ,
867227, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
867228, Herpes zoster, 23.00, , , , , , , , ,

867229,Herpes zoster,23.00,,,,,,,,,
867230,Herpes zoster,23.00,,,,,,,,,
867231,Herpes zoster,23.00,,,,,,,,,
867232,Herpes zoster,23.00,,,,,,,,,
867233,Herpes zoster,23.00,,,,,,,,,
867234,Inappropriate schedule of product administration,23.00,,,,,,,,,
867235,Product storage error,23.00,,,,,,,,,
867236,Inappropriate schedule of product administration,23.00,,,,,,,,,
867237,Incomplete course of vaccination,23.00,,,,,,,,,
867238,Inappropriate schedule of product administration,23.00,,,,,,,,,
867239,Product dose omission,23.00,,,,,,,,,
867240,Product administration error,23.00,,,,,,,,,
867241,Inappropriate schedule of product administration,23.00,,,,,,,,,
867242,Product storage error,23.00,,,,,,,,,
867243,Product storage error,23.00,,,,,,,,,
867244,Product administration error,23.00,,,,,,,,,
867245,Inappropriate schedule of product administration,
23.00,Incomplete course of vaccination,23.00,,,,,,,,,
867246,Inappropriate schedule of product administration,23.00,,,,,,,,,
867247,Inappropriate schedule of product administration,23.00,,,,,,,,,
867248,Incomplete course of vaccination,23.00,,,,,,,,,
867249,Product storage error,23.00,,,,,,,,,
867250,Product storage error,23.00,,,,,,,,,
867251,Gastroenteritis viral,23.00,Vomiting,23.00,,,,,,,,,
867252,Upper respiratory tract infection,23.00,,,,,,,,,
867253,Ear infection,23.00,,,,,,,,,
867254,Inappropriate schedule of product administration,23.00,Product
dose omission,23.00,,,,,,,,,
867255,Incomplete course of vaccination,23.00,,,,,,,,,
867256,Incorrect dose administered,23.00,,,,,,,,,
867257,Inappropriate schedule of product administration,23.00,,,,,,,,,
867258,Inappropriate schedule of product administration,23.00,,,,,,,,,
867259,Sinusitis,23.00,,,,,,,,,
867260,Urinary tract infection,23.00,,,,,,,,,
867261,Rash,23.00,,,,,,,,,
867262,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site swelling,23.00,,
867263,Hypersensitivity,23.00,Pruritus,23.00,Urticaria,23.00,,,,
867264,Inappropriate schedule of product administration,
23.00,Injection site pain,23.00,Musculoskeletal pain,23.00,,,,
867265,Arthralgia,23.00,Injection site pain,23.00,Pain,23.00,,,,
867266,Herpes zoster,23.00,,,,,,,,,
867267,Chills,23.00,Feeling abnormal,23.00,Headache,23.00,Hyperacusis,
23.00,Hyperhidrosis,23.00
867267,Influenza like illness,23.00,Pain,23.00,Photophobia,23.00,,,,
867269,Chills,23.00,Headache,23.00,Injection site pain,23.00,Loss of
personal independence in daily activities,23.00,Myalgia,23.00
867269,Nasal congestion,23.00,Pyrexia,23.00,Tinnitus,23.00,,,,
867270,Headache,23.00,Myalgia,23.00,,,,,,,,,
867271,Accidental underdose,23.00,Erythema,23.00,Musculoskeletal pain,

23.00, Swelling, 23.00,,
867272, Injection site rash, 23.00, Malaise, 23.00,,,,,
867273, Injection site rash, 23.00, Malaise, 23.00,,,,,
867274, Malaise, 23.00,,,,,
867275, Malaise, 23.00,,,,,
867276, Abdominal discomfort, 23.00, Balance disorder,
23.00, Blepharospasm, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00
867276, Headache, 23.00, Heart rate increased, 23.00, Hyperhidrosis,
23.00, Pain in extremity, 23.00, Pyrexia, 23.00
867276, Rash erythematous, 23.00, Rash pruritic, 23.00,,,,,
867277, Herpes zoster, 23.00,,,,,
867278, Abdominal discomfort, 23.00, Musculoskeletal stiffness,
23.00,,,,,
867279, Abdominal discomfort, 23.00, Chills, 23.00, Decreased appetite,
23.00, Erythema, 23.00, Fatigue, 23.00
867279, Feeling abnormal, 23.00, Headache, 23.00, Influenza like illness,
23.00, Injection site reaction, 23.00, Peripheral swelling, 23.00
867280, Hypoaesthesia, 23.00, Muscular weakness, 23.00, Osteoarthritis,
23.00, Pain in extremity, 23.00, Product administered at inappropriate
site, 23.00
867280, Weight bearing difficulty, 23.00, X-ray limb abnormal, 23.00,,,,,
867281, Chills, 23.00, Insomnia, 23.00, Mobility decreased, 23.00, Nausea,
23.00, Pain, 23.00
867282, Alopecia, 23.00,,,,,
867283, Incomplete course of vaccination, 23.00, Rhinorrhoea,
23.00, Sneezing, 23.00,,,,
867284, Pain in extremity, 23.00, Paraesthesia, 23.00,,,,,
867285, Erythema, 23.00, Hypersensitivity, 23.00, Injection site bruising,
23.00, Injection site erythema, 23.00, Injection site pruritus, 23.00
867285, Injection site warmth, 23.00, Pyrexia, 23.00,,,,,
867286, Anxiety, 23.00, Arthralgia, 23.00, Asthenia, 23.00, Axillary pain,
23.00, Balance disorder, 23.00
867286, Burning sensation, 23.00, Chills, 23.00, Dizziness, 23.00, Fatigue,
23.00, Headache, 23.00
867286, Hyperacusis, 23.00, Loss of personal independence in daily
activities, 23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00, Neck
pain, 23.00
867286, Pain, 23.00, Photosensitivity reaction, 23.00,,,,,
867287, Chills, 23.00, Cough, 23.00, Dysphonia, 23.00, Dyspnoea,
23.00, Myalgia, 23.00
867287, Pyrexia, 23.00, Vomiting, 23.00,,,,,
867288, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00,,,,
867289, Feeling hot, 23.00, Herpes zoster, 23.00, Rash, 23.00, Tenderness,
23.00,,
867290, Injection site pain, 23.00, Joint noise, 23.00, Muscular weakness,
23.00, Musculoskeletal stiffness, 23.00, Pain in extremity, 23.00
867291, Arthralgia, 23.00, Incorrect route of product administration,
23.00, Injected limb mobility decreased, 23.00, Joint range of motion
decreased, 23.00, Myalgia, 23.00

867292,Accidental exposure to product,23.00,Accidental underdose,
23.00,Exposure via skin contact,23.00,Fatigue,23.00,Hot flush,23.00
867292,Immediate post-injection reaction,23.00,Incorrect route of
product administration,23.00,Pain,23.00,Paraesthesia,23.00,,
867293,Headache,23.00,Hypoaesthesia,23.00,,,,,
867296,Incorrect route of product administration,23.00,Injection site
pain,23.00,,,,,
867297,Dizziness,23.00,Feeling cold,23.00,Immediate post-injection
reaction,23.00,Injected limb mobility decreased,23.00,Injection site
pain,23.00
867297,Nausea,23.00,Pain in extremity,23.00,Skin discolouration,
23.00,Syncope,23.00,,
867301,Axillary pain,23.00,Injection site erythema,23.00,Injection
site pain,23.00,Injection site swelling,23.00,Swelling,23.00
867301,Tenderness,23.00,,,,,
867302,Asthenia,23.00,Dyspnoea,23.00,Myalgia,23.00,Pyrexia,23.00,,
867303,Injection site pain,23.00,Injection site paraesthesia,
23.00,Injection site pruritus,23.00,Injection site warmth,23.00,,
867308,No adverse event,23.00,Product storage error,23.00,,,,,
867309,Deafness,23.00,,,,,
867310,Erythema,23.00,Lethargy,23.00,Pain,23.00,Pyrexia,23.00,,
867311,Anal pruritus,23.00,Ear pruritus,23.00,Erythema,23.00,Eye
pruritus,23.00,Eye swelling,23.00
867311,Influenza like illness,23.00,Injection site erythema,
23.00,Injection site irritation,23.00,Injection site swelling,
23.00,Pain,23.00
867311,Pain in extremity,23.00,Pyrexia,23.00,Rash erythematous,
23.00,Rash pruritic,23.00,,
867312,Blood pressure increased,23.00,Computerised tomogram,
23.00,Headache,23.00,Herpes zoster,23.00,,
867313,Injection site vesicles,23.00,Pruritus,23.00,Rash,23.00,,,
867314,Dizziness,23.00,Feeling hot,23.00,Hyperhidrosis,
23.00,Hypotonia,23.00,Immediate post-injection reaction,23.00
867314,Loss of consciousness,23.00,Pallor,23.00,Posture abnormal,
23.00,,,,
867315,Rash,23.00,,,,,
867316,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Nausea,23.00,,
867326,Extra dose administered,23.00,,,,,
867327,Cardiac failure,23.00,,,,,
867328,Herpes zoster,23.00,,,,,
867330,Chills,23.00,Injection site pain,23.00,Limb discomfort,
23.00,Night sweats,23.00,,
867332,Chemotherapy,23.00,Radiotherapy,23.00,,,,,
867333,Foetal exposure during pregnancy,23.00,Polyhydramnios,
23.00,,,,,
867335,Asthenia,23.00,Chills,23.00,Feeling cold,23.00,Headache,23.00,,
867336,Fall,23.00,Gait disturbance,23.00,Peripheral swelling,
23.00,Walking aid user,23.00,,
867337,Injection site inflammation,23.00,,,,,

867338,Injection site cellulitis,23.00,,,,,,,,,
867339,Emotional distress,23.00,Encephalitis,23.00,High-pitched
crying,23.00,Opisthotonus,23.00,,
867340,Wrong product administered,23.00,,,,,,,,,
867345,Bone pain,23.00,Electrocardiogram normal,23.00,Herpes zoster,
23.00,Injection site pain,23.00,Pain,23.00
867345,Rash pruritic,23.00,Rotator cuff syndrome,23.00,Skin
hypertrophy,23.00,,,,,
867349,Lymphadenitis,23.00,,,,,,,,,
867350,Chemotherapy,23.00,Pyrexia,23.00,Rash erythematous,23.00,Rash
papular,23.00,Rash vesicular,23.00
867350,Skin lesion,23.00,Varicella virus test positive,23.00,,,,,,,,,
867351,Injection site pain,23.00,Musculoskeletal disorder,
23.00,Paraesthesia,23.00,,,,,
867353,Body temperature increased,23.00,Headache,23.00,Injection site
pain,23.00,,,,,
867354,Condition aggravated,23.00,Psoriasis,23.00,Vaccination
complication,23.00,,,,,
867355,Injection site pain,23.00,,,,,,,,,
867356,Injection site pain,23.00,Mobility decreased,23.00,Pain,
23.00,,,,,
867386,Herpes zoster,23.00,,,,,,,,,
867387,Herpes zoster,23.00,,,,,,,,,
867388,Herpes zoster,23.00,,,,,,,,,
867389,Herpes zoster,23.00,,,,,,,,,
867390,Influenza,23.00,Influenza virus test positive,23.00,Pyrexia,
23.00,Respiratory tract congestion,23.00,,
867391,Incomplete course of vaccination,23.00,,,,,,,,,
867392,Inappropriate schedule of product administration,23.00,,,,,,,,,
867393,Inappropriate schedule of product administration,23.00,,,,,,,,,
867394,Product storage error,23.00,,,,,,,,,
867395,Incomplete course of vaccination,23.00,,,,,,,,,
867396,Incomplete course of vaccination,23.00,,,,,,,,,
867397,Product administration error,23.00,,,,,,,,,
867398,Product storage error,23.00,,,,,,,,,
867399,Inappropriate schedule of product administration,23.00,,,,,,,,,
867400,Inappropriate schedule of product administration,23.00,,,,,,,,,
867401,Product administration error,23.00,,,,,,,,,
867402,Inappropriate schedule of product administration,23.00,,,,,,,,,
867403,Product storage error,23.00,,,,,,,,,
867404,Product storage error,23.00,,,,,,,,,
867405,No adverse event,23.00,Product storage error,23.00,,,,,
867406,Cellulitis,23.00,,,,,,,,,
867407,Product storage error,23.00,,,,,,,,,
867408,Product storage error,23.00,,,,,,,,,
867409,Incomplete course of vaccination,23.00,,,,,,,,,
867410,Inappropriate schedule of product administration,23.00,,,,,,,,,
867411,Incomplete course of vaccination,23.00,,,,,,,,,
867412,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,

867413,Inappropriate schedule of product administration,23.00,,,,,
867414,Product administration error,23.00,,,,,
867415,Inappropriate schedule of product administration,23.00,,,,,
867416,Inappropriate schedule of product administration,23.00,,,,,
867417,Culture stool,23.00,Diarrhoea haemorrhagic,23.00,Polymerase
chain reaction positive,23.00,Salmonella test positive,23.00,,
867418,Inappropriate schedule of product administration,23.00,,,,,
867419,Product storage error,23.00,,,,,
867420,Product storage error,23.00,,,,,
867421,Inappropriate schedule of product administration,23.00,,,,,
867422,Inappropriate schedule of product administration,23.00,,,,,
867423,Inappropriate schedule of product administration,23.00,,,,,
867424,Incomplete course of vaccination,23.00,,,,,
867425,Product storage error,23.00,,,,,
867426,Inappropriate schedule of product administration,23.00,,,,,
867427,Inappropriate schedule of product administration,23.00,Product
storage error,23.00,,,,,
867428,Product administration error,23.00,,,,,
867429,Product dose omission,23.00,,,,,
867430,Incomplete course of vaccination,23.00,,,,,
867431,Inappropriate schedule of product administration,23.00,,,,,
867432,Product storage error,23.00,,,,,
867433,Product administration error,23.00,,,,,
867434,Product dose omission,23.00,,,,,
867435,Product storage error,23.00,,,,,
867436,Product storage error,23.00,,,,,
867437,Incomplete course of vaccination,23.00,,,,,
867438,Incomplete course of vaccination,23.00,,,,,
867439,Incomplete course of vaccination,23.00,,,,,
867440,Product storage error,23.00,,,,,
867441,Product storage error,23.00,,,,,
867442,Inappropriate schedule of product administration,23.00,,,,,
867443,Product dose omission,23.00,,,,,
867444,Product dose omission,23.00,,,,,
867445,Inappropriate schedule of product administration,23.00,Product
administration error,23.00,,,,,
867446,Incomplete course of vaccination,23.00,,,,,
867447,Inappropriate schedule of product administration,23.00,,,,,
867448,Incomplete course of vaccination,23.00,,,,,
867450,Product dose omission,23.00,,,,,
867451,Inappropriate schedule of product administration,23.00,,,,,
867452,Inappropriate schedule of product administration,23.00,,,,,
867453,Unevaluable event,23.00,,,,,
867454,Product administered to patient of inappropriate age,
23.00,,,,,
867455,Product storage error,23.00,,,,,
867456,Product storage error,23.00,,,,,
867457,Product storage error,23.00,,,,,
867458,Inappropriate schedule of product administration,23.00,,,,,
867459,Unevaluable event,23.00,,,,,

867460,Product dose omission,23.00,,,,,,,,,
867461,Inappropriate schedule of product administration,23.00,,,,,,,,,
867462,Inappropriate schedule of product administration,23.00,,,,,,,,,
867463,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,,,,,
867464,Product storage error,23.00,,,,,,,,,
867465,Unevaluable event,23.00,,,,,,,,,
867466,Inappropriate schedule of product administration,23.00,,,,,,,,,
867467,Incomplete course of vaccination,23.00,,,,,,,,,
867468,Product storage error,23.00,,,,,,,,,
867469,Product storage error,23.00,,,,,,,,,
867470,Ear infection,23.00,,,,,,,,,
867471,Labelled drug-drug interaction medication error,23.00,Urinary
tract infection,23.00,,,,,,,,,
867472,Urinary tract infection,23.00,,,,,,,,,
867473,Atypical pneumonia,23.00,Ear infection,23.00,,,,,,,,,
867475,Pyrexia,23.00,,,,,,,,,
867476,Muscle twitching,23.00,Neuralgia,23.00,,,,,,,,,
867477,Fatigue,23.00,Malaise,23.00,Pain in extremity,23.00,Sleep
disorder,23.00,,
867478,Adverse drug reaction,23.00,,,,,,,,,
867479,Pyrexia,23.00,,,,,,,,,
867480,Biopsy mucosa abnormal,23.00,Blister,23.00,Blood immunoglobulin
A,23.00,Blood immunoglobulin G,23.00,Blood immunoglobulin M,23.00
867480,Chapped lips,23.00,Complement factor C3,23.00,Death,
23.00,Duodenal ulcer perforation,23.00,Dysphagia,23.00
867480,Erythema,23.00,Fatigue,23.00,Haemorrhage,23.00,Herpes simplex
test negative,23.00,Lip blister,23.00
867480,Lip haemorrhage,23.00,Mouth swelling,23.00,Mouth ulceration,
23.00,Polymerase chain reaction,23.00,Rash,23.00
867480,Scab,23.00,Sepsis,23.00,Stevens-Johnson syndrome,
23.00,Stomatitis,23.00,Tongue ulceration,23.00
867480,Viral test,23.00,,,,,,,,,
867482,Extra dose administered,23.00,Injection site pain,23.00,,,,,,,,,
867483,Adverse drug reaction,23.00,Aphonia,23.00,Blister,23.00,Chills,
23.00,Condition aggravated,23.00
867483,Dyspnoea,23.00,Food intolerance,23.00,Hyperhidrosis,
23.00,Nausea,23.00,Productive cough,23.00
867483,Pyrexia,23.00,Rhinorrhoea,23.00,Vomiting,23.00,,,,,
867484,Nerve injury,23.00,,,,,,,,,
867485,Influenza,23.00,,,,,,,,,
867486,Extra dose administered,23.00,Seizure,23.00,,,,,,,,,
867487,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,,,,,
867488,Extra dose administered,23.00,No adverse event,23.00,,,,,,,,,
867494,Herpes zoster,23.00,,,,,,,,,
867495,Herpes zoster,23.00,,,,,,,,,
867496,Abdominal pain upper,23.00,,,,,,,,,
867497,Adverse drug reaction,23.00,,,,,,,,,
867498,Pain in extremity,23.00,,,,,,,,,
867499,Dizziness,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,Rash,

23.00
867499,Urticaria,23.00,,,,,,,,,
867504,Product storage error,23.00,,,,,,,,,
867505,Product storage error,23.00,,,,,,,,,
867506,Product storage error,23.00,,,,,,,,,
867507,Product storage error,23.00,,,,,,,,,
867508,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
867509,Arthralgia,23.00,Condition aggravated,23.00,Fatigue,
23.00,Herpes zoster,23.00,Vaccination failure,23.00
867510,Adverse drug reaction,23.00,,,,,,,,,
867511,Acarodermatitis,23.00,Biopsy skin normal,23.00,Blister,
23.00,Blood test normal,23.00,Immediate post-injection reaction,23.00
867511,Pain,23.00,Rash vesicular,23.00,Scab,23.00,Skin exfoliation,
23.00,Staphylococcal infection,23.00
867512,Aphthous ulcer,23.00,Asthenia,23.00,Condition aggravated,
23.00,Headache,23.00,Hyperhidrosis,23.00
867512,Pain in extremity,23.00,Pyrexia,23.00,,,,,,,,,
867513,Injection site erythema,23.00,Injection site mass,23.00,,,,,,,,,
867514,Disturbance in attention,23.00,Fatigue,23.00,Feeling abnormal,
23.00,Infectious mononucleosis,23.00,Laboratory test abnormal,23.00
867514,Rash,23.00,Somnolence,23.00,Swelling,23.00,,,,,
867515,Purpura,23.00,Rash erythematous,23.00,,,,,,,,,
867516,Antinuclear antibody positive,23.00,Costochondritis,
23.00,Cytomegalovirus test positive,23.00,Fatigue,23.00,Headache,23.00
867516,Hypersomnia,23.00,Myalgia,23.00,Vitamin B12 normal,23.00,,,,,
867523,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
867525,Back pain,23.00,Burning sensation,23.00,Dyspepsia,
23.00,Headache,23.00,Injection site pain,23.00
867525,Malaise,23.00,,,,,,,,,
867526,Asthenia,23.00,Bedridden,23.00,Chills,23.00,Fatigue,
23.00,Feeling cold,23.00
867526,Haematuria,23.00,,,,,,,,,
867527,Anaemia,23.00,Chlamydial infection,23.00,Exposure during
pregnancy,23.00,Polyhydramnios,23.00,,
867528,Facial pain,23.00,Feeling hot,23.00,Swelling face,
23.00,Tenderness,23.00,,
867530,Herpes zoster,23.00,,,,,,,,,
867531,Cough,23.00,Nasal congestion,23.00,Productive cough,
23.00,Pyrexia,23.00,Upper-airway cough syndrome,23.00
867531,Viral upper respiratory tract infection,23.00,,,,,,,,,
867532,Product administration error,23.00,,,,,,,,,
867533,Inappropriate schedule of product administration,23.00,,,,,,,,,
867534,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
867535,Pruritus,23.00,Urticaria,23.00,,,,,,,,,
867536,Syncope,23.00,,,,,,,,,
867537,Injection site vesicles,23.00,Pyrexia,23.00,,,,,,,,,
867538,Rash,23.00,Rash macular,23.00,,,,,,,,,
867540,Injection site erythema,23.00,Injection site pain,

23.00, Injection site swelling, 23.00, Irritability, 23.00,,
867541, Injection site bruising, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Limb discomfort, 23.00,,
867542, Abdominal discomfort, 23.00, Chills, 23.00, Fatigue, 23.00, Feeling
hot, 23.00, Headache, 23.00
867542, Nausea, 23.00, Pain in extremity, 23.00, Pruritus, 23.00, Pyrexia,
23.00, Vision blurred, 23.00
867543, Injection site nodule, 23.00,,,,,
867544, Anti-aquaporin-4 antibody negative, 23.00, Antibody test
positive, 23.00, Blindness unilateral, 23.00, Optic neuritis, 23.00,,
867571, Pain in extremity, 23.00,,,,,
867572, Biopsy skin abnormal, 23.00, Injection site erythema,
23.00, Injection site oedema, 23.00, Injection site pain, 23.00, Skin
cancer, 23.00
867572, Skin neoplasm excision, 23.00, Vaccination site reaction,
23.00,,,,,
867573, Inappropriate schedule of product administration, 23.00,,,,,
867575, Inappropriate schedule of product administration, 23.00,,,,,
867576, Inappropriate schedule of product administration, 23.00,,,,,
867577, Inappropriate schedule of product administration, 23.00,,,,,
867578, Inappropriate schedule of product administration, 23.00,,,,,
867579, Inappropriate schedule of product administration, 23.00,,,,,
867580, Inappropriate schedule of product administration, 23.00,,,,,
867581, Inappropriate schedule of product administration, 23.00,,,,,
867582, Inappropriate schedule of product administration, 23.00,,,,,
867583, Product storage error, 23.00,,,,,
867584, Inappropriate schedule of product administration, 23.00,,,,,
867585, Labelled drug-drug interaction medication error, 23.00,,,,,
867586, Product storage error, 23.00,,,,,
867587, Inappropriate schedule of product administration, 23.00, Labelled
drug-drug interaction medication error, 23.00,,,,,
867588, Product prescribing issue, 23.00,,,,,
867589, Inappropriate schedule of product administration, 23.00,,,,,
867590, Inappropriate schedule of product administration, 23.00,,,,,
867591, Inappropriate schedule of product administration, 23.00,,,,,
867592, Inappropriate schedule of product administration, 23.00,,,,,
867593, Inappropriate schedule of product administration, 23.00,,,,,
867594, Inappropriate schedule of product administration, 23.00,,,,,
867595, Inappropriate schedule of product administration, 23.00,,,,,
867596, Product storage error, 23.00,,,,,
867597, Inappropriate schedule of product administration, 23.00,,,,,
867598, Product administration error, 23.00,,,,,
867599, Underdose, 23.00,,,,,
867600, Inappropriate schedule of product administration, 23.00,,,,,
867601, Inappropriate schedule of product administration, 23.00,,,,,
867602, Product storage error, 23.00,,,,,
867603, Inappropriate schedule of product administration, 23.00,,,,,
867604, Herpes zoster, 23.00,,,,,
867605, Rash, 23.00, Rash erythematous, 23.00, Rash papular, 23.00, Rash
pruritic, 23.00, Rash vesicular, 23.00

867606, Influenza like illness, 23.00, , , , , , , , , , ,
867607, Headache, 23.00, Hot flush, 23.00, Injection site pain, 23.00, Loss
of personal independence in daily activities, 23.00, Muscle spasms, 23.00
867607, Muscular weakness, 23.00, Musculoskeletal pain, 23.00, Myalgia,
23.00, Neck pain, 23.00, Neuralgia, 23.00
867607, Pain in extremity, 23.00, Pruritus, 23.00, Sleep disorder, 23.00, , , ,
867608, Insomnia, 23.00, , , , , , , , , , ,
867609, Flushing, 23.00, Heart rate increased, 23.00, Hypertension,
23.00, Injection site pain, 23.00, , ,
867610, Pain in extremity, 23.00, , , , , , , , , , ,
867611, Inappropriate schedule of product administration,
23.00, Ophthalmic herpes zoster, 23.00, , , , , , , , , , ,
867617, No adverse event, 23.00, Product preparation error, 23.00, , , , , , , , , , ,
867618, Injection site pain, 23.00, , , , , , , , , , ,
867619, Injection site pain, 23.00, Neck pain, 23.00, Pain in extremity,
23.00, , , , ,
867620, Chills, 23.00, Malaise, 23.00, Paraesthesia, 23.00, Pyrexia, 23.00, , ,
867621, Pyrexia, 23.00, Rash, 23.00, , , , , , , , , , ,
867622, Rash, 23.00, , , , , , , , , , ,
867623, Urticaria, 23.00, , , , , , , , , , ,
867624, Breath sounds abnormal, 23.00, Diarrhoea, 23.00, Irritability,
23.00, Peripheral swelling, 23.00, , ,
867625, Blood immunoglobulin A, 23.00, Full blood count, 23.00, Henoch-
Schonlein purpura, 23.00, Impetigo, 23.00, Metabolic function test, 23.00
867625, Rash, 23.00, , , , , , , , , , ,
867633, Herpes zoster, 23.00, , , , , , , , , , ,
867634, Herpes zoster, 23.00, , , , , , , , , , ,
867635, Herpes zoster, 23.00, , , , , , , , , , ,
867636, Headache, 23.00, Musculoskeletal stiffness, 23.00, Pyrexia,
23.00, , , , ,
867637, Injection site erythema, 23.00, Injection site mass, 23.00, Vaccine
positive rechallenge, 23.00, , , , , , , , , , ,
867638, Chills, 23.00, Malaise, 23.00, Pyrexia, 23.00, , , , , , , , , , ,
867639, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Pain in extremity,
23.00, Vaccine positive rechallenge, 23.00
867640, Back pain, 23.00, Decreased appetite, 23.00, Dysstasia,
23.00, Hypertension, 23.00, Injection site pain, 23.00
867640, Magnetic resonance imaging normal, 23.00, Muscle spasms,
23.00, Myalgia, 23.00, Nausea, 23.00, Pain, 23.00
867640, Pain in extremity, 23.00, Paraesthesia, 23.00, X-ray normal,
23.00, , , , ,
867641, Arthralgia, 23.00, Chills, 23.00, Headache, 23.00, Influenza like
illness, 23.00, Insomnia, 23.00
867641, Myalgia, 23.00, Neuralgia, 23.00, Pain in extremity, 23.00, Pyrexia,
23.00, Vaccine positive rechallenge, 23.00
867643, Chronic obstructive pulmonary disease, 23.00, Erythema,
23.00, Feeling hot, 23.00, Hypersensitivity, 23.00, Injection site
erythema, 23.00
867643, Injection site rash, 23.00, Malaise, 23.00, Nasal congestion,
23.00, Pain, 23.00, Pyrexia, 23.00

867644, Fall, 23.00, Gait disturbance, 23.00, Hemiparesis, 23.00, Immediate post-injection reaction, 23.00, Laboratory test abnormal, 23.00
867644, Loss of personal independence in daily activities, 23.00, Muscular weakness, 23.00, Nerve injury, 23.00, Pain in extremity, 23.00,,
867645, Blood test normal, 23.00, Chills, 23.00, Feeling abnormal, 23.00, Inappropriate schedule of product administration, 23.00,,
867646, Injection site swelling, 23.00, Rash, 23.00, Rash pruritic, 23.00,,,,
867647, Diarrhoea, 23.00, Influenza virus test negative, 23.00, Malaise, 23.00, Pyrexia, 23.00, Rash, 23.00
867647, Urticaria, 23.00, Vomiting, 23.00,,,,,
867660, Diarrhoea haemorrhagic, 23.00, Gastrostomy, 23.00, Haematochezia, 23.00, Influenza, 23.00, Oesophagogastric fundoplasty, 23.00
867660, Vomiting, 23.00,,,,,
867662, Inappropriate schedule of product administration, 23.00,,,,,
867663, Myalgia, 23.00, Paraesthesia, 23.00,,,,,
867664, Ageusia, 23.00, Anosmia, 23.00, Inappropriate schedule of product administration, 23.00,,,,
867665, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00,,,,,
867666, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, Wrong product administered, 23.00,,,,
867667, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00,,,,,
867668, Expired product administered, 23.00, No adverse event, 23.00,,,,,
867669, Expired product administered, 23.00, No adverse event, 23.00,,,,,
867670, No adverse event, 23.00, Product reconstitution quality issue, 23.00, Underdose, 23.00,,,,
867671, Inappropriate schedule of product administration, 23.00, Injection site erythema, 23.00,,,,,
867672, Product preparation error, 23.00, Product preparation issue, 23.00,,,,,
867673, Body temperature increased, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00,,
867674, Injection site erythema, 23.00, Pyrexia, 23.00,,,,,
867675, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site rash, 23.00, Injection site swelling, 23.00,,
867678, No adverse event, 23.00, Product storage error, 23.00,,,,,
867679, No adverse event, 23.00, Product storage error, 23.00,,,,,
867680, Injected limb mobility decreased, 23.00, Injection site pain, 23.00, Product administered at inappropriate site, 23.00,,,,
867681, Antibody test positive, 23.00, Erythema, 23.00, Papule, 23.00, Pruritus, 23.00, Rash vesicular, 23.00
867681, Scab, 23.00,,,,,
867682, Blood test normal, 23.00, Decreased appetite, 23.00, Hypersomnia, 23.00, Lethargy, 23.00, Somnolence, 23.00
867683, Asthenia, 23.00, Chills, 23.00, Cold sweat, 23.00, Pain, 23.00, Paraesthesia, 23.00
867684, Arthralgia, 23.00, Fatigue, 23.00, Headache, 23.00, Insomnia,

23.00,Myalgia,23.00
867684,Pain,23.00,Pyrexia,23.00,Vaccination site pain,23.00,,,,
867685,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
867686,Injection site swelling,23.00,Local reaction,23.00,,,,,
867687,Albumin CSF,23.00,CSF immunoglobulin G index,23.00,CSF test,
23.00,Death,23.00,Encephalitis,23.00
867687,Hypoxic-ischaemic encephalopathy,23.00,Magnetic resonance
imaging,23.00,Respiratory failure,23.00,,,,,
867688,Vomiting,23.00,,,,,
867689,Rash pruritic,23.00,Swelling face,23.00,Swollen tongue,
23.00,Urticaria,23.00,,
867690,Erythema,23.00,Injection site erythema,23.00,Injection site
papule,23.00,Injection site pruritus,23.00,Papule,23.00
867690,Pruritus,23.00,,,,,
867691,Autopsy,23.00,Cardiac arrest,23.00,Crying,23.00,Cyanosis,
23.00,Death,23.00
867691,Dyspnoea,23.00,Endotracheal intubation,23.00,Hypotonia,
23.00,Resuscitation,23.00,,
867692,Insomnia,23.00,Muscle tightness,23.00,Musculoskeletal
stiffness,23.00,Myalgia,23.00,Neck pain,23.00
867692,Spinal X-ray,23.00,Spinal pain,23.00,Swelling,23.00,,,,
867693,Abdominal X-ray,23.00,Enema administration,
23.00,Intussusception,23.00,Lethargy,23.00,Ultrasound abdomen
abnormal,23.00
867693,Vomiting,23.00,X-ray abnormal,23.00,,,,,
867694,Inappropriate schedule of product administration,23.00,,,,,
867695,Injection site pain,23.00,Limb discomfort,23.00,Pain,
23.00,Paraesthesia,23.00,Tenderness,23.00
867696,Abdominal pain upper,23.00,Dehydration,23.00,Diarrhoea,
23.00,Intensive care,23.00,Laboratory test,23.00
867696,Medical induction of coma,23.00,Pain,23.00,Sepsis,
23.00,Vomiting,23.00,,
867697,Injection site pain,23.00,Neck pain,23.00,Pain in extremity,
23.00,,,,,
867698,Chills,23.00,Headache,23.00,,,,,
867699,Syncope,23.00,,,,,
867700,Angioedema,23.00,Injection site pain,23.00,Injection site
reaction,23.00,,,,,
867701,Acute respiratory failure,23.00,Blood test normal,23.00,Cardiac
pharmacologic stress test,23.00,Computerised tomogram thorax,
23.00,Continuous positive airway pressure,23.00
867701,Diaphragmatic paralysis,23.00,Dyspnoea,23.00,Echocardiogram,
23.00,Electromyogram,23.00,Immune system disorder,23.00
867701,Magnetic resonance imaging brain normal,23.00,Magnetic
resonance imaging neck,23.00,Magnetic resonance imaging normal,
23.00,Muscle injury,23.00,Nerve injury,23.00
867701,Pulmonary function test,23.00,Ultrasound scan,23.00,X-ray,
23.00,,,,,
867702,Injection site pain,23.00,Neck pain,23.00,Pain,23.00,Pain in

extremity,23.00,,
867704,Headache,23.00,Myalgia,23.00,Varicella post vaccine,23.00,,,,,
867749,No adverse event,23.00,Product storage error,23.00,,,,,,
867750,No adverse event,23.00,Product storage error,23.00,,,,,,
867751,Alopecia,23.00,,,,,,,
867752,No adverse event,23.00,Product storage error,23.00,,,,,,
867753,No adverse event,23.00,Product storage error,23.00,,,,,,
867754,Expired product administered,23.00,No adverse event,23.00,,,,,,
867755,Cellulitis,23.00,Cough,23.00,Nausea,23.00,Product use in
unapproved indication,23.00,Pyrexia,23.00
867755,Viral test,23.00,Vomiting,23.00,,,,,,
867756,Herpes zoster,23.00,,,,,,,
867757,No adverse event,23.00,Product storage error,23.00,,,,,,
867758,No adverse event,23.00,Product storage error,23.00,,,,,,
867759,No adverse event,23.00,Product storage error,23.00,,,,,,
867760,No adverse event,23.00,Product storage error,23.00,,,,,,
867761,Polymyalgia rheumatica,23.00,,,,,,,
867762,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,,
867763,Expired product administered,23.00,No adverse event,23.00,,,,,,
867764,No adverse event,23.00,Product storage error,23.00,,,,,,
867765,Expired product administered,23.00,No adverse event,23.00,,,,,,
867766,No adverse event,23.00,Product storage error,23.00,,,,,,
867767,No adverse event,23.00,Product storage error,23.00,,,,,,
867768,No adverse event,23.00,Product storage error,23.00,,,,,,
867769,No adverse event,23.00,Product storage error,23.00,,,,,,
867770,No adverse event,23.00,Product storage error,23.00,,,,,,
867771,No adverse event,23.00,Product storage error,23.00,,,,,,
867772,No adverse event,23.00,Product storage error,23.00,,,,,,
867773,No adverse event,23.00,Product storage error,23.00,,,,,,
867774,No adverse event,23.00,Product storage error,23.00,,,,,,
867775,Rash,23.00,,,,,,,
867776,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,,
867777,Incomplete course of vaccination,23.00,,,,,,,
867778,Unevaluable event,23.00,,,,,,,
867779,Contraindication to vaccination,23.00,,,,,,,
867780,Incomplete course of vaccination,23.00,,,,,,,
867781,Incomplete course of vaccination,23.00,,,,,,,
867782,Incomplete course of vaccination,23.00,,,,,,,
867783,Inappropriate schedule of product administration,23.00,,,,,,,
867784,Incomplete course of vaccination,23.00,,,,,,,
867785,Contraindication to vaccination,23.00,,,,,,,
867786,Incomplete course of vaccination,23.00,,,,,,,
867787,Inappropriate schedule of product administration,23.00,,,,,,,
867788,Product storage error,23.00,,,,,,,
867789,Product storage error,23.00,,,,,,,
867790,Product storage error,23.00,,,,,,,
867791,Incomplete course of vaccination,23.00,,,,,,,
867792,Incomplete course of vaccination,23.00,,,,,,,
867793,Incomplete course of vaccination,23.00,,,,,,,

867794, Inappropriate schedule of product administration, 23.00, , , , , , , ,
 867795, Inappropriate schedule of product administration, 23.00, , , , , , , ,
 867796, Product storage error, 23.00, , , , , , , ,
 867797, Unevaluable event, 23.00, , , , , , , ,
 867798, Abdominal pain upper, 23.00, Diarrhoea, 23.00, Epistaxis,
 23.00, Pharyngeal haemorrhage, 23.00, Tongue biting, 23.00
 867799, Inappropriate schedule of product administration, 23.00, , , , , , , ,
 867800, Incomplete course of vaccination, 23.00, , , , , , , ,
 867801, Product storage error, 23.00, , , , , , , ,
 867802, Product storage error, 23.00, , , , , , , ,
 867803, Inappropriate schedule of product administration, 23.00, , , , , , , ,
 867804, Product storage error, 23.00, , , , , , , ,
 867805, Incomplete course of vaccination, 23.00, , , , , , , ,
 867806, Inappropriate schedule of product administration, 23.00, , , , , , , ,
 867807, Inappropriate schedule of product administration, 23.00, , , , , , , ,
 867808, Extra dose administered, 23.00, Inappropriate schedule of product
 administration, 23.00, Pain in extremity, 23.00, , , ,
 867809, Fatigue, 23.00, Headache, 23.00, Laboratory test, 23.00, Nausea,
 23.00, Pain in extremity, 23.00
 867809, Rash, 23.00, Rash erythematous, 23.00, , , , , , ,
 867810, Injection site rash, 23.00, Rash, 23.00, Rash pruritic, 23.00, , , , ,
 867811, Erythema, 23.00, Vaccine positive rechallenge, 23.00, , , , , , ,
 867812, Fatigue, 23.00, Influenza like illness, 23.00, Pain, 23.00, Pyrexia,
 23.00, ,
 867813, Fatigue, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , , ,
 867814, Back pain, 23.00, Headache, 23.00, Heart rate increased, 23.00, Joint
 swelling, 23.00, Musculoskeletal pain, 23.00
 867814, Pyrexia, 23.00, Sluggishness, 23.00, , , , , , ,
 867815, Arthralgia, 23.00, Hyperhidrosis, 23.00, Pyrexia, 23.00, , , , ,
 867816, Dyspepsia, 23.00, Fatigue, 23.00, Headache, 23.00, Pyrexia, 23.00, ,
 867817, Rash, 23.00, , , , , , , ,
 867818, Injection site erythema, 23.00, Injection site pain,
 23.00, Injection site warmth, 23.00, , , , , , ,
 867819, Pain in extremity, 23.00, Sleep disorder, 23.00, , , , , , , ,
 867820, Incorrect dose administered, 23.00, Injection site pain,
 23.00, , , , , , , ,
 867821, Blood glucose increased, 23.00, Headache, 23.00, Immune system
 disorder, 23.00, Nausea, 23.00, Pain in extremity, 23.00
 867821, Pyrexia, 23.00, , , , , , , ,
 867822, Injection site pain, 23.00, Injection site swelling,
 23.00, Injection site warmth, 23.00, Nausea, 23.00, Product complaint, 23.00
 867823, Pain in extremity, 23.00, , , , , , , ,
 867824, Chest X-ray abnormal, 23.00, Chills, 23.00, Immediate post-
 injection reaction, 23.00, Injection site haemorrhage, 23.00, Lung
 disorder, 23.00
 867824, Malaise, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Weight
 decreased, 23.00, , ,
 867825, Pain in extremity, 23.00, , , , , , , ,
 867826, Headache, 23.00, Malaise, 23.00, Pain, 23.00, , , , ,
 867827, Pain in extremity, 23.00, , , , , , , ,

867828, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
867829, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867830, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867831, No adverse event, 23.00, Product preparation error, 23.00, , , , , , , ,
867832, No adverse event, 23.00, Product preparation error, 23.00, , , , , , , ,
867833, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
867834, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867835, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867836, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, Product preparation error, 23.00, , , , , , , ,
867837, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , , ,
867838, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867839, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867840, Injection site cellulitis, 23.00, Peripheral swelling, 23.00, , , , , , , ,
867841, Malaise, 23.00, , , , , , , , , , , , ,
867842, Injection site pain, 23.00, , , , , , , , , , , , ,
867846, Adverse drug reaction, 23.00, , , , , , , , , , , , ,
867847, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867848, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , ,
867849, Incomplete course of vaccination, 23.00, No adverse event, 23.00, , , , , , , ,
867850, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
867851, Injection site pain, 23.00, , , , , , , , , , , , ,
867852, Fatigue, 23.00, Feeling abnormal, 23.00, Heart rate increased, 23.00, Insomnia, 23.00, Myalgia, 23.00
867852, Pyrexia, 23.00, , , , , , , , , , , , ,
867854, Bedridden, 23.00, Fatigue, 23.00, Headache, 23.00, Immediate post-injection reaction, 23.00, Injection site pain, 23.00
867854, Pyrexia, 23.00, , , , , , , , , , , , ,
867855, Muscle spasms, 23.00, , , , , , , , , , , , ,
867856, Erythema, 23.00, Fatigue, 23.00, Swelling, 23.00, , , , , , , ,
867857, Injection site dryness, 23.00, Injection site exfoliation, 23.00, , , , , , , ,
867858, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , , ,
867859, Bacterial vaginosis, 23.00, Blood glucose normal, 23.00, Bronchitis, 23.00, Bronchitis bacterial, 23.00, Exposure during pregnancy, 23.00
867859, Gene mutation identification test negative, 23.00, Prenatal screening test, 23.00, Streptococcus test negative, 23.00, , , , , , , ,
867860, Chlamydial infection, 23.00, Exposure during pregnancy, 23.00, Ultrasound antenatal screen normal, 23.00, , , , , , , ,
867861, Apgar score low, 23.00, Foetal exposure during pregnancy, 23.00, , , , , , , ,
867862, Exposure during pregnancy, 23.00, Foetal disorder, 23.00, Premature delivery, 23.00, Ultrasound antenatal screen normal, 23.00, , , , , , , ,
867863, Apgar score normal, 23.00, Foetal exposure during pregnancy, 23.00, Foetal growth restriction, 23.00, Low birth weight baby, , , , , , , ,

23.00,Premature baby,23.00
867864,Anaemia,23.00,Caesarean section,23.00,Exposure during pregnancy,23.00,Placental disorder,23.00,Ultrasound antenatal screen normal,23.00
867865,Anaemia,23.00,Caesarean section,23.00,Exposure during pregnancy,23.00,Gardnerella infection,23.00,Prenatal screening test,23.00
867865,Ultrasound antenatal screen normal,23.00,,,,,
867866,Anaemia,23.00,Exposure during pregnancy,23.00,Placental disorder,23.00,Ultrasound antenatal screen normal,23.00,,
867867,Anaemia,23.00,Caesarean section,23.00,Complication of pregnancy,23.00,Exposure during pregnancy,23.00,Hypertension,23.00
867867,Premature delivery,23.00,Prenatal screening test,23.00,Ultrasound antenatal screen normal,23.00,,,,
867868,Apgar score normal,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Low birth weight baby,23.00,Premature baby,23.00
867869,Caesarean section,23.00,Exposure during pregnancy,23.00,Premature delivery,23.00,Premature separation of placenta,23.00,Preterm premature rupture of membranes,23.00
867870,Apgar score low,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Premature baby,23.00,,
867871,Apgar score normal,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Low birth weight baby,23.00,,
867872,Apgar score normal,23.00,Foetal exposure during pregnancy,23.00,Large for dates baby,23.00,,,,
867873,Caesarean section,23.00,Exposure during pregnancy,23.00,Premature delivery,23.00,Ultrasound antenatal screen normal,23.00,,
867874,Chills,23.00,Dizziness,23.00,Fall,23.00,Fatigue,23.00,Gait inability,23.00
867874,Hyperhidrosis,23.00,Syncope,23.00,,,,,
867875,Product administered to patient of inappropriate age,23.00,,,,,
867876,Imaging procedure,23.00,Musculoskeletal pain,23.00,,,,,
867877,Injection site pain,23.00,Middle insomnia,23.00,Pain,23.00,,,,
867893,Cognitive disorder,23.00,Condition aggravated,23.00,Dizziness,23.00,Feeling abnormal,23.00,Hypersensitivity,23.00
867893,Hypoaesthesia,23.00,Magnetic resonance imaging brain abnormal,23.00,Migraine,23.00,Paraesthesia,23.00,Scan with contrast abnormal,23.00
867893,Tremor,23.00,Vertigo,23.00,Visual impairment,23.00,,,,
867894,Culture urine positive,23.00,Dry eye,23.00,Erythema,23.00,Malaise,23.00,Oropharyngeal pain,23.00
867894,Pain in extremity,23.00,Peripheral swelling,23.00,Pyrexia,23.00,Skin burning sensation,23.00,Urinary tract infection,23.00
867895,Expired product administered,23.00,No adverse event,23.00,,,,,
867896,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,Premature baby,23.00,Small for dates baby,23.00,,
867897,Caesarean section,23.00,Exposure during pregnancy,

23.00, Neonatal disorder, 23.00, Premature delivery, 23.00,,
867898, Apgar score normal, 23.00, Caesarean section, 23.00, Foetal
exposure during pregnancy, 23.00, Premature baby, 23.00,,
867899, Asthenia, 23.00, Blindness, 23.00, Deafness, 23.00, Dyspnoea,
23.00, Headache, 23.00
867899, Syncope, 23.00,,,,,,
867900, Computerised tomogram normal, 23.00, Facial paralysis, 23.00,,,,,
867901, Injection site erythema, 23.00,,,,,,
867909, Urticaria, 23.00,,,,,,
867910, Back pain, 23.00, Chills, 23.00, Decreased appetite,
23.00, Diarrhoea, 23.00, Headache, 23.00
867910, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00, Skin warm,
23.00, Vaccine positive rechallenge, 23.00
867911, Injection site reaction, 23.00, Local reaction, 23.00,,,,,
867912, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Pyrexia, 23.00, Vomiting, 23.00
867914, Headache, 23.00, Hypoaesthesia, 23.00, Injection site mass,
23.00, Injection site pain, 23.00, Migraine, 23.00
867914, Muscle spasms, 23.00, Neck pain, 23.00, Neuralgia, 23.00, Pain,
23.00, Paraesthesia, 23.00
867915, Pyrexia, 23.00,,,,,,
867916, Dermatitis allergic, 23.00, Pruritus, 23.00, Skin disorder,
23.00, Viral infection, 23.00,,
867917, Injection site pain, 23.00,,,,,,
867925, Influenza like illness, 23.00,,,,,,
867926, Injection site pain, 23.00, Insomnia, 23.00, Product administered
at inappropriate site, 23.00,,,,
867927, Injection site induration, 23.00, Injection site mass,
23.00, Injection site pain, 23.00, Musculoskeletal stiffness, 23.00, Pain,
23.00
867928, Herpes zoster, 23.00,,,,,,
867929, Malaise, 23.00,,,,,,
867930, Ageusia, 23.00,,,,,,
867931, Pain, 23.00, Pyrexia, 23.00,,,,,
867932, Burning sensation, 23.00, Herpes zoster, 23.00, Pain, 23.00, Pain in
extremity, 23.00, Rash pruritic, 23.00
867933, Bronchitis, 23.00, Conjunctivitis, 23.00, Malaise, 23.00, Pain in
extremity, 23.00, Pyrexia, 23.00
867934, Inappropriate schedule of product administration, 23.00,,,,,,
867935, Incomplete course of vaccination, 23.00, Social problem,
23.00,,,,,
867936, Malaise, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia,
23.00,,
867937, Asthenia, 23.00, Fatigue, 23.00, Herpes zoster, 23.00, Pain,
23.00, Pain in extremity, 23.00
867937, Pruritus, 23.00, Rash, 23.00, Rash papular, 23.00,,,,
867938, Herpes zoster, 23.00,,,,,,
867939, Eye pruritus, 23.00, Eye swelling, 23.00, Herpes zoster,
23.00, Swelling, 23.00, Tenderness, 23.00
867940, Incomplete course of vaccination, 23.00, No adverse event,

23.00,,,,,
867941,Product preparation issue,23.00,,,,,
867942,Expired product administered,23.00,No adverse event,23.00,,,,,
867943,Axillary pain,23.00,Fatigue,23.00,Headache,23.00,Injection site
pain,23.00,Pain,23.00
867945,Wrong product administered,23.00,,,,,
867948,Urticaria,23.00,,,,,
867949,Erythema,23.00,Pruritus,23.00,Skin warm,23.00,Swelling,23.00,,
867950,Blood test normal,23.00,Electroencephalogram normal,
23.00,Tremor,23.00,,,,
867956,Burning sensation,23.00,Contusion,23.00,Pain in extremity,
23.00,,,,
867957,Acne,23.00,Back pain,23.00,Biopsy skin,23.00,Dermatitis
bullous,23.00,Folliculitis,23.00
867957,Herpes zoster,23.00,Pemphigoid,23.00,Pruritus,23.00,Rash,
23.00,Rash pruritic,23.00
867957,Rash vesicular,23.00,Seborrhoeic dermatitis,23.00,,,,,
867958,Pain in extremity,23.00,,,,,
867959,Adverse drug reaction,23.00,Formication,23.00,Headache,
23.00,Pain,23.00,Pain in extremity,23.00
867959,Rash,23.00,Rash erythematous,23.00,Rash vesicular,23.00,,,,
867960,Blood test normal,23.00,Carpal tunnel syndrome,23.00,Condition
aggravated,23.00,Loss of personal independence in daily activities,
23.00,Musculoskeletal disorder,23.00
867960,Nerve conduction studies normal,23.00,Neuralgia,23.00,Pain,
23.00,,,,
867971,No adverse event,23.00,Product storage error,23.00,,,,,
867972,Adverse reaction,23.00,Tachycardia,23.00,,,,,
867973,Incomplete course of vaccination,23.00,Pain in extremity,
23.00,,,,,
867974,Injection site pain,23.00,,,,,
867975,Expired product administered,23.00,No adverse event,23.00,,,,,
867976,Exposure during pregnancy,23.00,Placental disorder,
23.00,Ultrasound antenatal screen normal,23.00,,,,
867978,Blood test,23.00,Cardiac monitoring,23.00,Catheterisation
cardiac,23.00,Electrocardiogram,23.00,Electroencephalogram,23.00
867978,Endotracheal intubation,23.00,Influenza like illness,
23.00,Intensive care,23.00,Lumbar puncture,23.00,Mechanical
ventilation,23.00
867978,Respiratory arrest,23.00,Resuscitation,23.00,Sleep study,
23.00,Unresponsive to stimuli,23.00,,
867979,Abdominal pain upper,23.00,Biopsy abdominal wall abnormal,
23.00,Colitis ulcerative,23.00,Colonoscopy,23.00,Contusion,23.00
867979,Diarrhoea,23.00,Nausea,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,,
867980,Abdominal pain,23.00,Abnormal faeces,23.00,Autism spectrum
disorder,23.00,Crying,23.00,Decreased eye contact,23.00
867980,Diarrhoea,23.00,Faeces discoloured,23.00,Fall,
23.00,Gastrooesophageal reflux disease,23.00,Head banging,23.00
867980,Head injury,23.00,Irritability,23.00,Lethargy,23.00,Pica,

23.00,Pyrexia,23.00
867980,Screaming,23.00,Speech disorder,23.00,Vomiting projectile,
23.00,,,,,
867981,Death,23.00,,,,,,
867982,Abdominal pain upper,23.00,Ear infection,23.00,Malaise,
23.00,,,,,
867983,Product administered to patient of inappropriate age,
23.00,,,,,,
867984,C-reactive protein,23.00,Enthesopathy,23.00,Juvenile idiopathic
arthritis,23.00,Laboratory test,23.00,Red blood cell sedimentation
rate,23.00
867985,Wrong product administered,23.00,,,,,,
867986,Fatigue,23.00,Feeling hot,23.00,Hyperaesthesia,23.00,Injection
site erythema,23.00,Injection site pain,23.00
867986,Injection site rash,23.00,Malaise,23.00,Mobility decreased,
23.00,Pyrexia,23.00,,
867987,Fatigue,23.00,Irritability,23.00,Rash,23.00,,,,,
867988,Asthenia,23.00,Erythema,23.00,Headache,23.00,Inflammation,
23.00,Pain,23.00
867988,Pain in extremity,23.00,Peripheral swelling,23.00,Rash,
23.00,,,,,
867989,Product administered to patient of inappropriate age,
23.00,,,,,,
868031,No adverse event,23.00,Product storage error,23.00,,,,,
868032,Circumstance or information capable of leading to medication
error,23.00,Dysphagia,23.00,Inappropriate schedule of product
administration,23.00,Oral administration complication,23.00,,
868033,Product dose omission,23.00,,,,,,
868034,Expired product administered,23.00,,,,,,
868035,Product storage error,23.00,,,,,,
868036,Inappropriate schedule of product administration,23.00,,,,,,
868037,Inappropriate schedule of product administration,23.00,,,,,,
868038,Product storage error,23.00,,,,,,
868039,Inappropriate schedule of product administration,23.00,,,,,,
868040,Labelled drug-drug interaction medication error,23.00,,,,,,
868041,Product dose omission,23.00,,,,,,
868042,Inappropriate schedule of product administration,23.00,,,,,,
868043,Incomplete course of vaccination,23.00,Product dose omission,
23.00,,,,,
868044,Product storage error,23.00,,,,,,
868045,Product storage error,23.00,,,,,,
868046,Product administration error,23.00,,,,,,
868047,Product storage error,23.00,,,,,,
868048,Product storage error,23.00,,,,,,
868049,Product storage error,23.00,,,,,,
868050,Incomplete course of vaccination,23.00,,,,,,
868051,Inappropriate schedule of product administration,23.00,,,,,,
868052,Incomplete course of vaccination,23.00,Product dose omission,
23.00,,,,,
868053,Product storage error,23.00,,,,,,

868054,Product administration error,23.00,,,,,,,,,
868055,Inappropriate schedule of product administration,23.00,,,,,,,,,
868056,Product storage error,23.00,,,,,,,,,
868057,Inappropriate schedule of product administration,23.00,,,,,,,,,
868058,Incomplete course of vaccination,23.00,,,,,,,,,
868059,Contraindication to vaccination,23.00,Skin laceration,
23.00,,,,,,,,,
868060,Inappropriate schedule of product administration,23.00,,,,,,,,,
868061,Product storage error,23.00,,,,,,,,,
868062,Inappropriate schedule of product administration,23.00,,,,,,,,,
868063,Product storage error,23.00,,,,,,,,,
868064,Inappropriate schedule of product administration,23.00,Product
storage error,23.00,,,,,,,,,
868065,Product storage error,23.00,,,,,,,,,
868066,Inappropriate schedule of product administration,23.00,,,,,,,,,
868067,Inappropriate schedule of product administration,23.00,,,,,,,,,
868068,Incomplete course of vaccination,23.00,,,,,,,,,
868069,Inappropriate schedule of product administration,23.00,,,,,,,,,
868070,Inappropriate schedule of product administration,23.00,,,,,,,,,
868071,Product administration error,23.00,,,,,,,,,
868072,Product administration error,23.00,,,,,,,,,
868073,Inappropriate schedule of product administration,23.00,Product
storage error,23.00,,,,,,,,,
868074,Expired product administered,23.00,,,,,,,,,
868075,Incomplete course of vaccination,23.00,,,,,,,,,
868076,Inappropriate schedule of product administration,23.00,Labelled
drug-drug interaction medication error,23.00,,,,,,,,,
868077,Incomplete course of vaccination,23.00,,,,,,,,,
868078,Product administration error,23.00,,,,,,,,,
868079,Inappropriate schedule of product administration,23.00,Product
storage error,23.00,,,,,,,,,
868080,Inappropriate schedule of product administration,23.00,,,,,,,,,
868081,Inappropriate schedule of product administration,23.00,,,,,,,,,
868082,Inappropriate schedule of product administration,23.00,,,,,,,,,
868083,Labelled drug-drug interaction medication error,23.00,,,,,,,,,
868084,Product storage error,23.00,,,,,,,,,
868085,Product storage error,23.00,,,,,,,,,
868086,Incomplete course of vaccination,23.00,,,,,,,,,
868087,Product administration error,23.00,,,,,,,,,
868088,Inappropriate schedule of product administration,23.00,,,,,,,,,
868089,Product storage error,23.00,,,,,,,,,
868090,Inappropriate schedule of product administration,23.00,,,,,,,,,
868091,Inappropriate schedule of product administration,23.00,,,,,,,,,
868092,Inappropriate schedule of product administration,23.00,,,,,,,,,
868093,Inappropriate schedule of product administration,23.00,,,,,,,,,
868094,Product storage error,23.00,,,,,,,,,
868095,Product storage error,23.00,,,,,,,,,
868096,Inappropriate schedule of product administration,23.00,,,,,,,,,
868097,Inappropriate schedule of product administration,23.00,,,,,,,,,
868098,Inappropriate schedule of product administration,23.00,,,,,,,,,

868099, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868100, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868101, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868102, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868103, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868104, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868105, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868106, Product administration error, 23.00, , , , , , , ,
868107, Product administration error, 23.00, , , , , , , ,
868108, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868109, Product administration error, 23.00, , , , , , , ,
868110, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868111, Product storage error, 23.00, , , , , , , ,
868112, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868113, Product storage error, 23.00, , , , , , , ,
868114, Incomplete course of vaccination, 23.00, , , , , , , ,
868115, Product storage error, 23.00, , , , , , , ,
868116, Incomplete course of vaccination, 23.00, Product storage error,
23.00, , , , , , , ,
868117, Incomplete course of vaccination, 23.00, , , , , , , ,
868118, Product administration error, 23.00, , , , , , , ,
868119, Product storage error, 23.00, , , , , , , ,
868120, Incomplete course of vaccination, 23.00, , , , , , , ,
868121, Product storage error, 23.00, , , , , , , ,
868122, Product storage error, 23.00, , , , , , , ,
868123, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868124, Product storage error, 23.00, , , , , , , ,
868125, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868126, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868127, Product administration error, 23.00, , , , , , , ,
868128, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868129, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868130, Incomplete course of vaccination, 23.00, , , , , , , ,
868131, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868132, Product storage error, 23.00, , , , , , , ,
868133, Product administration error, 23.00, , , , , , , ,
868134, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868135, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868136, Incomplete course of vaccination, 23.00, , , , , , , ,
868137, Incomplete course of vaccination, 23.00, , , , , , , ,
868138, Product administration error, 23.00, , , , , , , ,
868139, Product storage error, 23.00, , , , , , , ,
868140, Product administration error, 23.00, , , , , , , ,
868141, Exposure during pregnancy, 23.00, Inappropriate schedule of
product administration, 23.00, Pregnancy test positive, 23.00, , , ,
868142, Product storage error, 23.00, , , , , , , ,
868143, Product storage error, 23.00, , , , , , , ,
868144, Inappropriate schedule of product administration, 23.00, , , , , , , ,
868145, Product storage error, 23.00, , , , , , , ,
868146, Incomplete course of vaccination, 23.00, , , , , , , ,

868147,Product storage error,23.00,,,,,,,,,
868148,Product administration error,23.00,,,,,,,,,
868149,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,,,,,
868150,Product administration error,23.00,,,,,,,,,
868151,Product storage error,23.00,,,,,,,,,
868152,Inappropriate schedule of product administration,23.00,,,,,,,,,
868153,Product storage error,23.00,,,,,,,,,
868154,Incomplete course of vaccination,23.00,Product physical issue,
23.00,,,,,,,,,
868155,Underdose,23.00,Wrong technique in product usage process,
23.00,,,,,,,,,
868156,Inappropriate schedule of product administration,23.00,,,,,,,,,
868157,Inappropriate schedule of product administration,23.00,,,,,,,,,
868158,Incomplete course of vaccination,23.00,,,,,,,,,
868159,Inappropriate schedule of product administration,23.00,,,,,,,,,
868160,Inappropriate schedule of product administration,23.00,,,,,,,,,
868161,Pyrexia,23.00,Rash,23.00,,,,,,,,,
868162,Inappropriate schedule of product administration,23.00,,,,,,,,,
868163,Labelled drug-drug interaction medication error,23.00,,,,,,,,,
868164,Influenza like illness,23.00,,,,,,,,,
868165,Asthenia,23.00,Feeling abnormal,23.00,,,,,,,,,
868166,Feeling abnormal,23.00,Incomplete course of vaccination,
23.00,Rash,23.00,,,,,
868167,Feeling abnormal,23.00,Incomplete course of vaccination,
23.00,Rash,23.00,,,,,
868168,Feeling abnormal,23.00,Incomplete course of vaccination,
23.00,Rash,23.00,,,,,
868169,Adverse event,23.00,Incomplete course of vaccination,
23.00,,,,,,,,,
868170,Neoplasm malignant,23.00,,,,,,,,,
868171,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,,
868172,Blood glucose decreased,23.00,Cellulitis,23.00,Erythema,
23.00,,,,,
868173,Rash,23.00,,,,,,,,,
868174,Erythema multiforme,23.00,,,,,,,,,
868175,Erythema,23.00,Swelling,23.00,,,,,,,,,
868176,Guillain-Barre syndrome,23.00,,,,,,,,,
868177,Diarrhoea,23.00,Incomplete course of vaccination,
23.00,Rotavirus infection,23.00,Rotavirus test positive,23.00,,
868178,Arthralgia,23.00,Chills,23.00,Myalgia,23.00,Pyrexia,23.00,,
868179,Arthralgia,23.00,Chills,23.00,Musculoskeletal pain,
23.00,Myalgia,23.00,Neck pain,23.00
868179,Polymyalgia rheumatica,23.00,Pyrexia,23.00,Vaccine positive
rechallenge,23.00,,,,,
868180,Feeling abnormal,23.00,Incomplete course of vaccination,
23.00,Rash,23.00,,,,,
868181,Discomfort,23.00,Pain,23.00,Pyrexia,23.00,,,,,
868182,Dyspnoea,23.00,Headache,23.00,Loss of consciousness,
23.00,Malaise,23.00,,

868183,Hyperhidrosis,23.00,Myalgia,23.00,Neck pain,23.00,,,,,
868184,Blood pressure increased,23.00,Cold sweat,23.00,Dizziness,
23.00,Mental impairment,23.00,Skin warm,23.00
868185,Disorientation,23.00,Incomplete course of vaccination,
23.00,Middle insomnia,23.00,,,,,
868186,C-reactive protein increased,23.00,Chills,23.00,Fatigue,
23.00,Headache,23.00,Influenza A virus test negative,23.00
868186,Influenza B virus test,23.00,Influenza virus test negative,
23.00,Myalgia,23.00,Neutrophil count increased,23.00,Pyrexia,23.00
868186,Respiratory syncytial virus test negative,23.00,SARS-CoV-2 test
negative,23.00,White blood cell count increased,23.00,,,,,
868187,Head titubation,23.00,Musculoskeletal stiffness,23.00,Seizure,
23.00,Unresponsive to stimuli,23.00,,
868188,Lip swelling,23.00,Rash,23.00,Swelling face,23.00,Swollen
tongue,23.00,,
868189,Erythema,23.00,Limb discomfort,23.00,,,,,,
868194,Drug hypersensitivity,23.00,,,,,,
868195,Dyspnoea,23.00,Electrocardiogram normal,23.00,Fatigue,
23.00,Palpitations,23.00,,
868196,Anxiety,23.00,Chest discomfort,23.00,Pain in extremity,
23.00,Palpitations,23.00,,
868197,Erythema,23.00,Pruritus,23.00,Urticaria,23.00,,,,,
868198,Asthma,23.00,Product storage error,23.00,Wheezing,23.00,,,,,
868199,Herpes zoster,23.00,Pain in extremity,23.00,,,,,,
868200,Eye pruritus,23.00,,,,,,
868201,Asthenia,23.00,Fatigue,23.00,Migraine,23.00,Nausea,
23.00,Vomiting,23.00
868202,Asthenia,23.00,Chills,23.00,Nausea,23.00,Vomiting,23.00,,
868203,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Injection site erythema,23.00
868203,Injection site pain,23.00,Injection site swelling,
23.00,Malaise,23.00,Pain,23.00,Pyrexia,23.00
868204,Peripheral swelling,23.00,Rash,23.00,,,,,,
868205,Ataxia,23.00,Atrophy,23.00,Dysarthria,23.00,Mental status
changes,23.00,Pneumonia,23.00
868205,Respiratory tract infection,23.00,,,,,,
868206,Breast pain,23.00,Breast swelling,23.00,Erythema,23.00,Herpes
zoster,23.00,,
868207,Product storage error,23.00,,,,,,
868208,Bronchitis,23.00,Dizziness,23.00,Immediate post-injection
reaction,23.00,Impaired work ability,23.00,Influenza,23.00
868208,Influenza virus test positive,23.00,Malaise,23.00,Mucosal
discolouration,23.00,Pyrexia,23.00,,
868209,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Premature baby,23.00,Small for dates baby,23.00,,
868211,Cellulitis,23.00,,,,,,
868213,Rash,23.00,,,,,,
868214,Rash,23.00,Urticaria,23.00,,,,,,
868215,Expired product administered,23.00,,,,,,
868216,Headache,23.00,Loss of consciousness,23.00,Nausea,23.00,Pallor,

23.00, Seizure, 23.00
868217, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , ,
868218, Bursitis, 23.00, Electromyogram, 23.00, Injection site pain,
23.00, Magnetic resonance imaging abnormal, 23.00, Rotator cuff syndrome,
23.00
868218, X-ray, 23.00, , , , , , , , , ,
868219, Pain in extremity, 23.00, , , , , , , , , ,
868221, Chills, 23.00, Headache, 23.00, Malaise, 23.00, Pain, 23.00, , ,
868222, Chills, 23.00, Computerised tomogram head, 23.00, Full blood count,
23.00, Headache, 23.00, Loss of consciousness, 23.00
868222, Metabolic function test, 23.00, Nausea, 23.00, Pyrexia,
23.00, Syncope, 23.00, Vertigo, 23.00
868236, Allergy to vaccine, 23.00, Urticaria, 23.00, , , , , , ,
868237, Unevaluable event, 23.00, , , , , , , , , ,
868238, Deafness neurosensory, 23.00, Deafness unilateral, 23.00, Hearing
aid user, 23.00, Sudden hearing loss, 23.00, , ,
868239, Infectious pleural effusion, 23.00, Pneumonia, 23.00, , , , , , , ,
868240, Eye pain, 23.00, Iritis, 23.00, Ocular hyperaemia, 23.00, Ophthalmic
herpes simplex, 23.00, Uveitis, 23.00
868240, Vitreous detachment, 23.00, , , , , , , , , ,
868241, Herpes virus infection, 23.00, Keratitis viral, 23.00, Ophthalmic
herpes simplex, 23.00, Ophthalmic herpes zoster, 23.00, Skin lesion, 23.00
868242, Deafness bilateral, 23.00, Deafness neurosensory, 23.00, Tinnitus,
23.00, , , , , ,
868243, Blindness, 23.00, , , , , , , , , , ,
868244, Exposure during pregnancy, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, , , , , ,
868245, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , ,
868246, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , ,
868247, Incorrect dosage administered, 23.00, Product administered to
patient of inappropriate age, 23.00, , , , , , , , , , ,
868249, Social problem, 23.00, , , , , , , , , , ,
868250, Pemphigoid, 23.00, , , , , , , , , , ,
868251, Injection site induration, 23.00, Injection site pain,
23.00, Injection site warmth, 23.00, , , , , , ,
868252, Chills, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00, Injection
site induration, 23.00, Injection site warmth, 23.00
868252, Vaccine positive rechallenge, 23.00, , , , , , , , , , ,
868253, Bordetella test positive, 23.00, Pertussis, 23.00, Vaccination
failure, 23.00, , , , , , ,
868254, Pyrexia, 23.00, , , , , , , , , , ,
868255, Tinnitus, 23.00, , , , , , , , , , ,
868256, Herpes zoster, 23.00, Pruritus, 23.00, Vaccination failure,
23.00, , , , , , ,
868257, Choking, 23.00, Respiratory arrest, 23.00, Skin discolouration,
23.00, , , , , , ,
868258, Axillary pain, 23.00, Chills, 23.00, Discomfort, 23.00, Erythema,
23.00, Headache, 23.00
868258, Injection site pain, 23.00, Injection site swelling,

23.00,Insomnia,23.00,Lethargy,23.00,Myalgia,23.00
868258,Pruritus,23.00,Pyrexia,23.00,Swelling,23.00,,,,,
868259,No adverse event,23.00,Product storage error,23.00,,,,,,
868260,No adverse event,23.00,Product storage error,23.00,,,,,,
868261,Herpes zoster,23.00,,,,,,,
868262,Eczema,23.00,,,,,,,
868265,Pyrexia,23.00,Vomiting,23.00,,,,,,
868266,Dizziness,23.00,Feeling abnormal,23.00,Gait disturbance,
23.00,,,,,
868267,Dizziness,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
868267,Injection site warmth,23.00,,,,,,,
868271,Abdominal distension,23.00,Acute disseminated
encephalomyelitis,23.00,Asthenia,23.00,Brain oedema,23.00,Burning
sensation,23.00
868271,Central nervous system inflammation,23.00,Computerised tomogram
spine,23.00,Gait disturbance,23.00,Hepatitis,23.00,Herpes simplex
encephalitis,23.00
868271,Hypoaesthesia,23.00,Magnetic resonance imaging brain abnormal,
23.00,Muscle spasms,23.00,Muscular weakness,23.00,Myelitis transverse,
23.00
868271,Noninfective encephalitis,23.00,Pain,23.00,Pain in extremity,
23.00,Paraesthesia,23.00,Partial seizures,23.00
868271,Pyrexia,23.00,Scan with contrast abnormal,23.00,Spinal cord
infection,23.00,Tremor,23.00,,
868272,Rash,23.00,Rash erythematous,23.00,Urticaria,23.00,,,,,
868273,Hypoaesthesia,23.00,Injection site erythema,23.00,Injection
site pruritus,23.00,Paraesthesia,23.00,,
868274,Chills,23.00,Decreased appetite,23.00,Diarrhoea,23.00,Fatigue,
23.00,Hot flush,23.00
868275,Feeling abnormal,23.00,Headache,23.00,Lethargy,23.00,Nausea,
23.00,,
868280,Chills,23.00,Diarrhoea,23.00,Headache,23.00,Nausea,
23.00,Pyrexia,23.00
868281,Expired product administered,23.00,No adverse event,23.00,,,,,,
868282,Mental disorder,23.00,,,,,,,
868283,No adverse event,23.00,Wrong product administered,23.00,,,,,,
868284,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
868286,Skin reaction,23.00,Urticaria,23.00,,,,,,
868288,Blister,23.00,,,,,,,
868289,Musculoskeletal pain,23.00,Peripheral swelling,23.00,,,,,,
868291,Asthenia,23.00,Chills,23.00,Myalgia,23.00,Pyrexia,23.00,Vaccine
positive rechallenge,23.00
868292,Abdominal pain upper,23.00,Chills,23.00,Feeling hot,
23.00,Headache,23.00,Nausea,23.00
868292,Pain in extremity,23.00,,,,,,,
868293,Feeling of body temperature change,23.00,Injection site pain,
23.00,Injection site paraesthesia,23.00,Injection site pruritus,
23.00,,

868294,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Urticaria,23.00,,
868295,Nausea,23.00,Vomiting,23.00,,,,,
868296,Cryotherapy,23.00,Hypoaesthesia,23.00,Immediate post-injection
reaction,23.00,Injection site pain,23.00,Pain,23.00
868296,Pain in extremity,23.00,Skin cancer,23.00,Skin neoplasm
excision,23.00,,,,,
868297,Bacterial test,23.00,Fatigue,23.00,Herpes simplex test,
23.00,Malaise,23.00,Penis disorder,23.00
868297,Treponema test,23.00,,,,,
868298,Headache,23.00,Hypertension,23.00,Injection site swelling,
23.00,Nausea,23.00,Speech disorder,23.00
868298,Tenderness,23.00,Tinnitus,23.00,Tremor,23.00,,,,,
868299,Dyskinesia,23.00,Feeling hot,23.00,Headache,23.00,Heart rate
increased,23.00,Vertigo,23.00
868323,Hypoaesthesia,23.00,Loss of personal independence in daily
activities,23.00,Muscular weakness,23.00,Neuropathy peripheral,
23.00,Paraesthesia,23.00
868324,Chest discomfort,23.00,Chest pain,23.00,Coronary artery
disease,23.00,Myocardial infarction,23.00,,
868325,Expired product administered,23.00,,,,,
868326,Rash macular,23.00,,,,,
868327,Product dose omission,23.00,,,,,
868328,Expired product administered,23.00,,,,,
868329,Product storage error,23.00,,,,,
868330,Product dose omission,23.00,,,,,
868331,Inappropriate schedule of product administration,23.00,,,,,
868332,Inappropriate schedule of product administration,23.00,,,,,
868333,Inappropriate schedule of product administration,23.00,,,,,
868334,Product dose omission,23.00,,,,,
868335,Inappropriate schedule of product administration,23.00,,,,,
868336,Product storage error,23.00,,,,,
868337,Product storage error,23.00,,,,,
868338,Inappropriate schedule of product administration,23.00,,,,,
868339,Product storage error,23.00,,,,,
868340,Product storage error,23.00,,,,,
868341,Product storage error,23.00,,,,,
868342,Product dose omission,23.00,,,,,
868343,Product dose omission,23.00,,,,,
868344,Inappropriate schedule of product administration,23.00,,,,,
868345,Inappropriate schedule of product administration,23.00,,,,,
868346,Inappropriate schedule of product administration,23.00,,,,,
868347,Inappropriate schedule of product administration,23.00,,,,,
868348,Product dose omission,23.00,,,,,
868349,Product administration error,23.00,,,,,
868350,Product dose omission,23.00,,,,,
868351,Product storage error,23.00,,,,,
868352,Product storage error,23.00,,,,,
868353,Product storage error,23.00,,,,,
868354,Inappropriate schedule of product administration,23.00,,,,,

868355,Product administration error,23.00,,,,,
868356,Product storage error,23.00,,,,,
868357,Labelled drug-drug interaction medication error,23.00,,,,,
868358,Inappropriate schedule of product administration,23.00,,,,,
868359,Inappropriate schedule of product administration,23.00,,,,,
868360,Inappropriate schedule of product administration,23.00,,,,,
868361,Inappropriate schedule of product administration,23.00,,,,,
868362,Inappropriate schedule of product administration,23.00,,,,,
868363,Inappropriate schedule of product administration,23.00,,,,,
868364,Immediate post-injection reaction,23.00,Injected limb mobility
decreased,23.00,Injection site pain,23.00,Pain in extremity,23.00,,
868365,Exposure during pregnancy,23.00,,,,,
868366,Anaphylactic reaction,23.00,Cellulitis,23.00,Rash,23.00,,,
868367,Chills,23.00,Fatigue,23.00,Nausea,23.00,Pyrexia,23.00,,
868368,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
868370,Cellulitis,23.00,Erythema,23.00,,,,,
868371,Injection site erythema,23.00,Injection site induration,
23.00,Injection site mass,23.00,Injection site rash,23.00,,
868374,Exposure during pregnancy,23.00,Pregnancy test positive,
23.00,Ultrasound antenatal screen,23.00,,,,
868375,Differential white blood cell count normal,23.00,Full blood
count normal,23.00,Laboratory test normal,23.00,Magnetic resonance
imaging,23.00,Seizure,23.00
868376,No adverse event,23.00,Product storage error,23.00,,,,,
868377,No adverse event,23.00,Product storage error,23.00,,,,,
868378,Bacterial vaginosis,23.00,Blood glucose normal,23.00,Delivery,
23.00,Exposure during pregnancy,23.00,Premature delivery,23.00
868378,Prenatal screening test,23.00,Vomiting,23.00,,,,,
868382,Blister,23.00,Cough,23.00,Erythema,23.00,Livedo reticularis,
23.00,Measles,23.00
868382,Morbillivirus test positive,23.00,Ocular icterus,23.00,Papule,
23.00,Polymerase chain reaction positive,23.00,Pyrexia,23.00
868382,Skin tightness,23.00,Throat irritation,23.00,Urine analysis
abnormal,23.00,,,,
868383,Expired product administered,23.00,No adverse event,23.00,,,,,
868384,Cerebrovascular accident,23.00,Computerised tomogram,
23.00,Death,23.00,Electroencephalogram,23.00,Laboratory test,23.00
868384,Magnetic resonance imaging,23.00,Myocardial infarction,
23.00,Resuscitation,23.00,Stent placement,23.00,,
868385,Blister,23.00,Pruritus,23.00,Varicella post vaccine,23.00,,,
868386,Fatigue,23.00,Influenza like illness,23.00,,,,,
868387,Antineutrophil cytoplasmic antibody negative,23.00,Antinuclear
antibody negative,23.00,Bacterial test negative,23.00,Chest X-ray
abnormal,23.00,Computerised tomogram thorax abnormal,23.00
868387,Continuous positive airway pressure,23.00,Cough,23.00,Double
stranded DNA antibody,23.00,Dyspnoea,23.00,Fatigue,23.00
868387,Incomplete course of vaccination,23.00,Influenza A virus test
negative,23.00,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00

868387, Intensive care, 23.00, Interstitial lung disease, 23.00, Laboratory test, 23.00, Leptospira test, 23.00, Lung disorder, 23.00
868387, Malaria antibody test negative, 23.00, Mycobacterium test, 23.00, Pneumocystis test negative, 23.00, Pneumonia bacterial, 23.00, Pulmonary fibrosis, 23.00
868387, Pyrexia, 23.00, Respiratory failure, 23.00, X-ray, 23.00, , , , ,
868388, Wrong product administered, 23.00, , , , , , , , ,
868389, Chest discomfort, 23.00, Chills, 23.00, Decreased appetite, 23.00, Exposure during pregnancy, 23.00, Influenza, 23.00
868389, Influenza like illness, 23.00, Mobility decreased, 23.00, Tremor, 23.00, , , , ,
868390, Acupuncture, 23.00, Electromyogram abnormal, 23.00, Fatigue, 23.00, Hyperaesthesia, 23.00, Hypersomnia, 23.00
868390, Hypoaesthesia, 23.00, Immediate post-injection reaction, 23.00, Impaired work ability, 23.00, Inflammation, 23.00, Injection site pain, 23.00
868390, Injection site swelling, 23.00, Magnetic resonance imaging abnormal, 23.00, Nerve injury, 23.00, Neuralgic amyotrophy, 23.00, Neuropathy peripheral, 23.00
868390, Pain in extremity, 23.00, Paraesthesia, 23.00, Peripheral swelling, 23.00, Product administered at inappropriate site, 23.00, Pyrexia, 23.00
868390, Rash, 23.00, Rotator cuff syndrome, 23.00, Sleep disorder, 23.00, Swelling, 23.00, Ultrasound scan abnormal, 23.00
868402, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
868403, Decreased appetite, 23.00, Diarrhoea, 23.00, Ear discomfort, 23.00, Pyrexia, 23.00, Rotavirus test positive, 23.00
868404, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , ,
868405, Incorrect dose administered, 23.00, No adverse event, 23.00, , , , , , ,
868406, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
868407, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
868408, Chills, 23.00, Hyperhidrosis, 23.00, Influenza like illness, 23.00, Pyrexia, 23.00, ,
868409, Burning sensation, 23.00, Herpes zoster, 23.00, Paraesthesia, 23.00, Sensitive skin, 23.00, ,
868410, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , , ,
868411, Adverse event, 23.00, , , , , , , , ,
868412, Skin reaction, 23.00, , , , , , , , ,
868413, Abdominal pain upper, 23.00, Skin reaction, 23.00, , , , , , ,
868414, Influenza, 23.00, Influenza virus test positive, 23.00, , , , , , ,
868415, Chills, 23.00, Pain in extremity, 23.00, , , , , , ,
868416, Back pain, 23.00, Chills, 23.00, Discomfort, 23.00, Herpes zoster, 23.00, Injection site erythema, 23.00
868416, Injection site pain, 23.00, Injection site swelling, 23.00, Nausea, 23.00, Neuralgia, 23.00, Pruritus, 23.00
868416, Pustule, 23.00, Pyrexia, 23.00, Urticaria, 23.00, , , , ,
868417, Dyspnoea, 23.00, , , , , , , , ,
868418, Neoplasm malignant, 23.00, , , , , , , , ,
868419, Cough, 23.00, Dyspnoea, 23.00, Lethargy, 23.00, Pain, 23.00, ,

868420, Impaired work ability, 23.00, Pain, 23.00, , , , , , ,
868421, Chills, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia, 23.00, ,
868422, Adverse event, 23.00, , , , , , , ,
868423, Pain in extremity, 23.00, , , , , , , ,
868424, Pyrexia, 23.00, , , , , , , ,
868425, No adverse event, 23.00, Overdose, 23.00, Product administered to
patient of inappropriate age, 23.00, , , , ,
868426, Abnormal behaviour, 23.00, Appetite disorder, 23.00, Cough,
23.00, Defaecation urgency, 23.00, Diarrhoea, 23.00
868426, Immediate post-injection reaction, 23.00, Injection site
swelling, 23.00, Poor quality sleep, 23.00, , , , ,
868427, Laboratory test abnormal, 23.00, Prostate cancer, 23.00, , , , , ,
868428, Erythema, 23.00, Malaise, 23.00, Pyrexia, 23.00, , , , ,
868430, Cellulitis, 23.00, Erythema, 23.00, , , , , , ,
868431, Incomplete course of vaccination, 23.00, Injection site reaction,
23.00, Urticaria, 23.00, , , , , ,
868432, Vaccination complication, 23.00, Vertigo, 23.00, , , , , , ,
868433, Injection site discomfort, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , , ,
868439, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
868440, Feeling abnormal, 23.00, Inappropriate schedule of product
administration, 23.00, Rash, 23.00, , , , , ,
868441, Inappropriate schedule of product administration, 23.00, Malaise,
23.00, , , , , , , ,
868442, Leukaemia, 23.00, , , , , , , , ,
868443, Chest discomfort, 23.00, Dyspnoea, 23.00, Pain, 23.00, Rash,
23.00, Urticaria, 23.00
868445, Pain in extremity, 23.00, , , , , , , ,
868446, Arthralgia, 23.00, , , , , , , , ,
868447, Pain, 23.00, Pain in extremity, 23.00, , , , , , , ,
868448, Feeling abnormal, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia,
23.00, Vomiting, 23.00
868449, Injection site pain, 23.00, Pain, 23.00, , , , , , , ,
868452, Pain, 23.00, Pyrexia, 23.00, , , , , , , ,
868453, Myalgia, 23.00, Nausea, 23.00, Vomiting, 23.00, , , , ,
868454, Urticaria, 23.00, , , , , , , , ,
868456, Blister, 23.00, , , , , , , , ,
868457, Diarrhoea, 23.00, Gastroenteritis rotavirus, 23.00, Rotavirus test
positive, 23.00, Vomiting, 23.00, , ,
868458, Eyelid ptosis, 23.00, Myasthenia gravis, 23.00, , , , , , , ,
868459, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
868460, Paraesthesia, 23.00, , , , , , , , ,
868461, Condition aggravated, 23.00, Gastroesophageal reflux disease,
23.00, Laboratory test, 23.00, Major depression, 23.00, Meningitis aseptic,
23.00
868461, Neurological symptom, 23.00, Neuropsychiatric symptoms,
23.00, Obsessive-compulsive disorder, 23.00, Suicidal ideation, 23.00, , ,
868462, Erythema, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , ,
868463, Arthralgia, 23.00, Chills, 23.00, , , , , , , ,
868464, Vertigo, 23.00, , , , , , , , ,

868465,Condition aggravated,23.00,Neuropathy peripheral,
23.00,Tinnitus,23.00,,,,,
868466,Pyrexia,23.00,Seizure,23.00,,,,,,
868467,Body temperature increased,23.00,Erythema,23.00,Injection site
rash,23.00,Swelling face,23.00,,
868468,Chills,23.00,Fatigue,23.00,Impaired work ability,
23.00,Insomnia,23.00,Pain,23.00
868468,Pyrexia,23.00,,,,,,
868469,Exposure during pregnancy,23.00,Pain,23.00,,,,,,
868470,Erythema,23.00,Pain in extremity,23.00,,,,,
868471,Urticaria,23.00,,,,,,
868472,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
868472,Pain in extremity,23.00,Pyrexia,23.00,,,,,
868473,Cellulitis,23.00,Chills,23.00,Electrocardiogram,23.00,Feeling
hot,23.00,Full blood count,23.00
868473,Injection site erythema,23.00,Injection site induration,
23.00,Intensive care,23.00,Metabolic function test,23.00,Neutrophil
count increased,23.00
868473,Ultrasound scan,23.00,Urine analysis,23.00,Vaccination site
pain,23.00,White blood cell count increased,23.00,X-ray limb,23.00
868474,Cellulitis,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site warmth,23.00
868474,Pallor,23.00,Rash,23.00,Staphylococcal infection,
23.00,Ultrasound scan,23.00,,
868475,Gait disturbance,23.00,Pain,23.00,Rash erythematous,23.00,Skin
warm,23.00,,
868476,Pain,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,,,,,
868477,Arthralgia,23.00,Back pain,23.00,Blood heavy metal normal,
23.00,Borrelia test negative,23.00,Impaired work ability,23.00
868477,Loss of personal independence in daily activities,
23.00,Rheumatoid factor negative,23.00,Thyroid function test normal,
23.00,,,,,
868478,Cyanosis,23.00,Hypotonia,23.00,Pyrexia,23.00,Respiratory
arrest,23.00,Seizure,23.00
868478,Urine analysis normal,23.00,,,,,,
868479,Injection site erythema,23.00,Injection site pain,23.00,Pain,
23.00,Pain in extremity,23.00,Pyrexia,23.00
868493,Expired product administered,23.00,No adverse event,23.00,,,,,,
868494,Exposure during pregnancy,23.00,Pregnancy test positive,
23.00,,,,,,
868495,No adverse event,23.00,Product storage error,23.00,,,,,,
868496,Extra dose administered,23.00,No adverse event,23.00,,,,,,
868497,Asthenia,23.00,Deafness,23.00,Herpes zoster,23.00,Rash,23.00,,
868498,No adverse event,23.00,Product storage error,23.00,,,,,,
868499,No adverse event,23.00,Product storage error,23.00,,,,,,
868500,No adverse event,23.00,Product storage error,23.00,,,,,,
868501,No adverse event,23.00,Product storage error,23.00,,,,,,

868502, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
868503, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
868504, Arthralgia, 23.00, Erythema, 23.00, Headache, 23.00, Incorrect route
of product administration, 23.00, Skin warm, 23.00
868504, Vaccine positive rechallenge, 23.00, , , , , , , ,
868505, Psoriasis, 23.00, , , , , , , ,
868506, Injection site erythema, 23.00, Irritability, 23.00, , , , , ,
868507, Injection site erythema, 23.00, Injection site swelling,
23.00, Irritability, 23.00, , , , ,
868508, CSF test normal, 23.00, Computerised tomogram head normal,
23.00, Dyskinesia, 23.00, Electroencephalogram abnormal,
23.00, Endotracheal intubation, 23.00
868508, Lethargy, 23.00, Leukoencephalopathy, 23.00, Magnetic resonance
imaging brain abnormal, 23.00, Mental status changes, 23.00, Pyrexia, 23.00
868508, Seizure, 23.00, Seizure like phenomena, 23.00, Status epilepticus,
23.00, , , , ,
868509, Body temperature increased, 23.00, Injection site erythema,
23.00, , , , , , ,
868515, Rash, 23.00, , , , , , , ,
868516, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
868517, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
868518, Hypoaesthesia, 23.00, , , , , , , ,
868519, Dizziness, 23.00, Feeling abnormal, 23.00, Insomnia, 23.00, Migraine,
23.00, Myalgia, 23.00
868519, Restlessness, 23.00, Syncope, 23.00, Tinnitus, 23.00, Vertigo, 23.00, ,
868524, Product administered to patient of inappropriate age,
23.00, , , , , , , ,
868527, Erythema, 23.00, Skin warm, 23.00, , , , , , ,
868528, Ear pain, 23.00, Gingival pain, 23.00, Headache, 23.00, Increased
upper airway secretion, 23.00, Myalgia, 23.00
868528, Oral mucosal blistering, 23.00, , , , , , , ,
868529, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
868530, Biopsy bone abnormal, 23.00, Blood culture negative, 23.00, Culture
negative, 23.00, Inflammation, 23.00, Injection site movement impairment,
23.00
868530, Injection site pain, 23.00, Injection site reaction,
23.00, Magnetic resonance imaging abnormal, 23.00, Osteomyelitis, 23.00, ,
868531, Blood culture, 23.00, Blood lactic acid, 23.00, Chills,
23.00, Computerised tomogram head, 23.00, Culture urine, 23.00
868531, Full blood count, 23.00, Metabolic function test, 23.00, Pyrexia,
23.00, Tremor, 23.00, Urine analysis, 23.00
868534, Dyspnoea, 23.00, Injection site urticaria, 23.00, , , , , , ,
868535, Cellulitis, 23.00, Erythema, 23.00, Pain in extremity, 23.00, Skin
warm, 23.00, , ,
868536, Blood test, 23.00, Chest X-ray, 23.00, Cough, 23.00, Culture,
23.00, Erythema, 23.00
868536, Pertussis, 23.00, Pruritus, 23.00, Secretion discharge, 23.00, Skin
warm, 23.00, Stress urinary incontinence, 23.00
868544, Paranasal sinus hypersecretion, 23.00, , , , , , , ,

868545,Pain,23.00,Spinal compression fracture,23.00,X-ray abnormal,
23.00,,,,,
868547,Cold sweat,23.00,Dyskinesia,23.00,Electrocardiogram normal,
23.00,Hypoaesthesia,23.00,Nausea,23.00
868547,Pallor,23.00,Posture abnormal,23.00,Retching,23.00,Seizure,
23.00,Syncope,23.00
868548,Erythema,23.00,Pain,23.00,Pain in extremity,23.00,Skin mass,
23.00,X-ray limb,23.00
868551,Varicella post vaccine,23.00,,,,,,,,,
868552,Headache,23.00,Nausea,23.00,,,,,,,,,
868553,Administration site swelling,23.00,Injection site erythema,
23.00,,,,,,,,,
868555,Chills,23.00,Headache,23.00,Hyperhidrosis,23.00,Nausea,
23.00,Pain,23.00
868555,Pyrexia,23.00,,,,,,,,,
868556,Abdominal discomfort,23.00,Adverse food reaction,23.00,Allergy
test positive,23.00,Antibody test positive,23.00,Antinuclear antibody,
23.00
868556,Autoimmune disorder,23.00,Bacterial test,23.00,C-reactive
protein,23.00,Complement factor C3,23.00,Complement factor C4,23.00
868556,Cytogenetic analysis,23.00,Diarrhoea,23.00,Dysbiosis,
23.00,Dyspepsia,23.00,Fatigue,23.00
868556,Gastroesophageal reflux disease,23.00,Laboratory test
abnormal,23.00,Malnutrition,23.00,Metabolic function test,
23.00,Nausea,23.00
868556,Stool analysis abnormal,23.00,Weight decreased,23.00,,,,,,,,,
868557,Inflammation,23.00,Injection site swelling,23.00,Local
reaction,23.00,,,,,
868558,Injection site pain,23.00,Injection site swelling,23.00,,,,,,,,,
868574,Drug effective for unapproved indication,23.00,Therapeutic
response unexpected,23.00,,,,,,,,,
868575,Hepatitis B surface antibody negative,23.00,,,,,,,,,
868576,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
868577,Inappropriate schedule of product administration,23.00,,,,,,,,,
868578,Inappropriate schedule of product administration,23.00,,,,,,,,,
868579,Product administration error,23.00,,,,,,,,,
868580,Inappropriate schedule of product administration,23.00,Product
storage error,23.00,,,,,,,,,
868581,Inappropriate schedule of product administration,23.00,,,,,,,,,
868582,Product administration error,23.00,,,,,,,,,
868583,Product storage error,23.00,,,,,,,,,
868584,Inappropriate schedule of product administration,23.00,,,,,,,,,
868585,Product storage error,23.00,,,,,,,,,
868586,Inappropriate schedule of product administration,23.00,,,,,,,,,
868587,Product storage error,23.00,,,,,,,,,
868588,Product storage error,23.00,,,,,,,,,
868589,Product storage error,23.00,,,,,,,,,
868590,Expired product administered,23.00,,,,,,,,,
868591,Product storage error,23.00,,,,,,,,,
868592,Contraindication to vaccination,23.00,,,,,,,,,

868593,Inappropriate schedule of product administration,23.00,,,,,,,,,
868594,Inappropriate schedule of product administration,23.00,,,,,,,,,
868595,Inappropriate schedule of product administration,23.00,,,,,,,,,
868596,Inappropriate schedule of product administration,23.00,,,,,,,,,
868597,Inappropriate schedule of product administration,23.00,,,,,,,,,
868598,Incomplete course of vaccination,23.00,,,,,,,,,
868599,Incomplete course of vaccination,23.00,,,,,,,,,
868600,Inappropriate schedule of product administration,23.00,,,,,,,,,
868601,Inappropriate schedule of product administration,23.00,,,,,,,,,
868602,Inappropriate schedule of product administration,23.00,,,,,,,,,
868603,Inappropriate schedule of product administration,23.00,,,,,,,,,
868604,Incomplete course of vaccination,23.00,,,,,,,,,
868605,Product storage error,23.00,,,,,,,,,
868606,Product administration error,23.00,Product storage error,
23.00,,,,,,,,,
868607,Product storage error,23.00,,,,,,,,,
868608,Contraindication to vaccination,23.00,,,,,,,,,
868609,Inappropriate schedule of product administration,23.00,,,,,,,,,
868610,Product storage error,23.00,,,,,,,,,
868611,Inappropriate schedule of product administration,23.00,,,,,,,,,
868612,Wrong technique in product usage process,23.00,,,,,,,,,
868613,Wrong technique in product usage process,23.00,,,,,,,,,
868614,Product storage error,23.00,,,,,,,,,
868615,Contraindication to vaccination,23.00,,,,,,,,,
868616,Product storage error,23.00,,,,,,,,,
868617,Inappropriate schedule of product administration,23.00,,,,,,,,,
868618,Wrong technique in product usage process,23.00,,,,,,,,,
868619,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,,,,,
868620,Product storage error,23.00,,,,,,,,,
868621,Product storage error,23.00,,,,,,,,,
868622,Inappropriate schedule of product administration,23.00,,,,,,,,,
868623,Product storage error,23.00,,,,,,,,,
868624,Inappropriate schedule of product administration,23.00,,,,,,,,,
868625,Inappropriate schedule of product administration,23.00,,,,,,,,,
868626,Product administration error,23.00,,,,,,,,,
868627,Product storage error,23.00,,,,,,,,,
868628,Product storage error,23.00,,,,,,,,,
868629,Inappropriate schedule of product administration,23.00,,,,,,,,,
868630,Product administration error,23.00,,,,,,,,,
868631,Inappropriate schedule of product administration,23.00,,,,,,,,,
868632,Incomplete course of vaccination,23.00,,,,,,,,,
868633,Incomplete course of vaccination,23.00,,,,,,,,,
868634,Product storage error,23.00,,,,,,,,,
868635,Contraindication to vaccination,23.00,,,,,,,,,
868636,Product storage error,23.00,,,,,,,,,
868637,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site rash,23.00,Injection site reaction,23.00,,
868638,Chills,23.00,Injection site pain,23.00,Injection site swelling,
23.00,Pyrexia,23.00,,

868639, Fatigue, 23.00, Headache, 23.00, Somnolence, 23.00, , , , ,
868640, Chills, 23.00, Headache, 23.00, Pyrexia, 23.00, Vaccine positive
rechallenge, 23.00, ,
868641, Back pain, 23.00, Musculoskeletal pain, 23.00, Pain in extremity,
23.00, Pruritus, 23.00, ,
868642, Herpes zoster, 23.00, , , , , , , , ,
868643, Injection site pain, 23.00, , , , , , , , ,
868644, Feeling hot, 23.00, Paraesthesia, 23.00, , , , , , ,
868645, Abdominal discomfort, 23.00, Fatigue, 23.00, Malaise, 23.00, Nausea,
23.00, Pain in extremity, 23.00
868645, Pyrexia, 23.00, , , , , , , , ,
868646, Influenza like illness, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , , ,
868647, Blister, 23.00, Headache, 23.00, , , , , , ,
868648, Pain in extremity, 23.00, , , , , , , , ,
868649, Chills, 23.00, Pain in extremity, 23.00, , , , , , ,
868650, Cough, 23.00, Malaise, 23.00, Oropharyngeal pain, 23.00, Pyrexia,
23.00, Weight increased, 23.00
868651, Expired product administered, 23.00, , , , , , , , ,
868652, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
868653, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , ,
868654, Expired product administered, 23.00, , , , , , , , ,
868655, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , , , ,
868656, Lip oedema, 23.00, Lip pruritus, 23.00, Mouth ulceration, 23.00, Oral
pustule, 23.00, ,
868657, Activated partial thromboplastin time normal, 23.00, Alanine
aminotransferase increased, 23.00, Aspartate aminotransferase increased,
23.00, Blood creatine phosphokinase normal, 23.00, Blood creatinine
increased, 23.00
868657, Blood immunoglobulin M normal, 23.00, Blood magnesium normal,
23.00, Blood potassium decreased, 23.00, Blood urea normal, 23.00, Brain
natriuretic peptide normal, 23.00
868657, C-reactive protein normal, 23.00, Chest X-ray normal, 23.00, Chest
pain, 23.00, Computerised tomogram thorax normal, 23.00, Cough, 23.00
868657, Cytomegalovirus test negative, 23.00, Dyspnoea,
23.00, Echocardiogram normal, 23.00, Ejection fraction normal,
23.00, Electrocardiogram abnormal, 23.00
868657, Fibrin normal, 23.00, Full blood count, 23.00, Herpes simplex test
negative, 23.00, Influenza virus test negative, 23.00, Lipids normal, 23.00
868657, Myocarditis, 23.00, Neutrophil count increased, 23.00, Painful
respiration, 23.00, Parvovirus B19 test negative, 23.00, Pleuritic pain,
23.00
868657, Polymerase chain reaction, 23.00, Red blood cell sedimentation
rate normal, 23.00, Respiratory syncytial virus test negative,
23.00, Right atrial enlargement, 23.00, Sinus arrhythmia, 23.00
868657, Sinus tachycardia, 23.00, Tachycardia, 23.00, Troponin I increased,
23.00, Wheezing, 23.00, White blood cell count increased, 23.00
868658, Asthenia, 23.00, Chills, 23.00, Decreased appetite, 23.00, Loss of
consciousness, 23.00, Nausea, 23.00
868658, Pyrexia, 23.00, Vomiting, 23.00, , , , , , , , ,

868662,Nausea,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Skin warm,23.00,,
868663,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Pain,23.00,,
868664,Ear pain,23.00,Headache,23.00,Hyperacusis,23.00,Oropharyngeal
pain,23.00,Tenderness,23.00
868665,Fatigue,23.00,Influenza like illness,23.00,Loss of personal
independence in daily activities,23.00,Pain,23.00,Vaccine positive
rechallenge,23.00
868666,Arthralgia,23.00,Computerised tomogram head,
23.00,Electroencephalogram,23.00,Laboratory test,23.00,Rash,23.00
868666,Seizure,23.00,,,,,,,,,
868667,Asthenia,23.00,Joint range of motion decreased,
23.00,Musculoskeletal pain,23.00,,,,,
868673,Product administered to patient of inappropriate age,
23.00,Wrong product administered,23.00,,,,,,,,,
868674,Expired product administered,23.00,Injection site pain,
23.00,,,,,,,,,
868675,Nausea,23.00,Pain in extremity,23.00,Pyrexia,23.00,Vomiting,
23.00,,
868676,Chest discomfort,23.00,Pain in extremity,23.00,,,,,,,,,
868686,Hypersensitivity,23.00,Rash,23.00,,,,,,,,,
868687,Herpes zoster,23.00,Post herpetic neuralgia,23.00,Rash,
23.00,Rash vesicular,23.00,,
868688,Accidental exposure to product,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site pain,
23.00,Product complaint,23.00
868688,Syringe issue,23.00,Underdose,23.00,,,,,,,,,
868690,Alpha 1 foetoprotein normal,23.00,Bacterial vaginosis,
23.00,Delivery,23.00,Exposure during pregnancy,23.00,Precipitate
labour,23.00
868690,Premature delivery,23.00,Prenatal screening test,
23.00,Ultrasound antenatal screen normal,23.00,,,,,
868691,Foetal exposure during pregnancy,23.00,Intensive care,23.00,Low
birth weight baby,23.00,Premature baby,23.00,,
868694,Paraesthesia,23.00,Pruritus,23.00,Skin ulcer,23.00,Stomatitis,
23.00,,
868695,Mobility decreased,23.00,Pain in extremity,23.00,,,,,,,,,
868696,Dizziness,23.00,Fatigue,23.00,Palpitations,23.00,Vision
blurred,23.00,,
868727,Product physical issue,23.00,,,,,,,,,
868728,Product administration error,23.00,,,,,,,,,
868729,Inappropriate schedule of product administration,23.00,,,,,,,,,
868730,Incomplete course of vaccination,23.00,,,,,,,,,
868731,Product administration error,23.00,,,,,,,,,
868732,Product storage error,23.00,,,,,,,,,
868733,Product administration error,23.00,,,,,,,,,
868734,Product storage error,23.00,,,,,,,,,
868735,Incomplete course of vaccination,23.00,,,,,,,,,
868736,Product storage error,23.00,,,,,,,,,

868737,Product storage error,23.00,,,,,,,,,
868738,Product storage error,23.00,,,,,,,,,
868739,Product storage error,23.00,,,,,,,,,
868740,Incomplete course of vaccination,23.00,,,,,,,,,
868741,Inappropriate schedule of product administration,23.00,,,,,,,,,
868742,Inappropriate schedule of product administration,23.00,,,,,,,,,
868743,Inappropriate schedule of product administration,23.00,,,,,,,,,
868744,Inappropriate schedule of product administration,23.00,,,,,,,,,
868745,Inappropriate schedule of product administration,23.00,,,,,,,,,
868746,Incomplete course of vaccination,23.00,,,,,,,,,
868747,Inappropriate schedule of product administration,23.00,,,,,,,,,
868748,Product storage error,23.00,,,,,,,,,
868749,Product storage error,23.00,,,,,,,,,
868750,Incomplete course of vaccination,23.00,,,,,,,,,
868751,Contraindication to vaccination,23.00,,,,,,,,,
868752,Inappropriate schedule of product administration,23.00,,,,,,,,,
868753,Product storage error,23.00,,,,,,,,,
868754,Inappropriate schedule of product administration,23.00,,,,,,,,,
868755,Product administration error,23.00,,,,,,,,,
868756,Inappropriate schedule of product administration,23.00,,,,,,,,,
868757,Product storage error,23.00,,,,,,,,,
868758,Unevaluable event,23.00,,,,,,,,,
868759,Expired product administered,23.00,,,,,,,,,
868760,Inappropriate schedule of product administration,23.00,,,,,,,,,
868761,Inappropriate schedule of product administration,23.00,,,,,,,,,
868762,Inappropriate schedule of product administration,23.00,,,,,,,,,
868763,Product storage error,23.00,,,,,,,,,
868764,Inappropriate schedule of product administration,23.00,,,,,,,,,
868765,Product storage error,23.00,,,,,,,,,
868766,Product storage error,23.00,,,,,,,,,
868767,Incomplete course of vaccination,23.00,,,,,,,,,
868768,Inappropriate schedule of product administration,23.00,,,,,,,,,
868769,Inappropriate schedule of product administration,23.00,,,,,,,,,
868770,Contraindication to vaccination,23.00,Inappropriate schedule of
product administration,23.00,,,,,
868771,Incomplete course of vaccination,23.00,,,,,,,,,
868772,Product storage error,23.00,,,,,,,,,
868773,Inappropriate schedule of product administration,23.00,Product
storage error,23.00,,,,,
868774,Inappropriate schedule of product administration,23.00,,,,,,,,,
868775,Product storage error,23.00,,,,,,,,,
868776,Incomplete course of vaccination,23.00,,,,,,,,,
868777,Inappropriate schedule of product administration,23.00,,,,,,,,,
868778,Product administration error,23.00,,,,,,,,,
868779,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,
868780,Product storage error,23.00,,,,,,,,,
868781,Contraindication to vaccination,23.00,,,,,,,,,
868782,Product administration error,23.00,,,,,,,,,
868783,Inappropriate schedule of product administration,23.00,,,,,,,,,

868784,Incomplete course of vaccination,23.00,,,,,,,,,
868785,Inappropriate schedule of product administration,23.00,,,,,,,,,
868786,Incomplete course of vaccination,23.00,,,,,,,,,
868787,Incomplete course of vaccination,23.00,,,,,,,,,
868788,Incomplete course of vaccination,23.00,,,,,,,,,
868789,Product storage error,23.00,,,,,,,,,
868790,Inappropriate schedule of product administration,23.00,,,,,,,,,
868791,Product storage error,23.00,,,,,,,,,
868792,Inappropriate schedule of product administration,23.00,,,,,,,,,
868793,Inappropriate schedule of product administration,23.00,,,,,,,,,
868794,Unevaluable event,23.00,,,,,,,,,
868795,Inappropriate schedule of product administration,23.00,,,,,,,,,
868796,Inappropriate schedule of product administration,23.00,,,,,,,,,
868797,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,,,,,
868798,Inappropriate schedule of product administration,23.00,,,,,,,,,
868799,Inappropriate schedule of product administration,23.00,,,,,,,,,
868800,Product storage error,23.00,,,,,,,,,
868801,Product administration error,23.00,,,,,,,,,
868802,Inappropriate schedule of product administration,23.00,,,,,,,,,
868803,Incomplete course of vaccination,23.00,,,,,,,,,
868804,Product storage error,23.00,,,,,,,,,
868805,Product storage error,23.00,,,,,,,,,
868806,Unevaluable event,23.00,,,,,,,,,
868807,Inappropriate schedule of product administration,23.00,,,,,,,,,
868808,Inappropriate schedule of product administration,23.00,,,,,,,,,
868809,Product storage error,23.00,,,,,,,,,
868810,Inappropriate schedule of product administration,23.00,,,,,,,,,
868811,Product storage error,23.00,,,,,,,,,
868813,Product administration error,23.00,,,,,,,,,
868814,Incomplete course of vaccination,23.00,,,,,,,,,
868815,Dizziness,23.00,,,,,,,,,
868817,Lethargy,23.00,Pallor,23.00,Screaming,23.00,Somnolence,23.00,,
868818,Myalgia,23.00,Pain in extremity,23.00,,,,,,,,,
868819,Heart rate increased,23.00,Urticaria,23.00,,,,,,,,,
868820,Injection site reaction,23.00,Injection site swelling,
23.00,Rash erythematous,23.00,Rash pruritic,23.00,,
868821,Injection site reaction,23.00,Lumbar puncture,23.00,Magnetic
resonance imaging brain normal,23.00,Muscular weakness,23.00,Pain in
extremity,23.00
868821,Rash erythematous,23.00,With nerve paralysis,23.00,,,,,,,,,
868822,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,Rash,
23.00
868822,Urticaria,23.00,,,,,,,,,
868836,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
868837,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,,,,
868838,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
868839,Diplopia,23.00,Eye pain,23.00,Ophthalmic herpes simplex,

23.00,,,,,
868840,Injection site erythema,23.00,Injection site pain,
23.00,Injection site reaction,23.00,,,,,
868841,Headache,23.00,,,,,,
868842,Ear pain,23.00,Herpes zoster,23.00,Rash,23.00,Vaccination
failure,23.00,,
868843,Erythema,23.00,Herpes zoster,23.00,Hypersensitivity,23.00,Rash,
23.00,,
868844,Malaise,23.00,,,,,,
868847,Urticaria,23.00,,,,,,
868848,Haematoma,23.00,Syncope,23.00,,,,,
868850,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
868852,Pyrexia,23.00,,,,,,
868855,Abscess drainage,23.00,Injection site abscess,23.00,Injection
site erythema,23.00,Injection site induration,23.00,Injection site
nodule,23.00
868855,Ultrasound scan abnormal,23.00,,,,,,
868856,Chills,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Loss of personal independence in daily activities,23.00
868856,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,,,,
868858,Erythema,23.00,Irritability,23.00,,,,,
868859,Erythema,23.00,Irritability,23.00,,,,,
868860,Erythema,23.00,Irritability,23.00,Pyrexia,23.00,,,,,
868861,Dyspnoea,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Pyrexia,23.00,,
868862,Asthenia,23.00,Feeling hot,23.00,Head injury,23.00,Headache,
23.00,Hypertension,23.00
868862,Loss of consciousness,23.00,Pain in extremity,23.00,Syncope,
23.00,,,,,
868863,Facial paralysis,23.00,Pyrexia,23.00,,,,,
868864,Erythema,23.00,Erythema multiforme,23.00,Pruritus,
23.00,Urticaria,23.00,,
868865,Induration,23.00,Pain,23.00,Swelling,23.00,,,,,
868871,Abdominal pain,23.00,Abdominal pain upper,23.00,Arthralgia,
23.00,Autoimmune haemolytic anaemia,23.00,Hyperlipidaemia,23.00
868871,Insomnia,23.00,Pelvic pain,23.00,Upper respiratory tract
infection,23.00,,,,,
868872,Product dose omission,23.00,,,,,,
868873,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,
868874,Inappropriate schedule of product administration,23.00,,,,,,
868875,Product storage error,23.00,,,,,,
868876,Product administration error,23.00,,,,,,
868877,Product dose omission,23.00,,,,,,
868878,Product storage error,23.00,,,,,,
868879,Complication of pregnancy,23.00,Condition aggravated,
23.00,Delivery,23.00,Exposure during pregnancy,23.00,Gestational
diabetes,23.00
868879,Gestational hypertension,23.00,Obesity,23.00,Otitis media,

23.00,Pre-eclampsia,23.00,Premature delivery,23.00
868879,Prenatal screening test,23.00,Ultrasound antenatal screen
normal,23.00,,,,,
868880,No adverse event,23.00,Product preparation error,23.00,,,,,
868881,Eye movement disorder,23.00,Hyperhidrosis,23.00,Pallor,
23.00,Syncope,23.00,,
868883,Arthritis,23.00,Condition aggravated,23.00,,,,,
868884,Asthenia,23.00,Ataxia,23.00,Coordination abnormal,
23.00,Dyspnoea,23.00,Dysstasia,23.00
868884,Flank pain,23.00,Gait disturbance,23.00,Hypersensitivity,
23.00,Lymph node pain,23.00,Muscle disorder,23.00
868884,Muscle spasms,23.00,Myalgia,23.00,Nephropathy,
23.00,Palpitations,23.00,Peroneal nerve palsy,23.00
868884,Renal pain,23.00,Tremor,23.00,Vision blurred,23.00,,,,
868885,Allergy test,23.00,Milk allergy,23.00,Muscle twitching,
23.00,Rash erythematous,23.00,Tremor,23.00
868885,Vomiting projectile,23.00,,,,,
868886,Herpes zoster,23.00,,,,,
868887,Rash vesicular,23.00,,,,,
868888,Injection site pain,23.00,Mobility decreased,23.00,,,,,
868889,Arthritis,23.00,Back pain,23.00,Patellofemoral pain syndrome,
23.00,Rheumatoid factor,23.00,Tendonitis,23.00
868889,X-ray limb,23.00,,,,,
868897,Drug effective for unapproved indication,23.00,,,,,
868898,No adverse event,23.00,Product storage error,23.00,,,,,
868899,No adverse event,23.00,Product storage error,23.00,,,,,
868900,Asthenia,23.00,Chills,23.00,Myalgia,23.00,Pain,23.00,,
868901,Dizziness,23.00,,,,,
868903,Expired product administered,23.00,No adverse event,23.00,,,,,
868904,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site urticaria,23.00,,
868905,Fatigue,23.00,Headache,23.00,Musculoskeletal pain,
23.00,Pruritus,23.00,,
868906,Chills,23.00,Pyrexia,23.00,,,,,
868907,Fatigue,23.00,Nasopharyngitis,23.00,,,,,
868908,Pruritus,23.00,Rash vesicular,23.00,,,,,
868909,Herpes zoster,23.00,Rash,23.00,,,,,
868910,Abdominal pain,23.00,Chills,23.00,Pyrexia,23.00,,,,
868911,Pyrexia,23.00,Social problem,23.00,,,,,
868912,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,
868913,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Rash,23.00,,
868914,Herpes zoster,23.00,,,,,
868915,Incomplete course of vaccination,23.00,Peripheral swelling,
23.00,Rash,23.00,Skin warm,23.00,,
868916,Bedridden,23.00,Pulmonary pain,23.00,,,,,
868917,Chills,23.00,Influenza like illness,23.00,Pain,23.00,Pyrexia,
23.00,,
868918,Erythema,23.00,Pain,23.00,Product administered at inappropriate
site,23.00,,,,

868919,Pain in extremity,23.00,Pyrexia,23.00,Rash vesicular,
23.00,Urticaria,23.00,,
868920,Skin reaction,23.00,,,,,,,,,
868921,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
868923,Herpes zoster,23.00,Rash,23.00,,,,,,,,,
868927,Syringe issue,23.00,,,,,,,,,
868928,Arthralgia,23.00,Musculoskeletal pain,23.00,,,,,,,,,
868933,Cor pulmonale chronic,23.00,,,,,,,,,
868934,Inappropriate schedule of product administration,23.00,Pyrexia,
23.00,,,,,,,,,
868935,Skin lesion,23.00,Varicella post vaccine,23.00,,,,,,,,,
868936,Chest X-ray,23.00,Culture urine,23.00,Febrile convulsion,
23.00,Laboratory test normal,23.00,Otitis media,23.00
868936,Pyrexia,23.00,Respiratory viral panel,23.00,Urine analysis,
23.00,,,,,
868937,Body temperature increased,23.00,Dyskinesia,23.00,Muscle
twitching,23.00,,,,,
868948,Device leakage,23.00,No adverse event,23.00,,,,,,,,,
868949,Chills,23.00,Diarrhoea,23.00,Hyperhidrosis,23.00,Nausea,
23.00,Pain,23.00
868949,Vomiting,23.00,,,,,,,,,
868950,Product storage error,23.00,,,,,,,,,
868951,Product storage error,23.00,,,,,,,,,
868952,Product storage error,23.00,,,,,,,,,
868953,Incomplete course of vaccination,23.00,,,,,,,,,
868954,Product storage error,23.00,,,,,,,,,
868955,Incomplete course of vaccination,23.00,,,,,,,,,
868956,Product administration error,23.00,,,,,,,,,
868957,Incomplete course of vaccination,23.00,,,,,,,,,
868958,Inappropriate schedule of product administration,23.00,,,,,,,,,
868959,Product administration error,23.00,,,,,,,,,
868960,Product storage error,23.00,,,,,,,,,
868961,Product administration error,23.00,,,,,,,,,
868962,Inappropriate schedule of product administration,23.00,,,,,,,,,
868963,Inappropriate schedule of product administration,23.00,,,,,,,,,
868964,Product storage error,23.00,,,,,,,,,
868965,Product storage error,23.00,,,,,,,,,
868966,Product storage error,23.00,,,,,,,,,
868969,Rash,23.00,,,,,,,,,
868971,Therapeutic response unexpected,23.00,,,,,,,,,
868972,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Intensive care,23.00,Neonatal respiratory distress syndrome,
23.00,,
868973,Amniotic cavity infection,23.00,Arrested labour,23.00,Caesarean
section,23.00,Exposure during pregnancy,23.00,Prolonged labour,23.00
868973,Ultrasound antenatal screen normal,23.00,,,,,,,,,
868974,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,,,,,
868975,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Foetal growth restriction,23.00,,,,,

868976,Joint range of motion decreased,23.00,Magnetic resonance imaging,23.00,Pain in extremity,23.00,Periarthritis,23.00,Sleep disorder,23.00
868976,X-ray limb,23.00,,,,,,,,,
868977,Cellulitis,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
868981,Arthralgia,23.00,Dyspnoea,23.00,Myalgia,23.00,Pain,23.00,Pyrexia,23.00
868981,Swelling,23.00,,,,,,,,,
868982,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,,,,,
868983,Basal ganglia stroke,23.00,Confusional state,23.00,Hemiparesis,23.00,Ischaemic stroke,23.00,,
868985,Haematoma,23.00,Injection site joint movement impairment,23.00,Injection site pain,23.00,,,,,
868986,Febrile convulsion,23.00,,,,,,,,,
868987,Intensive care,23.00,,,,,,,,,
868988,Contusion,23.00,Hyperaesthesia,23.00,,,,,,,,,
868989,Needle issue,23.00,,,,,,,,,
868990,Wrong product administered,23.00,,,,,,,,,
868991,Asthenia,23.00,Injected limb mobility decreased,23.00,Injection site pain,23.00,Injection site swelling,23.00,Joint injection,23.00
868992,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
868993,Autism spectrum disorder,23.00,CDKL5 deficiency disorder,23.00,Constipation,23.00,Death,23.00,Electroencephalogram,23.00
868993,Epilepsy,23.00,Gait inability,23.00,Gastrooesophageal reflux disease,23.00,Infantile spasms,23.00,Laboratory test,23.00
868993,Petit mal epilepsy,23.00,Speech disorder developmental,23.00,,,,,,,,,
868995,Burning sensation,23.00,Injection site pain,23.00,Injection site swelling,23.00,Malaise,23.00,,
868996,Injection site erythema,23.00,Injection site swelling,23.00,,,,,,,,,
868997,Cough,23.00,Fatigue,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00
868997,Rash,23.00,,,,,,,,,
868998,Apnoea,23.00,Crying,23.00,Diarrhoea,23.00,Respiratory arrest,23.00,Resuscitation,23.00
868998,Screaming,23.00,Unresponsive to stimuli,23.00,Vomiting,23.00,,,,,
869015,Pain in extremity,23.00,,,,,,,,,
869019,Chills,23.00,Influenza like illness,23.00,Injection site pain,23.00,,,,,
869020,Urticaria,23.00,,,,,,,,,
869021,Dizziness,23.00,Hypoaesthesia,23.00,,,,,,,,,
869022,Dyspnoea,23.00,Influenza like illness,23.00,Pyrexia,23.00,,,,,
869023,Headache,23.00,Rash,23.00,,,,,,,,,
869024,Rash,23.00,,,,,,,,,
869025,Pain,23.00,,,,,,,,,
869026,Blood glucose normal,23.00,Unevaluable event,23.00,,,,,,,,,
869027,Blood glucose increased,23.00,,,,,,,,,

869028, Malaise, 23.00, Pyrexia, 23.00, Streptococcus test negative, 23.00, , , , ,
869029, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , , , ,
869030, Chills, 23.00, Fatigue, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
869032, Abdominal pain, 23.00, Antimitochondrial antibody normal, 23.00, Anxiety, 23.00, Epstein-Barr virus test positive, 23.00, Fatigue, 23.00
869032, Myalgia, 23.00, Panic attack, 23.00, Poor quality sleep, 23.00, Rheumatoid factor negative, 23.00, Thyroid function test normal, 23.00
869033, Pruritus, 23.00, Throat tightness, 23.00, , , , , , ,
869037, Pain, 23.00, Pain in extremity, 23.00, Skin discolouration, 23.00, , , , ,
869038, Electroencephalogram normal, 23.00, Laboratory test, 23.00, Loss of consciousness, 23.00, Pallor, 23.00, Seizure, 23.00
869038, Syncope, 23.00, , , , , , , ,
869039, Pruritus, 23.00, Urticaria, 23.00, , , , , , ,
869042, Adverse event, 23.00, , , , , , , ,
869043, Influenza, 23.00, , , , , , , ,
869044, Electroencephalogram normal, 23.00, Febrile convulsion, 23.00, Generalised tonic-clonic seizure, 23.00, Magnetic resonance imaging brain normal, 23.00, Postictal state, 23.00
869044, Pyrexia, 23.00, , , , , , , ,
869054, Acquired epidermolysis bullosa, 23.00, Food allergy, 23.00, , , , , , , ,
869055, Cerebral artery embolism, 23.00, Cerebrovascular accident, 23.00, Dysarthria, 23.00, Facial paresis, 23.00, Hemiparesis, 23.00
869055, Ischaemic stroke, 23.00, Transient ischaemic attack, 23.00, , , , , , , ,
869056, Blood blister, 23.00, , , , , , , ,
869057, Product storage error, 23.00, , , , , , , ,
869058, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869059, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869060, Product administration error, 23.00, , , , , , , ,
869061, Product administration error, 23.00, Product storage error, 23.00, , , , , , , ,
869062, Product administration error, 23.00, , , , , , , ,
869063, Product storage error, 23.00, , , , , , , ,
869064, Incomplete course of vaccination, 23.00, , , , , , , ,
869065, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869066, Product storage error, 23.00, , , , , , , ,
869067, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869068, Product storage error, 23.00, , , , , , , ,
869069, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869070, Product administration error, 23.00, , , , , , , ,
869071, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869072, Product administration error, 23.00, , , , , , , ,
869073, Contraindication to vaccination, 23.00, , , , , , , ,
869074, Product storage error, 23.00, , , , , , , ,
869075, Urticaria, 23.00, , , , , , , ,

869076, Dry skin, 23.00, Eye swelling, 23.00, Hypersensitivity, 23.00, Pruritus, 23.00, Rash macular, 23.00
869076, Swelling face, 23.00, Urticaria, 23.00, , , , , ,
869077, Urticaria, 23.00, , , , , , , ,
869078, Diarrhoea, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, Skin discolouration, 23.00, Swelling, 23.00
869078, Urticaria, 23.00, , , , , , , ,
869079, Rash, 23.00, , , , , , , ,
869080, Discomfort, 23.00, Dyspnoea, 23.00, Erythema, 23.00, Hypersensitivity, 23.00, Laboratory test, 23.00
869080, Lymphadenopathy, 23.00, Peripheral swelling, 23.00, Rash, 23.00, Wheezing, 23.00, ,
869081, Rash pruritic, 23.00, , , , , , , ,
869083, Fat tissue increased, 23.00, , , , , , , ,
869084, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869085, Influenza, 23.00, Influenza virus test positive, 23.00, Vaccination failure, 23.00, , , , ,
869092, Hepatitis B surface antibody negative, 23.00, , , , , , , ,
869094, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , ,
869095, Abdominal pain, 23.00, Decreased appetite, 23.00, Erythema, 23.00, Headache, 23.00, Malaise, 23.00
869095, Nausea, 23.00, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00
869095, Skin warm, 23.00, , , , , , , ,
869096, Chills, 23.00, Mobility decreased, 23.00, Nausea, 23.00, Pain, 23.00, ,
869097, Abdominal discomfort, 23.00, Dizziness, 23.00, Fall, 23.00, Headache, 23.00, ,
869098, Erythema, 23.00, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00, Pruritus, 23.00
869098, Skin warm, 23.00, , , , , , , ,
869099, Erythema multiforme, 23.00, Injection site rash, 23.00, Pyrexia, 23.00, , , , ,
869100, Bacterial test, 23.00, Injection site erythema, 23.00, Injection site vesicles, 23.00, Viral test, 23.00, ,
869101, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
869102, Induration, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00, Skin warm, 23.00, ,
869103, Wrong patient received product, 23.00, , , , , , , ,
869104, Fatigue, 23.00, Heart rate increased, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Local reaction, 23.00
869104, Muscle spasms, 23.00, Pyrexia, 23.00, , , , , , , ,
869105, Injection site erythema, 23.00, Injection site rash, 23.00, Injection site reaction, 23.00, Skin lesion, 23.00, ,
869106, Erythema, 23.00, Headache, 23.00, Pain in extremity, 23.00, Pruritus, 23.00, Swelling, 23.00
869107, Fatigue, 23.00, Headache, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Listless, 23.00
869107, Pain, 23.00, Paraesthesia, 23.00, , , , , , , ,
869108, Condition aggravated, 23.00, Fatigue, 23.00, Gastrointestinal disorder, 23.00, Irritable bowel syndrome, 23.00, ,

869109,Rash vesicular,23.00,Scab,23.00,Skin lesion,23.00,,,,,
869110,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
869111,Chills,23.00,Dizziness,23.00,Headache,23.00,Lethargy,
23.00,Myalgia,23.00
869111,Nystagmus,23.00,,,,,,,
869112,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
869113,Muscle spasms,23.00,Pain in extremity,23.00,Tinnitus,23.00,,,,,
869114,Nausea,23.00,Pyrexia,23.00,,,,,,
869115,Dizziness,23.00,Erythema,23.00,Fatigue,23.00,Malaise,23.00,Pain
in extremity,23.00
869115,Peripheral swelling,23.00,Pyrexia,23.00,Tenderness,23.00,,,,,
869116,Myalgia,23.00,Neck pain,23.00,Pyrexia,23.00,,,,,
869117,Injection site pain,23.00,Joint range of motion decreased,
23.00,Paraesthesia,23.00,,,,,
869118,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
869119,Allergy to metals,23.00,Allergy to vaccine,23.00,Anaphylactic
reaction,23.00,,,,,
869120,Computerised tomogram,23.00,Electroencephalogram,23.00,Loss of
personal independence in daily activities,23.00,Lumbar puncture,
23.00,Magnetic resonance imaging,23.00
869120,Vomiting,23.00,,,,,,,
869121,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
869122,Mental disorder,23.00,,,,,,,
869143,Product administered to patient of inappropriate age,
23.00,,,,,,,
869144,Inappropriate schedule of product administration,23.00,,,,,,,
869145,Incomplete course of vaccination,23.00,,,,,,,
869146,Inappropriate schedule of product administration,23.00,,,,,,,
869147,Product storage error,23.00,,,,,,,
869148,Incomplete course of vaccination,23.00,,,,,,,
869149,Abdominal distension,23.00,Abdominal pain upper,23.00,Back
pain,23.00,Diarrhoea,23.00,Dizziness,23.00
869149,Nausea,23.00,Neck pain,23.00,Pyrexia,23.00,,,,,
869150,Arthralgia,23.00,Blood thyroid stimulating hormone normal,
23.00,Borrelia test negative,23.00,Full blood count normal,
23.00,Haemoglobin normal,23.00
869150,Metabolic function test normal,23.00,Myalgia,23.00,Rash,
23.00,,,,,
869151,Headache,23.00,,,,,,,
869152,Incomplete course of vaccination,23.00,,,,,,,
869153,Product storage error,23.00,,,,,,,
869154,Product administration error,23.00,,,,,,,
869155,Inappropriate schedule of product administration,23.00,,,,,,,
869156,Inappropriate schedule of product administration,23.00,,,,,,,
869157,Product administration error,23.00,,,,,,,
869158,Product administration error,23.00,,,,,,,
869159,Product administration error,23.00,,,,,,,

869160,Product storage error,23.00,,,,,,,,,
869161,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,,,,,
869162,Expired product administered,23.00,,,,,,,,,
869163,Product storage error,23.00,,,,,,,,,
869164,Product residue present,23.00,,,,,,,,,
869165,Abdominal pain upper,23.00,Decreased appetite,23.00,Incomplete
course of vaccination,23.00,Nausea,23.00,,
869167,Headache,23.00,Neck pain,23.00,,,,,,,,,
869169,Headache,23.00,Hypoaesthesia,23.00,Limb discomfort,
23.00,Nausea,23.00,Pain in extremity,23.00
869169,Rash,23.00,,,,,,,,,
869172,Arthralgia,23.00,Diarrhoea,23.00,Fatigue,23.00,Muscle spasms,
23.00,Pyrexia,23.00
869172,Urticaria,23.00,,,,,,,,,
869173,Headache,23.00,Pyrexia,23.00,,,,,,,,,
869176,Diarrhoea,23.00,Weight decreased,23.00,,,,,,,,,
869177,Abdominal discomfort,23.00,Fatigue,23.00,Gastrointestinal
disorder,23.00,Gastrointestinal pain,23.00,Lethargy,23.00
869178,Anaphylactic reaction,23.00,Asthenia,23.00,Diarrhoea,
23.00,Dyspnoea,23.00,Ear swelling,23.00
869178,Erythema,23.00,Headache,23.00,Joint lock,23.00,Malaise,
23.00,Mobility decreased,23.00
869178,Pharyngeal swelling,23.00,Swelling,23.00,Swollen tongue,
23.00,,,,,
869179,Abdominal discomfort,23.00,Abdominal pain upper,23.00,Asthenia,
23.00,Dehydration,23.00,Dizziness,23.00
869179,Hyperhidrosis,23.00,Malaise,23.00,,,,,,,,,
869182,Adverse reaction,23.00,,,,,,,,,
869183,Discomfort,23.00,Herpes zoster,23.00,Neuralgia,23.00,Post
herpetic neuralgia,23.00,Pruritus,23.00
869185,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,,,,
869186,Fatigue,23.00,Pain,23.00,,,,,,,,,
869187,Arthralgia,23.00,,,,,,,,,
869188,Back pain,23.00,Rash,23.00,Rash erythematous,23.00,Rash
vesicular,23.00,,
869189,Herpes zoster,23.00,,,,,,,,,
869190,Chills,23.00,Pyrexia,23.00,,,,,,,,,
869191,Injection site erythema,23.00,Injection site pain,23.00,,,,,,,,,
869192,Pain,23.00,Pyrexia,23.00,Rash,23.00,,,,,
869193,Pain in extremity,23.00,,,,,,,,,
869194,Peripheral swelling,23.00,Skin warm,23.00,,,,,,,,,
869195,Chills,23.00,Hyperhidrosis,23.00,,,,,,,,,
869201,Fatigue,23.00,Injection site erythema,23.00,Pain,23.00,Pain in
extremity,23.00,,
869202,Gait disturbance,23.00,Injection site cellulitis,
23.00,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00
869202,Pyrexia,23.00,,,,,,,,,
869203,Dizziness,23.00,Dyspnoea,23.00,Injection site pain,

23.00,Nausea,23.00,,
869204,Blood immunoglobulin G,23.00,C-reactive protein,23.00,Erythema,
23.00,Induration,23.00,Injected limb mobility decreased,23.00
869204,Injection site bruising,23.00,Injection site discolouration,
23.00,Injection site erythema,23.00,Injection site induration,
23.00,Injection site nodule,23.00
869204,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Lymph node pain,
23.00,Lymphadenopathy,23.00
869204,Magnetic resonance imaging,23.00,Pain,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Pruritus,23.00
869204,Skin discolouration,23.00,Ultrasound scan,23.00,Vasodilatation,
23.00,,,,,
869205,Myalgia,23.00,Rash,23.00,,,,,,
869207,Injection site erythema,23.00,Injection site oedema,
23.00,Injection site pain,23.00,Pyrexia,23.00,,
869208,Respiratory depression,23.00,,,,,,
869217,Facial paralysis,23.00,Herpes zoster oticus,23.00,Neuralgia,
23.00,Sensitive skin,23.00,Vaccination failure,23.00
869218,Hip arthroplasty,23.00,Muscular weakness,23.00,Musculoskeletal
disorder,23.00,Pain in extremity,23.00,Spinal operation,23.00
869219,Refusal of vaccination,23.00,,,,,,
869220,Extra dose administered,23.00,No adverse event,23.00,,,,,
869222,Injection site rash,23.00,,,,,,
869223,Pain in extremity,23.00,Peripheral swelling,23.00,Skin
reaction,23.00,,,,,
869228,No adverse event,23.00,Product storage error,23.00,,,,,
869229,Herpes zoster,23.00,Neuralgia,23.00,Post herpetic neuralgia,
23.00,Rash,23.00,Rash vesicular,23.00
869230,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
869231,Herpes zoster,23.00,Neuralgia,23.00,Vaccination failure,
23.00,X-ray normal,23.00,,
869232,Death,23.00,Epilepsy,23.00,Generalised tonic-clonic seizure,
23.00,,,,,
869233,Atrial septal defect,23.00,Atrial septal defect repair,
23.00,Cerebrovascular accident,23.00,Headache,23.00,Insomnia,23.00
869233,Migraine,23.00,Pain,23.00,Poor quality sleep,23.00,Vaccination
complication,23.00,,
869234,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
869235,Pain,23.00,Pain in jaw,23.00,Paraesthesia,23.00,X-ray dental,
23.00,,
869236,Injection site cellulitis,23.00,,,,,,
869244,Body height decreased,23.00,Dementia,23.00,Injection site pain,
23.00,Myalgia,23.00,,
869245,Blepharospasm,23.00,Heart rate increased,23.00,Hypoaesthesia,
23.00,Impaired work ability,23.00,Injection site hypoaesthesia,23.00
869245,Injection site pain,23.00,Injection site paraesthesia,
23.00,Lethargy,23.00,Paraesthesia,23.00,,
869246,Corneal oedema,23.00,Eye pain,23.00,Ocular hyperaemia,
23.00,Vision blurred,23.00,,

869247,Dizziness,23.00,Neurological examination normal,23.00,Staring,
23.00,Tonic clonic movements,23.00,,
869248,Expired product administered,23.00,No adverse event,23.00,,,,,
869249,C-reactive protein,23.00,Differential white blood cell count,
23.00,Full blood count,23.00,Glycosylated haemoglobin,23.00,Injection
site pain,23.00
869249,Insomnia,23.00,Pain,23.00,,,,,
869251,Pain,23.00,Pain in extremity,23.00,,,,,
869252,Extra dose administered,23.00,,,,,
869253,Dizziness,23.00,Dyspnoea,23.00,Pharyngeal swelling,23.00,Poor
quality sleep,23.00,Swelling face,23.00
869254,Herpes zoster,23.00,Injection site reaction,23.00,Rash,
23.00,Rash pruritic,23.00,Rash vesicular,23.00
869255,Injection site haematoma,23.00,Pain,23.00,,,,,
869256,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
869257,Injection site reaction,23.00,Magnetic resonance imaging,
23.00,Surgery,23.00,Venipuncture,23.00,X-ray,23.00
869260,Cough,23.00,Ear infection,23.00,Erythema,23.00,Lymphadenopathy,
23.00,Rash,23.00
869290,No adverse event,23.00,Product storage error,23.00,,,,,
869291,No adverse event,23.00,Product storage error,23.00,,,,,
869292,Blood urine present,23.00,Contraindication to vaccination,
23.00,Pain,23.00,Pollakiuria,23.00,,
869293,Abdominal pain upper,23.00,Arthralgia,23.00,Cough,
23.00,Diarrhoea,23.00,Feeling abnormal,23.00
869293,Lymph node pain,23.00,Nausea,23.00,Oropharyngeal pain,
23.00,Respiratory tract congestion,23.00,,
869294,Abdominal pain upper,23.00,Insomnia,23.00,,,,,
869295,Erythema,23.00,Hot flush,23.00,Inappropriate schedule of
product administration,23.00,,,,
869296,Migraine,23.00,Product storage error,23.00,Self-induced
vomiting,23.00,,,,
869297,Inappropriate schedule of product administration,23.00,,,,,
869298,Inappropriate schedule of product administration,23.00,,,,,
869299,Inappropriate schedule of product administration,23.00,Product
administration error,23.00,,,,,
869300,Inappropriate schedule of product administration,23.00,Product
administration error,23.00,,,,,
869301,Product administration error,23.00,,,,,
869302,Inappropriate schedule of product administration,23.00,,,,,
869303,Inappropriate schedule of product administration,23.00,,,,,
869304,Inappropriate schedule of product administration,23.00,,,,,
869305,Product administration error,23.00,Product storage error,
23.00,,,,,
869306,Unevaluable event,23.00,,,,,
869307,Product administration error,23.00,,,,,
869308,Incomplete course of vaccination,23.00,Product storage error,
23.00,,,,,
869310,Abdominal pain upper,23.00,Diarrhoea,23.00,Dyspnoea,
23.00,Vomiting,23.00,,

869313,Abdominal pain,23.00,Decreased appetite,23.00,Listless,
23.00,,,,,
869314,Flushing,23.00,Pyrexia,23.00,,,,,
869316,Product physical issue,23.00,,,,,
869317,Rash,23.00,Skin hyperpigmentation,23.00,,,,,
869318,Pruritus,23.00,Rash,23.00,,,,,
869319,Product physical issue,23.00,,,,,
869320,Product physical issue,23.00,,,,,
869321,Product physical issue,23.00,,,,,
869324,Abdominal discomfort,23.00,Fatigue,23.00,Headache,
23.00,Malaise,23.00,Nausea,23.00
869324,Oropharyngeal pain,23.00,,,,,
869325,Hernia,23.00,Inguinal hernia repair,23.00,Injection site pain,
23.00,Laparoscopic surgery,23.00,,
869326,Cough,23.00,Rash,23.00,,,,,
869328,Unevaluable event,23.00,,,,,
869329,Feeling abnormal,23.00,Myalgia,23.00,Pain in extremity,
23.00,,,,,
869331,Immediate post-injection reaction,23.00,Injection site pain,
23.00,Joint range of motion decreased,23.00,Shoulder injury related to
vaccine administration,23.00,,
869332,Myalgia,23.00,Nausea,23.00,Vomiting,23.00,,,,,
869333,Rash,23.00,Rash pruritic,23.00,,,,,
869335,No adverse event,23.00,Product storage error,23.00,,,,,
869336,Facial bones fracture,23.00,Fall,23.00,Syncope,23.00,,,,,
869337,No adverse event,23.00,Product storage error,23.00,,,,,
869338,No adverse event,23.00,Product storage error,23.00,,,,,
869339,No adverse event,23.00,Product storage error,23.00,,,,,
869340,No adverse event,23.00,Product storage error,23.00,,,,,
869341,No adverse event,23.00,Product storage error,23.00,,,,,
869342,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
869343,Influenza,23.00,Pain in extremity,23.00,,,,,
869344,Feeling abnormal,23.00,Injection site pain,23.00,Pain,
23.00,Sensitive skin,23.00,,
869345,Chest discomfort,23.00,Cough,23.00,Diarrhoea,23.00,Headache,
23.00,Influenza,23.00
869346,Fatigue,23.00,Injection site swelling,23.00,Night sweats,
23.00,Pyrexia,23.00,,
869347,Culture stool negative,23.00,Diarrhoea,23.00,Diarrhoea
haemorrhagic,23.00,Irritability,23.00,Pyrexia,23.00
869348,Back pain,23.00,Injected limb mobility decreased,23.00,Pain,
23.00,Pain in extremity,23.00,Paraesthesia,23.00
869348,Periarthritis,23.00,Peripheral swelling,23.00,,,,,
869351,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
869352,Expired product administered,23.00,,,,,
869354,Exposure during pregnancy,23.00,Pain in extremity,
23.00,Prenatal screening test,23.00,,,,,
869355,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,

869356,Exposure during pregnancy,23.00,Lethargy,23.00,,,,,
869357,Erythema,23.00,Mobility decreased,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,,
869358,Laboratory test normal,23.00,Muscular weakness,23.00,Myalgia,
23.00,Paraesthesia,23.00,,
869359,Injection site bruising,23.00,Injection site swelling,
23.00,,,,,
869360,Urticaria,23.00,,,,,
869361,Hypersensitivity,23.00,,,,,
869362,Chills,23.00,Cough,23.00,Fatigue,23.00,Headache,23.00,Myalgia,
23.00
869362,Nasal congestion,23.00,Oropharyngeal pain,23.00,Pyrexia,
23.00,Rhinorrhoea,23.00,,
869363,Headache,23.00,,,,,
869364,Asthenia,23.00,Chills,23.00,Decreased appetite,
23.00,Hypoaesthesia,23.00,Malaise,23.00
869364,Night sweats,23.00,,,,,
869365,Injection site pain,23.00,Product administered at inappropriate
site,23.00,,,,,
869366,Rash,23.00,,,,,
869367,Incorrect dose administered,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,,,,,
869368,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,,,,,
869369,Product quality issue,23.00,Skin laceration,23.00,Syringe
issue,23.00,,,,,
869370,Erythema,23.00,Peripheral swelling,23.00,Pruritus,23.00,Skin
warm,23.00,Type III immune complex mediated reaction,23.00
869371,Asthenia,23.00,Influenza,23.00,Influenza virus test,
23.00,Vaccination failure,23.00,,
869372,Product quality issue,23.00,Skin laceration,23.00,Syringe
issue,23.00,,,,,
869373,Abdominal pain,23.00,Bacterial vaginosis,23.00,Caesarean
section,23.00,Exposure during pregnancy,23.00,Muscle spasms,23.00
869374,Cough,23.00,Dizziness,23.00,Expired product administered,
23.00,Urticaria,23.00,,
869375,Lymphadenopathy,23.00,,,,,
869376,Condition aggravated,23.00,Eczema,23.00,Phototherapy,
23.00,Rash,23.00,,
869377,Injection site erythema,23.00,Injection site pain,23.00,Product
administered to patient of inappropriate age,23.00,,,,,
869378,Pain in extremity,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
869379,Pain in extremity,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
869380,Pain in extremity,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
869381,Pain in extremity,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
869382,Dizziness,23.00,Grip strength decreased,23.00,Headache,

23.00,Pain in extremity,23.00,,
869383,Cough,23.00,Hypersensitivity,23.00,Lymphadenopathy,23.00,,,,,
869384,Injection site reaction,23.00,Rash erythematous,23.00,,,,,,
869385,Injection site pain,23.00,Injection site swelling,23.00,Rash,
23.00,,,,,
869386,Cough,23.00,Malaise,23.00,Pain,23.00,Rhinorrhoea,
23.00,Sneezing,23.00
869387,Cough,23.00,Malaise,23.00,Pain,23.00,Rhinorrhoea,
23.00,Sneezing,23.00
869388,Headache,23.00,Pain in extremity,23.00,Paraesthesia,
23.00,Rhinorrhoea,23.00,Sinusitis,23.00
869388,Sneezing,23.00,Vaccination complication,23.00,,,,,,
869389,Headache,23.00,Pain in extremity,23.00,Paraesthesia,
23.00,Rhinorrhoea,23.00,Sneezing,23.00
869390,Pain in extremity,23.00,,,,,,,
869391,Asthenia,23.00,Muscle twitching,23.00,Musculoskeletal
stiffness,23.00,Pain in extremity,23.00,,
869392,Diarrhoea,23.00,Erythema of eyelid,23.00,Eyelid rash,
23.00,Gastrointestinal pain,23.00,Headache,23.00
869392,Hordeolum,23.00,Parosmia,23.00,Rash,23.00,Rash erythematous,
23.00,Rash pruritic,23.00
869392,Rash pustular,23.00,Secretion discharge,23.00,Swelling face,
23.00,Swelling of eyelid,23.00,,
869394,Fatigue,23.00,Lymphadenopathy,23.00,,,,,,
869395,Hypoesthesia,23.00,Pain in extremity,23.00,,,,,,
869396,Extra dose administered,23.00,Pain in extremity,23.00,,,,,,
869397,Asthenia,23.00,Decreased appetite,23.00,Malaise,23.00,Nausea,
23.00,Pain in extremity,23.00
869398,Hypersensitivity,23.00,Pruritus,23.00,Rash,23.00,Skin test
positive,23.00,,
869399,Decreased appetite,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
869400,Fatigue,23.00,Hyperhidrosis,23.00,Oropharyngeal pain,23.00,,,,,
869402,Influenza,23.00,Influenza A virus test positive,
23.00,Vaccination failure,23.00,,,,,
869403,Erythema,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Peripheral swelling,23.00,Pyrexia,23.00
869404,Influenza,23.00,Vaccination failure,23.00,,,,,,
869405,Abdominal discomfort,23.00,Influenza,23.00,Influenza A virus
test positive,23.00,Pyrexia,23.00,Vaccination failure,23.00
869406,Fatigue,23.00,Influenza,23.00,Influenza A virus test positive,
23.00,Pyrexia,23.00,Vaccination failure,23.00
869407,Cough,23.00,Influenza,23.00,Influenza A virus test positive,
23.00,Malaise,23.00,Vaccination failure,23.00
869408,Chills,23.00,Cough,23.00,Headache,23.00,Impaired work ability,
23.00,Influenza,23.00
869408,Influenza A virus test positive,23.00,Oropharyngeal pain,
23.00,Pain,23.00,Paranasal sinus hypersecretion,23.00,Pyrexia,23.00
869408,Vaccination failure,23.00,,,,,,,
869409,Myalgia,23.00,,,,,,,

869410, Influenza, 23.00, Influenza virus test positive, 23.00, , , , , ,
869411, Fatigue, 23.00, Influenza, 23.00, Influenza virus test positive,
23.00, Malaise, 23.00, Pain, 23.00
869411, Pyrexia, 23.00, Vaccination failure, 23.00, , , , , ,
869412, Influenza, 23.00, Influenza A virus test positive,
23.00, Vaccination failure, 23.00, , , , ,
869413, Injection site erythema, 23.00, , , , , , , , ,
869414, Dizziness, 23.00, Fatigue, 23.00, Influenza, 23.00, Influenza A virus
test positive, 23.00, Nasopharyngitis, 23.00
869414, Oropharyngeal pain, 23.00, Pain, 23.00, Pyrexia, 23.00, Respiratory
tract congestion, 23.00, Throat irritation, 23.00
869414, Vaccination failure, 23.00, , , , , , , , ,
869417, Chills, 23.00, Cough, 23.00, Headache, 23.00, Influenza,
23.00, Influenza A virus test positive, 23.00
869417, Pain, 23.00, Pyrexia, 23.00, Respiratory tract congestion,
23.00, Vaccination failure, 23.00, , ,
869418, Loss of consciousness, 23.00, Nausea, 23.00, Vomiting, 23.00, , , , ,
869419, Asthenia, 23.00, Chills, 23.00, Cough, 23.00, Influenza,
23.00, Oropharyngeal pain, 23.00
869419, Pyrexia, 23.00, Vaccination failure, 23.00, , , , , , ,
869420, Influenza, 23.00, Influenza A virus test positive,
23.00, Oropharyngeal pain, 23.00, Pain, 23.00, Vaccination failure, 23.00
869421, Fatigue, 23.00, Infection, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, , ,
869422, Erythema, 23.00, Swelling, 23.00, , , , , , , ,
869423, Back pain, 23.00, Balance disorder, 23.00, Guillain-Barre syndrome,
23.00, Muscular weakness, 23.00, , ,
869425, Expired product administered, 23.00, , , , , , , , ,
869426, Asthenia, 23.00, Chills, 23.00, Headache, 23.00, Pyrexia, 23.00, , ,
869427, Influenza like illness, 23.00, Pyrexia, 23.00, Social problem,
23.00, , , , , ,
869428, Inappropriate schedule of product administration, 23.00, Social
problem, 23.00, , , , , , , , ,
869429, Myalgia, 23.00, Pain, 23.00, , , , , , , , ,
869430, Inappropriate schedule of product administration, 23.00, Social
problem, 23.00, , , , , , , , ,
869431, Injection site pain, 23.00, Pain, 23.00, Pain in extremity,
23.00, , , , , , , , ,
869434, Asthenia, 23.00, Injection site pain, 23.00, Injection site warmth,
23.00, Limb discomfort, 23.00, Muscular weakness, 23.00
869434, Neck pain, 23.00, Pain in extremity, 23.00, Rotator cuff syndrome,
23.00, , , , , , , , ,
869435, Paraesthesia, 23.00, , , , , , , , , , ,
869436, Body temperature decreased, 23.00, Chills, 23.00, Computerised
tomogram, 23.00, Dyspnoea, 23.00, Electrocardiogram, 23.00
869436, Intensive care, 23.00, Peripheral coldness, 23.00, Tremor, 23.00, , , , ,
869439, Injection site pruritus, 23.00, Injection site rash,
23.00, Injection site swelling, 23.00, Injection site vesicles,
23.00, Injection site warmth, 23.00
869440, Erythema, 23.00, Local reaction, 23.00, Skin warm, 23.00, , , , ,

869444, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869445, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869446, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869447, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869448, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869449, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869450, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869451, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869452, Injection site mass, 23.00, , , , , , , ,
869453, Rheumatoid arthritis, 23.00, , , , , , , ,
869454, Pain in extremity, 23.00, , , , , , , ,
869457, Erythema of eyelid, 23.00, Eye infection, 23.00, Swelling of
eyelid, 23.00, Tic, 23.00, Urticaria, 23.00
869458, Screaming, 23.00, , , , , , , ,
869459, Abdominal distension, 23.00, Chills, 23.00, Eructation,
23.00, Headache, 23.00, Hypersomnia, 23.00
869459, Injection site pain, 23.00, Injection site rash, 23.00, Injection
site swelling, 23.00, Myalgia, 23.00, ,
869462, Cold sweat, 23.00, Feeling cold, 23.00, Pallor, 23.00, Seizure,
23.00, Snoring, 23.00
869462, Syncope, 23.00, , , , , , , ,
869463, Erythema, 23.00, Nodule, 23.00, , , , , , ,
869464, Chills, 23.00, Inflammation, 23.00, Injected limb mobility
decreased, 23.00, Musculoskeletal pain, 23.00, Pain, 23.00
869465, Acoustic stimulation tests, 23.00, Deafness, 23.00, Dysacusis,
23.00, Hearing aid user, 23.00, Pain in jaw, 23.00
869466, Arthralgia, 23.00, Dyskinesia, 23.00, Injection site swelling,
23.00, Neck pain, 23.00, Pain in extremity, 23.00
869467, Acoustic stimulation tests, 23.00, Deafness unilateral,
23.00, Hearing aid user, 23.00, Pain in jaw, 23.00, ,
869468, Erythema, 23.00, , , , , , , ,
869469, Confusional state, 23.00, Gait disturbance, 23.00, Hypersomnia,
23.00, Memory impairment, 23.00, ,
869488, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869489, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869490, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869491, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869492, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869493, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869494, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869495, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869496, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869497, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869498, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869499, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869500, Product storage error, 23.00, , , , , , , ,
869502, Pyrexia, 23.00, , , , , , , ,
869503, Rash vesicular, 23.00, , , , , , , ,
869504, Adverse reaction, 23.00, , , , , , , ,
869505, Headache, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia, 23.00, ,

869506, Influenza like illness, 23.00, , , , , , , , , , ,
869508, Injection site bruising, 23.00, Injection site erythema,
23.00, Injection site rash, 23.00, Injection site reaction,
23.00, Injection site warmth, 23.00
869508, Rash macular, 23.00, , , , , , , , , , ,
869509, Arthralgia, 23.00, Bone pain, 23.00, Immediate post-injection
reaction, 23.00, Injection site pain, 23.00, Pain, 23.00
869509, Pain in extremity, 23.00, , , , , , , , , , ,
869510, Chills, 23.00, Pain in extremity, 23.00, , , , , , , , , , ,
869511, Injection site induration, 23.00, Injection site pruritus,
23.00, Myalgia, 23.00, Pyrexia, 23.00, Urticaria, 23.00
869512, Pruritus, 23.00, Rash erythematous, 23.00, Swollen tongue, 23.00, , , , ,
869513, Arthralgia, 23.00, Fatigue, 23.00, Malaise, 23.00, Memory impairment,
23.00, Pyrexia, 23.00
869513, Sensation of foreign body, 23.00, , , , , , , , , , ,
869514, Erythema, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , , ,
869518, Myalgia, 23.00, , , , , , , , , , ,
869519, Myalgia, 23.00, , , , , , , , , , ,
869520, Arthralgia, 23.00, Burning sensation, 23.00, Headache, 23.00, Pain,
23.00, Pyrexia, 23.00
869521, Neuralgia, 23.00, Paraesthesia, 23.00, Pruritus, 23.00, Rash, 23.00, ,
869522, Loss of consciousness, 23.00, , , , , , , , , , ,
869523, Chills, 23.00, Fatigue, 23.00, Gingival swelling, 23.00, Headache,
23.00, Lip swelling, 23.00
869523, Nausea, 23.00, Pain, 23.00, Peripheral swelling, 23.00, Pyrexia,
23.00, , ,
869524, Injection site rash, 23.00, Multiple sclerosis relapse,
23.00, Muscle spasticity, 23.00, Rash, 23.00, , ,
869525, Abnormal behaviour, 23.00, "Hallucination, visual", 23.00, Pyrexia,
23.00, , , , ,
869526, Fall, 23.00, Guillain-Barre syndrome, 23.00, Immunoglobulin
therapy, 23.00, Muscular weakness, 23.00, , ,
869527, Balance disorder, 23.00, Dizziness, 23.00, Erythema, 23.00, Limb
discomfort, 23.00, Local reaction, 23.00
869527, Muscular weakness, 23.00, Nausea, 23.00, Swelling, 23.00, , , , ,
869530, Abdominal discomfort, 23.00, Bedridden, 23.00, Myalgia, 23.00, , , , ,
869531, Headache, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
869533, Arthralgia, 23.00, Chills, 23.00, Headache, 23.00, Myalgia,
23.00, Nausea, 23.00
869533, Pyrexia, 23.00, , , , , , , , , , ,
869534, Cyanosis, 23.00, Feeling cold, 23.00, Hyperhidrosis, 23.00, Injection
site erythema, 23.00, Injection site swelling, 23.00
869534, Injection site warmth, 23.00, Irritability, 23.00, Pallor, 23.00, , , , ,
869535, Asthenia, 23.00, Malaise, 23.00, Skin ulcer, 23.00, , , , ,
869536, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , ,
869544, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, , , , ,
869545, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, , , , ,
869547, Abdominal discomfort, 23.00, Myalgia, 23.00, Vomiting, 23.00, , , , ,
869548, Astigmatism, 23.00, Cataract, 23.00, Choroidal neovascularisation,

23.00,Hypermetropia,23.00,Macular cyst,23.00
869548,Macular degeneration,23.00,Macular dystrophy congenital,
23.00,Macular hole,23.00,Macular pseudohole,23.00,Maculopathy,23.00
869548,Neovascular age-related macular degeneration,23.00,Presbyopia,
23.00,Serous retinal detachment,23.00,Vision blurred,23.00,Vitreous
detachment,23.00
869549,Abdominal pain upper,23.00,Injection site reaction,23.00,Pain,
23.00,Pyrexia,23.00,,
869550,Headache,23.00,Pyrexia,23.00,,,,,
869551,Blood magnesium,23.00,Blood magnesium increased,23.00,Blood
osmolarity decreased,23.00,Blood phosphorus,23.00,Blood phosphorus
normal,23.00
869551,Carbon dioxide,23.00,Chest X-ray normal,23.00,Cough,
23.00,Culture urine,23.00,Culture urine negative,23.00
869551,Differential white blood cell count,23.00,Dyskinesia,23.00,Full
blood count normal,23.00,Hypopnoea,23.00,Influenza virus test
negative,23.00
869551,Lymphocyte count normal,23.00,Lymphocyte percentage decreased,
23.00,Metabolic function test,23.00,Musculoskeletal stiffness,
23.00,Neutrophil percentage decreased,23.00
869551,Pyrexia,23.00,Respiratory syncytial virus test negative,
23.00,SARS-CoV-2 test,23.00,Somnolence,23.00,Staring,23.00
869551,Streptococcus test negative,23.00,Urine analysis,23.00,Urine
ketone body present,23.00,,,,
869555,Pain,23.00,Pyrexia,23.00,,,,,
869556,Gastroenteritis viral,23.00,Nausea,23.00,Social problem,
23.00,Vomiting,23.00,,
869559,Injection site erythema,23.00,Injection site induration,
23.00,Pyrexia,23.00,,,,
869560,Cyanosis,23.00,Hypotonia,23.00,Seizure like phenomena,
23.00,Tonic clonic movements,23.00,,
869561,Body temperature increased,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Pain,23.00,,
869562,Arthropod sting,23.00,Burning sensation,23.00,Herpes zoster,
23.00,Pruritus,23.00,,
869563,Arthralgia,23.00,Asthenia,23.00,Pain in extremity,23.00,,,,
869564,Consciousness fluctuating,23.00,Dizziness,23.00,Eye movement
disorder,23.00,Fatigue,23.00,Pallor,23.00
869564,Retching,23.00,Syncope,23.00,Urinary incontinence,
23.00,Vomiting,23.00,,
869565,Injection site erythema,23.00,Injection site induration,
23.00,Injection site nodule,23.00,Injection site warmth,
23.00,Peripheral swelling,23.00
869566,Contusion,23.00,Swelling,23.00,Tachycardia,23.00,,,,
869567,Discomfort,23.00,Feeling cold,23.00,Hyperhidrosis,23.00,,,,
869568,Condition aggravated,23.00,Ear infection,23.00,Fungal
infection,23.00,Gastrointestinal motility disorder,23.00,Insomnia,
23.00
869568,Muscle spasms,23.00,Nasopharyngitis,23.00,Screaming,23.00,,,,
869569,Arthralgia,23.00,Back pain,23.00,Burning sensation,

23.00, Chills, 23.00, Feeling cold, 23.00
869569, Hyperhidrosis, 23.00, Influenza virus test negative,
23.00, Myalgia, 23.00, Neck pain, 23.00, Pain, 23.00
869569, Pain in extremity, 23.00, , , , , , , ,
869576, Antibody test negative, 23.00, Viral titre, 23.00, , , , , , , ,
869577, Burning sensation, 23.00, Cellulitis, 23.00, Herpes zoster,
23.00, Post herpetic neuralgia, 23.00, Rash, 23.00
869578, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
869579, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
869580, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
869581, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , ,
869582, Anaphylactic reaction, 23.00, , , , , , , ,
869583, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
869584, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
869585, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
869586, Product dose omission, 23.00, , , , , , , ,
869587, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869588, Chills, 23.00, , , , , , , ,
869589, Injection site erythema, 23.00, , , , , , , ,
869590, Chills, 23.00, Headache, 23.00, , , , , , , ,
869591, Coeliac disease, 23.00, Hepatitis B antibody negative,
23.00, Social problem, 23.00, Therapeutic response decreased, 23.00, , ,
869592, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , , ,
869593, Oral herpes, 23.00, , , , , , , ,
869594, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00, Sleep disorder, 23.00, , ,
869595, Influenza like illness, 23.00, , , , , , , ,
869596, Injection site discomfort, 23.00, , , , , , , ,
869597, Injection site swelling, 23.00, Urticaria, 23.00, , , , , , , ,
869598, Nodule, 23.00, , , , , , , ,
869599, Eye swelling, 23.00, Peripheral swelling, 23.00, , , , , , , ,
869600, Chills, 23.00, Ocular discomfort, 23.00, Pain, 23.00, Pain in
extremity, 23.00, Periorbital swelling, 23.00
869600, Pyrexia, 23.00, , , , , , , ,
869601, Pain, 23.00, , , , , , , ,
869602, Breast cancer female, 23.00, Radiotherapy, 23.00, , , , , , , ,
869603, Abnormal behaviour, 23.00, Anxiety, 23.00, Depression,
23.00, Fatigue, 23.00, Hypersomnia, 23.00
869603, Irritability, 23.00, Pain, 23.00, Somnolence, 23.00, , , , ,
869606, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
869607, Pruritus, 23.00, Urticaria, 23.00, , , , , , , ,
869608, Rash, 23.00, , , , , , , ,
869609, Pyrexia, 23.00, , , , , , , ,
869611, Rash, 23.00, Sinusitis, 23.00, Social problem, 23.00, , , , ,
869612, Erythema, 23.00, Full blood count, 23.00, Hypersensitivity,
23.00, Mobility decreased, 23.00, Pain in extremity, 23.00
869612, Peripheral swelling, 23.00, , , , , , , ,
869613, Dizziness, 23.00, Eye movement disorder, 23.00, Pallor, 23.00, , , , ,
869614, Chills, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, Skin
burning sensation, 23.00

869614, Skin swelling, 23.00, , , , , , , , ,
869615, Cyanosis, 23.00, Pyrexia, 23.00, Tremor, 23.00, , , , ,
869620, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , ,
869621, Influenza, 23.00, Pain, 23.00, , , , , , , ,
869622, Herpes zoster, 23.00, Rash, 23.00, Vaccination failure, 23.00, , , , ,
869624, Dyspnoea, 23.00, Electrocardiogram ambulatory, 23.00, Heart rate increased, 23.00, Influenza, 23.00, Vaccination failure, 23.00
869625, Chest X-ray normal, 23.00, Pneumonia, 23.00, Social problem, 23.00, , , , , ,
869626, Biopsy, 23.00, Blood test, 23.00, Chemotherapy, 23.00, Feeling abnormal, 23.00, Injection site pain, 23.00
869627, Hypoaesthesia, 23.00, Injection site swelling, 23.00, Mobility decreased, 23.00, Pain in extremity, 23.00, ,
869628, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , ,
869630, Hypersensitivity, 23.00, , , , , , , , ,
869631, Body temperature increased, 23.00, Chills, 23.00, Headache, 23.00, Malaise, 23.00, Pain, 23.00
869632, Musculoskeletal stiffness, 23.00, , , , , , , , ,
869633, Back pain, 23.00, Mobility decreased, 23.00, , , , , , , ,
869634, Migraine, 23.00, Musculoskeletal stiffness, 23.00, , , , , , , ,
869635, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
869636, Lethargy, 23.00, Rash erythematous, 23.00, , , , , , , ,
869637, Injection site erythema, 23.00, , , , , , , , ,
869638, Injection site erythema, 23.00, , , , , , , , ,
869639, Immediate post-injection reaction, 23.00, Injection site induration, 23.00, Injection site nodule, 23.00, , , , ,
869640, Asthenia, 23.00, Loss of personal independence in daily activities, 23.00, Mobility decreased, 23.00, Musculoskeletal pain, 23.00, ,
869641, Musculoskeletal pain, 23.00, Tenderness, 23.00, , , , , , , ,
869642, Musculoskeletal pain, 23.00, Tenderness, 23.00, , , , , , , ,
869660, Injection site pain, 23.00, Pain in extremity, 23.00, , , , , , , ,
869661, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
869662, Erythema, 23.00, Pain in extremity, 23.00, Skin warm, 23.00, , , , ,
869663, Product preparation issue, 23.00, , , , , , , , ,
869664, Injection site mass, 23.00, , , , , , , , ,
869665, Tremor, 23.00, , , , , , , , ,
869666, Arthralgia, 23.00, Bacterial test negative, 23.00, C-reactive protein increased, 23.00, Dehydration, 23.00, Fatigue, 23.00
869666, Headache, 23.00, Influenza virus test negative, 23.00, Malaise, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00
869666, Rash, 23.00, Viral test negative, 23.00, , , , , , , ,
869667, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , ,
869668, Abdominal pain, 23.00, Chills, 23.00, Dizziness, 23.00, Pain, 23.00, Pyrexia, 23.00
869668, Vomiting, 23.00, , , , , , , , ,
869669, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , ,

869670, Erythema, 23.00, Swelling, 23.00, , , , , , ,
869671, Anxiety, 23.00, Asthenia, 23.00, Chest discomfort, 23.00, Chills, 23.00, Hyperhidrosis, 23.00
869671, Hyperventilation, 23.00, Lip discoloration, 23.00, Pallor, 23.00, Paraesthesia, 23.00, Visual impairment, 23.00
869672, Erythema, 23.00, Swelling, 23.00, , , , , , ,
869673, Electroencephalogram abnormal, 23.00, Magnetic resonance imaging normal, 23.00, Seizure, 23.00, , , , ,
869674, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , ,
869675, Injected limb mobility decreased, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Musculoskeletal stiffness, 23.00, Pain, 23.00
869676, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , ,
869677, Crying, 23.00, Neck pain, 23.00, , , , , , ,
869678, Feeling hot, 23.00, Irritability, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Screaming, 23.00
869679, Body temperature increased, 23.00, Chills, 23.00, Fatigue, 23.00, Flushing, 23.00, Pain, 23.00
869679, Peripheral coldness, 23.00, Piloerection, 23.00, , , , , , ,
869680, Pain in extremity, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, Ultrasound Doppler, 23.00, ,
869681, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site warmth, 23.00, , , , , , ,
869682, Lethargy, 23.00, Vomiting, 23.00, , , , , , ,
869692, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869693, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869694, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869695, Inappropriate schedule of product administration, 23.00, , , , , , , ,
869696, Adverse reaction, 23.00, , , , , , , ,
869697, Asthenia, 23.00, Dizziness, 23.00, Eye pain, 23.00, Head discomfort, 23.00, Headache, 23.00
869697, Injection site pain, 23.00, Laboratory test normal, 23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00, Mobility decreased, 23.00
869697, Nausea, 23.00, Oropharyngeal pain, 23.00, Pustule, 23.00, Rash, 23.00, ,
869699, Injection site erythema, 23.00, Injection site mass, 23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00, ,
869700, Autism spectrum disorder, 23.00, Extra dose administered, 23.00, , , , , , ,
869702, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
869703, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site reaction, 23.00, Injection site swelling, 23.00
869703, Injection site vesicles, 23.00, Injection site warmth, 23.00, Skin exfoliation, 23.00, , , , ,
869705, Dermatitis, 23.00, Incorrect route of product administration,

23.00,Pain of skin,23.00,Skin warm,23.00,,
869706,No adverse event,23.00,Product storage error,23.00,,,,,,
869707,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
869708,Headache,23.00,Muscular weakness,23.00,Myalgia,23.00,Pyrexia,
23.00,,
869709,Contusion,23.00,Erythema,23.00,Induration,23.00,,,,,
869710,No adverse event,23.00,Wrong product administered,23.00,,,,,,
869711,Decreased appetite,23.00,Haematochezia,23.00,,,,,,
869712,Inflammation,23.00,Injection site pain,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,,
869713,Chills,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,Tremor,
23.00
869716,Condition aggravated,23.00,Contusion,23.00,Drug ineffective,
23.00,Fatigue,23.00,Genital herpes,23.00
869716,Headache,23.00,Pain,23.00,Product administered at inappropriate
site,23.00,Skin discolouration,23.00,Swelling,23.00
869716,Underdose,23.00,,,,,,
869717,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
869718,Erythema,23.00,,,,,,
869721,Injection site erythema,23.00,Injection site warmth,23.00,,,,,
869722,Bacterial test,23.00,Incisional drainage,23.00,Injection site
abscess,23.00,Injection site cellulitis,23.00,Injection site dryness,
23.00
869722,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pustule,23.00,Injection site scab,23.00,Injection
site swelling,23.00
869723,Immediate post-injection reaction,23.00,Pain,23.00,Scab,
23.00,Skin exfoliation,23.00,Tenderness,23.00
869723,Urticaria,23.00,,,,,,
869724,Arthralgia,23.00,Fatigue,23.00,Injection site urticaria,
23.00,,,,,
869726,Myalgia,23.00,,,,,,
869727,Muscular weakness,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
869732,Ophthalmological examination,23.00,Paraesthesia,23.00,Rash,
23.00,Swelling,23.00,,
869733,Erythema,23.00,Inflammation,23.00,,,,,,
869734,Abdominal discomfort,23.00,Diarrhoea,23.00,Dizziness,
23.00,Fatigue,23.00,Flushing,23.00
869734,Gait disturbance,23.00,Head discomfort,23.00,Headache,
23.00,Muscular weakness,23.00,Pain in extremity,23.00
869734,Rash,23.00,Tenderness,23.00,,,,,,
869735,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,,
869736,Dizziness,23.00,Fall,23.00,Feeling hot,23.00,Hyperhidrosis,
23.00,Vomiting,23.00
869737,Dyskinesia,23.00,Loss of consciousness,23.00,,,,,,
869738,Injection site erythema,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Injection site swelling,

23.00, Pyrexia, 23.00
869738, Rash vesicular, 23.00, Urticaria, 23.00, , , , , ,
869739, Blister, 23.00, Herpes zoster, 23.00, Pain in extremity, 23.00, Rash erythematous, 23.00, ,
869740, Abdominal distension, 23.00, Allergy test, 23.00, Biopsy, 23.00, Blood immunoglobulin A decreased, 23.00, Colonoscopy abnormal, 23.00
869740, Conjunctivitis, 23.00, Crying, 23.00, Decreased appetite, 23.00, Diarrhoea, 23.00, Endoscopy abnormal, 23.00
869740, Erythema, 23.00, Eye movement disorder, 23.00, Failure to thrive, 23.00, Food allergy, 23.00, Gastrointestinal inflammation, 23.00
869740, Hyporesponsive to stimuli, 23.00, Hypotonia, 23.00, Immune system disorder, 23.00, Immunodeficiency, 23.00, Immunology test, 23.00
869740, Listless, 23.00, Malaise, 23.00, Mannose-binding lectin deficiency, 23.00, Moaning, 23.00, Oesophagitis, 23.00
869740, Pyrexia, 23.00, Vomiting, 23.00, Weight gain poor, 23.00, , , , ,
869741, Dehydration, 23.00, Diarrhoea, 23.00, Incontinence, 23.00, Vomiting projectile, 23.00, ,
869742, Condition aggravated, 23.00, Fatigue, 23.00, Headache, 23.00, Insomnia, 23.00, Nausea, 23.00
869742, Pain, 23.00, Pain in extremity, 23.00, , , , , ,
869743, Guillain-Barre syndrome, 23.00, , , , , , , ,
869744, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , , , ,
869745, Pain in extremity, 23.00, Pyrexia, 23.00, , , , , ,
869746, Cellulitis, 23.00, Inflammation, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00
869746, White blood cell count increased, 23.00, , , , , , , ,
869750, Amyotrophic lateral sclerosis, 23.00, Biopsy muscle abnormal, 23.00, Gait disturbance, 23.00, Hypoaesthesia, 23.00, Motor neurone disease, 23.00
869750, Movement disorder, 23.00, Muscle spasms, 23.00, Muscular weakness, 23.00, Myalgia, 23.00, Nerve conduction studies abnormal, 23.00
869750, Neuropathic muscular atrophy, 23.00, Neuropathy peripheral, 23.00, Peripheral sensorimotor neuropathy, 23.00, Peroneal nerve palsy, 23.00, ,
869751, Cerebrovascular accident, 23.00, Condition aggravated, 23.00, Confusional state, 23.00, Memory impairment, 23.00, Transient ischaemic attack, 23.00
869752, Injection site extravasation, 23.00, Injection site pain, 23.00, Injection site rash, 23.00, , , , ,
869753, Fatigue, 23.00, Headache, 23.00, Hypersensitivity, 23.00, Lip swelling, 23.00, Nasal congestion, 23.00
869753, Nausea, 23.00, , , , , , , ,
869754, Erythema, 23.00, , , , , , , ,
869755, Erythema, 23.00, , , , , , , ,
869756, Skin reaction, 23.00, Skin warm, 23.00, , , , , , ,
869757, Feeling abnormal, 23.00, Injection site mass, 23.00, Injection site pruritus, 23.00, Pyrexia, 23.00, ,
869758, Chills, 23.00, Vomiting, 23.00, , , , , , ,

869759,Condition aggravated,23.00,Exposure during pregnancy,
23.00,Malaise,23.00,,,,,
869760,Injection site erythema,23.00,,,,,,
869761,Injection site erythema,23.00,Local reaction,23.00,,,,,
869762,Diarrhoea,23.00,Expired product administered,23.00,,,,,
869763,Arthralgia,23.00,Bone pain,23.00,Feeling abnormal,
23.00,Myalgia,23.00,Pyrexia,23.00
869765,Blood test,23.00,Hepatitis A,23.00,Hepatitis A virus test
positive,23.00,,,,,
869766,Pain in extremity,23.00,,,,,,
869767,Hypersensitivity,23.00,Rash,23.00,,,,,
869768,Dizziness,23.00,Visual impairment,23.00,,,,,
869769,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Injection site warmth,23.00
869770,Asthenia,23.00,Oral herpes,23.00,,,,,
869771,Arthralgia,23.00,Immediate post-injection reaction,
23.00,Injection site pain,23.00,,,,,
869772,Injection site discomfort,23.00,Muscle discomfort,23.00,,,,,
869773,Ear discomfort,23.00,Tinnitus,23.00,,,,,
869774,C-reactive protein normal,23.00,Full blood count normal,
23.00,Granulocyte count increased,23.00,Headache,23.00,Lymphocyte
count decreased,23.00
869774,Metabolic function test normal,23.00,Nausea,23.00,,,,,
869775,Dizziness,23.00,Erythema,23.00,Feeling abnormal,23.00,Feeling
hot,23.00,Hypersensitivity,23.00
869775,Post procedural stroke,23.00,,,,,,
869776,Arthralgia,23.00,Asthenia,23.00,Attention deficit hyperactivity
disorder,23.00,Disturbance in attention,23.00,Dizziness,23.00
869776,Dysgraphia,23.00,Feeling abnormal,23.00,Full blood count,
23.00,Headache,23.00,Influenza like illness,23.00
869776,Lethargy,23.00,Magnetic resonance imaging,23.00,Memory
impairment,23.00,Pallor,23.00,Reading disorder,23.00
869776,Speech disorder,23.00,,,,,,
869778,Extra dose administered,23.00,,,,,,
869779,Chills,23.00,Headache,23.00,Hyperhidrosis,23.00,Neck pain,
23.00,Pyrexia,23.00
869780,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00
869787,Lip blister,23.00,Oral herpes,23.00,,,,,
869789,Herpes zoster,23.00,,,,,,
869790,Injection site pain,23.00,Joint range of motion decreased,
23.00,Pain,23.00,,,,,
869791,Chest X-ray abnormal,23.00,Cough,23.00,Dyspnoea,23.00,Influenza
virus test negative,23.00,Pneumonia,23.00
869791,Pyrexia,23.00,Respiratory syncytial virus test negative,
23.00,Respiratory tract congestion,23.00,Rhinorrhoea,23.00,Wheezing,
23.00
869793,Chills,23.00,Dizziness,23.00,Injection site pain,23.00,,,,,
869798,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,,

869799, Immediate post-injection reaction, 23.00, Oral herpes, 23.00, Paraesthesia oral, 23.00, Vaccine positive rechallenge, 23.00,,
869800, Abdominal discomfort, 23.00, Blister, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00
869800, Rash erythematous, 23.00, Skin discolouration, 23.00,,,,,
869801, Blood glucose fluctuation, 23.00, Depressed level of consciousness, 23.00, Vomiting, 23.00,,,,
869803, Urticaria, 23.00,,,,,
869804, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00,,,,
869805, Faeces discoloured, 23.00, Swelling face, 23.00,,,,,
869806, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00, Myalgia, 23.00, Rash vesicular, 23.00
869806, Vaccination site pain, 23.00, Vaccination site reaction, 23.00, Vaccination site swelling, 23.00,,,,
869807, Chest pain, 23.00, Dyspnoea, 23.00, Influenza like illness, 23.00,,,,
869808, Injected limb mobility decreased, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Pain, 23.00
869809, Rash, 23.00, Rash erythematous, 23.00, Urticaria, 23.00,,,,
869811, Herpes zoster, 23.00, Pruritus, 23.00, Rash, 23.00, Viral test positive, 23.00,,
869815, Skin warm, 23.00, Swelling, 23.00,,,,,
869816, Erythema, 23.00, Peripheral swelling, 23.00,,,,,
869817, Asthenia, 23.00, Chills, 23.00, Nausea, 23.00, Oropharyngeal pain, 23.00, Pain, 23.00
869817, Pyrexia, 23.00,,,,,
869819, Burning sensation, 23.00, Neuralgia, 23.00,,,,,
869820, Dehydration, 23.00, Headache, 23.00, Hypersensitivity, 23.00, Injection site erythema, 23.00, Injection site induration, 23.00
869820, Injection site pain, 23.00, Injection site rash, 23.00, Injection site swelling, 23.00, Injection site urticaria, 23.00, Injection site warmth, 23.00
869820, Pyrexia, 23.00, Tachycardia, 23.00,,,,,
869822, Product preparation issue, 23.00,,,,,
869823, Activated partial thromboplastin time, 23.00, Albumin urine present, 23.00, Alpha 1 microglobulin, 23.00, Antinuclear antibody positive, 23.00, Blood albumin increased, 23.00
869823, Blood chloride increased, 23.00, Blood immunoglobulin G normal, 23.00, Blood immunoglobulin M normal, 23.00, CD4 lymphocytes, 23.00, CD4/CD8 ratio, 23.00
869823, Complement factor C3 increased, 23.00, Connective tissue disorder, 23.00, Electrophoresis protein abnormal, 23.00, Feeling abnormal, 23.00, Flow cytometry, 23.00
869823, Immunoglobulins decreased, 23.00, Laboratory test, 23.00, Light chain analysis, 23.00, Lymphadenopathy, 23.00, Musculoskeletal disorder, 23.00
869823, Paraesthesia, 23.00, Paralysis, 23.00, Tinnitus, 23.00, Urine leukocyte esterase, 23.00,,
869826, Pyrexia, 23.00, Rash, 23.00,,,,,

869827,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
869829,Myalgia,23.00,Pyrexia,23.00,,,,,,,,,
869830,Angina pectoris,23.00,Neck pain,23.00,,,,,,,,,
869831,Arthritis,23.00,Arthroscopic surgery,23.00,Arthroscopy,
23.00,Asthenia,23.00,Bursitis,23.00
869831,Fatigue,23.00,Injection site pain,23.00,Insomnia,23.00,Joint
debridement,23.00,Joint injection,23.00
869831,Loss of personal independence in daily activities,
23.00,Magnetic resonance imaging abnormal,23.00,Pain,23.00,Rotator
cuff repair,23.00,Rotator cuff syndrome,23.00
869831,Shoulder arthroplasty,23.00,Tenodesis,23.00,Tenotomy,23.00,,,,,
869832,Eye pain,23.00,Laboratory test,23.00,,,,,,,,,
869833,Chest pain,23.00,Headache,23.00,Heart rate increased,
23.00,Hypotension,23.00,,
869834,Breath holding,23.00,Crying,23.00,Dyskinesia,23.00,Eye movement
disorder,23.00,Musculoskeletal stiffness,23.00
869834,Skin discolouration,23.00,Tremor,23.00,,,,,,,,,
869836,Pain in extremity,23.00,,,,,,,,,
869837,Erythema,23.00,Pruritus,23.00,Rash maculo-papular,23.00,,,,,
869838,Rash,23.00,,,,,,,,,
869839,Chills,23.00,Influenza like illness,23.00,Lethargy,
23.00,Musculoskeletal pain,23.00,Pain,23.00
869840,Rash pruritic,23.00,,,,,,,,,
869841,Arthralgia,23.00,Bedridden,23.00,Fatigue,23.00,Musculoskeletal
pain,23.00,Nausea,23.00
869841,Pain in extremity,23.00,Vaccination site bruising,23.00,,,,,,,,,
869842,Altered state of consciousness,23.00,Disturbance in attention,
23.00,Glassy eyes,23.00,Lethargy,23.00,Pyrexia,23.00
869842,Somnolence,23.00,Staring,23.00,,,,,,,,,
869843,Bed rest,23.00,Bedridden,23.00,Chills,23.00,Fatigue,
23.00,Headache,23.00
869843,Nausea,23.00,Oropharyngeal pain,23.00,Tremor,23.00,Vertigo,
23.00,,
869844,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Injection site
erythema,23.00,Injection site pain,23.00
869844,Injection site swelling,23.00,Injection site warmth,23.00,Pain,
23.00,Pyrexia,23.00,Visual impairment,23.00
869845,Pain,23.00,Swelling,23.00,,,,,,,,,
869846,Rash,23.00,,,,,,,,,
869847,Erythema,23.00,Induration,23.00,Pain,23.00,Pruritus,23.00,,
869848,Blister,23.00,Neuralgia,23.00,Pain,23.00,Sensitive skin,23.00,,
869849,Peripheral swelling,23.00,Rash,23.00,Urticaria,23.00,,,,,
869850,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
869862,Urticaria,23.00,,,,,,,,,
869863,Immediate post-injection reaction,23.00,Injection site pain,
23.00,,,,,,,,,
869864,Chills,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Pain,23.00
869864,Pyrexia,23.00,,,,,,,,,

869865,Anal sphincter atony,23.00,Bladder sphincter atony,
23.00,Computerised tomogram head normal,23.00,Computerised tomogram
normal,23.00,Computerised tomogram spine,23.00
869865,Herpes zoster,23.00,Hypoaesthesia,23.00,Lumbar puncture,
23.00,Magnetic resonance imaging brain normal,23.00,Magnetic resonance
imaging spinal abnormal,23.00
869865,Pain,23.00,Vertebral osteophyte,23.00,Viral myelitis,23.00,,,,,
869870,Chills,23.00,Chromaturia,23.00,Dysuria,23.00,Headache,
23.00,Injection site rash,23.00
869870,Micturition urgency,23.00,Night sweats,23.00,Pain,
23.00,Pyrexia,23.00,Weight increased,23.00
869871,Atrophy,23.00,Fatigue,23.00,Headache,23.00,Injection site
erythema,23.00,Irritability,23.00
869871,Peripheral swelling,23.00,Skin warm,23.00,Somnolence,23.00,,,,,
869872,Arthralgia,23.00,Chills,23.00,Computerised tomogram normal,
23.00,Dizziness,23.00,Feeling hot,23.00
869872,Head injury,23.00,Headache,23.00,Hyperhidrosis,23.00,Injection
site pain,23.00,Loss of consciousness,23.00
869872,Nausea,23.00,Pain in extremity,23.00,Swelling face,23.00,Vision
blurred,23.00,Vomiting,23.00
869872,X-ray normal,23.00,,,,,,
869873,Fatigue,23.00,Headache,23.00,Injection site erythema,
23.00,Myalgia,23.00,Vaccination site pain,23.00
869874,Axillary pain,23.00,Decreased appetite,23.00,Dizziness,
23.00,Fatigue,23.00,Headache,23.00
869874,Injection site erythema,23.00,Myalgia,23.00,Nausea,23.00,,,,,
869875,Discomfort,23.00,Gait disturbance,23.00,Lethargy,23.00,Pallor,
23.00,Pyrexia,23.00
869876,Chills,23.00,Dizziness,23.00,Somnolence,23.00,Tremor,23.00,,
869917,No adverse event,23.00,Product storage error,23.00,,,,,
869918,No adverse event,23.00,Product storage error,23.00,,,,,
869919,No adverse event,23.00,Product storage error,23.00,,,,,
869920,No adverse event,23.00,Product storage error,23.00,,,,,
869921,Expired product administered,23.00,No adverse event,23.00,,,,,
869922,Androgen deficiency,23.00,Injection site reaction,23.00,,,,,
869923,No adverse event,23.00,Product storage error,23.00,,,,,
869924,No adverse event,23.00,Product storage error,23.00,,,,,
869925,No adverse event,23.00,Product storage error,23.00,,,,,
869926,Expired product administered,23.00,No adverse event,23.00,,,,,
869927,No adverse event,23.00,Product storage error,23.00,,,,,
869928,No adverse event,23.00,Product storage error,23.00,,,,,
869929,No adverse event,23.00,Product storage error,23.00,,,,,
869930,No adverse event,23.00,Product storage error,23.00,,,,,
869931,No adverse event,23.00,Product storage error,23.00,,,,,
869932,No adverse event,23.00,Product storage error,23.00,,,,,
869933,No adverse event,23.00,Product storage error,23.00,,,,,
869934,No adverse event,23.00,Product storage error,23.00,,,,,
869935,No adverse event,23.00,Product storage error,23.00,,,,,
869936,No adverse event,23.00,Product storage error,23.00,,,,,
869937,No adverse event,23.00,Product storage error,23.00,,,,,

869938, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869939, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869940, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869941, Antibody test negative, 23.00, Blood immunoglobulin G decreased, 23.00, Bronchiolitis, 23.00, Chest X-ray abnormal, 23.00, Cytomegalovirus test positive, 23.00
869941, Enterovirus test positive, 23.00, Epstein-Barr virus test positive, 23.00, Hepatosplenomegaly, 23.00, Human rhinovirus test positive, 23.00, Immunoglobulin therapy, 23.00
869941, Leukopenia, 23.00, Lung infiltration, 23.00, Natural killer cell count decreased, 23.00, Pneumonia cytomegaloviral, 23.00, Polymerase chain reaction positive, 23.00
869941, Pyrexia, 23.00, Respiratory distress, 23.00, Stem cell transplant, 23.00, Therapy non-responder, 23.00, ,
869942, Product storage error, 23.00, , , , , , , ,
869943, Product storage error, 23.00, , , , , , , ,
869944, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , ,
869945, Expired product administered, 23.00, , , , , , , ,
869946, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869947, Blister, 23.00, Herpes zoster, 23.00, Pain, 23.00, Skin lesion, 23.00, ,
869948, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869949, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869950, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869951, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869952, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869953, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869954, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869955, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869956, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869957, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869958, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869959, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869960, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869961, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869962, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869963, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869964, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869965, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869966, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869967, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869968, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869969, Inappropriate schedule of product administration, 23.00, , , , , , , , , , , , ,
869970, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869971, Back pain, 23.00, Burning sensation, 23.00, Herpes zoster, 23.00, Rash, 23.00, ,
869972, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869973, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
869974, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,

869975, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869976, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869977, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869978, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869979, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869980, Abscess, 23.00, Blister, 23.00, Cardiovascular disorder,
23.00, Herpes zoster, 23.00, Myocardial ischaemia, 23.00
869980, Pain, 23.00, , , , , , , ,
869981, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869982, Chest pain, 23.00, Dyspnoea, 23.00, Emphysema, 23.00, Pneumonia,
23.00, ,
869983, Lichen planus, 23.00, Onychomadesis, 23.00, Rash, 23.00, Scar,
23.00, Skin lesion, 23.00
869984, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869985, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869986, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869987, Cerebral haemorrhage, 23.00, Fatigue, 23.00, Food intolerance,
23.00, Headache, 23.00, Immune system disorder, 23.00
869987, Malaise, 23.00, Multiple allergies, 23.00, Transient ischaemic
attack, 23.00, , , ,
869988, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869989, Product storage error, 23.00, , , , , , , ,
869990, Product storage error, 23.00, , , , , , , ,
869991, Product storage error, 23.00, , , , , , , ,
869992, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869993, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869994, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869995, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869996, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
869997, Interchange of vaccine products, 23.00, No adverse event,
23.00, , , , , , ,
869998, Product storage error, 23.00, , , , , , , ,
869999, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870000, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870001, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870002, Product storage error, 23.00, , , , , , , ,
870003, Product storage error, 23.00, , , , , , , ,
870004, Encephalitis, 23.00, Fatigue, 23.00, Headache, 23.00, , , ,
870005, Product storage error, 23.00, , , , , , , ,
870006, Product storage error, 23.00, , , , , , , ,
870007, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
870008, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870009, Circumstance or information capable of leading to medication
error, 23.00, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , ,
870010, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870011, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
870012, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870013, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870014, Product storage error, 23.00, , , , , , , ,

870015, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870016, Facial paralysis, 23.00, , , , , , , , , , , ,
870017, Back pain, 23.00, Blister, 23.00, Breast pain, 23.00, Erythema,
23.00, Eye pain, 23.00
870017, Herpes zoster, 23.00, Neuralgia, 23.00, Pain, 23.00, Vision blurred,
23.00, ,
870018, Ophthalmic herpes zoster, 23.00, , , , , , , , , , , ,
870019, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , , , , , ,
870020, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , , , , , , ,
870021, Exposure during pregnancy, 23.00, , , , , , , , , , , ,
870022, Culture stool negative, 23.00, Diarrhoea, 23.00, Nausea, 23.00, , , , , ,
870023, Asthenia, 23.00, Headache, 23.00, Musculoskeletal pain, 23.00, Pain,
23.00, Pain in extremity, 23.00
870023, Pyrexia, 23.00, , , , , , , , , , , ,
870024, Culture throat, 23.00, Fatigue, 23.00, Injection site rash,
23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
870024, Pyrexia, 23.00, Throat irritation, 23.00, , , , , , , , , , , ,
870025, Hypersensitivity, 23.00, Pyrexia, 23.00, Vaccine positive
rechallenge, 23.00, , , , , , , , , , , ,
870026, Hypersensitivity, 23.00, Pyrexia, 23.00, , , , , , , , , , , ,
870027, Chills, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , , , , , , , , , ,
870029, Chills, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, , ,
870030, Feeling abnormal, 23.00, Heart rate increased, 23.00, Pyrexia,
23.00, , , , , , , , , , , ,
870031, Chills, 23.00, Headache, 23.00, Influenza like illness,
23.00, Myalgia, 23.00, , , , , , , , , , , ,
870032, Feeling cold, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia,
23.00, Tremor, 23.00
870033, Pain in extremity, 23.00, , , , , , , , , , , ,
870034, Chills, 23.00, Headache, 23.00, Pyrexia, 23.00, , , , , , , , , , , ,
870035, Paraesthesia, 23.00, Rash macular, 23.00, Rash pruritic, 23.00, , , , , ,
870036, Pain, 23.00, , , , , , , , , , , ,
870037, Influenza like illness, 23.00, , , , , , , , , , , ,
870038, Myalgia, 23.00, Pyrexia, 23.00, , , , , , , , , , , ,
870039, Chills, 23.00, , , , , , , , , , , ,
870040, Chills, 23.00, Nausea, 23.00, Pain, 23.00, , , , , , , , , , , ,
870041, Nausea, 23.00, , , , , , , , , , , ,
870042, Incomplete course of vaccination, 23.00, Social problem,
23.00, , , , , , , , , , , ,
870043, Chills, 23.00, Erythema, 23.00, Fatigue, 23.00, Induration, 23.00, , ,
870044, Adverse event, 23.00, , , , , , , , , , , ,
870045, Adverse event, 23.00, , , , , , , , , , , ,
870046, Poisoning, 23.00, , , , , , , , , , , ,
870047, Pain in extremity, 23.00, , , , , , , , , , , ,
870048, Incomplete course of vaccination, 23.00, Injected limb mobility
decreased, 23.00, Injection site erythema, 23.00, Injection site warmth,
23.00, , ,
870049, Inappropriate schedule of product administration, 23.00, Social
problem, 23.00, , , , , , , , , , , ,

870050,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
870051,Feeling abnormal,23.00,,,,,
870052,Pyrexia,23.00,,,,,
870053,Abdominal pain,23.00,,,,,
870054,Chills,23.00,Peripheral coldness,23.00,Pyrexia,23.00,,,,
870055,Pain in extremity,23.00,,,,,
870057,Angiogram,23.00,Arteriogram carotid abnormal,23.00,Ataxia,
23.00,Carotid artery occlusion,23.00,Carotid artery stenosis,23.00
870057,Cerebral infarction,23.00,Cerebral microangiopathy,
23.00,Cerebrovascular accident,23.00,Computerised tomogram head
abnormal,23.00,Dysarthria,23.00
870057,Embolic cerebellar infarction,23.00,Facial paralysis,
23.00,Facial paresis,23.00,Hemiparesis,23.00,Hypoesthesia,23.00
870057,Intensive care,23.00,Ischaemic cerebral infarction,
23.00,Magnetic resonance imaging brain abnormal,23.00,Muscular
weakness,23.00,NIH stroke scale abnormal,23.00
870057,Nervous system disorder,23.00,Plasminogen decreased,
23.00,Product used for unknown indication,23.00,Sensory loss,
23.00,Speech disorder,23.00
870057,Tremor,23.00,Ultrasound Doppler abnormal,23.00,,,,,
870058,Urticaria,23.00,,,,,
870059,Circumstance or information capable of leading to medication
error,23.00,Product administered to patient of inappropriate age,
23.00,,,,,
870060,Burning sensation,23.00,Facial nerve disorder,23.00,Pain of
skin,23.00,Paraesthesia,23.00,,
870061,Muscle twitching,23.00,,,,,
870062,Arthralgia,23.00,Dysstasia,23.00,Joint adhesion,23.00,Myalgia,
23.00,,
870063,Chills,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,
23.00,Pain,23.00
870063,Pyrexia,23.00,,,,,
870064,Vertigo,23.00,,,,,
870065,Herpes zoster,23.00,,,,,
870066,Injection site pain,23.00,,,,,
870067,Platelet count decreased,23.00,,,,,
870068,Herpes zoster,23.00,,,,,
870069,Pain in extremity,23.00,,,,,
870070,Blister,23.00,Coronavirus test negative,23.00,Erythema,
23.00,Pyrexia,23.00,,
870071,Erythema,23.00,Injection site pain,23.00,Pain in extremity,
23.00,Swelling,23.00,,
870072,Pain,23.00,,,,,
870073,Muscular weakness,23.00,Pyrexia,23.00,,,,,
870074,Malaise,23.00,,,,,
870075,Chills,23.00,Fatigue,23.00,Influenza like illness,23.00,Nausea,
23.00,,
870076,Herpes zoster,23.00,,,,,
870077,Herpes zoster,23.00,,,,,
870078,Injected limb mobility decreased,23.00,Injection site pain,

23.00, Injection site warmth, 23.00, , , , ,
870079, Pain in extremity, 23.00, , , , , , , ,
870080, Chills, 23.00, Feeling abnormal, 23.00, Pain, 23.00, Pyrexia, 23.00, ,
870081, Pain in extremity, 23.00, , , , , , , ,
870082, Cardiac flutter, 23.00, Echocardiogram abnormal,
23.00, Electrocardiogram abnormal, 23.00, Electrocardiogram ambulatory
abnormal, 23.00, ,
870083, Asplenia, 23.00, Product administered to patient of inappropriate
age, 23.00, , , , , , , ,
870084, Arthralgia, 23.00, Injection site pain, 23.00, Neuropathy
peripheral, 23.00, , , , , ,
870085, Erythema, 23.00, Skin warm, 23.00, , , , , , , ,
870086, Pain, 23.00, Paraesthesia, 23.00, , , , , , , ,
870087, Injection site pain, 23.00, , , , , , , , ,
870088, Pain, 23.00, , , , , , , , , , ,
870089, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , , ,
870090, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, Product preparation issue, 23.00, , , , , , , ,
870091, No adverse event, 23.00, Product preparation error, 23.00, , , , , , , ,
870092, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
870093, Bradykinesia, 23.00, Eye movement disorder, 23.00, Tremor, 23.00, , , , , , , ,
870094, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
870095, Adverse event, 23.00, Expired product administered, 23.00, Exposure
during pregnancy, 23.00, , , , , , , , , , ,
870096, Arthralgia, 23.00, Injection site reaction, 23.00, Pain in
extremity, 23.00, Rash macular, 23.00, , ,
870097, Hypoaesthesia, 23.00, Mobility decreased, 23.00, Paraesthesia,
23.00, , , , , , , , , ,
870098, Hypoaesthesia, 23.00, Mobility decreased, 23.00, Paraesthesia,
23.00, , , , , , , , , ,
870099, Musculoskeletal pain, 23.00, Tenderness, 23.00, , , , , , , , ,
870100, Musculoskeletal pain, 23.00, Tenderness, 23.00, , , , , , , , ,
870101, Pain in extremity, 23.00, , , , , , , , , , ,
870102, Apgar score low, 23.00, Foetal exposure during pregnancy,
23.00, Vacuum extractor delivery, 23.00, , , , , , , , , ,
870103, Apgar score normal, 23.00, Caesarean section, 23.00, Foetal
exposure during pregnancy, 23.00, Large for dates baby, 23.00, , ,
870104, Apgar score normal, 23.00, Foetal exposure during pregnancy,
23.00, Intensive care, 23.00, Large for dates baby, 23.00, , ,
870110, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
870111, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
870112, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , ,
870113, Pyrexia, 23.00, , , , , , , , , , ,
870114, Injected limb mobility decreased, 23.00, Injection site pain,
23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, , ,
870115, Injection site inflammation, 23.00, Injection site pain,
23.00, Injection site warmth, 23.00, , , , , , , , , ,
870116, Unevaluable event, 23.00, , , , , , , , , , ,
870117, Rash, 23.00, Rash erythematous, 23.00, Rash papular, 23.00, , , , , , , , ,
870118, Erythema, 23.00, Swelling, 23.00, , , , , , , , , , ,

870121, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , ,
870122, Adverse reaction, 23.00, , , , , , , ,
870123, Pain in extremity, 23.00, , , , , , , ,
870124, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , , , ,
870125, Injection site pain, 23.00, Malaise, 23.00, , , , , , , ,
870126, Inappropriate schedule of product administration, 23.00, , , , , , , , ,
870127, Herpes zoster, 23.00, , , , , , , , ,
870128, Cough, 23.00, , , , , , , , ,
870129, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, ,
870130, Pain in extremity, 23.00, , , , , , , , ,
870131, Injection site pain, 23.00, Malaise, 23.00, Vaccine positive rechallenge, 23.00, , , , ,
870132, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , , , ,
870133, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , ,
870134, Hypersensitivity, 23.00, Incomplete course of vaccination, 23.00, Injection site bruising, 23.00, Injection site discolouration, 23.00, Injection site erythema, 23.00
870134, Injection site induration, 23.00, Injection site swelling, 23.00, , , , , , , , ,
870135, Bursitis, 23.00, , , , , , , , , ,
870136, Death, 23.00, , , , , , , , , , ,
870138, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , ,
870139, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , ,
870140, Product storage error, 23.00, , , , , , , , , , ,
870141, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
870142, Herpes zoster, 23.00, , , , , , , , , , ,
870143, Herpes zoster, 23.00, , , , , , , , , , ,
870144, Herpes zoster, 23.00, , , , , , , , , , ,
870145, Adverse event, 23.00, Injection site reaction, 23.00, , , , , , , , , , ,
870146, Adverse event, 23.00, Injection site reaction, 23.00, , , , , , , , , , ,
870147, Adverse event, 23.00, , , , , , , , , , , ,
870148, Erythema, 23.00, Rash, 23.00, Rash erythematous, 23.00, Urticaria, 23.00, , ,
870149, Injection site erythema, 23.00, , , , , , , , , , , ,
870152, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
870153, Arthroscopy, 23.00, Blood creatine phosphokinase normal, 23.00, Catheterisation cardiac, 23.00, Immediate post-injection reaction, 23.00, Injection site pain, 23.00
870153, Local reaction, 23.00, Magnetic resonance imaging abnormal, 23.00, Orthopaedic examination abnormal, 23.00, Pain, 23.00, Pain in extremity, 23.00
870153, Paraesthesia, 23.00, Tendon disorder, 23.00, Tendon rupture, 23.00, X-ray limb normal, 23.00, , ,
870154, Herpes zoster, 23.00, , , , , , , , , , , ,
870155, Dizziness, 23.00, Eye movement disorder, 23.00, Feeling hot, 23.00, Pain in extremity, 23.00, Unresponsive to stimuli, 23.00
870156, Pyrexia, 23.00, Rash, 23.00, Rash vesicular, 23.00, , , , , , ,
870157, Syringe issue, 23.00, , , , , , , , , , , ,

870158,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
870159,Erythema,23.00,Pain,23.00,Peripheral swelling,23.00,,,,
870160,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
870161,Peripheral swelling,23.00,Pruritus,23.00,Rash,23.00,,,,,
870162,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pain,23.00,Pyrexia,23.00
870162,Swelling,23.00,,,,,,
870163,Injection site bruising,23.00,Nausea,23.00,Pyrexia,23.00,Rash,
23.00,,
870164,Eye movement disorder,23.00,Presyncope,23.00,Tremor,
23.00,Vomiting,23.00,,
870165,Headache,23.00,Injection site reaction,23.00,Pyrexia,
23.00,Urticaria,23.00,,
870166,Loss of consciousness,23.00,Seizure,23.00,Syncope,
23.00,Vomiting,23.00,,
870173,No adverse event,23.00,Product storage error,23.00,,,,,
870174,No adverse event,23.00,Product storage error,23.00,,,,,
870175,No adverse event,23.00,Product storage error,23.00,,,,,
870176,No adverse event,23.00,Product storage error,23.00,,,,,
870177,No adverse event,23.00,Product storage error,23.00,,,,,
870178,No adverse event,23.00,Product storage error,23.00,,,,,
870179,No adverse event,23.00,Product storage error,23.00,,,,,
870180,No adverse event,23.00,Product storage error,23.00,,,,,
870181,No adverse event,23.00,Product storage error,23.00,,,,,
870182,Aortitis,23.00,Blindness,23.00,Deafness,23.00,Ear congestion,
23.00,Granulomatosis with polyangiitis,23.00
870182,IIIrd nerve paralysis,23.00,Vasculitis,23.00,Viral infection,
23.00,,,,,
870183,Product storage error,23.00,,,,,,
870184,Attention deficit hyperactivity disorder,23.00,Fatigue,
23.00,Headache,23.00,Injection site inflammation,23.00,Pain in
extremity,23.00
870184,Vomiting,23.00,,,,,,
870185,Hyperventilation,23.00,Syncope,23.00,,,,,
870186,Herpes zoster,23.00,Rash,23.00,,,,,
870187,Adverse drug reaction,23.00,,,,,,
870188,Urticaria,23.00,,,,,,
870189,Urinary tract infection,23.00,,,,,,
870191,Wrong product administered,23.00,,,,,,
870194,Adverse event,23.00,Bedridden,23.00,,,,,
870195,Oral mucosal blistering,23.00,,,,,,
870196,Herpes virus infection,23.00,,,,,,
870197,Oral mucosal blistering,23.00,,,,,,
870198,Chills,23.00,Dyspepsia,23.00,Fatigue,23.00,Influenza like
illness,23.00,Pain,23.00
870199,Chills,23.00,Fatigue,23.00,Influenza like illness,23.00,Pain,
23.00,,
870200,Adverse reaction,23.00,,,,,,

870201,Guillain-Barre syndrome,23.00,,,,,,,,,
870202,Scratch,23.00,,,,,,,,,
870203,Pain,23.00,Swelling,23.00,,,,,,,,,
870204,Chills,23.00,Muscle twitching,23.00,Pain in extremity,
23.00,Paraesthesia,23.00,,
870205,Arthralgia,23.00,Chills,23.00,Headache,23.00,Myalgia,
23.00,Nausea,23.00
870205,Poor quality sleep,23.00,Sleep disorder,23.00,,,,,,,,,
870207,Headache,23.00,Injected limb mobility decreased,23.00,Injection
site pain,23.00,Injection site swelling,23.00,Injection site warmth,
23.00
870207,Pain,23.00,,,,,,,,,
870208,Hyperhidrosis,23.00,Injection site pain,23.00,Pallor,
23.00,Presyncope,23.00,,
870209,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
870214,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
870215,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
870216,Diarrhoea,23.00,Injection site swelling,23.00,Pain in
extremity,23.00,Pyrexia,23.00,,
870217,Pain in extremity,23.00,,,,,,,,,
870218,Incorrect dose administered,23.00,No adverse event,
23.00,Product preparation error,23.00,,,,,
870219,No adverse event,23.00,Product preparation issue,23.00,Wrong
product administered,23.00,,,,,
870220,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
870221,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
870222,Extra dose administered,23.00,,,,,,,,,
870223,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
870224,Chills,23.00,Fatigue,23.00,Feeling cold,23.00,Headache,
23.00,Injection site erythema,23.00
870224,Injection site swelling,23.00,Pain,23.00,Pain in extremity,
23.00,,,,,
870225,Headache,23.00,Injection site erythema,23.00,Pyrexia,23.00,,,,,
870226,Headache,23.00,Injection site erythema,23.00,Pyrexia,23.00,,,,,
870227,Amino acid level,23.00,Amino acid level increased,
23.00,Ammonia,23.00,Asterixis,23.00,Blood creatine phosphokinase,23.00
870227,Blood folate,23.00,Blood homocysteine normal,23.00,Blood iron
decreased,23.00,Blood lactic acid,23.00,C-reactive protein,23.00
870227,Carnitine,23.00,Dyskinesia,23.00,Electroencephalogram,
23.00,Full blood count,23.00,Gene mutation identification test,23.00
870227,Gene sequencing,23.00,Laboratory test,23.00,Magnetic resonance
imaging brain,23.00,Muscle spasms,23.00,Organic acid analysis,23.00
870227,Tic,23.00,Vitamin B1,23.00,Vitamin B12 decreased,23.00,Vitamin
B6,23.00,Vitamin D,23.00
870228,Pyrexia,23.00,,,,,,,,,
870229,Diarrhoea,23.00,,,,,,,,,
870230,Injection site swelling,23.00,,,,,,,,,
870234,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
870235,Acute graft versus host disease,23.00,B-lymphocyte count,

23.00, Blood immunoglobulin A increased, 23.00, Blood immunoglobulin G normal, 23.00, Blood immunoglobulin M increased, 23.00
870235, CD4 lymphocytes normal, 23.00, CD4/CD8 ratio decreased, 23.00, CD8 lymphocytes increased, 23.00, Cellulitis, 23.00, Chronic sinusitis, 23.00
870235, Combined immunodeficiency, 23.00, Computerised tomogram abnormal, 23.00, Corneal transplant, 23.00, Dry eye, 23.00, Epstein-Barr virus antibody negative, 23.00
870235, Epstein-Barr virus test, 23.00, Failure to thrive, 23.00, Hepatosplenomegaly, 23.00, Measles antibody negative, 23.00, Monocyte count normal, 23.00
870235, Natural killer cell count, 23.00, Oesophageal candidiasis, 23.00, Oral candidiasis, 23.00, Pneumocystis jirovecii pneumonia, 23.00, Pneumonia, 23.00
870235, Poliovirus test negative, 23.00, Polymerase chain reaction, 23.00, Pyrexia, 23.00, Rash, 23.00, Respiratory distress, 23.00
870235, Skin infection, 23.00, Staphylococcal infection, 23.00, Streptococcus test, 23.00, T-lymphocyte count normal, 23.00, Varicella virus test negative, 23.00
870236, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870237, Herpes zoster, 23.00, Rash, 23.00, , , , , ,
870238, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870239, Diarrhoea, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00, ,
870240, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870241, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870242, Chills, 23.00, Cyanosis, 23.00, , , , , ,
870243, Vaccination site rash, 23.00, , , , , , ,
870246, Erythema, 23.00, Feeling hot, 23.00, Pyrexia, 23.00, , , , ,
870247, Bedridden, 23.00, Chills, 23.00, Decreased appetite, 23.00, Malaise, 23.00, Nausea, 23.00
870247, Pain, 23.00, Pain in extremity, 23.00, , , , , ,
870248, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Lymphadenopathy, 23.00, ,
870249, Hypoaesthesia, 23.00, Musculoskeletal stiffness, 23.00, Paraesthesia, 23.00, Tuberculin test, 23.00, ,
870250, Musculoskeletal pain, 23.00, Pain, 23.00, Pain in extremity, 23.00, , , , ,
870251, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , ,
870252, Dyskinesia, 23.00, Syncope, 23.00, , , , , ,
870253, Abdominal discomfort, 23.00, Asthenia, 23.00, Decreased appetite, 23.00, Feeling abnormal, 23.00, Headache, 23.00
870253, Pain, 23.00, Somnolence, 23.00, Vomiting, 23.00, , , , ,
870254, Abdominal discomfort, 23.00, Chills, 23.00, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00
870254, Injection site pain, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
870255, Erythema, 23.00, Hypoaesthesia, 23.00, Paraesthesia, 23.00, Pruritus, 23.00, ,
870256, Headache, 23.00, Hyperhidrosis, 23.00, Myalgia, 23.00, Nausea, 23.00, Tremor, 23.00

870257, Dehydration, 23.00, Erythema, 23.00, Full blood count abnormal, 23.00, Haematocrit abnormal, 23.00, Haemoglobin abnormal, 23.00
870257, Hyperaesthesia, 23.00, Metabolic function test normal, 23.00, Pain, 23.00, Red blood cell sedimentation rate normal, 23.00, Swelling, 23.00
870258, Musculoskeletal pain, 23.00, Pain, 23.00, Pain in extremity, 23.00, , , , ,
870259, Headache, 23.00, Hyperhidrosis, 23.00, Injection site reaction, 23.00, Injection site warmth, 23.00, Pain, 23.00
870259, Pain in extremity, 23.00, Pyrexia, 23.00, Rash macular, 23.00, , , , ,
870260, Epistaxis, 23.00, , , , , , , , ,
870261, Urticaria, 23.00, , , , , , , , ,
870262, Rash vesicular, 23.00, , , , , , , , ,
870263, Computerised tomogram normal, 23.00, Electroencephalogram abnormal, 23.00, Epilepsy, 23.00, Magnetic resonance imaging normal, 23.00, Seizure, 23.00
870264, Arthralgia, 23.00, Fatigue, 23.00, Headache, 23.00, Pain in extremity, 23.00, ,
870265, Bone pain, 23.00, Constipation, 23.00, Emotional disorder, 23.00, Gait disturbance, 23.00, Pain, 23.00
870265, Pain in extremity, 23.00, Pruritus, 23.00, Rash, 23.00, Skin ulcer, 23.00, ,
870266, Influenza like illness, 23.00, Injection site reaction, 23.00, Loss of personal independence in daily activities, 23.00, Nausea, 23.00, Pyrexia, 23.00
870266, Rash macular, 23.00, , , , , , , , ,
870267, Pallor, 23.00, Pyrexia, 23.00, Rash, 23.00, Rash erythematous, 23.00, Skin warm, 23.00
870268, Arthralgia, 23.00, Atrophy, 23.00, Brachial plexus injury, 23.00, Depression, 23.00, Injection site pain, 23.00
870268, Insomnia, 23.00, Joint injection, 23.00, Joint swelling, 23.00, Loss of personal independence in daily activities, 23.00, Mobility decreased, 23.00
870268, Muscular weakness, 23.00, Musculoskeletal pain, 23.00, Musculoskeletal stiffness, 23.00, Neuralgia, 23.00, Neuralgic amyotrophy, 23.00
870268, Pain, 23.00, Periarthritis, 23.00, Peripheral swelling, 23.00, Shoulder injury related to vaccine administration, 23.00, X-ray, 23.00
870269, Confusional state, 23.00, Disorientation, 23.00, Generalised tonic-clonic seizure, 23.00, Unresponsive to stimuli, 23.00, ,
870270, Diarrhoea, 23.00, Eczema, 23.00, Injection site erythema, 23.00, Injection site rash, 23.00, Pyrexia, 23.00
870270, Urticaria, 23.00, , , , , , , , ,
870271, Axillary pain, 23.00, Back pain, 23.00, Chills, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00
870271, Musculoskeletal pain, 23.00, Neck pain, 23.00, Pain, 23.00, Pain in extremity, 23.00, ,
870272, Chills, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Pyrexia, 23.00, ,
870273, Pyrexia, 23.00, , , , , , , , ,

870274, Ageusia, 23.00, Anosmia, 23.00, Taste disorder, 23.00, , , ,
870275, Fatigue, 23.00, Headache, 23.00, Injection site erythema,
23.00, Injection site induration, 23.00, Injection site mass, 23.00
870275, Injection site swelling, 23.00, Injection site warmth, 23.00, Pain,
23.00, , , ,
870282, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870283, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870284, Hypersensitivity vasculitis, 23.00, Joint swelling, 23.00, Joint
warmth, 23.00, Skin ulcer, 23.00, ,
870285, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870286, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870287, Herpes zoster, 23.00, , , , , , ,
870288, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870289, Product administered to patient of inappropriate age,
23.00, Wrong product administered, 23.00, , , , , ,
870290, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870291, Product storage error, 23.00, , , , , , ,
870292, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870293, Expired product administered, 23.00, No adverse event,
23.00, Product storage error, 23.00, , , , ,
870294, Product administered to patient of inappropriate age,
23.00, , , , , , ,
870295, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870296, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870297, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870298, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870299, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870300, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870301, Influenza like illness, 23.00, , , , , , ,
870302, Accidental exposure to product, 23.00, Accidental underdose,
23.00, Exposure via skin contact, 23.00, Immediate post-injection
reaction, 23.00, Injection site extravasation, 23.00
870303, Pain in extremity, 23.00, , , , , , ,
870304, Injection site pain, 23.00, , , , , , ,
870305, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling,
23.00, , , , ,
870306, Herpes zoster, 23.00, , , , , , ,
870307, Chills, 23.00, Fatigue, 23.00, Migraine, 23.00, , , , ,
870308, Feeling abnormal, 23.00, Herpes zoster, 23.00, , , , , ,
870309, Rash, 23.00, , , , , , ,
870310, Injection site erythema, 23.00, Injection site swelling,
23.00, , , , , ,
870311, Body temperature increased, 23.00, Erythema, 23.00, Muscular
weakness, 23.00, Peripheral swelling, 23.00, Restlessness, 23.00
870312, Pruritus, 23.00, Urticaria, 23.00, , , , , ,
870315, Incorrect dose administered, 23.00, No adverse event, 23.00, , , , , ,
870316, Myalgia, 23.00, Pyrexia, 23.00, Vaccine positive rechallenge,
23.00, , , , ,
870317, Malaise, 23.00, Pyrexia, 23.00, , , , , ,
870318, Chills, 23.00, Feeling hot, 23.00, Pyrexia, 23.00, , , , ,

870319,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
870320,Immediate post-injection reaction,23.00,Pruritus,23.00,,,,,,
870321,Injection site pain,23.00,Pain in jaw,23.00,Tooth infection,
23.00,,,,,
870324,Herpes zoster,23.00,Vaccination failure,23.00,,,,,,
870325,Anaphylactic reaction,23.00,,,,,,,
870327,Expired product administered,23.00,No adverse event,23.00,,,,,,
870328,Expired product administered,23.00,No adverse event,23.00,,,,,,
870329,Expired product administered,23.00,No adverse event,23.00,,,,,,
870330,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
870331,Chills,23.00,Pyrexia,23.00,,,,,,
870332,Arthralgia,23.00,Musculoskeletal pain,23.00,,,,,,
870342,Product storage error,23.00,,,,,,,
870343,No adverse event,23.00,Product storage error,23.00,,,,,,
870344,Expired product administered,23.00,No adverse event,23.00,,,,,,
870345,Adverse event,23.00,,,,,,,
870346,Chills,23.00,Fatigue,23.00,,,,,,
870347,Feeling abnormal,23.00,Grip strength decreased,
23.00,Hypoaesthesia,23.00,Insomnia,23.00,Mass,23.00
870347,Neck pain,23.00,Pain,23.00,Paraesthesia,23.00,,,,,
870348,Hypoaesthesia,23.00,Injection site pain,23.00,Muscular
weakness,23.00,Neck pain,23.00,Paraesthesia,23.00
870349,Anxiety,23.00,Caesarean section,23.00,Complication of
pregnancy,23.00,Depression,23.00,Exposure during pregnancy,23.00
870349,Foetal growth restriction,23.00,Premature delivery,23.00,,,,,,
870350,Apgar score low,23.00,Caesarean section,23.00,Foetal exposure
during pregnancy,23.00,Foetal growth restriction,23.00,Low birth
weight baby,23.00
870350,Premature baby,23.00,,,,,,,
870351,Exposure during pregnancy,23.00,Premature delivery,
23.00,Premature rupture of membranes,23.00,Prenatal screening test,
23.00,Ultrasound antenatal screen normal,23.00
870352,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Low birth weight baby,23.00,Premature baby,23.00,,
870353,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Low birth weight baby,23.00,Premature
baby,23.00
870353,Twin pregnancy,23.00,,,,,,,
870355,Altered state of consciousness,23.00,Fatigue,23.00,Hypersomnia,
23.00,Nausea,23.00,Pain,23.00
870356,Pyrexia,23.00,Urticaria,23.00,,,,,,
870357,Expired product administered,23.00,,,,,,,
870358,Arthralgia,23.00,Choking,23.00,Groin pain,23.00,Pain in
extremity,23.00,,
870359,Electroencephalogram normal,23.00,Seizure like phenomena,
23.00,,,,,,
870360,Arthralgia,23.00,Mobility decreased,23.00,Musculoskeletal pain,
23.00,Pain in extremity,23.00,Swelling,23.00

870361, Inappropriate schedule of product administration, 23.00, , , , , , , , , ,
870362, Chills, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Pyrexia,
23.00, ,
870363, Thyroidectomy, 23.00, , , , , , , , , ,
870364, Pyrexia, 23.00, Skin warm, 23.00, , , , , , ,
870365, Bone marrow oedema, 23.00, Electromyogram abnormal,
23.00, Headache, 23.00, Hypoaesthesia, 23.00, Injection site pain, 23.00
870365, Injection site reaction, 23.00, Insomnia, 23.00, Joint injection,
23.00, Magnetic resonance imaging abnormal, 23.00, Mononeuropathy, 23.00
870365, Muscle oedema, 23.00, Muscular weakness, 23.00, Musculoskeletal
disorder, 23.00, Musculoskeletal stiffness, 23.00, Myopathy, 23.00
870365, Neck pain, 23.00, Nerve conduction studies abnormal, 23.00, Pain in
extremity, 23.00, Periarthritis, 23.00, Rotator cuff syndrome, 23.00
870365, Sensory disturbance, 23.00, Sleep disorder, 23.00, Tendon disorder,
23.00, Tendon rupture, 23.00, ,
870366, Erythema, 23.00, Pain, 23.00, Peripheral swelling, 23.00, Skin warm,
23.00, ,
870367, Constipation, 23.00, , , , , , , , , ,
870368, Injection site cellulitis, 23.00, Injection site swelling,
23.00, , , , , , ,
870369, Musculoskeletal pain, 23.00, , , , , , , , , ,
870370, Bursitis, 23.00, Immediate post-injection reaction,
23.00, Injection site pain, 23.00, , , , ,
870374, Hypotonic-hyporesponsive episode, 23.00, Screaming,
23.00, Unresponsive to stimuli, 23.00, , , , , ,
870385, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870386, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
870387, Herpes zoster, 23.00, , , , , , , , , ,
870388, Fatigue, 23.00, Herpes zoster, 23.00, Hypogammaglobulinaemia,
23.00, Pain, 23.00, Post herpetic neuralgia, 23.00
870388, Rash, 23.00, Rash vesicular, 23.00, , , , , , ,
870389, Herpes zoster, 23.00, , , , , , , , , ,
870390, Herpes zoster, 23.00, , , , , , , , , ,
870391, Product storage error, 23.00, , , , , , , , , ,
870392, Injection site mass, 23.00, Irritability, 23.00, Pyrexia,
23.00, Rash, 23.00, ,
870393, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , , , , ,
870394, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870395, Biopsy skin abnormal, 23.00, Blister, 23.00, Blood bicarbonate
decreased, 23.00, Blood glucose increased, 23.00, Blood urea increased,
23.00
870395, Chest X-ray normal, 23.00, Conjunctival hyperaemia,
23.00, Dermatitis, 23.00, Dermatitis bullous, 23.00, Epidermal necrosis,
23.00
870395, Erythema multiforme, 23.00, Herpes simplex test negative,
23.00, Injection site rash, 23.00, Lymphocytic infiltration, 23.00, Mucosal
erosion, 23.00
870395, Mycoplasma test negative, 23.00, Oral disorder, 23.00, Oral pain,
23.00, Polymerase chain reaction, 23.00, Rash, 23.00

870395,Rash macular,23.00,Skin exfoliation,23.00,Skin plaque,23.00,,,,,
870396,Concussion,23.00,Fall,23.00,Head injury,23.00,Injury,23.00,Loss
of consciousness,23.00
870396,Suture insertion,23.00,Syncope,23.00,,,,,,
870401,Abscess drainage,23.00,Biopsy bone abnormal,23.00,C-reactive
protein normal,23.00,Culture negative,23.00,Culture wound,23.00
870401,Full blood count normal,23.00,Gram stain negative,
23.00,Incisional drainage,23.00,Injection site pain,23.00,Injection
site swelling,23.00
870401,Joint injection,23.00,Loss of personal independence in daily
activities,23.00,Magnetic resonance imaging abnormal,23.00,Magnetic
resonance imaging spinal normal,23.00,Muscle oedema,23.00
870401,Neuralgic amyotrophy,23.00,Neurological examination abnormal,
23.00,Osteomyelitis,23.00,Pain,23.00,Pain in extremity,23.00
870401,Paraesthesia,23.00,Periarthritis,23.00,Periostitis,23.00,Red
blood cell sedimentation rate increased,23.00,White blood cell count
increased,23.00
870401,X-ray limb abnormal,23.00,,,,,,,
870402,Herpes zoster,23.00,,,,,,,
870406,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
870407,Back pain,23.00,,,,,,,
870408,Feeling cold,23.00,Pain in extremity,23.00,Pyrexia,
23.00,Vaccine positive rechallenge,23.00,,
870409,Influenza like illness,23.00,,,,,,,
870410,Influenza like illness,23.00,Insomnia,23.00,Pyrexia,23.00,,,,,
870411,Injection site rash,23.00,Rash,23.00,,,,,,
870412,Blood test normal,23.00,Laboratory test,23.00,Lymphadenopathy,
23.00,Mass,23.00,Seizure,23.00
870412,Tremor,23.00,Vaccination complication,23.00,,,,,,
870414,Bursitis infective,23.00,Imaging procedure,23.00,Laboratory
test,23.00,,,,,
870415,Complex regional pain syndrome,23.00,Muscular weakness,
23.00,Nerve conduction studies,23.00,Pain in extremity,
23.00,Paraesthesia,23.00
870415,Ultrasound scan normal,23.00,,,,,,,
870416,Diarrhoea,23.00,Rash morbilliform,23.00,,,,,,
870417,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Mobility
decreased,23.00,Muscular weakness,23.00
870417,Nausea,23.00,Pain,23.00,Presyncope,23.00,Swelling,23.00,,
870418,Erythema,23.00,Feeling cold,23.00,Livedo reticularis,
23.00,Urticaria,23.00,,
870419,Blood test normal,23.00,Electromyogram normal,23.00,Fatigue,
23.00,Gait inability,23.00,Muscle disorder,23.00
870419,Musculoskeletal pain,23.00,Myositis,23.00,Pain in extremity,
23.00,Walking aid user,23.00,,
870420,Product administered to patient of inappropriate age,
23.00,,,,,,,
870426,No adverse event,23.00,Product storage error,23.00,,,,,,
870427,Herpes zoster,23.00,,,,,,,

870428, Inappropriate schedule of product administration, 23.00, , , , , , , , , , ,
870429, Body temperature decreased, 23.00, Cough, 23.00, Dyspnoea, 23.00, Heart rate increased, 23.00, Suspected COVID-19, 23.00
870430, Injection site erythema, 23.00, , , , , , , , , , ,
870431, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
870432, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
870433, No adverse event, 23.00, Overdose, 23.00, , , , , , , , , , ,
870434, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
870435, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
870436, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
870437, Apgar score normal, 23.00, Caesarean section, 23.00, Foetal exposure during pregnancy, 23.00, Single umbilical artery, 23.00, ,
870438, Complication of pregnancy, 23.00, Exposure during pregnancy, 23.00, Pre-eclampsia, 23.00, Premature delivery, 23.00, Ultrasound antenatal screen normal, 23.00
870439, Apgar score low, 23.00, Caesarean section, 23.00, Foetal exposure during pregnancy, 23.00, , , , ,
870440, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site rash, 23.00, Injection site swelling, 23.00, ,
870442, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, , , , ,
870446, Product storage error, 23.00, , , , , , , , , , ,
870447, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
870448, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
870449, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
870450, Agitation, 23.00, Asthenia, 23.00, Brain natriuretic peptide increased, 23.00, C-reactive protein increased, 23.00, Computerised tomogram abdomen normal, 23.00
870450, Computerised tomogram head normal, 23.00, Condition aggravated, 23.00, Disorientation, 23.00, Fibrin D dimer increased, 23.00, Fungal infection, 23.00
870450, Hallucination, 23.00, Headache, 23.00, Influenza virus test negative, 23.00, International normalised ratio increased, 23.00, Irritability, 23.00
870450, Nausea, 23.00, Neutrophil count increased, 23.00, Neutrophil percentage increased, 23.00, Oral herpes, 23.00, Paranoia, 23.00
870450, Prothrombin time prolonged, 23.00, Pyrexia, 23.00, Respiratory syncytial virus test negative, 23.00, SARS-CoV-2 test negative, 23.00, White blood cell count increased, 23.00
870451, Arthralgia, 23.00, Blood test, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00
870451, Pain, 23.00, Pyrexia, 23.00, , , , , , , , , , ,
870452, Feeling hot, 23.00, Localised infection, 23.00, Pain in extremity, 23.00, Swelling, 23.00, ,
870453, Erythema, 23.00, Induration, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00
870454, Rash, 23.00, , , , , , , , , , ,
870455, Injection site pain, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , , , ,
870456, Arthralgia, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Headache, 23.00, Insomnia, 23.00

870456,Myalgia,23.00,,,,,,,,,
870457,Strabismus,23.00,,,,,,,,,
870458,Unevaluable event,23.00,,,,,,,,,
870459,Blood bicarbonate normal,23.00,Blood culture negative,
23.00,Blood sodium normal,23.00,Blood urine present,23.00,CSF cell
count increased,23.00
870459,CSF culture negative,23.00,CSF glucose normal,23.00,CSF
lymphocyte count normal,23.00,CSF neutrophil count increased,23.00,CSF
protein increased,23.00
870459,CSF white blood cell count increased,23.00,Chest X-ray normal,
23.00,Culture urine negative,23.00,Electroencephalogram normal,
23.00,Eye movement disorder,23.00
870459,Foaming at mouth,23.00,Full blood count,23.00,Herpes simplex
test negative,23.00,Influenza virus test negative,23.00,Metabolic
function test,23.00
870459,Polymerase chain reaction,23.00,Procalcitonin increased,
23.00,Pyrexia,23.00,SARS-CoV-2 test negative,23.00,Seizure,23.00
870459,Seizure like phenomena,23.00,Tardive dyskinesia,23.00,Tongue
thrust,23.00,White blood cell count increased,23.00,,
870460,Wrong product administered,23.00,,,,,,,,,
870461,Diet refusal,23.00,Screaming,23.00,,,,,,,,,
870463,Antibody test positive,23.00,Mumps,23.00,Mumps antibody test
negative,23.00,Rubella antibody negative,23.00,,
870464,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
870465,Rubella antibody negative,23.00,Vaccination complication,
23.00,,,,,,,,,
870466,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
870467,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
870468,Unevaluable event,23.00,,,,,,,,,
870469,Abnormal behaviour,23.00,Dyskinesia,23.00,Excessive eye
blinking,23.00,Fatigue,23.00,Hypotonia,23.00
870469,Irritability,23.00,Musculoskeletal stiffness,23.00,Seizure like
phenomena,23.00,Staring,23.00,Unresponsive to stimuli,23.00
870471,Mobility decreased,23.00,Pain in extremity,23.00,,,,,,,,,
870472,Injection site pain,23.00,,,,,,,,,
870473,Blindness unilateral,23.00,Optic neuritis,23.00,,,,,,,,,
870476,Off label use,23.00,,,,,,,,,
870477,Pruritus,23.00,Therapeutic response unexpected,23.00,,,,,,,,,
870478,Injection site pain,23.00,Insomnia,23.00,,,,,,,,,
870479,Injection site reaction,23.00,Pyrexia,23.00,Rash,23.00,Rash
erythematous,23.00,Rash maculo-papular,23.00
870480,Syncope,23.00,,,,,,,,,
870481,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site swelling,
23.00,,
870482,Erythema,23.00,Headache,23.00,Skin lesion,23.00,Tenderness,
23.00,,
870483,Asthenia,23.00,,,,,,,,,
870484,Chills,23.00,Headache,23.00,Pain,23.00,Pyrexia,
23.00,Vaccination site pain,23.00

870488,Abortion,23.00,Maternal exposure before pregnancy,23.00,,,,,
870489,Herpes zoster,23.00,,,,,
870490,Product administered to patient of inappropriate age,
23.00,,,,,
870491,Muscle contractions involuntary,23.00,,,,,
870492,Breast mass,23.00,Burning sensation,23.00,Dyspnoea,
23.00,Fatigue,23.00,Headache,23.00
870492,Herpes zoster,23.00,Inappropriate schedule of product
administration,23.00,Influenza like illness,23.00,Injection site pain,
23.00,Malaise,23.00
870492,Musculoskeletal stiffness,23.00,Pruritus,23.00,Pyrexia,
23.00,Rash macular,23.00,SARS-CoV-2 test negative,23.00
870492,Tenderness,23.00,Vaccination failure,23.00,,,,,
870493,Plasma cell myeloma,23.00,Radiotherapy,23.00,,,,,
870494,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Low birth weight baby,23.00,Premature baby,23.00,,
870495,Caesarean section,23.00,Exposure during pregnancy,
23.00,Premature delivery,23.00,Twin pregnancy,23.00,,
870496,Nausea,23.00,Vomiting,23.00,,,,,
870497,Diarrhoea,23.00,Haematochezia,23.00,Occult blood positive,
23.00,,,,,
870506,Herpes zoster,23.00,,,,,
870507,Expired product administered,23.00,No adverse event,23.00,,,,,
870510,Glossodynia,23.00,Hyperhidrosis,23.00,Oropharyngeal pain,
23.00,Rash erythematous,23.00,Rash pruritic,23.00
870510,Tongue erythema,23.00,Tongue haemorrhage,23.00,,,,,
870511,Product administered to patient of inappropriate age,
23.00,,,,,
870512,Arthralgia,23.00,Chills,23.00,Disturbance in attention,
23.00,Dizziness,23.00,Fatigue,23.00
870512,Headache,23.00,Myalgia,23.00,Nausea,23.00,Pain,23.00,,
870513,Chills,23.00,Injection site pain,23.00,Tremor,23.00,,,,,
870514,Exposure during pregnancy,23.00,Heart rate irregular,
23.00,Musculoskeletal stiffness,23.00,Nail infection,23.00,,
870515,Abdominal pain upper,23.00,Chills,23.00,Ear pain,23.00,Fatigue,
23.00,Headache,23.00
870515,Injection site pain,23.00,Tinnitus,23.00,Tremor,23.00,,,,,
870516,Attention deficit hyperactivity disorder,23.00,Encephalitis,
23.00,Injection site discolouration,23.00,Injection site erythema,
23.00,Injection site inflammation,23.00
870516,Injection site swelling,23.00,Injection site warmth,
23.00,Psychomotor hyperactivity,23.00,Sensory processing disorder,
23.00,Sleep disorder,23.00
870516,Vaccination complication,23.00,,,,,
870517,Pain in extremity,23.00,,,,,
870518,Pain in extremity,23.00,,,,,
870519,Chills,23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site rash,23.00,Pyrexia,23.00
870526,No adverse event,23.00,Product storage error,23.00,,,,,
870527,No adverse event,23.00,Product storage error,23.00,,,,,

870528,Product storage error,23.00,,,,,,,,,
870529,No adverse event,23.00,Product storage error,23.00,,,,,
870530,Herpes zoster,23.00,,,,,,,,,
870531,No adverse event,23.00,Product storage error,23.00,,,,,
870532,Arthritis bacterial,23.00,Herpes zoster,23.00,Rash,23.00,Rash vesicular,23.00,,
870533,No adverse event,23.00,Product storage error,23.00,,,,,
870534,No adverse event,23.00,Product storage error,23.00,,,,,
870535,No adverse event,23.00,Product storage error,23.00,,,,,
870536,No adverse event,23.00,Product storage error,23.00,,,,,
870537,No adverse event,23.00,Product storage error,23.00,,,,,
870538,No adverse event,23.00,Product storage error,23.00,,,,,
870539,No adverse event,23.00,Product storage error,23.00,,,,,
870540,No adverse event,23.00,Product storage error,23.00,,,,,
870541,Decreased appetite,23.00,Fatigue,23.00,Musculoskeletal stiffness,23.00,Nausea,23.00,Pyrexia,23.00
870542,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
870546,No adverse event,23.00,Product storage error,23.00,,,,,
870547,No adverse event,23.00,Product storage error,23.00,,,,,
870548,No adverse event,23.00,Product storage error,23.00,,,,,
870549,No adverse event,23.00,Product storage error,23.00,,,,,
870550,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
870551,Chest pain,23.00,Electrocardiogram normal,23.00,Pruritus,23.00,Sleep disorder,23.00,,
870552,Fatigue,23.00,Incomplete course of vaccination,23.00,Pain,23.00,Pyrexia,23.00,,
870553,Injection site bruising,23.00,Injection site pain,23.00,Pain,23.00,Swelling,23.00,,
870558,Erythema,23.00,Skin warm,23.00,Swelling,23.00,,,,,
870564,No adverse event,23.00,Product storage error,23.00,,,,,
870565,No adverse event,23.00,Product storage error,23.00,,,,,
870566,No adverse event,23.00,Product storage error,23.00,,,,,
870567,No adverse event,23.00,Product storage error,23.00,,,,,
870568,No adverse event,23.00,Product storage error,23.00,,,,,
870569,No adverse event,23.00,Product storage error,23.00,,,,,
870570,No adverse event,23.00,Product storage error,23.00,,,,,
870571,No adverse event,23.00,Product storage error,23.00,,,,,
870572,No adverse event,23.00,Product storage error,23.00,,,,,
870573,Breast pain,23.00,Chest pain,23.00,Electrocardiogram normal,23.00,Neuralgia,23.00,,
870574,Pain in extremity,23.00,,,,,,,,,
870575,Pain in extremity,23.00,,,,,,,,,
870576,Colorectal cancer metastatic,23.00,Guillain-Barre syndrome,23.00,Rectal cancer stage IV,23.00,,,,,
870577,Chills,23.00,Pyrexia,23.00,,,,,
870578,Chills,23.00,Fatigue,23.00,Malaise,23.00,Sleep disorder,23.00,,
870580,Rash,23.00,Rash vesicular,23.00,Urticaria,23.00,,,,,
870581,Injection site erythema,23.00,Injection site induration,23.00,Injection site swelling,23.00,,,,,
870582,Agitation,23.00,Fatigue,23.00,Malaise,23.00,Pyrexia,

23.00,Restlessness,23.00
870583,Gastrointestinal disorder,23.00,,,,,
870584,Injection site erythema,23.00,Injection site induration,
23.00,Injection site papule,23.00,Injection site rash,23.00,,
870585,Rash,23.00,Rash pustular,23.00,,,,,
870588,No adverse event,23.00,Product storage error,23.00,,,,,
870589,No adverse event,23.00,Product storage error,23.00,,,,,
870590,Deafness neurosensory,23.00,Deafness unilateral,23.00,Herpes
zoster,23.00,Rash,23.00,Rash erythematous,23.00
870591,No adverse event,23.00,Product storage error,23.00,,,,,
870592,No adverse event,23.00,Product storage error,23.00,,,,,
870593,No adverse event,23.00,Product storage error,23.00,,,,,
870594,No adverse event,23.00,Product storage error,23.00,,,,,
870595,No adverse event,23.00,Product storage error,23.00,,,,,
870596,Back pain,23.00,Pain in extremity,23.00,Wheezing,23.00,,,,,
870597,Anaemia,23.00,Beta haemolytic streptococcal infection,
23.00,Constipation,23.00,Delivery,23.00,Exposure during pregnancy,
23.00
870597,Foetal disorder,23.00,Streptococcus test positive,23.00,,,,,
870598,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Low birth weight baby,23.00,Premature
baby,23.00
870598,Small for dates baby,23.00,Twin pregnancy,23.00,,,,,
870599,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
870602,Expired product administered,23.00,No adverse event,23.00,,,,,
870603,No adverse event,23.00,Product storage error,23.00,,,,,
870604,No adverse event,23.00,Product preparation issue,23.00,,,,,
870605,Urticaria,23.00,,,,,
870606,Contusion,23.00,Nodule,23.00,,,,,
870607,Syncope,23.00,,,,,
870608,Erythema,23.00,Peripheral swelling,23.00,Pruritus,23.00,Rash,
23.00,,
870609,Injection site erythema,23.00,,,,,
870610,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
870611,Pruritus,23.00,Rash,23.00,,,,,
870612,Erythema,23.00,Rash,23.00,,,,,
870613,Expired product administered,23.00,,,,,
870614,Dizziness,23.00,Eye movement disorder,23.00,Headache,
23.00,Muscle contractions involuntary,23.00,Musculoskeletal stiffness,
23.00
870614,Nausea,23.00,Pallor,23.00,Rash macular,23.00,Seizure like
phenomena,23.00,,
870615,Blister,23.00,Rash,23.00,,,,,
870616,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,
870617,Erythema,23.00,Pallor,23.00,Unresponsive to stimuli,23.00,,,,,
870618,Body temperature increased,23.00,Chills,23.00,Discomfort,
23.00,Dyskinesia,23.00,,

870619,C-reactive protein increased,23.00,Echocardiogram normal,
23.00,Immunoglobulin therapy,23.00,Intensive care,23.00,Kawasaki's
disease,23.00
870619,Platelet count increased,23.00,Pyrexia,23.00,Red blood cell
sedimentation rate increased,23.00,Supraventricular tachycardia,
23.00,White blood cell count increased,23.00
870620,Chills,23.00,Headache,23.00,Nausea,23.00,,,,,
870621,Incorrect product formulation administered,23.00,,,,,,
870622,Chills,23.00,Hyperhidrosis,23.00,Joint range of motion
decreased,23.00,Pain,23.00,,
870623,Dizziness,23.00,Loss of consciousness,23.00,,,,,
870624,Grip strength decreased,23.00,Injection site pain,23.00,,,,,
870632,Antibody test negative,23.00,Injection site bruising,
23.00,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00
870632,Injection site reaction,23.00,,,,,
870633,No adverse event,23.00,Product storage error,23.00,,,,,
870635,No adverse event,23.00,Product storage error,23.00,,,,,
870636,Herpes zoster,23.00,,,,,
870637,No adverse event,23.00,Product storage error,23.00,,,,,
870638,No adverse event,23.00,Product storage error,23.00,,,,,
870639,No adverse event,23.00,Product storage error,23.00,,,,,
870640,No adverse event,23.00,Product storage error,23.00,,,,,
870641,No adverse event,23.00,Product storage error,23.00,,,,,
870642,No adverse event,23.00,Product storage error,23.00,,,,,
870643,No adverse event,23.00,Product storage error,23.00,,,,,
870644,No adverse event,23.00,Product storage error,23.00,,,,,
870645,No adverse event,23.00,Product storage error,23.00,,,,,
870646,No adverse event,23.00,Product storage error,23.00,,,,,
870647,No adverse event,23.00,Product storage error,23.00,,,,,
870648,No adverse event,23.00,Product storage error,23.00,,,,,
870649,No adverse event,23.00,Product storage error,23.00,,,,,
870650,No adverse event,23.00,Product storage error,23.00,,,,,
870651,No adverse event,23.00,Product storage error,23.00,,,,,
870652,No adverse event,23.00,Product storage error,23.00,,,,,
870653,No adverse event,23.00,Product storage error,23.00,,,,,
870654,No adverse event,23.00,Product storage error,23.00,,,,,
870655,No adverse event,23.00,Product storage error,23.00,,,,,
870656,No adverse event,23.00,Product storage error,23.00,,,,,
870657,No adverse event,23.00,Product storage error,23.00,,,,,
870658,No adverse event,23.00,Product storage error,23.00,,,,,
870659,No adverse event,23.00,Product storage error,23.00,,,,,
870660,No adverse event,23.00,Product storage error,23.00,,,,,
870661,No adverse event,23.00,Product storage error,23.00,,,,,
870662,No adverse event,23.00,Product storage error,23.00,,,,,
870663,No adverse event,23.00,Product storage error,23.00,,,,,
870664,No adverse event,23.00,Product storage error,23.00,,,,,
870665,No adverse event,23.00,Product storage error,23.00,,,,,
870666,No adverse event,23.00,Product storage error,23.00,,,,,
870667,No adverse event,23.00,Product storage error,23.00,,,,,

870668, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870669, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870670, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870671, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870672, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870673, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870674, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870675, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870676, Abdominal pain, 23.00, Fatigue, 23.00, Nausea, 23.00, Pyrexia,
23.00, Vomiting, 23.00
870677, Diarrhoea, 23.00, Pain, 23.00, Rash, 23.00, Vomiting, 23.00, ,
870680, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870681, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870682, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870683, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870684, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870685, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870686, Injection site pain, 23.00, , , , , , , ,
870687, Expired product administered, 23.00, , , , , , , ,
870688, Injection site erythema, 23.00, Injection site mass,
23.00, Injection site pain, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00
870692, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870693, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870694, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870695, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870696, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870697, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870698, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870699, Dyspnoea, 23.00, Headache, 23.00, Malaise, 23.00, Pyrexia, 23.00, ,
870700, Nerve injury, 23.00, Pain of skin, 23.00, Skin laceration, 23.00, , , ,
870701, Pyrexia, 23.00, , , , , , , ,
870702, Contusion, 23.00, Headache, 23.00, Injection site erythema,
23.00, Malaise, 23.00, ,
870703, No adverse event, 23.00, Product preparation issue, 23.00, , , , , ,
870704, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
870705, No adverse event, 23.00, Product preparation error, 23.00, , , , , ,
870706, Erythema, 23.00, Fat necrosis, 23.00, Mass, 23.00, , , , ,
870707, Incorrect dose administered, 23.00, , , , , , , ,
870708, Erythema, 23.00, Insomnia, 23.00, Peripheral swelling,
23.00, Pruritus, 23.00, ,
870715, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
870716, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870717, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870718, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870719, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870720, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870721, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870722, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870723, No adverse event, 23.00, Product storage error, 23.00, , , , , ,

870724, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870725, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870726, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870727, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870728, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870729, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870730, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870731, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870732, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870733, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870734, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870735, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870736, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870737, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870738, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870739, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870740, Pain in extremity, 23.00, , , , , , , ,
870741, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870742, Extra dose administered, 23.00, No adverse event, 23.00, , , , , ,
870743, Influenza like illness, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Pain, 23.00, Pyrexia, 23.00
870744, Pyrexia, 23.00, , , , , , , ,
870745, Injection site erythema, 23.00, Injection site pain, 23.00, Pain,
23.00, , , , ,
870746, Irritability, 23.00, Pyrexia, 23.00, Rash, 23.00, , , , , ,
870747, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870748, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870749, Product storage error, 23.00, , , , , , , ,
870750, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870751, Product storage error, 23.00, , , , , , , ,
870752, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870753, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870754, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870755, Product storage error, 23.00, , , , , , , ,
870756, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870757, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870758, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870759, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870760, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870761, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870762, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870763, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870767, Product dose omission, 23.00, , , , , , , ,
870768, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870769, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870770, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870771, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870772, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870773, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870774, No adverse event, 23.00, Product storage error, 23.00, , , , , ,

870775, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870776, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870777, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870778, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870779, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870780, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870781, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870782, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870783, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870784, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870785, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870786, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870787, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870788, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870789, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870790, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870791, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870792, Pyrexia, 23.00, , , , , , , ,
870793, Rash macular, 23.00, Skin swelling, 23.00, Skin warm, 23.00, , , , ,
870794, Discomfort, 23.00, Influenza like illness, 23.00, Wrong product
administered, 23.00, , , , ,
870795, Burning sensation, 23.00, Headache, 23.00, Injection site swelling,
23.00, , , , , ,
870796, Bedridden, 23.00, Headache, 23.00, Influenza like illness,
23.00, Injection site discomfort, 23.00, Injection site rash, 23.00
870796, Injection site warmth, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
870797, Bedridden, 23.00, Multiple sclerosis, 23.00, , , , , , ,
870798, Erythema, 23.00, Injection site bruising, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, Pruritus, 23.00
870798, Skin warm, 23.00, Sleep disorder, 23.00, , , , , , ,
870799, Injection site erythema, 23.00, Injection site swelling,
23.00, , , , , , , ,
870800, Blood thyroid stimulating hormone, 23.00, Electrocardiogram,
23.00, Full blood count, 23.00, Injection site pain, 23.00, Metabolic
function test, 23.00
870800, Presyncope, 23.00, Urine analysis, 23.00, , , , , , ,
870801, Fatigue, 23.00, Headache, 23.00, Injection site pain, 23.00, Muscle
fatigue, 23.00, , ,
870802, Pyrexia, 23.00, Seizure, 23.00, , , , , , ,
870803, Injection site rash, 23.00, Injection site urticaria, 23.00, , , , , , ,
870804, Eye movement disorder, 23.00, Pyrexia, 23.00, Seizure like
phenomena, 23.00, Tremor, 23.00, Unresponsive to stimuli, 23.00
870804, Vomiting, 23.00, , , , , , , ,
870805, Immunoglobulin therapy, 23.00, Inflammation, 23.00, Kawasaki's
disease, 23.00, Pyrexia, 23.00, Rash, 23.00
870806, Body temperature increased, 23.00, Rash, 23.00, , , , , , ,
870807, Rash, 23.00, Rash pruritic, 23.00, Varicella, 23.00, , , , , ,
870808, Arthralgia, 23.00, Asthenia, 23.00, Fatigue, 23.00, Hypersomnia,
23.00, Injection site erythema, 23.00
870808, Injection site pain, 23.00, Injection site pruritus,

23.00, Injection site swelling, 23.00, Insomnia, 23.00, Myalgia, 23.00
870808, Pain, 23.00, , , , , , , , ,
870809, Pruritus, 23.00, Rash, 23.00, , , , , , ,
870810, Chills, 23.00, Cold sweat, 23.00, Decreased appetite,
23.00, Diarrhoea, 23.00, Exposure during pregnancy, 23.00
870810, Headache, 23.00, Nausea, 23.00, Vomiting, 23.00, , , , ,
870811, Joint range of motion decreased, 23.00, Musculoskeletal pain,
23.00, Myalgia, 23.00, Pain, 23.00, Product administered at inappropriate
site, 23.00
870811, Rotator cuff syndrome, 23.00, , , , , , , , ,
870812, Pain in extremity, 23.00, Pruritus, 23.00, Pyrexia, 23.00, , , , ,
870813, Immediate post-injection reaction, 23.00, Mobility decreased,
23.00, Musculoskeletal pain, 23.00, Pain, 23.00, Pain in extremity, 23.00
870814, Fatigue, 23.00, Headache, 23.00, Pain in extremity, 23.00, Pruritus,
23.00, Rash macular, 23.00
870815, Arthralgia, 23.00, Chest discomfort, 23.00, Erythema,
23.00, Headache, 23.00, Palpitations, 23.00
870815, Rash, 23.00, , , , , , , , ,
870816, Injection site discomfort, 23.00, Injection site erythema,
23.00, Injection site induration, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00
870816, Injection site rash, 23.00, Injection site swelling,
23.00, Injection site urticaria, 23.00, Injection site warmth, 23.00, , ,
870817, Muscle tightness, 23.00, Urticaria, 23.00, , , , , , , , ,
870818, Blood pressure increased, 23.00, Blood test, 23.00, Headache,
23.00, Urine analysis, 23.00, , ,
870819, Rash, 23.00, , , , , , , , ,
870820, Erythema, 23.00, Pain, 23.00, Swelling, 23.00, , , , ,
870821, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site rash, 23.00, , , , ,
870822, Cough, 23.00, Facial pain, 23.00, Grimacing, 23.00, Hypoaesthesia,
23.00, Loss of personal independence in daily activities, 23.00
870822, Pain in extremity, 23.00, Paraesthesia, 23.00, Sensory loss,
23.00, Sneezing, 23.00, , ,
870823, Chest crushing, 23.00, Chills, 23.00, Dyspnoea, 23.00, Pain,
23.00, Pyrexia, 23.00
870824, Crying, 23.00, Diarrhoea, 23.00, Emotional distress, 23.00, Faeces
discoloured, 23.00, Mucous stools, 23.00
870824, Poor quality sleep, 23.00, SARS-CoV-2 test negative,
23.00, Screaming, 23.00, Viral test negative, 23.00, , ,
870825, Dyspnoea, 23.00, Respiratory rate increased, 23.00, , , , , , , , ,
870826, Back pain, 23.00, Joint range of motion decreased, 23.00, Magnetic
resonance imaging, 23.00, Pain, 23.00, Shoulder injury related to vaccine
administration, 23.00
870826, X-ray, 23.00, , , , , , , , ,
870836, Accidental exposure to product, 23.00, Exposure via skin contact,
23.00, No adverse event, 23.00, , , , , , ,
870837, Herpes zoster, 23.00, , , , , , , , ,
870838, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
870839, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,

870840, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870841, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870842, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870843, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870844, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870845, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870846, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870847, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870848, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870849, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870850, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870851, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870852, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870853, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870854, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870855, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870856, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870857, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870858, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870859, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870860, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870861, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870862, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870863, Injection site pain, 23.00, Vaccine positive rechallenge,
23.00, , , , , ,
870864, Pain in extremity, 23.00, Vaccine positive rechallenge,
23.00, , , , , ,
870865, Pain in extremity, 23.00, , , , , , ,
870866, Herpes zoster, 23.00, , , , , , ,
870867, Pain in extremity, 23.00, , , , , , ,
870868, Feeling abnormal, 23.00, , , , , , ,
870869, Insomnia, 23.00, Pain in extremity, 23.00, Vaccine positive
rechallenge, 23.00, , , , ,
870870, Pyrexia, 23.00, , , , , , ,
870871, Chills, 23.00, , , , , , ,
870872, Pain in extremity, 23.00, , , , , , ,
870873, Pain in extremity, 23.00, Vaccine positive rechallenge,
23.00, , , , , ,
870874, Coronavirus infection, 23.00, Coronavirus test positive,
23.00, , , , , ,
870875, Pain in extremity, 23.00, Tenderness, 23.00, Vaccine positive
rechallenge, 23.00, , , , ,
870876, Burning sensation, 23.00, Skin warm, 23.00, , , , , ,
870877, Influenza like illness, 23.00, , , , , , ,
870878, Insomnia, 23.00, Pain in extremity, 23.00, , , , , ,
870879, Herpes zoster, 23.00, Social problem, 23.00, , , , , ,
870880, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
870881, Failure to thrive, 23.00, Rash, 23.00, Rash erythematous, 23.00, Rash
macular, 23.00, Rash pruritic, 23.00
870881, Urticaria, 23.00, , , , , , ,

870882, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870883, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
870884, No adverse event, 23.00, Wrong technique in product usage
process, 23.00, , , , , , ,
870885, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
870886, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870887, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870888, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870889, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870890, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870891, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870892, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870893, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870894, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870896, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870897, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870898, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870899, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870900, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870901, Exposure during pregnancy, 23.00, Pregnancy test, 23.00, , , , , , ,
870902, Body temperature increased, 23.00, Discomfort, 23.00, Influenza
virus test negative, 23.00, SARS-CoV-2 test negative, 23.00, Skin warm,
23.00
870902, Streptococcus test negative, 23.00, Vomiting, 23.00, , , , , , ,
870903, Fall, 23.00, Hypersomnia, 23.00, Loss of consciousness,
23.00, Unresponsive to stimuli, 23.00, ,
870912, Product storage error, 23.00, , , , , , , ,
870913, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
870914, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870915, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870916, Blood 25-hydroxycholecalciferol, 23.00, Blood cholesterol
increased, 23.00, Blood triglycerides increased, 23.00, Cerebral
ischaemia, 23.00, Cerebrovascular accident, 23.00
870916, Cervical radiculopathy, 23.00, Erosive oesophagitis,
23.00, Hepatitis viral test negative, 23.00, High density lipoprotein
normal, 23.00, Hypertension, 23.00
870916, Laboratory test normal, 23.00, Low density lipoprotein decreased,
23.00, Mycobacterium tuberculosis complex test negative, 23.00, Nail
pitting, 23.00, Nodal osteoarthritis, 23.00
870916, Osteoarthritis, 23.00, Psoriatic arthropathy, 23.00, Ventricular
tachycardia, 23.00, , , , ,
870917, Erythema, 23.00, Swelling, 23.00, , , , , , ,
870918, Pyrexia, 23.00, , , , , , , ,
870919, Paraesthesia, 23.00, , , , , , , ,
870920, Chills, 23.00, Immediate post-injection reaction, 23.00, Myalgia,
23.00, , , , ,
870921, Herpes zoster, 23.00, Incomplete course of vaccination,
23.00, Social problem, 23.00, , , , ,
870922, Dizziness, 23.00, Headache, 23.00, , , , , , ,

870923,Gastroenteritis rotavirus,23.00,Immunology test,
23.00,Incomplete course of vaccination,23.00,Norovirus test,
23.00,Polymerase chain reaction positive,23.00
870923,Rotavirus test positive,23.00,Viral test,23.00,,,,,
870925,Injected limb mobility decreased,23.00,Injection site cyst,
23.00,Injection site mass,23.00,Muscular weakness,23.00,Pain,23.00
870926,Herpes zoster,23.00,,,,,
870927,Abdominal pain,23.00,Hyperhidrosis,23.00,,,,,
870928,Condition aggravated,23.00,Rheumatoid arthritis,23.00,,,,,
870929,Chills,23.00,Condition aggravated,23.00,Erythema,23.00,Herpes
virus infection,23.00,,
870930,Injection site pain,23.00,,,,,
870931,Injection site pain,23.00,,,,,
870932,Chest pain,23.00,Flushing,23.00,Oropharyngeal pain,23.00,Pain,
23.00,Pruritus,23.00
870932,Sensation of foreign body,23.00,Throat irritation,
23.00,Urticaria,23.00,,,,
870933,Mobility decreased,23.00,Pain in extremity,23.00,,,,,
870934,Arthralgia,23.00,Injection site pain,23.00,Injection site
warmth,23.00,Pyrexia,23.00,,
870935,Headache,23.00,Lethargy,23.00,Nausea,23.00,Pain,
23.00,Palpitations,23.00
870935,Pyrexia,23.00,,,,,
870937,No adverse event,23.00,Product storage error,23.00,,,,,
870938,No adverse event,23.00,Product storage error,23.00,,,,,
870939,No adverse event,23.00,Product storage error,23.00,,,,,
870940,No adverse event,23.00,Product storage error,23.00,,,,,
870941,No adverse event,23.00,Product storage error,23.00,,,,,
870942,No adverse event,23.00,Product storage error,23.00,,,,,
870943,No adverse event,23.00,Product storage error,23.00,,,,,
870944,No adverse event,23.00,Product storage error,23.00,,,,,
870945,No adverse event,23.00,Product storage error,23.00,,,,,
870946,No adverse event,23.00,Product storage error,23.00,,,,,
870947,No adverse event,23.00,Product storage error,23.00,,,,,
870948,No adverse event,23.00,Product storage error,23.00,,,,,
870949,No adverse event,23.00,Product storage error,23.00,,,,,
870950,No adverse event,23.00,Product storage error,23.00,,,,,
870951,No adverse event,23.00,Product storage error,23.00,,,,,
870952,No adverse event,23.00,Product storage error,23.00,,,,,
870953,No adverse event,23.00,Product storage error,23.00,,,,,
870954,No adverse event,23.00,Product storage error,23.00,,,,,
870955,No adverse event,23.00,Product storage error,23.00,,,,,
870956,No adverse event,23.00,Product storage error,23.00,,,,,
870957,No adverse event,23.00,Product storage error,23.00,,,,,
870958,No adverse event,23.00,Product storage error,23.00,,,,,
870959,No adverse event,23.00,Product storage error,23.00,,,,,
870961,Chills,23.00,Headache,23.00,Myalgia,23.00,Nasopharyngitis,
23.00,Pyrexia,23.00
870962,COVID-19,23.00,Dyspnoea,23.00,Foreign travel,23.00,,,
870963,Spinal fusion surgery,23.00,,,,,

870964, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870965, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870966, Abdominal pain upper, 23.00, Arthralgia, 23.00, Asthenia,
23.00, Diarrhoea, 23.00, Fatigue, 23.00
870966, Nausea, 23.00, , , , , , , ,
870967, Chest discomfort, 23.00, Chills, 23.00, Cough, 23.00, Fatigue,
23.00, Headache, 23.00
870967, Influenza like illness, 23.00, Nausea, 23.00, Pain, 23.00, , , , ,
870968, Injection site erythema, 23.00, Injection site induration,
23.00, Injection site mass, 23.00, Injection site reaction, 23.00, Rash
erythematous, 23.00
870969, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
870973, Delivery, 23.00, Exposure during pregnancy, 23.00, Gestational
diabetes, 23.00, Large for dates baby, 23.00, Pre-eclampsia, 23.00
870973, Prenatal screening test, 23.00, Ultrasound antenatal screen
normal, 23.00, , , , , , , ,
870974, Wrong product administered, 23.00, , , , , , , , ,
870975, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site
erythema, 23.00, Injection site oedema, 23.00
870975, Local reaction, 23.00, Myalgia, 23.00, Pain, 23.00, Pain in
extremity, 23.00, Poor quality sleep, 23.00
870975, Pyrexia, 23.00, SARS-CoV-2 test negative, 23.00, Skin swelling,
23.00, Tenderness, 23.00, ,
870976, Asthenia, 23.00, Limb mass, 23.00, Neck pain, 23.00, Pain in
extremity, 23.00, Peripheral swelling, 23.00
870977, Complex regional pain syndrome, 23.00, Computerised tomogram,
23.00, Dyspnoea, 23.00, Ear pain, 23.00, Epstein-Barr virus infection, 23.00
870977, Gastrointestinal pain, 23.00, Headache, 23.00, Laboratory test,
23.00, Magnetic resonance imaging, 23.00, Mycoplasma test positive, 23.00
870977, Oedema genital, 23.00, Pain, 23.00, Ultrasound scan, 23.00, X-ray,
23.00, ,
870978, Food allergy, 23.00, , , , , , , , ,
870980, Chills, 23.00, Headache, 23.00, Injection site erythema,
23.00, Injection site induration, 23.00, Injection site pain, 23.00
870980, Injection site warmth, 23.00, Malaise, 23.00, Pyrexia, 23.00, , , , ,
870981, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Urticaria, 23.00, , ,
870982, Biopsy skin, 23.00, Discomfort, 23.00, Rash, 23.00, , , , ,
870983, Condition aggravated, 23.00, Diarrhoea, 23.00, Dysarthria,
23.00, Food allergy, 23.00, Hypersensitivity, 23.00
870983, Muscular weakness, 23.00, Palpitations, 23.00, Throat tightness,
23.00, Urticaria, 23.00, , ,
870984, Body temperature increased, 23.00, Chills, 23.00, Fatigue,
23.00, Headache, 23.00, Myalgia, 23.00
870984, Nausea, 23.00, , , , , , , , ,
870985, Cheilitis, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Lip discolouration, 23.00, Lip pain, 23.00
870985, Pyrexia, 23.00, , , , , , , , ,
870986, Crying, 23.00, Screaming, 23.00, , , , , , , , ,
871014, Bacterial test negative, 23.00, Blister, 23.00, Blood electrolytes

normal,23.00,CSF glucose normal,23.00,CSF lymphocyte count normal,
23.00
871014,CSF protein normal,23.00,CSF red blood cell count positive,
23.00,CSF white blood cell count increased,23.00,Central venous
catheterisation,23.00,Gram stain,23.00
871014,HIV test negative,23.00,Haemoglobin normal,23.00,Headache,
23.00,Herpes zoster,23.00,Liver function test normal,23.00
871014,Lymphocyte percentage decreased,23.00,Meningitis,23.00,Monocyte
percentage increased,23.00,Neutrophil percentage increased,23.00,Pain
in extremity,23.00
871014,Photophobia,23.00,Platelet count normal,23.00,Polymerase chain
reaction positive,23.00,Pyrexia,23.00,Rash,23.00
871014,Rash erythematous,23.00,Rash maculo-papular,23.00,Varicella
virus test positive,23.00,Vomiting,23.00,White blood cell count
normal,23.00
871015,Expired product administered,23.00,No adverse event,23.00,,,,,
871016,No adverse event,23.00,Product storage error,23.00,,,,,
871017,No adverse event,23.00,Product storage error,23.00,,,,,
871018,Diarrhoea,23.00,Haematochezia,23.00,Laboratory test,23.00,Milk
allergy,23.00,Respiratory syncytial virus infection,23.00
871019,Extra dose administered,23.00,No adverse event,23.00,,,,,
871020,Herpes zoster,23.00,,,,,
871021,No adverse event,23.00,Product storage error,23.00,,,,,
871022,No adverse event,23.00,Product storage error,23.00,,,,,
871023,No adverse event,23.00,Underdose,23.00,,,,,
871024,Ophthalmic herpes zoster,23.00,,,,,
871025,Herpes zoster,23.00,,,,,
871026,Herpes zoster,23.00,,,,,
871027,No adverse event,23.00,Product storage error,23.00,,,,,
871028,No adverse event,23.00,Product storage error,23.00,,,,,
871029,No adverse event,23.00,Product storage error,23.00,,,,,
871030,No adverse event,23.00,Product storage error,23.00,,,,,
871031,No adverse event,23.00,Product storage error,23.00,,,,,
871032,No adverse event,23.00,Product storage error,23.00,,,,,
871033,No adverse event,23.00,Product storage error,23.00,,,,,
871034,No adverse event,23.00,Product storage error,23.00,,,,,
871035,No adverse event,23.00,Product storage error,23.00,,,,,
871036,No adverse event,23.00,Product storage error,23.00,,,,,
871037,No adverse event,23.00,Product storage error,23.00,,,,,
871038,No adverse event,23.00,Product storage error,23.00,,,,,
871039,Product storage error,23.00,,,,,
871040,Expired product administered,23.00,,,,,
871041,Device connection issue,23.00,No adverse event,
23.00,Occupational exposure to product,23.00,,,,,
871043,Injection site reaction,23.00,Pyrexia,23.00,,,,,
871044,Influenza like illness,23.00,Malaise,23.00,,,,,
871045,Exposure via eye contact,23.00,Eye irritation,
23.00,Occupational exposure to product,23.00,Vision blurred,23.00,,
871046,Chills,23.00,Erythema,23.00,Fatigue,23.00,Feeling hot,
23.00,Headache,23.00

871046, Inflammation, 23.00, Influenza like illness, 23.00, Malaise, 23.00, Pain, 23.00, Paraesthesia, 23.00
871046, Peripheral swelling, 23.00, Pruritus, 23.00, Pyrexia, 23.00, , , ,
871047, Fatigue, 23.00, Injection site pain, 23.00, Malaise, 23.00, , , ,
871048, Pain in extremity, 23.00, , , , , , ,
871049, Pain in extremity, 23.00, Skin warm, 23.00, Swelling face, 23.00, Urticaria, 23.00, ,
871050, Urticaria, 23.00, , , , , , ,
871053, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871054, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871055, Expired product administered, 23.00, , , , , , ,
871056, Malaise, 23.00, , , , , , ,
871059, Irritability, 23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00, Pyrexia, 23.00, ,
871060, Aphasia, 23.00, Autism spectrum disorder, 23.00, Decreased eye contact, 23.00, Developmental delay, 23.00, Gastroesophageal reflux disease, 23.00
871060, Hypersensitivity, 23.00, Pyrexia, 23.00, Staring, 23.00, , , , ,
871061, Middle insomnia, 23.00, Muscle swelling, 23.00, Pain, 23.00, Skin warm, 23.00, ,
871062, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871063, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871064, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871069, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871070, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , ,
871071, Herpes zoster, 23.00, Malaise, 23.00, Vaccination failure, 23.00, , , , ,
871072, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , ,
871073, Immediate post-injection reaction, 23.00, Injection site pain, 23.00, , , , , ,
871074, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
871075, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871076, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871077, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871078, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871079, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871080, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871081, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871083, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,
871084, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , ,

871085, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871086, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871087, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871088, Injection site cellulitis, 23.00, Injection site induration, 23.00, Injection site pustule, 23.00, Injection site rash, 23.00, ,
871089, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871090, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871091, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871092, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871093, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871094, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871095, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871096, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871097, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871098, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871099, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871100, Henoch-Schonlein purpura, 23.00, Purpura, 23.00, Vasculitis, 23.00, , , , ,
871101, Pain in extremity, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , ,
871102, Abdominal discomfort, 23.00, Body temperature increased, 23.00, Chills, 23.00, Diarrhoea, 23.00, Pain, 23.00
871103, Erythema, 23.00, Oedema peripheral, 23.00, Pruritus, 23.00, Urticaria, 23.00, ,
871104, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871105, Arthralgia, 23.00, Joint effusion, 23.00, Leukocytosis, 23.00, Myalgia, 23.00, Ultrasound joint, 23.00
871105, Ultrasound scan abnormal, 23.00, White blood cell count increased, 23.00, , , , , , ,
871106, Joint range of motion decreased, 23.00, Pain, 23.00, , , , , , ,
871107, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871109, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871110, Herpes zoster, 23.00, Rash, 23.00, , , , , , ,

871111, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871112, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871113, Allergy to vaccine, 23.00, Chills, 23.00, Headache, 23.00, Urticaria, 23.00, ,
871114, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871115, Chills, 23.00, Headache, 23.00, Injection site pain, 23.00, Pain, 23.00, Pyrexia, 23.00
871119, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871124, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871125, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
871126, Condition aggravated, 23.00, Herpes virus infection, 23.00, , , , , , ,
871127, Condition aggravated, 23.00, Herpes virus infection, 23.00, Vaccine positive rechallenge, 23.00, , , ,
871128, Arthralgia, 23.00, , , , , , , ,
871129, Influenza, 23.00, Pain in extremity, 23.00, , , , , , ,
871130, Herpes zoster, 23.00, Swelling, 23.00, , , , , , ,
871131, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871132, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871133, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871134, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871135, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , ,
871136, Hyperhidrosis, 23.00, Loss of consciousness, 23.00, Syncope, 23.00, Tonic clonic movements, 23.00, Vertigo, 23.00
871136, Visual impairment, 23.00, , , , , , , ,
871142, Herpes zoster, 23.00, , , , , , , ,
871143, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
871144, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
871145, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
871146, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
871147, Apgar score normal, 23.00, Caesarean section, 23.00, Foetal exposure during pregnancy, 23.00, Macrosomia, 23.00, ,
871148, Apgar score low, 23.00, Foetal exposure during pregnancy, 23.00, Large for dates baby, 23.00, , , ,
871149, Cough, 23.00, Crying, 23.00, Infantile spitting up, 23.00, Irritability, 23.00, Pyrexia, 23.00
871149, Vomiting, 23.00, , , , , , , ,
871150, Dysphagia, 23.00, Dyspnoea, 23.00, Oxygen saturation decreased, 23.00, Peripheral coldness, 23.00, Swollen tongue, 23.00
871151, Erythema, 23.00, Peripheral swelling, 23.00, Swelling, 23.00, , , , ,
871152, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,

871153, Chills, 23.00, Fatigue, 23.00, Myalgia, 23.00, Pyrexia, 23.00, Tremor, 23.00
871154, Body temperature increased, 23.00, Cyanosis, 23.00, Febrile convulsion, 23.00, Generalised tonic-clonic seizure, 23.00, Irritability, 23.00
871154, Postictal state, 23.00, SARS-CoV-2 test negative, 23.00, Somnolence, 23.00, , , , ,
871155, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , ,
871156, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, ,
871157, Expired product administered, 23.00, , , , , , , ,
871158, Injection site pain, 23.00, , , , , , , ,
871159, Abdominal discomfort, 23.00, Chills, 23.00, Headache, 23.00, Productive cough, 23.00, Pyrexia, 23.00
871159, Tremor, 23.00, , , , , , , ,
871160, Crying, 23.00, , , , , , , ,
871173, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , ,
871177, Inappropriate schedule of product administration, 23.00, , , , , , , ,
871178, Intussusception, 23.00, Ultrasound abdomen abnormal, 23.00, , , , , , ,
871179, Herpes zoster, 23.00, , , , , , , ,
871180, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
871181, Herpes zoster, 23.00, Hypoaesthesia, 23.00, , , , , , ,
871182, Herpes zoster, 23.00, , , , , , , ,
871183, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
871184, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
871185, Inappropriate schedule of product administration, 23.00, , , , , , , ,
871186, Allergy to vaccine, 23.00, Carpal tunnel syndrome, 23.00, Cerebral infarction, 23.00, Coordination abnormal, 23.00, Dysphagia, 23.00
871186, Electromyogram, 23.00, Hypoaesthesia, 23.00, Mononeuropathy, 23.00, Muscular weakness, 23.00, Musculoskeletal disorder, 23.00
871186, Nerve conduction studies abnormal, 23.00, Neuralgic amyotrophy, 23.00, Neuromyopathy, 23.00, Neuropathy peripheral, 23.00, Pain in extremity, 23.00
871186, Peripheral motor neuropathy, 23.00, Tremor, 23.00, , , , , , , ,
871187, Blood thyroid stimulating hormone normal, 23.00, Culture urine negative, 23.00, Fatigue, 23.00, Full blood count normal, 23.00, Glycosylated haemoglobin normal, 23.00
871187, Headache, 23.00, Hot flush, 23.00, Metabolic function test normal, 23.00, Myalgia, 23.00, Pain in extremity, 23.00
871187, Pyrexia, 23.00, Vitamin B12 normal, 23.00, , , , , , , ,
871188, No adverse event, 23.00, Product temperature excursion issue, 23.00, , , , , , , ,
871189, Decreased appetite, 23.00, Feeling hot, 23.00, Irritability, 23.00, Pyrexia, 23.00, Rash, 23.00
871189, Somnolence, 23.00, , , , , , , ,
871194, Product storage error, 23.00, , , , , , , ,
871195, Electrocardiogram normal, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, , , , ,

871196,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
871197,Injection site erythema,23.00,Injection site swelling,
23.00,Joint swelling,23.00,,,,,
871198,Otitis media,23.00,Rash erythematous,23.00,Rash macular,
23.00,,,,,
871199,Product storage error,23.00,,,,,,,
871200,No adverse event,23.00,Product temperature excursion issue,
23.00,,,,,,
871201,Blood glucose normal,23.00,Dizziness,23.00,Eye movement
disorder,23.00,Foaming at mouth,23.00,Immediate post-injection
reaction,23.00
871201,Muscle rigidity,23.00,Opisthotonus,23.00,Seizure,23.00,,,,,
871205,Cerebral ischaemia,23.00,Head titubation,23.00,Hyperacusis,
23.00,Magnetic resonance imaging brain abnormal,23.00,Migraine,23.00
871205,Nausea,23.00,Photophobia,23.00,Tremor,23.00,White matter
lesion,23.00,,
871206,Herpes zoster,23.00,,,,,,,
871207,Condition aggravated,23.00,Ventricular extrasystoles,
23.00,,,,,,
871208,Dyspnoea,23.00,Feeling cold,23.00,Pyrexia,23.00,,,,,
871209,Product storage error,23.00,,,,,,,
871212,Diarrhoea,23.00,Dizziness,23.00,Influenza like illness,
23.00,Injection site pain,23.00,Pain,23.00
871213,Blood electrolytes normal,23.00,Electrocardiogram normal,
23.00,Hypotonic-hyporesponsive episode,23.00,,,,,
871214,Chills,23.00,Hyperhidrosis,23.00,Malaise,23.00,Pyrexia,23.00,,
871215,No adverse event,23.00,Product temperature excursion issue,
23.00,,,,,,
871216,Product storage error,23.00,,,,,,,
871217,No adverse event,23.00,Product temperature excursion issue,
23.00,,,,,,
871219,Decreased appetite,23.00,Enteral nutrition,23.00,Eosinophilic
oesophagitis,23.00,Gastrointestinal tube insertion,
23.00,Gastrooesophageal reflux disease,23.00
871219,Somnolence,23.00,,,,,,,
871220,Facial paralysis,23.00,,,,,,,
871221,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
871222,Rash,23.00,,,,,,,
871223,Product storage error,23.00,,,,,,,
871236,No adverse event,23.00,Product storage error,23.00,,,,,,
871237,Vaccination complication,23.00,,,,,,,
871238,Feeling abnormal,23.00,,,,,,,
871239,Cellulitis orbital,23.00,Cerebrovascular accident,
23.00,Computerised tomogram,23.00,Extraocular muscle paresis,
23.00,Facial paralysis,23.00
871239,Facial paresis,23.00,Hypoaesthesia,23.00,Hypogeusia,
23.00,Magnetic resonance imaging,23.00,Myopia,23.00
871239,Ocular hyperaemia,23.00,Paraesthesia,23.00,Presbyopia,
23.00,Scan with contrast,23.00,Swelling face,23.00

871240, Facial asymmetry, 23.00, Facial paralysis, 23.00, Hypoaesthesia, 23.00, Visual impairment, 23.00,,
871241, Erythema, 23.00, Induration, 23.00, Pain, 23.00, Pruritus, 23.00, Swelling, 23.00
871241, Tenderness, 23.00, , , , , , , , , , ,
871242, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , , , , ,
871243, Product dose omission, 23.00, , , , , , , , , , ,
871244, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
871245, Cough, 23.00, Diarrhoea, 23.00, Headache, 23.00, Pyrexia, 23.00, , ,
871246, Body temperature increased, 23.00, Erythema, 23.00, Irritability, 23.00, Oedema, 23.00, Pain, 23.00
871247, Product storage error, 23.00, , , , , , , , , , ,
871248, Injection site erythema, 23.00, , , , , , , , , , ,
871251, Herpes zoster, 23.00, , , , , , , , , , ,
871253, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Pain, 23.00
871253, Pyrexia, 23.00, , , , , , , , , , ,
871254, Rash, 23.00, Rash erythematous, 23.00, Urticaria, 23.00, , , , ,
871255, Altered state of consciousness, 23.00, Pallor, 23.00, , , , , , , , , , ,
871256, Injection site mass, 23.00, Injection site pain, 23.00, , , , , , , , , , ,
871257, Chills, 23.00, Dizziness, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Nausea, 23.00
871257, Pain in extremity, 23.00, , , , , , , , , , ,
871258, Exposure during pregnancy, 23.00, , , , , , , , , , ,
871259, Pyrexia, 23.00, Rash, 23.00, Vomiting, 23.00, , , , , , , , , , ,
871260, Pain, 23.00, Pain in extremity, 23.00, , , , , , , , , , ,
871261, Injection site swelling, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00, Vomiting, 23.00
871262, Back pain, 23.00, Depressed level of consciousness, 23.00, Dizziness, 23.00, Spinal pain, 23.00, , ,
871272, Herpes zoster, 23.00, , , , , , , , , , ,
871273, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, , , , , , , , , , ,
871274, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
871275, Product administered to patient of inappropriate age, 23.00, , , , , , , , , , ,
871276, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
871277, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
871278, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , , , , ,
871279, Product storage error, 23.00, , , , , , , , , , ,
871280, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
871281, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , , , , ,
871282, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
871283, Wrong product administered, 23.00, , , , , , , , , , ,
871284, Body temperature increased, 23.00, Cold sweat, 23.00, Dizziness, 23.00, Feeling cold, 23.00, Feeling hot, 23.00
871284, Muscular weakness, 23.00, Pallor, 23.00, , , , , , , , , , ,
871293, Human papilloma virus test positive, 23.00, Papilloma viral

infection,23.00,Smear cervix abnormal,23.00,,,,,
871294,Ear pain,23.00,Otorrhoea,23.00,Skin warm,23.00,,,,,
871295,Expired product administered,23.00,,,,,,,
871299,Abdominal pain,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,,
871300,No adverse event,23.00,Product storage error,23.00,,,,,,
871301,Incomplete course of vaccination,23.00,Malaise,23.00,,,,,,
871302,Abdominal distension,23.00,Influenza like illness,23.00,,,,,,
871303,Back pain,23.00,,,,,,,
871304,Fatigue,23.00,Influenza like illness,23.00,Injection site pain,
23.00,,,,,
871305,Back pain,23.00,Chills,23.00,Nausea,23.00,Neck pain,
23.00,Pyrexia,23.00
871305,Vomiting,23.00,,,,,,,
871306,Chills,23.00,Feeling of body temperature change,
23.00,Influenza,23.00,Influenza A virus test,23.00,Pain,23.00
871306,Pyrexia,23.00,Vaccination failure,23.00,,,,,,
871307,Influenza,23.00,Product quality issue,23.00,Vaccination
failure,23.00,,,,,
871309,Chills,23.00,Diarrhoea,23.00,,,,,,
871310,Erythema,23.00,Hypersensitivity,23.00,Injection site pain,
23.00,Pruritus,23.00,Swelling,23.00
871311,Malaise,23.00,,,,,,,
871312,Injection site extravasation,23.00,Injection site pain,
23.00,Underdose,23.00,Vaccination site pain,23.00,,
871313,Injection site bruising,23.00,,,,,,,
871314,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,,
871315,Injected limb mobility decreased,23.00,Injection site erythema,
23.00,Injection site nodule,23.00,Injection site swelling,23.00,,
871316,Contusion,23.00,Immediate post-injection reaction,
23.00,Peripheral swelling,23.00,Pruritus,23.00,,
871317,Discomfort,23.00,Dizziness,23.00,Fatigue,23.00,Heart rate
increased,23.00,Hyperhidrosis,23.00
871317,Pyrexia,23.00,,,,,,,
871318,Rash,23.00,,,,,,,
871319,Anaphylactic reaction,23.00,Dyspnoea,23.00,,,,,,
871320,Rash,23.00,Urticaria,23.00,,,,,,
871321,Exposure via skin contact,23.00,Underdose,23.00,,,,,,
871322,Erythema,23.00,Pain,23.00,Pruritus,23.00,,,,,
871323,Lip swelling,23.00,Mouth swelling,23.00,,,,,,
871324,Pain in extremity,23.00,,,,,,,
871326,Hypoaesthesia,23.00,Pain in extremity,23.00,Sleep disorder,
23.00,,,,,
871327,Urticaria,23.00,,,,,,,
871328,Discomfort,23.00,Limb injury,23.00,Musculoskeletal pain,
23.00,Poor quality sleep,23.00,,
871329,Rash,23.00,,,,,,,
871330,Fatigue,23.00,Pain,23.00,,,,,,
871331,Peripheral swelling,23.00,,,,,,,
871332,Contusion,23.00,Exposure during pregnancy,23.00,Vaccination
site bruising,23.00,Vaccination site pain,23.00,,

871333,Injection site bruising,23.00,,,,,,,,,
871334,Rash pruritic,23.00,,,,,,,,,
871335,Neck pain,23.00,Pain in extremity,23.00,Vaccination site pain,
23.00,,,,,
871336,Erythema,23.00,Skin warm,23.00,,,,,,,,,
871337,Injection site erythema,23.00,Injection site warmth,23.00,,,,,,,,,
871338,Erythema,23.00,Skin warm,23.00,,,,,,,,,
871339,Erythema,23.00,Infection,23.00,Pain in extremity,23.00,,,,,
871340,Dysgeusia,23.00,Dyspnoea,23.00,Immediate post-injection
reaction,23.00,Pruritus,23.00,Wheezing,23.00
871341,Bacterial vaginosis,23.00,Exposure during pregnancy,
23.00,Ultrasound antenatal screen normal,23.00,,,,,
871342,Alpha 1 foetoprotein normal,23.00,Anaemia,23.00,Delivery,
23.00,Exposure during pregnancy,23.00,Foetal non-stress test normal,
23.00
871342,Pregnancy with young maternal age,23.00,Prenatal screening
test,23.00,Ultrasound antenatal screen normal,23.00,Urinary tract
infection,23.00,,
871343,Incorrect route of product administration,23.00,Injection site
pain,23.00,Injection site swelling,23.00,,,,,
871344,Axillary pain,23.00,Swelling,23.00,,,,,,,,,
871345,Product administered to patient of inappropriate age,
23.00,Pyrexia,23.00,,,,,,,,,
871346,Incorrect route of product administration,23.00,Injection site
erythema,23.00,,,,,,,,,
871347,Nerve injury,23.00,Paraesthesia,23.00,,,,,,,,,
871348,Musculoskeletal pain,23.00,Pain in extremity,23.00,Product
administration error,23.00,,,,,
871349,Urticaria,23.00,,,,,,,,,
871350,Erythema,23.00,Rash,23.00,,,,,,,,,
871351,Administration site bruise,23.00,Administration site swelling,
23.00,,,,,,,,,
871352,Bone pain,23.00,Chills,23.00,Dehydration,23.00,Diarrhoea,
23.00,Faeces discoloured,23.00
871352,Hepatic enzyme increased,23.00,Ill-defined disorder,
23.00,Malaise,23.00,Oropharyngeal pain,23.00,Pyrexia,23.00
871352,Rash,23.00,Vomiting,23.00,,,,,,,,,
871353,Bursitis,23.00,Rotator cuff syndrome,23.00,,,,,,,,,
871354,Anxiety,23.00,Rash papular,23.00,Rash pruritic,23.00,,,,,
871355,Incorrect route of product administration,23.00,Injection site
erythema,23.00,Injection site nodule,23.00,Injection site pain,
23.00,Injection site swelling,23.00
871355,Product administered at inappropriate site,23.00,,,,,,,,,
871356,Incorrect route of product administration,23.00,Injection site
erythema,23.00,Injection site nodule,23.00,Injection site pain,
23.00,Injection site swelling,23.00
871357,Inflammation,23.00,Pain in extremity,23.00,,,,,,,,,
871358,Chest discomfort,23.00,Night sweats,23.00,Throat irritation,
23.00,Throat tightness,23.00,Tongue pruritus,23.00
871359,Contusion,23.00,Erythema,23.00,Hypoaesthesia,23.00,Immediate

post-injection reaction,23.00,Peripheral swelling,23.00
871360,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871361,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871362,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871363,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871364,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871365,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871366,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871367,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871368,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871369,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
871370,Pain in extremity,23.00,,,,,,,,,
871371,Fatigue,23.00,Incorrect route of product administration,
23.00,Injection site urticaria,23.00,Injection site warmth,23.00,Local
reaction,23.00
871371,Malaise,23.00,,,,,,,,,
871372,Joint lock,23.00,Middle insomnia,23.00,Musculoskeletal pain,
23.00,Pain in extremity,23.00,,
871373,Tremor,23.00,,,,,,,,,
871374,Erythema,23.00,Incorrect route of product administration,
23.00,Pruritus,23.00,,,,,
871375,Erythema,23.00,Incorrect route of product administration,
23.00,Pruritus,23.00,,,,,
871376,Injection site pain,23.00,,,,,,,,,
871377,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site mass,23.00,,,,,
871378,Feeling cold,23.00,Hypoaesthesia,23.00,Injection site pain,
23.00,Injection site paraesthesia,23.00,Peripheral coldness,23.00
871379,Injection site mass,23.00,Injection site pain,23.00,Injection
site warmth,23.00,,,,,
871380,Injection site induration,23.00,,,,,,,,,
871381,Injection site pain,23.00,Joint lock,23.00,Muscular weakness,
23.00,,,,,
871382,Injection site pain,23.00,,,,,,,,,
871383,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
871384,Chills,23.00,Cough,23.00,Influenza,23.00,Influenza virus test
positive,23.00,Pain,23.00
871384,Paranasal sinus hypersecretion,23.00,Pyrexia,23.00,,,,,,,,,
871385,Injection site erythema,23.00,Injection site induration,

23.00,Injection site warmth,23.00,Product administered at
inappropriate site,23.00,,
871386,Tinnitus,23.00,,,,,,
871387,Paraesthesia oral,23.00,,,,,,
871388,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
871389,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
871390,Exposure via eye contact,23.00,Eye irritation,
23.00,Occupational exposure to product,23.00,,,,
871391,Injection site discolouration,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,,,,
871392,Glossodynia,23.00,,,,,,
871393,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,
871394,Chest pain,23.00,Headache,23.00,Oropharyngeal pain,23.00,Pain
in jaw,23.00,,
871395,Delivery,23.00,Exposure during pregnancy,23.00,Pain in
extremity,23.00,,,,
871396,Oropharyngeal pain,23.00,Rash,23.00,Urticaria,23.00,,,,
871397,Injection site bruising,23.00,Injection site induration,
23.00,Injection site mass,23.00,,,,
871398,Arthralgia,23.00,Disturbance in attention,23.00,Fatigue,
23.00,Feeling abnormal,23.00,Hypoaesthesia,23.00
871398,Pain in extremity,23.00,,,,,,
871399,Blood test normal,23.00,Burning sensation,23.00,Chills,
23.00,Pain,23.00,Paraesthesia,23.00
871399,Product colour issue,23.00,Pyrexia,23.00,White blood cell count
increased,23.00,,,,
871400,Headache,23.00,,,,,,
871401,Pain in extremity,23.00,Pruritus,23.00,,,,,,
871402,Erythema,23.00,Influenza like illness,23.00,Limb discomfort,
23.00,Pain,23.00,Pain in extremity,23.00
871402,Paraesthesia,23.00,,,,,,
871403,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Peripheral swelling,23.00,,
871405,Contusion,23.00,Injection site pain,23.00,,,,,
871406,Fatigue,23.00,Irritability,23.00,Pyrexia,23.00,,,,
871407,Bone pain,23.00,Gait disturbance,23.00,Myalgia,23.00,,,,
871408,Bronchitis,23.00,Ear infection,23.00,Influenza,23.00,Product
administered to patient of inappropriate age,23.00,,
871409,Rash,23.00,,,,,,
871410,Chills,23.00,Electrocardiogram abnormal,23.00,Extrasystoles,
23.00,Headache,23.00,Heart rate increased,23.00
871410,Injection site reaction,23.00,Myalgia,23.00,Nausea,
23.00,Pyrexia,23.00,Tachycardia,23.00
871410,Tremor,23.00,Ventricular extrasystoles,23.00,Vomiting,23.00,,,,
871411,Discomfort,23.00,Injection site pain,23.00,Pain in extremity,
23.00,,,,
871412,Expired product administered,23.00,Feeling abnormal,

23.00,Injection site pain,23.00,Mobility decreased,23.00,Muscle spasms,23.00
871412,Musculoskeletal stiffness,23.00,Pain in extremity,23.00,,,,,
871413,Computerised tomogram,23.00,Pain,23.00,Pain in extremity, 23.00,Peripheral venous disease,23.00,,
871414,Injection site pain,23.00,Neck pain,23.00,Pain,23.00,,,,
871415,Injection site erythema,23.00,Injection site swelling, 23.00,Injection site warmth,23.00,,,,
871416,Injected limb mobility decreased,23.00,Injection site pain, 23.00,Neck pain,23.00,Pain,23.00,Pain in extremity,23.00
871417,Rash,23.00,,,,,
871418,Injection site nodule,23.00,Pain in extremity,23.00,,,,,
871419,Pruritus,23.00,,,,,
871420,Fatigue,23.00,Musculoskeletal pain,23.00,Myalgia,23.00,Pain, 23.00,Pruritus,23.00
871421,Pruritus,23.00,,,,,
871422,Injection site erythema,23.00,Injection site pruritus, 23.00,Injection site reaction,23.00,Injection site swelling, 23.00,Injection site warmth,23.00
871423,Injection site pain,23.00,Injection site swelling,23.00,,,,,
871424,Influenza,23.00,Influenza B virus test positive,23.00,,,,,
871425,Asthenia,23.00,Feeling cold,23.00,Influenza,23.00,Malaise, 23.00,Oropharyngeal pain,23.00
871425,Pyrexia,23.00,,,,,
871426,Anxiety,23.00,Emotional distress,23.00,Immediate post-injection reaction,23.00,Injection site erythema,23.00,Injection site induration,23.00
871426,Injection site pain,23.00,Injection site pruritus, 23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
871427,Vaccination site pain,23.00,,,,,
871428,Vaccination site pain,23.00,,,,,
871429,Vaccination site pain,23.00,,,,,
871430,Influenza,23.00,,,,,
871431,Influenza like illness,23.00,Skin mass,23.00,Skin warm, 23.00,,,,
871433,Asthenia,23.00,Back pain,23.00,Presyncope,23.00,,,,
871435,Hypersensitivity,23.00,,,,,
871436,Injection site pain,23.00,Nausea,23.00,,,,,
871437,Injection site pain,23.00,,,,,
871438,Emotional distress,23.00,Incorrect dose administered, 23.00,Product use issue,23.00,,,,
871439,Chills,23.00,Cough,23.00,Ear pain,23.00,Fatigue,23.00,Headache, 23.00
871439,Hypertension,23.00,Influenza,23.00,Influenza A virus test positive,23.00,Influenza B virus test,23.00,Influenza virus test negative,23.00
871439,Nasal congestion,23.00,Pyrexia,23.00,Throat irritation, 23.00,Toothache,23.00,Vaccination failure,23.00
871440,Influenza A virus test negative,23.00,Influenza B virus test, 23.00,Influenza virus test negative,23.00,Malaise,23.00,,

871441, Influenza, 23.00, , , , , , , , , ,
871442, Delivery, 23.00, Foetal disorder, 23.00, Foetal renal imaging
abnormal, 23.00, Maternal exposure before pregnancy, 23.00, Vaginal
discharge, 23.00
871443, Influenza, 23.00, Influenza B virus test positive, 23.00, Malaise,
23.00, Pyrexia, 23.00, ,
871444, Urticaria, 23.00, , , , , , , , , ,
871445, Arthralgia, 23.00, Cough, 23.00, Headache, 23.00, Immediate post-
injection reaction, 23.00, Influenza like illness, 23.00
871445, Influenza virus test negative, 23.00, Malaise,
23.00, Musculoskeletal pain, 23.00, Pain, 23.00, Productive cough, 23.00
871445, Pyrexia, 23.00, , , , , , , , , ,
871446, Abdominal pain upper, 23.00, Diarrhoea, 23.00, Feeling abnormal,
23.00, Headache, 23.00, Malaise, 23.00
871446, Pain, 23.00, Pyrexia, 23.00, , , , , , , , , ,
871447, Influenza, 23.00, Influenza A virus test positive, 23.00, , , , , , , , , ,
871448, Influenza, 23.00, , , , , , , , , , ,
871449, Rash, 23.00, Rash pruritic, 23.00, , , , , , , , , ,
871450, Product storage error, 23.00, , , , , , , , , , ,
871451, Influenza, 23.00, , , , , , , , , , ,
871452, Influenza, 23.00, , , , , , , , , , ,
871453, Abdominal pain, 23.00, Chills, 23.00, Dysphagia, 23.00, Influenza,
23.00, Malaise, 23.00
871453, Oropharyngeal pain, 23.00, Pyrexia, 23.00, , , , , , , , , ,
871454, Injected limb mobility decreased, 23.00, Musculoskeletal
stiffness, 23.00, Pain in extremity, 23.00, , , , , , , , , ,
871455, Influenza, 23.00, Influenza B virus test positive, 23.00, , , , , , , , , ,
871456, Exposure via breast milk, 23.00, Occupational exposure to
product, 23.00, Product complaint, 23.00, Skin laceration, 23.00, Syringe
issue, 23.00
871457, Agitation, 23.00, Arthralgia, 23.00, Cough, 23.00, Influenza like
illness, 23.00, Lacrimation increased, 23.00
871457, Malaise, 23.00, Pain, 23.00, Pyrexia, 23.00, Rhinorrhoea,
23.00, Sneezing, 23.00
871458, Injection site mass, 23.00, Irritability, 23.00, , , , , , , , , ,
871459, Injection site swelling, 23.00, Injection site warmth,
23.00, Pruritus, 23.00, , , , , , , , , ,
871460, Abdominal X-ray, 23.00, Crying, 23.00, Irritability, 23.00, Lethargy,
23.00, Neurological examination normal, 23.00
871460, Vital dye staining cornea absent, 23.00, X-ray normal, 23.00, , , , , , , , , ,
871461, Injection site erythema, 23.00, Injection site mass,
23.00, Injection site warmth, 23.00, , , , , , , , , ,
871462, Arthralgia, 23.00, Axillary pain, 23.00, Myalgia, 23.00, Pain in
extremity, 23.00, Rash erythematous, 23.00
871466, Expired product administered, 23.00, , , , , , , , , , ,
871467, Product administered to patient of inappropriate age,
23.00, Product prescribing error, 23.00, , , , , , , , , , ,
871468, Incorrect dose administered, 23.00, Product preparation issue,
23.00, , , , , , , , , , ,
871469, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , ,

871470, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , ,
871471, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
871472, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
871473, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
871474, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , ,
871475, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
871476, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , ,
871477, Expired product administered, 23.00, No adverse event,
23.00, Product administered to patient of inappropriate age, 23.00, , , , ,
871478, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, Wrong product administered, 23.00, , , , ,
871479, Asthenia, 23.00, Chills, 23.00, Fatigue, 23.00, Heart rate increased,
23.00, Injection site pain, 23.00
871479, Pain, 23.00, Pyrexia, 23.00, , , , , , ,
871480, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
871481, Blister, 23.00, Diarrhoea, 23.00, Haemorrhage, 23.00, Headache,
23.00, Herpes simplex, 23.00
871481, Malaise, 23.00, Pyrexia, 23.00, , , , , , ,
871491, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
871492, Chills, 23.00, Fatigue, 23.00, Hot flush, 23.00, Incomplete course of
vaccination, 23.00, Injection site pain, 23.00
871492, Nausea, 23.00, Pyrexia, 23.00, , , , , , ,
871493, Blister, 23.00, Erythema, 23.00, Herpes zoster, 23.00, Pruritus,
23.00, ,
871494, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , , ,
871495, Delivery, 23.00, Exposure during pregnancy, 23.00, Premature
delivery, 23.00, Ultrasound antenatal screen normal, 23.00, ,
871496, Dry throat, 23.00, Erythema, 23.00, Rhinorrhoea, 23.00, Sneezing,
23.00, ,
871497, Vomiting, 23.00, , , , , , , ,
871498, Arthralgia, 23.00, Blood magnesium normal, 23.00, Diarrhoea,
23.00, Full blood count normal, 23.00, Joint swelling, 23.00
871498, Metabolic function test normal, 23.00, Nausea, 23.00, Rash macular,
23.00, , , , ,
871499, Dizziness, 23.00, Hyperhidrosis, 23.00, Vomiting, 23.00, , , , ,
871501, Arthralgia, 23.00, Fatigue, 23.00, Headache, 23.00, Influenza like
illness, 23.00, Injection site erythema, 23.00
871501, Injection site induration, 23.00, Injection site pain,
23.00, Injection site urticaria, 23.00, Injection site warmth,
23.00, Muscular weakness, 23.00
871501, Myalgia, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, , , , ,
871502, Injection site erythema, 23.00, Local reaction, 23.00, , , , , , ,
871503, Chills, 23.00, Headache, 23.00, Influenza like illness,
23.00, Malaise, 23.00, Pain, 23.00
871503, Pyrexia, 23.00, , , , , , , ,
871504, Injection site erythema, 23.00, Injection site swelling,
23.00, , , , , , , ,
871505, Urticaria, 23.00, , , , , , , ,
871511, Fatigue, 23.00, Headache, 23.00, , , , , , , ,

871512, Chills, 23.00, Erythema, 23.00, Nausea, 23.00, Pain, 23.00, Peripheral swelling, 23.00
871512, Pruritus, 23.00, Skin warm, 23.00, , , , , ,
871513, Injection site pain, 23.00, Lethargy, 23.00, Pain in extremity, 23.00, Rash, 23.00, Rash pruritic, 23.00
871513, Skin warm, 23.00, Vaccination complication, 23.00, , , , , ,
871514, Diarrhoea, 23.00, Fatigue, 23.00, Hunger, 23.00, Injection site erythema, 23.00, Malaise, 23.00
871514, Pyrexia, 23.00, , , , , , ,
871524, Herpes zoster, 23.00, , , , , , ,
871525, Blindness, 23.00, Keratitis, 23.00, Photopsia, 23.00, Vitreous degeneration, 23.00, Vitreous opacities, 23.00
871526, Cerebrovascular accident, 23.00, , , , , , ,
871528, Oedema peripheral, 23.00, Skin discolouration, 23.00, , , , , ,
871529, Feeling abnormal, 23.00, Memory impairment, 23.00, , , , , ,
871534, Intercepted medication error, 23.00, Intercepted product prescribing error, 23.00, No adverse event, 23.00, , , ,
871535, Pain in extremity, 23.00, , , , , , ,
871536, Pyrexia, 23.00, , , , , , ,
871537, Epistaxis, 23.00, , , , , , ,
871538, Arthralgia, 23.00, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, ,
871539, Influenza, 23.00, , , , , , ,
871540, Pain, 23.00, , , , , , ,
871541, Extra dose administered, 23.00, , , , , , ,
871542, Erythema, 23.00, Mass, 23.00, , , , , ,
871554, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871555, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , ,
871556, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871557, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871558, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871559, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871560, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871561, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871562, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871563, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871564, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
871565, Sciatic nerve injury, 23.00, , , , , , ,
871566, Arthralgia, 23.00, Nausea, 23.00, Neuralgia, 23.00, Sciatica, 23.00, Vaccine positive rechallenge, 23.00
871567, Pain in extremity, 23.00, , , , , , ,
871568, Pain in extremity, 23.00, , , , , , ,
871569, Biopsy, 23.00, Crying, 23.00, Gait inability, 23.00, Insomnia, 23.00, Magnetic resonance imaging spinal abnormal, 23.00
871569, Neuralgia, 23.00, Sciatica, 23.00, Spinal X-ray abnormal, 23.00, Tooth fracture, 23.00, ,
871570, Pain, 23.00, , , , , , ,
871571, Body temperature fluctuation, 23.00, Chills, 23.00, Eye pain, 23.00, Fatigue, 23.00, Headache, 23.00

871571, Influenza like illness, 23.00, Neuralgia, 23.00, Pain, 23.00, Pyrexia, 23.00, ,
871572, Hyperhidrosis, 23.00, Myalgia, 23.00, Pruritus, 23.00, Rash, 23.00, Scab, 23.00
871572, Urticaria, 23.00, , , , , , , , ,
871573, Injection site erythema, 23.00, Injection site swelling, 23.00, Product administered to patient of inappropriate age, 23.00, , , , ,
871574, Injection site erythema, 23.00, Injection site haemorrhage, 23.00, Injection site pruritus, 23.00, Injection site pustule, 23.00, Injection site reaction, 23.00
871574, Scratch, 23.00, , , , , , , , ,
871575, Asthma, 23.00, Condition aggravated, 23.00, Throat tightness, 23.00, , , , ,
871576, Chest discomfort, 23.00, Headache, 23.00, , , , , , , , ,
871577, Cough, 23.00, Headache, 23.00, , , , , , , , ,
871578, Allergy to vaccine, 23.00, Dizziness, 23.00, Hypersensitivity, 23.00, Nausea, 23.00, Peripheral swelling, 23.00
871578, Urticaria, 23.00, , , , , , , , ,
871579, Injected limb mobility decreased, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, , , , ,
871580, Anxiety, 23.00, Exposure during pregnancy, 23.00, Insomnia, 23.00, Mental disorder, 23.00, , ,
871581, Fatigue, 23.00, Herpes zoster, 23.00, Mastoiditis, 23.00, Pain, 23.00, Pyrexia, 23.00
871582, Erythema, 23.00, Pruritus, 23.00, Rash macular, 23.00, Skin warm, 23.00, Swelling, 23.00
871583, Diarrhoea, 23.00, Joint swelling, 23.00, Nausea, 23.00, Peripheral swelling, 23.00, Rash, 23.00
871584, Irritability, 23.00, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , ,
871585, Amenorrhoea, 23.00, Cervix injury, 23.00, Fallopian tube disorder, 23.00, Headache, 23.00, Nausea, 23.00
871585, Ovarian failure, 23.00, Pain, 23.00, Premature menopause, 23.00, Uterine injury, 23.00, , ,
871586, Atrial fibrillation, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site warmth, 23.00
871586, Vertigo, 23.00, , , , , , , , ,
871592, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
871593, Chronic obstructive pulmonary disease, 23.00, Cough, 23.00, Dyspnoea, 23.00, Hypoxia, 23.00, Pneumonia, 23.00
871593, Sputum discoloured, 23.00, , , , , , , , ,
871594, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , ,
871595, Influenza, 23.00, Off label use, 23.00, Secretion discharge, 23.00, Vaccination failure, 23.00, , ,
871596, Social problem, 23.00, , , , , , , , ,
871597, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , , ,
871598, Crying, 23.00, Erythema, 23.00, Local reaction, 23.00, Rash, 23.00, Swelling, 23.00
871599, Exposure during pregnancy, 23.00, Pain in extremity, 23.00, , , , , , , , ,

871600,Expired product administered,23.00,No adverse event,23.00,,,,,
871601,Asthenia,23.00,Crying,23.00,Decreased appetite,23.00,Erythema,
23.00,Fatigue,23.00
871601,Irritability,23.00,Lethargy,23.00,Pyrexia,23.00,Skin burning
sensation,23.00,Sneezing,23.00
871601,Swelling face,23.00,Urine output decreased,23.00,White blood
cell count normal,23.00,,,,,
871602,Circumstance or information capable of leading to medication
error,23.00,No adverse event,23.00,Product dose omission,23.00,Product
preparation issue,23.00,,
871603,Injection site rash,23.00,Pyrexia,23.00,Rash,23.00,Rash
macular,23.00,Rash pruritic,23.00
871603,Scratch,23.00,Vaccination complication,23.00,,,,,
871604,Injection site reaction,23.00,Pallor,23.00,Rash,23.00,Rash
maculo-papular,23.00,,
871605,Contusion,23.00,Pain in extremity,23.00,Pruritus,23.00,,,,,
871637,Herpes zoster,23.00,Skin disorder,23.00,,,,,
871638,Foetal exposure during pregnancy,23.00,Premature baby,
23.00,,,,,
871639,Injection site urticaria,23.00,Urticaria,23.00,,,,,
871640,Expired product administered,23.00,,,,,
871641,Developmental regression,23.00,Erythema,23.00,Fatigue,
23.00,Injection site swelling,23.00,Pyrexia,23.00
871641,Speech disorder,23.00,,,,,
871642,Febrile convulsion,23.00,Hyporesponsive to stimuli,
23.00,Pyrexia,23.00,Rash,23.00,Rash erythematous,23.00
871642,Seizure,23.00,Vomiting,23.00,,,,,
871643,Fatigue,23.00,Headache,23.00,Hypersomnia,23.00,Injection site
erythema,23.00,Injection site pain,23.00
871643,Malaise,23.00,Middle insomnia,23.00,Pain,23.00,Tremor,23.00,,
871644,B-cell lymphoma,23.00,,,,,
871645,Decreased appetite,23.00,Fatigue,23.00,Injection site pain,
23.00,Malaise,23.00,Pyrexia,23.00
871646,Pyrexia,23.00,,,,,
871647,Chest discomfort,23.00,Eye irritation,23.00,Pain,23.00,Pyrexia,
23.00,,
871648,Aggression,23.00,Anxiety,23.00,Conversion disorder,
23.00,Encephalitis autoimmune,23.00,Immune system disorder,23.00
871648,Intentional self-injury,23.00,Intrusive thoughts,23.00,Malaise,
23.00,Neuropsychiatric syndrome,23.00,Obsessive-compulsive disorder,
23.00
871648,Paediatric autoimmune neuropsychiatric disorders associated
with streptococcal infection,23.00,Suicidal behaviour,23.00,Thinking
abnormal,23.00,,,,,
871649,Dizziness,23.00,Influenza virus test,23.00,Pain,23.00,Pyrexia,
23.00,Streptococcus test,23.00
871649,Vomiting,23.00,,,,,
871650,Face oedema,23.00,Lip swelling,23.00,Oedema peripheral,
23.00,Pain in extremity,23.00,Peripheral swelling,23.00
871651,Influenza like illness,23.00,Injection site induration,

23.00, Injection site pain, 23.00, , , ,
871652, Back pain, 23.00, Chills, 23.00, Dizziness, 23.00, Dry mouth,
23.00, Fatigue, 23.00
871652, Feeling hot, 23.00, Headache, 23.00, Hyperhidrosis, 23.00, Malaise,
23.00, Nausea, 23.00
871652, Pain, 23.00, Palpitations, 23.00, Pyrexia, 23.00, Visual impairment,
23.00, ,
871653, Axillary pain, 23.00, Injection site erythema, 23.00, Injection
site pruritus, 23.00, Injection site warmth, 23.00, Lethargy, 23.00
871654, Feeling hot, 23.00, Nausea, 23.00, Vomiting, 23.00, , , ,
871657, Abdominal discomfort, 23.00, Chest X-ray, 23.00, Chills,
23.00, Computerised tomogram head, 23.00, Fatigue, 23.00
871657, Headache, 23.00, Insomnia, 23.00, Joint injury, 23.00, Loss of
consciousness, 23.00, Neck pain, 23.00
871657, Pain, 23.00, Pyrexia, 23.00, Skin laceration, 23.00, Syncope, 23.00, ,
871658, Fatigue, 23.00, Lethargy, 23.00, Pain in extremity, 23.00, Tremor,
23.00, ,
871659, Erythema, 23.00, Headache, 23.00, Malaise, 23.00, Product
administered at inappropriate site, 23.00, Urticaria, 23.00
871660, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site pain,
23.00, Myalgia, 23.00
871661, Rash erythematous, 23.00, , , , , , , ,
871662, Asthenia, 23.00, Dizziness, 23.00, Dyspnoea, 23.00, Electrocardiogram
QT prolonged, 23.00, Full blood count, 23.00
871662, Gait inability, 23.00, Heart rate increased, 23.00, Hypoaesthesia,
23.00, Injection site pain, 23.00, Muscular weakness, 23.00
871662, Pain, 23.00, Paraesthesia, 23.00, Speech disorder, 23.00, Weight
bearing difficulty, 23.00, ,
871663, Asthenia, 23.00, Chills, 23.00, Influenza like illness,
23.00, Myalgia, 23.00, Pain, 23.00
871664, Erythema, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia,
23.00, Sluggishness, 23.00
871664, Somnolence, 23.00, , , , , , , ,
871665, Blister, 23.00, Rash, 23.00, , , , , ,
871666, Amnesia, 23.00, , , , , , , ,
871667, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling,
23.00, , , , ,
871668, Injection site pruritus, 23.00, Injection site rash, 23.00, Rash,
23.00, , , , ,
871669, Product storage error, 23.00, , , , , , , ,
871670, Product storage error, 23.00, , , , , , , ,
871671, Product storage error, 23.00, , , , , , , ,
871672, Product storage error, 23.00, , , , , , , ,
871673, Product storage error, 23.00, , , , , , , ,
871674, Product storage error, 23.00, , , , , , , ,
871675, Product storage error, 23.00, , , , , , , ,
871676, Body temperature increased, 23.00, Erythema, 23.00, Pain in
extremity, 23.00, Peripheral swelling, 23.00, Pruritus, 23.00
871676, Skin warm, 23.00, , , , , , , ,
871677, Incorrect route of product administration, 23.00, Injection site

reaction,23.00,Product administered at inappropriate site,
23.00,Swelling,23.00,,
871678,Chest X-ray abnormal,23.00,Chest tube insertion,23.00,Dyspnoea,
23.00,Pneumothorax spontaneous,23.00,Surgery,23.00
871679,Product storage error,23.00,,,,,,,,,
871680,Product storage error,23.00,,,,,,,,,
871681,Product storage error,23.00,,,,,,,,,
871682,Product storage error,23.00,,,,,,,,,
871683,Product storage error,23.00,,,,,,,,,
871684,Product storage error,23.00,,,,,,,,,
871685,Product storage error,23.00,,,,,,,,,
871686,Product storage error,23.00,,,,,,,,,
871687,Product storage error,23.00,,,,,,,,,
871688,Product storage error,23.00,,,,,,,,,
871689,Product storage error,23.00,,,,,,,,,
871690,Product storage error,23.00,,,,,,,,,
871691,Product storage error,23.00,,,,,,,,,
871692,Product storage error,23.00,,,,,,,,,
871693,Product storage error,23.00,,,,,,,,,
871694,Product storage error,23.00,,,,,,,,,
871696,Product storage error,23.00,,,,,,,,,
871697,Product storage error,23.00,,,,,,,,,
871698,Product storage error,23.00,,,,,,,,,
871699,Product storage error,23.00,,,,,,,,,
871700,Product storage error,23.00,,,,,,,,,
871701,Product storage error,23.00,,,,,,,,,
871702,Product storage error,23.00,,,,,,,,,
871703,Abdominal pain upper,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Injection site pain,23.00
871703,Injection site swelling,23.00,Injection site warmth,
23.00,Lethargy,23.00,Nausea,23.00,,
871704,Coordination abnormal,23.00,Culture urine,23.00,Discomfort,
23.00,Fall,23.00,Gait disturbance,23.00
871704,Pruritus,23.00,Pyrexia,23.00,Rash,23.00,Rash erythematous,
23.00,Rash papular,23.00
871704,Tremor,23.00,Urine analysis,23.00,,,,,,,,,
871705,Product storage error,23.00,,,,,,,,,
871706,Product storage error,23.00,,,,,,,,,
871707,Product storage error,23.00,,,,,,,,,
871708,Product storage error,23.00,,,,,,,,,
871709,Product storage error,23.00,,,,,,,,,
871710,Product storage error,23.00,,,,,,,,,
871711,Product storage error,23.00,,,,,,,,,
871712,Product storage error,23.00,,,,,,,,,
871713,Product storage error,23.00,,,,,,,,,
871714,Product storage error,23.00,,,,,,,,,
871715,Product storage error,23.00,,,,,,,,,
871716,Product storage error,23.00,,,,,,,,,
871717,Product storage error,23.00,,,,,,,,,
871718,Product storage error,23.00,,,,,,,,,

871719,Product storage error,23.00,,,,,,,,,
871720,Product storage error,23.00,,,,,,,,,
871721,Product storage error,23.00,,,,,,,,,
871722,Product storage error,23.00,,,,,,,,,
871723,Product storage error,23.00,,,,,,,,,
871724,Axillary pain,23.00,Musculoskeletal pain,23.00,Peripheral
swelling,23.00,,,,,
871725,Product storage error,23.00,,,,,,,,,
871726,Product storage error,23.00,,,,,,,,,
871727,Fall,23.00,Rib fracture,23.00,Upper limb fracture,
23.00,Vertigo,23.00,,
871728,Product storage error,23.00,,,,,,,,,
871729,Product storage error,23.00,,,,,,,,,
871730,Product storage error,23.00,,,,,,,,,
871731,Product storage error,23.00,,,,,,,,,
871732,Product storage error,23.00,,,,,,,,,
871733,Product storage error,23.00,,,,,,,,,
871734,Product storage error,23.00,,,,,,,,,
871735,Product storage error,23.00,,,,,,,,,
871736,Product storage error,23.00,,,,,,,,,
871737,Product storage error,23.00,,,,,,,,,
871738,Product storage error,23.00,,,,,,,,,
871739,Product storage error,23.00,,,,,,,,,
871740,Product storage error,23.00,,,,,,,,,
871741,Product storage error,23.00,,,,,,,,,
871742,Product storage error,23.00,,,,,,,,,
871743,Product storage error,23.00,,,,,,,,,
871744,Product storage error,23.00,,,,,,,,,
871745,Product storage error,23.00,,,,,,,,,
871746,Product storage error,23.00,,,,,,,,,
871747,Product storage error,23.00,,,,,,,,,
871748,Product storage error,23.00,,,,,,,,,
871749,Product storage error,23.00,,,,,,,,,
871750,Product storage error,23.00,,,,,,,,,
871751,Product storage error,23.00,,,,,,,,,
871752,Product storage error,23.00,,,,,,,,,
871753,Product storage error,23.00,,,,,,,,,
871754,Product storage error,23.00,,,,,,,,,
871755,Product storage error,23.00,,,,,,,,,
871756,Blood test,23.00,Feeling cold,23.00,,,,,
871757,Chills,23.00,Feeding disorder,23.00,Nausea,23.00,,,,,
871758,Product storage error,23.00,,,,,,,,,
871759,Alopecia,23.00,Blood glucose normal,23.00,Blood thyroid
stimulating hormone normal,23.00,Differential white blood cell count,
23.00,Full blood count,23.00
871759,Lymphocyte count increased,23.00,Mean cell haemoglobin
concentration decreased,23.00,Metabolic function test normal,23.00,,,,,
871760,Product storage error,23.00,,,,,,,,,
871761,Product storage error,23.00,,,,,,,,,
871762,Product storage error,23.00,,,,,,,,,

871763,Product storage error,23.00,,,,,,,,,
871764,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Pruritus,
23.00,Pyrexia,23.00
871764,Rash,23.00,SARS-CoV-2 test negative,23.00,,,,,,,,,
871788,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871789,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
871790,Product storage error,23.00,,,,,,,,,
871791,Product storage error,23.00,,,,,,,,,
871792,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,,,,,
871793,Cerebrovascular accident,23.00,,,,,,,,,
871794,Facial paralysis,23.00,,,,,,,,,
871795,Inappropriate schedule of product administration,23.00,,,,,,,,,
871796,Limb discomfort,23.00,Pallor,23.00,Paraesthesia,23.00,,,,,
871797,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,,,,
871798,Myalgia,23.00,,,,,,,,,
871799,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
871800,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871801,Diplopia,23.00,Inappropriate schedule of product
administration,23.00,Muscle disorder,23.00,,,,,
871802,Eye irritation,23.00,Herpes zoster,23.00,Iritis,23.00,Post
herpetic neuralgia,23.00,Sudden visual loss,23.00
871802,Uveitis,23.00,,,,,,,,,
871803,Axonal neuropathy,23.00,Chronic inflammatory demyelinating
polyradiculoneuropathy,23.00,Guillain-Barre syndrome,23.00,Loss of
personal independence in daily activities,23.00,Mobility decreased,
23.00
871803,Muscular weakness,23.00,Neuropathy peripheral,23.00,,,,,,,,,
871804,No adverse event,23.00,Poor quality product administered,
23.00,,,,,,,,,
871805,Syncope,23.00,,,,,,,,,
871806,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871807,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871808,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871809,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871810,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871811,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871812,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871813,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871814,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871815,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
871816,Lip swelling,23.00,Paraesthesia oral,23.00,,,,,,,,,
871817,Blood glucose increased,23.00,Feeling abnormal,23.00,,,,,,,,,
871818,Rash erythematous,23.00,Rash vesicular,23.00,,,,,,,,,
871819,Condition aggravated,23.00,Rheumatic disorder,23.00,Rheumatoid
arthritis,23.00,,,,,
871820,Incorrect dose administered,23.00,Product preparation issue,
23.00,,,,,,,,,

871821, Chills, 23.00, Fatigue, 23.00, Gastrointestinal disorder,
23.00, Headache, 23.00, Influenza, 23.00
871821, Pyrexia, 23.00, , , , , , , , , , , , ,
871822, Neoplasm malignant, 23.00, , , , , , , , , , , , ,
871823, Herpes zoster, 23.00, , , , , , , , , , , , ,
871824, Injection site pain, 23.00, Injection site reaction,
23.00, Neuralgia, 23.00, , , , , , , , , , , , ,
871825, Injection site erythema, 23.00, , , , , , , , , , , , ,
871829, Cataract nuclear, 23.00, Rhegmatogenous retinal detachment,
23.00, Vitreous disorder, 23.00, , , , , , , , , , , , ,
871830, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , , , ,
871831, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , , , ,
871832, Product storage error, 23.00, , , , , , , , , , , , ,
871833, Product storage error, 23.00, , , , , , , , , , , , ,
871834, Product storage error, 23.00, , , , , , , , , , , , ,
871835, Product storage error, 23.00, , , , , , , , , , , , ,
871836, Product storage error, 23.00, , , , , , , , , , , , ,
871837, Product storage error, 23.00, , , , , , , , , , , , ,
871839, Product storage error, 23.00, , , , , , , , , , , , ,
871840, Product storage error, 23.00, , , , , , , , , , , , ,
871841, Product storage error, 23.00, , , , , , , , , , , , ,
871842, Product storage error, 23.00, , , , , , , , , , , , ,
871843, Product storage error, 23.00, , , , , , , , , , , , ,
871844, Product storage error, 23.00, , , , , , , , , , , , ,
871845, Product administered to patient of inappropriate age,
23.00, , , , , , , , , , , , , , , , , ,
871846, Product storage error, 23.00, , , , , , , , , , , , ,
871847, Product storage error, 23.00, , , , , , , , , , , , ,
871855, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , , , , , ,
871856, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , , , ,
871857, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , , , ,
871858, Injection site pain, 23.00, , , , , , , , , , , , ,
871859, Dizziness, 23.00, , , , , , , , , , , , ,
871860, Injection site pain, 23.00, , , , , , , , , , , , ,
871861, Bacterial infection, 23.00, Injection site pain, 23.00, Injection
site rash, 23.00, Myalgia, 23.00, , , , , , , , , , , , ,
871862, Herpes zoster, 23.00, , , , , , , , , , , , ,
871864, Product storage error, 23.00, , , , , , , , , , , , ,
871865, Product storage error, 23.00, , , , , , , , , , , , ,
871866, Product storage error, 23.00, , , , , , , , , , , , ,
871867, Product storage error, 23.00, , , , , , , , , , , , ,
871868, Product storage error, 23.00, , , , , , , , , , , , ,
871869, Product storage error, 23.00, , , , , , , , , , , , ,
871870, Product administered to patient of inappropriate age,
23.00, , , , , , , , , , , , , , , , , ,
871871, Asthenia, 23.00, Immediate post-injection reaction,
23.00, Injection site pain, 23.00, Myalgia, 23.00, , , , , , , , , , , , ,
871872, Product storage error, 23.00, , , , , , , , , , , , ,
871873, Endotracheal intubation, 23.00, Febrile convulsion, 23.00, Status
epilepticus, 23.00, , , , , , , , , , , , ,

871874,Product storage error,23.00,,,,,,,,,
871875,Product storage error,23.00,,,,,,,,,
871876,Product storage error,23.00,,,,,,,,,
871877,Product storage error,23.00,,,,,,,,,
871878,Product storage error,23.00,,,,,,,,,
871879,Product storage error,23.00,,,,,,,,,
871880,Product storage error,23.00,,,,,,,,,
871881,Product storage error,23.00,,,,,,,,,
871882,Product storage error,23.00,,,,,,,,,
871883,Product storage error,23.00,,,,,,,,,
871884,Product storage error,23.00,,,,,,,,,
871885,Product storage error,23.00,,,,,,,,,
871886,Dizziness,23.00,,,,,,,,,
871887,Product storage error,23.00,,,,,,,,,
871888,Fatigue,23.00,Mobility decreased,23.00,Musculoskeletal pain,
23.00,Musculoskeletal stiffness,23.00,Myalgia,23.00
871888,Peripheral swelling,23.00,Red blood cell sedimentation rate
increased,23.00,Rheumatoid factor negative,23.00,Walking aid user,
23.00,,
871889,Product storage error,23.00,,,,,,,,,
871890,Product storage error,23.00,,,,,,,,,
871891,Product storage error,23.00,,,,,,,,,
871892,Product storage error,23.00,,,,,,,,,
871893,Product storage error,23.00,,,,,,,,,
871894,Product storage error,23.00,,,,,,,,,
871895,Chills,23.00,Headache,23.00,Nausea,23.00,Pallor,23.00,Pyrexia,
23.00
871906,No adverse event,23.00,Product storage error,23.00,,,,,
871907,Pain in extremity,23.00,,,,,,,,,
871908,Erythema,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site warmth,23.00,,
871909,Chills,23.00,Headache,23.00,Myalgia,23.00,Nausea,23.00,Pyrexia,
23.00
871916,No adverse event,23.00,Product preparation error,23.00,,,,,
871917,Expired product administered,23.00,No adverse event,23.00,,,,,
871918,Expired product administered,23.00,No adverse event,23.00,,,,,
871919,No adverse event,23.00,Product storage error,23.00,,,,,
871920,No adverse event,23.00,Product storage error,23.00,,,,,
871921,No adverse event,23.00,Product storage error,23.00,,,,,
871922,No adverse event,23.00,Product storage error,23.00,,,,,
871923,No adverse event,23.00,Product storage error,23.00,,,,,
871924,Allergy to vaccine,23.00,Drug hypersensitivity,23.00,,,,,
871925,No adverse event,23.00,Wrong product administered,23.00,,,,,
871926,Expired product administered,23.00,No adverse event,23.00,,,,,
871927,Alpha 1 foetoprotein normal,23.00,Anxiety,23.00,Caesarean
section,23.00,Exposure during pregnancy,23.00,Neonatal disorder,23.00
871927,Premature delivery,23.00,Prenatal screening test,
23.00,Ultrasound antenatal screen,23.00,Ultrasound antenatal screen
normal,23.00,,
871928,Caesarean section,23.00,Exposure during pregnancy,23.00,Foetal

disorder,23.00,Foetal growth restriction,23.00,Foetal heart rate abnormal,23.00
871928,Premature delivery,23.00,Prolonged labour,23.00,,,,,
871929,Anaemia,23.00,Bacterial vaginosis,23.00,Blood glucose normal,23.00,Exposure during pregnancy,23.00,Flatulence,23.00
871929,Gene mutation identification test negative,23.00,Muscle spasms,23.00,Premature delivery,23.00,Prenatal screening test,23.00,,
871930,Blood glucose normal,23.00,Exposure during pregnancy,23.00,Gene mutation identification test negative,23.00,Premature delivery,23.00,Prenatal screening test,23.00
871930,Streptococcus test negative,23.00,Vulvovaginal pruritus,23.00,,,,,
871931,Dizziness,23.00,Dyspnoea,23.00,,,,,
871932,Apgar score normal,23.00,Foetal exposure during pregnancy,23.00,Low birth weight baby,23.00,Premature baby,23.00,Small for dates baby,23.00
871933,Axillary pain,23.00,Erythema,23.00,Headache,23.00,Pain,23.00,Pain in extremity,23.00
871933,Peripheral swelling,23.00,Pyrexia,23.00,Skin warm,23.00,Swelling,23.00,,
871934,Abdominal pain upper,23.00,Asthenia,23.00,Injection site erythema,23.00,Injection site warmth,23.00,Laboratory test,23.00
871934,Oropharyngeal pain,23.00,Pyrexia,23.00,Thirst,23.00,Vomiting,23.00,,
871935,Swelling,23.00,,,,,
871936,Diarrhoea,23.00,Haematochezia,23.00,Mucous stools,23.00,Occult blood positive,23.00,,
871937,Arthralgia,23.00,Full blood count normal,23.00,Joint stiffness,23.00,Joint swelling,23.00,Metabolic function test normal,23.00
871937,Red blood cell sedimentation rate normal,23.00,Thyroid function test normal,23.00,,,,,
871940,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,,,,
871941,Blood parathyroid hormone normal,23.00,Blood thyroid stimulating hormone normal,23.00,Dysphonia,23.00,Feeling of body temperature change,23.00,Full blood count normal,23.00
871941,Headache,23.00,Hot flush,23.00,Metabolic function test normal,23.00,Nausea,23.00,Pruritus,23.00
871941,Thyroxine free normal,23.00,,,,,
871942,Injection site pruritus,23.00,Injection site rash,23.00,Urticaria,23.00,,,,
871943,Burning sensation,23.00,Grip strength decreased,23.00,Hypoaesthesia,23.00,Injection site erythema,23.00,Injection site pain,23.00
871943,Pain in extremity,23.00,Paraesthesia,23.00,Peripheral swelling,23.00,,,,
871944,Intussusception,23.00,Screaming,23.00,,,,,
871945,Screaming,23.00,,,,,
871946,Bladder disorder,23.00,Body temperature increased,23.00,Chills,23.00,Culture urine,23.00,Disturbance in attention,23.00

871946,Feeling abnormal,23.00,Influenza,23.00,Muscle tightness,
23.00,Nervousness,23.00,Pain,23.00
871946,Poor quality sleep,23.00,SARS-CoV-2 test negative,23.00,Skin
burning sensation,23.00,,,,,
871947,Chills,23.00,Pain,23.00,Pyrexia,23.00,Rash,23.00,,
871948,Erythema,23.00,Skin disorder,23.00,,,,,,
871949,Injection site pain,23.00,Insomnia,23.00,Pain in extremity,
23.00,,,,,
871950,Fatigue,23.00,Feeling hot,23.00,Headache,23.00,Injection site
erythema,23.00,Injection site pain,23.00
871950,Swelling,23.00,,,,,,
871967,Expired product administered,23.00,No adverse event,23.00,,,,,,
871968,Expired product administered,23.00,No adverse event,23.00,,,,,,
871969,Product use in unapproved indication,23.00,,,,,,
871970,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
871971,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
871972,Expired product administered,23.00,No adverse event,23.00,,,,,,
871973,Oral administration complication,23.00,Regurgitation,
23.00,,,,,
871974,Seizure,23.00,Syncope,23.00,,,,,
871975,No adverse event,23.00,Product storage error,23.00,,,,,
871976,No adverse event,23.00,Product storage error,23.00,,,,,
871978,Incomplete course of vaccination,23.00,Pyrexia,23.00,,,,,
871979,Feeling abnormal,23.00,Injection site pain,23.00,Pain,23.00,,,,,
871980,Herpes zoster,23.00,Rash,23.00,,,,,
871981,Pyrexia,23.00,,,,,,
871982,Axillary pain,23.00,Chills,23.00,Headache,23.00,Injection site
pain,23.00,Injection site swelling,23.00
871982,Injection site warmth,23.00,Lymphadenopathy,23.00,Somnolence,
23.00,Swelling,23.00,,
871983,Fatigue,23.00,Injection site pain,23.00,Myalgia,23.00,,,,,
871984,Syringe issue,23.00,Underdose,23.00,,,,,
871985,Haematochezia,23.00,Intussusception,23.00,Occult blood
positive,23.00,Salmonella test negative,23.00,Vomiting,23.00
871986,Lymphadenopathy,23.00,,,,,,
871987,Injection site haematoma,23.00,Rash,23.00,,,,,
871988,Rash,23.00,,,,,,
871990,Adverse event,23.00,,,,,,
871991,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Premature baby,23.00,,,,,
871992,Injection site erythema,23.00,Injection site reaction,
23.00,Urticaria,23.00,,,,,
871993,Abdominal discomfort,23.00,Chills,23.00,Diarrhoea,
23.00,Laboratory test normal,23.00,Pyrexia,23.00
871994,Lethargy,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
871995,Extra dose administered,23.00,,,,,,
872006,Facial paralysis,23.00,Hemiparesis,23.00,Sensory loss,23.00,,,,,
872007,No adverse event,23.00,Product storage error,23.00,,,,,

872008,Incomplete course of vaccination,23.00,Injection site pain,
23.00,,,,,
872009,Asthenia,23.00,Chills,23.00,Pyrexia,23.00,,,,,
872010,No adverse event,23.00,Product dose omission,23.00,,,,,
872011,Expired product administered,23.00,Exposure during pregnancy,
23.00,No adverse event,23.00,,,,,
872012,Injection site erythema,23.00,Injection site swelling,
23.00,Vaccination site inflammation,23.00,,,,,
872013,Enema administration,23.00,Intussusception,23.00,,,,,
872024,Erythema,23.00,Extensive swelling of vaccinated limb,23.00,Pain
in extremity,23.00,,,,,
872025,Injection site pain,23.00,,,,,
872026,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
872027,Injection site erythema,23.00,,,,,
872028,Chills,23.00,Injection site pain,23.00,Nausea,23.00,Pain,
23.00,Pyrexia,23.00
872029,Injection site rash,23.00,,,,,
872030,Injection site reaction,23.00,Local reaction,23.00,,,,,
872031,Lip swelling,23.00,Swelling of eyelid,23.00,,,,,
872033,No adverse event,23.00,Underdose,23.00,,,,,
872034,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
872035,Dyspnoea,23.00,Headache,23.00,Hyperhidrosis,23.00,Injection
site pain,23.00,Myalgia,23.00
872035,Paraesthesia,23.00,Pyrexia,23.00,Wheezing,23.00,,,,,
872036,Product administered to patient of inappropriate age,
23.00,,,,,
872037,Dermatitis contact,23.00,Rash erythematous,23.00,Rash pruritic,
23.00,,,,,
872038,Product administered to patient of inappropriate age,
23.00,,,,,
872039,Extra dose administered,23.00,No adverse event,23.00,,,,,
872040,Product administered to patient of inappropriate age,
23.00,,,,,
872041,Extra dose administered,23.00,No adverse event,23.00,,,,,
872045,Erythema,23.00,,,,,
872046,Extra dose administered,23.00,No adverse event,23.00,,,,,
872048,Abdominal pain upper,23.00,Chills,23.00,Diarrhoea,
23.00,Fatigue,23.00,Headache,23.00
872048,Pyrexia,23.00,,,,,
872049,Injection site pain,23.00,Mobility decreased,23.00,Pain in
extremity,23.00,Rotator cuff syndrome,23.00,Surgery,23.00
872051,Injection site discolouration,23.00,Injection site erythema,
23.00,Injection site pruritus,23.00,Injection site rash,
23.00,Injection site reaction,23.00
872051,Injection site warmth,23.00,Rash,23.00,Rash pruritic,23.00,Skin
warm,23.00,Urticaria,23.00
872052,Wrong product administered,23.00,,,,,
872053,Chronic inflammatory demyelinating polyradiculoneuropathy,

23.00,Guillain-Barre syndrome,23.00,Immunoglobulin therapy,
23.00,Muscular weakness,23.00,Sensory level,23.00
872053,Walking aid user,23.00,,,,,,
872054,Injection site pain,23.00,Pain,23.00,Pyrexia,23.00,,,,
872055,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Nausea,
23.00,,
872056,Fatigue,23.00,Headache,23.00,Nausea,23.00,,,,
872057,Injection site swelling,23.00,Pain,23.00,Pyrexia,23.00,,,,
872063,No adverse event,23.00,Wrong product administered,23.00,,,,,
872064,Herpes zoster,23.00,,,,,,
872065,Deafness,23.00,,,,,,
872066,Extra dose administered,23.00,No adverse event,23.00,,,,,
872067,No adverse event,23.00,Product storage error,23.00,,,,,
872068,No adverse event,23.00,Product storage error,23.00,,,,,
872069,Herpes zoster,23.00,,,,,,
872070,Herpes zoster,23.00,Paraesthesia,23.00,,,,,
872071,Product storage error,23.00,,,,,,
872072,Expired product administered,23.00,,,,,,
872073,Blisters,23.00,Erythema,23.00,Injection site erythema,
23.00,Injection site papules,23.00,Injection site vesicles,23.00
872073,Papules,23.00,Skin lesion,23.00,,,,,
872078,No adverse event,23.00,Product storage error,23.00,,,,,
872079,No adverse event,23.00,Product storage error,23.00,,,,,
872080,No adverse event,23.00,Product storage error,23.00,,,,,
872081,Chills,23.00,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Heart
rate increased,23.00
872081,Nausea,23.00,Oropharyngeal pain,23.00,Pain,23.00,Pain in jaw,
23.00,Pyrexia,23.00
872081,Toothache,23.00,Tremor,23.00,,,,,
872082,Herpes zoster,23.00,,,,,,
872084,Chills,23.00,Injection site swelling,23.00,Nausea,
23.00,Pyrexia,23.00,Swelling face,23.00
872085,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,
872086,Erythema,23.00,Pruritus,23.00,Urticaria,23.00,,,,
872087,Erythema,23.00,Induration,23.00,Oedema,23.00,Pain,23.00,Rash,
23.00
872087,Skin lesion,23.00,Swelling,23.00,,,,,
872088,Blood pressure decreased,23.00,Depressed level of
consciousness,23.00,Dizziness,23.00,Feeling hot,23.00,Loss of
consciousness,23.00
872088,Visual impairment,23.00,,,,,,
872089,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site rash,23.00,Skin tightness,23.00,Skin warm,23.00
872089,Vaccination site swelling,23.00,,,,,,
872090,Abdominal pain,23.00,Arthralgia,23.00,Asthenia,
23.00,Confusional state,23.00,Coordination abnormal,23.00
872090,Discomfort,23.00,Disturbance in attention,23.00,Dyspepsia,
23.00,Dyspnoea,23.00,Feeding disorder,23.00
872090,Gait disturbance,23.00,Gastrointestinal infection,
23.00,Hypoesthesia,23.00,Impaired work ability,23.00,Insomnia,23.00

872090,Joint noise,23.00,Loss of personal independence in daily activities,23.00,Malaise,23.00,Migraine,23.00,Mobility decreased,23.00
872090,Musculoskeletal pain,23.00,Nausea,23.00,Oesophageal pain,23.00,Oral discomfort,23.00,Pain,23.00
872090,Pain in extremity,23.00,Paraesthesia,23.00,Peripheral swelling,23.00,Pyrexia,23.00,Tongue discomfort,23.00
872090,Tongue disorder,23.00,Tongue erythema,23.00,Tongue movement disturbance,23.00,Weight bearing difficulty,23.00,,
872091,Malaise,23.00,Nausea,23.00,Pallor,23.00,Syncope,23.00,Unresponsive to stimuli,23.00
872091,Vomiting,23.00,,,,,
872092,Blepharospasm,23.00,Muscle twitching,23.00,Pyrexia,23.00,Viral infection,23.00,Vomiting,23.00
872093,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Neck pain,23.00
872093,Pyrexia,23.00,Restlessness,23.00,,,,,
872099,Incorrect dose administered,23.00,No adverse event,23.00,,,,,
872100,Rash,23.00,Rash erythematous,23.00,Rash papular,23.00,Rash pruritic,23.00,Rash vesicular,23.00
872100,Skin swelling,23.00,Urticaria,23.00,,,,,
872101,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Pyrexia,23.00,Rash,23.00
872101,Skin discolouration,23.00,,,,,
872102,Ex-tobacco user,23.00,Malaise,23.00,Muscle strain,23.00,,,,,
872103,Herpes zoster,23.00,Inappropriate schedule of product administration,23.00,,,,,
872104,Incorrect route of product administration,23.00,Injection site extravasation,23.00,,,,,
872105,Hepatitis B antibody negative,23.00,Therapy non-responder,23.00,,,,,
872106,Chemotherapy,23.00,Extra dose administered,23.00,Plasma cell myeloma,23.00,Stem cell transplant,23.00,,
872107,Expired product administered,23.00,,,,,
872108,Expired product administered,23.00,No adverse event,23.00,,,,,
872109,Injection site induration,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,,
872110,Abnormal behaviour,23.00,Pallor,23.00,Vomiting,23.00,,,,,
872111,Eye swelling,23.00,Injection site erythema,23.00,Injection site rash,23.00,Injection site swelling,23.00,Injection site warmth,23.00
872111,Rash,23.00,Somnolence,23.00,,,,,
872112,Injection site erythema,23.00,Injection site papule,23.00,Injection site plaque,23.00,Injection site swelling,23.00,Injection site vesicles,23.00
872113,Injection site erythema,23.00,Injection site induration,23.00,Injection site warmth,23.00,,,,,
872114,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,23.00,,,,,
872115,Arthralgia,23.00,Chills,23.00,Headache,23.00,Injection site erythema,23.00,Injection site pain,23.00
872115,Myalgia,23.00,Tremor,23.00,,,,,

872124, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
872125, Adverse drug reaction, 23.00, , , , , , , , , , ,
872126, Fatigue, 23.00, Injection site pain, 23.00, Insomnia, 23.00, Myalgia,
23.00, Pyrexia, 23.00
872127, Pain in extremity, 23.00, , , , , , , , , , ,
872128, Limb injury, 23.00, Pain in extremity, 23.00, , , , , , ,
872129, General physical health deterioration, 23.00, , , , , , , , , , ,
872130, Apgar score normal, 23.00, Foetal exposure during pregnancy,
23.00, Large for dates baby, 23.00, , , , , ,
872131, Apgar score normal, 23.00, Foetal exposure during pregnancy,
23.00, Large for dates baby, 23.00, , , , , ,
872132, Fatigue, 23.00, Injection site pain, 23.00, Injection site
swelling, 23.00, Nausea, 23.00, , ,
872133, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Lymph node pain, 23.00, Malaise,
23.00
872141, No adverse event, 23.00, Underdose, 23.00, , , , , , , , , , ,
872143, Injection site pain, 23.00, Pain in extremity, 23.00, Pyrexia,
23.00, , , , , ,
872144, Malaise, 23.00, , , , , , , , , , ,
872145, Injection site pain, 23.00, , , , , , , , , , ,
872146, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
872147, Syncope, 23.00, , , , , , , , , , ,
872148, Immediate post-injection reaction, 23.00, Injection site
erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling,
23.00, , ,
872149, Diet refusal, 23.00, Insomnia, 23.00, Opisthotonus, 23.00, Screaming,
23.00, , ,
872150, Bladder dysfunction, 23.00, Cognitive disorder, 23.00, Functional
gastrointestinal disorder, 23.00, Malaise, 23.00, , ,
872151, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , , ,
872152, Confusional state, 23.00, Decreased appetite, 23.00, Fatigue,
23.00, Injection site erythema, 23.00, Injection site swelling, 23.00
872152, Nausea, 23.00, Pyrexia, 23.00, , , , , , , ,
872153, No adverse event, 23.00, Product preparation error, 23.00, , , , , , , ,
872154, Asthenia, 23.00, Malaise, 23.00, Nausea, 23.00, Pain in extremity,
23.00, , ,
872155, Immediate post-injection reaction, 23.00, Loss of consciousness,
23.00, Syncope, 23.00, Tonic clonic movements, 23.00, Vertigo, 23.00
872156, Injection site pain, 23.00, Mobility decreased, 23.00, Pain in
extremity, 23.00, , , , , , ,
872157, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Pain,
23.00, Pyrexia, 23.00
872158, Injection site inflammation, 23.00, Injection site warmth,
23.00, Pain in extremity, 23.00, Swelling, 23.00, , ,
872159, Gun shot wound, 23.00, Pain in extremity, 23.00, , , , , , , ,
872160, Rash, 23.00, , , , , , , , , , ,
872161, Rash erythematous, 23.00, Rash papular, 23.00, , , , , , , ,
872162, Pain in extremity, 23.00, , , , , , , , , , ,
872163, Flushing, 23.00, Moaning, 23.00, Muscle contractions involuntary,

23.00,Posture abnormal,23.00,Seizure,23.00
872163,Vomiting,23.00,,,,,
872164,Bursa injury,23.00,Injection site pain,23.00,Magnetic resonance
imaging abnormal,23.00,Pain,23.00,Tendon disorder,23.00
872165,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
872174,No adverse event,23.00,Product storage error,23.00,,,,,
872176,Skin infection,23.00,,,,,
872177,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
872178,Product storage error,23.00,,,,,
872179,Expired product administered,23.00,No adverse event,23.00,,,,,
872180,No adverse event,23.00,Product storage error,23.00,,,,,
872181,Product storage error,23.00,,,,,
872182,Product storage error,23.00,,,,,
872183,No adverse event,23.00,Product storage error,23.00,,,,,
872184,Product storage error,23.00,,,,,
872185,Product storage error,23.00,,,,,
872186,Product storage error,23.00,,,,,
872187,Injection site cellulitis,23.00,Injection site discomfort,
23.00,Injection site erythema,23.00,Injection site swelling,23.00,,
872188,Malaise,23.00,,,,,
872190,Herpes zoster,23.00,Post herpetic neuralgia,23.00,Rash,
23.00,Rash vesicular,23.00,,
872191,Balance disorder,23.00,Pallor,23.00,Pyrexia,23.00,Rash,
23.00,SARS-CoV-2 test negative,23.00
872192,Cyanosis,23.00,Electrocardiogram normal,23.00,Hypotonia,
23.00,Irritability,23.00,Pallor,23.00
872192,SARS-CoV-2 test negative,23.00,Staring,23.00,,,,,
872194,Fatigue,23.00,Headache,23.00,Lethargy,23.00,Limb discomfort,
23.00,Myalgia,23.00
872194,Pain in extremity,23.00,,,,,
872195,Injection site pain,23.00,Swollen tongue,23.00,Urticaria,
23.00,,,,
872196,Erythema,23.00,Pyrexia,23.00,Rash,23.00,Swelling,23.00,,
872197,Injection site paraesthesia,23.00,Paraesthesia,23.00,,,,,
872198,Cerumen removal,23.00,Headache,23.00,Hyperacusis,23.00,Pain in
extremity,23.00,,
872199,Alopecia,23.00,Dry skin,23.00,Eczema,23.00,Erythema,
23.00,Pruritus,23.00
872199,Skin disorder,23.00,Skin exfoliation,23.00,,,,,
872200,Chills,23.00,,,,,
872206,No adverse event,23.00,Product storage error,23.00,,,,,
872207,Expired product administered,23.00,No adverse event,23.00,,,,,
872208,Nodule,23.00,Pain in extremity,23.00,,,,,
872209,Asthenia,23.00,Injection site pain,23.00,Pain in extremity,
23.00,,,,
872210,Asthenia,23.00,Injection site pain,23.00,Pain in extremity,
23.00,,,,
872213,No adverse event,23.00,Wrong product administered,23.00,,,,,
872215,Adverse drug reaction,23.00,Loss of personal independence in

daily activities,23.00,Pain in extremity,23.00,,,,,
872216,Pain in extremity,23.00,,,,,,
872217,Pain in extremity,23.00,,,,,,
872218,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
872219,Injection site pain,23.00,Pain,23.00,,,,,,
872220,Incorrect route of product administration,23.00,Rash pruritic,
23.00,Swelling,23.00,,,,,
872221,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
872222,Pyrexia,23.00,Seizure,23.00,,,,,,
872223,Eye swelling,23.00,Flushing,23.00,Palpitations,23.00,Skin warm,
23.00,Throat irritation,23.00
872223,Tremor,23.00,,,,,,
872224,Fall,23.00,Feeling abnormal,23.00,Gait disturbance,
23.00,Sensory disturbance,23.00,Tinnitus,23.00
872225,Bedridden,23.00,Dizziness,23.00,Nausea,23.00,,,,,
872226,Asthenia,23.00,Dysstasia,23.00,Pyrexia,23.00,,,,,
872227,Erythema,23.00,Infection,23.00,Pain,23.00,Swelling,23.00,,
872228,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
872229,Expired product administered,23.00,,,,,,
872230,Pain in extremity,23.00,,,,,,
872231,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,
872232,Fatigue,23.00,Muscular weakness,23.00,Nausea,23.00,,,,,
872233,Injection site rash,23.00,,,,,,
872234,Joint swelling,23.00,Peripheral swelling,23.00,,,,,,
872235,Myalgia,23.00,Pyrexia,23.00,,,,,,
872236,Asthenia,23.00,Dizziness,23.00,Dyspnoea,23.00,,,,,
872237,Autism spectrum disorder,23.00,Hyperacusis,23.00,Language
disorder,23.00,Lethargy,23.00,Stereotypy,23.00
872238,Blood thyroid stimulating hormone normal,23.00,Dizziness,
23.00,Dizziness postural,23.00,Full blood count normal,23.00,Metabolic
function test,23.00
872238,Peripheral swelling,23.00,,,,,,
872239,Chills,23.00,Fatigue,23.00,Feeling hot,23.00,Pain in extremity,
23.00,Pyrexia,23.00
872240,Pain in extremity,23.00,,,,,,
872243,Injection site erythema,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Injection site warmth,23.00,,
872244,Erythema,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
872244,Injection site warmth,23.00,Myalgia,23.00,Pain,23.00,Pruritus,
23.00,Swelling,23.00
872244,Urticaria,23.00,,,,,,
872245,Lymph node pain,23.00,Neck pain,23.00,Pyrexia,23.00,Swelling,
23.00,,
872246,Asthenia,23.00,Crying,23.00,Decreased appetite,
23.00,Discomfort,23.00,Pyrexia,23.00
872247,Cellulitis,23.00,Injection site pain,23.00,Injection site

swelling,23.00,Pruritus,23.00,Vaccination complication,23.00
872261,No adverse event,23.00,Product storage error,23.00,,,,,
872262,No adverse event,23.00,Product storage error,23.00,,,,,
872263,No adverse event,23.00,Product storage error,23.00,,,,,
872264,Diarrhoea,23.00,Flatulence,23.00,Haematochezia,23.00,Insomnia,
23.00,Lethargy,23.00
872265,Extra dose administered,23.00,No adverse event,23.00,,,,,
872266,No adverse event,23.00,Product storage error,23.00,,,,,
872268,Product storage error,23.00,,,,,
872269,Product storage error,23.00,,,,,
872270,No adverse event,23.00,Product storage error,23.00,,,,,
872271,Product storage error,23.00,,,,,
872272,Product storage error,23.00,,,,,
872273,Product storage error,23.00,,,,,
872274,Product storage error,23.00,,,,,
872275,No adverse event,23.00,Product storage error,23.00,,,,,
872276,Expired product administered,23.00,No adverse event,23.00,,,,,
872278,Product storage error,23.00,,,,,
872279,Product storage error,23.00,,,,,
872280,Product storage error,23.00,,,,,
872282,Chills,23.00,Feeling abnormal,23.00,Headache,23.00,Malaise,
23.00,Myalgia,23.00
872283,Headache,23.00,,,,,
872284,Exposure via skin contact,23.00,Injury associated with device,
23.00,Occupational exposure to product,23.00,Product complaint,
23.00,Syringe issue,23.00
872285,Feeling cold,23.00,Pyrexia,23.00,,,,,
872286,Bone pain,23.00,Headache,23.00,Influenza like illness,
23.00,Myalgia,23.00,Pyrexia,23.00
872287,Asthenia,23.00,Cardiac failure congestive,23.00,Chills,
23.00,Cough,23.00,Decreased appetite,23.00
872287,Diarrhoea,23.00,Disseminated Bacillus Calmette-Guerin
infection,23.00,Dyspnoea exertional,23.00,Dysuria,23.00,Liver function
test increased,23.00
872287,Micturition urgency,23.00,Nausea,23.00,Pyelonephritis,
23.00,Pyrexia,23.00,Urinary tract infection,23.00
872288,Chills,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Pain,23.00
872288,Pyrexia,23.00,,,,,
872289,Blood pressure increased,23.00,Dizziness,23.00,,,,,
872290,No adverse event,23.00,Wrong product administered,23.00,,,,,
872294,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
872295,Feeling abnormal,23.00,Pain,23.00,Pyrexia,23.00,,,,,
872296,Abdominal pain,23.00,Back pain,23.00,Blood test,23.00,Chills,
23.00,Computerised tomogram,23.00
872296,Diarrhoea,23.00,Fatigue,23.00,Hyperhidrosis,23.00,Immediate
post-injection reaction,23.00,Injection site pain,23.00
872296,Nausea,23.00,Vomiting,23.00,,,,,
872297,Fatigue,23.00,Injection site pain,23.00,,,,,

872298,Dyspepsia,23.00,Hiccups,23.00,Injection site erythema,
23.00,Musculoskeletal chest pain,23.00,Oesophageal spasm,23.00
872298,Pain,23.00,,,,,,,
872299,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
872300,Erythema,23.00,Peripheral swelling,23.00,,,,,,
872301,Herpes zoster,23.00,,,,,,,
872302,Arthralgia,23.00,Chills,23.00,Dizziness,23.00,Groin pain,
23.00,Influenza like illness,23.00
872302,Injection site erythema,23.00,Injection site pain,
23.00,Lymphadenopathy,23.00,Musculoskeletal chest pain,23.00,Nausea,
23.00
872302,Neck pain,23.00,Oropharyngeal pain,23.00,Pain in extremity,
23.00,Pyrexia,23.00,Tenderness,23.00
872303,Injection site reaction,23.00,Rash,23.00,Rash erythematous,
23.00,Rash pruritic,23.00,,
872304,Body temperature increased,23.00,,,,,,,
872306,Herpes zoster,23.00,Hypoaesthesia,23.00,Incomplete course of
vaccination,23.00,Nervous system disorder,23.00,Pain,23.00
872306,Pruritus,23.00,Sleep disorder,23.00,,,,,
872307,Fatigue,23.00,Injection site pain,23.00,,,,,
872308,Anaemia,23.00,Condition aggravated,23.00,Transfusion,23.00,,,,,
872309,Injection site pain,23.00,Injection site pustule,
23.00,Injection site rash,23.00,Injection site swelling,23.00,,
872310,Cough,23.00,Laryngitis,23.00,,,,,
872312,Body temperature increased,23.00,Chills,23.00,Full blood count,
23.00,Headache,23.00,Mean cell haemoglobin increased,23.00
872312,Mean cell volume increased,23.00,Pain,23.00,Platelet count
decreased,23.00,Red blood cell count decreased,23.00,White blood cell
count decreased,23.00
872313,No adverse event,23.00,Wrong product administered,23.00,,,,,
872314,No adverse event,23.00,Product storage error,23.00,,,,,
872315,Expired product administered,23.00,No adverse event,23.00,,,,,
872316,Chills,23.00,Headache,23.00,Influenza like illness,
23.00,Pyrexia,23.00,,
872317,Anxiety,23.00,Blood pressure increased,23.00,Insomnia,
23.00,Panic attack,23.00,,
872318,Vaccination complication,23.00,,,,,,,
872319,Crying,23.00,Erythema,23.00,Skin warm,23.00,Swelling,23.00,,
872320,Abdominal pain,23.00,Computerised tomogram,23.00,Diarrhoea,
23.00,Differential white blood cell count,23.00,Full blood count,23.00
872320,Influenza virus test,23.00,Lipase,23.00,Metabolic function
test,23.00,Nausea,23.00,Urine analysis,23.00
872321,Induration,23.00,Pain,23.00,Pruritus,23.00,Swelling,23.00,,
872322,Rash,23.00,Rash erythematous,23.00,Urticaria,23.00,,,,,
872323,Rash pruritic,23.00,Skin warm,23.00,,,,,
872324,Arthralgia,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
872326,Anaphylactic reaction,23.00,Cough,23.00,Eye pruritus,
23.00,Measles antibody negative,23.00,Mumps antibody test positive,
23.00
872326,Ocular hyperaemia,23.00,Periorbital swelling,23.00,Respiratory

tract congestion,23.00,Rhinorrhoea,23.00,Rubella antibody positive,
23.00
872326,Sneezing,23.00,Throat irritation,23.00,,,,,
872329,No adverse event,23.00,Product storage error,23.00,,,,,
872330,Concussion,23.00,Head injury,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Loss of consciousness,23.00
872330,Pyrexia,23.00,,,,,
872331,Underdose,23.00,,,,,
872332,Pruritus,23.00,,,,,
872333,Faeces discoloured,23.00,Injection site rash,23.00,Pyrexia,
23.00,,,,
872334,Chills,23.00,Erythema,23.00,Headache,23.00,Myalgia,23.00,Pain,
23.00
872334,Pyrexia,23.00,Skin warm,23.00,,,,,
872335,Rash,23.00,Urticaria,23.00,,,,,
872336,Axillary pain,23.00,Contusion,23.00,Erythema,23.00,Induration,
23.00,Nodule,23.00
872336,Pain in extremity,23.00,Swelling,23.00,,,,,
872337,Injection site erythema,23.00,Rash,23.00,,,,,
872338,Urticaria,23.00,,,,,
872339,Injection site erythema,23.00,Injection site warmth,23.00,Local
reaction,23.00,,,,
872340,Abdominal discomfort,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Myalgia,23.00
872341,Product storage error,23.00,,,,,
872342,Muscle twitching,23.00,,,,,
872343,Cellulitis,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,,
872344,Asthenia,23.00,Headache,23.00,Myalgia,23.00,Pain,23.00,Pyrexia,
23.00
872345,Discomfort,23.00,Pain,23.00,Rash erythematous,23.00,Rash
macular,23.00,,
872346,Crying,23.00,Diet refusal,23.00,Eye movement disorder,
23.00,Hypophagia,23.00,Irritability,23.00
872346,Loss of consciousness,23.00,Posture abnormal,23.00,,,,,
872354,No adverse event,23.00,Product storage error,23.00,,,,,
872355,Extra dose administered,23.00,No adverse event,23.00,,,,,
872356,Facial paralysis,23.00,,,,,
872357,No adverse event,23.00,Product storage error,23.00,,,,,
872358,Product storage error,23.00,,,,,
872359,Product storage error,23.00,,,,,
872360,No adverse event,23.00,Product storage error,23.00,,,,,
872361,No adverse event,23.00,Product storage error,23.00,,,,,
872362,No adverse event,23.00,Product storage error,23.00,,,,,
872363,Product storage error,23.00,,,,,
872364,Product storage error,23.00,,,,,
872365,Product storage error,23.00,,,,,
872366,Product storage error,23.00,,,,,
872367,Product storage error,23.00,,,,,
872368,Product storage error,23.00,,,,,

872369,Product storage error,23.00,,,,,,,,,
872370,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
872371,Biopsy skin abnormal,23.00,Dermatitis allergic,23.00,Rash,
23.00,Rash pruritic,23.00,Urticaria,23.00
872372,Back pain,23.00,Cellulitis,23.00,Concussion,23.00,Gait
inability,23.00,Loss of personal independence in daily activities,
23.00
872372,Muscular weakness,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,Syncope,23.00,,
872373,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
872374,Injection site erythema,23.00,Injection site induration,
23.00,Injection site warmth,23.00,,,,,
872380,Inappropriate schedule of product administration,
23.00,Interchange of vaccine products,23.00,,,,,,
872381,No adverse event,23.00,Product storage error,23.00,,,,,,
872383,Electroencephalogram normal,23.00,Muscle spasms,23.00,,,,,,
872384,Administration site cellulitis,23.00,Chills,23.00,Fatigue,
23.00,Headache,23.00,Pain,23.00
872384,Pyrexia,23.00,White blood cell count normal,23.00,,,,,,
872385,Blood thyroid stimulating hormone,23.00,Dizziness,
23.00,Electrocardiogram,23.00,Full blood count,23.00,Hypertension,
23.00
872385,Lipids,23.00,Metabolic function test,23.00,Palpitations,
23.00,Sinus tachycardia,23.00,Urine analysis,23.00
872389,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
872390,Hypersensitivity,23.00,,,,,,,
872391,Hypersensitivity,23.00,,,,,,,
872392,Gait inability,23.00,Nerve injury,23.00,Sciatic nerve injury,
23.00,Sciatica,23.00,Walking aid user,23.00
872393,Fatigue,23.00,Herpes zoster,23.00,Injection site pain,
23.00,Malaise,23.00,Pain,23.00
872393,Pyrexia,23.00,Vaccination failure,23.00,,,,,,
872394,Injection site erythema,23.00,Injection site induration,
23.00,,,,,,
872395,Erythema,23.00,Injection site pain,23.00,Pain,23.00,Papule,
23.00,Pustule,23.00
872395,Swelling,23.00,,,,,,,
872396,Dizziness,23.00,Loss of consciousness,23.00,,,,,,
872397,Chills,23.00,Headache,23.00,Pyrexia,23.00,,,,,
872398,Asthenia,23.00,Chills,23.00,Decreased appetite,23.00,Dizziness,
23.00,Eye pain,23.00
872398,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Pain of skin,
23.00,Pyrexia,23.00
872398,Thinking abnormal,23.00,,,,,,,
872404,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
872405,Product storage error,23.00,,,,,,,

872406,Eyelid injury,23.00,Fall,23.00,Head injury,23.00,Loss of consciousness,23.00,Skin laceration,23.00
872406,Syncope,23.00,,,,,
872407,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Pyrexia,23.00
872408,Cellulitis,23.00,Erythema,23.00,Hypersensitivity,23.00,Pyrexia,23.00,,
872410,No adverse event,23.00,Product storage error,23.00,,,,,
872411,No adverse event,23.00,Product storage error,23.00,,,,,
872412,Exposure during pregnancy,23.00,Product prescribing error,23.00,,,,,
872413,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,Wrong product administered,23.00,,,,
872414,Dizziness,23.00,Hypoaesthesia,23.00,Injection site erythema,23.00,Mobility decreased,23.00,Peripheral swelling,23.00
872415,Dizziness,23.00,Feeling abnormal,23.00,Feeling cold,23.00,Hyperhidrosis,23.00,Nausea,23.00
872415,Vomiting,23.00,,,,,
872416,Expired product administered,23.00,,,,,
872418,Wrong product administered,23.00,,,,,
872419,Exposure during pregnancy,23.00,,,,,
872420,Injection site erythema,23.00,Injection site swelling,23.00,,,,,
872421,Injection site rash,23.00,,,,,
872422,Injection site pain,23.00,Pain,23.00,Pyrexia,23.00,,,,
872423,Unevaluable event,23.00,,,,,
872424,Injected limb mobility decreased,23.00,Pain,23.00,Pain in extremity,23.00,,,,
872432,No adverse event,23.00,Product storage error,23.00,,,,,
872433,Herpes zoster,23.00,,,,,
872434,Burning sensation,23.00,Herpes zoster,23.00,Rash,23.00,,,,
872435,No adverse event,23.00,Product storage error,23.00,,,,,
872436,No adverse event,23.00,Product storage error,23.00,,,,,
872437,Pain,23.00,Rash,23.00,Rash vesicular,23.00,,,,
872438,Autopsy,23.00,Death,23.00,,,,,
872439,Arthralgia,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,23.00,,
872440,Wrong product administered,23.00,,,,,
872445,Ophthalmic herpes simplex,23.00,,,,,
872446,No adverse event,23.00,Product storage error,23.00,,,,,
872448,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,
872452,Acoustic stimulation tests abnormal,23.00,Deafness neurosensory,23.00,Deafness unilateral,23.00,Hypoacusis,23.00,,
872453,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,23.00,,,,
872457,No adverse event,23.00,Product storage error,23.00,,,,,
872458,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
872459,Product storage error,23.00,,,,,
872460,Product storage error,23.00,,,,,

872461,Product storage error,23.00,,,,,,,,,
872462,No adverse event,23.00,Product storage error,23.00,,,,,
872463,Feeling abnormal,23.00,Malaise,23.00,Pain in extremity,
23.00,,,,,
872464,Adverse drug reaction,23.00,,,,,,,,,
872465,Pain in extremity,23.00,,,,,,,,,
872466,Injection site discolouration,23.00,,,,,,,,,
872467,Back pain,23.00,Herpes zoster,23.00,Pruritus,23.00,Rash,
23.00,Scratch,23.00
872468,Adverse reaction,23.00,,,,,,,,,
872469,Burning sensation,23.00,Chills,23.00,Dizziness,23.00,Fatigue,
23.00,Feeling hot,23.00
872469,Heart rate increased,23.00,Hyperhidrosis,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Nausea,23.00
872469,Pyrexia,23.00,,,,,,,,,
872471,Expired product administered,23.00,No adverse event,23.00,,,,,
872472,Asthenia,23.00,Decreased appetite,23.00,Dizziness,
23.00,Headache,23.00,Injection site cellulitis,23.00
872472,Nausea,23.00,Pain,23.00,,,,,
872473,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
872474,Erythema,23.00,Injection site bruising,23.00,,,,,
872475,Injection site erythema,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site swelling,23.00,,
872476,Abdominal discomfort,23.00,Chills,23.00,Headache,
23.00,Injection site pain,23.00,Myalgia,23.00
872476,Pyrexia,23.00,,,,,,,,,
872477,Alanine aminotransferase normal,23.00,Albumin globulin ratio
normal,23.00,Aspartate aminotransferase normal,23.00,Basophil count
normal,23.00,Basophil percentage,23.00
872477,Blood albumin normal,23.00,Blood alkaline phosphatase normal,
23.00,Blood chloride normal,23.00,Blood creatinine normal,23.00,Blood
glucose normal,23.00
872477,Blood potassium normal,23.00,Blood sodium normal,23.00,Blood
thyroid stimulating hormone normal,23.00,Blood urea nitrogen/
creatinine ratio,23.00,Blood urea normal,23.00
872477,C-reactive protein normal,23.00,Coordination abnormal,
23.00,Dizziness postural,23.00,Eosinophil count normal,
23.00,Eosinophil percentage increased,23.00
872477,Free thyroxine index normal,23.00,Gait disturbance,
23.00,Globulin,23.00,Glomerular filtration rate normal,
23.00,Haematocrit normal,23.00
872477,Haemoglobin normal,23.00,Lymphocyte count normal,
23.00,Lymphocyte percentage,23.00,Mean cell haemoglobin concentration
normal,23.00,Mean cell haemoglobin normal,23.00
872477,Mean cell volume normal,23.00,Mean platelet volume increased,
23.00,Monocyte count normal,23.00,Muscular weakness,23.00,Neutrophil
count normal,23.00
872477,Neutrophil percentage decreased,23.00,Platelet count normal,
23.00,Protein total normal,23.00,Red cell distribution width normal,

23.00, Tandem gait test abnormal, 23.00
872477, Thyroxine, 23.00, Thyroxine normal, 23.00, Tri-iodothyronine uptake, 23.00, Vitamin B12 normal, 23.00,,
872478, Fatigue, 23.00, Headache, 23.00, Influenza, 23.00, Injection site pain, 23.00, Myalgia, 23.00
872478, Nausea, 23.00,,,,,,
872479, Blood test, 23.00, Dyspnoea, 23.00, Erythema, 23.00, Gait disturbance, 23.00, Muscular weakness, 23.00
872479, Myalgia, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Wheelchair user, 23.00, White blood cell count increased, 23.00
872488, No adverse event, 23.00, Wrong product administered, 23.00,,,,,
872489, Ophthalmic herpes zoster, 23.00, Vaccination failure, 23.00,,,,,
872490, Fatigue, 23.00, Feeling of body temperature change, 23.00, Hyperhidrosis, 23.00, Loss of personal independence in daily activities, 23.00, Pain in extremity, 23.00
872490, Pyrexia, 23.00,,,,,
872491, Loss of personal independence in daily activities, 23.00, Muscle spasms, 23.00, Myalgia, 23.00,,,,
872492, Erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Skin warm, 23.00, Swelling, 23.00
872493, Burning sensation, 23.00, Hypersensitivity, 23.00, Injection site rash, 23.00,,,,
872494, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00,,,,
872495, Rash, 23.00,,,,,
872496, Inappropriate schedule of product administration, 23.00,,,,,
872497, Rash, 23.00,,,,,
872498, Injection site erythema, 23.00, Injection site oedema, 23.00, Injection site reaction, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
872498, Skin tightness, 23.00,,,,,
872499, Pustule, 23.00, Rash maculo-papular, 23.00, Urticaria, 23.00,,,,
872500, Shoulder injury related to vaccine administration, 23.00,,,,,
872501, Diarrhoea, 23.00, Pyrexia, 23.00,,,,,
872503, Blindness, 23.00, Ophthalmic herpes zoster, 23.00,,,,,
872504, Arthralgia, 23.00, Body temperature increased, 23.00, Dysgeusia, 23.00, Fatigue, 23.00, Influenza like illness, 23.00
872504, Injection site pain, 23.00, Musculoskeletal stiffness, 23.00, Neck pain, 23.00, Oropharyngeal pain, 23.00, Pain, 23.00
872504, Pain in extremity, 23.00, Parosmia, 23.00, Rash, 23.00, Rash pruritic, 23.00, Tearfulness, 23.00
872505, Electroencephalogram normal, 23.00, Full blood count normal, 23.00, Magnetic resonance imaging brain normal, 23.00, Pyrexia, 23.00, Rash, 23.00
872505, Seizure, 23.00,,,,,
872506, Dizziness, 23.00, Feeling hot, 23.00, Immediate post-injection reaction, 23.00, Loss of consciousness, 23.00,,
872507, Chills, 23.00, Pain, 23.00,,,,,
872508, Injection site erythema, 23.00, Injection site pruritus, 23.00,,,,,
872509, Expired product administered, 23.00,,,,,

872510, Gait disturbance, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00,,
872511, Injection site erythema, 23.00, Injection site papule, 23.00, Local reaction, 23.00, Pyrexia, 23.00,,
872512, Anion gap normal, 23.00, Anisocytosis, 23.00, Bacterial test negative, 23.00, Blood calcium normal, 23.00, Blood chloride normal, 23.00
872512, Blood creatinine normal, 23.00, Blood culture, 23.00, Blood glucose normal, 23.00, Blood osmolarity normal, 23.00, Blood pH normal, 23.00
872512, Blood potassium normal, 23.00, Blood prolactin increased, 23.00, Blood sodium normal, 23.00, Blood urea normal, 23.00, Blood urine present, 23.00
872512, Carbon dioxide normal, 23.00, Chest X-ray normal, 23.00, Chromaturia, 23.00, Computerised tomogram head normal, 23.00, Drug screen negative, 23.00
872512, Dyspnoea, 23.00, Electroencephalogram normal, 23.00, Eosinophil count normal, 23.00, Eosinophil percentage, 23.00, Eye movement disorder, 23.00
872512, Glucose urine absent, 23.00, Haematocrit normal, 23.00, Haemoglobin normal, 23.00, Hyporesponsive to stimuli, 23.00, Influenza A virus test negative, 23.00
872512, Influenza B virus test, 23.00, Influenza virus test negative, 23.00, Lethargy, 23.00, Lymphocyte count increased, 23.00, Lymphocyte percentage increased, 23.00
872512, Mean cell haemoglobin concentration normal, 23.00, Mean cell haemoglobin decreased, 23.00, Mean cell volume decreased, 23.00, Mean platelet volume normal, 23.00, Mental status changes, 23.00
872512, Metabolic function test, 23.00, Monocyte count normal, 23.00, Monocyte percentage decreased, 23.00, Neutrophil count decreased, 23.00, Neutrophil percentage decreased, 23.00
872512, Nitrite urine absent, 23.00, Platelet count normal, 23.00, Poikilocytosis, 23.00, Procalcitonin normal, 23.00, Protein urine absent, 23.00
872512, Red blood cell burr cells present, 23.00, Red blood cell count normal, 23.00, Red blood cell microcytes present, 23.00, Red blood cell morphology abnormal, 23.00, Red blood cells urine negative, 23.00
872512, Red cell distribution width normal, 23.00, Respiratory syncytial virus test negative, 23.00, Specific gravity urine decreased, 23.00, Urine ketone body absent, 23.00, White blood cell count normal, 23.00
872512, White blood cells urine negative, 23.00, pH urine normal, 23.00,,,,,
872513, Chills, 23.00, Erythema, 23.00, Fatigue, 23.00, Headache, 23.00, Pain, 23.00
872513, Pyrexia, 23.00,,,,,
872514, Eye movement disorder, 23.00, Unresponsive to stimuli, 23.00,,,,,
872515, Abdominal discomfort, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site erythema, 23.00
872515, Injection site pruritus, 23.00, Injection site swelling, 23.00, Lethargy, 23.00, Myalgia, 23.00, Pyrexia, 23.00
872516, Fatigue, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00, Pain in extremity, 23.00

872517,Wrong product administered,23.00,,,,,,,,,
872518,Extra dose administered,23.00,No adverse event,23.00,,,,,
872519,Dizziness,23.00,Nausea,23.00,,,,,
872524,No adverse event,23.00,Product storage error,23.00,,,,,
872525,Herpes zoster,23.00,,,,,,,,,
872526,Ophthalmic herpes zoster,23.00,,,,,,,,,
872527,Herpes zoster,23.00,,,,,,,,,
872528,Accidental underdose,23.00,No adverse event,23.00,Wrong
technique in product usage process,23.00,,,,,
872529,Asthenia,23.00,Blisters,23.00,Herpes zoster,23.00,Pain,
23.00,Skin lesion,23.00
872530,Cardiac disorder,23.00,Fatigue,23.00,Kyphosis,23.00,Loss of
consciousness,23.00,Renal disorder,23.00
872530,Seizure like phenomena,23.00,Vomiting,23.00,,,,,
872531,Post herpetic neuralgia,23.00,,,,,,,,,
872532,No adverse event,23.00,Product storage error,23.00,,,,,
872533,Expired product administered,23.00,No adverse event,23.00,,,,,
872534,Oral herpes,23.00,,,,,,,,,
872535,Body temperature increased,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Local reaction,23.00,,
872540,Asthenia,23.00,Herpes zoster,23.00,Pain,23.00,Pruritus,
23.00,Scar,23.00
872541,No adverse event,23.00,Product storage error,23.00,,,,,
872542,Incomplete course of vaccination,23.00,,,,,,,,,
872543,Nausea,23.00,Pyrexia,23.00,,,,,
872544,Condition aggravated,23.00,Cyst,23.00,,,,,
872545,Chills,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,23.00,,
872546,Blood glucose normal,23.00,Limb discomfort,23.00,Nausea,
23.00,Paraesthesia oral,23.00,,
872547,Back pain,23.00,Musculoskeletal stiffness,23.00,Neck pain,
23.00,Pain,23.00,,
872548,Magnetic resonance imaging abnormal,23.00,Mobility decreased,
23.00,Musculoskeletal pain,23.00,Osteoarthritis,23.00,Pain in
extremity,23.00
872549,Wrong product administered,23.00,,,,,,,,,
872551,No adverse event,23.00,Product storage error,23.00,,,,,
872552,Blisters,23.00,Erythema,23.00,Influenza like illness,
23.00,Paraesthesia,23.00,Vomiting,23.00
872553,Hypoaesthesia,23.00,Pain in extremity,23.00,Paraesthesia,
23.00,,,,,
872554,Limb discomfort,23.00,Pain in extremity,23.00,,,,,
872555,Chills,23.00,Headache,23.00,Pyrexia,23.00,,,,,
872556,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
872557,Incorrect route of product administration,23.00,Injection site
erythema,23.00,,,,,
872558,Anxiety,23.00,Auditory disorder,23.00,Dizziness,23.00,Fatigue,
23.00,Feeling hot,23.00
872558,Hypotension,23.00,Loss of consciousness,23.00,Pallor,
23.00,Peripheral coldness,23.00,Restlessness,23.00
872559,Injection site erythema,23.00,Injection site swelling,

23.00,,,,,
872560,Ageusia,23.00,,,,,
872561,Gait disturbance,23.00,Injection site erythema,23.00,Injection site swelling,23.00,Lethargy,23.00,Swelling face,23.00
872561,Urticaria,23.00,,,,,
872565,No adverse event,23.00,Product storage error,23.00,,,,,
872566,Expired product administered,23.00,No adverse event,23.00,,,,,
872567,Asthenia,23.00,Blister,23.00,Eye pain,23.00,Glaucoma,23.00,Herpes zoster,23.00
872567,Lacrimation increased,23.00,Ocular discomfort,23.00,Ocular hyperaemia,23.00,Ophthalmic herpes zoster,23.00,Optic nerve injury,23.00
872567,Pain,23.00,Rash,23.00,Scar,23.00,Trabeculectomy,23.00,Visual impairment,23.00
872568,Chills,23.00,Headache,23.00,Injection site swelling,23.00,Tremor,23.00,,
872569,Expired product administered,23.00,No adverse event,23.00,,,,,
872570,Erythema,23.00,Infection,23.00,Ulcer,23.00,,,,,
872571,Hyperhidrosis,23.00,,,,,
872572,Expired product administered,23.00,No adverse event,23.00,,,,,
872573,Expired product administered,23.00,No adverse event,23.00,,,,,
872574,Adverse event,23.00,,,,,
872575,Apgar score normal,23.00,Breech presentation,23.00,Caesarean section,23.00,Foetal exposure during pregnancy,23.00,,
872576,Decreased appetite,23.00,Diarrhoea,23.00,Pruritus,23.00,Pyrexia,23.00,Rash,23.00
872576,Rash erythematous,23.00,Streptococcus test negative,23.00,,,,,
872577,Muscle spasms,23.00,,,,,
872578,Erythema,23.00,Feeling cold,23.00,Hypotonia,23.00,Lethargy,23.00,Nausea,23.00
872578,Pallor,23.00,Pruritus,23.00,Retching,23.00,Vomiting,23.00,,
872579,Blood creatine phosphokinase,23.00,Full blood count,23.00,Metabolic function test,23.00,Radiculitis brachial,23.00,,
872580,Injection site cellulitis,23.00,Injection site erythema,23.00,Injection site swelling,23.00,,,,,
872588,Extra dose administered,23.00,No adverse event,23.00,,,,,
872589,Feeling abnormal,23.00,,,,,
872590,Feeling abnormal,23.00,Influenza like illness,23.00,Malaise,23.00,,,,,
872591,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,,
872592,Irritability,23.00,Pyrexia,23.00,,,,,
872593,Anti-cyclic citrullinated peptide antibody negative,23.00,Antinuclear antibody negative,23.00,Arthralgia,23.00,C-reactive protein normal,23.00,Chills,23.00
872593,Clostridium test positive,23.00,Feeling hot,23.00,Flushing,23.00,HLA-B*27 assay,23.00,Influenza like illness,23.00
872593,Parvovirus B19 test negative,23.00,Peripheral swelling,23.00,Pyrexia,23.00,Rash macular,23.00,Red blood cell sedimentation rate increased,23.00

872593,Rheumatoid arthritis,23.00,Rheumatoid factor negative,
23.00,Urticaria,23.00,,,,,
872594,Injection site erythema,23.00,Injection site pain,23.00,Pain,
23.00,Pyrexia,23.00,,
872595,Borrelia test negative,23.00,Facial paralysis,23.00,Polymerase
chain reaction,23.00,,,,,
872596,Asthenia,23.00,Auditory disorder,23.00,Dizziness,
23.00,Hyperhidrosis,23.00,Hypotension,23.00
872596,Pallor,23.00,Visual impairment,23.00,,,,,,
872597,Fatigue,23.00,Headache,23.00,Malaise,23.00,Pain in extremity,
23.00,Pyrexia,23.00
872597,Vomiting,23.00,,,,,,,
872598,Mass,23.00,,,,,,,
872599,Dizziness,23.00,Muscle twitching,23.00,Pallor,23.00,,,,,
872600,Discomfort,23.00,Eye complication associated with device,
23.00,Injection site pain,23.00,Injection site reaction,
23.00,Micturition urgency,23.00
872600,Middle insomnia,23.00,Muscle spasms,23.00,Paraesthesia,
23.00,Pollakiuria,23.00,Stomatitis,23.00
872601,Erythema,23.00,Rash,23.00,Skin warm,23.00,,,,,
872603,Erythema,23.00,Peripheral swelling,23.00,Pruritus,
23.00,Urticaria,23.00,,
872604,Blood creatine phosphokinase normal,23.00,Blood electrolytes
normal,23.00,Crying,23.00,Dystonia,23.00,Gait disturbance,23.00
872604,Muscle rigidity,23.00,Muscle spasms,23.00,Pain,23.00,,,,,
872605,Swelling face,23.00,Urticaria,23.00,,,,,,
872606,Lethargy,23.00,Pyrexia,23.00,Rash,23.00,,,,,
872607,Axillary pain,23.00,Injection site discolouration,
23.00,Injection site pruritus,23.00,Injection site swelling,23.00,,
872608,Erythema,23.00,Injection site erythema,23.00,Injection site
induration,23.00,Injection site nodule,23.00,Injection site papule,
23.00
872608,Papule,23.00,Scab,23.00,Skin lesion,23.00,,,,,
872609,Immediate post-injection reaction,23.00,Injection site
swelling,23.00,Joint swelling,23.00,Peripheral swelling,23.00,,
872610,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Oropharyngeal pain,23.00
872611,Chills,23.00,Dyspnoea,23.00,Hot flush,23.00,Hyperhidrosis,
23.00,Injection site rash,23.00
872611,Nausea,23.00,Pain in extremity,23.00,Swelling,23.00,,,,,
872612,Arthralgia,23.00,Headache,23.00,Injection site pain,
23.00,Nausea,23.00,Pyrexia,23.00
872622,No adverse event,23.00,Product storage error,23.00,,,,,,
872623,Product administered to patient of inappropriate age,
23.00,Product storage error,23.00,,,,,,
872624,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,Product storage error,23.00,,,,,
872625,Drug ineffective for unapproved indication,23.00,Human
papilloma virus test positive,23.00,Papilloma viral infection,
23.00,Smear cervix abnormal,23.00,,

872626, Pyrexia, 23.00, Rash, 23.00, , , , , ,
872627, Angiogram pulmonary normal, 23.00, Aplastic anaemia, 23.00, Biopsy bone marrow abnormal, 23.00, Biopsy skin abnormal, 23.00, Blood lactate dehydrogenase increased, 23.00
872627, Bone marrow failure, 23.00, Computerised tomogram normal, 23.00, Computerised tomogram thorax, 23.00, Cytopenia, 23.00, Fibrin D dimer increased, 23.00
872627, Flow cytometry, 23.00, Gene mutation, 23.00, Gene mutation identification test negative, 23.00, Gene sequencing, 23.00, Granulocyte percentage, 23.00
872627, Haematocrit decreased, 23.00, Haemoglobin decreased, 23.00, Haemolysis, 23.00, Immunosuppressant drug therapy, 23.00, Karyotype analysis normal, 23.00
872627, Lymphocyte count normal, 23.00, Mean cell volume increased, 23.00, Myelodysplastic syndrome, 23.00, Neutrophil count decreased, 23.00, Nodule, 23.00
872627, Packed red blood cell transfusion, 23.00, Pain, 23.00, Pancytopenia, 23.00, Paroxysmal nocturnal haemoglobinuria, 23.00, Platelet count decreased, 23.00
872627, Reticulocyte count decreased, 23.00, Reticulocyte count increased, 23.00, Skin mass, 23.00, Stem cell transplant, 23.00, Thrombocytopenia, 23.00
872627, Thrombosis, 23.00, Ultrasound Doppler, 23.00, Ultrasound Doppler normal, 23.00, Upper respiratory tract infection, 23.00, White blood cell count decreased, 23.00
872628, Herpes zoster, 23.00, Neuropathy peripheral, 23.00, , , , , ,
872629, No adverse event, 23.00, Underdose, 23.00, , , , , ,
872630, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , ,
872631, Dyspnoea, 23.00, Injection site pain, 23.00, Swelling face, 23.00, , , , ,
872632, COVID-19, 23.00, Malaise, 23.00, , , , , ,
872633, Herpes zoster, 23.00, , , , , , , ,
872635, Blood test, 23.00, Erythema, 23.00, Fatigue, 23.00, Hypersensitivity, 23.00, Injection site pain, 23.00
872635, Insomnia, 23.00, Malaise, 23.00, Peripheral swelling, 23.00, Pruritus, 23.00, Tenderness, 23.00
872635, Urticaria, 23.00, , , , , , , ,
872636, Myalgia, 23.00, , , , , , , ,
872637, Herpes zoster, 23.00, , , , , , , ,
872638, Discomfort, 23.00, Tinnitus, 23.00, , , , , , ,
872639, Blister, 23.00, Erythema, 23.00, Herpes zoster, 23.00, Lymph node pain, 23.00, Odynophagia, 23.00
872640, Blood test normal, 23.00, Chest X-ray abnormal, 23.00, Pneumonia, 23.00, Pyrexia, 23.00, Rash macular, 23.00
872640, Seizure, 23.00, , , , , , , ,
872641, Back pain, 23.00, Chills, 23.00, Headache, 23.00, Musculoskeletal pain, 23.00, Nausea, 23.00
872641, Pain, 23.00, Pyrexia, 23.00, , , , , , ,
872642, Cellulitis, 23.00, Injection site erythema, 23.00, Pyrexia,

23.00,Vaccination complication,23.00,Vaccination site induration,23.00
872643,Erythema,23.00,Hypersensitivity,23.00,Mobility decreased,
23.00,Muscular weakness,23.00,Pain in extremity,23.00
872643,Peripheral swelling,23.00,X-ray limb normal,23.00,,,,,
872644,Burning sensation,23.00,Injection site swelling,23.00,Injection
site warmth,23.00,Pain in extremity,23.00,Ultrasound scan,23.00
872645,Erythema,23.00,Pruritus,23.00,Swelling,23.00,,,,,
872646,Abdominal pain upper,23.00,Malaise,23.00,Myalgia,23.00,Nausea,
23.00,,
872647,Injection site pruritus,23.00,Injection site rash,23.00,Local
reaction,23.00,,,,,
872648,Abdominal pain upper,23.00,Chills,23.00,Headache,
23.00,Hyperhidrosis,23.00,Pain,23.00
872651,Herpes zoster,23.00,Rash vesicular,23.00,,,,,
872652,Herpes zoster,23.00,,,,,
872653,Blister,23.00,Herpes zoster,23.00,Rash,23.00,,,,,
872654,Contusion,23.00,Glossodynia,23.00,Herpes zoster,
23.00,Inappropriate schedule of product administration,23.00,Influenza
like illness,23.00
872654,Injection site pain,23.00,Loss of personal independence in
daily activities,23.00,Neuralgia,23.00,Pain,23.00,Pruritus,23.00
872654,Scratch,23.00,,,,,
872655,Abdominal pain upper,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,
23.00,,
872657,Headache,23.00,Myalgia,23.00,Nausea,23.00,,,,,
872658,Dizziness,23.00,Nausea,23.00,,,,,
872659,Asthenia,23.00,Chills,23.00,Decreased appetite,23.00,Fatigue,
23.00,Headache,23.00
872659,Nausea,23.00,,,,,
872661,Inappropriate schedule of product administration,23.00,,,,,
872662,Rash,23.00,Rash pruritic,23.00,,,,,
872663,Pallor,23.00,Syncope,23.00,,,,,
872664,Injection site movement impairment,23.00,Injection site
swelling,23.00,Pyrexia,23.00,,,,,
872665,Fatigue,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,,,,,
872667,Blood pressure decreased,23.00,Dizziness,23.00,Hyperhidrosis,
23.00,Malaise,23.00,Pallor,23.00
872668,Product storage error,23.00,,,,,
872669,Product storage error,23.00,,,,,
872670,Expired product administered,23.00,No adverse event,
23.00,Product storage error,23.00,,,,,
872671,Extra dose administered,23.00,No adverse event,23.00,,,,,
872672,Burning sensation,23.00,Disability,23.00,Impaired work ability,
23.00,Injected limb mobility decreased,23.00,Injection site pain,23.00
872672,Magnetic resonance imaging abnormal,23.00,Pain,
23.00,Periarthritis,23.00,Peripheral swelling,23.00,Rotator cuff
syndrome,23.00
872672,Shoulder injury related to vaccine administration,23.00,,,,,
872673,Injected limb mobility decreased,23.00,Injection site pain,

23.00, Injection site warmth, 23.00,,,,,
872674, Pruritus, 23.00, Skin exfoliation, 23.00,,,,,
872675, Rash erythematous, 23.00,,,,,
872676, Headache, 23.00,,,,,
872678, Injection site pain, 23.00, Malaise, 23.00,,,,,
872679, Musculoskeletal stiffness, 23.00, Pain, 23.00,,,,,
872682, Cellulitis, 23.00, Erythema, 23.00, Pain, 23.00, Swelling, 23.00,,
872683, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00,,,,,
872684, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site warmth, 23.00, Pain, 23.00, Pain in extremity, 23.00
872684, X-ray limb, 23.00,,,,,
872685, Abdominal pain upper, 23.00, Chills, 23.00, Fatigue, 23.00, Headache,
23.00, Myalgia, 23.00
872685, Nausea, 23.00, Pyrexia, 23.00,,,,,
872686, Body temperature increased, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00
872687, Arthralgia, 23.00, Headache, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Pain, 23.00
872687, Pyrexia, 23.00,,,,,
872700, Dizziness, 23.00, Fall, 23.00, Head injury, 23.00, Middle insomnia,
23.00, Vomiting, 23.00
872701, Arthralgia, 23.00, C-reactive protein increased,
23.00, Electromyogram, 23.00, Full blood count normal, 23.00, Grip strength
decreased, 23.00
872701, Metabolic function test normal, 23.00, Muscle atrophy,
23.00, Muscular weakness, 23.00, Oedema peripheral, 23.00, Pain, 23.00
872701, Pain in extremity, 23.00, Paraesthesia, 23.00, Red blood cell
sedimentation rate increased, 23.00,,,,,
872702, Haematochezia, 23.00, Rectal tenesmus, 23.00,,,,,
872703, Herpes zoster, 23.00,,,,,
872704, Mass, 23.00, Musculoskeletal pain, 23.00,,,,,
872705, Nausea, 23.00, Vomiting, 23.00,,,,,
872706, Expired product administered, 23.00, No adverse event, 23.00,,,,,
872707, Chills, 23.00, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00, Pain,
23.00
872707, Pyrexia, 23.00,,,,,
872708, Asthenia, 23.00, Dizziness, 23.00, Dyskinesia, 23.00, Nausea,
23.00, Pallor, 23.00
872708, Syncope, 23.00,,,,,
872709, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00,,
872710, Angiogram normal, 23.00, Blood electrolytes normal,
23.00, Confusional state, 23.00, Dysarthria, 23.00, Echocardiogram normal,
23.00
872710, Electroencephalogram, 23.00, Facial paralysis, 23.00, Full blood
count normal, 23.00, Hypoaesthesia, 23.00, Magnetic resonance imaging
normal, 23.00
872710, Transient ischaemic attack, 23.00,,,,,
872711, Differential white blood cell count normal, 23.00, Dyskinesia,

23.00,Electroencephalogram normal,23.00,Excessive eye blinking,
23.00,Lumbar puncture normal,23.00
872711,Magnetic resonance imaging normal,23.00,Metabolic function test
normal,23.00,Muscle twitching,23.00,Tardive dyskinesia,23.00,White
blood cell count increased,23.00
872712,Lymph node pain,23.00,Lymphadenopathy,23.00,,,,,
872713,Fall,23.00,Head injury,23.00,Loss of consciousness,23.00,,,,,
872714,Mobility decreased,23.00,Musculoskeletal pain,23.00,Pain in
extremity,23.00,,,,,
872715,Dermatitis atopic,23.00,Injection site rash,23.00,Rash,
23.00,Rash papular,23.00,,
872716,Pyrexia,23.00,,,,,
872717,Injection site joint pain,23.00,Pain,23.00,,,,,
872718,Feeling cold,23.00,Malaise,23.00,Pain in extremity,
23.00,Tremor,23.00,,
872719,Dizziness,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Nausea,23.00
872719,Vomiting,23.00,,,,,
872720,Asthenia,23.00,Dizziness,23.00,Headache,23.00,Myalgia,
23.00,Nausea,23.00
872721,Decreased appetite,23.00,Pain,23.00,Pyrexia,23.00,,,,,
872722,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pyrexia,23.00,,
872723,Blindness,23.00,Dizziness,23.00,Fatigue,23.00,Presyncope,
23.00,Pyrexia,23.00
872724,Erythema multiforme,23.00,Rash erythematous,23.00,,,,,
872725,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
872727,Arthralgia,23.00,Bone pain,23.00,Chills,23.00,Dizziness,
23.00,Dry eye,23.00
872727,Dry mouth,23.00,Dyspnoea,23.00,Gait disturbance,23.00,Headache,
23.00,Joint stiffness,23.00
872727,Musculoskeletal disorder,23.00,Musculoskeletal pain,23.00,Neck
pain,23.00,Opisthotonus,23.00,Pain,23.00
872727,Pain in extremity,23.00,Pyrexia,23.00,Seizure,23.00,Spinal
pain,23.00,,
872728,Dizziness,23.00,Dizziness postural,23.00,Malaise,23.00,Myalgia,
23.00,Pain in extremity,23.00
872728,Pyrexia,23.00,,,,,
872729,Asthenia,23.00,Chills,23.00,Dizziness,23.00,Erythema,
23.00,Fatigue,23.00
872729,Feeling hot,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
872730,Wrong product administered,23.00,,,,,
872731,Extra dose administered,23.00,Wrong product administered,
23.00,,,,,
872732,Abdominal discomfort,23.00,Fatigue,23.00,Pain,23.00,,,,,
872733,Injection site pain,23.00,Injection site swelling,
23.00,Peripheral swelling,23.00,,,,,
872734,Headache,23.00,Injection site pain,23.00,Injection site
swelling,23.00,Myalgia,23.00,,
872735,Herpes zoster,23.00,Hypoaesthesia,23.00,Mobility decreased,

23.00, Skin discolouration, 23.00,,
872736, Neck pain, 23.00,,,,,
872737, Joint swelling, 23.00, Peripheral swelling, 23.00, Vaccination
complication, 23.00,,, ,
872738, Erythema, 23.00, Pruritus, 23.00, Skin warm, 23.00, Swelling, 23.00,,
872739, Autopsy, 23.00, Death, 23.00, Decreased activity, 23.00, Epistaxis,
23.00, Feeling abnormal, 23.00
872739, Incoherent, 23.00, Laboratory test, 23.00, Pulse absent,
23.00, Pyrexia, 23.00, Respiration abnormal, 23.00
872739, Respiratory arrest, 23.00, Somnolence, 23.00,,,,,
872740, Back pain, 23.00, Feeling hot, 23.00,,,,,
872741, Contusion, 23.00, Sensation of foreign body, 23.00,,,,,
872742, Erythema, 23.00, Injection site erythema, 23.00, Injection site
pruritus, 23.00, Pruritus, 23.00,,
872758, Injection site bruising, 23.00, Injection site joint pain,
23.00, Injection site joint swelling, 23.00, Measles antibody negative,
23.00,,
872759, Cardiac operation, 23.00, Feeling abnormal, 23.00, Head discomfort,
23.00, Headache, 23.00, Nausea, 23.00
872759, Pyrexia, 23.00,,,,,
872760, No adverse event, 23.00, Product storage error, 23.00,,,,,
872761, No adverse event, 23.00, Product storage error, 23.00,,,,,
872762, Injection site pain, 23.00, Pain in extremity, 23.00,,,,,
872763, No adverse event, 23.00, Product storage error, 23.00,,,,,
872764, No adverse event, 23.00, Product storage error, 23.00,,,,,
872765, No adverse event, 23.00, Product storage error, 23.00,,,,,
872766, No adverse event, 23.00, Product storage error, 23.00,,,,,
872767, No adverse event, 23.00, Product storage error, 23.00,,,,,
872768, No adverse event, 23.00, Product storage error, 23.00,,,,,
872769, No adverse event, 23.00, Product storage error, 23.00,,,,,
872770, No adverse event, 23.00, Product storage error, 23.00,,,,,
872771, No adverse event, 23.00, Product storage error, 23.00,,,,,
872772, No adverse event, 23.00, Product storage error, 23.00,,,,,
872773, No adverse event, 23.00, Product storage error, 23.00,,,,,
872774, No adverse event, 23.00, Product storage error, 23.00,,,,,
872775, No adverse event, 23.00, Product storage error, 23.00,,,,,
872776, No adverse event, 23.00, Product storage error, 23.00,,,,,
872777, No adverse event, 23.00, Product storage error, 23.00,,,,,
872778, No adverse event, 23.00, Product storage error, 23.00,,,,,
872779, No adverse event, 23.00, Product storage error, 23.00,,,,,
872780, No adverse event, 23.00, Product storage error, 23.00,,,,,
872781, Product storage error, 23.00,,,,,
872782, No adverse event, 23.00, Product storage error, 23.00,,,,,
872783, Extra dose administered, 23.00, No adverse event, 23.00,,,,,
872784, Incorrect dose administered, 23.00,,,,,
872785, Product storage error, 23.00,,,,,
872786, Body temperature increased, 23.00,,,,,
872789, Chills, 23.00, Headache, 23.00, Immediate post-injection reaction,
23.00, Pain, 23.00,,
872790, Adverse event, 23.00,,,,,

872791,Injection site pain,23.00,Malaise,23.00,,,,,
872792,Pain in extremity,23.00,Pollakiuria,23.00,Pyrexia,23.00,,,,,
872793,Flushing,23.00,Rash maculo-papular,23.00,Swelling,
23.00,Swelling face,23.00,Systemic mastocytosis,23.00
872793,Tryptase increased,23.00,Urticaria pigmentosa,23.00,,,,,
872794,Haematochezia,23.00,Occult blood,23.00,,,,,
872795,Headache,23.00,Pain,23.00,Pyrexia,23.00,,,,,
872796,Blood test,23.00,Discomfort,23.00,Limb discomfort,
23.00,Musculoskeletal discomfort,23.00,Pain,23.00
872796,X-ray,23.00,,,,,
872797,Extra dose administered,23.00,,,,,
872798,Abdominal pain upper,23.00,Decreased appetite,23.00,Emotional
distress,23.00,Fatigue,23.00,Feeling abnormal,23.00
872798,Headache,23.00,Irritability,23.00,Nausea,23.00,,,,,
872799,Pyrexia,23.00,Rash,23.00,Staring,23.00,,,,,
872804,No adverse event,23.00,Product storage error,23.00,,,,,
872805,Arthralgia,23.00,,,,,
872806,Abdominal discomfort,23.00,Cheilitis,23.00,Diarrhoea,
23.00,Dizziness,23.00,Injection site pain,23.00
872806,Injection site pruritus,23.00,Vision blurred,23.00,,,,,
872807,Blister,23.00,Herpes zoster,23.00,,,,,
872808,Herpes zoster,23.00,Injection site rash,23.00,Neuralgia,
23.00,Radiculopathy,23.00,,
872809,Headache,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Pain,23.00,,
872810,Injection site discomfort,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
872811,Bursitis,23.00,Computerised tomogram,23.00,Injected limb
mobility decreased,23.00,Magnetic resonance imaging,23.00,Muscular
weakness,23.00
872811,Pain in extremity,23.00,Tendonitis,23.00,X-ray,23.00,,,,,
872813,Back pain,23.00,Chest pain,23.00,Chills,23.00,Dyspnoea,
23.00,Ear pain,23.00
872813,Headache,23.00,Heart rate increased,23.00,Musculoskeletal
stiffness,23.00,Neck pain,23.00,Oropharyngeal pain,23.00
872813,Pain,23.00,Pyrexia,23.00,,,,,
872814,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00,Pyrexia,
23.00
872815,Asthenia,23.00,Fall,23.00,Tremor,23.00,,,,,
872817,No adverse event,23.00,Product storage error,23.00,,,,,
872818,Product storage error,23.00,,,,,
872819,No adverse event,23.00,Product storage error,23.00,,,,,
872820,No adverse event,23.00,Product storage error,23.00,,,,,
872821,Bone pain,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site mass,23.00,Injection site swelling,23.00
872821,Musculoskeletal pain,23.00,Myalgia,23.00,Pruritus,23.00,Skin
lesion,23.00,,
872822,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,,,,,

872823,Body temperature fluctuation,23.00,Coronavirus infection,
23.00,Fatigue,23.00,Heart rate increased,23.00,Injection site pain,
23.00
872823,Pain in extremity,23.00,,,,,
872824,Colon cancer,23.00,Incomplete course of vaccination,23.00,,,,,
872825,Expired product administered,23.00,,,,,
872826,Myalgia,23.00,Periarthritis,23.00,,,,,
872827,Extra dose administered,23.00,No adverse event,23.00,,,,,
872842,No adverse event,23.00,Product storage error,23.00,,,,,
872843,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
872844,Erythema,23.00,Extensive swelling of vaccinated limb,23.00,Gait
disturbance,23.00,Injection site erythema,23.00,Injection site pain,
23.00
872844,Injection site warmth,23.00,Pyrexia,23.00,,,,,
872848,Injection site reaction,23.00,Injection site swelling,
23.00,Rash,23.00,Rash erythematous,23.00,,
872849,Dyspnoea,23.00,Headache,23.00,Nausea,23.00,,,,,
872850,Blood glucose increased,23.00,Diabetes mellitus,23.00,Pyrexia,
23.00,,,,,
872851,Aphasia,23.00,Dysphemia,23.00,Feeling abnormal,23.00,Pyrexia,
23.00,,
872852,Dizziness,23.00,Loss of consciousness,23.00,Pallor,
23.00,Syncope,23.00,,
872853,Dizziness,23.00,Headache,23.00,Impaired work ability,23.00,Loss
of consciousness,23.00,Nausea,23.00
872854,Malaise,23.00,Pyrexia,23.00,Rash papular,23.00,,,,,
872855,Abdominal pain upper,23.00,Asthenia,23.00,Dizziness,23.00,Ear
pain,23.00,Fatigue,23.00
872855,Flushing,23.00,Headache,23.00,Myalgia,23.00,Pain in extremity,
23.00,Rash,23.00
872855,Swelling face,23.00,,,,,
872856,Contusion,23.00,Injection site bruising,23.00,Pain in
extremity,23.00,Peripheral swelling,23.00,,
872857,Injection site erythema,23.00,Injection site pain,23.00,,,,,
872858,Headache,23.00,Hypersomnia,23.00,Injection site pain,
23.00,Pain,23.00,Pain in extremity,23.00
872858,Poor quality sleep,23.00,Pyrexia,23.00,,,,,
872859,Head injury,23.00,Syncope,23.00,,,,,
872860,Hypoaesthesia,23.00,Paraesthesia,23.00,,,,,
872861,Haematoma,23.00,Injection site bruising,23.00,Injection site
pain,23.00,Injection site swelling,23.00,,
872862,Injection site pain,23.00,Pain in extremity,23.00,,,,,
872863,Pyrexia,23.00,Rash,23.00,Varicella post vaccine,23.00,,,,,
872864,Injection site reaction,23.00,Rash erythematous,23.00,Rash
pruritic,23.00,,,,,
872865,Biopsy skin abnormal,23.00,Blister,23.00,Hypersensitivity,
23.00,Influenza like illness,23.00,Rash erythematous,23.00
872874,No adverse event,23.00,Product storage error,23.00,,,,,
872875,No adverse event,23.00,Product storage error,23.00,,,,,

872876, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
872877, Abnormal faeces, 23.00, Dermatitis diaper, 23.00, Diarrhoea,
23.00, Eczema, 23.00, Flatulence, 23.00
872877, Irritability, 23.00, Middle insomnia, 23.00, Mucous stools,
23.00, Periorbital swelling, 23.00, Somnolence, 23.00
872877, Vomiting, 23.00, , , , , , , ,
872878, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
872879, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , , ,
872880, Dizziness, 23.00, Emotional distress, 23.00, Loss of consciousness,
23.00, Respiratory rate decreased, 23.00, Syncope, 23.00
872881, Rash, 23.00, , , , , , , ,
872882, Extra dose administered, 23.00, No adverse event, 23.00, Wrong
product administered, 23.00, , , , , , , ,
872883, Eye movement disorder, 23.00, Musculoskeletal stiffness,
23.00, Pyrexia, 23.00, Rash, 23.00, Rash maculo-papular, 23.00
872884, Injection site bruising, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Pain in extremity, 23.00, Pyrexia,
23.00
872885, Injection site bruising, 23.00, Injection site erythema,
23.00, Injection site swelling, 23.00, Injection site warmth,
23.00, Pyrexia, 23.00
872886, Pruritus, 23.00, Rash, 23.00, Urticaria, 23.00, , , , , , ,
872887, Injection site erythema, 23.00, Injection site urticaria,
23.00, Pallor, 23.00, Vaccination site reaction, 23.00, , ,
872892, Blood potassium decreased, 23.00, Chest X-ray normal, 23.00, Chest
discomfort, 23.00, Chest pain, 23.00, Chills, 23.00
872892, Dyspnoea, 23.00, Echocardiogram normal, 23.00, Electrocardiogram ST
segment depression, 23.00, Electrocardiogram change, 23.00, Injection site
pain, 23.00
872892, Lethargy, 23.00, Myocarditis, 23.00, Pain, 23.00, Pyrexia,
23.00, Troponin increased, 23.00
872892, Vomiting, 23.00, White blood cell count normal, 23.00, , , , , , , ,
872893, Abdominal pain upper, 23.00, Dehydration, 23.00, Dizziness,
23.00, Erythema, 23.00, Headache, 23.00
872893, Induration, 23.00, Peripheral swelling, 23.00, , , , , , , ,
872894, Disorientation, 23.00, Dizziness, 23.00, Eye movement disorder,
23.00, Pallor, 23.00, , ,
872895, Asthenia, 23.00, Chills, 23.00, Fatigue, 23.00, Pain,
23.00, Paraesthesia, 23.00
872895, Pyrexia, 23.00, , , , , , , , ,
872897, Peripheral swelling, 23.00, Swelling face, 23.00, Urticaria,
23.00, , , , , ,
872898, Dizziness, 23.00, Fall, 23.00, Gait disturbance, 23.00, Nausea,
23.00, , ,
872899, Fatigue, 23.00, Feeling abnormal, 23.00, Hypersomnia, 23.00, Impaired
work ability, 23.00, Myalgia, 23.00
872899, Pain, 23.00, Pyrexia, 23.00, Somnolence, 23.00, , , , , , ,
872900, Fatigue, 23.00, Feeling abnormal, 23.00, Hypersomnia, 23.00, Impaired
work ability, 23.00, Myalgia, 23.00

872900,Pain,23.00,Pyrexia,23.00,Somnolence,23.00,,,,,
872901,Headache,23.00,Injection site swelling,23.00,,,,,,
872902,Product storage error,23.00,,,,,,
872903,Bone pain,23.00,Chills,23.00,Decreased appetite,23.00,Fatigue,
23.00,Headache,23.00
872903,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,Myalgia,23.00,Pain of skin,23.00
872903,Pyrexia,23.00,,,,,,
872904,Abdominal discomfort,23.00,Nausea,23.00,Pyrexia,23.00,Vomiting,
23.00,,
872905,Blood pressure decreased,23.00,Cold sweat,23.00,Posture
abnormal,23.00,,,,,
872906,No adverse event,23.00,Product storage error,23.00,,,,,,
872907,Fear,23.00,Middle insomnia,23.00,Mobility decreased,23.00,Pain,
23.00,Pain in extremity,23.00
872908,No adverse event,23.00,Product storage error,23.00,,,,,,
872909,No adverse event,23.00,Product storage error,23.00,,,,,,
872913,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
872914,Neoplasm malignant,23.00,Papilloma viral infection,23.00,,,,,,
872915,Herpes zoster,23.00,Rash,23.00,Rash vesicular,23.00,,,,,
872916,Pain in extremity,23.00,Tenderness,23.00,,,,,,
872917,Adverse drug reaction,23.00,Influenza like illness,23.00,,,,,,
872918,Exposure during pregnancy,23.00,Premature delivery,
23.00,Ultrasound antenatal screen abnormal,23.00,,,,,
872919,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Large for dates baby,23.00,,
872920,No adverse event,23.00,Product storage error,23.00,,,,,,
872921,Cyanosis,23.00,Rash,23.00,,,,,,
872922,Urticaria,23.00,,,,,,
872926,Pyrexia,23.00,,,,,,
872930,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
872931,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
872932,No adverse event,23.00,Product storage error,23.00,,,,,,
872933,No adverse event,23.00,Product storage error,23.00,,,,,,
872934,Cerebrovascular accident,23.00,,,,,,
872935,Pain,23.00,,,,,,
872936,Herpes zoster,23.00,Immunosuppressant drug therapy,
23.00,Leukaemia,23.00,Vaccination failure,23.00,,
872937,No adverse event,23.00,Product storage error,23.00,,,,,,
872939,No adverse event,23.00,Product storage error,23.00,,,,,,
872940,No adverse event,23.00,Product storage error,23.00,,,,,,
872941,No adverse event,23.00,Product storage error,23.00,,,,,,
872942,No adverse event,23.00,Product storage error,23.00,,,,,,
872943,No adverse event,23.00,Product storage error,23.00,,,,,,
872944,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Vaccination complication,23.00,,
872945,Body temperature increased,23.00,,,,,,

872946,Abdominal pain,23.00,Blood test,23.00,Diarrhoea,
23.00,Haematochezia,23.00,Hyperhidrosis,23.00
872946,Injection site erythema,23.00,Injection site warmth,23.00,Pain,
23.00,Rectal examination,23.00,,
872947,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,,,,,
872948,Crying,23.00,Injection site induration,23.00,Injection site
nodule,23.00,,,,,
872949,Injection site pain,23.00,Pain,23.00,,,,,,
872950,Hypoaesthesia,23.00,,,,,,,
872951,Pyrexia,23.00,Rash,23.00,,,,,,
872952,Abdominal pain upper,23.00,Enlarged uvula,23.00,,,,,,
872953,Haemorrhagic stroke,23.00,,,,,,,
872954,Asthenia,23.00,Body temperature increased,23.00,Culture urine,
23.00,Feeling abnormal,23.00,Hypoaesthesia,23.00
872954,Impaired work ability,23.00,Insomnia,23.00,Neuralgia,
23.00,Paraesthesia,23.00,,
872955,Cellulitis,23.00,Erythema,23.00,Peripheral swelling,
23.00,Pruritus,23.00,Skin warm,23.00
872956,Acute haemorrhagic oedema of infancy,23.00,Contusion,
23.00,Erythema,23.00,Gait inability,23.00,Injection site bruising,
23.00
872956,Papule,23.00,Peripheral swelling,23.00,Pyrexia,23.00,,,,,
872957,Full blood count,23.00,Immune thrombocytopenia,23.00,Petechiae,
23.00,Pruritus,23.00,Rash maculo-papular,23.00
872962,No adverse event,23.00,Product storage error,23.00,,,,,,
872963,No adverse event,23.00,Product storage error,23.00,,,,,,
872964,No adverse event,23.00,Product storage error,23.00,,,,,,
872965,No adverse event,23.00,Product storage error,23.00,,,,,,
872966,No adverse event,23.00,Product storage error,23.00,,,,,,
872967,Blood test,23.00,Constipation,23.00,Dehydration,
23.00,Laboratory test,23.00,Migraine,23.00
872967,Urinary retention,23.00,Urine output decreased,23.00,,,,,,
872968,No adverse event,23.00,Product storage error,23.00,,,,,,
872969,No adverse event,23.00,Product storage error,23.00,,,,,,
872970,Incorrect dose administered,23.00,No adverse event,23.00,,,,,,
872971,No adverse event,23.00,Product storage error,23.00,,,,,,
872972,No adverse event,23.00,Product storage error,23.00,,,,,,
872973,No adverse event,23.00,Product storage error,23.00,,,,,,
872974,No adverse event,23.00,Product storage error,23.00,,,,,,
872975,No adverse event,23.00,Product storage error,23.00,,,,,,
872976,No adverse event,23.00,Product storage error,23.00,,,,,,
872977,No adverse event,23.00,Product storage error,23.00,,,,,,
872978,No adverse event,23.00,Product storage error,23.00,,,,,,
872979,No adverse event,23.00,Product storage error,23.00,,,,,,
872980,No adverse event,23.00,Product storage error,23.00,,,,,,
872981,No adverse event,23.00,Product storage error,23.00,,,,,,
872982,No adverse event,23.00,Product storage error,23.00,,,,,,
872983,No adverse event,23.00,Product storage error,23.00,,,,,,
872984,No adverse event,23.00,Product storage error,23.00,,,,,,

872985, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
872986, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
872987, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
872988, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
872989, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
872990, Injection site pain, 23.00, Pyrexia, 23.00, , , , , ,
872991, Fatigue, 23.00, Injection site pain, 23.00, Injection site
swelling, 23.00, Injection site warmth, 23.00, ,
872992, Dyspnoea, 23.00, Palpitations, 23.00, , , , , ,
872993, Impaired work ability, 23.00, Malaise, 23.00, , , , , ,
872994, Feeling abnormal, 23.00, Injection site erythema, 23.00, Injection
site pain, 23.00, Pyrexia, 23.00, Vaccine positive rechallenge, 23.00
872995, Chills, 23.00, Headache, 23.00, Influenza like illness, 23.00, Pain,
23.00, Pyrexia, 23.00
872996, Chills, 23.00, Feeling cold, 23.00, , , , , ,
872997, No adverse event, 23.00, Product preparation error, 23.00, , , , , ,
872998, No adverse event, 23.00, Product preparation error, 23.00, , , , , ,
872999, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, , , ,
873000, Dizziness, 23.00, Presyncope, 23.00, , , , , ,
873001, Rash, 23.00, , , , , , ,
873002, Bursa disorder, 23.00, Injection site pain, 23.00, , , , , ,
873003, Confusional state, 23.00, Feeling hot, 23.00, Muscle spasms,
23.00, Musculoskeletal stiffness, 23.00, Unresponsive to stimuli, 23.00
873004, Erythema, 23.00, , , , , , ,
873005, Herpes zoster, 23.00, , , , , , ,
873006, Erythema, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , ,
873007, Blood test, 23.00, Chest X-ray, 23.00, Hand-foot-and-mouth disease,
23.00, Pyrexia, 23.00, Rash erythematous, 23.00
873007, Respiratory viral panel, 23.00, Roseola, 23.00, Urine analysis,
23.00, , , , ,
873008, Herpes zoster, 23.00, Rash, 23.00, Rash vesicular, 23.00, , , , ,
873009, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Lymphadenopathy,
23.00, , ,
873010, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia,
23.00
873010, Rash, 23.00, Rash papular, 23.00, , , , , ,
873011, Fatigue, 23.00, Malaise, 23.00, Pain, 23.00, , , , ,
873012, Chills, 23.00, Fatigue, 23.00, Nausea, 23.00, Pain, 23.00, , ,
873013, Chills, 23.00, Dizziness postural, 23.00, Feeling cold,
23.00, Headache, 23.00, Pallor, 23.00
873013, Tremor, 23.00, Vomiting, 23.00, , , , , ,
873014, Injection site swelling, 23.00, Pyrexia, 23.00, Vomiting, 23.00, , , , ,
873018, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873019, Expired product administered, 23.00, , , , , , ,
873020, No adverse event, 23.00, Product container issue, 23.00, , , , , ,
873021, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , ,
873022, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873023, No adverse event, 23.00, Product storage error, 23.00, , , , , ,

873024,Herpes zoster,23.00,Pain,23.00,Vaccination failure,23.00,,,,,
873025,Nasal discomfort,23.00,,,,,,
873026,Arthralgia,23.00,Arthritis,23.00,Bone pain,23.00,Formication,
23.00,Impaired work ability,23.00
873026,Inflammation,23.00,Injection site pain,23.00,Joint range of
motion decreased,23.00,Movement disorder,23.00,Musculoskeletal
discomfort,23.00
873026,Myalgia,23.00,Shoulder injury related to vaccine
administration,23.00,,,,,
873027,Injection site erythema,23.00,Injection site reaction,
23.00,Injection site warmth,23.00,Musculoskeletal pain,23.00,Pain in
extremity,23.00
873027,Rash macular,23.00,,,,,,
873028,Adverse drug reaction,23.00,,,,,,
873029,Erythema,23.00,Skin irritation,23.00,,,,,
873030,Arthralgia,23.00,Asthenia,23.00,Chills,23.00,Pain,23.00,,
873042,No adverse event,23.00,Product storage error,23.00,,,,,
873043,No adverse event,23.00,Product storage error,23.00,,,,,
873044,No adverse event,23.00,Product storage error,23.00,,,,,
873045,No adverse event,23.00,Product storage error,23.00,,,,,
873046,No adverse event,23.00,Product storage error,23.00,,,,,
873047,No adverse event,23.00,Product storage error,23.00,,,,,
873048,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
873049,Musculoskeletal pain,23.00,Pain,23.00,,,,,
873050,Abdominal pain upper,23.00,Body temperature increased,
23.00,Malaise,23.00,Pain in extremity,23.00,,
873051,Injection site pain,23.00,Nodule,23.00,,,,,
873052,Body temperature increased,23.00,Feeling hot,23.00,Injection
site pain,23.00,Pain,23.00,,
873053,Anaphylactic reaction,23.00,,,,,,
873055,Erythema,23.00,Pain,23.00,Pruritus,23.00,Swelling,23.00,,
873056,Extra dose administered,23.00,No adverse event,23.00,,,,,
873057,Arthralgia,23.00,Chills,23.00,Ear pain,23.00,Fatigue,
23.00,Flushing,23.00
873057,Headache,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Myalgia,23.00
873057,Nausea,23.00,Oropharyngeal pain,23.00,,,,,
873058,Chills,23.00,Product administered to patient of inappropriate
age,23.00,Pyrexia,23.00,,,,,
873059,Dizziness,23.00,Presyncope,23.00,,,,,
873060,Chills,23.00,Injection site pain,23.00,Rash,23.00,,,,,
873062,Tinnitus,23.00,,,,,,
873064,Hypersensitivity,23.00,Injection site erythema,23.00,Injection
site swelling,23.00,,,,,
873065,Erythema,23.00,Headache,23.00,Musculoskeletal pain,
23.00,Swelling,23.00,,
873066,Erythema,23.00,Pyrexia,23.00,Skin warm,23.00,Swelling,23.00,,
873067,Pain,23.00,Swelling,23.00,,,,,
873068,Headache,23.00,Impaired work ability,23.00,Myalgia,23.00,,,,,

873076,Extra dose administered,23.00,No adverse event,23.00,Wrong product administered,23.00,,,,,
873077,No adverse event,23.00,Product storage error,23.00,,,,,,
873078,No adverse event,23.00,Product storage error,23.00,,,,,,
873079,No adverse event,23.00,Product storage error,23.00,,,,,,
873080,No adverse event,23.00,Product storage error,23.00,,,,,,
873081,No adverse event,23.00,Product storage error,23.00,,,,,,
873082,No adverse event,23.00,Product storage error,23.00,,,,,,
873083,No adverse event,23.00,Product storage error,23.00,,,,,,
873084,Herpes zoster,23.00,,,,,,
873085,Expired product administered,23.00,No adverse event,23.00,,,,,,
873086,Chills,23.00,Fatigue,23.00,Feeling cold,23.00,Headache, 23.00,Nausea,23.00
873086,Pain of skin,23.00,Sensitive skin,23.00,Tremor,23.00,,,,,
873087,Eyelid rash,23.00,Inappropriate schedule of product administration,23.00,Rash,23.00,,,,,
873088,Chills,23.00,Pyrexia,23.00,,,,,,
873089,Biopsy skin abnormal,23.00,Blister,23.00,Eosinophil count increased,23.00,Eosinophilia,23.00,Full blood count abnormal,23.00
873089,Immunology test,23.00,Immunology test abnormal, 23.00,Pemphigoid,23.00,Platelet count increased,23.00,Rash erythematous,23.00
873089,Rash vesicular,23.00,Skin oedema,23.00,Skin plaque,23.00,Upper respiratory tract infection,23.00,White blood cell count increased, 23.00
873090,Herpes zoster,23.00,,,,,,
873091,Chills,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain of skin,23.00
873091,Sensitive skin,23.00,Tremor,23.00,,,,,,
873092,Eyelid rash,23.00,Rash,23.00,,,,,,
873093,Expired product administered,23.00,No adverse event,23.00,,,,,,
873094,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
873095,Circumstance or information capable of leading to medication error,23.00,No adverse event,23.00,Underdose,23.00,,,,,
873096,Product storage error,23.00,,,,,,
873097,Expired product administered,23.00,No adverse event,23.00,,,,,,
873098,Balance disorder,23.00,Chills,23.00,Fatigue, 23.00,Hyperhidrosis,23.00,Hypersomnia,23.00
873098,Pyrexia,23.00,,,,,,
873099,Asthenia,23.00,Chills,23.00,Pyrexia,23.00,,,,,
873100,Eye swelling,23.00,Swelling face,23.00,,,,,
873101,Eczema,23.00,Skin reaction,23.00,,,,,
873102,Injection site erythema,23.00,Injection site pruritus, 23.00,,,,,
873103,Pain in extremity,23.00,Vaccination site pain,23.00,,,,,,
873110,Injection site erythema,23.00,Injection site induration, 23.00,,,,,
873111,Generalised tonic-clonic seizure,23.00,Pyrexia,23.00,,,,,,
873113,Erythema,23.00,Injection site erythema,23.00,Injection site

pruritus,23.00,Injection site urticaria,23.00,Pruritus,23.00
873113,Urticaria,23.00,,,,,,
873114,No adverse event,23.00,Wrong product administered,23.00,,,,,
873115,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Mobility decreased,23.00,Pain in
extremity,23.00
873116,Injection site erythema,23.00,Injection site induration,
23.00,Injection site nodule,23.00,Injection site swelling,23.00,Pain,
23.00
873117,Hypoaesthesia,23.00,Neuropathy peripheral,23.00,Paraesthesia,
23.00,,,,,
873118,Chills,23.00,Injection site erythema,23.00,Oropharyngeal pain,
23.00,Pain in extremity,23.00,Pyrexia,23.00
873119,Erythema,23.00,Pain,23.00,Peripheral swelling,23.00,Tenderness,
23.00,,
873123,Herpes zoster,23.00,,,,,,
873124,Fatigue,23.00,Myalgia,23.00,Pain in extremity,23.00,,,,,
873125,Abdominal discomfort,23.00,Headache,23.00,Injection site pain,
23.00,Pain,23.00,,
873126,Pain,23.00,,,,,,
873127,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
873128,Adverse drug reaction,23.00,,,,,,
873129,Pain,23.00,,,,,,
873131,Erythema,23.00,Injection site erythema,23.00,Injection site
warmth,23.00,,,,,
873132,Arthralgia,23.00,Chills,23.00,Headache,23.00,Pyrexia,23.00,,
873133,Pyrexia,23.00,Rash,23.00,,,,,
873134,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
873135,Basophil count normal,23.00,Basophil percentage,23.00,C-
reactive protein increased,23.00,Differential white blood cell count,
23.00,Eosinophil count normal,23.00
873135,Eosinophil percentage,23.00,Granulocyte count,23.00,Granulocyte
percentage,23.00,Haematocrit normal,23.00,Haemoglobin normal,23.00
873135,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site warmth,23.00,Local
reaction,23.00
873135,Lymphocyte count normal,23.00,Lymphocyte percentage,23.00,Mean
cell haemoglobin concentration normal,23.00,Mean cell haemoglobin
normal,23.00,Mean cell volume normal,23.00
873135,Mean platelet volume decreased,23.00,Monocyte count normal,
23.00,Monocyte percentage,23.00,Platelet count normal,23.00,Red blood
cell count normal,23.00
873135,Red cell distribution width normal,23.00,White blood cell count
normal,23.00,,,,,
873136,Diarrhoea,23.00,Irritability,23.00,Pyrexia,23.00,Screaming,
23.00,Sleep disorder,23.00
873136,Vomiting,23.00,,,,,,
873137,Pyrexia,23.00,,,,,,

873138,Chronic inflammatory demyelinating polyradiculoneuropathy,
23.00,Death,23.00,,,,,
873139,Erythema,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
873146,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
873147,Pain in extremity,23.00,,,,,
873148,Adverse drug reaction,23.00,,,,,
873149,Pain in jaw,23.00,Temporomandibular joint syndrome,23.00,,,,,
873150,Depression,23.00,Extensive swelling of vaccinated limb,
23.00,Joint swelling,23.00,Nasal congestion,23.00,Nasal discomfort,
23.00
873150,Nasal oedema,23.00,Rash,23.00,Rhinorrhoea,23.00,,,,,
873151,Dermatitis contact,23.00,Diarrhoea,23.00,Herpes zoster,
23.00,Influenza like illness,23.00,Nausea,23.00
873151,Pain,23.00,Pain in extremity,23.00,Rash,23.00,Vomiting,23.00,,
873152,Fatigue,23.00,Pain in extremity,23.00,,,,,
873153,Incorrect route of product administration,23.00,Injection site
swelling,23.00,Peripheral swelling,23.00,Skin mass,23.00,,
873154,Herpes zoster,23.00,,,,,
873155,Tinnitus,23.00,,,,,
873156,Alopecia,23.00,Malaise,23.00,Pruritus,23.00,Rash papular,
23.00,,
873157,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
873158,Hypersensitivity,23.00,,,,,
873159,Expired product administered,23.00,No adverse event,23.00,,,,,
873160,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
873161,Expired product administered,23.00,No adverse event,23.00,,,,,
873163,Abdominal discomfort,23.00,Cellulitis,23.00,Erythema,
23.00,Injection site swelling,23.00,Night sweats,23.00
873163,Pain,23.00,Peripheral swelling,23.00,,,,,
873164,No adverse event,23.00,Wrong product administered,23.00,,,,,
873165,No adverse event,23.00,Product storage error,23.00,,,,,
873166,Balance disorder,23.00,Gastrointestinal infection,23.00,Nerve
injury,23.00,Tinnitus,23.00,,
873168,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,
23.00,Pyrexia,23.00
873169,Burning sensation,23.00,Cough,23.00,Gait disturbance,
23.00,Hypertension,23.00,Hypoaesthesia,23.00
873169,Limb discomfort,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
873170,Injection site erythema,23.00,Injection site swelling,
23.00,Mobility decreased,23.00,Pain,23.00,Pyrexia,23.00
873171,Blister,23.00,Burning sensation,23.00,Rash papular,23.00,,,,,
873173,Discomfort,23.00,Injection site pain,23.00,Musculoskeletal
stiffness,23.00,Pain,23.00,,
873174,Lip swelling,23.00,Swelling face,23.00,Swollen tongue,23.00,,,,,
873175,Dyspnoea,23.00,Full blood count,23.00,Metabolic function test,
23.00,Nausea,23.00,Pain in extremity,23.00
873175,Pain in jaw,23.00,Pyrexia,23.00,SARS-CoV-2 test,23.00,,,,,

873180, Arthralgia, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site pain, 23.00
873180, Insomnia, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , ,
873181, Angiotensin converting enzyme, 23.00, Anti-ganglioside antibody negative, 23.00, Areflexia, 23.00, Asthenia, 23.00, Blood creatine phosphokinase normal, 23.00
873181, CSF glucose normal, 23.00, CSF protein increased, 23.00, CSF red blood cell count positive, 23.00, CSF white blood cell count negative, 23.00, Cytology normal, 23.00
873181, Endotracheal intubation, 23.00, Gait inability, 23.00, Guillain-Barre syndrome, 23.00, HIV test negative, 23.00, Hoffmann's sign, 23.00
873181, Hyperreflexia, 23.00, Immunoglobulin therapy, 23.00, Immunophenotyping, 23.00, Influenza A virus test negative, 23.00, Influenza B virus test, 23.00
873181, Influenza virus test negative, 23.00, Injected limb mobility decreased, 23.00, Limb discomfort, 23.00, Magnetic resonance imaging brain abnormal, 23.00, Magnetic resonance imaging spinal abnormal, 23.00
873181, Mobility decreased, 23.00, Red blood cell sedimentation rate normal, 23.00, Respiratory failure, 23.00, SARS-CoV-2 test negative, 23.00, Scan with contrast abnormal, 23.00
873181, Streptococcus test negative, 23.00, Treponema test negative, 23.00, , , , , ,
873182, Muscle spasms, 23.00, Tremor, 23.00, , , , , ,
873183, Formication, 23.00, Paraesthesia, 23.00, , , , , ,
873184, Chills, 23.00, Malaise, 23.00, Pain, 23.00, Pyrexia, 23.00, ,
873185, Dizziness, 23.00, Dyspnoea, 23.00, , , , , ,
873186, Injection site erythema, 23.00, Injection site rash, 23.00, , , , , ,
873187, Injection site erythema, 23.00, Injection site warmth, 23.00, , , , , ,
873188, Pain in extremity, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , ,
873198, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873199, No adverse event, 23.00, Underdose, 23.00, , , , , ,
873200, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873201, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873202, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
873203, Extra dose administered, 23.00, , , , , , ,
873204, Expired product administered, 23.00, , , , , , ,
873205, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873206, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873207, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873208, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873209, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873210, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873211, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873212, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873213, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873214, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873215, Abdominal pain, 23.00, Blood pressure increased, 23.00, Dehydration, 23.00, Henoch-Schonlein purpura, 23.00, Joint swelling, 23.00
873215, Peripheral swelling, 23.00, Petechiae, 23.00, Protein urine

present,23.00,Rash,23.00,Vomiting,23.00
873216,Asthenia,23.00,Chills,23.00,Pyrexia,23.00,,,,,
873217,Headache,23.00,Hypoaesthesia,23.00,,,,,,
873218,Anaphylactic reaction,23.00,Dysphonia,23.00,Emotional distress,
23.00,Lip swelling,23.00,Periorbital swelling,23.00
873218,Tachycardia,23.00,Urticaria,23.00,,,,,,
873222,No adverse event,23.00,Product storage error,23.00,,,,,,
873223,No adverse event,23.00,Product storage error,23.00,,,,,,
873224,Exposure to communicable disease,23.00,Mumps,23.00,Parotitis,
23.00,Tenderness,23.00,,
873225,Feeling abnormal,23.00,Influenza like illness,23.00,Loss of
personal independence in daily activities,23.00,Malaise,23.00,Social
problem,23.00
873226,Rash,23.00,,,,,,,
873227,Pyrexia,23.00,,,,,,,
873228,Dizziness,23.00,Dyspnoea,23.00,Nausea,23.00,Paraesthesia,
23.00,,
873229,Angioedema,23.00,Biopsy skin normal,23.00,Body tinea,
23.00,Chronic spontaneous urticaria,23.00,Erythema,23.00
873229,Headache,23.00,Immunology test,23.00,Lip swelling,23.00,Liver
function test normal,23.00,Rash,23.00
873229,Skin irritation,23.00,Swelling face,23.00,Tenderness,
23.00,Urticaria,23.00,Urticaria chronic,23.00
873230,Chills,23.00,Tremor,23.00,,,,,,
873231,Injection site erythema,23.00,Injection site mass,23.00,,,,,,
873233,Fall,23.00,Inappropriate schedule of product administration,
23.00,Incorrect route of product administration,23.00,Product
preparation issue,23.00,Retching,23.00
873233,Wrong technique in product usage process,23.00,,,,,,,
873234,No adverse event,23.00,Product preparation error,23.00,,,,,,
873235,Expired product administered,23.00,No adverse event,23.00,,,,,,
873236,Expired product administered,23.00,No adverse event,23.00,,,,,,
873237,Expired product administered,23.00,No adverse event,23.00,,,,,,
873238,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
873239,Expired product administered,23.00,No adverse event,23.00,,,,,,
873240,Body temperature increased,23.00,Dermatitis diaper,23.00,Rash,
23.00,,,,,
873241,Breath odour,23.00,Decreased appetite,23.00,Diarrhoea,
23.00,Gingival bleeding,23.00,Pyrexia,23.00
873241,Stomatitis,23.00,,,,,,,
873242,Acarodermatitis,23.00,Rash,23.00,,,,,,
873243,Injection site bruising,23.00,Injection site induration,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
873244,Facial paralysis,23.00,Hypoaesthesia,23.00,,,,,,
873259,Inappropriate schedule of product administration,23.00,Neoplasm
malignant,23.00,,,,,,
873260,Discomfort,23.00,,,,,,,
873261,Hepatitis B antibody negative,23.00,Therapy non-responder,
23.00,,,,,,

873262, Burning sensation, 23.00, Genital herpes, 23.00, Hypoaesthesia, 23.00, Neuropathy peripheral, 23.00, Oral herpes, 23.00
873262, Pain, 23.00, Paraesthesia, 23.00, , , , , , ,
873263, Abnormal behaviour, 23.00, Aphasia, 23.00, Blindness, 23.00, Deafness, 23.00, Dysarthria, 23.00
873263, Headache, 23.00, Loss of consciousness, 23.00, Nausea, 23.00, Paraesthesia, 23.00, Speech disorder, 23.00
873263, Thinking abnormal, 23.00, Vomiting, 23.00, , , , , , ,
873264, Blood test normal, 23.00, Delivery, 23.00, Exposure during pregnancy, 23.00, Premature delivery, 23.00, Ultrasound antenatal screen normal, 23.00
873265, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
873266, Altered state of consciousness, 23.00, Dizziness, 23.00, Dysarthria, 23.00, Electrocardiogram, 23.00, Heart rate decreased, 23.00
873266, Hyperhidrosis, 23.00, Hyporesponsive to stimuli, 23.00, Lethargy, 23.00, Pallor, 23.00, Paraesthesia, 23.00
873266, Tinnitus, 23.00, Vision blurred, 23.00, , , , , , ,
873267, Erythema, 23.00, Injection site rash, 23.00, Rash, 23.00, , , ,
873268, Urticaria, 23.00, , , , , , , ,
873269, Hypoaesthesia, 23.00, Injection site pain, 23.00, Neck pain, 23.00, Pain in extremity, 23.00, ,
873280, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
873281, Product storage error, 23.00, , , , , , , ,
873282, Herpes zoster, 23.00, , , , , , , ,
873283, Malaise, 23.00, , , , , , , ,
873284, Inappropriate schedule of product administration, 23.00, Social problem, 23.00, , , , , , ,
873285, Blister, 23.00, Discomfort, 23.00, Herpes zoster, 23.00, Pain, 23.00, Paraesthesia, 23.00
873286, Immediate post-injection reaction, 23.00, Pyrexia, 23.00, Rash, 23.00, Swelling, 23.00, Urticaria, 23.00
873287, Dizziness, 23.00, Feeling hot, 23.00, Headache, 23.00, Nausea, 23.00, Pain in extremity, 23.00
873288, Affect lability, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Hypersomnia, 23.00
873288, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Malaise, 23.00, Mood swings, 23.00
873288, Nausea, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Vomiting, 23.00
873289, Chills, 23.00, Diarrhoea, 23.00, Injection site warmth, 23.00, Pain in extremity, 23.00, ,
873290, Erythema, 23.00, Pain in extremity, 23.00, Pigmentation disorder, 23.00, Skin exfoliation, 23.00, ,
873291, Blood glucose normal, 23.00, Culture urine, 23.00, Insomnia, 23.00, Lethargy, 23.00, Protein urine present, 23.00
873291, Respiratory rate increased, 23.00, Restlessness, 23.00, Somnolence, 23.00, Urine ketone body present, 23.00, Vomiting, 23.00
873292, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site pruritus,

23.00, Injection site warmth, 23.00
873293, Urticaria, 23.00, , , , , , , , , , ,
873294, Expired product administered, 23.00, , , , , , , , , , ,
873295, Chills, 23.00, Herpes zoster, 23.00, Pain, 23.00, Pain in extremity,
23.00, Pyrexia, 23.00
873295, Rash, 23.00, , , , , , , , , , ,
873296, Erythema, 23.00, , , , , , , , , , ,
873297, Injection site erythema, 23.00, Injection site induration,
23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Pain,
23.00
873297, Pyrexia, 23.00, , , , , , , , , , ,
873298, Expired product administered, 23.00, , , , , , , , , , ,
873299, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , , , , , ,
873300, Product administered to patient of inappropriate age,
23.00, Wrong product administered, 23.00, , , , , , , , , , ,
873301, Hypoaesthesia, 23.00, Muscular weakness, 23.00, Myalgia, 23.00, Pain,
23.00, Pain in extremity, 23.00
873302, Headache, 23.00, Hyperventilation, 23.00, Laboratory test,
23.00, Loss of consciousness, 23.00, Muscle contractions involuntary,
23.00
873302, Muscle rigidity, 23.00, Posture abnormal, 23.00, Seizure, 23.00, , , , , , , , , , ,
873303, Blood pressure decreased, 23.00, Blood test, 23.00, Burning
sensation, 23.00, Catheterisation cardiac, 23.00, Computerised tomogram,
23.00
873303, Electrocardiogram, 23.00, Neuralgia, 23.00, Pain, 23.00, Urine
analysis, 23.00, , ,
873304, Injected limb mobility decreased, 23.00, Injection site erythema,
23.00, Injection site oedema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00
873313, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , , , , ,
873314, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873315, Herpes zoster, 23.00, , , , , , , , , , ,
873316, Herpes zoster, 23.00, Rash, 23.00, Rash pruritic, 23.00, , , , , , , , , , ,
873317, Herpes zoster, 23.00, , , , , , , , , , ,
873318, Cellulitis, 23.00, , , , , , , , , , ,
873319, Chills, 23.00, Feeling hot, 23.00, Headache, 23.00, Injection site
pain, 23.00, Muscle twitching, 23.00
873319, Pain, 23.00, , , , , , , , , , ,
873320, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Malaise, 23.00, Nausea,
23.00
873320, Neck pain, 23.00, Pain in extremity, 23.00, , , , , , , , , , ,
873321, Back pain, 23.00, Chills, 23.00, Nausea, 23.00, Pain in extremity,
23.00, Pyrexia, 23.00
873322, Pyrexia, 23.00, , , , , , , , , , ,
873324, Headache, 23.00, Hypoaesthesia, 23.00, Nausea, 23.00, Pain,
23.00, Pyrexia, 23.00
873325, Injection site reaction, 23.00, Syncope, 23.00, , , , , , , , , , ,
873326, Abdominal pain upper, 23.00, Chills, 23.00, Headache,
23.00, Hyperhidrosis, 23.00, Injection site pain, 23.00
873326, Malaise, 23.00, Myalgia, 23.00, Nausea, 23.00, Paraesthesia,

23.00,Pyrexia,23.00
873326,Retching,23.00,,,,,,,,,
873327,Abdominal discomfort,23.00,Asthenia,23.00,Myalgia,23.00,Nausea,
23.00,Pain in extremity,23.00
873328,Emotional distress,23.00,Eye swelling,23.00,Injection site
rash,23.00,Opisthotonus,23.00,Pyrexia,23.00
873328,Screaming,23.00,,,,,,,,,
873329,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
873330,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
873331,Chills,23.00,Diarrhoea,23.00,Fatigue,23.00,Headache,
23.00,Nausea,23.00
873331,Pain,23.00,,,,,,,,,
873332,Abdominal pain,23.00,Chills,23.00,Headache,23.00,Myalgia,
23.00,Nausea,23.00
873332,Pyrexia,23.00,,,,,,,,,
873333,Injection site pruritus,23.00,,,,,,,,,
873334,Injection site erythema,23.00,,,,,,,,,
873335,Chills,23.00,Dizziness,23.00,Fatigue,23.00,Nausea,23.00,Pain,
23.00
873335,Pyrexia,23.00,Vaccination site pain,23.00,,,,,,,,,
873336,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,,,,
873337,Injection site erythema,23.00,Injection site nodule,
23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00
873337,Injection site warmth,23.00,Pain,23.00,,,,,,,,,
873338,Headache,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
873339,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site reaction,
23.00,Injection site swelling,23.00
873339,Rash macular,23.00,,,,,,,,,
873340,Induration,23.00,Musculoskeletal pain,23.00,Pain,
23.00,Peripheral swelling,23.00,,
873341,Chills,23.00,Dizziness,23.00,Fatigue,23.00,Injection site pain,
23.00,Pyrexia,23.00
873342,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Nausea,
23.00
873342,Pyrexia,23.00,Vomiting,23.00,,,,,,,,,
873343,Condition aggravated,23.00,Phantom limb syndrome,23.00,,,,,,,,,
873344,Administration site rash,23.00,Administration site swelling,
23.00,Injection site erythema,23.00,,,,,
873345,Dyspnoea,23.00,Fatigue,23.00,Headache,23.00,Pyrexia,23.00,Rash,
23.00
873345,Serum sickness,23.00,,,,,,,,,
873346,Chills,23.00,Erythema,23.00,Myalgia,23.00,Swelling,
23.00,Tenderness,23.00
873347,Injection site swelling,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
873348,Abdominal pain,23.00,Diarrhoea,23.00,Eating disorder,23.00,,,,,

873349, Presyncope, 23.00, , , , , , , ,
873350, Presyncope, 23.00, , , , , , , ,
873351, Chills, 23.00, Fatigue, 23.00, Insomnia, 23.00, Pyrexia, 23.00, ,
873352, Injection site erythema, 23.00, , , , , , , ,
873355, Injection site erythema, 23.00, Injection site swelling,
23.00, Pruritus, 23.00, Urticaria, 23.00, ,
873356, Condition aggravated, 23.00, Haemophilia, 23.00, , , , , ,
873357, Antibody test negative, 23.00, , , , , , , ,
873358, Vaccination site pain, 23.00, , , , , , , ,
873359, Rash, 23.00, , , , , , , ,
873360, Erythema, 23.00, Headache, 23.00, Immunisation reaction,
23.00, Induration, 23.00, Malaise, 23.00
873391, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873392, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873393, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873394, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , ,
873395, Herpes zoster, 23.00, , , , , , , ,
873396, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873397, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873398, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873399, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873400, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873401, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873402, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873403, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873404, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873405, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873406, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873407, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873408, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873409, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873410, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873411, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873412, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873413, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873414, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873415, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873416, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873417, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873418, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873419, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873420, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873421, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873422, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873423, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873424, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873425, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873426, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873427, No adverse event, 23.00, Product storage error, 23.00, , , , , ,

873428,Discomfort,23.00,Pain in extremity,23.00,Rotator cuff syndrome,
23.00,,,,,
873429,Adverse event,23.00,,,,,,
873430,Erythema,23.00,Pain in extremity,23.00,,,,,
873431,Insomnia,23.00,Pain,23.00,Pyrexia,23.00,,,,,
873432,Dysuria,23.00,Pain,23.00,Pyrexia,23.00,,,,,
873433,Injection site erythema,23.00,Injection site warmth,23.00,,,,,
873434,Pain,23.00,,,,,,
873435,Injection site pain,23.00,,,,,,
873436,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,,
873437,Erythema,23.00,Feeling abnormal,23.00,Myalgia,23.00,Pain,
23.00,,
873438,Injection site rash,23.00,,,,,,
873439,Rash,23.00,Skin warm,23.00,,,,,
873440,Headache,23.00,Injection site swelling,23.00,Pain,
23.00,Sensitive skin,23.00,,
873441,Arthralgia,23.00,,,,,,
873442,Back pain,23.00,Malaise,23.00,Pain in extremity,23.00,,,,,
873443,Pneumonia,23.00,,,,,,
873444,Pneumonia,23.00,,,,,,
873445,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
873446,No adverse event,23.00,Product storage error,23.00,,,,,
873447,Blood test normal,23.00,Delivery,23.00,Exposure during
pregnancy,23.00,Gestational diabetes,23.00,Placental disorder,23.00
873447,Ultrasound antenatal screen normal,23.00,,,,,,
873448,Anaemia,23.00,Blood test normal,23.00,Constipation,
23.00,Delivery,23.00,Exposure during pregnancy,23.00
873448,Iron deficiency,23.00,Placental disorder,23.00,Ultrasound
antenatal screen normal,23.00,,,,,
873449,Erythema,23.00,Immunisation reaction,23.00,Injection site
swelling,23.00,,,,,
873450,Headache,23.00,Nausea,23.00,Vomiting,23.00,,,,,
873451,Injection site vesicles,23.00,Rash erythematous,23.00,Rash
pruritic,23.00,,,,,
873452,Headache,23.00,Injected limb mobility decreased,23.00,Injection
site erythema,23.00,Injection site pain,23.00,Injection site swelling,
23.00
873452,Malaise,23.00,Pain,23.00,,,,,
873453,Injection site erythema,23.00,Injection site reaction,
23.00,Injection site swelling,23.00,Pyrexia,23.00,Rash macular,23.00
873454,Chills,23.00,Diarrhoea,23.00,Dizziness,23.00,Fatigue,
23.00,Headache,23.00
873454,Pain,23.00,Pyrexia,23.00,,,,,
873466,Injection site erythema,23.00,,,,,,
873467,Dysuria,23.00,,,,,,
873468,Nasopharyngitis,23.00,Synovitis,23.00,Viral infection,23.00,,,,,
873469,Abdominal discomfort,23.00,Chills,23.00,Feeling abnormal,
23.00,Feeling cold,23.00,Headache,23.00
873469,Hyperhidrosis,23.00,Pain in extremity,23.00,,,,,

873470,Pain,23.00,Pain in extremity,23.00,,,,,
873471,Haematemesis,23.00,Haematochezia,23.00,Ultrasound scan normal,
23.00,,,,,
873472,Expired product administered,23.00,,,,,
873473,Herpes zoster,23.00,Rash,23.00,,,,,
873474,Cardiac arrest,23.00,Death,23.00,Sudden infant death syndrome,
23.00,,,,,
873475,Product administered to patient of inappropriate age,
23.00,,,,,
873476,Arthralgia,23.00,Chills,23.00,Diarrhoea,23.00,Erythema,
23.00,Musculoskeletal stiffness,23.00
873476,Pain,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,,
873477,Diarrhoea,23.00,Fatigue,23.00,Pyrexia,23.00,Swelling,23.00,,
873478,Chills,23.00,Headache,23.00,Hypoaesthesia,23.00,Injection site
pain,23.00,Injection site reaction,23.00
873478,Nausea,23.00,Neck pain,23.00,Pain,23.00,Paraesthesia,
23.00,Photophobia,23.00
873478,Rash erythematous,23.00,,,,,
873479,Swelling,23.00,Tenderness,23.00,,,,,
873480,Chest discomfort,23.00,Erythema,23.00,Oedema,23.00,Skin lesion,
23.00,Skin warm,23.00
873480,Tenderness,23.00,,,,,
873481,Fatigue,23.00,Injection site pain,23.00,Pyrexia,
23.00,Tenderness,23.00,,
873482,Hyperhidrosis,23.00,Loss of consciousness,23.00,Pallor,
23.00,Paraesthesia,23.00,Syncope,23.00
873483,Hypacusis,23.00,Tinnitus,23.00,,,,,
873484,Anosmia,23.00,Taste disorder,23.00,,,,,
873486,Pyrexia,23.00,Rash,23.00,Streptococcus test negative,23.00,,,,,
873487,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
873488,Injection site erythema,23.00,Injection site induration,
23.00,Injection site swelling,23.00,Pyrexia,23.00,,
873489,Injection site bruising,23.00,Injection site erythema,
23.00,,,,,
873490,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
873491,Dizziness,23.00,Loss of consciousness,23.00,Unresponsive to
stimuli,23.00,,,,,
873492,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Nausea,23.00,Vomiting,
23.00
873493,Rash,23.00,Rash erythematous,23.00,Rash pruritic,23.00,,,,,
873494,Altered state of consciousness,23.00,Dizziness,23.00,,,,,
873495,Asthenia,23.00,Body temperature fluctuation,23.00,Cold sweat,
23.00,Fatigue,23.00,Hypersomnia,23.00
873495,Rash,23.00,,,,,
873497,No adverse event,23.00,Product storage error,23.00,,,,,
873498,No adverse event,23.00,Product storage error,23.00,,,,,
873499,No adverse event,23.00,Product storage error,23.00,,,,,

873500,Incorrect route of product administration,23.00,No adverse event,23.00,,,,,
873501,No adverse event,23.00,Product storage error,23.00,,,,,
873502,Circumstance or information capable of leading to medication error,23.00,Poor quality product administered,23.00,Product quality issue,23.00,,,,,
873503,No adverse event,23.00,Product storage error,23.00,,,,,
873504,No adverse event,23.00,Product storage error,23.00,,,,,
873505,No adverse event,23.00,Product storage error,23.00,,,,,
873507,Erythema,23.00,Pyrexia,23.00,Swelling,23.00,,,,,
873509,Chills,23.00,Diarrhoea,23.00,Pyrexia,23.00,,,,,
873518,Breast cancer female,23.00,Hepatitis B surface antibody negative,23.00,Measles antibody negative,23.00,,,,,
873523,Injection site erythema,23.00,Injection site swelling,23.00,Limb discomfort,23.00,,,,,
873524,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
873535,Adverse reaction,23.00,,,,,
873536,Erythema,23.00,Pain,23.00,,,,,
873537,Pain in extremity,23.00,,,,,
873538,Herpes zoster,23.00,,,,,
873539,Body temperature increased,23.00,Injection site discolouration,23.00,Injection site erythema,23.00,Injection site induration,23.00,Injection site mass,23.00
873539,Injection site pain,23.00,Injection site pruritus,23.00,,,,,
873540,Erythema,23.00,,,,,
873541,Arthralgia,23.00,Burning sensation,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00
873541,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
873542,Injection site erythema,23.00,Injection site swelling,23.00,,,,,
873543,Discomfort,23.00,Injection site erythema,23.00,Injection site rash,23.00,Injection site warmth,23.00,Irritability,23.00
873545,Blister,23.00,Decreased appetite,23.00,Injection site erythema,23.00,Injection site induration,23.00,Injection site pain,23.00
873545,Injection site swelling,23.00,Pyrexia,23.00,Rash,23.00,Rash erythematous,23.00,Rash macular,23.00
873545,Rash pruritic,23.00,,,,,
873546,Pruritus,23.00,Swelling,23.00,Swelling of eyelid,23.00,Urticaria,23.00,,
873561,No adverse event,23.00,Product storage error,23.00,,,,,
873562,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
873563,Expired product administered,23.00,No adverse event,23.00,,,,,
873564,Pyrexia,23.00,SARS-CoV-2 test negative,23.00,,,,,
873565,Accidental exposure to product,23.00,Exposure via skin contact,23.00,Flushing,23.00,,,,,
873566,Death,23.00,Pneumonia,23.00,,,,,
873567,Malaise,23.00,Rash,23.00,Underdose,23.00,,,,,
873568,No adverse event,23.00,Wrong product administered,23.00,,,,,

873569,Expired product administered,23.00,,,,,,,,,
873570,Apgar score low,23.00,Caesarean section,23.00,Endotracheal
intubation,23.00,Foetal exposure during pregnancy,23.00,Foetal heart
rate deceleration abnormality,23.00
873570,Hypoxic-ischaemic encephalopathy,23.00,Meconium abnormal,
23.00,Resuscitation,23.00,,,,,
873572,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Small for dates baby,23.00,,,,,
873573,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,,,,,
873574,Complication of pregnancy,23.00,Delivery,23.00,Exposure during
pregnancy,23.00,Pre-eclampsia,23.00,Premature delivery,23.00
873574,Ultrasound antenatal screen normal,23.00,,,,,
873575,Caesarean section,23.00,Eclampsia,23.00,Exposure during
pregnancy,23.00,Gestational diabetes,23.00,Pre-eclampsia,23.00
873575,Ultrasound antenatal screen normal,23.00,,,,,
873576,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Low birth weight baby,23.00,,
873577,Blood test normal,23.00,Delivery,23.00,Exposure during
pregnancy,23.00,Nausea,23.00,Placental disorder,23.00
873577,Ultrasound antenatal screen normal,23.00,Vomiting,23.00,,,,,
873578,Abortion spontaneous,23.00,Blood test normal,23.00,Exposure
during pregnancy,23.00,Foetal death,23.00,Foetal heart rate abnormal,
23.00
873578,Ultrasound antenatal screen abnormal,23.00,,,,,
873579,Hypoaesthesia,23.00,Paraesthesia,23.00,,,,,
873580,Injection site erythema,23.00,Injection site rash,23.00,,,,,
873581,Anaemia,23.00,Asthenia,23.00,Blood test,23.00,Chest X-ray,
23.00,Computerised tomogram head,23.00
873581,Electrocardiogram,23.00,Fall,23.00,Incomplete course of
vaccination,23.00,Urine analysis,23.00,Vaccination complication,23.00
873582,Muscle spasms,23.00,Musculoskeletal stiffness,23.00,,,,,
873583,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
873583,Pain,23.00,,,,,
873584,Blood culture,23.00,CSF culture negative,23.00,Diarrhoea,
23.00,Gram stain negative,23.00,Headache,23.00
873584,Meningococcal infection,23.00,Multiple organ dysfunction
syndrome,23.00,Musculoskeletal stiffness,23.00,Nausea,23.00,Neisseria
test positive,23.00
873584,Photophobia,23.00,Pyrexia,23.00,Septic shock,23.00,Vaccination
failure,23.00,Vomiting,23.00
873585,Myalgia,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Skin warm,23.00,,
873586,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
873587,Nausea,23.00,Pyrexia,23.00,,,,,
873588,Chills,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
873589,Injection site pain,23.00,Pain in extremity,23.00,,,,,

873590,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,Local
reaction,23.00
873591,Injection site rash,23.00,,,,,,,,,
873594,Rash pruritic,23.00,,,,,,,,,
873595,Pain in extremity,23.00,,,,,,,,,
873596,Fatigue,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
873596,Nausea,23.00,Pyrexia,23.00,,,,,,,,,
873597,Chills,23.00,Decreased appetite,23.00,Insomnia,23.00,Nausea,
23.00,Pain,23.00
873597,Pyrexia,23.00,,,,,,,,,
873598,Chills,23.00,Dizziness,23.00,Headache,23.00,,,,,
873607,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
873608,Rash,23.00,,,,,,,,,
873609,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
873610,Incomplete course of vaccination,23.00,Smear cervix abnormal,
23.00,,,,,,,,,
873611,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
873612,Chills,23.00,Headache,23.00,Pain,23.00,Pain in extremity,
23.00,Pyrexia,23.00
873613,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
873614,Musculoskeletal pain,23.00,Musculoskeletal stiffness,23.00,X-
ray limb,23.00,,,,,
873615,Rash,23.00,,,,,,,,,
873616,Asthenia,23.00,Dizziness,23.00,Eye movement disorder,
23.00,Mobility decreased,23.00,Tremor,23.00
873617,Arrhythmia,23.00,Arthralgia,23.00,Back pain,23.00,Blood test,
23.00,Burning sensation,23.00
873617,Chiropractic,23.00,Coordination abnormal,23.00,Cough,
23.00,Discomfort,23.00,Dysphagia,23.00
873617,Dyspnoea,23.00,Facial paresis,23.00,Fatigue,23.00,Gait
disturbance,23.00,Hypertension,23.00
873617,Hypoaesthesia,23.00,Influenza,23.00,Injection site pain,
23.00,Muscular weakness,23.00,Myalgia,23.00
873617,Neuralgia,23.00,Pain,23.00,Pain in extremity,23.00,Pain of
skin,23.00,Paraesthesia,23.00
873617,Peripheral swelling,23.00,Pyrexia,23.00,Reflexes abnormal,
23.00,Respiratory tract congestion,23.00,Rhinorrhoea,23.00
873617,Speech disorder,23.00,,,,,,,,,
873618,Cardiac failure congestive,23.00,Condition aggravated,
23.00,Death,23.00,Dementia,23.00,Dysstasia,23.00
873618,Fall,23.00,Feeling abnormal,23.00,Feeling hot,23.00,Gait
disturbance,23.00,Intensive care,23.00
873618,Malaise,23.00,Mobility decreased,23.00,Muscular weakness,
23.00,Peripheral swelling,23.00,Walking aid user,23.00
873619,Herpes zoster,23.00,Rash,23.00,,,,,,,,,
873621,Irritability,23.00,Pyrexia,23.00,Rash,23.00,,,,,
873648,No adverse event,23.00,Product storage error,23.00,,,,,,,,,

873649, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873650, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
873651, Injection site swelling, 23.00, , , , , , , ,
873652, Expired product administered, 23.00, Injection site pain,
23.00, , , , , , , ,
873653, Chills, 23.00, Dysstasia, 23.00, Gait inability,
23.00, Hyperhidrosis, 23.00, Incomplete course of vaccination, 23.00
873653, Influenza like illness, 23.00, Loss of personal independence in
daily activities, 23.00, Malaise, 23.00, , , , ,
873654, Fatigue, 23.00, Influenza like illness, 23.00, Pain, 23.00, Pain in
extremity, 23.00, , ,
873655, Chills, 23.00, Pyrexia, 23.00, , , , , , ,
873656, Chills, 23.00, Laboratory test normal, 23.00, Myalgia, 23.00, Pain,
23.00, Pyrexia, 23.00
873656, White blood cell count increased, 23.00, , , , , , , ,
873657, Dizziness, 23.00, Feeling hot, 23.00, Malaise, 23.00, Pallor,
23.00, Vomiting, 23.00
873659, Injection site rash, 23.00, Injection site urticaria,
23.00, Pruritus, 23.00, Rash, 23.00, Urticaria, 23.00
873661, Erythema, 23.00, Peripheral swelling, 23.00, Pruritus, 23.00, , , , ,
873662, Erythema, 23.00, Skin warm, 23.00, Tenderness, 23.00, , , , ,
873663, Asthenia, 23.00, Cold sweat, 23.00, Dizziness, 23.00, , , , ,
873664, Injection site erythema, 23.00, Injection site induration,
23.00, , , , , , , ,
873665, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
873666, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , ,
873667, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
873668, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
873669, Aphasia, 23.00, Autism spectrum disorder, 23.00, Bowel movement
irregularity, 23.00, Decreased eye contact, 23.00, Laboratory test, 23.00
873669, Regressive behaviour, 23.00, , , , , , , ,
873670, Joint range of motion decreased, 23.00, Musculoskeletal pain,
23.00, , , , , , , ,
873671, Fatigue, 23.00, Headache, 23.00, Hypersomnia, 23.00, Influenza,
23.00, Pain, 23.00
873671, Pyrexia, 23.00, , , , , , , ,
873691, Product storage error, 23.00, , , , , , , ,
873692, Herpes zoster, 23.00, , , , , , , ,
873693, Malaise, 23.00, Pain, 23.00, Social problem, 23.00, , , , ,
873694, Blindness unilateral, 23.00, Eye pain, 23.00, Headache,
23.00, Hypoaesthesia, 23.00, Laboratory test, 23.00
873694, Ocular discomfort, 23.00, Ophthalmological examination abnormal,
23.00, Optic nerve infarction, 23.00, Pain in jaw, 23.00, Pain of skin,
23.00
873694, Papilloedema, 23.00, Sleep disorder, 23.00, Visual impairment,
23.00, , , , , ,
873695, Asthenia, 23.00, Fatigue, 23.00, Inappropriate schedule of product
administration, 23.00, Malaise, 23.00, Oropharyngeal pain, 23.00
873695, Pyrexia, 23.00, , , , , , , ,

873696,Injection site erythema,23.00,Injection site reaction,
23.00,Injection site urticaria,23.00,Pallor,23.00,,
873697,Cellulitis,23.00,,,,,,,,,
873698,Anaemia,23.00,Caesarean section,23.00,Exposure during
pregnancy,23.00,Gestational diabetes,23.00,Neonatal disorder,23.00
873698,Ultrasound antenatal screen normal,23.00,,,,,,,,,
873699,Apgar score low,23.00,Caesarean section,23.00,Foetal exposure
during pregnancy,23.00,,,,,
873700,Arthralgia,23.00,Chills,23.00,Discomfort,23.00,Feeling
abnormal,23.00,Feeling cold,23.00
873700,Injection site pain,23.00,Pain in extremity,23.00,,,,,
873701,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
873702,Injection site erythema,23.00,Injection site swelling,
23.00,Local reaction,23.00,,,,,
873703,Pain,23.00,Pyrexia,23.00,Rash,23.00,Skin lesion,23.00,,
873710,No adverse event,23.00,Product storage error,23.00,,,,,
873712,No adverse event,23.00,Product storage error,23.00,,,,,
873713,No adverse event,23.00,Product storage error,23.00,,,,,
873714,No adverse event,23.00,Product storage error,23.00,,,,,
873715,No adverse event,23.00,Product storage error,23.00,,,,,
873716,Feeling cold,23.00,Headache,23.00,Hyperhidrosis,23.00,Injection
site pain,23.00,Nausea,23.00
873716,Pain,23.00,Pyrexia,23.00,,,,,
873717,No adverse event,23.00,Product preparation issue,23.00,,,,,
873718,Extra dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
873719,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
873720,No adverse event,23.00,Product preparation error,23.00,,,,,
873721,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
873722,No adverse event,23.00,Product preparation issue,23.00,,,,,
873723,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
873724,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Foetal growth restriction,23.00,,
873725,Periarthritis,23.00,Shoulder injury related to vaccine
administration,23.00,,,,,
873726,Chills,23.00,Erythema,23.00,Headache,23.00,Immobile,
23.00,Oedema peripheral,23.00
873726,Pain in extremity,23.00,Peripheral swelling,23.00,Skin warm,
23.00,,,,,
873727,Rash,23.00,Rash erythematous,23.00,,,,,
873728,Asthenia,23.00,Blood glucose normal,23.00,Loss of
consciousness,23.00,Pallor,23.00,,
873729,Arthralgia,23.00,Back pain,23.00,Blood pressure increased,
23.00,Condition aggravated,23.00,Dyspnoea,23.00
873729,Gastrooesophageal reflux disease,23.00,Musculoskeletal pain,
23.00,Paraesthesia,23.00,Serum sickness,23.00,Temperature intolerance,

23.00
873729,Urticaria,23.00,,,,,,
873730,Rash,23.00,,,,,,
873731,Alanine aminotransferase increased,23.00,Aspartate
aminotransferase increased,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site vesicles,23.00
873731,Liver function test increased,23.00,Polymerase chain reaction,
23.00,Rash papular,23.00,Varicella virus test,23.00,,
873732,Rash,23.00,Streptococcus test negative,23.00,,,,,
873733,Blood gases,23.00,Blood glucose increased,23.00,Diabetic
ketoacidosis,23.00,Intensive care,23.00,Metabolic function test,23.00
873733,Respiratory rate increased,23.00,,,,,,
873734,Injection site erythema,23.00,Injection site reaction,
23.00,Rash macular,23.00,,,,
873735,Administration site swelling,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Pyrexia,23.00,,
873736,Arthralgia,23.00,Chills,23.00,Headache,23.00,Injection site
pain,23.00,Pelvic pain,23.00
873737,Dysstasia,23.00,Gait disturbance,23.00,Muscular weakness,
23.00,,,,
873738,Chills,23.00,Computerised tomogram head,
23.00,Electrocardiogram,23.00,Headache,23.00,Laboratory test,23.00
873738,Loss of consciousness,23.00,Pallor,23.00,Urine analysis,
23.00,Vaccination complication,23.00,,
873739,Chills,23.00,Injection site pain,23.00,Lethargy,23.00,Myalgia,
23.00,Pyrexia,23.00
873739,Sensitive skin,23.00,,,,,,
873740,Erythema,23.00,Herpes zoster,23.00,Pain,23.00,Pruritus,
23.00,Skin warm,23.00
873741,Haematochezia,23.00,Intussusception,23.00,Irritability,
23.00,Ultrasound abdomen abnormal,23.00,,
873742,Crying,23.00,Pyrexia,23.00,Screaming,23.00,,,,
873743,Diarrhoea,23.00,Inflammation,23.00,Pyrexia,23.00,Rash,23.00,,
873744,Chills,23.00,Headache,23.00,,,,,
873745,Disorientation,23.00,Glassy eyes,23.00,Irritability,
23.00,Ocular hyperaemia,23.00,Pyrexia,23.00
873745,Rash,23.00,Rash macular,23.00,Skin warm,23.00,Urticaria,23.00,,
873753,Herpes zoster,23.00,Pain,23.00,Rash,23.00,,,,
873754,No adverse event,23.00,Product storage error,23.00,,,,,
873755,Herpes zoster,23.00,,,,,,
873756,Expired product administered,23.00,No adverse event,23.00,,,,,
873757,Injection site erythema,23.00,Injection site swelling,
23.00,Skin reaction,23.00,,,,
873758,Chills,23.00,Fatigue,23.00,Headache,23.00,Immediate post-
injection reaction,23.00,Injection site pain,23.00
873758,Injection site swelling,23.00,Nasal congestion,
23.00,Oropharyngeal pain,23.00,Pain,23.00,Pyrexia,23.00
873758,SARS-CoV-2 test negative,23.00,Streptococcus test negative,
23.00,,,,,
873759,Haematochezia,23.00,Irritability,23.00,Mucous stools,23.00,,,,

873760, Pruritus, 23.00, Pyrexia, 23.00, Urticaria, 23.00, , , , ,
873761, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site reaction, 23.00, Injection site swelling,
23.00, Musculoskeletal stiffness, 23.00
873761, Pain, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , ,
873762, Activated partial thromboplastin time, 23.00, C-reactive protein
increased, 23.00, Erythema multiforme, 23.00, Full blood count,
23.00, Hypoxia, 23.00
873762, Prothrombin time, 23.00, Pyrexia, 23.00, Rash, 23.00, SARS-CoV-2 test
negative, 23.00, Urticaria, 23.00
873763, Injection site swelling, 23.00, Pyrexia, 23.00, Vomiting, 23.00, , , , ,
873764, Wrong product administered, 23.00, , , , , , , , , ,
873765, Rash, 23.00, , , , , , , , , , ,
873766, Measles post vaccine, 23.00, Rash, 23.00, , , , , , , , , , ,
873767, Blepharospasm, 23.00, Snoring, 23.00, Syncope, 23.00, Unresponsive to
stimuli, 23.00, ,
873768, Fatigue, 23.00, Musculoskeletal pain, 23.00, Pain,
23.00, Paraesthesia, 23.00, Somnolence, 23.00
873769, Aphasia, 23.00, Asthenia, 23.00, Confusional state,
23.00, Coordination abnormal, 23.00, Pain, 23.00
873770, Injection site urticaria, 23.00, Urticaria, 23.00, , , , , , , , , , ,
873775, Blood pressure decreased, 23.00, Dysphagia,
23.00, Hyperventilation, 23.00, Pallor, 23.00, Skin burning sensation, 23.00
873776, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873777, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873778, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873779, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873780, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873781, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873782, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
873783, Underdose, 23.00, , , , , , , , , , , ,
873784, Chills, 23.00, Lip blister, 23.00, Pain, 23.00, Pyrexia, 23.00, Rash,
23.00
873784, Rash erythematous, 23.00, , , , , , , , , , , ,
873785, Mobility decreased, 23.00, Pain, 23.00, Pain in extremity, 23.00, , , , ,
873786, Adverse event, 23.00, Vaccine positive rechallenge, 23.00, , , , , , , , , , ,
873787, Adverse event, 23.00, , , , , , , , , , , ,
873789, Hepatitis B antibody negative, 23.00, Therapeutic response
decreased, 23.00, , , , , , , , , , , ,
873790, Coronavirus infection, 23.00, Rash papular, 23.00, Rash pruritic,
23.00, , , , , , , , , , , ,
873791, Hepatitis B antibody negative, 23.00, Therapy non-responder,
23.00, , , , , , , , , , , ,
873792, Mobility decreased, 23.00, Pain in extremity, 23.00, Peripheral
swelling, 23.00, White blood cell count increased, 23.00, , ,
873793, Injection site erythema, 23.00, Injection site reaction,
23.00, Pruritus, 23.00, Rash macular, 23.00, Tenderness, 23.00
873794, Unevaluable event, 23.00, , , , , , , , , , , ,
873795, Back pain, 23.00, Dizziness, 23.00, , , , , , , , , , , ,
873798, Blood pressure decreased, 23.00, Contusion, 23.00, Dizziness,

23.00,Face injury,23.00,Fatigue,23.00
873798,Lip swelling,23.00,Oral contusion,23.00,Syncope,
23.00,Toothache,23.00,,
873799,Myalgia,23.00,,,,,,,,,
873800,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
873803,Inappropriate schedule of product administration,23.00,,,,,,,,,
873804,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,,,,
873805,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
873806,Abdominal pain,23.00,Bartonella test,23.00,Blood culture,
23.00,Blood electrolytes normal,23.00,Cough,23.00
873806,Culture stool,23.00,Diarrhoea,23.00,Flatulence,23.00,Full blood
count normal,23.00,Lethargy,23.00
873806,Malaria antibody test negative,23.00,Polymerase chain reaction,
23.00,SARS-CoV-2 test negative,23.00,Streptococcus test negative,
23.00,,
873807,Inappropriate schedule of product administration,23.00,,,,,,,,,
873808,Pyrexia,23.00,,,,,,,,,
873809,Axonal neuropathy,23.00,Balance disorder,23.00,Dysaesthesia,
23.00,Essential tremor,23.00,Flank pain,23.00
873809,Herpes zoster,23.00,Hypoaesthesia,23.00,Laboratory test
abnormal,23.00,Neuritis,23.00,Neuropathy peripheral,23.00
873809,Pain,23.00,Paraesthesia,23.00,Peripheral sensorimotor
neuropathy,23.00,Polyneuropathy,23.00,Post herpetic neuralgia,23.00
873809,Tremor,23.00,,,,,,,,,
873811,Incomplete course of vaccination,23.00,Musculoskeletal
discomfort,23.00,,,,,,,,,
873812,Hypoaesthesia,23.00,Influenza like illness,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Limb discomfort,23.00
873812,Paraesthesia,23.00,,,,,,,,,
873813,Extra dose administered,23.00,No adverse event,23.00,,,,,,,,,
873814,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
873815,Blister,23.00,Hepatic enzyme increased,23.00,Hypoaacusis,
23.00,Lymphocyte count decreased,23.00,Pruritus,23.00
873815,Rash vesicular,23.00,Rheumatoid nodule,23.00,,,,,,,,,
873816,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
873822,Abdominal pain,23.00,Anaphylactic reaction,23.00,Dizziness,
23.00,Flushing,23.00,Tryptase,23.00
873822,Vomiting,23.00,Wheezing,23.00,,,,,,,,,
873823,Condition aggravated,23.00,Diffuse cutaneous mastocytosis,
23.00,Flushing,23.00,Rash maculo-papular,23.00,Swelling,23.00
873823,Swelling face,23.00,Systemic mastocytosis,23.00,Tryptase
increased,23.00,,,,,
873825,Dizziness,23.00,Hyperhidrosis,23.00,Presyncope,23.00,Skin warm,
23.00,Vision blurred,23.00
873826,Cervical vertebral fracture,23.00,Computerised tomogram head,
23.00,Computerised tomogram neck,23.00,Dizziness,23.00,Fall,23.00
873826,Feeling hot,23.00,Hyperhidrosis,23.00,Magnetic resonance
imaging,23.00,Spinal X-ray,23.00,Syncope,23.00

873827, Herpes zoster, 23.00, Rash, 23.00, Rash pruritic, 23.00, , , ,
873828, Chest discomfort, 23.00, Oropharyngeal pain, 23.00, , , , , ,
873829, Erythema, 23.00, , , , , , , ,
873830, Injection site swelling, 23.00, Pain in extremity, 23.00, Weight bearing difficulty, 23.00, , , , ,
873831, Wrong product administered, 23.00, , , , , , , , ,
873832, Arthropod bite, 23.00, Erythema, 23.00, Induration, 23.00, Injection site rash, 23.00, Injection site swelling, 23.00
873832, Pruritus, 23.00, Rash, 23.00, Skin warm, 23.00, Swelling, 23.00, Urticaria, 23.00
873832, Vaccination complication, 23.00, , , , , , , , ,
873833, Pain, 23.00, , , , , , , , ,
873834, Brain injury, 23.00, Cognitive disorder, 23.00, Dysstasia, 23.00, Ear infection, 23.00, Gait inability, 23.00
873834, Immediate post-injection reaction, 23.00, Malaise, 23.00, Pain, 23.00, Pyrexia, 23.00, Screaming, 23.00
873834, Sensory processing disorder, 23.00, Speech disorder, 23.00, Streptococcal infection, 23.00, Syncope, 23.00, Walking aid user, 23.00
873835, Abdominal pain, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia, 23.00, Vomiting, 23.00
873836, Immunisation, 23.00, Needle issue, 23.00, Underdose, 23.00, , , , ,
873837, Injection site erythema, 23.00, Injection site warmth, 23.00, Pain, 23.00, , , , ,
873838, Erythema, 23.00, Pain, 23.00, Pyrexia, 23.00, Rash, 23.00, Swelling, 23.00
873839, Immediate post-injection reaction, 23.00, Injected limb mobility decreased, 23.00, Injection site pain, 23.00, Loss of personal independence in daily activities, 23.00, Magnetic resonance imaging, 23.00
873839, Pain, 23.00, X-ray, 23.00, , , , , , ,
873842, Abdominal pain upper, 23.00, Chills, 23.00, Malaise, 23.00, Muscular weakness, 23.00, Nausea, 23.00
873842, Pain in extremity, 23.00, Pyrexia, 23.00, , , , , , ,
873843, Diarrhoea, 23.00, Vomiting, 23.00, , , , , , ,
873848, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
873849, Herpes zoster, 23.00, Rash, 23.00, Rash vesicular, 23.00, , , , ,
873850, Erythema, 23.00, Fatigue, 23.00, Mobility decreased, 23.00, Pain, 23.00, Skin warm, 23.00
873851, Diarrhoea, 23.00, Headache, 23.00, , , , , , ,
873852, Arthralgia, 23.00, Asthenia, 23.00, Dizziness, 23.00, Headache, 23.00, Myalgia, 23.00
873853, Chills, 23.00, Injection site pain, 23.00, Loss of personal independence in daily activities, 23.00, Myalgia, 23.00, Pyrexia, 23.00
873854, Erythema, 23.00, Hypoaesthesia, 23.00, Myalgia, 23.00, Paraesthesia, 23.00, Peripheral swelling, 23.00
873857, Injection site erythema, 23.00, Injection site warmth, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, , ,
873862, Incorrect route of product administration, 23.00, No adverse event, 23.00, , , , , , ,

873863,Herpes zoster,23.00,,,,,,,,,
873864,Post herpetic neuralgia,23.00,,,,,,,,,
873865,Herpes zoster,23.00,,,,,,,,,
873866,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
873867,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
873868,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
873869,Blindness,23.00,Deafness,23.00,Erythema multiforme,23.00,Herpes
simplex,23.00,Pneumonitis,23.00
873870,Tonic clonic movements,23.00,,,,,,,,,
873871,Condition aggravated,23.00,Dermatitis contact,23.00,Limb
discomfort,23.00,,,,,
873872,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
873873,Arthralgia,23.00,Headache,23.00,Malaise,23.00,Musculoskeletal
pain,23.00,Myalgia,23.00
873873,Pain,23.00,Somnolence,23.00,,,,,,,,,
873874,Bedridden,23.00,Discomfort,23.00,Pain,23.00,,,,,
873875,Arthralgia,23.00,Headache,23.00,Nausea,23.00,Pyrexia,
23.00,Vomiting,23.00
873876,Injection site erythema,23.00,Injection site pain,23.00,,,,,,,,,
873877,Injection site reaction,23.00,Pain in extremity,23.00,,,,,,,,,
873878,Asthenia,23.00,Feeling abnormal,23.00,Head discomfort,
23.00,Musculoskeletal chest pain,23.00,Myalgia,23.00
873878,Pain,23.00,Rib fracture,23.00,Sensory disturbance,23.00,,,,,
873879,Hepatitis B antibody negative,23.00,Therapy non-responder,
23.00,,,,,,,,,
873880,Fatigue,23.00,Injection site pain,23.00,Myalgia,23.00,Pyrexia,
23.00,,
873881,Crying,23.00,Electrocardiogram normal,23.00,Hypotonia,
23.00,Pallor,23.00,,
873882,Asthenia,23.00,Fatigue,23.00,Feeling abnormal,23.00,Flushing,
23.00,Mental fatigue,23.00
873882,Oropharyngeal pain,23.00,Vaccination site pain,
23.00,Vaccination site swelling,23.00,,,,,
873883,Headache,23.00,Myalgia,23.00,Nausea,23.00,Pyrexia,23.00,Rash,
23.00
873884,Corneal reflex decreased,23.00,Fall,23.00,Petit mal epilepsy,
23.00,,,,,
873885,Asthenia,23.00,Headache,23.00,Muscular weakness,23.00,Myalgia,
23.00,Pyrexia,23.00
873890,Antibody test negative,23.00,Vaccination failure,23.00,,,,,,,,,
873891,Congenital pyelocaliectasis,23.00,Cytogenetic abnormality,
23.00,Foetal exposure during pregnancy,23.00,,,,,
873893,Tinnitus,23.00,,,,,,,,,
873894,Tinnitus,23.00,,,,,,,,,
873895,Herpes zoster,23.00,Pain in extremity,23.00,Vaccination
failure,23.00,,,,,
873896,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
873897,Gene mutation identification test,23.00,Injection site
cellulitis,23.00,Injection site erythema,23.00,Injection site

hypersensitivity,23.00,Injection site oedema,23.00
873897,Prothrombin time normal,23.00,,,,,,,,,
873898,Arthralgia,23.00,Contusion,23.00,Headache,23.00,Immediate post-
injection reaction,23.00,Mobility decreased,23.00
873898,Musculoskeletal stiffness,23.00,Oedema,23.00,Pain,
23.00,Peripheral swelling,23.00,Photophobia,23.00
873898,Urticaria,23.00,,,,,,,,,
873899,Injection site pain,23.00,Pain,23.00,Pain in extremity,
23.00,,,,,
873900,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
873903,Herpes zoster,23.00,Pain,23.00,Rash,23.00,,,,,
873904,Cerebrovascular accident,23.00,Myocardial infarction,
23.00,,,,,,
873905,Asthenia,23.00,Cerebellar atrophy,23.00,Cerebral artery
thrombosis,23.00,Cerebral infarction,23.00,Cerebrovascular accident,
23.00
873905,Chest pain,23.00,Dizziness,23.00,Dysarthria,
23.00,Echocardiogram abnormal,23.00,Facial paralysis,23.00
873905,Fatigue,23.00,Feeling abnormal,23.00,Gait disturbance,
23.00,Grip strength decreased,23.00,Hemiparesis,23.00
873905,Hemiplegia,23.00,Hypoaesthesia,23.00,Lacunar infarction,
23.00,Lacunar stroke,23.00,Magnetic resonance imaging brain abnormal,
23.00
873905,Malaise,23.00,,,,,,,,,
873906,Incorrect route of product administration,23.00,Injection site
erythema,23.00,Injection site swelling,23.00,,,,,
873907,Antibody test negative,23.00,Inappropriate schedule of product
administration,23.00,Therapy non-responder,23.00,,,,,
873908,Inappropriate schedule of product administration,
23.00,Injection site erythema,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,
873909,Crying,23.00,Eczema,23.00,Pyrexia,23.00,Rash,23.00,,
873910,Injected limb mobility decreased,23.00,Pain,23.00,Pain in
extremity,23.00,Vomiting,23.00,,
873911,Asthenia,23.00,Fatigue,23.00,Migraine,23.00,Nausea,23.00,,
873912,Herpes zoster,23.00,Rash,23.00,,,,,,
873913,No adverse event,23.00,Wrong product administered,23.00,,,,,,
873914,Circumoral swelling,23.00,Injection site urticaria,
23.00,Swelling of eyelid,23.00,Throat irritation,23.00,,
873915,Contusion,23.00,Syncope,23.00,,,,,,
873916,Injection site erythema,23.00,Injection site injury,
23.00,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site warmth,23.00
873917,Nausea,23.00,Pallor,23.00,Syncope,23.00,,,,,
873918,Dizziness,23.00,Dysstasia,23.00,Urinary incontinence,23.00,,,,,
873919,Rash,23.00,Varicella zoster virus infection,23.00,,,,,,
873920,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
873921,Fatigue,23.00,Pyrexia,23.00,,,,,,
873922,Abdominal discomfort,23.00,Chills,23.00,Dyspepsia,

23.00,Fatigue,23.00,Headache,23.00
873922,Musculoskeletal stiffness,23.00,Somnolence,23.00,,,,,
873923,Blindness unilateral,23.00,Pain,23.00,Vision blurred,
23.00,Visual impairment,23.00,,
873924,Hypoaesthesia,23.00,Injected limb mobility decreased,
23.00,Injection site pain,23.00,Musculoskeletal pain,23.00,Pain in
extremity,23.00
873925,Decreased appetite,23.00,Pyrexia,23.00,Rash,23.00,,,,,
873926,Developmental regression,23.00,Intentional self-injury,
23.00,Speech disorder developmental,23.00,,,,,
873927,Eczema,23.00,Irritability,23.00,Rash,23.00,,,,,
873928,Computerised tomogram normal,23.00,Dizziness,23.00,Feeling
abnormal,23.00,Headache,23.00,Pain,23.00
873929,Body temperature increased,23.00,Headache,23.00,Lethargy,
23.00,,,,,
873930,Arthralgia,23.00,Chills,23.00,Joint stiffness,23.00,Nausea,
23.00,Vomiting,23.00
873931,Fatigue,23.00,Pain,23.00,,,,,
873932,Chills,23.00,Headache,23.00,,,,,
873933,Breast swelling,23.00,Chills,23.00,Computerised tomogram
normal,23.00,Headache,23.00,Impaired work ability,23.00
873933,Limb discomfort,23.00,Loss of personal independence in daily
activities,23.00,Lymph node pain,23.00,Lymphadenopathy,
23.00,Peripheral swelling,23.00
873934,Sudden death,23.00,Sudden infant death syndrome,23.00,,,,,
873935,Hypoaesthesia,23.00,Musculoskeletal pain,23.00,Oedema
peripheral,23.00,Ultrasound Doppler abnormal,23.00,,
873936,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Nausea,
23.00
873936,Pyrexia,23.00,,,,,
873937,Chills,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,,
873938,Chills,23.00,Injection site pain,23.00,Myalgia,23.00,Nausea,
23.00,Pyrexia,23.00
873939,Chills,23.00,Eye pain,23.00,Headache,23.00,Insomnia,
23.00,Nausea,23.00
873939,Pain,23.00,Temperature intolerance,23.00,,,,,
873940,Herpes zoster,23.00,Neuralgia,23.00,Pain in extremity,23.00,,,,,
873941,Bone pain,23.00,Breast pain,23.00,Burning sensation,
23.00,Discomfort,23.00,Injection site pain,23.00
873941,Neuralgia,23.00,Pain,23.00,Paraesthesia,23.00,,,,,
873942,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Injection site swelling,23.00,,
873943,Erythema,23.00,Pain in extremity,23.00,Swelling,23.00,,,,,
873944,Asthenia,23.00,Chills,23.00,Erythema,23.00,Headache,
23.00,Nasopharyngitis,23.00
873944,Pain in extremity,23.00,Pyrexia,23.00,Skin warm,23.00,Swelling,
23.00,,
873945,Chills,23.00,Fatigue,23.00,Pyrexia,23.00,,,,,
873946,Injection site erythema,23.00,Injection site swelling,
23.00,Myalgia,23.00,,,,,

873947,Rash,23.00,,,,,
873948,Diarrhoea,23.00,Eye ulcer,23.00,Urticaria,23.00,,,
873949,Cellulitis,23.00,,,,,
873950,Chills,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
873951,Headache,23.00,,,,,
873952,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pain,23.00,Local reaction,23.00,Pyrexia,23.00
873953,Headache,23.00,Injection site pain,23.00,Loss of personal
independence in daily activities,23.00,Pyrexia,23.00,,
873954,Diarrhoea,23.00,Fatigue,23.00,Feeling cold,23.00,Headache,
23.00,Heart rate increased,23.00
873954,Hypertension,23.00,Injection site pain,23.00,Nausea,
23.00,Pyrexia,23.00,,
873955,Decreased appetite,23.00,Diet refusal,23.00,Food intolerance,
23.00,Hypophagia,23.00,Poor sucking reflex,23.00
873955,Pyrexia,23.00,Weight decreased,23.00,,,,,
873956,Crying,23.00,Injection site bruising,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,
873957,Headache,23.00,Hypoaesthesia,23.00,Muscular weakness,
23.00,Paraesthesia,23.00,,
873958,Cellulitis,23.00,Skin warm,23.00,,,,,
873959,Arthritis,23.00,Pain in extremity,23.00,X-ray abnormal,
23.00,,,,,
873960,Limb mass,23.00,Pain,23.00,,,,,
873961,Blood test normal,23.00,Laboratory test normal,23.00,Pyrexia,
23.00,SARS-CoV-2 test negative,23.00,,
873962,Exposure during pregnancy,23.00,Feeling cold,
23.00,Oropharyngeal pain,23.00,Pain,23.00,,
873963,Chills,23.00,Injected limb mobility decreased,23.00,Pain,
23.00,Pyrexia,23.00,,
873964,Chills,23.00,Myalgia,23.00,Pain in extremity,23.00,,,,,
873965,Joint range of motion decreased,23.00,Musculoskeletal pain,
23.00,Pain,23.00,Product administered at inappropriate site,23.00,,
873966,Arthralgia,23.00,Myalgia,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00
873966,Retching,23.00,,,,,
873967,Injection site erythema,23.00,Injection site swelling,
23.00,Pyrexia,23.00,Skin warm,23.00,,
873968,Erythema,23.00,Pain,23.00,Pruritus,23.00,Skin warm,
23.00,Swelling,23.00
873973,Circumstance or information capable of leading to medication
error,23.00,Ill-defined disorder,23.00,Product administered to patient
of inappropriate age,23.00,Wrong product administered,23.00,,
873974,Dysarthria,23.00,Electroencephalogram normal,23.00,Facial
paralysis,23.00,Laboratory test normal,23.00,Magnetic resonance
imaging brain normal,23.00
873974,SARS-CoV-2 test negative,23.00,Transient ischaemic attack,
23.00,,,,,
873975,Bilirubin conjugated increased,23.00,Blood bilirubin increased,

23.00,Blood lactate dehydrogenase increased,23.00,Blood lactic acid increased,23.00,Blood pressure decreased,23.00
873975,Conjunctival haemorrhage,23.00,Diarrhoea,23.00,Distributive shock,23.00,Endotracheal intubation,23.00,Haemoglobin decreased,23.00
873975,Haemolysis,23.00,Haptoglobin decreased,23.00,Hypotension,23.00,Intensive care,23.00,International normalised ratio increased,23.00
873975,Jaundice,23.00,Lethargy,23.00,Liver function test normal,23.00,Malaise,23.00,Meningococcal sepsis,23.00
873975,Nausea,23.00,Neisseria test positive,23.00,Platelet count decreased,23.00,Purpura,23.00,Purpura fulminans,23.00
873975,Pyrexia,23.00,Rash,23.00,Resuscitation,23.00,Ultrasound abdomen abnormal,23.00,Vaccination failure,23.00
873975,Vomiting,23.00,Waterhouse-Friderichsen syndrome,23.00,White blood cell count increased,23.00,,,,,
873976,No adverse event,23.00,Product preparation issue,23.00,,,,,,
873977,Expired product administered,23.00,,,,,,
873978,Crying,23.00,Injection site reaction,23.00,Irritability,23.00,Pyrexia,23.00,,
873979,Expired product administered,23.00,No adverse event,23.00,,,,,,
873980,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,23.00
873980,Pyrexia,23.00,,,,,,
873981,Rash,23.00,,,,,,
873982,Cellulitis,23.00,,,,,,
873983,Condition aggravated,23.00,Dizziness,23.00,Fatigue,23.00,Feeling abnormal,23.00,Formication,23.00
873983,Hot flush,23.00,Hyperhidrosis,23.00,Injection site erythema,23.00,Injection site swelling,23.00,Musculoskeletal discomfort,23.00
873983,Nausea,23.00,Paraesthesia,23.00,Peripheral swelling,23.00,Throat tightness,23.00,Tremor,23.00
873984,Unevaluable event,23.00,,,,,,
873985,Oedema peripheral,23.00,,,,,,
873986,Rash,23.00,,,,,,
873987,Injection site erythema,23.00,Injection site pain,23.00,Injection site reaction,23.00,Pain,23.00,Urticaria,23.00
873988,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
874016,Expired product administered,23.00,No adverse event,23.00,,,,,,
874017,Extra dose administered,23.00,No adverse event,23.00,,,,,,
874018,Dizziness,23.00,,,,,,
874019,Expired product administered,23.00,No adverse event,23.00,,,,,,
874020,No adverse event,23.00,Product storage error,23.00,,,,,,
874021,No adverse event,23.00,Underdose,23.00,,,,,,
874022,No adverse event,23.00,Product storage error,23.00,,,,,,
874023,No adverse event,23.00,Product storage error,23.00,,,,,,
874024,Blindness,23.00,Rash,23.00,,,,,,
874025,No adverse event,23.00,Product storage error,23.00,,,,,,
874026,Chills,23.00,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Pyrexia,23.00
874028,Adverse reaction,23.00,Anaphylactic reaction,23.00,,,,,,

874029,Urticaria,23.00,,,,,,,,,
874030,Adverse reaction,23.00,Anaphylactic reaction,23.00,,,,,
874031,Breast swelling,23.00,,,,,,,,,
874032,Herpes zoster,23.00,,,,,,,,,
874033,Erythema,23.00,Extensive swelling of vaccinated limb,
23.00,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00
874033,Pruritus,23.00,,,,,,,,,
874034,Fatigue,23.00,Heart rate increased,23.00,Influenza like
illness,23.00,Injection site erythema,23.00,Injection site pain,23.00
874034,Injection site swelling,23.00,Injection site warmth,
23.00,Insomnia,23.00,Malaise,23.00,Pyrexia,23.00
874035,Adverse reaction,23.00,,,,,,,,,
874036,Erythema,23.00,Feeling hot,23.00,Incorrect route of product
administration,23.00,Skin warm,23.00,Swelling,23.00
874037,Malaise,23.00,Nerve compression,23.00,Pain,23.00,Pain in
extremity,23.00,,
874038,Herpes zoster,23.00,,,,,,,,,
874039,Dizziness,23.00,,,,,,,,,
874040,Erythema,23.00,Fatigue,23.00,Headache,23.00,Injection site
swelling,23.00,Pyrexia,23.00
874041,Dizziness,23.00,,,,,,,,,
874044,Mobility decreased,23.00,Pain in extremity,23.00,,,,,
874046,Fall,23.00,Loss of consciousness,23.00,Tremor,23.00,,,,,
874047,Arthralgia,23.00,,,,,,,,,
874051,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
874055,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874056,Erythema multiforme,23.00,Swelling,23.00,,,,,
874057,Adverse event,23.00,,,,,,,,,
874058,Blood pressure increased,23.00,Dysphagia,23.00,Hypertension,
23.00,Oropharyngeal discomfort,23.00,Tinnitus,23.00
874058,Tongue disorder,23.00,Tremor,23.00,,,,,
874059,Pain,23.00,Pyrexia,23.00,,,,,
874060,Cellulitis,23.00,Erythema,23.00,Malaise,23.00,Pain in
extremity,23.00,Pyrexia,23.00
874061,Headache,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site pruritus,23.00,Injection site swelling,23.00
874061,Injection site urticaria,23.00,Pain,23.00,Pharyngeal swelling,
23.00,,,,,
874062,Injection site reaction,23.00,Pyrexia,23.00,,,,,
874063,Chills,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,,
874064,Abdominal pain,23.00,,,,,,,,,
874065,Fatigue,23.00,Rash pruritic,23.00,,,,,
874066,Dizziness,23.00,Headache,23.00,Malaise,23.00,Nausea,
23.00,Polymerase chain reaction,23.00
874066,Pyrexia,23.00,SARS-CoV-2 test,23.00,Vomiting,23.00,,,,,
874067,Arthralgia,23.00,Bedridden,23.00,Chills,23.00,Influenza like
illness,23.00,Pain in extremity,23.00
874068,Injection site pain,23.00,Injection site rash,23.00,,,,,

874069, Dermatitis contact, 23.00, Rash, 23.00, Rash pruritic, 23.00, Rash vesicular, 23.00,,
874070, Erythema multiforme, 23.00, Pruritus, 23.00, Urticaria, 23.00,,,,,
874081, Cerebrovascular accident, 23.00, Immediate post-injection reaction, 23.00,,,,,,
874082, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00,,,,,,
874083, Expired product administered, 23.00, No adverse event, 23.00,,,,,,
874084, Dizziness, 23.00, Exposure during pregnancy, 23.00,,,,,,
874085, Incorrect route of product administration, 23.00, Injection site pain, 23.00, Wrong product administered, 23.00,,,,,
874086, No adverse event, 23.00, Product preparation issue, 23.00,,,,,,
874087, Expired product administered, 23.00, No adverse event, 23.00,,,,,,
874088, Arthralgia, 23.00, Chills, 23.00, Influenza like illness, 23.00, Pain in extremity, 23.00,,
874089, Gastroesophageal reflux disease, 23.00, Infantile spitting up, 23.00,,,,,,
874090, Erythema, 23.00, Headache, 23.00, Pain, 23.00, Peripheral swelling, 23.00,,
874091, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Pyrexia, 23.00
874092, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00,,
874093, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00,,,,,,
874094, Haematochezia, 23.00,,,,,,
874095, Communication disorder, 23.00, Confusional state, 23.00, Crying, 23.00, Food aversion, 23.00, Language disorder, 23.00
874095, Learning disorder, 23.00, Nausea, 23.00, Pyrexia, 23.00,,,,,
874096, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00,,,,,,
874097, Herpes zoster, 23.00, Migraine, 23.00, Pain, 23.00,,,,,
874098, Eczema, 23.00,,,,,,
874099, Bronchial hyperreactivity, 23.00, Bronchitis, 23.00, Malaise, 23.00,,,,,
874100, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, Rash, 23.00
874101, Extra dose administered, 23.00,,,,,,
874102, Pharyngitis, 23.00,,,,,,
874103, Dermatitis, 23.00,,,,,,
874104, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Lymphadenopathy, 23.00, Swelling, 23.00
874105, Injected limb mobility decreased, 23.00, Product administered at inappropriate site, 23.00,,,,,,
874106, Discomfort, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00
874107, Rash, 23.00, Urticaria, 23.00,,,,,,
874108, Feeling abnormal, 23.00, Feeling hot, 23.00, Mydriasis, 23.00, Syncope, 23.00, Tinnitus, 23.00
874108, Vision blurred, 23.00,,,,,,
874109, Injection site scar, 23.00, Musculoskeletal stiffness, 23.00, Scab,

23.00,,,,,
874110,Dizziness,23.00,Injection site erythema,23.00,Injection site swelling,23.00,Malaise,23.00,,
874111,Autoimmune thyroiditis,23.00,Blister,23.00,Blood test,23.00,Burning sensation,23.00,Erythema,23.00
874111,Facial pain,23.00,Influenza like illness,23.00,Pain,23.00,Pruritus,23.00,Rash,23.00
874111,Rash erythematous,23.00,Swelling face,23.00,,,,,,
874112,Tinnitus,23.00,,,,,,
874113,Abdominal discomfort,23.00,Decreased appetite,23.00,Irritability,23.00,Pyrexia,23.00,Vomiting,23.00
874124,No adverse event,23.00,Product preparation issue,23.00,,,,,,
874125,No adverse event,23.00,Product storage error,23.00,,,,,,
874126,Neuropathy peripheral,23.00,,,,,,
874127,Rash,23.00,Rash vesicular,23.00,,,,,,
874128,Herpes zoster,23.00,Post herpetic neuralgia,23.00,Rash,23.00,,,,,
874129,No adverse event,23.00,Product storage error,23.00,,,,,,
874130,Herpes zoster,23.00,,,,,,
874131,Arteriogram coronary normal,23.00,Blood culture negative,23.00,COVID-19,23.00,Echocardiogram normal,23.00,Electrocardiogram ST segment elevation,23.00
874131,Electrocardiogram abnormal,23.00,Myocardial infarction,23.00,Patent isolation,23.00,Pyrexia,23.00,Respiratory viral panel,23.00
874131,SARS-CoV-2 test positive,23.00,,,,,,
874132,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
874133,Dysphagia,23.00,Dyspnoea,23.00,Rash,23.00,Rash erythematous,23.00,,
874135,Injection site erythema,23.00,Injection site induration,23.00,Injection site swelling,23.00,Injection site warmth,23.00,Local reaction,23.00
874136,Fatigue,23.00,Feeling abnormal,23.00,Injection site pain,23.00,Lymph node pain,23.00,Lymphadenopathy,23.00
874136,Myalgia,23.00,,,,,,
874137,Chest pain,23.00,Condition aggravated,23.00,,,,,,
874138,Asthenia,23.00,Loss of personal independence in daily activities,23.00,Musculoskeletal pain,23.00,Pain,23.00,,
874139,Body temperature,23.00,,,,,,
874150,No adverse event,23.00,Underdose,23.00,,,,,,
874151,No adverse event,23.00,Product storage error,23.00,,,,,,
874152,Rash,23.00,,,,,,
874153,Extra dose administered,23.00,Wrong product administered,23.00,,,,,,
874154,No adverse event,23.00,Product storage error,23.00,,,,,,
874155,Limb mass,23.00,Malaise,23.00,Pain in extremity,23.00,,,,,
874156,Diarrhoea,23.00,Immediate post-injection reaction,23.00,Malaise,23.00,Vomiting,23.00,,
874157,Formication,23.00,,,,,,
874158,Injection site erythema,23.00,Injection site oedema,

23.00,Injection site swelling,23.00,,,,,
874159,Scab,23.00,Skin lesion,23.00,Varicella post vaccine,23.00,,,,,
874160,Asthenia,23.00,Body temperature increased,23.00,Pain,
23.00,Tremor,23.00,,
874161,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Nausea,23.00,Sleep disorder,23.00,X-ray,23.00
874162,Arthralgia,23.00,Blood test abnormal,23.00,Joint range of
motion decreased,23.00,Joint swelling,23.00,Juvenile idiopathic
arthritis,23.00
874162,X-ray abnormal,23.00,,,,,,
874163,Body temperature increased,23.00,Fatigue,23.00,Headache,
23.00,Vertigo,23.00,,
874164,Myalgia,23.00,Pain,23.00,,,,,
874165,Injection site rash,23.00,Rash erythematous,23.00,,,,,
874166,Extra dose administered,23.00,,,,,
874167,Asthenia,23.00,Chills,23.00,Discomfort,23.00,Headache,
23.00,Injection site pain,23.00
874167,Injection site swelling,23.00,Pain,23.00,Pyrexia,23.00,Thirst,
23.00,,
874168,Incorrect dose administered,23.00,,,,,
874169,Pyrexia,23.00,Rash,23.00,,,,,
874170,Malaise,23.00,Nausea,23.00,,,,,
874171,Expired product administered,23.00,,,,,
874172,Unevaluable event,23.00,,,,,
874173,Pyrexia,23.00,Rash,23.00,,,,,
874175,Magnetic resonance imaging,23.00,Pain in extremity,23.00,X-ray
limb,23.00,,,,,
874176,Arthralgia,23.00,Chest pain,23.00,Headache,23.00,Hypoaesthesia,
23.00,Musculoskeletal pain,23.00
874176,Pain,23.00,Pain in extremity,23.00,,,,,
874177,Pyrexia,23.00,Rash,23.00,Varicella post vaccine,23.00,,,,,
874178,Rash,23.00,,,,,
874179,Rash,23.00,,,,,
874180,Discomfort,23.00,Immediate post-injection reaction,
23.00,Influenza like illness,23.00,Injection site pain,
23.00,Neuralgia,23.00
874180,Pain,23.00,,,,,
874181,Pyrexia,23.00,Swelling face,23.00,Urticaria,23.00,,,,,
874182,Extra dose administered,23.00,,,,,
874183,Eye swelling,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Local reaction,23.00
874183,Rash,23.00,Rash macular,23.00,Swelling face,23.00,,,,,
874184,Injection site erythema,23.00,Injection site nodule,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
874185,Dyskinesia,23.00,Feeling cold,23.00,Tongue movement
disturbance,23.00,,,,,
874186,Fatigue,23.00,Irritability,23.00,,,,,
874187,Eye swelling,23.00,Swelling face,23.00,,,,,
874188,Headache,23.00,Insomnia,23.00,Malaise,23.00,Nausea,23.00,Pain,
23.00

874188, Pyrexia, 23.00, , , , , , , ,
874189, Rash, 23.00, , , , , , , ,
874190, Fatigue, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00, ,
874191, Diarrhoea, 23.00, Haematochezia, 23.00, , , , , , , ,
874192, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , ,
874204, Incorrect route of product administration, 23.00, No adverse
event, 23.00, , , , , , , ,
874205, Facial paralysis, 23.00, Visual impairment, 23.00, , , , , , , ,
874206, Exposure to toxic agent, 23.00, Herpes zoster,
23.00, Musculoskeletal pain, 23.00, Pain in extremity, 23.00, Rash, 23.00
874207, Product administered to patient of inappropriate age,
23.00, , , , , , , ,
874208, Fatigue, 23.00, Pain, 23.00, , , , , , , ,
874209, Injected limb mobility decreased, 23.00, Injection site pain,
23.00, Musculoskeletal stiffness, 23.00, Pain, 23.00, Pain in extremity,
23.00
874210, Chills, 23.00, Headache, 23.00, Neck pain, 23.00, Pain,
23.00, Swelling, 23.00
874210, White blood cell count decreased, 23.00, , , , , , , , ,
874211, Asthenia, 23.00, Chills, 23.00, Diarrhoea, 23.00, Dizziness,
23.00, Eating disorder, 23.00
874211, Fatigue, 23.00, Influenza like illness, 23.00, Injection site pain,
23.00, , , , ,
874212, Herpes zoster, 23.00, , , , , , , , ,
874213, Incomplete course of vaccination, 23.00, Rash, 23.00, , , , , , , ,
874214, Vaccination failure, 23.00, , , , , , , , ,
874215, Extra dose administered, 23.00, Inappropriate schedule of product
administration, 23.00, No adverse event, 23.00, , , , ,
874216, Extensive swelling of vaccinated limb, 23.00, Impaired work
ability, 23.00, Injected limb mobility decreased, 23.00, Injection site
pain, 23.00, Magnetic resonance imaging abnormal, 23.00
874216, Mobility decreased, 23.00, Pain, 23.00, Periarthritis, 23.00, Rotator
cuff syndrome, 23.00, , ,
874217, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
874218, Anaemia, 23.00, Delivery, 23.00, Exposure during pregnancy,
23.00, Foetal disorder, 23.00, Premature delivery, 23.00
874218, Pyelocaliectasis, 23.00, , , , , , , , ,
874219, Apgar score normal, 23.00, Breech presentation, 23.00, Caesarean
section, 23.00, Foetal exposure during pregnancy, 23.00, , ,
874220, Apgar score normal, 23.00, Foetal exposure during pregnancy,
23.00, Large for dates baby, 23.00, Macrosomia, 23.00, , ,
874221, Apgar score normal, 23.00, Foetal exposure during pregnancy,
23.00, Premature baby, 23.00, Pyelocaliectasis, 23.00, , ,
874222, Asthenia, 23.00, Dizziness, 23.00, Fatigue, 23.00, Injection site
erythema, 23.00, Injection site pain, 23.00
874222, Listless, 23.00, Nausea, 23.00, Pyrexia, 23.00, , , , , ,
874223, Injection site erythema, 23.00, Pyrexia, 23.00, , , , , , , ,
874224, Injection site erythema, 23.00, Injection site swelling,
23.00, , , , , , , ,

874225,Asthenia,23.00,Computerised tomogram,23.00,Dizziness,23.00,Pain
in extremity,23.00,Syncope,23.00
874225,X-ray,23.00,,,,,
874226,Rash,23.00,Rash macular,23.00,Rash pruritic,23.00,,,,
874227,Feeling abnormal,23.00,Muscle rigidity,23.00,Presyncope,
23.00,,,,
874228,Blood glucose normal,23.00,Blood magnesium normal,
23.00,Differential white blood cell count normal,23.00,Eye movement
disorder,23.00,Full blood count normal,23.00
874228,Generalised tonic-clonic seizure,23.00,Lethargy,23.00,Malaise,
23.00,Nausea,23.00,Pregnancy test urine negative,23.00
874228,SARS-CoV-2 test negative,23.00,Seizure,23.00,Somnolence,
23.00,Toxicologic test normal,23.00,Urine analysis normal,23.00
874229,Injection site swelling,23.00,,,,,
874230,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,
874231,Hypoaesthesia,23.00,Paraesthesia,23.00,Peripheral swelling,
23.00,Swelling,23.00,,
874232,Injection site mass,23.00,Malaise,23.00,Pain,23.00,Pyrexia,
23.00,,
874233,Injection site erythema,23.00,Vaccination site pain,
23.00,Vaccination site plaque,23.00,Vaccination site pruritus,
23.00,Vaccination site swelling,23.00
874233,Vaccination site warmth,23.00,,,,,
874234,Gait disturbance,23.00,Injection site movement impairment,
23.00,Rash erythematous,23.00,Rash macular,23.00,,
874235,Body temperature increased,23.00,Febrile convulsion,23.00,Urine
analysis normal,23.00,,,,
874257,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874258,Herpes zoster,23.00,,,,,
874259,Herpes zoster,23.00,,,,,
874260,No adverse event,23.00,Product storage error,23.00,,,,,
874261,Herpes zoster,23.00,,,,,
874262,Inappropriate schedule of product administration,
23.00,Injection site pain,23.00,Interchange of vaccine products,
23.00,,,,
874263,Expired product administered,23.00,No adverse event,23.00,,,,,
874264,No adverse event,23.00,Product storage error,23.00,,,,,
874265,No adverse event,23.00,Product storage error,23.00,,,,,
874266,Hypersensitivity,23.00,Rash,23.00,Rash papular,23.00,,,,
874267,Pain in extremity,23.00,,,,,
874268,Rash,23.00,Rash erythematous,23.00,Rash pruritic,23.00,Rash
pustular,23.00,Rash vesicular,23.00
874268,Urticaria,23.00,,,,,
874269,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,
874270,"Hallucination, auditory",23.00,"Hallucination, visual",
23.00,Injection site pain,23.00,Insomnia,23.00,,
874271,Syncope,23.00,,,,,
874272,Decreased appetite,23.00,Headache,23.00,Pain,23.00,,,,

874273, Immunisation, 23.00, Product preparation issue, 23.00, , , , , ,
874274, Blood culture negative, 23.00, Chest X-ray normal,
23.00, Computerised tomogram normal, 23.00, Electroencephalogram normal,
23.00, Full blood count normal, 23.00
874274, Irritability, 23.00, Lethargy, 23.00, Metabolic function test
normal, 23.00, Pallor, 23.00, Pyrexia, 23.00
874274, SARS-CoV-2 test negative, 23.00, Seizure, 23.00, Urine analysis
normal, 23.00, Vomiting, 23.00, ,
874279, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
874280, Product storage error, 23.00, , , , , , , ,
874281, No adverse event, 23.00, Underdose, 23.00, , , , , ,
874282, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , ,
874283, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
874284, Herpes zoster, 23.00, Rash, 23.00, , , , , ,
874285, Fatigue, 23.00, Hyperaesthesia, 23.00, Sensory disturbance,
23.00, , , , ,
874286, Dyspnoea, 23.00, Hypersensitivity, 23.00, Urticaria, 23.00, , , , ,
874287, Endotracheal intubation, 23.00, Guillain-Barre syndrome,
23.00, Intensive care, 23.00, Muscular weakness, 23.00, Plasmapheresis,
23.00
874288, No adverse event, 23.00, Wrong product administered, 23.00, , , , , ,
874289, Rash, 23.00, Urticaria, 23.00, , , , , ,
874290, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , ,
874296, Chills, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Myalgia,
23.00, Pyrexia, 23.00
874297, Burning sensation, 23.00, Fatigue, 23.00, Insomnia, 23.00, Pruritus,
23.00, Rash, 23.00
874297, Rash vesicular, 23.00, Urticaria, 23.00, , , , , ,
874298, Anaphylactic reaction, 23.00, Asthma, 23.00, Bronchial
hyperreactivity, 23.00, Condition aggravated, 23.00, Dyspnoea, 23.00
874298, Vomiting, 23.00, , , , , , , ,
874299, Paraesthesia oral, 23.00, Throat tightness, 23.00, , , , , ,
874300, Pyrexia, 23.00, Rash, 23.00, , , , , ,
874301, Headache, 23.00, Hyperhidrosis, 23.00, Nausea, 23.00, Photophobia,
23.00, Pyrexia, 23.00
874302, Pyrexia, 23.00, Urticaria, 23.00, , , , , ,
874303, Abdominal discomfort, 23.00, Headache, 23.00, Pyrexia, 23.00, , , , ,
874304, Heart rate increased, 23.00, Lethargy, 23.00, Supraventricular
tachycardia, 23.00, Vomiting, 23.00, ,
874305, No adverse event, 23.00, Wrong product administered, 23.00, , , , , ,
874306, Cellulitis, 23.00, Mobility decreased, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, Skin warm, 23.00
874307, Pain in extremity, 23.00, , , , , , , ,
874308, Diarrhoea, 23.00, , , , , , , ,
874309, Induration, 23.00, Injection site erythema, 23.00, Injection site
induration, 23.00, Injection site reaction, 23.00, Pyrexia, 23.00
874309, Rash papular, 23.00, , , , , , , ,
874310, Injection site erythema, 23.00, Injection site nodule,

23.00,Weight bearing difficulty,23.00,,,,,
874311,Gait disturbance,23.00,Injection site erythema,23.00,Injection
site induration,23.00,Injection site macule,23.00,Injection site pain,
23.00
874311,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site vesicles,23.00,Injection site warmth,
23.00,Insomnia,23.00
874311,Pyrexia,23.00,,,,,,
874312,Abdominal pain,23.00,Decreased appetite,23.00,Fatigue,
23.00,Influenza like illness,23.00,Myalgia,23.00
874313,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Pain,23.00,,
874314,Body temperature increased,23.00,Erythema,23.00,Fatigue,
23.00,Headache,23.00,Injection site warmth,23.00
874314,Myalgia,23.00,Pain,23.00,Rash,23.00,Rash erythematous,
23.00,Rash pruritic,23.00
874314,Restlessness,23.00,,,,,,
874315,Pain in extremity,23.00,Peripheral swelling,23.00,,,,,
874316,Ear pain,23.00,Extra dose administered,23.00,,,,,
874317,Chills,23.00,Influenza,23.00,Myalgia,23.00,,,,,
874318,Arthropathy,23.00,Fatigue,23.00,,,,,
874319,Extra dose administered,23.00,Upper respiratory tract
congestion,23.00,Viral rhinitis,23.00,,,,,
874320,Rash,23.00,Rash pruritic,23.00,,,,,
874321,Bronchitis,23.00,Malaise,23.00,Oropharyngeal pain,
23.00,Pyrexia,23.00,,
874322,Bronchitis,23.00,Cough,23.00,Pyrexia,23.00,,,,,
874323,Pain of skin,23.00,Rash,23.00,,,,,
874324,Gastritis,23.00,Otitis media,23.00,Pharyngitis,23.00,Pyrexia,
23.00,Vomiting projectile,23.00
874325,Antibody test,23.00,CSF cell count,23.00,CSF glucose,
23.00,Differential white blood cell count,23.00,Full blood count,23.00
874325,Gram stain,23.00,Guillain-Barre syndrome,23.00,Lumbar puncture,
23.00,Metabolic function test,23.00,Paraesthesia,23.00
874325,Polymerase chain reaction,23.00,SARS-CoV-2 test,23.00,West Nile
virus test,23.00,,,,,
874326,Otitis media,23.00,Pyrexia,23.00,,,,,
874327,Upper respiratory tract infection,23.00,,,,,,
874328,Bronchial hyperreactivity,23.00,Irritability,23.00,Pyrexia,
23.00,,,,,
874335,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874336,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874337,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874338,Anaphylactic reaction,23.00,,,,,,
874339,Exposure via skin contact,23.00,Needle issue,23.00,,,,,
874340,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874341,No adverse event,23.00,Product administered to patient of

inappropriate age,23.00,Wrong product administered,23.00,,,,,
874342,Crying,23.00,Product preparation error,23.00,,,,,,
874343,Expired product administered,23.00,No adverse event,23.00,,,,,,
874344,No adverse event,23.00,Product preparation error,23.00,,,,,,
874345,No adverse event,23.00,Product preparation error,23.00,,,,,,
874346,No adverse event,23.00,Product preparation error,23.00,,,,,,
874347,Incorrect product formulation administered,23.00,No adverse
event,23.00,Product preparation issue,23.00,,,,,
874348,Headache,23.00,Rash,23.00,,,,,,
874349,Chills,23.00,Headache,23.00,Hyperhidrosis,23.00,Injection site
swelling,23.00,Insomnia,23.00
874349,Nausea,23.00,,,,,,
874350,Blood test,23.00,Computerised tomogram,23.00,Pneumonia,
23.00,SARS-CoV-2 test,23.00,Urine analysis,23.00
874350,X-ray,23.00,,,,,,
874351,Inflammation,23.00,Pain,23.00,Pain in extremity,23.00,,,,,
874352,Injection site erythema,23.00,Injection site swelling,
23.00,Pyrexia,23.00,,,,,
874353,Blood pressure increased,23.00,Contusion,23.00,Dizziness,
23.00,Fall,23.00,Head injury,23.00
874353,Loss of consciousness,23.00,Oropharyngeal pain,
23.00,Vaccination site pain,23.00,,,,,
874354,Swelling face,23.00,Swelling of eyelid,23.00,,,,,,
874355,Erythema,23.00,Rash,23.00,Swelling,23.00,,,,,
874356,Blindness transient,23.00,Headache,23.00,Pain,
23.00,Photophobia,23.00,Tunnel vision,23.00
874356,Visual field defect,23.00,Visual impairment,23.00,,,,,,
874357,Presyncope,23.00,,,,,,
874367,No adverse event,23.00,Product storage error,23.00,,,,,,
874368,Herpes zoster,23.00,,,,,,
874369,Herpes zoster,23.00,,,,,,
874370,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Large for dates baby,23.00,,
874371,Injection site erythema,23.00,Injection site warmth,
23.00,Pruritus,23.00,,,,,
874372,Antinuclear antibody positive,23.00,Erythema,23.00,Skin warm,
23.00,Swelling,23.00,,
874373,Erythema multiforme,23.00,Full blood count,23.00,SARS-CoV-2
test,23.00,,,,,
874375,Back pain,23.00,Chills,23.00,Discomfort,23.00,Dizziness,
23.00,Erythema,23.00
874375,Feeling abnormal,23.00,Feeling hot,23.00,Headache,23.00,Heart
rate increased,23.00,Musculoskeletal pain,23.00
874375,Pain,23.00,Paraesthesia,23.00,Sensory disturbance,
23.00,Swelling,23.00,,
874376,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
874377,Chills,23.00,Erythema,23.00,Injection site erythema,
23.00,Injection site streaking,23.00,Injection site swelling,23.00
874377,Injection site warmth,23.00,Skin warm,23.00,Swelling,23.00,,,,,
874378,Herpes zoster,23.00,Impaired work ability,23.00,Loss of

personal independence in daily activities,23.00,Rash,23.00,Rash vesicular,23.00
874381,Expired product administered,23.00,No adverse event,23.00,,,,,
874382,Herpes zoster,23.00,Rash,23.00,Rash vesicular,23.00,,,,,
874383,Inappropriate schedule of product administration,23.00,No adverse event,23.00,,,,,
874384,Syncope,23.00,,,,,
874385,Expired product administered,23.00,No adverse event,23.00,,,,,
874386,Injection site erythema,23.00,Injection site induration,23.00,Injection site pain,23.00,,,,,
874388,Hypoaesthesia,23.00,,,,,
874389,Eye movement disorder,23.00,Full blood count,23.00,Metabolic function test,23.00,Neurological examination normal,23.00,Tremor,23.00
874389,Unresponsive to stimuli,23.00,,,,,
874390,Erythema,23.00,Pain,23.00,Pruritus,23.00,,,,,
874392,Dizziness,23.00,,,,,
874395,Facial paralysis,23.00,,,,,
874396,Herpes zoster,23.00,,,,,
874397,Herpes zoster,23.00,,,,,
874398,Herpes zoster,23.00,,,,,
874400,Expired product administered,23.00,No adverse event,23.00,,,,,
874401,No adverse event,23.00,Product storage error,23.00,,,,,
874402,No adverse event,23.00,Product storage error,23.00,,,,,
874403,Expired product administered,23.00,No adverse event,23.00,,,,,
874404,Expired product administered,23.00,No adverse event,23.00,,,,,
874405,Ageusia,23.00,Chest discomfort,23.00,Cough,23.00,Dyspnoea,23.00,Pyrexia,23.00
874405,SARS-CoV-2 test positive,23.00,,,,,
874406,Body temperature,23.00,Bowel movement irregularity,23.00,Cold sweat,23.00,Headache,23.00,Hyperhidrosis,23.00
874406,Hypotension,23.00,Loss of consciousness,23.00,Nausea,23.00,,,,,
874407,Injection site pain,23.00,Rotator cuff syndrome,23.00,,,,,
874408,Chills,23.00,Dyspnoea,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,23.00
874408,Pain,23.00,,,,,
874409,Administration site pain,23.00,Administration site swelling,23.00,Injection site erythema,23.00,Injection site inflammation,23.00,Injection site pruritus,23.00
874409,Injection site vesicles,23.00,,,,,
874410,Crying,23.00,Decreased appetite,23.00,Hypersomnia,23.00,Lethargy,23.00,Pyrexia,23.00
874410,Speech disorder,23.00,Vomiting,23.00,,,,,
874411,Injection site erythema,23.00,Injection site rash,23.00,Pyrexia,23.00,Rash,23.00,Rash erythematous,23.00
874412,Injection site erythema,23.00,Injection site induration,23.00,Injection site oedema,23.00,Injection site pain,23.00,Injection site swelling,23.00
874412,Injection site warmth,23.00,,,,,
874413,Headache,23.00,Pain,23.00,Pyrexia,23.00,Vision blurred,23.00,,
874414,Joint swelling,23.00,Oedema peripheral,23.00,Tenderness,

23.00,,,,,
874415,Inappropriate schedule of product administration,23.00,,,,,,
874417,Injection site erythema,23.00,Injection site reaction,
23.00,Injection site swelling,23.00,Injection site warmth,
23.00,Musculoskeletal stiffness,23.00
874417,Pain,23.00,,,,,,
874418,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874419,Chills,23.00,Headache,23.00,,,,,
874421,Pyrexia,23.00,Rash papular,23.00,Vaccination site erythema,
23.00,Vaccination site rash,23.00,Vaccination site reaction,23.00
874422,Arthralgia,23.00,Gait disturbance,23.00,Injection site
erythema,23.00,Injection site swelling,23.00,Pain in extremity,23.00
874423,No adverse event,23.00,Wrong product administered,23.00,,,,,
874424,Blister,23.00,Rash,23.00,,,,,
874425,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
874426,Chills,23.00,Hallucination,23.00,Pain,23.00,,,,,
874427,Diarrhoea,23.00,Pyrexia,23.00,,,,,
874428,Chills,23.00,Feeling abnormal,23.00,Influenza like illness,
23.00,Injection site pain,23.00,Pain,23.00
874428,Pain in extremity,23.00,Pyrexia,23.00,,,,,
874429,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Pain,
23.00,Pyrexia,23.00
874431,Urticaria,23.00,,,,,,
874433,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874434,No adverse event,23.00,Product storage error,23.00,,,,,
874435,Herpes zoster,23.00,,,,,,
874436,Blood test,23.00,Dizziness,23.00,Headache,23.00,Hypoaesthesia,
23.00,Injection site pain,23.00
874436,International normalised ratio,23.00,Nausea,23.00,Pain in
extremity,23.00,Paraesthesia,23.00,,
874437,No adverse event,23.00,Product storage error,23.00,,,,,
874439,Injection site pain,23.00,Joint range of motion decreased,
23.00,,,,,
874440,Erythema,23.00,Pruritus,23.00,Swelling,23.00,,,,,
874441,Rash,23.00,,,,,,
874442,Injection site induration,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
874443,Dizziness,23.00,Headache,23.00,Injection site rash,
23.00,Musculoskeletal stiffness,23.00,Myalgia,23.00
874444,Antinuclear antibody,23.00,Arthralgia,23.00,Blood culture
negative,23.00,Haematology test,23.00,Immunology test,23.00
874444,Injection site joint movement impairment,23.00,Joint stiffness,
23.00,Joint swelling,23.00,Laboratory test,23.00,Loss of personal
independence in daily activities,23.00
874444,Musculoskeletal stiffness,23.00,Pain,23.00,Periarthritis,
23.00,Rheumatoid factor,23.00,Streptococcus test,23.00

874445,Erythema,23.00,Rash,23.00,,,,,
874446,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
874478,No adverse event,23.00,Product storage error,23.00,,,,,
874480,Herpes zoster,23.00,,,,,
874481,Extra dose administered,23.00,No adverse event,23.00,,,,,
874483,Extensive swelling of vaccinated limb,23.00,Fatigue,
23.00,Vaccination site erythema,23.00,Vaccination site pain,
23.00,Vaccination site swelling,23.00
874483,Vaccination site vesicles,23.00,,,,,
874484,Expired product administered,23.00,No adverse event,23.00,,,,,
874485,Arthralgia,23.00,Gait inability,23.00,Groin pain,
23.00,Musculoskeletal pain,23.00,Pain,23.00
874485,Pain in extremity,23.00,,,,,
874488,Pyrexia,23.00,,,,,
874489,Pyrexia,23.00,,,,,
874490,Eye pain,23.00,,,,,
874491,Arthralgia,23.00,Fatigue,23.00,Pain in extremity,23.00,,,,,
874492,Adverse event,23.00,,,,,
874494,Acne,23.00,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pruritus,23.00
874494,Pyrexia,23.00,Rash vesicular,23.00,,,,,
874496,Alopecia,23.00,Asthenia,23.00,Cough,23.00,Herpes virus
infection,23.00,Herpes zoster,23.00
874496,Madarosis,23.00,Pain,23.00,Vaccination failure,23.00,,,,,
874498,Pain in extremity,23.00,Sleep disorder,23.00,,,,,
874500,Blister,23.00,Immediate post-injection reaction,23.00,,,,,
874501,Blister,23.00,,,,,
874503,Abdominal discomfort,23.00,Dizziness,23.00,,,,,
874504,Influenza like illness,23.00,,,,,
874505,Arthralgia,23.00,Influenza like illness,23.00,Malaise,
23.00,Myalgia,23.00,Pain,23.00
874506,Incorrect dose administered,23.00,Pain,23.00,Pain in extremity,
23.00,Product preparation issue,23.00,,
874507,Hyperkeratosis lenticularis perstans,23.00,Rash,23.00,Rash
macular,23.00,Rash papular,23.00,Skin ulcer,23.00
874508,Back pain,23.00,Balance disorder,23.00,Headache,
23.00,Hypoaesthesia,23.00,Insomnia,23.00
874508,Pain,23.00,Sciatica,23.00,Spinal pain,23.00,Visual impairment,
23.00,,
874509,Injection site swelling,23.00,,,,,
874511,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Oropharyngeal pain,23.00
874511,Pain in extremity,23.00,Pyrexia,23.00,,,,,
874513,Rash,23.00,,,,,
874514,Herpes zoster,23.00,,,,,
874516,Accidental underdose,23.00,Eyelid disorder,23.00,Fatigue,
23.00,,,,,
874518,Blister,23.00,Diarrhoea,23.00,Rash pruritic,23.00,Skin
discolouration,23.00,Varicella,23.00
874519,Crying,23.00,Emotional distress,23.00,Muscle twitching,

23.00,Pain,23.00,,
874521,Feeling abnormal,23.00,Systemic mastocytosis,23.00,,,,,
874523,Pain in extremity,23.00,,,,,
874548,Abdominal pain,23.00,Swelling face,23.00,,,,,
874549,Injection site erythema,23.00,Injection site pain,23.00,Local
reaction,23.00,,,,,
874550,Abdominal discomfort,23.00,Chills,23.00,Headache,23.00,Pain,
23.00,Pyrexia,23.00
874551,Injection site rash,23.00,Injection site warmth,23.00,Pain in
extremity,23.00,Rash,23.00,,
874552,Abdominal discomfort,23.00,Breath sounds normal,23.00,Chest
discomfort,23.00,Electrocardiogram,23.00,Headache,23.00
874552,Vomiting,23.00,,,,,
874553,Body temperature increased,23.00,Seizure,23.00,,,,,
874554,Breast pain,23.00,Headache,23.00,Injection site pain,
23.00,Pain,23.00,,
874555,Erythema,23.00,Local reaction,23.00,Tenderness,23.00,,,,,
874562,No adverse event,23.00,Product storage error,23.00,,,,,
874563,Herpes zoster,23.00,,,,,
874564,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874565,Induration,23.00,,,,,
874566,Bedridden,23.00,Chills,23.00,Headache,23.00,Insomnia,
23.00,Social problem,23.00
874567,Bedridden,23.00,Fatigue,23.00,Somnolence,23.00,Vaccine positive
rechallenge,23.00,,
874568,Facial pain,23.00,Herpes virus infection,23.00,Pain,
23.00,Pruritus,23.00,Rash,23.00
874569,Hypokinesia,23.00,Pain in extremity,23.00,,,,,
874570,Herpes zoster,23.00,,,,,
874571,Cellulitis,23.00,Erythema,23.00,Swelling,23.00,Tenderness,
23.00,,
874572,Burning sensation,23.00,Herpes zoster,23.00,Rash erythematous,
23.00,Rash papular,23.00,,
874573,Cellulitis,23.00,Erythema,23.00,Swelling,23.00,Tenderness,
23.00,,
874574,Febrile convulsion,23.00,Pyrexia,23.00,SARS-CoV-2 test
negative,23.00,Seizure,23.00,Seizure cluster,23.00
874574,Viral test negative,23.00,,,,,
874575,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
874580,Ill-defined disorder,23.00,,,,,
874581,Malaise,23.00,Reaction to preservatives,23.00,,,,,
874582,No adverse event,23.00,Product storage error,23.00,,,,,
874583,No adverse event,23.00,Product storage error,23.00,,,,,
874584,No adverse event,23.00,Product storage error,23.00,,,,,
874586,Incorrect route of product administration,23.00,Wrong product
administered,23.00,,,,,
874587,Injection site pain,23.00,Injection site rash,23.00,Rash,

23.00,,,,,
874588,Wrong product administered,23.00,,,,,,
874589,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874590,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Pruritus,23.00,Urticaria,23.00
874591,Rash erythematous,23.00,Rash vesicular,23.00,,,,,
874592,Wrong product administered,23.00,,,,,,
874593,Inappropriate schedule of product administration,23.00,,,,,,
874594,Rash papular,23.00,,,,,,
874595,Electroencephalogram normal,23.00,Endotracheal intubation,
23.00,Intensive care,23.00,Laboratory test normal,23.00,Magnetic
resonance imaging normal,23.00
874595,Pyrexia,23.00,Seizure,23.00,Status epilepticus,23.00,,,,
874596,Fatigue,23.00,Influenza like illness,23.00,Pain,
23.00,Peripheral swelling,23.00,Pyrexia,23.00
874596,Skin warm,23.00,,,,,,
874597,Fatigue,23.00,Influenza like illness,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
874597,Pyrexia,23.00,,,,,,
874598,Headache,23.00,Injection site pain,23.00,Myalgia,23.00,Pyrexia,
23.00,,
874599,Chills,23.00,Fatigue,23.00,Headache,23.00,Neuralgia,23.00,Pain,
23.00
874599,Pyrexia,23.00,,,,,,
874600,Chills,23.00,Pyrexia,23.00,,,,,
874601,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site rash,23.00,Rash erythematous,23.00,Rash pruritic,
23.00
874602,Loss of personal independence in daily activities,23.00,Pain,
23.00,Pyrexia,23.00,,,,
874603,Dizziness,23.00,Erythema,23.00,Injection site pain,23.00,Loss
of consciousness,23.00,Muscle contracture,23.00
874603,Resuscitation,23.00,Seizure like phenomena,23.00,Unresponsive
to stimuli,23.00,,,,
874604,Injection site pain,23.00,Injection site swelling,23.00,,,,,
874605,Blood test,23.00,Electroencephalogram,23.00,Intervertebral disc
protrusion,23.00,Menstruation irregular,23.00,Seizure,23.00
874605,Sleep study,23.00,,,,,,
874606,Injection site pain,23.00,,,,,,
874607,Chest X-ray,23.00,Injection site pain,23.00,Intensive care,
23.00,Magnetic resonance imaging,23.00,Mechanical ventilation,23.00
874607,Pneumonia,23.00,Product administered at inappropriate site,
23.00,Rotator cuff syndrome,23.00,X-ray limb,23.00,,
874608,Injection site pain,23.00,Nightmare,23.00,Restlessness,
23.00,,,,
874609,Erythema,23.00,,,,,,
874610,Chills,23.00,Headache,23.00,Injection site pain,23.00,Injection
site rash,23.00,Pain,23.00
874610,Pain in extremity,23.00,Rash,23.00,Urticaria,23.00,,,,

874611,Injection site discomfort,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site swelling,23.00,,
874612,Contusion,23.00,Injection site bruising,23.00,Injection site
pain,23.00,Lymphadenopathy,23.00,Myalgia,23.00
874612,Thrombosis,23.00,,,,,,,,,
874613,Developmental regression,23.00,Electroencephalogram abnormal,
23.00,Fatigue,23.00,Infantile spasms,23.00,Irritability,23.00
874613,Magnetic resonance imaging normal,23.00,,,,,,,,,
874614,Chills,23.00,Discomfort,23.00,Fatigue,23.00,Injection site
pain,23.00,Injection site rash,23.00
874614,Pain,23.00,Rash,23.00,,,,,,,,,
874615,Blister,23.00,Headache,23.00,Influenza like illness,
23.00,Nausea,23.00,Rash,23.00
874615,Skin exfoliation,23.00,,,,,,,,,
874616,Injection site erythema,23.00,,,,,,,,,
874617,Hypoaesthesia,23.00,Injection site reaction,23.00,Paraesthesia,
23.00,,,,,
874618,Nausea,23.00,,,,,,,,,
874619,Body temperature increased,23.00,Injection site erythema,
23.00,Injection site rash,23.00,Injection site reaction,23.00,Pyrexia,
23.00
874619,Rash erythematous,23.00,Rash vesicular,23.00,,,,,
874620,Hypoaesthesia,23.00,,,,,,,,,
874621,Dyspnoea,23.00,Feeling cold,23.00,Feeling hot,
23.00,Hyperventilation,23.00,Injection site inflammation,23.00
874621,Mobility decreased,23.00,Myalgia,23.00,Pyrexia,23.00,Tremor,
23.00,,
874622,Chills,23.00,Erythema,23.00,Headache,23.00,Insomnia,23.00,Pain,
23.00
874622,Pain in extremity,23.00,Peripheral swelling,23.00,Pyrexia,
23.00,,,,,
874623,Back pain,23.00,Hyperaesthesia,23.00,Pain,23.00,Pain in
extremity,23.00,,
874624,Chills,23.00,Headache,23.00,,,,,,,,,
874625,Arrhythmia,23.00,Feeling hot,23.00,Peripheral swelling,
23.00,,,,,
874626,Feeling abnormal,23.00,Injection site erythema,23.00,Injection
site rash,23.00,Injection site reaction,23.00,Injection site warmth,
23.00
874626,Local reaction,23.00,Pain,23.00,,,,,,,,,
874627,Erythema,23.00,Inflammation,23.00,Lethargy,23.00,Myalgia,
23.00,Peripheral swelling,23.00
874627,Skin warm,23.00,,,,,,,,,
874628,Blister,23.00,Pain,23.00,Rash erythematous,23.00,,,,,
874629,Injection site erythema,23.00,Injection site pain,23.00,,,,,
874630,Erythema,23.00,Swelling,23.00,,,,,,,,,
874631,Asthenia,23.00,Chills,23.00,Injection site pain,23.00,Pyrexia,
23.00,,
874632,Genital rash,23.00,,,,,,,,,
874633,Injection site pain,23.00,Rash erythematous,23.00,Rash macular,

23.00,,,,,
874634,Pyrexia,23.00,Rash,23.00,,,,,
874635,Injection site rash,23.00,,,,,
874636,Chills,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,23.00,Vaccine
positive rechallenge,23.00
874637,Dry skin,23.00,Injection site erythema,23.00,Injection site
induration,23.00,Injection site pruritus,23.00,Injection site
swelling,23.00
874637,Livedo reticularis,23.00,Skin discolouration,23.00,,,,,
874638,Bladder pain,23.00,Culture urine negative,23.00,Cystitis
interstitial,23.00,Pollakiuria,23.00,Urine analysis,23.00
874645,No adverse event,23.00,Product storage error,23.00,,,,,
874646,Product storage error,23.00,,,,,
874647,Herpes zoster,23.00,,,,,
874648,Herpes zoster,23.00,,,,,
874649,Herpes zoster,23.00,,,,,
874650,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
874651,Herpes zoster,23.00,,,,,
874652,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874654,Extra dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
874655,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
874656,Gait inability,23.00,Pain in extremity,23.00,Pyrexia,
23.00,Weight bearing difficulty,23.00,,
874657,Expired product administered,23.00,No adverse event,23.00,,,,,
874658,Fatigue,23.00,Malaise,23.00,Myalgia,23.00,,,,,
874659,Eating disorder,23.00,Mouth ulceration,23.00,,,,,
874660,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
874661,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Skin warm,23.00,,
874662,Extra dose administered,23.00,,,,,
874677,No adverse event,23.00,Product storage error,23.00,,,,,
874678,No adverse event,23.00,Product storage error,23.00,,,,,
874679,No adverse event,23.00,Product storage error,23.00,,,,,
874680,No adverse event,23.00,Product storage error,23.00,,,,,
874681,No adverse event,23.00,Product storage error,23.00,,,,,
874682,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874683,No adverse event,23.00,Product storage error,23.00,,,,,
874684,Herpes zoster,23.00,,,,,
874685,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874686,Injection site pain,23.00,,,,,
874687,Chills,23.00,Decreased appetite,23.00,Headache,23.00,Nausea,
23.00,,
874688,Adverse event,23.00,Social problem,23.00,,,,,
874689,Myalgia,23.00,Pyrexia,23.00,,,,,
874690,Pain in extremity,23.00,Skin warm,23.00,Urticaria,23.00,,,,,

874691,Pain in extremity,23.00,,,,,,,,,
874692,Muscle fatigue,23.00,,,,,,,,,
874693,Haematochezia,23.00,Pain,23.00,Pyrexia,23.00,,,,,
874694,Tongue ulceration,23.00,,,,,,,,,
874695,Erythema,23.00,Pain,23.00,,,,,,,,,
874696,Herpes zoster,23.00,Vaccination failure,23.00,,,,,,,,,
874697,Anaphylactic reaction,23.00,Incorrect route of product
administration,23.00,Injection site bruising,23.00,Injection site
pruritus,23.00,Injection site swelling,23.00
874697,Injection site urticaria,23.00,Malaise,23.00,Muscle fatigue,
23.00,Wrong technique in device usage process,23.00,,
874698,Arthralgia,23.00,Muscle tightness,23.00,,,,,,,,,
874699,Herpes zoster,23.00,Rash,23.00,Rash erythematous,
23.00,Vaccination failure,23.00,,
874700,Blister,23.00,Burning sensation,23.00,Erythema,23.00,Pain,
23.00,Peripheral swelling,23.00
874700,Pyrexia,23.00,,,,,,,,,
874701,Injection site pruritus,23.00,Injection site rash,
23.00,Injection site warmth,23.00,Rash,23.00,Skin warm,23.00
874703,Unevaluable event,23.00,,,,,,,,,
874704,Arthralgia,23.00,Full blood count normal,23.00,Injection site
oedema,23.00,,,,,
874705,Erythema,23.00,Haematology test,23.00,Hyperaesthesia,
23.00,Swelling,23.00,,
874706,Chest discomfort,23.00,Dyspnoea,23.00,Tremor,23.00,,,,,
874707,Crying,23.00,Screaming,23.00,,,,,,,,,
874709,Erythema,23.00,Headache,23.00,Herpes zoster,23.00,Paranasal
sinus discomfort,23.00,Tenderness,23.00
874709,X-ray dental normal,23.00,,,,,,,,,
874710,Dehydration,23.00,Vomiting,23.00,,,,,,,,,
874711,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
874714,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
874715,Circumstance or information capable of leading to medication
error,23.00,Incorrect dose administered,23.00,No adverse event,
23.00,,,,,
874716,Herpes zoster,23.00,,,,,,,,,
874717,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
874718,Influenza like illness,23.00,Oropharyngeal pain,23.00,,,,,,,,,
874719,Ear pain,23.00,Inappropriate schedule of product
administration,23.00,Musculoskeletal pain,23.00,Neck pain,23.00,Pain
in extremity,23.00
874719,Rash papular,23.00,Skin irritation,23.00,Urticaria,23.00,,,,,
874720,Headache,23.00,Pyrexia,23.00,,,,,,,,,
874721,Injection site pruritus,23.00,Injection site rash,
23.00,Injection site warmth,23.00,,,,,
874722,Alpha 1 foetoprotein normal,23.00,COVID-19,23.00,Delivery,
23.00,Exposure during pregnancy,23.00,SARS-CoV-2 test positive,23.00
874722,Ultrasound antenatal screen normal,23.00,,,,,,,,,
874723,Erythema,23.00,Pain,23.00,Skin warm,23.00,Sunburn,

23.00,Swelling,23.00
874725,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
874726,Purpura,23.00,Rash,23.00,,,,,,
874727,Blood immunoglobulin G,23.00,Cough,23.00,Productive cough,
23.00,SARS-CoV-2 test,23.00,,
874728,Lip swelling,23.00,Urticaria,23.00,,,,,,
874730,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
874731,Cellulitis,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Irritability,23.00
874731,Pyrexia,23.00,Vaccination complication,23.00,,,,,,
874732,Lymphadenopathy,23.00,Rash morbilliform,23.00,,,,,,
874741,Herpes zoster,23.00,,,,,,,
874742,Herpes zoster,23.00,,,,,,,
874743,No adverse event,23.00,Product storage error,23.00,,,,,,
874744,Herpes zoster,23.00,,,,,,,
874745,Oral herpes,23.00,,,,,,,
874746,Expired product administered,23.00,No adverse event,23.00,,,,,,
874747,No adverse event,23.00,Wrong product administered,23.00,,,,,,
874748,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
874749,Hypersensitivity,23.00,,,,,,,
874750,No adverse event,23.00,Wrong product administered,23.00,,,,,,
874751,Extra dose administered,23.00,No adverse event,23.00,,,,,,
874752,Lymphadenopathy,23.00,Neuropathy peripheral,23.00,Ultrasound
scan,23.00,,,,,
874753,Erythema,23.00,Feeling hot,23.00,Pain,23.00,Swelling,23.00,,
874754,Fall,23.00,Loss of consciousness,23.00,Neurological examination
normal,23.00,Syncope,23.00,,
874755,Chest X-ray,23.00,Chest pain,23.00,Dyspnoea,
23.00,Electrocardiogram,23.00,Full blood count,23.00
874755,Injection site erythema,23.00,Metabolic function test,
23.00,Troponin,23.00,Urine analysis,23.00,,
874756,Pain in extremity,23.00,,,,,,,
874757,Erythema,23.00,Peripheral swelling,23.00,Pruritus,23.00,,,,,
874758,Myalgia,23.00,Pyrexia,23.00,,,,,,
874759,Arthralgia,23.00,Fatigue,23.00,Headache,23.00,Injection site
rash,23.00,Rash,23.00
874760,Dizziness,23.00,Electrocardiogram normal,23.00,Loss of
consciousness,23.00,Nausea,23.00,Tremor,23.00
874761,Headache,23.00,Loss of consciousness,23.00,Nausea,23.00,Pain in
extremity,23.00,Pyrexia,23.00
874762,Asthenia,23.00,Fatigue,23.00,Gait inability,23.00,Malaise,
23.00,Mobility decreased,23.00
874762,Nausea,23.00,Posture abnormal,23.00,,,,,,
874763,Arthralgia,23.00,Decreased appetite,23.00,Fatigue,23.00,Heart
rate increased,23.00,Joint swelling,23.00
874763,Mononucleosis heterophile test,23.00,Mouth ulceration,
23.00,Pain,23.00,Pharyngeal ulceration,23.00,Pyrexia,23.00
874763,SARS-CoV-2 test negative,23.00,Streptococcus test negative,

23.00,,,,,
874764,Blood glucose normal,23.00,Pallor,23.00,Syncope,23.00,,,,,
874765,Injected limb mobility decreased,23.00,Injection site joint
pain,23.00,Injection site pain,23.00,Product administered at
inappropriate site,23.00,,
874766,Asthenia,23.00,Chills,23.00,Decreased appetite,23.00,Eye pain,
23.00,Impaired work ability,23.00
874766,Injection site pain,23.00,Injury corneal,23.00,Ocular
hyperaemia,23.00,Pain in extremity,23.00,Pyrexia,23.00
874767,Product administered to patient of inappropriate age,
23.00,Product prescribing issue,23.00,,,,,
874768,Inappropriate schedule of product administration,23.00,Malaise,
23.00,,,,,
874769,Adverse event,23.00,Inappropriate schedule of product
administration,23.00,,,,,
874770,Incorrect route of product administration,23.00,Lymph node
pain,23.00,Lymphadenitis,23.00,Odynophagia,23.00,Tonsillar exudate,
23.00
874770,Underdose,23.00,Wrong product administered,23.00,,,,,
874771,Dizziness,23.00,Pallor,23.00,Syncope,23.00,Vision blurred,
23.00,,
874772,Decreased appetite,23.00,Irritability,23.00,Rash morbilliform,
23.00,,,,,
874773,Chest discomfort,23.00,Flushing,23.00,Headache,23.00,Injection
site induration,23.00,Injection site warmth,23.00
874773,Nausea,23.00,Pharyngeal swelling,23.00,,,,,
874775,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
874776,Rash,23.00,,,,,
874777,Malaise,23.00,Pain in extremity,23.00,Vaccination error,
23.00,,,,,
874778,Dizziness,23.00,Loss of consciousness,23.00,,,,,
874779,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874780,Altered state of consciousness,23.00,Arthralgia,23.00,Chest
discomfort,23.00,Condition aggravated,23.00,Discomfort,23.00
874780,Musculoskeletal pain,23.00,Rheumatoid arthritis,23.00,,,,,
874791,Myalgia,23.00,,,,,
874794,Injection site erythema,23.00,Injection site pain,23.00,Pain,
23.00,Rash,23.00,,
874795,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
874796,No adverse event,23.00,Product storage error,23.00,,,,,
874797,Blister,23.00,Erythema,23.00,Pain,23.00,Rash pruritic,
23.00,Scab,23.00
874797,Skin exfoliation,23.00,Skin lesion,23.00,Varicella,23.00,,,,,
874798,C-reactive protein increased,23.00,Headache,23.00,Hepatic
enzyme increased,23.00,Intensive care,23.00,Pyrexia,23.00
874798,Vomiting,23.00,,,,,
874799,Fatigue,23.00,Headache,23.00,Musculoskeletal stiffness,

23.00,Nausea,23.00,Photophobia,23.00
874801,Pain in extremity,23.00,,,,,,
874802,Product administered to patient of inappropriate age,
23.00,,,,,,
874803,Headache,23.00,Lethargy,23.00,Nausea,23.00,Photophobia,23.00,,
874804,Erythema,23.00,Hypersensitivity,23.00,Injection site
cellulitis,23.00,Injection site warmth,23.00,Rash erythematous,23.00
874812,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
874813,Herpes zoster,23.00,,,,,,
874814,Asthenia,23.00,Bedridden,23.00,Fatigue,23.00,,,,
874815,Pain in extremity,23.00,,,,,,
874816,Oral administration complication,23.00,Regurgitation,
23.00,,,,,
874817,Feeling abnormal,23.00,Sensory disturbance,23.00,Tremor,
23.00,,,,
874818,Expired product administered,23.00,No adverse event,23.00,,,,,
874819,No adverse event,23.00,Wrong product administered,23.00,,,,,
874820,Paraesthesia,23.00,,,,,,
874821,Product administered to patient of inappropriate age,
23.00,Wrong product administered,23.00,,,,,
874822,Arthralgia,23.00,Feeling hot,23.00,Headache,23.00,Injection
site pain,23.00,Injection site reaction,23.00
874822,Injection site swelling,23.00,Nausea,23.00,Pain in extremity,
23.00,Rash erythematous,23.00,,
874823,Decreased appetite,23.00,Headache,23.00,Pruritus,23.00,Rash,
23.00,Rash erythematous,23.00
874824,Enema administration,23.00,Intestinal obstruction,
23.00,Intussusception,23.00,Ultrasound abdomen abnormal,
23.00,Vomiting,23.00
874825,Extra dose administered,23.00,,,,,,
874826,Injection site erythema,23.00,Injection site oedema,23.00,,,,,
874829,Pyrexia,23.00,Rash,23.00,Rash vesicular,23.00,,,,
874830,Chills,23.00,Headache,23.00,Myalgia,23.00,,,,
874831,Abdominal pain,23.00,Urticaria,23.00,,,,,
874832,Cholelithiasis,23.00,Nausea,23.00,Vomiting,23.00,,,,
874833,Pyrexia,23.00,Rash maculo-papular,23.00,,,,,
874834,Blood pressure increased,23.00,Diarrhoea,23.00,Fatigue,
23.00,Flatulence,23.00,Immediate post-injection reaction,23.00
874834,Malaise,23.00,Nausea,23.00,Pain in extremity,23.00,Pyrexia,
23.00,SARS-CoV-2 test negative,23.00
874835,Facial paralysis,23.00,,,,,,
874836,Rash,23.00,Urticaria,23.00,,,,,
874837,Rash,23.00,,,,,,
874838,Hypoaesthesia oral,23.00,Paraesthesia,23.00,,,,,
874839,Fatigue,23.00,Loss of consciousness,23.00,Nausea,23.00,Seizure,
23.00,Syncope,23.00
874839,Vomiting,23.00,,,,,,
874840,Arthralgia,23.00,,,,,,
874841,Extra dose administered,23.00,No adverse event,23.00,,,,,

874842,Pruritus,23.00,Rash erythematous,23.00,Rash vesicular,
23.00,Scab,23.00,Secretion discharge,23.00
874842,Urticaria,23.00,,,,,
874843,Blood test,23.00,Computerised tomogram head,23.00,Computerised
tomogram thorax,23.00,Electroencephalogram,23.00,Facial pain,23.00
874843,Headache,23.00,Hyperacusis,23.00,Lethargy,23.00,Lumbar
puncture,23.00,Magnetic resonance imaging brain,23.00
874843,Migraine,23.00,Muscular weakness,23.00,Musculoskeletal
stiffness,23.00,Myalgia,23.00,Photophobia,23.00
874843,Respiratory disorder,23.00,Skin tightness,23.00,Tension
headache,23.00,Tremor,23.00,,
874844,Anal incontinence,23.00,Dysstasia,23.00,Erythema,23.00,Pain in
extremity,23.00,Tremor,23.00
874845,Induration,23.00,Pyrexia,23.00,Rash macular,23.00,Skin warm,
23.00,,
874846,Arthralgia,23.00,Burning sensation,23.00,Chills,23.00,Fatigue,
23.00,Lymphadenopathy,23.00
874846,Nasopharyngitis,23.00,Neuropathy peripheral,23.00,Pain,
23.00,Pain in extremity,23.00,Pyrexia,23.00
874847,Chills,23.00,Headache,23.00,Injection site pain,23.00,Pain,
23.00,Pyrexia,23.00
874848,Arthralgia,23.00,Headache,23.00,Malaise,23.00,Pain in
extremity,23.00,Tenderness,23.00
874849,Erythema,23.00,Facial pain,23.00,Inflammation,23.00,Rash,
23.00,,
874850,Injection site erythema,23.00,Injection site warmth,23.00,Pain,
23.00,Pain in extremity,23.00,Pyrexia,23.00
874851,Tremor,23.00,Unresponsive to stimuli,23.00,,,,,
874852,Vertigo,23.00,,,,,
874854,Syncope,23.00,,,,,
874859,Herpes zoster,23.00,,,,,
874860,Herpes zoster,23.00,,,,,
874861,Extra dose administered,23.00,No adverse event,23.00,,,,,
874862,No adverse event,23.00,Product storage error,23.00,,,,,
874863,Herpes zoster,23.00,,,,,
874864,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
874865,Interchange of vaccine products,23.00,No adverse event,
23.00,Wrong product administered,23.00,,,,,
874866,No adverse event,23.00,Product preparation issue,23.00,,,,,
874867,Expired product administered,23.00,No adverse event,23.00,,,,,
874868,No adverse event,23.00,Product preparation issue,23.00,,,,,
874869,Product container issue,23.00,Product package associated
injury,23.00,Skin laceration,23.00,,,,,
874870,Chills,23.00,Headache,23.00,Nausea,23.00,Pyrexia,23.00,,
874871,Headache,23.00,Injection site pain,23.00,Pain,23.00,Pruritus,
23.00,Rash erythematous,23.00
874871,Rash papular,23.00,Skin warm,23.00,,,,,
874872,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,

874873,Ear pruritus,23.00,Eye swelling,23.00,Headache,23.00,Influenza like illness,23.00,Pain in extremity,23.00
874873,Swelling face,23.00,,,,,,,,,
874874,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
874875,Erythema of eyelid,23.00,Eyelid pain,23.00,Swelling of eyelid, 23.00,,,,,
874876,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
874877,Pruritus,23.00,Pyrexia,23.00,Rash,23.00,,,,,
874878,Asthenia,23.00,Blood culture negative,23.00,Chills, 23.00,Culture urine negative,23.00,Exposure during pregnancy,23.00
874878,Mobility decreased,23.00,Muscular weakness,23.00,Pyrexia, 23.00,,,,,
874888,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
874889,Herpes zoster,23.00,,,,,,,,,
874890,Injection site reaction,23.00,Rash,23.00,Rash erythematous, 23.00,,,,,
874891,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,,,,,
874892,Injection site pain,23.00,,,,,,,,,
874893,Fatigue,23.00,Headache,23.00,,,,,,,,,
874894,Chills,23.00,Pyrexia,23.00,,,,,,,,,
874895,Herpes zoster,23.00,Vaccination failure,23.00,,,,,,,,,
874896,Immediate post-injection reaction,23.00,Injection site pain, 23.00,,,,,,,,,
874897,Arthralgia,23.00,Bedridden,23.00,Chills,23.00,Eye pain, 23.00,Injection site erythema,23.00
874897,Mobility decreased,23.00,Myalgia,23.00,Pain in extremity, 23.00,Tremor,23.00,,
874898,Abdominal discomfort,23.00,Fatigue,23.00,Headache, 23.00,Insomnia,23.00,Peripheral swelling,23.00
874899,Injection site pain,23.00,Loss of personal independence in daily activities,23.00,,,,,,,,,
874900,Arrhythmia,23.00,Cardiac monitoring,23.00,Dyspnoea, 23.00,Fatigue,23.00,,
874901,No adverse event,23.00,Product preparation error,23.00,,,,,,,,,
874902,Asthenia,23.10,Eye movement disorder,23.10,Pallor,23.10,,,,,
874903,Pyrexia,23.00,Vomiting,23.00,,,,,,,,,
874904,Pruritus,23.00,Rash erythematous,23.00,Rash papular,23.00,,,,,
874905,Lymph node pain,23.00,Lymphadenopathy,23.00,Magnetic resonance imaging abnormal,23.00,Soft tissue swelling,23.00,Ultrasound scan abnormal,23.00
874906,Angioedema,23.00,Urticaria,23.00,,,,,,,,,
874907,Chest pain,23.00,Dizziness,23.00,Painful respiration,23.00,,,,,
874909,Discomfort,23.00,Epigastric discomfort,23.00,Fatigue, 23.00,Headache,23.00,Influenza like illness,23.00
874909,Insomnia,23.00,Pain,23.00,,,,,,,,,
874910,Swelling,23.00,,,,,,,,,
874911,Adverse reaction,23.00,Feeling abnormal,23.00,Malaise,23.00,,,,,
874912,Chills,23.00,Lethargy,23.00,Nausea,23.00,Pain,23.00,Pain in extremity,23.00

874912,Pyrexia,23.00,,,,,,,,,
874913,Injection site mass,23.00,Injection site rash,23.00,Pain,
23.00,Pruritus,23.00,Rash vesicular,23.00
874918,Herpes zoster,23.00,,,,,,,,,
874919,Diarrhoea,23.00,Hyperhidrosis,23.00,Malaise,23.00,Vomiting,
23.00,,
874920,Myalgia,23.00,,,,,,,,,
874921,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,Syringe issue,23.00,Underdose,23.00,,
874922,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
874923,Injection site pain,23.00,Limb discomfort,23.00,Myalgia,
23.00,,,,,
874924,Pyrexia,23.00,Vomiting,23.00,,,,,,
874925,Erythema,23.00,Immediate post-injection reaction,
23.00,Swelling,23.00,Urticaria,23.00,,
874926,Injection site erythema,23.00,Injection site swelling,
23.00,Swelling,23.00,Swelling face,23.00,,
874927,Abnormal behaviour,23.00,Decreased eye contact,
23.00,Irritability,23.00,,,,,
874928,Feeling hot,23.00,Loss of consciousness,23.00,Syncope,23.00,,,,,
874929,C-reactive protein,23.00,Full blood count,23.00,Henoch-
Schonlein purpura,23.00,Liver function test,23.00,Streptococcus test,
23.00
874929,Urine analysis,23.00,,,,,,,,,
874930,Vaccination site swelling,23.00,Vaccination site warmth,
23.00,,,,,,
874931,Erythema,23.00,Pruritus,23.00,Urticaria,23.00,Varicella post
vaccine,23.00,,
874932,Seizure,23.00,Syncope,23.00,,,,,,
874933,Crying,23.00,Irritability,23.00,Rash,23.00,Rash erythematous,
23.00,,
874934,Injection site erythema,23.00,Injection site hypoaesthesia,
23.00,Injection site induration,23.00,Injection site swelling,
23.00,Local reaction,23.00
874935,Full blood count,23.00,Measles post vaccine,23.00,Pyrexia,
23.00,Rash,23.00,,
874936,Malaise,23.00,Syncope,23.00,Vomiting,23.00,,,,,
874937,Corneal abrasion,23.00,Eye pain,23.00,Vision blurred,23.00,,,,,
874938,Pain in extremity,23.00,Pyrexia,23.00,,,,,,
874939,Rash,23.00,Rash erythematous,23.00,Rash maculo-papular,
23.00,,,,,
874940,Dizziness,23.00,Heart rate increased,23.00,Nausea,
23.00,Pruritus,23.00,Vomiting,23.00
874941,Pain,23.00,,,,,,,,,
874942,Rash,23.00,Skin warm,23.00,,,,,,
874943,Injection site pain,23.00,Injection site swelling,23.00,,,,,,
874944,Chills,23.00,Pyrexia,23.00,,,,,,
874945,Extra dose administered,23.00,,,,,,,,,
874946,Chills,23.00,Pyrexia,23.00,,,,,,

874947, Erythema, 23.00, Swelling, 23.00, , , , , ,
874948, Body temperature increased, 23.00, Chills, 23.00, Malaise,
23.00, Pain, 23.00, ,
874949, Fatigue, 23.00, Headache, 23.00, Pain, 23.00, Pyrexia, 23.00, Urinary
incontinence, 23.00
874950, Headache, 23.00, Nausea, 23.00, Vomiting, 23.00, , , , ,
874952, Rash erythematous, 23.00, Rash pruritic, 23.00, , , , , ,
874953, Chills, 23.00, Headache, 23.00, Nausea, 23.00, Pain, 23.00, Pain in
extremity, 23.00
874954, Asthenia, 23.00, Decreased appetite, 23.00, Pyrexia, 23.00, Skin
warm, 23.00, Somnolence, 23.00
874955, Injection site reaction, 23.00, Rash, 23.00, Rash erythematous,
23.00, Rash pruritic, 23.00, ,
874961, Faeces discoloured, 23.00, , , , , , , ,
874962, Herpes zoster, 23.00, , , , , , , ,
874963, Hepatitis B antibody negative, 23.00, Therapy non-responder,
23.00, , , , , , , ,
874964, Hepatitis B antibody negative, 23.00, Inappropriate schedule of
product administration, 23.00, Therapy non-responder, 23.00, , , , ,
874965, Cheilitis, 23.00, Eyelid rash, 23.00, Genital rash, 23.00, Rash
pruritic, 23.00, ,
874966, Varicella, 23.00, , , , , , , , ,
874967, Erythema, 23.00, Peripheral swelling, 23.00, , , , , , ,
874968, Product preparation error, 23.00, , , , , , , , ,
874969, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site
erythema, 23.00, Injection site induration, 23.00
874969, Myalgia, 23.00, , , , , , , , ,
874970, Chills, 23.00, Dizziness, 23.00, Headache, 23.00, Mobility decreased,
23.00, Nausea, 23.00
874970, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Tremor,
23.00, Vomiting, 23.00
874971, Pain, 23.00, Pyrexia, 23.00, , , , , , ,
874972, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, , ,
874973, Cellulitis, 23.00, Erythema, 23.00, Laboratory test, 23.00, Oedema,
23.00, Pain in extremity, 23.00
874973, Skin warm, 23.00, , , , , , , , ,
874974, Skin discolouration, 23.00, Vaccine positive rechallenge,
23.00, , , , , , , ,
874975, Mobility decreased, 23.00, Musculoskeletal pain, 23.00, , , , , , ,
874992, Exposure during pregnancy, 23.00, In vitro fertilisation, 23.00, No
adverse event, 23.00, Pregnancy test positive, 23.00, , ,
874993, Antibody test negative, 23.00, Hepatitis B antibody negative,
23.00, Rubella antibody negative, 23.00, , , , , ,
874994, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
874995, Herpes zoster, 23.00, , , , , , , , ,
874996, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , , ,
874997, Pain, 23.00, , , , , , , , ,
874998, Herpes zoster, 23.00, Pain, 23.00, Rash, 23.00, Vaccination failure,

23.00,,
874999,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
875001,Herpes zoster,23.00,Vaccine positive rechallenge,23.00,,,,,
875002,Cellulitis,23.00,Herpes zoster,23.00,Malaise,23.00,Pyrexia,
23.00,Rash,23.00
875003,Diarrhoea,23.00,Dizziness,23.00,Fatigue,23.00,,,,,
875004,Cataract,23.00,Cataract operation,23.00,,,,,
875005,Fatigue,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Rash,23.00,Rash erythematous,23.00
875005,Rash papular,23.00,Rash pruritic,23.00,Rash vesicular,23.00,,,,,
875006,Pyrexia,23.00,,,,,
875007,Extra dose administered,23.00,Fatigue,23.00,Pain,23.00,,,,,
875008,Back pain,23.00,,,,,
875009,Pruritus,23.00,,,,,
875010,Extra dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
875011,Chills,23.00,Eye swelling,23.00,Headache,23.00,Ocular
hyperaemia,23.00,Pain,23.00
875020,Incorrect dose administered,23.00,No adverse event,23.00,,,,,
875021,Chest X-ray,23.00,Influenza,23.00,Influenza A virus test,
23.00,Influenza B virus test,23.00,Influenza virus test positive,23.00
875021,Polymerase chain reaction positive,23.00,Respiratory disorder,
23.00,Vaccination failure,23.00,,,,,
875022,Induration,23.00,Pyrexia,23.00,,,,,
875023,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,Myalgia,23.00
875024,Pain,23.00,Pyrexia,23.00,,,,,
875025,Arthralgia,23.00,Myalgia,23.00,,,,,
875026,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Low birth weight baby,23.00,Premature baby,23.00,Twin pregnancy,
23.00
875027,Chills,23.00,Diarrhoea,23.00,Headache,23.00,Pain,23.00,Pain in
extremity,23.00
875027,Pyrexia,23.00,,,,,
875028,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Pain,
23.00,Pain in extremity,23.00
875028,Pyrexia,23.00,Vomiting,23.00,,,,,
875029,Dysphagia,23.00,Erythema,23.00,Full blood count,
23.00,Peripheral swelling,23.00,Syncope,23.00
875029,Tenderness,23.00,,,,,
875030,Decreased appetite,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site rash,23.00
875030,Injection site warmth,23.00,Pain,23.00,Pain in extremity,
23.00,,,,,
875031,No adverse event,23.00,Product preparation issue,23.00,,,,,
875032,No adverse event,23.00,Product preparation issue,23.00,,,,,
875033,Extra dose administered,23.00,No adverse event,23.00,,,,,
875034,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site warmth,23.00,,
875035,Crying,23.00,Injection site haemorrhage,23.00,Injection site

pain,23.00,Loss of consciousness,23.00,Nervousness,23.00
875035,Pain,23.00,Syncope,23.00,,,,,
875036,Dizziness,23.00,Injection site pain,23.00,Nausea,23.00,,,,,
875037,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Injection site swelling,23.00,Skin
tightness,23.00
875038,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain in extremity,
23.00,Rash,23.00
875039,Abdominal pain upper,23.00,Diarrhoea,23.00,Dizziness,23.00,Eye
haemorrhage,23.00,Nausea,23.00
875039,Pain in extremity,23.00,Pyrexia,23.00,Retching,23.00,Vomiting,
23.00,,
875040,Induration,23.00,Swelling,23.00,,,,,,
875041,Arthralgia,23.00,Joint stiffness,23.00,Joint swelling,
23.00,Musculoskeletal stiffness,23.00,Pain in extremity,23.00
875041,Peripheral swelling,23.00,,,,,,
875042,Autopsy,23.00,Sudden death,23.00,,,,,,
875043,Product administered to patient of inappropriate age,
23.00,,,,,,
875044,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
875045,Injection site pain,23.00,Injection site reaction,
23.00,Injection site swelling,23.00,Lethargy,23.00,Malaise,23.00
875045,Muscle twitching,23.00,Muscular weakness,23.00,Vomiting,
23.00,,,,,
875046,Bone pain,23.00,Injection site pain,23.00,Pain in extremity,
23.00,,,,,
875047,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
875048,Chills,23.00,Influenza like illness,23.00,Injection site
swelling,23.00,Nasopharyngitis,23.00,Pain in extremity,23.00
875048,Pyrexia,23.00,,,,,,
875049,Erythema,23.00,Limb mass,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Pyrexia,23.00
875049,Skin warm,23.00,Tenderness,23.00,,,,,,
875050,Haematochezia,23.00,,,,,,
875051,Mass,23.00,Pyrexia,23.00,Rash,23.00,Swelling,23.00,,
875052,Injection site nodule,23.00,Injection site pain,23.00,Injection
site swelling,23.00,Irritability,23.00,Pyrexia,23.00
875052,Respiratory tract infection,23.00,Vomiting,23.00,,,,,,
875053,Abdominal discomfort,23.00,Abdominal pain upper,
23.00,Constipation,23.00,Crying,23.00,Discomfort,23.00
875053,Feeling jittery,23.00,Musculoskeletal stiffness,23.00,,,,,,
875054,Crying,23.00,Ear infection,23.00,Fontanelle bulging,23.00,,,,,
875055,Back pain,23.00,Chills,23.00,Fatigue,23.00,Headache,23.00,Neck
pain,23.00
875055,Pain,23.00,Pyrexia,23.00,,,,,,
875056,Angle closure glaucoma,23.00,Fatigue,23.00,Headache,23.00,Pain,
23.00,,
875057,Lip swelling,23.00,Rash vesicular,23.00,Stomatitis,23.00,,,,,

875058,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
875059,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
875061,Asthenia,23.00,Decreased appetite,23.00,Dizziness,
23.00,Headache,23.00,Hyperaesthesia,23.00
875061,Insomnia,23.00,Neuralgia,23.00,Pain,23.00,Pain in extremity,
23.00,Pruritus,23.00
875061,Pyrexia,23.00,,,,,,
875062,Rash pruritic,23.00,,,,,,
875063,Myalgia,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
875064,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Local reaction,23.00,,
875065,Erythema,23.00,Limb mass,23.00,,,,,
875066,Crying,23.00,Discomfort,23.00,Injection site erythema,
23.00,Injection site irritation,23.00,Injection site pruritus,23.00
875066,Injection site vesicles,23.00,Insomnia,23.00,Irritability,
23.00,Malaise,23.00,Middle insomnia,23.00
875067,Pruritus,23.00,Rash,23.00,Rash pruritic,23.00,,,,,
875068,Chills,23.00,Fatigue,23.00,Headache,23.00,Muscular weakness,
23.00,Myalgia,23.00
875068,Pyrexia,23.00,,,,,,
875069,Pruritus,23.00,,,,,,
875070,Fatigue,23.00,Injection site pain,23.00,Pain in extremity,
23.00,,,,,
875071,Diarrhoea,23.00,Headache,23.00,Injection site pain,
23.00,Malaise,23.00,Myalgia,23.00
875071,Nausea,23.00,,,,,,
875072,Death,23.00,,,,,,
875073,Chills,23.00,Fatigue,23.00,Insomnia,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00
875074,Dizziness,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Nausea,23.00
875075,Chills,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Lethargy,23.00
875075,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
875076,Headache,23.00,Rash vesicular,23.00,,,,,
875077,Injection site pain,23.00,Muscle spasms,23.00,Nausea,
23.00,Tension,23.00,Vomiting,23.00
875078,Pyrexia,23.00,Urticaria,23.00,,,,,
875079,Contusion,23.00,Fatigue,23.00,Headache,23.00,Hyperacusis,
23.00,Hypoesthesia,23.00
875079,Photophobia,23.00,Pyrexia,23.00,,,,,
875082,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pruritus,23.00,Injection site warmth,23.00,,
875083,Fatigue,23.00,Nausea,23.00,Pain,23.00,Swelling,23.00,,
875084,Abdominal discomfort,23.00,Acne,23.00,Chills,23.00,Dermatitis
acneiform,23.00,Fatigue,23.00
875084,Feeling abnormal,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Myalgia,23.00

875084,Pain,23.00,Pyrexia,23.00,,,,,
875085,Arthralgia,23.00,Asthenia,23.00,Chills,23.00,Headache,
23.00,Myalgia,23.00
875085,Palpitations,23.00,,,,,
875086,Chills,23.00,Headache,23.00,,,,,
875087,Arthralgia,23.00,Chills,23.00,Hyperhidrosis,23.00,Influenza
like illness,23.00,Injection site erythema,23.00
875087,Injection site induration,23.00,Injection site pruritus,
23.00,Injection site warmth,23.00,Pain,23.00,,
875089,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Myalgia,23.00,,
875090,Asthenia,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain,
23.00
875090,Speech disorder,23.00,Vomiting,23.00,,,,,
875091,Chills,23.00,Dizziness,23.00,Injection site pain,23.00,Pyrexia,
23.00,Respiratory tract congestion,23.00
875092,Headache,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,SARS-CoV-2
test,23.00
875093,Asthenia,23.00,Disturbance in attention,23.00,Fatigue,
23.00,Headache,23.00,,
875094,Blister,23.00,Pruritus,23.00,Rash,23.00,,,,
875095,Asthenia,23.00,Chills,23.00,Injection site inflammation,
23.00,Myalgia,23.00,Pyrexia,23.00
875096,Myalgia,23.00,Skin discolouration,23.00,,,,,
875097,Cellulitis,23.00,Injection site erythema,23.00,Injection site
warmth,23.00,,,,
875098,Rash,23.00,Rash erythematous,23.00,Urticaria,23.00,,,,
875099,Erythema,23.00,Pain in extremity,23.00,,,,,
875100,Injection site discolouration,23.00,Injection site reaction,
23.00,Injection site warmth,23.00,Pyrexia,23.00,Rash erythematous,
23.00
875125,No adverse event,23.00,Product storage error,23.00,,,,,
875126,No adverse event,23.00,Product storage error,23.00,,,,,
875127,Expired product administered,23.00,No adverse event,23.00,,,,,
875128,Confusional state,23.00,Pyrexia,23.00,Vomiting,23.00,,,,
875129,Product storage error,23.00,,,,,
875130,Herpes zoster,23.00,,,,,
875131,Herpes zoster,23.00,,,,,
875132,Herpes zoster,23.00,,,,,
875133,Herpes zoster,23.00,,,,,
875134,No adverse event,23.00,Product storage error,23.00,,,,,
875135,Cerebrovascular accident,23.00,,,,,
875136,Rash,23.00,Rash vesicular,23.00,,,,,
875137,Retinal detachment,23.00,,,,,
875138,Deafness,23.00,Herpes zoster,23.00,,,,,
875139,Herpes zoster,23.00,,,,,
875140,Herpes zoster,23.00,,,,,
875141,Herpes zoster,23.00,,,,,
875142,Blindness,23.00,,,,,
875143,No adverse event,23.00,Product storage error,23.00,,,,,

875144,Guillain-Barre syndrome,23.00,Mental status changes,23.00,,,,,
875145,Extra dose administered,23.00,No adverse event,23.00,,,,,
875146,Expired product administered,23.00,No adverse event,23.00,,,,,
875147,Guillain-Barre syndrome,23.00,Mental status changes,23.00,,,,,
875148,Guillain-Barre syndrome,23.00,Mental status changes,23.00,,,,,
875149,No adverse event,23.00,Product storage error,23.00,,,,,
875150,No adverse event,23.00,Product prescribing error,23.00,,,,,
875151,No adverse event,23.00,Product storage error,23.00,,,,,
875152,No adverse event,23.00,Product storage error,23.00,,,,,
875153,No adverse event,23.00,Product storage error,23.00,,,,,
875154,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
875155,No adverse event,23.00,Product storage error,23.00,,,,,
875156,Expired product administered,23.00,No adverse event,23.00,,,,,
875157,Product storage error,23.00,,,,,
875158,Expired product administered,23.00,No adverse event,23.00,,,,,
875159,No adverse event,23.00,Product storage error,23.00,,,,,
875160,No adverse event,23.00,Product storage error,23.00,,,,,
875161,Abdominal pain upper,23.00,Dizziness,23.00,Feeding disorder,
23.00,Loss of personal independence in daily activities,23.00,Nausea,
23.00
875162,Product dose omission,23.00,,,,,
875163,Inappropriate schedule of product administration,23.00,,,,,
875164,Inappropriate schedule of product administration,23.00,,,,,
875165,Malaise,23.00,Myalgia,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00
875165,Rash,23.00,Vomiting,23.00,,,,,
875166,Abdominal pain upper,23.00,Bedridden,23.00,Chills,
23.00,Dehydration,23.00,Gait disturbance,23.00
875166,Gastrointestinal pain,23.00,Hypotension,23.00,Mobility
decreased,23.00,Nausea,23.00,Pain in extremity,23.00
875166,Pyrexia,23.00,SARS-CoV-2 test negative,23.00,Tremor,23.00,,,
875167,Anxiety,23.00,Blood test,23.00,Extra dose administered,
23.00,Fatigue,23.00,Fear of injection,23.00
875167,Inappropriate schedule of product administration,23.00,Malaise,
23.00,Pain,23.00,Pain in extremity,23.00,Peripheral swelling,23.00
875167,Phobia,23.00,Pyrexia,23.00,Rash erythematous,23.00,Sleep
disorder,23.00,Somnolence,23.00
875168,Pain,23.00,Pain in extremity,23.00,Rheumatoid arthritis,
23.00,Swelling,23.00,,
875169,Chills,23.00,Headache,23.00,Myalgia,23.00,,,
875170,Cyanosis,23.00,Gait disturbance,23.00,Pallor,23.00,,,
875171,Injection site reaction,23.00,,,,,
875172,Herpes zoster,23.00,,,,,
875173,Chills,23.00,Diarrhoea,23.00,Fatigue,23.00,Feeling cold,
23.00,Malaise,23.00
875173,Pain,23.00,Pyrexia,23.00,Vomiting,23.00,,,
875174,Extra dose administered,23.00,Fatigue,23.00,,,,,
875175,Injection site rash,23.00,Rash,23.00,Rash vesicular,23.00,,,
875176,Abdominal discomfort,23.00,Nausea,23.00,,,,,

875177,Herpes zoster,23.00,,,,,
875178,Pruritus,23.00,Rash,23.00,,,,,
875179,Rash,23.00,,,,,
875180,Chills,23.00,Pyrexia,23.00,,,,,
875181,Peripheral swelling,23.00,,,,,
875182,Expired product administered,23.00,No adverse event,23.00,,,,,
875183,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
875184,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
875185,Expired product administered,23.00,No adverse event,23.00,,,,,
875186,Expired product administered,23.00,No adverse event,23.00,,,,,
875188,Hypoaesthesia,23.00,Nausea,23.00,,,,,
875189,Influenza like illness,23.00,Malaise,23.00,Road traffic
accident,23.00,,,,,
875190,Decreased appetite,23.00,Influenza like illness,23.00,Pain,
23.00,Pyrexia,23.00,,
875191,Pain in extremity,23.00,,,,,
875192,Skin reaction,23.00,,,,,
875193,Cough,23.00,Gait disturbance,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site pain,23.00
875193,Injection site swelling,23.00,Pyrexia,23.00,SARS-CoV-2 test,
23.00,,,,,
875194,Erythema,23.00,Induration,23.00,Inflammation,23.00,Mass,
23.00,Pain,23.00
875194,Pyrexia,23.00,,,,,
875206,Expired product administered,23.00,No adverse event,23.00,,,,,
875207,Expired product administered,23.00,No adverse event,23.00,,,,,
875208,Antibody test negative,23.00,Wrong product administered,
23.00,,,,,
875209,Pain,23.00,,,,,
875210,Abdominal discomfort,23.00,Headache,23.00,Muscle fatigue,
23.00,Pain in extremity,23.00,,
875211,Inappropriate schedule of product administration,23.00,Pain in
extremity,23.00,,,,,
875212,Arthralgia,23.00,,,,,
875213,Dizziness,23.00,Vertigo,23.00,,,,,
875214,Loss of personal independence in daily activities,
23.00,Mobility decreased,23.00,Syncope,23.00,,,,,
875215,Autism spectrum disorder,23.00,Laboratory test abnormal,
23.00,Meningitis,23.00,,,,,
875216,Epilepsy,23.00,,,,,
875217,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,,,,,
875218,Fatigue,23.00,Headache,23.00,Hypersomnia,23.00,Pain,23.00,Pain
in extremity,23.00
875219,Pyrexia,23.00,,,,,
875220,Discomfort,23.00,Erythema,23.00,Feeling hot,23.00,Influenza
like illness,23.00,Injection site erythema,23.00
875220,Injection site mass,23.00,Insomnia,23.00,Pain in extremity,

23.00,Rash,23.00,Rash macular,23.00
875220,Rash papular,23.00,Rash pruritic,23.00,Restlessness,23.00,,,,,
875221,Chills,23.00,Delirium,23.00,Loss of personal independence in
daily activities,23.00,Pain in extremity,23.00,Pyrexia,23.00
875221,Tremor,23.00,,,,,,
875222,Computerised tomogram head,23.00,Facial paralysis,23.00,,,,,
875223,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
875224,Loss of consciousness,23.00,,,,,,
875225,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Rash,23.00,,
875226,Injection site erythema,23.00,Swelling,23.00,,,,,
875234,Product storage error,23.00,,,,,,
875235,Human papilloma virus test positive,23.00,,,,,,
875236,No adverse event,23.00,Product storage error,23.00,,,,,
875237,Cellulitis,23.00,,,,,,
875238,Exposure via skin contact,23.00,Pain,23.00,Vaccine positive
rechallenge,23.00,,,,,
875239,Dyskinesia,23.00,Loss of personal independence in daily
activities,23.00,Paraesthesia,23.00,,,,,
875240,Cellulitis,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,,
875247,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
875248,Expired product administered,23.00,No adverse event,23.00,,,,,
875249,Herpes zoster,23.00,,,,,,
875250,Herpes zoster,23.00,,,,,,
875251,No adverse event,23.00,Wrong product administered,23.00,,,,,
875252,Expired product administered,23.00,No adverse event,23.00,,,,,
875253,Extra dose administered,23.00,No adverse event,23.00,,,,,
875254,Rash,23.00,,,,,,
875255,No adverse event,23.00,Product preparation issue,23.00,,,,,
875256,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
875257,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
875260,No adverse event,23.00,Product storage error,23.00,,,,,
875261,No adverse event,23.00,Product storage error,23.00,,,,,
875262,Injection site erythema,23.00,Injection site rash,
23.00,Injection site swelling,23.00,Injection site urticaria,23.00,,
875263,Injected limb mobility decreased,23.00,Injection site
discomfort,23.00,Injection site pain,23.00,Product administered at
inappropriate site,23.00,,
875264,No adverse event,23.00,Product storage error,23.00,,,,,
875265,Anxiety,23.00,Extra dose administered,23.00,,,,,
875266,Injection site erythema,23.00,Injection site swelling,
23.00,Local reaction,23.00,,,,,
875267,Syncope,23.00,,,,,,
875268,Asthenia,23.00,Chills,23.00,Dyspnoea,23.00,Erythema,
23.00,Headache,23.00

875268, Malaise, 23.00, Oropharyngeal pain, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00
875269, Cold sweat, 23.00, Loss of consciousness, 23.00, Nausea, 23.00, Pallor, 23.00, Syncope, 23.00
875270, Blood test, 23.00, Computerised tomogram, 23.00, Decreased eye contact, 23.00, Eye movement disorder, 23.00, Glassy eyes, 23.00
875270, Lethargy, 23.00, Pallor, 23.00, Retching, 23.00, Seizure, 23.00, Somnolence, 23.00
875270, Unresponsive to stimuli, 23.00, Urine analysis, 23.00, X-ray, 23.00,,,,,
875272, Throat irritation, 23.00,,,,,,
875273, Cold sweat, 23.00, Pallor, 23.00, Presyncope, 23.00,,,,,
875274, Injection site joint pain, 23.00, Loss of personal independence in daily activities, 23.00,,,,,
875275, Herpes zoster, 23.00, Ophthalmic herpes zoster, 23.00, Rash, 23.00,,,,,
875276, Cellulitis, 23.00, Erythema, 23.00, Pain in extremity, 23.00, Pruritus, 23.00,,
875277, Injection site cellulitis, 23.00, Injection site discomfort, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00,,
875278, Immediate post-injection reaction, 23.00, Presyncope, 23.00, Vomiting, 23.00,,,,,
875279, Injection site erythema, 23.00, Injection site nodule, 23.00, Injection site swelling, 23.00, Rash, 23.00, Swelling face, 23.00
875279, Swelling of eyelid, 23.00,,,,,,
875280, Injection site oedema, 23.00, Urticaria, 23.00,,,,,
875281, Rash erythematous, 23.00, Rash papular, 23.00,,,,,
875282, Asthenia, 23.00, Feeling hot, 23.00, Headache, 23.00, Hunger, 23.00, Injection site swelling, 23.00
875282, Paraesthesia, 23.00, Peripheral swelling, 23.00, Visual impairment, 23.00, Vomiting, 23.00,,
875283, Mass, 23.00, Pain, 23.00,,,,,
875284, Dizziness, 23.00, Gait disturbance, 23.00, Nausea, 23.00, Pyrexia, 23.00,,
875285, Injection site pain, 23.00, Injection site rash, 23.00, Injection site vesicles, 23.00, Pyrexia, 23.00,,
875286, Pyrexia, 23.00,,,,,,
875287, Pyrexia, 23.00,,,,,,
875288, Pyrexia, 23.00,,,,,,
875300, Herpes zoster, 23.00,,,,,,
875301, No adverse event, 23.00, Product storage error, 23.00,,,,,
875302, No adverse event, 23.00, Product storage error, 23.00,,,,,
875303, No adverse event, 23.00, Product storage error, 23.00,,,,,
875304, No adverse event, 23.00, Product storage error, 23.00,,,,,
875305, No adverse event, 23.00, Product storage error, 23.00,,,,,
875306, Erythema, 23.00, Muscular weakness, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00
875307, No adverse event, 23.00, Product storage error, 23.00,,,,,
875308, Malaise, 23.00, Vaccine positive rechallenge, 23.00,,,,,
875309, Circumstance or information capable of leading to medication

error,23.00,Extra dose administered,23.00,Herpes zoster,
23.00,Inappropriate schedule of product administration,23.00,,
875310,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Headache,23.00,,
875311,Chills,23.00,Fatigue,23.00,Feeling cold,23.00,Gait disturbance,
23.00,Grip strength decreased,23.00
875311,Hyperhidrosis,23.00,Insomnia,23.00,Loss of control of legs,
23.00,Nausea,23.00,Oropharyngeal pain,23.00
875311,Pain in extremity,23.00,Retching,23.00,Sinus congestion,
23.00,Thirst,23.00,Vomiting,23.00
875312,Injection site erythema,23.00,,,,,,,,,
875313,Exposure during pregnancy,23.00,Pain,23.00,Swelling,23.00,,,,,
875314,Rash pruritic,23.00,,,,,,,,,
875315,Haematoma,23.00,Induration,23.00,Swelling,23.00,,,,,
875316,Death,23.00,,,,,,,,,
875317,Chills,23.00,Insomnia,23.00,Pain in extremity,23.00,Pyrexia,
23.00,Tremor,23.00
875318,Pain in extremity,23.00,,,,,,,,,
875338,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
875339,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,,,,
875340,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
875341,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875342,Abdominal pain upper,23.00,Fatigue,23.00,Headache,23.00,Nausea,
23.00,Pain in extremity,23.00
875343,Blood pressure decreased,23.00,Hyperhidrosis,23.00,Muscle
contractions involuntary,23.00,Mydriasis,23.00,,
875344,Chest X-ray normal,23.00,Febrile convulsion,23.00,Full blood
count normal,23.00,Metabolic function test normal,23.00,Rash,23.00
875345,Chills,23.00,Fatigue,23.00,Feeling hot,23.00,Headache,
23.00,Pain,23.00
875345,Toothache,23.00,,,,,,,,,
875347,Hallucination,23.00,,,,,,,,,
875360,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
875361,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
875362,Inappropriate schedule of product administration,23.00,,,,,,,,,
875363,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875364,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875365,Crohn's disease,23.00,Lethargy,23.00,Loss of personal
independence in daily activities,23.00,Somnolence,23.00,,
875366,Pneumonia,23.00,Staphylococcal infection,23.00,Staphylococcus
test positive,23.00,White blood cell count increased,23.00,,
875367,Alpha haemolytic streptococcal infection,23.00,Blood culture,
23.00,Pneumonia,23.00,Streptococcus test positive,23.00,White blood
cell count normal,23.00
875368,Pneumonia,23.00,Staphylococcal infection,23.00,Staphylococcus
test positive,23.00,White blood cell count increased,23.00,,
875369,Headache,23.00,Influenza like illness,23.00,Myalgia,
23.00,Pyrexia,23.00,,
875370,Headache,23.00,Pyrexia,23.00,,,,,,,,,
875371,Inappropriate schedule of product administration,23.00,,,,,,,,,

875372, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875373, Chest pain, 23.00, Chills, 23.00, Computerised tomogram abnormal,
23.00, Dyspnoea, 23.00, Echocardiogram abnormal, 23.00
875373, Electrocardiogram abnormal, 23.00, Electrocardiogram ambulatory,
23.00, Exposure during pregnancy, 23.00, Myocarditis, 23.00, Pyrexia, 23.00
875373, Troponin, 23.00, Ultrasound scan, 23.00, , , , , ,
875374, Abdominal pain, 23.00, Chills, 23.00, Decreased appetite,
23.00, Fatigue, 23.00, Hypersomnia, 23.00
875374, Injection site pain, 23.00, Pyrexia, 23.00, , , , , ,
875375, Arthralgia, 23.00, Chills, 23.00, Headache, 23.00, , , ,
875376, Asthenia, 23.00, Biopsy skin normal, 23.00, Blister, 23.00, Pain,
23.00, Rash, 23.00
875376, Skin ulcer, 23.00, , , , , , , ,
875377, Arthralgia, 23.00, Chills, 23.00, Pyrexia, 23.00, , , , ,
875380, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875381, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875382, Alopecia, 23.00, Electroencephalogram, 23.00, Growth retardation,
23.00, Magnetic resonance imaging, 23.00, Seizure, 23.00
875382, Staring, 23.00, , , , , , , ,
875383, Erythema, 23.00, Muscular weakness, 23.00, Pain, 23.00, Skin warm,
23.00, Swelling, 23.00
875384, Death, 23.00, Deep vein thrombosis, 23.00, Meningitis,
23.00, Thrombosis, 23.00, Vaccination failure, 23.00
875385, Malaise, 23.00, , , , , , , ,
875386, Interchange of vaccine products, 23.00, , , , , , , ,
875387, Diarrhoea, 23.00, Fatigue, 23.00, Headache, 23.00, Hypoaesthesia,
23.00, Muscle spasms, 23.00
875387, Oropharyngeal pain, 23.00, Pain in extremity, 23.00, Skin warm,
23.00, , , , ,
875388, Back pain, 23.00, Condition aggravated, 23.00, Injection site
reaction, 23.00, Pain, 23.00, Rash erythematous, 23.00
875389, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875390, Asthenia, 23.00, Nausea, 23.00, Pyrexia, 23.00, Vomiting, 23.00, ,
875391, Chills, 23.00, Decreased appetite, 23.00, Fatigue,
23.00, Hyperhidrosis, 23.00, Pyrexia, 23.00
875391, Sensitive skin, 23.00, , , , , , , ,
875392, Asthenia, 23.00, Headache, 23.00, Injection site pain, 23.00, Pain,
23.00, Pyrexia, 23.00
875393, Erythema, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , , ,
875396, Expired product administered, 23.00, No adverse event, 23.00, , , , , ,
875398, Herpes zoster, 23.00, Pain, 23.00, Pruritus, 23.00, Rash, 23.00, ,
875399, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, Pain, 23.00, ,
875400, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00, Injection site urticaria,
23.00, Injection site warmth, 23.00
875401, Rash, 23.00, Rash erythematous, 23.00, , , , , ,
875402, Injection site abscess, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site reaction,
23.00, Injection site swelling, 23.00

875402,Injection site warmth,23.00,Rash macular,23.00,Urticaria,
23.00,,,,,
875403,Injected limb mobility decreased,23.00,Musculoskeletal
stiffness,23.00,Pain in extremity,23.00,Periarthritis,23.00,X-ray limb
normal,23.00
875404,Arthralgia,23.00,Bladder pain,23.00,Dyspnoea,23.00,Headache,
23.00,,
875405,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
875406,Cough,23.00,Dyspnoea,23.00,Extremity contracture,23.00,Fatigue,
23.00,Headache,23.00
875406,Myalgia,23.00,,,,,,
875407,Migraine,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,
875408,Herpes zoster,23.00,Pain,23.00,Rash,23.00,Rash pruritic,
23.00,Rash vesicular,23.00
875409,Eye irritation,23.00,Injection site erythema,23.00,Injection
site pain,23.00,Injection site swelling,23.00,Lacrimation increased,
23.00
875409,Pain in extremity,23.00,Rash,23.00,Vision blurred,23.00,,,,,
875410,Dizziness,23.00,,,,,,
875411,Mobility decreased,23.00,,,,,,
875412,Diarrhoea,23.00,Measles post vaccine,23.00,Pyrexia,23.00,Rash,
23.00,Rhinorrhoea,23.00
875423,No adverse event,23.00,Product storage error,23.00,,,,,
875424,Antibody test abnormal,23.00,,,,,,
875425,Herpes zoster,23.00,,,,,,
875428,Body temperature increased,23.00,Herpes virus infection,
23.00,Herpes zoster,23.00,Herpes zoster cutaneous disseminated,
23.00,Injection site rash,23.00
875428,Pain,23.00,,,,,,
875429,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
875430,Injection site pain,23.00,Injection site swelling,23.00,Rash,
23.00,Rash maculo-papular,23.00,Rash pruritic,23.00
875430,Rash vesicular,23.00,Varicella virus test positive,23.00,,,,,
875431,Headache,23.00,Neck pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,
875432,Vaccination site reaction,23.00,,,,,,
875433,Headache,23.00,Injection site erythema,23.00,Injection site
pruritus,23.00,Injection site swelling,23.00,Injection site warmth,
23.00
875433,Nasal congestion,23.00,Pyrexia,23.00,,,,,
875434,Cold sweat,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,,
875435,Loss of consciousness,23.00,,,,,,
875436,Injection site erythema,23.00,Injection site oedema,
23.00,Injection site pain,23.00,,,,,
875437,Blood heavy metal test,23.00,Breast cyst,23.00,Hormone level
abnormal,23.00,Insomnia,23.00,Tachyphrenia,23.00
875438,Balance disorder,23.00,Blood test,23.00,Body temperature
decreased,23.00,Decreased appetite,23.00,Discomfort,23.00

875438, Ear pruritus, 23.00, Excessive eye blinking, 23.00, Eye pruritus, 23.00, Fatigue, 23.00, Gait disturbance, 23.00
875438, Inflammation, 23.00, Influenza virus test, 23.00, Insomnia, 23.00, Irritable bowel syndrome, 23.00, Malaise, 23.00
875438, Pyrexia, 23.00, Rash, 23.00, Rash erythematous, 23.00, Skin reaction, 23.00, Somnolence, 23.00
875438, Urine analysis, 23.00, , , , , , , , , , ,
875439, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , , , , ,
875455, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , , , , ,
875456, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, , , , , , , , , , ,
875458, Back pain, 23.00, Flank pain, 23.00, Herpes zoster, 23.00, , , , , , , , , , ,
875459, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Pain, 23.00, Rhinorrhoea, 23.00
875459, Sneezing, 23.00, , , , , , , , , , ,
875460, Hypersensitivity, 23.00, Malaise, 23.00, , , , , , , , , , ,
875461, Anaphylactic reaction, 23.00, , , , , , , , , , ,
875462, Crying, 23.00, Dizziness, 23.00, Hypokinesia, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00
875462, Loss of personal independence in daily activities, 23.00, Musculoskeletal stiffness, 23.00, Nuchal rigidity, 23.00, Pain, 23.00, Pyrexia, 23.00
875463, Diplegia, 23.00, Paralysis, 23.00, Sensory loss, 23.00, , , , , , , , , , ,
875464, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site rash, 23.00, , , , , , , , , , ,
875465, Blood culture, 23.00, Pneumonia, 23.00, Stomatococcal infection, 23.00, Stomatococcus test positive, 23.00, White blood cell count normal, 23.00
875466, Alpha haemolytic streptococcal infection, 23.00, Blood culture, 23.00, Intensive care, 23.00, Pneumonia, 23.00, Streptococcus test positive, 23.00
875466, White blood cell count normal, 23.00, , , , , , , , , , ,
875467, Hypoaesthesia, 23.00, Neuralgia, 23.00, Pain in extremity, 23.00, , , , , , , , , , ,
875468, Erythema, 23.00, Eye swelling, 23.00, Facial pain, 23.00, , , , , , , , , , ,
875469, Blister, 23.00, Rash vesicular, 23.00, , , , , , , , , , ,
875470, Oral herpes, 23.00, , , , , , , , , , ,
875471, Exposure during pregnancy, 23.00, Hepatitis B antibody negative, 23.00, Therapy non-responder, 23.00, , , , , , , , , , ,
875472, Adverse reaction, 23.00, Inappropriate schedule of product administration, 23.00, , , , , , , , , , ,
875473, Abdominal discomfort, 23.00, , , , , , , , , , ,
875474, Injection site pain, 23.00, Injection site swelling, 23.00, Skin warm, 23.00, , , , , , , , , , ,
875476, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , , , , , ,
875477, Herpes zoster, 23.00, Rash vesicular, 23.00, , , , , , , , , , ,
875478, Chills, 23.00, Headache, 23.00, Pain, 23.00, , , , , , , , , , ,
875479, Axillary mass, 23.00, Axillary pain, 23.00, Burning sensation, 23.00, Discomfort, 23.00, Dry mouth, 23.00
875479, Dry throat, 23.00, Erythema, 23.00, Rash, 23.00, , , , , , , , , , ,

875480, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , ,
875486, Pyrexia, 23.00, Rash, 23.00, , , , , ,
875487, Pyrexia, 23.00, Rash, 23.00, , , , , ,
875488, Pyrexia, 23.00, Rash, 23.00, , , , , ,
875490, Lymphadenopathy, 23.00, , , , , , ,
875491, Influenza like illness, 23.00, Injection site pain, 23.00, , , , , ,
875492, Pneumonia, 23.00, Staphylococcal infection, 23.00, Staphylococcus test positive, 23.00, White blood cell count normal, 23.00, ,
875494, Injection site erythema, 23.00, Injection site rash, 23.00, Injection site swelling, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
875497, Pruritus, 23.00, Urticaria, 23.00, , , , , ,
875498, Explorative laparotomy, 23.00, Intussusception, 23.00, Ultrasound scan, 23.00, X-ray, 23.00, ,
875499, Underdose, 23.00, , , , , , ,
875500, Injection site erythema, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00, , , ,
875501, Injection site erythema, 23.00, Injection site inflammation, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, ,
875505, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875506, Myelitis transverse, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , ,
875507, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875508, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875509, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875510, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875511, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875512, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875513, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875514, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875515, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875516, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
875517, Blood uric acid increased, 23.00, C-reactive protein normal, 23.00, Differential white blood cell count normal, 23.00, Full blood count normal, 23.00, Henoch-Schonlein purpura, 23.00
875517, Metabolic function test normal, 23.00, Red blood cell sedimentation rate normal, 23.00, Skin lesion, 23.00, , , , ,
875518, Pain, 23.00, Rash, 23.00, , , , , ,
875519, Headache, 23.00, Injection site discomfort, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00
875519, Injection site warmth, 23.00, Local reaction, 23.00, Urticaria, 23.00, , , , ,
875520, Myalgia, 23.00, Nodule, 23.00, , , , , ,
875521, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , ,
875522, Decreased appetite, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Pyrexia, 23.00, Rash, 23.00
875523, Arthralgia, 23.00, Oropharyngeal pain, 23.00, Pyrexia, 23.00, Rash, 23.00, , ,

875525,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
875526,Myalgia,23.00,Pyrexia,23.00,Vaccination site pain,23.00,,,,,
875527,Abdominal pain upper,23.00,Dyspepsia,23.00,Gastrointestinal
pain,23.00,Irritable bowel syndrome,23.00,Muscle spasms,23.00
875527,Nausea,23.00,Pruritus,23.00,Urticaria,23.00,,,,,
875528,Asthenia,23.00,Burning sensation,23.00,Dermatitis acneiform,
23.00,Dizziness,23.00,Fatigue,23.00
875528,Hypoaesthesia,23.00,Paraesthesia,23.00,Peripheral coldness,
23.00,Pruritus,23.00,Urticaria,23.00
875529,Injection site bruising,23.00,Injection site discolouration,
23.00,Pain in extremity,23.00,Peripheral swelling,23.00,Skin warm,
23.00
875530,Headache,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
875531,Chills,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,
875539,Pyrexia,23.00,Rash,23.00,,,,,,
875540,No adverse event,23.00,Product storage error,23.00,,,,,,
875541,Herpes zoster,23.00,,,,,,
875542,Herpes zoster,23.00,,,,,,
875543,Herpes zoster,23.00,Pruritus,23.00,Rash,23.00,,,,,
875544,Impetigo,23.00,Injection site erythema,23.00,Injection site
inflammation,23.00,Pustule,23.00,Rash,23.00
875545,Haemorrhagic disorder,23.00,,,,,,
875547,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,,
875548,Eye movement disorder,23.10,Head injury,23.10,Syncope,
23.10,Trismus,23.10,,
875549,Immediate post-injection reaction,23.00,Injected limb mobility
decreased,23.00,Injection site discomfort,23.00,Joint noise,23.00,Loss
of personal independence in daily activities,23.00
875549,Muscular weakness,23.00,Pain,23.00,Pain in extremity,
23.00,Ultrasound scan,23.00,,
875550,Arthralgia,23.00,Asthenia,23.00,Fatigue,23.00,Myalgia,
23.00,Pyrexia,23.00
875551,Dizziness,23.10,Hyperhidrosis,23.10,Pallor,23.10,,,,,
875552,Blood glucose normal,23.00,Muscle rigidity,23.00,Pallor,
23.00,Posturing,23.00,Seizure like phenomena,23.00
875552,Skin warm,23.00,Unresponsive to stimuli,23.00,,,,,,
875553,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,,
875554,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
875555,Wrong product administered,23.00,,,,,,
875556,Diarrhoea,23.00,Vomiting,23.00,,,,,,
875557,Local reaction,23.00,,,,,,
875558,Rash,23.10,,,,,,
875559,Diarrhoea,23.00,Dry mouth,23.00,Pruritus,23.00,Rash,
23.00,Urticaria,23.00
875559,Wheezing,23.00,,,,,,

875560, Chills, 23.10, Pyrexia, 23.10, , , , , , ,
875561, Headache, 23.00, Pain, 23.00, Vomiting, 23.00, , , , ,
875562, Extra dose administered, 23.00, Wrong product administered,
23.00, , , , , , ,
875563, Dizziness, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Lymph
node pain, 23.00, Lymphadenopathy, 23.00
875563, Presyncope, 23.00, Similar reaction on previous exposure to drug,
23.00, , , , , , ,
875564, Arthralgia, 23.00, Erythema, 23.00, Myalgia, 23.00, Skin warm, 23.00, ,
875565, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00, , , , ,
875566, Condition aggravated, 23.00, Sickle cell anaemia with crisis,
23.00, , , , , , ,
875567, Chills, 23.00, Fatigue, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site swelling, 23.00
875567, Malaise, 23.00, Pain in extremity, 23.00, , , , , , ,
875568, Body temperature increased, 23.00, Injected limb mobility
decreased, 23.00, Injection site cellulitis, 23.00, Injection site
erythema, 23.00, Injection site pain, 23.00
875568, Injection site swelling, 23.00, Injection site warmth,
23.00, Insomnia, 23.00, Pain, 23.00, ,
875577, Herpes zoster, 23.00, , , , , , , , ,
875578, Allergy to vaccine, 23.00, Swelling, 23.00, , , , , , ,
875579, Anaemia, 23.00, Anaphylactic shock, 23.00, Aspiration pleural
cavity, 23.00, Atelectasis, 23.00, Bacteraemia, 23.00
875579, Band neutrophil percentage increased, 23.00, Blood creatinine
increased, 23.00, Blood culture negative, 23.00, Blood urea increased,
23.00, Breath sounds abnormal, 23.00
875579, Candida infection, 23.00, Cardiac failure congestive, 23.00, Carpal
tunnel syndrome, 23.00, Chest X-ray abnormal, 23.00, Chest tube insertion,
23.00
875579, Computerised tomogram thorax abnormal, 23.00, Cough,
23.00, Empyema, 23.00, Fatigue, 23.00, Fluid overload, 23.00
875579, Haematocrit decreased, 23.00, Herpes virus infection,
23.00, Hypomagnesaemia, 23.00, Hypotension, 23.00, Hypoxia, 23.00
875579, Intensive care, 23.00, Lung infiltration, 23.00, Malnutrition,
23.00, Neutrophil percentage increased, 23.00, Occult blood positive,
23.00
875579, Oedema, 23.00, Oral candidiasis, 23.00, Oral herpes, 23.00, Packed
red blood cell transfusion, 23.00, Physical deconditioning, 23.00
875579, Pleural decortication, 23.00, Pleural effusion, 23.00, Pneumonia
pneumococcal, 23.00, Pyrexia, 23.00, Streptococcus test positive, 23.00
875579, Swelling face, 23.00, Tachycardia, 23.00, Thoracic operation,
23.00, Upper gastrointestinal haemorrhage, 23.00, Urinary tract
infection, 23.00
875579, White blood cell count normal, 23.00, , , , , , , , ,
875580, Incorrect route of product administration, 23.00, No adverse
event, 23.00, , , , , , , ,
875589, Herpes zoster, 23.00, Rash, 23.00, , , , , , , ,
875592, Inappropriate schedule of product administration, 23.00, Malaise,
23.00, Social problem, 23.00, , , , ,

875593,Blister,23.00,Herpes zoster,23.00,Rash,23.00,,,,,
875594,Intensive care,23.00,Meningitis,23.00,Vaccination failure,
23.00,,,,,
875595,Death,23.00,,,,,,,
875596,Adverse drug reaction,23.00,Loss of personal independence in
daily activities,23.00,,,,,
875597,Headache,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Nausea,23.00,,
875598,Lymphadenopathy,23.00,Vaccination complication,23.00,,,,,
875599,Abdominal discomfort,23.00,Fatigue,23.00,Pyrexia,
23.00,Somnolence,23.00,,
875600,Back pain,23.00,Contusion,23.00,Injection site pain,23.00,Pain
in extremity,23.00,Pyrexia,23.00
875601,Urticaria,23.00,,,,,,,
875602,Burning sensation,23.00,Computerised tomogram normal,
23.00,Feeling hot,23.00,Herpes zoster,23.00,Immediate post-injection
reaction,23.00
875602,Magnetic resonance imaging normal,23.00,Pain,23.00,Ultrasound
scan normal,23.00,,,,,
875603,Arthropod bite,23.00,Food allergy,23.00,,,,,
875604,Pain in extremity,23.00,,,,,,,
875605,Palpitations,23.00,,,,,,,
875606,Blood potassium normal,23.00,Induration,23.00,Rash pruritic,
23.00,White blood cell count increased,23.00,,
875607,Rash,23.00,Varicella,23.00,,,,,
875608,Influenza,23.00,Nasopharyngitis,23.00,Social problem,23.00,,,,,
875609,Fatigue,23.00,Headache,23.00,Product administered to patient of
inappropriate age,23.00,Pyrexia,23.00,,
875610,Incomplete course of vaccination,23.00,Social problem,
23.00,,,,,,
875611,Extra dose administered,23.00,No adverse event,23.00,,,,,,
875612,Bursitis,23.00,Fall,23.00,Social problem,23.00,,,,,
875613,Influenza like illness,23.00,,,,,,,
875614,Extra dose administered,23.00,,,,,,,
875615,Feeling abnormal,23.00,Influenza,23.00,Pain in extremity,
23.00,,,,,
875616,Chills,23.00,Nausea,23.00,,,,,,
875617,Injection site pain,23.10,Pain,23.10,Pyrexia,23.10,,,,,
875618,Chills,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
875619,Lethargy,23.10,,,,,,,
875630,No adverse event,23.00,Product storage error,23.00,,,,,,
875633,Capillary nail refill test abnormal,23.00,Cardio-respiratory
arrest,23.00,Condition aggravated,23.00,Confusional state,
23.00,Congenital HIV infection,23.00
875633,Death,23.00,Dehydration,23.00,Depressed level of consciousness,
23.00,Diarrhoea,23.00,Disseminated varicella zoster vaccine virus
infection,23.00
875633,Dry skin,23.00,Ear pain,23.00,End stage AIDS,23.00,Generalised
tonic-clonic seizure,23.00,Hypophagia,23.00
875633,Hypopnoea,23.00,Lethargy,23.00,Mental status changes,

23.00,Mydriasis,23.00,Pallor,23.00
875633,Pupillary reflex impaired,23.00,Tachycardia,23.00,Varicella
post vaccine,23.00,Vomiting,23.00,,
875634,Headache,23.00,Malaise,23.00,Pain,23.00,Pyrexia,23.00,,
875635,No adverse event,23.00,Product storage error,23.00,,,,,
875636,Expired product administered,23.00,Inappropriate schedule of
product administration,23.00,No adverse event,23.00,Product
administered at inappropriate site,23.00,,
875637,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,
875638,Expired product administered,23.00,No adverse event,23.00,,,,,
875641,Chills,23.00,Hyperhidrosis,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,,
875642,Influenza like illness,23.00,Pain in extremity,23.00,Rash,
23.00,Rash erythematous,23.00,Rash pruritic,23.00
875651,Cold sweat,23.00,Discomfort,23.00,Pain,23.00,Substance use,
23.00,,
875653,Influenza like illness,23.00,Nausea,23.00,Pain,23.00,,,,
875654,Injection site pain,23.00,Injection site streaking,
23.00,Pyrexia,23.00,,,,
875655,Erythema,23.00,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,
875657,Hypoaesthesia,23.00,Loss of personal independence in daily
activities,23.00,Neuralgia,23.00,Pain,23.00,Pain in extremity,23.00
875657,Paraesthesia,23.00,Tenderness,23.00,,,,,
875658,Dizziness,23.00,Loss of consciousness,23.00,Posture abnormal,
23.00,Tremor,23.00,,
875659,Grip strength decreased,23.00,Hypoaesthesia,23.00,Laboratory
test,23.00,Magnetic resonance imaging,23.00,Malaise,23.00
875659,Mobility decreased,23.00,Musculoskeletal disorder,
23.00,Sluggishness,23.00,Weight decreased,23.00,X-ray,23.00
875660,Injection site pain,23.00,Injection site swelling,23.00,,,,,
875662,Immunisation,23.00,Underdose,23.00,,,,,
875663,Urticaria,23.00,,,,,
875664,Angiogram,23.00,Angiogram normal,23.00,Blood test normal,
23.00,Body temperature increased,23.00,Chills,23.00
875664,Dizziness,23.00,Electrocardiogram normal,23.00,Hypoaesthesia,
23.00,Injection site pain,23.00,Myalgia,23.00
875664,Nausea,23.00,Paraesthesia,23.00,Syncope,23.00,,,,
875665,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
875666,Dizziness,23.00,Fall,23.00,Fatigue,23.00,Gait disturbance,
23.00,Hyperhidrosis,23.00
875666,Hypotonia,23.00,Immediate post-injection reaction,23.00,Pain in
extremity,23.00,Syncope,23.00,Visual impairment,23.00
875666,Vomiting,23.00,,,,,
875667,Erythema,23.00,Pruritus,23.00,Swelling,23.00,,,,
875668,Abdominal pain,23.00,Arthralgia,23.00,Chills,23.00,Feeling
abnormal,23.00,Headache,23.00
875668,Hypersomnia,23.00,Oropharyngeal pain,23.00,Pyrexia,
23.00,Sensitive skin,23.00,,

875669,Dizziness,23.00,Headache,23.00,Mobility decreased,23.00,Nausea,
23.00,Pain,23.00
875669,Skin warm,23.00,Swelling,23.00,,,,,
875680,No adverse event,23.00,Product storage error,23.00,,,,,
875681,No adverse event,23.00,Product storage error,23.00,,,,,
875683,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
875684,Atypical pneumonia,23.00,Product administered to patient of
inappropriate age,23.00,Pyrexia,23.00,Varicella post vaccine,23.00,,
875685,Injection site swelling,23.00,Ophthalmic herpes zoster,
23.00,Oral herpes,23.00,,,,,
875686,Blister,23.00,Herpes zoster,23.00,Pain,23.00,Rash,23.00,Skin
ulcer,23.00
875686,Skin weeping,23.00,,,,,
875687,Contusion,23.00,Erythema,23.00,Pain,23.00,Pruritus,23.00,Skin
warm,23.00
875687,Swelling,23.00,Urticaria,23.00,,,,,
875688,Mass,23.00,Skin warm,23.00,Swelling,23.00,,,,,
875689,Rash,23.00,,,,,
875690,Cellulitis,23.00,Contusion,23.00,Cough,23.00,Erythema,
23.00,Extensive swelling of vaccinated limb,23.00
875690,Hypersensitivity,23.00,Lymphadenopathy,23.00,Rash erythematous,
23.00,Rhinorrhoea,23.00,Scab,23.00
875690,Skin warm,23.00,Swelling,23.00,Tenderness,23.00,Tremor,
23.00,Vaccination site inflammation,23.00
875690,Varicella post vaccine,23.00,,,,,
875692,Adverse reaction,23.00,Erythema,23.00,Limb discomfort,
23.00,Pain,23.00,Skin warm,23.00
875692,Tenderness,23.00,,,,,
875693,Abnormal behaviour,23.00,Autism spectrum disorder,
23.00,Developmental regression,23.00,Injection site swelling,
23.00,Speech disorder developmental,23.00
875694,Dizziness,23.00,Syncope,23.00,,,,,
875695,Headache,23.00,Injection site pain,23.00,Malaise,23.00,Rash,
23.00,,
875696,Cerebral haemorrhage,23.00,Contusion,23.00,Immune
thrombocytopenia,23.00,Petechiae,23.00,Platelet count decreased,23.00
875696,Seizure,23.00,,,,,
875697,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00
875698,Syncope,23.00,,,,,
875699,Pyrexia,23.00,Rash morbilliform,23.00,,,,,
875700,Injection site pain,23.10,,,,,
875715,Agitation,23.00,Crying,23.00,Decreased appetite,
23.00,Dermatitis,23.00,Diarrhoea,23.00
875715,Eye discharge,23.00,Eye infection,23.00,Hypersensitivity,
23.00,Injection site pain,23.00,Insomnia,23.00
875715,Lymphadenopathy,23.00,Rash,23.00,Varicella post vaccine,
23.00,,,,,
875720,Erythema,23.10,Peripheral swelling,23.10,,,,,

875721, Syncope, 23.00, , , , , , , , ,
875722, Herpes zoster, 23.00, , , , , , , , ,
875723, Guillain-Barre syndrome, 23.00, , , , , , , , ,
875724, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , , , ,
875725, Syncope, 23.00, , , , , , , , ,
875726, Bradycardia, 23.10, Dizziness, 23.10, Haemoglobin,
23.10, Hyperhidrosis, 23.10, Lipids, 23.10
875726, Presyncope, 23.10, , , , , , , , ,
875727, Herpes zoster, 23.00, , , , , , , , ,
875728, Rash, 23.00, Rash vesicular, 23.00, , , , , , , , ,
875729, Herpes zoster, 23.00, Pruritus, 23.00, Rash, 23.00, , , , ,
875730, Injection site erythema, 23.00, Injection site warmth,
23.00, Myalgia, 23.00, Pain, 23.00, Swelling, 23.00
875730, Tenderness, 23.00, , , , , , , , ,
875731, Contusion, 23.00, Injected limb mobility decreased,
23.00, Injection site bruising, 23.00, Lymphadenopathy, 23.00, Pyrexia,
23.00
875732, Chills, 23.00, Nonspecific reaction, 23.00, Pallor, 23.00, Peripheral
coldness, 23.00, Skin discolouration, 23.00
875732, Tremor, 23.00, , , , , , , , ,
875733, Headache, 23.00, Injection site erythema, 23.00, Injection site
swelling, 23.00, Nausea, 23.00, , ,
875734, Burning sensation, 23.00, Mobility decreased, 23.00, Pruritus,
23.00, Rash, 23.00, Rosacea, 23.00
875734, Swelling, 23.00, , , , , , , , ,
875735, Headache, 23.00, Injection site pain, 23.00, Neck pain, 23.00, , , , ,
875736, Syncope, 23.00, , , , , , , , ,
875737, Injection site bruising, 23.00, Injection site erythema,
23.00, , , , , , , , ,
875738, Pyrexia, 23.10, Rash, 23.10, Rash maculo-papular, 23.10, Viral rash,
23.10, , ,
875739, Arthralgia, 23.00, C-reactive protein increased, 23.00, Epstein-
Barr virus antibody positive, 23.00, Full blood count, 23.00, Gait
disturbance, 23.00
875739, Injected limb mobility decreased, 23.00, Injection site pain,
23.00, Metabolic function test, 23.00, Middle insomnia, 23.00, Peripheral
swelling, 23.00
875739, Red blood cell sedimentation rate increased, 23.00, , , , , , , , ,
875740, Agitation, 23.00, Arthralgia, 23.00, Bone pain, 23.00, Insomnia,
23.00, Malaise, 23.00
875740, Pain, 23.00, Pyrexia, 23.00, , , , , , , , ,
875744, Herpes zoster, 23.00, Rash, 23.00, , , , , , , , ,
875745, Hypoaesthesia, 23.00, Neuralgia, 23.00, Paraesthesia, 23.00, Rash,
23.00, Rash vesicular, 23.00
875746, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00, , , , , , , , ,
875747, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , , , ,
875748, Alpha 1 foetoprotein normal, 23.00, Arrested labour,

23.00, Caesarean section, 23.00, Complication of pregnancy, 23.00, Exposure during pregnancy, 23.00
875748, Foetal disorder, 23.00, Ultrasound antenatal screen, 23.00, Ultrasound antenatal screen normal, 23.00, , , , ,
875749, Urticaria, 23.00, , , , , , , , , ,
875750, Diarrhoea, 23.00, Nausea, 23.00, Rash pruritic, 23.00, Vaccination site reaction, 23.00, ,
875751, Aphasia, 23.00, Crying, 23.00, Decreased appetite, 23.00, Diarrhoea, 23.00, Dizziness, 23.00
875751, Electromyogram, 23.00, Gait disturbance, 23.00, Head titubation, 23.00, Lethargy, 23.00, Magnetic resonance imaging, 23.00
875751, Orthopaedic examination, 23.00, Pyrexia, 23.00, Staring, 23.00, , , , ,
875752, Arthralgia, 23.00, Dysstasia, 23.00, , , , , , , , , ,
875753, Abdominal X-ray, 23.00, Barium double contrast, 23.00, Crying, 23.00, Decreased activity, 23.00, Decreased appetite, 23.00
875753, Discoloured vomit, 23.00, Intussusception, 23.00, Malaise, 23.00, Mucous stools, 23.00, Pyrexia, 23.00
875753, Ultrasound abdomen abnormal, 23.00, Vomiting, 23.00, X-ray, 23.00, X-ray gastrointestinal tract abnormal, 23.00, , ,
875754, Hyperhidrosis, 23.00, Hypotension, 23.00, Pallor, 23.00, Syncope, 23.00, , ,
875755, Laboratory test normal, 23.00, Lethargy, 23.00, Psychomotor hyperactivity, 23.00, Speech disorder, 23.00, Staring, 23.00
875757, Epistaxis, 23.00, Petechiae, 23.00, Platelet count decreased, 23.00, Thrombocytopenia, 23.00, , ,
875758, Extra dose administered, 23.10, , , , , , , , , , ,
875765, Pneumonia, 23.00, Varicella post vaccine, 23.00, , , , , , , , , , ,
875771, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, , , , , , , , , , ,
875772, Balance disorder, 23.00, , , , , , , , , , , ,
875773, Erythema, 23.00, Incorrect route of product administration, 23.00, Pain, 23.00, , , , , ,
875774, Decreased appetite, 23.00, Pain in extremity, 23.00, Somnolence, 23.00, , , , , ,
875775, Injection site pain, 23.00, Mobility decreased, 23.00, Pain in extremity, 23.00, , , , , ,
875776, Pyrexia, 23.00, Skin warm, 23.00, Urticaria, 23.00, , , , , , , , , , ,
875777, Dark circles under eyes, 23.00, Dizziness, 23.00, Fatigue, 23.00, Somnolence, 23.00, Vision blurred, 23.00
875778, Cough, 23.00, Croup infectious, 23.00, Stridor, 23.00, , , , , , , , , , ,
875779, Chills, 23.00, Cyanosis, 23.00, Skin disorder, 23.00, Tremor, 23.00, , ,
875780, Feeling hot, 23.00, Hyperhidrosis, 23.00, Loss of consciousness, 23.00, Pallor, 23.00, Presyncope, 23.00
875781, Blood pressure decreased, 23.00, Eye movement disorder, 23.00, Fall, 23.00, Headache, 23.00, Heart rate decreased, 23.00
875781, Hyperhidrosis, 23.00, Limb injury, 23.00, Loss of consciousness, 23.00, Muscle twitching, 23.00, Pain in extremity, 23.00
875781, Pallor, 23.00, , , , , , , , , , , ,
875782, Abdominal pain upper, 23.00, Nausea, 23.00, Pyrexia, 23.00, , , , , , , , , , ,
875783, Blister, 23.00, Erythema, 23.00, Pain, 23.00, Swelling, 23.00, , , , ,
875784, Expired product administered, 23.00, , , , , , , , , , , ,

875785, Arthralgia, 23.00, Arthritis, 23.00, Inflammation, 23.00, Joint stiffness, 23.00, Joint swelling, 23.00
875785, Joint warmth, 23.00, , , , , , , , ,
875786, Feeling hot, 23.00, Headache, 23.00, Injection site erythema, 23.00, Oropharyngeal pain, 23.00, Pain, 23.00
875787, Chills, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00, Hyperhidrosis, 23.00, Injection site erythema, 23.00
875787, Injection site pain, 23.00, Malaise, 23.00, Pyrexia, 23.00, , , , ,
875788, Acne, 23.00, Chills, 23.00, Dysphagia, 23.00, Fatigue, 23.00, Myalgia, 23.00
875788, Pain, 23.00, Pyrexia, 23.00, SARS-CoV-2 test, 23.00, , , , ,
875789, Infection, 23.00, Laboratory test, 23.00, Mobility decreased, 23.00, Pyrexia, 23.00, Swelling, 23.00
875790, Injection site rash, 23.00, , , , , , , , ,
875791, Erythema, 23.00, Pruritus, 23.00, Swelling, 23.00, , , , ,
875792, Blood test, 23.00, Culture urine, 23.00, Echocardiogram, 23.00, Electrocardiogram, 23.00, Electroencephalogram, 23.00
875792, Magnetic resonance imaging brain, 23.00, Pyrexia, 23.00, Seizure, 23.00, , , , ,
875793, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , , , ,
875794, Injection site reaction, 23.00, Pain in extremity, 23.00, Rash erythematous, 23.00, , , , ,
875795, Arthralgia, 23.00, Discomfort, 23.00, Headache, 23.00, Pain, 23.00, Pain of skin, 23.00
875795, Poor quality sleep, 23.00, Pyrexia, 23.00, , , , , , ,
875796, Extra dose administered, 23.00, No adverse event, 23.00, Wrong product administered, 23.00, , , , ,
875797, Asthenia, 23.00, Chills, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Headache, 23.00
875797, Hyperhidrosis, 23.00, Injection site pain, 23.00, Loss of personal independence in daily activities, 23.00, Nausea, 23.00, Pain in extremity, 23.00
875797, Somnolence, 23.00, , , , , , , , ,
875798, Condition aggravated, 23.00, Neuralgia, 23.00, Tourette's disorder, 23.00, , , , ,
875799, Injection site induration, 23.00, Injection site swelling, 23.00, Joint swelling, 23.00, , , , ,
875800, Fatigue, 23.00, Heart rate increased, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Myalgia, 23.00
875801, Arthralgia, 23.00, Chills, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00
875801, Lethargy, 23.00, Myalgia, 23.00, Nausea, 23.00, , , , ,
875802, Headache, 23.00, Joint stiffness, 23.00, Muscle tightness, 23.00, Musculoskeletal pain, 23.00, Neck pain, 23.00
875803, Blood creatine phosphokinase increased, 23.00, Cerebrovascular accident, 23.00, Computerised tomogram, 23.00, Cough, 23.00, Dyskinesia, 23.00
875803, Electroencephalogram, 23.00, Eye movement disorder, 23.00, Hypoaesthesia, 23.00, Magnetic resonance imaging, 23.00, Malaise,

23.00
875803,Nervous system disorder,23.00,Paraesthesia,23.00,Skin tightness,23.00,,,,,
875804,Blood creatine phosphokinase increased,23.00,Blood test,23.00,Computerised tomogram,23.00,Cough,23.00,Magnetic resonance imaging,23.00
875804,Muscle tightness,23.00,Musculoskeletal stiffness,23.00,Paraesthesia,23.00,Skin tightness,23.00,,
875805,Blood creatine phosphokinase increased,23.00,Blood test,23.00,Computerised tomogram,23.00,Cough,23.00,Magnetic resonance imaging,23.00
875805,Paraesthesia,23.00,Skin tightness,23.00,,,,,,
875806,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Nausea,23.00,,
875807,Blood glucose decreased,23.00,,,,,,
875808,Asthenia,23.00,Chills,23.00,Pyrexia,23.00,Rash,23.00,,
875809,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
875810,Body temperature increased,23.00,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Pruritus,23.00
875810,Swelling,23.00,,,,,,
875811,Injection site erythema,23.00,Pyrexia,23.00,Vaccination site pain,23.00,,,,,
875812,Biopsy skin,23.00,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Pain in extremity,23.00
875813,Lymphadenopathy,23.00,Pyrexia,23.00,Rash,23.00,,,,,
875814,Arthralgia,23.00,Hip arthroplasty,23.00,Pain in extremity,23.00,Pyrexia,23.00,,
875815,Extra dose administered,23.00,Wrong patient received product,23.00,,,,,
875816,Fatigue,23.00,Injection site pain,23.00,Nausea,23.00,Pyrexia,23.00,,
875817,Rash vesicular,23.00,,,,,,
875818,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Pain,23.00
875819,Injected limb mobility decreased,23.00,Injection site swelling,23.00,Injection site warmth,23.00,Pain in extremity,23.00,,
875821,Headache,23.00,Hyperhidrosis,23.00,Injection site pain,23.00,Injection site warmth,23.00,Pain,23.00
875821,Pyrexia,23.00,Respiratory tract congestion,23.00,,,,,
875822,Headache,23.00,Myalgia,23.00,Nausea,23.00,Pain in extremity,23.00,,
875823,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,,
875824,Encephalitis,23.00,Screaming,23.00,,,,,
875825,Body temperature increased,23.00,Dermatitis diaper,23.00,Diarrhoea,23.00,Rash,23.00,,
875826,Blood test,23.00,Craniotomy,23.00,Headache,23.00,Loss of consciousness,23.00,Scan brain,23.00
875826,Subdural haematoma,23.00,Vomiting,23.00,,,,,
875827,Chills,23.00,Erythema,23.00,Injection site pain,23.00,Insomnia,23.00,Myalgia,23.00

875827,Peripheral swelling,23.00,Pyrexia,23.00,,,,,
875828,Lethargy,23.00,Lymphadenopathy,23.00,Pain,23.00,Pyrexia,23.00,,
875829,Blister,23.00,Erythema,23.00,Local reaction,23.00,Pruritus,
23.00,Rash vesicular,23.00
875829,Skin reaction,23.00,,,,,
875830,Blister,23.00,Erythema,23.00,Local reaction,23.00,Pruritus,
23.00,Rash vesicular,23.00
875830,Skin reaction,23.00,,,,,
875831,Arthralgia,23.00,Chest pain,23.00,Injection site pain,
23.00,Mobility decreased,23.00,Myalgia,23.00
875831,Pain in extremity,23.00,Pyrexia,23.00,,,,,
875832,Developmental delay,23.00,Dropped head syndrome,23.00,Infantile
spasms,23.00,Lethargy,23.00,Muscle spasms,23.00
875833,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Feeling abnormal,
23.00,Feeling cold,23.00
875833,Hyperhidrosis,23.00,Immediate post-injection reaction,
23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00
875834,Abdominal discomfort,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Injection site erythema,23.00
875834,Injection site pain,23.00,Injection site swelling,23.00,,,,,
875835,Abdominal pain upper,23.00,Chills,23.00,Diarrhoea,
23.00,Fatigue,23.00,Headache,23.00
875835,Hypophagia,23.00,Influenza like illness,23.00,Loss of personal
independence in daily activities,23.00,Malaise,23.00,Myalgia,23.00
875835,Pain,23.00,Pyrexia,23.00,Tunnel vision,23.00,,,,,
875862,Product storage error,23.00,,,,,
875863,Diarrhoea,23.00,Faeces discoloured,23.00,Irritability,
23.00,Occult blood negative,23.00,,
875864,No adverse event,23.00,Product storage error,23.00,,,,,
875865,No adverse event,23.00,Product storage error,23.00,,,,,
875866,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
875867,Balance disorder,23.00,Burning sensation,23.00,Gait
disturbance,23.00,Herpes zoster,23.00,Muscular weakness,23.00
875867,Pain in extremity,23.00,,,,,
875871,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,,,
875872,No adverse event,23.00,Product storage error,23.00,,,,,
875873,No adverse event,23.00,Product storage error,23.00,,,,,
875874,Extra dose administered,23.00,No adverse event,23.00,,,,,
875875,No adverse event,23.00,Product storage error,23.00,,,,,
875876,Incomplete course of vaccination,23.00,No adverse event,
23.00,,,,,
875877,Rash,23.00,,,,,
875878,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
875879,Deafness,23.00,Vaccination complication,23.00,,,,,
875880,Asthenia,23.00,Herpes zoster,23.00,Influenza like illness,
23.00,Malaise,23.00,Rash,23.00
875881,Pain,23.00,Pyrexia,23.00,Varicella post vaccine,23.00,,,,,

875882,Rash,23.00,Rash vesicular,23.00,,,,,
875883,Abdominal pain,23.00,Epigastric discomfort,23.00,Hernia,
23.00,Herpes zoster,23.00,Nausea,23.00
875883,Product dose omission,23.00,Therapeutic product effect
decreased,23.00,Vomiting,23.00,,,,,
875884,Fatigue,23.00,Headache,23.00,Pain,23.00,,,,,
875885,Contusion,23.00,Injection site bruising,23.00,,,,,
875886,Pain,23.00,Pruritus,23.00,,,,,
875887,Chills,23.00,Pyrexia,23.00,Tremor,23.00,,,,,
875888,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,,
875889,Chills,23.00,Headache,23.00,Immediate post-injection reaction,
23.00,Malaise,23.00,Pain,23.00
875889,Pruritus,23.00,Rash vesicular,23.00,Scratch,23.00,,,,,
875890,Biopsy,23.00,Rash,23.00,Rash vesicular,23.00,,,,,
875891,Fatigue,23.00,Malaise,23.00,Social problem,23.00,,,,,
875892,Expired product administered,23.00,No adverse event,23.00,,,,,
875893,Expired product administered,23.00,No adverse event,23.00,,,,,
875895,Arthralgia,23.10,Chills,23.10,Headache,23.10,Nausea,
23.10,Pyrexia,23.10
875895,Swelling,23.10,,,,,
875899,No adverse event,23.00,Wrong product administered,23.00,,,,,
875900,Herpes zoster,23.00,,,,,
875901,Circumstance or information capable of leading to medication
error,23.00,Eye irrigation,23.00,Eye pruritus,23.00,Occupational
exposure to product,23.00,,
875902,Expired product administered,23.00,No adverse event,23.00,,,,,
875903,Syncope,23.00,,,,,
875904,Herpes zoster,23.00,,,,,
875905,Herpes zoster,23.00,Pain,23.00,Rash,23.00,,,,,
875906,Dizziness,23.00,,,,,
875907,Musculoskeletal pain,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00,,
875908,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Pain in extremity,23.10,,
875909,Condition aggravated,23.00,Rash,23.00,,,,,
875910,Facial asymmetry,23.00,Pruritus,23.00,Swelling face,23.00,,,,,
875911,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
875912,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
875913,Dyspnoea,23.00,Headache,23.00,Hypersensitivity,23.00,Injection
site urticaria,23.00,Throat tightness,23.00
875914,Peripheral swelling,23.00,,,,,
875915,Pruritus,23.10,Rash,23.10,Urticaria,23.10,,,,,
875916,Biopsy skin,23.10,Injection site oedema,23.10,Injection site
swelling,23.10,Pemphigoid,23.10,Peripheral swelling,23.10
875916,Rash,23.10,,,,,
875922,Extra dose administered,23.00,Inappropriate schedule of product
administration,23.00,No adverse event,23.00,,,,,

875923, Fatigue, 23.00, Injection site erythema, 23.00, Injection site warmth, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
875923, Vaccine positive rechallenge, 23.00, , , , , , , , ,
875924, Product administered to patient of inappropriate age, 23.10, , , , , , , , ,
875925, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
875926, Pyrexia, 23.00, , , , , , , , ,
875927, Asthenia, 23.00, Burning sensation, 23.00, Complex regional pain syndrome, 23.00, Condition aggravated, 23.00, Grip strength decreased, 23.00
875927, Hypoaesthesia, 23.00, Joint range of motion decreased, 23.00, Middle insomnia, 23.00, Pain in extremity, 23.00, ,
875928, Hyperhidrosis, 23.00, Skin discolouration, 23.00, , , , , , , ,
875941, Expired product administered, 23.00, , , , , , , , ,
875942, Product storage error, 23.00, , , , , , , , ,
875943, Herpes zoster, 23.00, , , , , , , , ,
875944, Herpes zoster, 23.00, , , , , , , , ,
875945, Herpes zoster, 23.00, Neuropathy peripheral, 23.00, Social problem, 23.00, , , , ,
875946, Alpha 1 foetoprotein normal, 23.00, Caesarean section, 23.00, Chromosome analysis normal, 23.00, Exposure during pregnancy, 23.00, Foetal disorder, 23.00
875946, Gestational diabetes, 23.00, Glucose tolerance test abnormal, 23.00, Prenatal screening test, 23.00, Ultrasound antenatal screen normal, 23.00, , ,
875947, Alpha 1 foetoprotein normal, 23.00, Exposure during pregnancy, 23.00, Herpes simplex, 23.00, Nausea, 23.00, Oral herpes, 23.00
875947, Prenatal screening test, 23.00, Preterm premature rupture of membranes, 23.00, Ultrasound antenatal screen, 23.00, Ultrasound antenatal screen normal, 23.00, , ,
875948, Apgar score normal, 23.00, Caesarean section, 23.00, Foetal exposure during pregnancy, 23.00, Macrosomia, 23.00, , ,
875949, Apgar score abnormal, 23.00, Caesarean section, 23.00, Foetal exposure during pregnancy, 23.00, , , , ,
875950, Alpha 1 foetoprotein normal, 23.00, Beta haemolytic streptococcal infection, 23.00, Complication of pregnancy, 23.00, Delivery, 23.00, Exposure during pregnancy, 23.00
875950, Prenatal screening test, 23.00, Ultrasound antenatal screen normal, 23.00, , , , , , ,
875951, Chills, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00
875951, Injection site pruritus, 23.00, Malaise, 23.00, Neuralgia, 23.00, , , , ,
875952, Wrong product administered, 23.00, , , , , , , , ,
875953, Body temperature increased, 23.00, Cold sweat, 23.00, Disturbance in attention, 23.00, Dizziness, 23.00, Head discomfort, 23.00
875953, Headache, 23.00, Hyperaesthesia, 23.00, Injected limb mobility decreased, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00
875953, Injection site rash, 23.00, Injection site reaction, 23.00, Lethargy, 23.00, Musculoskeletal stiffness, 23.00, Pallor, 23.00

875953,Peripheral swelling,23.00,Rash macular,23.00,Tinnitus,
23.00,Vision blurred,23.00,Visual impairment,23.00
875954,Cellulitis,23.00,Erythema,23.00,Fatigue,23.00,Inflammation,
23.00,Pruritus,23.00
875954,Pyrexia,23.00,,,,,,,,,
875965,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875966,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875967,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875968,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875969,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875970,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875971,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875972,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
875973,Blood pressure increased,23.00,Expired product administered,
23.00,Serology test,23.00,Wrong technique in product usage process,
23.00,,
875974,Erythema,23.00,Peripheral swelling,23.00,,,,,,,,,
875975,Fatigue,23.00,Headache,23.00,Skin warm,23.00,Somnolence,23.00,,
875976,Herpes zoster,23.00,Injection site paraesthesia,23.00,Injection
site pruritus,23.00,Injection site rash,23.00,Injection site reaction,
23.00
875977,Hyperhidrosis,23.00,Nausea,23.00,Pallor,23.00,,,,,
875978,Febrile convulsion,23.00,Pyrexia,23.00,,,,,,,,,
875979,Fatigue,23.00,Headache,23.00,Malaise,23.00,Nausea,23.00,Pain in
extremity,23.00
875979,Vomiting,23.00,,,,,,,,,
875980,Fatigue,23.00,Headache,23.00,Pain,23.00,Pain in extremity,
23.00,Pyrexia,23.00
875981,Chills,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Nausea,23.00,Pain,23.00
875981,Pain in extremity,23.00,Rash pruritic,23.00,Rash vesicular,
23.00,,,,,
875982,Crying,23.00,Eczema,23.00,Faeces discoloured,23.00,Injection
site pain,23.00,Insomnia,23.00
875982,Somnolence,23.00,Vomiting,23.00,,,,,,,,,
875983,Wrong product administered,23.00,,,,,,,,,
875984,Blister,23.00,Erythema,23.00,Scab,23.00,,,,,
875985,Pruritus,23.00,Rash,23.00,,,,,,,,,
875986,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
876000,Vaccination complication,23.00,,,,,,,,,
876001,Extra dose administered,23.00,No adverse event,23.00,,,,,,,,,
876002,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876003,Herpes zoster,23.00,,,,,,,,,
876004,Herpes zoster,23.00,,,,,,,,,
876005,Herpes zoster,23.00,,,,,,,,,
876006,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876007,Dermatitis diaper,23.00,Diarrhoea,23.00,Insomnia,
23.00,Irritability,23.00,Pyrexia,23.00
876007,Varicella post vaccine,23.00,,,,,,,,,

876010,Blister,23.00,Eye disorder,23.00,,,,,
876011,Arthralgia,23.00,Burning sensation,23.00,Erythema,
23.00,Myalgia,23.00,Pruritus,23.00
876012,Pruritus,23.00,,,,,
876013,Adverse event,23.00,Blood pressure increased,23.00,Heart rate
increased,23.00,,,,,
876014,Hypersensitivity,23.00,,,,,
876015,Blood pressure increased,23.00,,,,,
876016,Injection site erythema,23.00,Injection site pain,
23.00,Myalgia,23.00,,,,,
876017,Fatigue,23.00,Pyrexia,23.00,,,,,
876018,Hepatic enzyme increased,23.00,,,,,
876019,Herpes zoster,23.00,Pain of skin,23.00,Paraesthesia,
23.00,Pruritus,23.00,Skin swelling,23.00
876020,Chills,23.00,Dizziness,23.00,Erythema,23.00,Fatigue,
23.00,Headache,23.00
876020,Nausea,23.00,Pallor,23.00,Swelling,23.00,,,,,
876021,Abdominal discomfort,23.00,Arthralgia,23.00,Asthenia,
23.00,Disturbance in attention,23.00,Fatigue,23.00
876021,Feeling abnormal,23.00,Headache,23.00,Injection site pain,
23.00,,,,,
876022,Fatigue,23.00,Injection site pain,23.00,Nausea,23.00,Pain,
23.00,Pyrexia,23.00
876023,Heart rate increased,23.00,Pyrexia,23.00,Vomiting projectile,
23.00,,,,,
876024,Extra dose administered,23.00,,,,,
876025,Blood test,23.00,Fatigue,23.00,Malaise,23.00,,,,,
876026,No adverse event,23.00,Product storage error,23.00,,,,,
876028,Decreased appetite,23.00,Vomiting,23.00,,,,,
876029,Chills,23.00,Condition aggravated,23.00,Fatigue,23.00,Groin
pain,23.00,Hyperhidrosis,23.00
876029,Myalgia,23.00,Pyrexia,23.00,,,,,
876030,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,,
876035,Herpes zoster,23.00,,,,,
876036,Nausea,23.00,,,,,
876037,Fatigue,23.00,Inappropriate schedule of product administration,
23.00,Insomnia,23.00,Pain,23.00,Pyrexia,23.00
876038,Fatigue,23.00,Insomnia,23.00,Pain,23.00,Pyrexia,23.00,,
876039,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,,,,,
876040,Influenza like illness,23.00,,,,,
876041,Pyrexia,23.00,,,,,
876043,Chills,23.00,Pain,23.00,Pyrexia,23.00,Sensitive skin,23.00,,
876046,Rash,23.00,,,,,
876047,Headache,23.00,Influenza like illness,23.00,Pain,
23.00,Peripheral swelling,23.00,,
876048,Chills,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,23.00,,
876049,Blood glucose,23.00,Cyanosis,23.00,Hypoglycaemia,
23.00,Lethargy,23.00,,
876058,Chills,23.00,Cough,23.00,Fatigue,23.00,Feeling abnormal,

23.00,Headache,23.00
876058,Inflammation,23.00,Pain,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Rhinorrhoea,23.00
876058,Skin reaction,23.00,Skin warm,23.00,Vaccine positive
rechallenge,23.00,,,,,
876060,Feeling hot,23.00,Flushing,23.00,Malaise,23.00,Vomiting,23.00,,
876061,Herpes zoster,23.00,Inappropriate schedule of product
administration,23.00,Post herpetic neuralgia,23.00,,,,,
876062,Product storage error,23.00,,,,,,
876063,Product storage error,23.00,,,,,,
876064,Product storage error,23.00,,,,,,
876065,Adverse event,23.00,,,,,,
876066,Adverse reaction,23.00,,,,,,
876067,Crying,23.00,Injected limb mobility decreased,23.00,Injection
site erythema,23.00,Injection site nodule,23.00,Injection site pain,
23.00
876067,Injection site warmth,23.00,Insomnia,23.00,Limb discomfort,
23.00,Musculoskeletal disorder,23.00,Musculoskeletal pain,23.00
876067,Musculoskeletal stiffness,23.00,,,,,,
876068,Injection site erythema,23.00,Injection site pain,23.00,,,,,
876069,Incorrect route of product administration,23.00,No adverse
event,23.00,Wrong product administered,23.00,,,,,
876070,Extra dose administered,23.00,No adverse event,23.00,,,,,
876071,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Large for dates baby,23.00,,,,,
876072,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Large for dates baby,23.00,,,,,
876074,Erythema multiforme,23.00,Injection site pain,23.00,Injection
site swelling,23.00,,,,,
876075,Cold sweat,23.00,Dizziness,23.00,Vision blurred,23.00,,,,,
876076,Flushing,23.00,Mydriasis,23.00,,,,,
876077,Fall,23.00,Limb injury,23.00,,,,,
876078,Injection site erythema,23.00,Injection site pruritus,
23.00,Papule,23.00,,,,,
876079,Arthralgia,23.00,Erythema multiforme,23.00,,,,,
876081,Flushing,23.10,Injection site erythema,23.10,Injection site
warmth,23.10,,,,,
876086,Ear discomfort,23.00,Ear swelling,23.00,Hypoacusis,
23.00,Tinnitus,23.00,,
876087,Herpes zoster,23.00,,,,,,
876088,Product preparation issue,23.00,Wrong technique in product
usage process,23.00,,,,,
876089,Product preparation issue,23.00,Wrong technique in product
usage process,23.00,,,,,
876090,Incorrect product formulation administered,23.00,,,,,,
876091,Inappropriate schedule of product administration,23.00,,,,,,
876092,Wrong technique in product usage process,23.00,,,,,,
876093,Hypersensitivity,23.00,,,,,,
876094,Expired product administered,23.00,,,,,,
876095,Visual impairment,23.00,,,,,,

876097, Decreased appetite, 23.00, Emotional distress, 23.00, Hypersomnia, 23.00, Hypotonia, 23.00, Injection site pain, 23.00
876097, Screaming, 23.00, Somnolence, 23.00, , , , , , ,
876098, Injection site erythema, 23.00, Injection site rash, 23.00, , , , , , ,
876099, Confusional state, 23.00, Dizziness, 23.00, Feeling hot, 23.00, Pallor, 23.00, Posture abnormal, 23.00
876099, Seizure, 23.00, Syncope, 23.00, Vomiting, 23.00, , , , ,
876100, Decreased appetite, 23.00, Fatigue, 23.00, Feeling hot, 23.00, Irritability, 23.00, Lumbar puncture normal, 23.00
876100, Magnetic resonance imaging brain normal, 23.00, Procalcitonin increased, 23.00, Pyrexia, 23.00, Seizure, 23.00, ,
876101, Injection site hypoaesthesia, 23.00, Injection site pain, 23.00, Laboratory test, 23.00, Sleep disorder, 23.00, ,
876103, Wrong product administered, 23.00, , , , , , , ,
876104, Injection site erythema, 23.00, Injection site induration, 23.00, , , , , , ,
876105, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, , , , ,
876106, Dizziness, 23.00, Malaise, 23.00, , , , , , ,
876107, Swelling face, 23.00, Urticaria, 23.00, , , , , , ,
876108, Blood pressure increased, 23.00, Lymphadenopathy, 23.00, Musculoskeletal stiffness, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
876109, Syncope, 23.00, , , , , , , ,
876110, Injection site erythema, 23.00, Injection site pain, 23.00, Lethargy, 23.00, Pyrexia, 23.00, Vaccine positive rechallenge, 23.00
876111, Fatigue, 23.00, Myalgia, 23.00, , , , , , ,
876112, Chills, 23.00, Pyrexia, 23.00, , , , , , ,
876113, Asthenia, 23.00, Cellulitis, 23.00, Dehydration, 23.00, Gait inability, 23.00, Peripheral swelling, 23.00
876114, Hypotension, 23.00, Pyrexia, 23.00, Urticaria, 23.00, , , , ,
876115, Chills, 23.00, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site pain, 23.00
876115, Loss of personal independence in daily activities, 23.00, Myalgia, 23.00, Pain, 23.00, , , , ,
876127, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , ,
876128, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
876129, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
876130, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
876131, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
876132, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
876133, Product administered to patient of inappropriate age, 23.00, , , , , , ,
876134, Herpes zoster, 23.00, , , , , , , ,
876135, Loss of consciousness, 23.00, , , , , , , ,
876136, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
876137, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
876138, Dyspnoea, 23.00, Swelling face, 23.00, , , , , , ,
876139, Wrong technique in product usage process, 23.00, , , , , , , ,

876140,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
876141,Expired product administered,23.00,,,,,,,,,
876142,Expired product administered,23.00,,,,,,,,,
876144,Chills,23.00,Fatigue,23.00,Feeling abnormal,23.00,Headache,
23.00,Injection site erythema,23.00
876144,Injection site pain,23.00,Injection site swelling,
23.00,Myalgia,23.00,Pain,23.00,Pyrexia,23.00
876145,Blister,23.00,Injection site rash,23.00,,,,,,,,,
876146,Chills,23.00,Fatigue,23.00,Feeling abnormal,23.00,Headache,
23.00,Inappropriate schedule of product administration,23.00
876146,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Myalgia,23.00,Pain,23.00
876146,Pyrexia,23.00,,,,,,,,,
876147,Injection site reaction,23.00,,,,,,,,,
876148,Chills,23.00,Headache,23.00,Pyrexia,23.00,Rash,23.00,,
876149,Chills,23.00,Insomnia,23.00,Myalgia,23.00,Pain,23.00,Pyrexia,
23.00
876150,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Nausea,
23.00,,
876153,Feeling hot,23.00,Injection site pain,23.00,Malaise,23.00,,,,,
876154,Altered state of consciousness,23.00,Visual impairment,
23.00,,,,,,,,,
876155,Crying,23.10,Irritability,23.10,Pyrexia,23.10,,,,,
876156,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
876157,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site
induration,23.00,Injection site mass,23.00
876157,Injection site swelling,23.00,,,,,,,,,
876158,Body temperature increased,23.00,Dizziness,23.00,Headache,
23.00,,,,,
876159,Chills,23.00,Fatigue,23.00,Feeling cold,23.00,Injection site
pain,23.00,Insomnia,23.00
876159,Neck pain,23.00,Pain,23.00,,,,,,,,,
876160,Chills,23.00,Injection site erythema,23.00,Injection site
induration,23.00,Injection site warmth,23.00,Pain,23.00
876160,Vomiting,23.00,,,,,,,,,
876161,Arthralgia,23.00,Impaired work ability,23.00,Joint range of
motion decreased,23.00,Ligament sprain,23.00,Vaccination site pain,
23.00
876162,Blood test,23.00,Calculus urinary,23.00,Colonoscopy,
23.00,Condition aggravated,23.00,Gastroesophageal reflux disease,
23.00
876162,Irritable bowel syndrome,23.00,Lithotripsy,23.00,Renal colic,
23.00,Renal disorder,23.00,Renal pain,23.00
876162,Urine analysis,23.00,X-ray,23.00,,,,,,,,,
876163,Fatigue,23.00,Feeling of body temperature change,23.00,Pain in
extremity,23.00,Skin warm,23.00,,
876173,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876174,Blood pressure increased,23.00,Hypertension,23.00,Incorrect

dose administered,23.00,Product preparation issue,23.00,Wrong technique in product usage process,23.00
876175,Arthralgia,23.00,Pain,23.00,,,,,
876176,Acne,23.00,Rash,23.00,,,,,
876177,Pyrexia,23.00,Vomiting,23.00,,,,,
876178,Injection site rash,23.00,Injection site warmth,23.00,,,,,
876179,Chills,23.00,Fatigue,23.00,Headache,23.00,Impaired work ability,23.00,Injection site erythema,23.00
876179,Injection site pain,23.00,Injection site pruritus,23.00,Injection site swelling,23.00,Local reaction,23.00,Pain,23.00
876179,Pyrexia,23.00,SARS-CoV-2 test negative,23.00,,,,,
876180,Irritability,23.00,Rash erythematous,23.00,Rash macular,23.00,Vomiting,23.00,,
876181,Alopecia,23.00,Constipation,23.00,Cortisol increased,23.00,Gastrointestinal disorder,23.00,Hair texture abnormal,23.00
876181,Immediate post-injection reaction,23.00,,,,,
876182,Abdominal pain upper,23.00,Arthralgia,23.00,Back pain,23.00,Chest pain,23.00,Chills,23.00
876182,Ear pain,23.00,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Neck pain,23.00
876182,Oropharyngeal pain,23.00,Pain in extremity,23.00,Pain in jaw,23.00,Pyrexia,23.00,Sinus pain,23.00
876182,Toothache,23.00,,,,,
876183,Erythema,23.00,Injection site mass,23.00,Pain,23.00,Pruritus,23.00,,
876184,Loss of consciousness,23.10,,,,,
876185,Erythema,23.10,Periorbital swelling,23.10,Rash,23.10,Urticaria,23.10,,
876188,Herpes zoster,23.00,Ophthalmic herpes zoster,23.00,Rash,23.00,,,,
876189,Vomiting,23.00,,,,,
876190,No adverse event,23.00,Product storage error,23.00,,,,,
876191,Product storage error,23.00,,,,,
876192,Product storage error,23.00,,,,,
876193,Product storage error,23.00,,,,,
876194,Ear pain,23.00,Face injury,23.00,Facial paralysis,23.00,Head injury,23.00,Hypoaesthesia,23.00
876194,Otitis media,23.00,Otitis media acute,23.00,Somatic dysfunction,23.00,,,,
876195,Arthralgia,23.00,Depression,23.00,Headache,23.00,Joint swelling,23.00,Pain,23.00
876195,Rheumatoid arthritis,23.00,,,,,
876196,Pain in jaw,23.00,Trismus,23.00,,,,,
876197,Expired product administered,23.00,No adverse event,23.00,,,,,
876198,Erythema,23.00,Injection site swelling,23.00,,,,,
876199,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
876200,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,,,,,
876201,Incorrect route of product administration,23.00,Injection site

erythema,23.00,,,,,
876202,Expired product administered,23.00,No adverse event,23.00,,,,,
876203,Extra dose administered,23.00,No adverse event,23.00,,,,,
876204,Hyperhidrosis,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
876205,Condition aggravated,23.00,Herpes virus infection,
23.00,Neuralgia,23.00,Rash,23.00,,
876206,Injection site rash,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Malaise,23.00,Pyrexia,23.00
876207,Angioedema,23.00,Body tinea,23.00,Lip swelling,23.00,Liver
function test normal,23.00,Rash,23.00
876207,Swelling,23.00,Swelling face,23.00,Urticaria,23.00,Urticaria
chronic,23.00,,
876208,Erythema,23.00,Musculoskeletal stiffness,23.00,Pain,23.00,Pain
in extremity,23.00,Peripheral swelling,23.00
876209,Hyperhidrosis,23.00,Loss of consciousness,23.00,Vomiting,
23.00,,,,,
876210,Asthenia,23.00,Crying,23.00,Dizziness,23.00,Incoherent,
23.00,Limb discomfort,23.00
876210,Malaise,23.00,Paraesthesia,23.00,Tremor,23.00,,,,,
876211,Vaccination site pain,23.00,,,,,
876212,Injection site erythema,23.10,Injection site swelling,
23.10,Pyrexia,23.10,Rash erythematous,23.10,,
876213,Erythema,23.10,Pyrexia,23.10,Swelling,23.10,,,,,
876214,Burning sensation,23.10,Lacrimation increased,23.10,Myalgia,
23.10,Pain,23.10,,
876215,Blood lactic acid increased,23.00,Confusional state,23.00,Fall,
23.00,Full blood count normal,23.00,Metabolic function test,23.00
876215,Seizure,23.00,Toxicologic test normal,23.00,Vomiting,23.00,,,,,
876218,Dizziness,23.00,Pain in extremity,23.00,Thirst,23.00,,,,,
876219,Unevaluable event,23.00,,,,,
876220,Feeling cold,23.00,Hyperhidrosis,23.00,Nausea,23.00,Pain in
extremity,23.00,Pyrexia,23.00
876221,Erythema,23.00,Peripheral swelling,23.00,,,,,
876222,Back pain,23.00,Neck pain,23.00,Pain,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00
876222,Swelling,23.00,,,,,
876223,Fatigue,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
876223,Nausea,23.00,Pyrexia,23.00,,,,,
876224,Amnesia,23.00,Neoplasm malignant,23.00,,,,,
876225,Blindness,23.00,Visual impairment,23.00,,,,,
876226,Amylase increased,23.00,Computerised tomogram abdomen abnormal,
23.00,Computerised tomogram pelvis abnormal,23.00,Lipase increased,
23.00,Pancreatitis acute,23.00
876227,Muscular weakness,23.00,Musculoskeletal pain,23.00,Pain in
extremity,23.00,Paraesthesia,23.00,,
876228,Syncope,23.00,,,,,
876229,Injection site erythema,23.00,Injection site pain,
23.00,Malaise,23.00,Myalgia,23.00,Nausea,23.00
876229,Pyrexia,23.00,,,,,

876230, Erythema, 23.00, Pyrexia, 23.00, Swelling, 23.00, , , , ,
876231, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , , , ,
876232, Chills, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, , ,
876233, Body temperature increased, 23.00, Headache, 23.00, Pain, 23.00, , , , ,
876234, Aphasia, 23.00, Decreased eye contact, 23.00, Developmental delay, 23.00, Developmental regression, 23.00, Fine motor skill dysfunction, 23.00
876234, Insomnia, 23.00, Laboratory test abnormal, 23.00, Mitochondrial cytopathy, 23.00, Stereotypy, 23.00, Toe walking, 23.00
876235, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , ,
876236, Abortion spontaneous, 23.00, Exposure during pregnancy, 23.00, Human chorionic gonadotropin decreased, 23.00, Metrorrhagia, 23.00, Pregnancy test positive, 23.00
876246, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , ,
876247, Product storage error, 23.00, , , , , , , , ,
876248, Product storage error, 23.00, , , , , , , , ,
876249, Product storage error, 23.00, , , , , , , , ,
876250, Pyrexia, 23.00, , , , , , , , ,
876251, Pyrexia, 23.00, , , , , , , , ,
876252, Adverse drug reaction, 23.00, , , , , , , , ,
876253, Product storage error, 23.00, , , , , , , , ,
876254, Fatigue, 23.00, Myalgia, 23.00, Pain of skin, 23.00, , , , ,
876255, Chills, 23.00, Headache, 23.00, Lymphadenitis, 23.00, Pain, 23.00, , ,
876256, Urticaria, 23.00, , , , , , , , ,
876259, Abdominal discomfort, 23.00, Fatigue, 23.00, , , , , , , , ,
876260, Asthenia, 23.10, Feeling abnormal, 23.10, Hypopnoea, 23.10, Muscle rigidity, 23.10, Nausea, 23.10
876260, Posture abnormal, 23.10, , , , , , , , ,
876261, Electrocardiogram T wave inversion, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Paraesthesia, 23.00
876263, Body temperature increased, 23.00, C-reactive protein increased, 23.00, Vomiting, 23.00, White blood cell count increased, 23.00, , ,
876267, Bacterial infection, 23.00, Cardiac failure congestive, 23.00, Herpes zoster, 23.00, Myocardial infarction, 23.00, Neuralgia, 23.00
876267, Post herpetic neuralgia, 23.00, Rash, 23.00, Rash vesicular, 23.00, Visual impairment, 23.00, , ,
876268, Product storage error, 23.00, , , , , , , , ,
876269, Product storage error, 23.00, , , , , , , , ,
876270, Product storage error, 23.00, , , , , , , , ,
876271, Product storage error, 23.00, , , , , , , , ,
876272, Intussusception, 23.00, , , , , , , , ,
876273, Hypersensitivity, 23.00, Injection site reaction, 23.00, , , , , , , , ,
876274, Cancer surgery, 23.00, Condition aggravated, 23.00, Herpes zoster, 23.00, Neoplasm malignant, 23.00, Stent placement, 23.00
876275, Fatigue, 23.00, Pain, 23.00, Pyrexia, 23.00, , , , ,
876276, Rash, 23.00, , , , , , , , ,
876277, Extra dose administered, 23.00, , , , , , , , ,
876278, Fall, 23.00, Muscle contractions involuntary, 23.00, Postictal

state,23.00,Somnolence,23.00,Tonic convulsion,23.00
876278,Urinary incontinence,23.00,Vomiting,23.00,,,,,
876279,Peripheral swelling,23.00,Skin warm,23.00,Tenderness,23.00,,,,,
876282,Erythema,23.00,Inflammation,23.00,Mobility decreased,23.00,Pain
in extremity,23.00,Peripheral swelling,23.00
876282,Skin discolouration,23.00,,,,,
876283,Product storage error,23.00,,,,,
876284,Product storage error,23.00,,,,,
876286,Oral administration complication,23.00,Vomiting,23.00,,,,,
876287,Injection site pruritus,23.00,Injection site rash,23.00,,,,,
876288,Blood pressure decreased,23.00,Cold sweat,23.00,Dizziness,
23.00,Heart rate decreased,23.00,Nausea,23.00
876289,Cough,23.00,Fatigue,23.00,Feeling hot,23.00,Injection site
warmth,23.00,Muscle spasms,23.00
876290,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
876292,Concussion,23.00,Hypoaesthesia,23.00,Injection site pain,
23.00,Syncope,23.00,,
876293,Nausea,23.10,Rash,23.10,Vomiting,23.10,,,,,
876294,Localised oedema,23.00,,,,,
876295,Pruritus,23.10,Urticaria,23.10,,,,,
876296,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
876297,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
876298,Cellulitis,23.00,Chills,23.00,Hyperhidrosis,23.00,Injection
site erythema,23.00,Injection site pain,23.00
876298,Pyrexia,23.00,Rash,23.00,,,,,
876299,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Urticaria,23.00,,
876300,Injection site erythema,23.10,Injection site nodule,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
876308,Herpes zoster,23.00,,,,,
876309,Product preparation issue,23.00,,,,,
876310,Product storage error,23.00,,,,,
876311,Expired product administered,23.00,No adverse event,23.00,,,,,
876312,Injection site erythema,23.00,Injection site induration,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
876313,Local reaction,23.00,,,,,
876314,Contusion,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Ultrasound scan,23.00,,
876315,Cough,23.00,Dyspnoea,23.00,Flushing,23.00,Nasal congestion,
23.00,Sneezing,23.00
876316,Adverse drug reaction,23.00,Asthenia,23.00,Guillain-Barre
syndrome,23.00,Hypoaesthesia,23.00,Immunoglobulin therapy,23.00
876316,Nausea,23.00,Paraesthesia,23.00,Rash,23.00,,,,,
876317,Injection site erythema,23.00,Injection site pruritus,
23.00,Vaccination site pain,23.00,Vaccination site swelling,23.00,,
876319,Pyrexia,23.00,,,,,
876320,Arthropod bite,23.00,Fatigue,23.00,Injection site mass,
23.00,Injection site pain,23.00,Injection site pruritus,23.00
876320,Injection site reaction,23.00,Urticaria,23.00,,,,,

876321, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Pyrexia, 23.00,,
876322, Chills, 23.00, Fatigue, 23.00, Myalgia, 23.00, Rhinorrhoea, 23.00,,
876323, No adverse event, 23.00, Wrong product administered, 23.00,,,,,
876324, Rash, 23.00, Rash papular, 23.00, Rash pruritic, 23.00,,,,,
876325, Discomfort, 23.00, Pain, 23.00, Peripheral swelling, 23.00,,,,,
876326, Depressed level of consciousness, 23.00, Dyskinesia, 23.00, Eye
movement disorder, 23.00, Malaise, 23.00, Muscle rigidity, 23.00
876326, Pallor, 23.00, Unresponsive to stimuli, 23.00,,,,,
876327, Somnolence, 23.00, Unresponsive to stimuli, 23.00,,,,,
876328, Injection site rash, 23.00,,,,,
876329, Facial paralysis, 23.00, Pyrexia, 23.00, Specialist consultation,
23.00,,,,,
876330, Headache, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Pyrexia,
23.00,,
876331, Dizziness, 23.00, Flushing, 23.00, Headache, 23.00, Nausea, 23.00,,
876332, Eating disorder, 23.00, Erythema, 23.00, Fatigue, 23.00, Headache,
23.00, Lymphadenopathy, 23.00
876332, Malaise, 23.00, Myalgia, 23.00, Oral mucosal eruption,
23.00, Pruritus, 23.00, Pustule, 23.00
876332, Rash, 23.00, Swelling, 23.00,,,,,
876339, Acute respiratory failure, 23.00, Akinesia, 23.00, Dyskinesia,
23.00, Gastroesophageal reflux disease, 23.00, Hypophagia, 23.00
876339, Myopathy, 23.00, Rash vesicular, 23.00,,,,,
876345, No adverse event, 23.00, Product storage error, 23.00,,,,,
876346, Incorrect route of product administration, 23.00, No adverse
event, 23.00,,,,,
876347, No adverse event, 23.00, Product storage error, 23.00,,,,,
876348, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00,,,,,
876349, Product storage error, 23.00,,,,,
876350, Product storage error, 23.00,,,,,
876351, Product storage error, 23.00,,,,,
876352, Product storage error, 23.00,,,,,
876353, Product storage error, 23.00,,,,,
876354, Product storage error, 23.00,,,,,
876355, Product storage error, 23.00,,,,,
876356, Inappropriate schedule of product administration, 23.00, No
adverse event, 23.00,,,,,
876357, No adverse event, 23.00, Product storage error, 23.00,,,,,
876358, No adverse event, 23.00, Product storage error, 23.00,,,,,
876359, Expired product administered, 23.00, No adverse event, 23.00,,,,,
876360, Herpes zoster, 23.00, Injection site erythema, 23.00, Injection
site infection, 23.00, Injection site pain, 23.00, Injection site
swelling, 23.00
876362, Arthralgia, 23.00, Depression, 23.00, Headache, 23.00, Joint
swelling, 23.00, Pain, 23.00
876363, Extensive swelling of vaccinated limb, 23.00, Incorrect route of
product administration, 23.00, Injection site pain, 23.00, Injection site
swelling, 23.00, Injection site warmth, 23.00
876363, Product administered at inappropriate site, 23.00, Rash papular,

23.00, Social problem, 23.00, Tenderness, 23.00,,
876364, Asthenia, 23.00, Chills, 23.00, Discomfort, 23.00, Nausea,
23.00, Pruritus, 23.00
876364, Pyrexia, 23.00, Rash erythematous, 23.00, Rash vesicular, 23.00,,,,,
876365, Herpes zoster, 23.00,,,,,,
876366, Body temperature, 23.00, Crying, 23.00, Irritability, 23.00,,,,,
876367, Oedema peripheral, 23.10,,,,,,
876368, Areflexia, 23.00, Asthenia, 23.00, Paraesthesia, 23.00,,,,,
876369, Erythema, 23.10, Pruritus, 23.10, Rash, 23.10, Urticaria, 23.10,,
876370, Bradycardia, 23.10, Hypotension, 23.10, Syncope, 23.10, Urinary
incontinence, 23.10, Vomiting, 23.10
876371, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10,,,,,
876372, Injection site rash, 23.00,,,,,,
876374, Hypersomnia, 23.10, Pollakiuria, 23.10, Vomiting, 23.10,,,,,
876375, No adverse event, 23.00, Product administered at inappropriate
site, 23.00,,,,,,
876376, Nausea, 23.00,,,,,,
876377, Muscular weakness, 23.00, Pain in extremity, 23.00,,,,,
876378, Abdominal discomfort, 23.00, Asthenia, 23.00, Myalgia, 23.00,,,,,
876379, Listless, 23.00, Pyrexia, 23.00, Tremor, 23.00,,,,,
876380, Feeling cold, 23.00, Headache, 23.00, Pyrexia, 23.00, Somnolence,
23.00,,
876381, Erythema, 23.00, Immediate post-injection reaction, 23.00, Injected
limb mobility decreased, 23.00, Injection site induration,
23.00, Injection site pain, 23.00
876381, Injection site reaction, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, Pain, 23.00, Pain in extremity, 23.00
876381, Rotator cuff syndrome, 23.00, Skin tightness, 23.00,,,,,
876382, Nausea, 23.00, Vomiting, 23.00,,,,,
876383, Myalgia, 23.10,,,,,,
876384, Cough, 23.00, Rash, 23.00, Wheezing, 23.00,,,,,
876386, No adverse event, 23.00, Product storage error, 23.00,,,,,
876387, No adverse event, 23.00, Product storage error, 23.00,,,,,
876389, No adverse event, 23.00, Product storage error, 23.00,,,,,
876390, No adverse event, 23.00, Product storage error, 23.00,,,,,
876391, No adverse event, 23.00, Product storage error, 23.00,,,,,
876393, Incorrect product formulation administered, 23.00,,,,,,
876394, Chills, 23.00, Fatigue, 23.00, Pain, 23.00, Pruritus, 23.00, Pyrexia,
23.00
876394, Rash papular, 23.00, Rash vesicular, 23.00,,,,,
876395, Body temperature increased, 23.00, Chills, 23.00, Fatigue,
23.00, Headache, 23.00, Myalgia, 23.00
876396, Wrong product administered, 23.00,,,,,,
876397, Erythema, 23.00, Papule, 23.00,,,,,
876398, Ageusia, 23.00, Chest X-ray, 23.00, Pyrexia, 23.00, SARS-CoV-2 test,
23.00,,
876399, Guillain-Barre syndrome, 23.00,,,,,,
876400, Rash pruritic, 23.00,,,,,,
876401, Blister, 23.00,,,,,,

876402,Pain,23.10,Swelling,23.10,,,,,
876408,Hypersensitivity,23.00,Peripheral swelling,23.00,,,,,
876409,Extra dose administered,23.00,,,,,
876410,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
876411,Dyspnoea,23.00,Gait disturbance,23.00,Headache,23.00,Injection
site pain,23.00,Muscular weakness,23.00
876411,Musculoskeletal pain,23.00,Nausea,23.00,,,,,
876412,Obsessive-compulsive disorder,23.00,,,,,
876413,Injection site pain,23.00,Rash,23.00,,,,,
876414,Injection site erythema,23.00,Injection site pain,
23.00,Vaccination site erythema,23.00,Vaccination site inflammation,
23.00,Vaccination site pain,23.00
876415,Condition aggravated,23.00,Injection site pain,23.00,Injection
site swelling,23.00,Tic,23.00,,
876417,No adverse event,23.00,Product storage error,23.00,,,,,
876418,Allergy to vaccine,23.00,Eye pain,23.00,Headache,
23.00,Hypersensitivity,23.00,Injection site inflammation,23.00
876418,Injection site swelling,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00,Vomiting,23.00
876419,Condition aggravated,23.00,Fall,23.00,Seizure,23.00,,,,,
876420,Condition aggravated,23.00,Injection site pain,23.00,Tic,
23.00,,,,,
876421,Condition aggravated,23.00,Tic,23.00,,,,,
876422,Back pain,23.00,Blood culture,23.00,Blood lactic acid,
23.00,Borrelia test negative,23.00,Ehrlichia test,23.00
876422,Fatigue,23.00,Full blood count,23.00,Headache,23.00,Laboratory
test,23.00,Metabolic function test,23.00
876422,Neck pain,23.00,Parasite blood test,23.00,Pyrexia,23.00,Red
blood cell sedimentation rate increased,23.00,SARS-CoV-2 test
negative,23.00
876422,Urine analysis,23.00,White blood cell count decreased,
23.00,,,,,
876423,Blood test,23.00,Enema administration,23.00,Imaging procedure,
23.00,Intussusception,23.00,Irritability,23.00
876423,Surgery,23.00,Ultrasound abdomen abnormal,23.00,Vomiting,
23.00,X-ray,23.00,,
876424,Dizziness postural,23.00,Headache,23.00,Motion sickness,
23.00,Pain in extremity,23.00,Pyrexia,23.00
876425,Chills,23.00,Headache,23.00,Myalgia,23.00,Pain in extremity,
23.00,Tremor,23.00
876426,Rash,23.00,,,,,
876427,Erythema,23.00,Headache,23.00,Pyrexia,23.00,,,,,
876428,Electrocardiogram normal,23.00,Loss of consciousness,
23.00,Posturing,23.00,Syncope,23.00,,
876429,Chills,23.00,Fatigue,23.00,Insomnia,23.00,Myalgia,23.00,Pain in
extremity,23.00
876430,Injection site extravasation,23.00,Syringe issue,
23.00,Underdose,23.00,,,,,
876431,Extra dose administered,23.00,,,,,

876432, Eye movement disorder, 23.00, Musculoskeletal stiffness, 23.00, Tremor, 23.00, , , , ,
876433, Abdominal pain upper, 23.00, Blood test, 23.00, Diarrhoea, 23.00, Dizziness, 23.00, Fatigue, 23.00
876433, Hot flush, 23.00, Nausea, 23.00, Urinary tract infection, 23.00, , , , ,
876434, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00, ,
876435, Headache, 23.00, Nausea, 23.00, Pain, 23.00, , , , ,
876436, Arthralgia, 23.00, Lymphoedema, 23.00, Oedema, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
876437, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , ,
876438, Swelling, 23.00, Urticaria, 23.00, , , , , , ,
876439, Chills, 23.00, Injection site reaction, 23.00, Pain, 23.00, Skin warm, 23.00, Urticaria, 23.00
876440, Injection site swelling, 23.00, , , , , , , , ,
876441, Injection site swelling, 23.00, , , , , , , , ,
876442, Dizziness, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Vomiting, 23.00
876443, Chills, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, , , , ,
876444, Chills, 23.00, Fatigue, 23.00, Pyrexia, 23.00, , , , ,
876445, Balance disorder, 23.00, Dizziness, 23.00, Headache, 23.00, Myalgia, 23.00, Pyrexia, 23.00
876446, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , , , ,
876447, Back pain, 23.00, Blood test, 23.00, Cardiac monitoring normal, 23.00, Cardiac stress test normal, 23.00, Chest X-ray normal, 23.00
876447, Chest discomfort, 23.00, Dyspnoea, 23.00, Echocardiogram normal, 23.00, Endoscopy abnormal, 23.00, Fatigue, 23.00
876447, Headache, 23.00, Joint stiffness, 23.00, Musculoskeletal stiffness, 23.00, Nausea, 23.00, Pulmonary function test normal, 23.00
876447, Ventilation/perfusion scan normal, 23.00, , , , , , , , ,
876448, Loss of consciousness, 23.00, , , , , , , , ,
876449, Arthralgia, 23.00, Chest pain, 23.00, Erythema, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00
876449, Headache, 23.00, Loss of personal independence in daily activities, 23.00, Myalgia, 23.00, Night sweats, 23.00, Pain of skin, 23.00
876449, Skin warm, 23.00, , , , , , , , ,
876450, Chills, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Pain, 23.00
876450, Pain in extremity, 23.00, Paraesthesia, 23.00, Pyrexia, 23.00, , , , ,
876451, Chills, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00
876452, Erythema, 23.00, Peripheral swelling, 23.00, Vaccination complication, 23.00, , , , ,
876453, Abnormal dreams, 23.00, Insomnia, 23.00, Nausea, 23.00, Pain, 23.00, Pain in extremity, 23.00
876453, Pyrexia, 23.00, Thirst, 23.00, , , , , , , , ,
876454, Erythema, 23.00, Swelling, 23.00, , , , , , , , ,
876455, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Myalgia, 23.00, Pyrexia, 23.00
876456, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , , ,

876457, Chills, 23.00, Erythema, 23.00, Hyperhidrosis, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
876459, Fatigue, 23.00, Nausea, 23.00, Pain, 23.00, , , ,
876460, Pain in extremity, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , ,
876461, Injection site erythema, 23.00, Injection site swelling, 23.00, Nausea, 23.00, , , ,
876462, Nausea, 23.00, Vomiting, 23.00, , , , , ,
876463, Headache, 23.00, Injection site rash, 23.00, Myalgia, 23.00, , , , ,
876464, Erythema, 23.00, Gingival swelling, 23.00, Peripheral swelling, 23.00, Swelling face, 23.00, Taste disorder, 23.00
876465, Abdominal discomfort, 23.00, Fatigue, 23.00, Headache, 23.00, Hyperhidrosis, 23.00, Injection site pain, 23.00
876465, Myalgia, 23.00, Pyrexia, 23.00, , , , , ,
876466, Blood test, 23.00, Cytomegalovirus test positive, 23.00, Epstein-Barr virus test positive, 23.00, Infectious mononucleosis, 23.00, Pain, 23.00
876466, Pyrexia, 23.00, Rash, 23.00, , , , , ,
876467, Diarrhoea, 23.00, Erythema, 23.00, Injection site pain, 23.00, Nausea, 23.00, Peripheral swelling, 23.00
876467, Pyrexia, 23.00, , , , , , , ,
876468, Burning sensation, 23.00, Injection site pain, 23.00, Joint range of motion decreased, 23.00, Loss of personal independence in daily activities, 23.00, Pain, 23.00
876468, Pain in extremity, 23.00, , , , , , , ,
876470, Fall, 23.00, Head injury, 23.00, Suture insertion, 23.00, Syncope, 23.00, ,
876471, Injection site swelling, 23.00, Pyrexia, 23.00, Rash, 23.00, Tenderness, 23.00, ,
876472, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , ,
876473, Headache, 23.00, Hyperaesthesia teeth, 23.00, Musculoskeletal stiffness, 23.00, , , , ,
876474, Hypoaesthesia oral, 23.00, Lip swelling, 23.00, , , , , , ,
876475, Diarrhoea, 23.00, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00
876475, Pain in extremity, 23.00, Syncope, 23.00, , , , , , ,
876476, Abdominal discomfort, 23.00, Abdominal pain upper, 23.00, Fatigue, 23.00, Headache, 23.00, Myalgia, 23.00
876476, Rash, 23.00, , , , , , , ,
876477, Arthralgia, 23.00, Diarrhoea, 23.00, Fatigue, 23.00, Insomnia, 23.00, Joint swelling, 23.00
876477, Pyrexia, 23.00, Rash erythematous, 23.00, Serum sickness-like reaction, 23.00, , , , ,
876478, Eczema, 23.00, Haematochezia, 23.00, Impetigo, 23.00, , , , ,
876479, Decreased eye contact, 23.00, Eczema, 23.00, Encephalopathy, 23.00, Food allergy, 23.00, Haematochezia, 23.00
876479, Hypersensitivity, 23.00, Lethargy, 23.00, Protrusion tongue, 23.00, Tic, 23.00, ,
876480, Asthenia, 23.00, Chills, 23.00, Cold sweat, 23.00, Depressed level of

consciousness,23.00,Fatigue,23.00
876480,Headache,23.00,Injection site rash,23.00,Injection site
swelling,23.00,Myalgia,23.00,,
876481,Headache,23.00,Impaired work ability,23.00,Injection site pain,
23.00,Lethargy,23.00,Loss of personal independence in daily
activities,23.00
876481,Pain,23.00,,,,,,,,,
876482, Faeces soft,23.00,Headache,23.00,Injection site pain,
23.00,Lethargy,23.00,Pain,23.00
876483,Fall,23.00,Loss of consciousness,23.00,Syncope,23.00,,,,,
876484,Acoustic stimulation tests abnormal,23.00,Hypoacusis,
23.00,Magnetic resonance imaging brain abnormal,23.00,,,,,
876485,Cellulitis,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,,
876486,Pallor,23.00,Syncope,23.00,,,,,,,,,
876487,Dizziness,23.00,Headache,23.00,Influenza like illness,
23.00,Pyrexia,23.00,,
876489,Erythema,23.00,Pyrexia,23.00,Swelling,23.00,Vaccination site
warmth,23.00,,
876490,Fatigue,23.00,Lymphadenopathy,23.00,Musculoskeletal stiffness,
23.00,White blood cell count abnormal,23.00,,
876491,Erythema,23.00,Rash,23.00,,,,,,,,,
876492,Urticaria,23.00,,,,,,,,,
876513,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
876514,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876515,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876516,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,,,,,
876517,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876518,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876519,Incorrect dose administered,23.00,No adverse event,23.00,,,,,,,,,
876520,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
876521,Dysstasia,23.00,Joint range of motion decreased,
23.00,Monoplegia,23.00,Muscular weakness,23.00,Myalgia,23.00
876521,Pain in extremity,23.00,Peripheral swelling,23.00,Skin
tightness,23.00,,,,,
876522,Arthralgia,23.00,Influenza,23.00,,,,,,,,,
876523,Expired product administered,23.00,,,,,,,,,
876524,Incomplete course of vaccination,23.00,Product dose omission,
23.00,,,,,,,,,
876525,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876526,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
876527,Pain in extremity,23.00,,,,,,,,,
876528,Arthropod bite,23.00,Herpes zoster,23.00,,,,,,,,,
876529,Urticaria,23.00,,,,,,,,,
876530,Herpes zoster,23.00,Pyrexia,23.00,Rash,23.00,,,,,
876531,Condition aggravated,23.00,Dyspnoea,23.00,,,,,,,,,
876532,Abdominal discomfort,23.00,Feeling abnormal,23.00,Headache,

23.00,Myalgia,23.00,,
876533,Fatigue,23.00,Injection site pain,23.00,Muscle fatigue,
23.00,,,,,
876534,Furuncle,23.00,Lethargy,23.00,Malaise,23.00,Pain in extremity,
23.00,Pyrexia,23.00
876534,Rash,23.00,Rash erythematous,23.00,Rash pruritic,23.00,Rash
vesicular,23.00,Skin discolouration,23.00
876535,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pain in extremity,23.00,,
876536,Extensive swelling of vaccinated limb,23.00,Injection site
erythema,23.00,Injection site rash,23.00,,,,,
876537,Asthenia,23.00,Fatigue,23.00,Immediate post-injection reaction,
23.00,Urticaria,23.00,,
876538,Pruritus,23.00,Vaccination complication,23.00,,,,,,
876539,Dyspnoea,23.00,Heart rate increased,23.00,,,,,,
876540,Herpes zoster,23.00,Rash,23.00,,,,,,
876541,Incomplete course of vaccination,23.00,Near death experience,
23.00,,,,,,
876542,Asthenia,23.00,Fatigue,23.00,Pain in extremity,
23.00,Somnolence,23.00,,
876544,Condition aggravated,23.00,Herpes zoster,23.00,Inappropriate
schedule of product administration,23.00,Vaccine positive rechallenge,
23.00,,
876547,Blister,23.00,Herpes zoster,23.00,Pruritus,23.00,Skin
irritation,23.00,,
876548,Musculoskeletal pain,23.00,Pain,23.00,Pain in extremity,
23.00,SARS-CoV-2 test negative,23.00,Sitting disability,23.00
876549,Pain in extremity,23.00,Rash macular,23.00,Rash vesicular,
23.00,,,,,
876550,Injection site pain,23.00,Pain,23.00,,,,,,
876551,Inappropriate schedule of product administration,
23.00,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,
876552,Abdominal discomfort,23.00,Headache,23.00,Hypersensitivity,
23.00,Injected limb mobility decreased,23.00,Injection site
cellulitis,23.00
876552,Injection site discomfort,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
876552,Insomnia,23.00,Myalgia,23.00,Pain,23.00,Tenderness,23.00,,
876553,Cellulitis,23.00,Headache,23.00,Impaired work ability,
23.00,Inflammation,23.00,,
876554,Herpes zoster,23.00,Vaccination failure,23.00,,,,,,
876555,Dyspnoea,23.00,Pharyngeal swelling,23.00,,,,,,
876556,Pain in extremity,23.00,Pyrexia,23.00,,,,,,
876557,Halo vision,23.00,Photophobia,23.00,Visual impairment,
23.00,Vitreous floaters,23.00,,
876558,Fatigue,23.00,Feeling cold,23.00,Feeling hot,23.00,Injection
site pain,23.00,Insomnia,23.00
876558,Pain,23.00,Pyrexia,23.00,,,,,,

876559,Burning sensation,23.00,Herpes zoster,23.00,Pruritus,
23.00,Rash,23.00,Skin irritation,23.00
876560,Chills,23.00,Headache,23.00,Pyrexia,23.00,,,,,
876561,Influenza like illness,23.00,,,,,,
876562,Herpes zoster,23.00,Inappropriate schedule of product
administration,23.00,Product supply issue,23.00,Vaccination failure,
23.00,,
876563,Arthropod bite,23.00,Chills,23.00,Erythema,23.00,Influenza like
illness,23.00,Pain,23.00
876563,Pruritus,23.00,Pyrexia,23.00,,,,,
876564,Malaise,23.00,,,,,
876565,Insomnia,23.00,Irritability,23.00,Product administered to
patient of inappropriate age,23.00,Wrong product administered,23.00,,
876566,Anxiety,23.00,Arthralgia,23.00,Chills,23.00,Headache,
23.00,Hypoaesthesia,23.00
876566,Pain,23.00,,,,,
876567,Chills,23.00,Influenza like illness,23.00,Nausea,23.00,Pain,
23.00,Pain in extremity,23.00
876568,Erythema,23.00,Inflammation,23.00,Swelling,23.00,,,,,
876569,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Musculoskeletal pain,
23.00,Tenderness,23.00
876570,Rash,23.10,,,,,
876576,No adverse event,23.00,Underdose,23.00,,,,,
876578,Chills,23.00,Feeling abnormal,23.00,Injection site erythema,
23.00,Injection site pruritus,23.00,Injection site swelling,23.00
876579,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,Injection site swelling,23.00
876579,Pain,23.00,Pyrexia,23.00,,,,,
876580,No adverse event,23.00,Wrong product administered,23.00,,,,,
876581,Rash,23.00,,,,,
876582,Abnormal faeces,23.00,Culture stool,23.00,Haematochezia,
23.00,Mucous stools,23.00,Occult blood positive,23.00
876582,Pyrexia,23.00,Rotavirus test positive,23.00,,,,,
876583,Arthralgia,23.00,Myalgia,23.00,,,,,
876586,Abdominal distension,23.10,Blood pressure increased,
23.10,Cardiac discomfort,23.10,Diphtheria,23.10,Disturbance in
attention,23.10
876586,Fatigue,23.10,Hyperhidrosis,23.10,Influenza,23.10,Measles,
23.10,Memory impairment,23.10
876586,Mumps,23.10,Myopia,23.10,Nervous system disorder,
23.10,Pertussis,23.10,Scarlet fever,23.10
876586,Sense of oppression,23.10,Skin laceration,23.10,Tonsillar
inflammation,23.10,Tonsillectomy,23.10,Tremor,23.10
876586,Varicella,23.10,,,,,
876589,No adverse event,23.00,Product storage error,23.00,,,,,
876590,No adverse event,23.00,Product storage error,23.00,,,,,
876591,Expired product administered,23.00,No adverse event,23.00,,,,,
876592,Chills,23.00,Fatigue,23.00,Malaise,23.00,Myalgia,23.00,,
876593,Chills,23.00,Pain,23.00,Pain in extremity,23.00,,,,,

876594,Crying,23.00,Injected limb mobility decreased,23.00,Insomnia,
23.00,Pain in extremity,23.00,,
876595,Myalgia,23.00,,,,,,,,,
876596,Injection site erythema,23.00,Injection site induration,
23.00,Injection site rash,23.00,,,,,
876597,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,,,,,
876598,Abdominal distension,23.00,Abdominal pain upper,
23.00,Constipation,23.00,Erythema,23.00,Nausea,23.00
876598,Pallor,23.00,Retching,23.00,Swelling,23.00,,,,,
876599,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
876600,Injection site pain,23.00,Injection site swelling,23.00,,,,,,,,,
876601,Chills,23.00,Feeling cold,23.00,Headache,23.00,Hyperaesthesia,
23.00,Injection site pain,23.00
876601,Lethargy,23.00,Neck pain,23.00,Sunburn,23.00,Tenderness,23.00,,
876602,Rash,23.00,Swelling,23.00,,,,,,,,,
876603,Aggression,23.00,Decreased eye contact,23.00,Developmental
regression,23.00,Disturbance in social behaviour,23.00,Insomnia,23.00
876603,Language disorder,23.00,,,,,,,,,
876604,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
876605,Cough,23.00,Dizziness,23.00,Fatigue,23.00,Nausea,
23.00,Pruritus,23.00
876605,Rash,23.00,Respiratory tract congestion,23.00,Urticaria,
23.00,,,,,
876606,Cellulitis,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
876606,Muscular weakness,23.00,Musculoskeletal disorder,23.00,Pain in
extremity,23.00,Pyrexia,23.00,,
876612,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876613,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876614,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876615,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876616,Injection site erythema,23.00,Product storage error,23.00,,,,,,,,,
876617,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876618,Product storage error,23.00,,,,,,,,,
876619,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876620,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876621,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876622,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876623,No adverse event,23.00,Syringe issue,23.00,Underdose,23.00,,,,,
876624,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,Large for dates baby,23.00,,
876625,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Large for dates baby,23.00,,,,,
876626,Delivery,23.00,Exposure during pregnancy,23.00,Premature
delivery,23.00,Ultrasound antenatal screen normal,23.00,,
876627,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Low birth weight baby,23.00,Premature baby,23.00,Twin pregnancy,
23.00

876628, Apgar score normal, 23.00, Foetal exposure during pregnancy, 23.00, Low birth weight baby, 23.00, Premature baby, 23.00, Twin pregnancy, 23.00
876629, Alpha 1 foetoprotein normal, 23.00, Chromosome analysis normal, 23.00, Delivery, 23.00, Exposure during pregnancy, 23.00, Prenatal screening test, 23.00
876629, Ultrasound antenatal screen normal, 23.00, Urinary tract infection, 23.00, , , , , , ,
876630, Chromosome analysis normal, 23.00, Delivery, 23.00, Exposure during pregnancy, 23.00, Ultrasound antenatal screen normal, 23.00, Upper respiratory tract infection, 23.00
876631, Injection site rash, 23.00, , , , , , , ,
876632, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
876633, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Neck pain, 23.00
876634, Erythema, 23.00, Pruritus, 23.00, Skin warm, 23.00, Swelling, 23.00, ,
876641, Borrelia test negative, 23.10, Genital rash, 23.10, Rash, 23.10, SARS-CoV-2 test negative, 23.10, ,
876642, Pruritus, 23.00, Rash, 23.00, Rash macular, 23.00, Urticaria, 23.00, ,
876643, Extra dose administered, 23.10, , , , , , , ,
876653, Swollen tongue, 23.00, , , , , , , ,
876654, Disorientation, 23.00, Dizziness, 23.00, Headache, 23.00, Neck pain, 23.00, Visual impairment, 23.00
876655, Lymphoedema, 23.00, Pyrexia, 23.00, , , , , , , ,
876656, Discomfort, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, ,
876657, Chills, 23.00, Dysphagia, 23.00, Dyspnoea, 23.00, Pain, 23.00, Pharyngeal swelling, 23.00
876657, Speech disorder, 23.00, Streptococcus test negative, 23.00, Varicella post vaccine, 23.00, , , , ,
876658, Cold sweat, 23.00, Loss of consciousness, 23.00, Pallor, 23.00, Tremor, 23.00, ,
876659, Abdominal discomfort, 23.00, Abdominal distension, 23.00, Gastrointestinal disorder, 23.00, Laboratory test normal, 23.00, Nausea, 23.00
876659, Vomiting, 23.00, , , , , , , , ,
876660, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
876661, Back pain, 23.00, Confusional state, 23.00, Rash, 23.00, SARS-CoV-2 test negative, 23.00, ,
876662, Abdominal pain lower, 23.00, Chills, 23.00, Dizziness, 23.00, Hyperhidrosis, 23.00, Nausea, 23.00
876662, Pallor, 23.00, Vomiting, 23.00, , , , , , , ,
876663, Hypoaesthesia, 23.00, Pain, 23.00, Paraesthesia, 23.00, , , , , , , ,
876664, Erythema, 23.00, Peripheral swelling, 23.00, Swollen tongue, 23.00, Tenderness, 23.00, ,
876665, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , ,
876666, Cognitive disorder, 23.00, Magnetic resonance imaging, 23.00, Mobility decreased, 23.00, Nausea, 23.00, Personality change, 23.00

876666,Pyrexia,23.00,Staphylococcal sepsis,23.00,Tendon pain,
23.00,Tendon rupture,23.00,X-ray,23.00
876667,Underdose,23.00,Wrong product administered,23.00,,,,,
876668,Rash erythematous,23.00,,,,,
876669,Herpes zoster,23.00,Pain,23.00,Rash,23.00,,,,,
876670,Abnormal behaviour,23.00,Glassy eyes,23.00,Irritability,
23.00,Lethargy,23.00,Pyrexia,23.00
876670,SARS-CoV-2 test negative,23.00,Vomiting,23.00,,,,,
876671,Rash,23.00,,,,,
876672,Erythema,23.00,Skin tightness,23.00,Skin warm,23.00,,,,,
876674,Asthenia,23.00,Fatigue,23.00,Pain in extremity,23.00,Rash,
23.00,,
876675,Influenza like illness,23.00,,,,,
876676,Injection site pain,23.00,Pain in extremity,23.00,,,,,
876677,Pain in extremity,23.00,Pyrexia,23.00,,,,,
876679,No adverse event,23.00,Product storage error,23.00,,,,,
876680,No adverse event,23.00,Product storage error,23.00,,,,,
876681,Expired product administered,23.00,No adverse event,23.00,,,,,
876682,Facial paralysis,23.00,,,,,
876683,Herpes zoster,23.00,,,,,
876684,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
876685,No adverse event,23.00,Product storage error,23.00,,,,,
876686,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
876687,Expired product administered,23.00,No adverse event,23.00,,,,,
876688,Expired product administered,23.00,No adverse event,23.00,,,,,
876689,Injection site discomfort,23.00,Injection site erythema,
23.00,Injection site warmth,23.00,,,,,
876690,Malaise,23.00,,,,,
876691,Lichenoid keratosis,23.00,Rash,23.00,,,,,
876692,Fatigue,23.00,Headache,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Local reaction,23.00
876692,Pain in extremity,23.00,Pruritus,23.00,Rash,23.00,Somnolence,
23.00,,
876693,Fatigue,23.00,Influenza like illness,23.00,,,,,
876694,Rash,23.00,,,,,
876695,Incomplete course of vaccination,23.00,Pneumonia,23.00,,,,,
876696,Pain in extremity,23.00,,,,,
876697,Dry mouth,23.00,Headache,23.00,Pain,23.00,,,,,
876698,Diarrhoea,23.00,Fatigue,23.00,Feeling hot,23.00,Pain,23.00,Pain
in extremity,23.00
876699,Pruritus,23.00,Swelling face,23.00,,,,,
876700,Syncope,23.00,,,,,
876701,Chills,23.00,Headache,23.00,Nausea,23.00,Pain,23.00,Pain in
extremity,23.00
876701,Pyrexia,23.00,,,,,
876704,No adverse event,23.00,,,,,
876705,Herpes zoster,23.00,,,,,
876706,Herpes zoster,23.00,,,,,

876707,Decreased appetite,23.00,Lethargy,23.00,Pyrexia,23.00,Rash vesicular,23.00,,
876708,Injected limb mobility decreased,23.00,Injection site pain,23.00,Pain in extremity,23.00,Sleep disorder,23.00,,
876709,Adverse drug reaction,23.00,,,,,,,,,
876710,Movement disorder,23.00,Myalgia,23.00,Pyrexia,23.00,Skin burning sensation,23.00,,
876711,Movement disorder,23.00,Myalgia,23.00,Pyrexia,23.00,Skin burning sensation,23.00,,
876712,Product supply issue,23.00,Skin burning sensation,23.00,,,,,,,,,
876713,Feeling abnormal,23.00,Loss of personal independence in daily activities,23.00,Pyrexia,23.00,Tremor,23.00,,
876714,Erythema,23.10,Feeling hot,23.10,Pain,23.10,Pyrexia,23.10,,
876715,Injection site erythema,23.00,Injection site mass,23.00,Injection site rash,23.00,,,,,
876716,Headache,23.00,Nausea,23.00,Vomiting,23.00,,,,,
876717,Fatigue,23.00,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Myalgia,23.00
876717,Pyrexia,23.00,,,,,,,,,
876718,Arthralgia,23.00,Lip swelling,23.00,Rash,23.00,,,,,
876720,Product storage error,23.00,,,,,,,,,
876721,Circumstance or information capable of leading to medication error,23.00,No adverse event,23.00,Underdose,23.00,,,,,
876722,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876723,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
876724,Herpes zoster,23.00,,,,,,,,,
876725,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
876726,Herpes zoster,23.00,,,,,,,,,
876727,Adverse event,23.00,,,,,,,,,
876728,Nerve injury,23.00,Pain,23.00,,,,,,,,,
876729,Malaise,23.00,Pain in extremity,23.00,,,,,,,,,
876730,Adverse reaction,23.00,,,,,,,,,
876731,Pain in extremity,23.00,,,,,,,,,
876732,Extra dose administered,23.00,Pain,23.00,Rash,23.00,,,,,
876733,Injection site rash,23.00,Injection site swelling,23.00,,,,,,,,,
876734,Headache,23.00,Herpes simplex,23.00,Myalgia,23.00,,,,,
876735,Herpes zoster,23.00,,,,,,,,,
876736,Blister,23.00,Erythema,23.00,Pain,23.00,Peripheral swelling,23.00,Pruritus,23.00
876736,Rash vesicular,23.00,Skin warm,23.00,,,,,,,,,
876737,Computerised tomogram thorax abnormal,23.00,Deep vein thrombosis,23.00,Dyspnoea,23.00,Ejection fraction normal,23.00,Electrocardiogram abnormal,23.00
876737,Palpitations,23.00,Pulmonary embolism,23.00,Ultrasound scan abnormal,23.00,Ventricular extrasystoles,23.00,,
876738,Erythema,23.00,Lymphadenopathy,23.00,Pain,23.00,Swelling,23.00,,
876739,Abdominal pain,23.00,Back pain,23.00,Bacterial test,23.00,Borrelia test,23.00,CSF cell count normal,23.00
876739,CSF culture negative,23.00,CSF glucose normal,23.00,CSF protein

increased,23.00,CSF test,23.00,CSF white blood cell count increased,
23.00
876739,Electroencephalogram normal,23.00,Encephalitis,23.00,Headache,
23.00,Intensive care,23.00,Magnetic resonance imaging normal,23.00
876739,Mental status changes,23.00,Neisseria test,23.00,Pyrexia,
23.00,Respiratory viral panel,23.00,SARS-CoV-2 test,23.00
876739,Seizure,23.00,Viral test,23.00,,,,,
876740,Cellulitis,23.00,Erythema,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Skin warm,23.00
876741,Pyrexia,23.10,,,,,
876742,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
876743,Erythema,23.00,Injection site induration,23.00,Injection site
swelling,23.00,Skin warm,23.00,,
876744,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
876758,No adverse event,23.00,Product storage error,23.00,,,,,
876759,No adverse event,23.00,Product storage error,23.00,,,,,
876760,No adverse event,23.00,Product storage error,23.00,,,,,
876761,Herpes zoster,23.00,,,,,
876762,Dizziness,23.00,Ear discomfort,23.00,Ear infection,
23.00,Erythema,23.00,Eye discharge,23.00
876762,Eye pain,23.00,Facial pain,23.00,Herpes zoster,23.00,Neuropathy
peripheral,23.00,Ocular hyperaemia,23.00
876762,Ophthalmic herpes zoster,23.00,Pain in jaw,23.00,Rash,
23.00,Sinus pain,23.00,Vertigo,23.00
876762,Vision blurred,23.00,,,,,
876763,Herpes zoster,23.00,,,,,
876764,Herpes zoster,23.00,,,,,
876765,Deafness,23.00,,,,,
876766,Injected limb mobility decreased,23.00,Injection site bruising,
23.00,Injection site haemorrhage,23.00,Injection site pain,23.00,Rash
pruritic,23.00
876767,Pain in extremity,23.00,Rash macular,23.00,,,,,
876769,Injection site pain,23.00,,,,,
876770,Injection site rash,23.00,,,,,
876771,Erythema,23.00,Rash,23.00,Rash morbilliform,23.00,Skin lesion,
23.00,,
876772,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Wrong product administered,23.00,,,
876773,Extra dose administered,23.00,No adverse event,23.00,,,,,
876774,Expired product administered,23.00,No adverse event,23.00,,,,,
876775,No adverse event,23.00,Wrong product administered,23.00,,,,,
876776,Alpha 1 foetoprotein normal,23.00,Anaemia,23.00,Bacterial
vaginosis,23.00,Delivery,23.00,Exposure during pregnancy,23.00
876776,Prenatal screening test,23.00,Ultrasound antenatal screen,
23.00,Ultrasound antenatal screen normal,23.00,Urinary tract
infection,23.00,,
876777,Alpha 1 foetoprotein normal,23.00,Delivery,23.00,Exposure
during pregnancy,23.00,Missed labour,23.00,Premature labour,23.00

876777, Prenatal screening test, 23.00, Ultrasound antenatal screen, 23.00, Ultrasound antenatal screen normal, 23.00, , , , ,
876778, Amniotic cavity infection, 23.00, Delivery, 23.00, Exposure during pregnancy, 23.00, Gestational hypertension, 23.00, Neonatal disorder, 23.00
876778, Premature rupture of membranes, 23.00, Ultrasound antenatal screen normal, 23.00, , , , , , ,
876779, Apgar score low, 23.00, Foetal exposure during pregnancy, 23.00, Intensive care, 23.00, Premature baby, 23.00, , ,
876780, Alpha 1 foetoprotein normal, 23.00, Amniotic cavity infection, 23.00, Chromosome analysis normal, 23.00, Delivery, 23.00, Exposure during pregnancy, 23.00
876780, Shoulder dystocia, 23.00, Ultrasound antenatal screen, 23.00, Ultrasound antenatal screen normal, 23.00, , , , ,
876781, Apgar score normal, 23.00, Foetal exposure during pregnancy, 23.00, Shoulder dystocia, 23.00, , , , ,
876782, Herpes zoster, 23.00, , , , , , , , ,
876783, Wrong product administered, 23.00, , , , , , , , , ,
876784, Abdominal discomfort, 23.00, Chills, 23.00, Dyspnoea, 23.00, , , , ,
876785, Blood test, 23.00, Chest X-ray, 23.00, Computerised tomogram, 23.00, Dysphemia, 23.00, Feeling abnormal, 23.00
876785, Hypotension, 23.00, Immediate post-injection reaction, 23.00, Malaise, 23.00, Oxygen saturation decreased, 23.00, Urinary tract infection, 23.00
876785, Urine analysis, 23.00, , , , , , , , , ,
876786, Arthralgia, 23.00, Hyperaesthesia, 23.00, , , , , , , , , ,
876788, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , ,
876789, No adverse event, 23.00, Underdose, 23.00, , , , , , , , , ,
876790, Dermatitis atopic, 23.00, Insomnia, 23.00, Loss of personal independence in daily activities, 23.00, , , , , , , , , ,
876794, Exposure during pregnancy, 23.00, No adverse event, 23.00, , , , , , , , , ,
876795, Dizziness, 23.00, Immediate post-injection reaction, 23.00, Loss of consciousness, 23.00, , , , , , , , , ,
876796, Burning sensation, 23.00, Hypoaesthesia, 23.00, Hypoaesthesia oral, 23.00, Paraesthesia, 23.00, Paraesthesia oral, 23.00
876798, Injection site erythema, 23.00, Injection site inflammation, 23.00, Injection site swelling, 23.00, , , , , , , , , ,
876799, Dyspnoea, 23.00, Influenza A virus test positive, 23.00, Wheezing, 23.00, , , , , , , , , ,
876800, Alcoholism, 23.00, Antisocial behaviour, 23.00, Autism spectrum disorder, 23.00, Depression, 23.00, Drug dependence, 23.00
876800, Feeling abnormal, 23.00, Impaired work ability, 23.00, Legal problem, 23.00, Lethargy, 23.00, Personal relationship issue, 23.00
876800, Pyrexia, 23.00, Schizophrenia, 23.00, Social anxiety disorder, 23.00, Substance abuse, 23.00, Suicidal ideation, 23.00
876801, Lymphadenopathy, 23.00, Oropharyngeal pain, 23.00, Rash, 23.00, Rash erythematous, 23.00, Rash papular, 23.00
876802, Fall, 23.00, Gait inability, 23.00, Paralysis, 23.00, Sensory loss, 23.00, , , , , , , , , ,
876803, Culture urine, 23.00, Pyrexia, 23.00, Urine analysis, 23.00, , , , , , , , , ,
876804, Extra dose administered, 23.00, Fatigue, 23.00, , , , , , , , , ,

876805,Injection site erythema,23.00,Vaccination site swelling,
23.00,,,,,
876806,Injection site reaction,23.00,Middle insomnia,23.00,Pain in
extremity,23.00,Rotator cuff syndrome,23.00,,
876807,Peripheral swelling,23.00,X-ray normal,23.00,,,,,
876808,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,
876809,Abdominal discomfort,23.00,Fatigue,23.00,Injection site pain,
23.00,Pyrexia,23.00,,
876810,Dizziness,23.00,Pain in extremity,23.00,,,,,
876811,Arthralgia,23.00,Erythema,23.00,Pain in extremity,
23.00,Pruritus,23.00,Skin warm,23.00
876811,Tension,23.00,,,,,
876812,Fatigue,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Myalgia,23.00
876813,Injection site erythema,23.00,Lethargy,23.00,Pyrexia,
23.00,Vomiting,23.00,,
876814,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain in extremity,
23.00,,
876815,Erythema,23.00,Inflammation,23.00,,,,,
876819,Varicella post vaccine,23.00,,,,,
876821,Expired product administered,23.00,No adverse event,23.00,,,,,
876822,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
876823,Insomnia,23.00,Irritability,23.00,Pyrexia,23.00,,,,,
876824,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,
23.00,Pyrexia,23.00
876825,Altered state of consciousness,23.00,Asthenia,23.00,Dizziness,
23.00,Dyspnoea,23.00,Fatigue,23.00
876825,Feeling abnormal,23.00,Hyperacusis,23.00,Irritability,
23.00,Nausea,23.00,Oropharyngeal discomfort,23.00
876825,Visual impairment,23.00,Vomiting,23.00,,,,,
876826,Asthenia,23.00,Depressed level of consciousness,
23.00,Dizziness,23.00,Fatigue,23.00,Nausea,23.00
876826,Tremor,23.00,Visual impairment,23.00,,,,,
876827,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Nausea,23.00,Pain in
extremity,23.00
876828,Rash,23.00,,,,,
876829,Body temperature increased,23.00,Gait disturbance,
23.00,Injection site pain,23.00,,,,,
876830,Expired product administered,23.00,,,,,
876831,Pain in extremity,23.00,Peripheral swelling,23.00,Skin warm,
23.00,,,,,
876832,Pain in extremity,23.00,Peripheral swelling,23.00,,,,,
876833,Headache,23.00,Injection site swelling,23.00,Myalgia,
23.00,Nausea,23.00,,
876834,Erythema multiforme,23.00,Injection site pain,23.00,Myalgia,
23.00,,,,,
876835,Injection site swelling,23.10,Pain,23.10,Pruritus,23.10,,,,,
876836,Pruritus,23.00,Rash,23.00,Rash erythematous,23.00,Rash papular,

23.00,,
876837,Injection site erythema,23.00,Injection site inflammation,
23.00,,,,,
876838,Arthralgia,23.00,Chills,23.00,Lethargy,23.00,,,,,
876849,Expired product administered,23.00,No adverse event,23.00,,,,,
876850,No adverse event,23.00,Product storage error,23.00,,,,,
876851,Peripheral swelling,23.00,Pruritus,23.00,,,,,
876852,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,
876853,Pain in extremity,23.00,,,,,
876854,Apgar score low,23.00,Caesarean section,23.00,Dyspnoea,
23.00,Foetal exposure during pregnancy,23.00,Intensive care,23.00
876854,Respiratory disorder neonatal,23.00,,,,,
876855,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Premature baby,23.00,Shoulder dystocia,23.00,,
876856,Alpha 1 foetoprotein normal,23.00,Caesarean section,
23.00,Exposure during pregnancy,23.00,Foetal heart rate abnormal,
23.00,Gestational diabetes,23.00
876856,Nonreassuring foetal heart rate pattern,23.00,Oligohydramnios,
23.00,Prenatal screening test,23.00,Ultrasound antenatal screen,
23.00,Ultrasound antenatal screen normal,23.00
876857,Apgar score normal,23.00,Caesarean section,23.00,Foetal
exposure during pregnancy,23.00,,,,
876859,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
876860,Injection site rash,23.00,Rash erythematous,23.00,Rash papular,
23.00,,,,,
876861,Injection site swelling,23.00,Malaise,23.00,Myalgia,23.00,Pain,
23.00,Pyrexia,23.00
876862,Herpes zoster,23.00,Rash,23.00,Swelling,23.00,,,,,
876863,Chills,23.00,Headache,23.00,Pyrexia,23.00,Urticaria,23.00,,
876864,Crying,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,,
876872,Product administered at inappropriate site,23.00,,,,,
876873,Expired product administered,23.00,No adverse event,23.00,,,,,
876874,Blisters,23.00,Erythema,23.00,Herpes zoster,23.00,Injection site
erythema,23.00,Injection site pain,23.00
876874,Injection site reaction,23.00,Injection site swelling,
23.00,Miliaria,23.00,Pain,23.00,Rash,23.00
876874,Rash erythematous,23.00,Swelling,23.00,,,,,
876875,Fatigue,23.00,Somnolence,23.00,,,,,
876876,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,
23.00,Pyrexia,23.00
876877,Back pain,23.00,Chest discomfort,23.00,Chest pain,23.00,Chills,
23.00,Disturbance in attention,23.00
876877,Dizziness,23.00,Dysphagia,23.00,Dyspnoea,23.00,Fatigue,
23.00,Feeling abnormal,23.00
876877,Gait disturbance,23.00,Immunology test,23.00,Oxygen saturation
increased,23.00,SARS-CoV-2 test negative,23.00,Sinus pain,23.00

876877,Visual impairment,23.00,,,,,,,,,
876878,Fatigue,23.00,Nausea,23.00,Skin lesion,23.00,,,,,
876879,Crying,23.00,Headache,23.00,Herpes zoster,23.00,Neck pain,
23.00,Neuropathy peripheral,23.00
876879,Social problem,23.00,,,,,,,,,
876880,Dermatitis diaper,23.00,Rash,23.00,,,,,,,,,
876881,No adverse event,23.00,Wrong product administered,23.00,,,,,,,,,
876882,Extra dose administered,23.00,No adverse event,23.00,,,,,,,,,
876883,Extra dose administered,23.00,No adverse event,23.00,,,,,,,,,
876884,Product storage error,23.00,,,,,,,,,
876885,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876886,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
876887,Chills,23.00,Incomplete course of vaccination,23.00,Pain in
extremity,23.00,Pyrexia,23.00,,
876890,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,,,,
876892,Injection site papule,23.00,Injection site pruritus,
23.00,Injection site rash,23.00,Rash,23.00,Urticaria,23.00
876892,Vaccination site erythema,23.00,,,,,,,,,
876893,Pruritus,23.00,Rash,23.00,,,,,,,,,
876894,Chills,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00
876894,Nausea,23.00,Pyrexia,23.00,,,,,,,,,
876895,Wrong product administered,23.00,,,,,,,,,
876896,Pyrexia,23.00,,,,,,,,,
876897,Abdominal discomfort,23.00,Oral herpes,23.00,Rash,23.00,Taste
disorder,23.00,Throat tightness,23.00
876898,Gait disturbance,23.00,Muscular weakness,23.00,,,,,,,,,
876899,Chills,23.00,Injection site bruising,23.00,Injection site
induration,23.00,Vomiting,23.00,,
876900,Paraesthesia,23.00,,,,,,,,,
876901,No adverse event,23.00,Underdose,23.00,,,,,,,,,
876902,Back pain,23.00,Blood culture negative,23.00,Blood lactic acid
normal,23.00,Chills,23.00,Coronavirus test negative,23.00
876902,Delusion,23.00,Differential white blood cell count normal,
23.00,Full blood count normal,23.00,Hypoaesthesia,23.00,Metabolic
function test normal,23.00
876902,Pain,23.00,Pyrexia,23.00,Respiratory rate increased,
23.00,Seizure like phenomena,23.00,Tremor,23.00
876903,Grip strength decreased,23.00,Immediate post-injection
reaction,23.00,Joint range of motion decreased,23.00,Pain,23.00,Pain
in extremity,23.00
876903,Paraesthesia,23.00,,,,,,,,,
876904,Anxiety,23.00,Dizziness,23.00,Dysarthria,23.00,Feeling jittery,
23.00,Headache,23.00
876904,Hypoaesthesia,23.00,,,,,,,,,
876905,Arthralgia,23.00,Dizziness,23.00,Fatigue,23.00,Headache,
23.00,Myalgia,23.00
876906,Abdominal pain upper,23.00,Blood glucose normal,23.00,Loss of
consciousness,23.00,Neurological examination normal,23.00,Pallor,23.00

876906,Tremor,23.00,Vomiting,23.00,,,,,
876907,Extra dose administered,23.00,Injection site pain,23.00,Rash,
23.00,,,,,
876908,"Hallucination, visual",23.00,Peripheral swelling,
23.00,Vaccination complication,23.00,,,,,
876909,Chills,23.00,Pyrexia,23.00,Rash,23.00,,,,,
876910,Body temperature increased,23.00,Chills,23.00,Decreased
appetite,23.00,Hypersomnia,23.00,Pain,23.00
876910,Pain in extremity,23.00,,,,,
876911,Fatigue,23.00,Feeling abnormal,23.00,Injection site pain,
23.00,Nasal congestion,23.00,Pain,23.00
876911,Pyrexia,23.00,,,,,
876912,Asthenia,23.00,Fatigue,23.00,Injection site erythema,23.00,Oral
herpes,23.00,,
876913,Decreased appetite,23.00,Fall,23.00,Gait disturbance,
23.00,Headache,23.00,Hyperhidrosis,23.00
876913,Impaired work ability,23.00,Lethargy,23.00,Loss of
consciousness,23.00,Pyrexia,23.00,Speech disorder,23.00
876914,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
876915,Diarrhoea haemorrhagic,23.00,Eczema,23.00,Emotional distress,
23.00,Infantile spitting up,23.00,Pain,23.00
876915,Pruritus,23.00,Pyrexia,23.00,,,,,
876916,Chills,23.00,Cough,23.00,Pain,23.00,Pain in extremity,23.00,,
876929,No adverse event,23.00,Product storage error,23.00,,,,,
876930,Herpes zoster,23.00,,,,,
876931,No adverse event,23.00,Product storage error,23.00,,,,,
876932,Deafness,23.00,,,,,
876933,No adverse event,23.00,Product storage error,23.00,,,,,
876934,Pain in extremity,23.00,,,,,
876935,Pain in extremity,23.00,Rash,23.00,Rash erythematous,23.00,Rash
papular,23.00,Rash pruritic,23.00
876936,Pyrexia,23.00,,,,,
876937,Administration site pain,23.00,Fatigue,23.00,Hypoaesthesia,
23.00,Loss of consciousness,23.00,Paraesthesia,23.00
876937,Seizure,23.00,Tunnel vision,23.00,,,,,
876938,Pruritus,23.00,Rash,23.00,,,,,
876939,Blister,23.00,,,,,
876942,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
876943,Herpes zoster,23.00,,,,,
876944,Biopsy skin,23.00,Blister,23.00,Injection site pruritus,
23.00,Peripheral swelling,23.00,Pruritus,23.00
876944,Skin discolouration,23.00,,,,,
876945,Discomfort,23.00,Erythema,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,,
876946,Abdominal discomfort,23.00,Herpes zoster,
23.00,Hypersensitivity,23.00,Incomplete course of vaccination,
23.00,Malaise,23.00
876946,Neuralgia,23.00,Pain,23.00,Pain in extremity,23.00,Pruritus,
23.00,Pyrexia,23.00

876946,Rash,23.00,Rash morbilliform,23.00,Rhinorrhoea,23.00,,,,,
876947,Chills,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,
23.00,Pain,23.00
876947,Pyrexia,23.00,,,,,,,
876948,Injection site bruising,23.00,Injection site cyst,
23.00,Injection site haemorrhage,23.00,Injection site nodule,
23.00,Injection site pain,23.00
876948,Injection site swelling,23.00,,,,,,,
876949,Fatigue,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Pyrexia,23.00
876950,Asthenia,23.10,Dizziness,23.10,Full blood count,23.10,Headache,
23.10,Metabolic function test,23.10
876950,Nausea,23.10,,,,,,,
876951,Abdominal pain upper,23.00,Blood creatine,23.00,Blood creatine
phosphokinase increased,23.00,Blood glucose normal,23.00,Blood thyroid
stimulating hormone,23.00
876951,Decreased appetite,23.00,Depressed level of consciousness,
23.00,Dizziness,23.00,Electrocardiogram QT interval,23.00,Fatigue,
23.00
876951,Muscle spasms,23.00,Nausea,23.00,Streptococcus test,23.00,Tic,
23.00,White blood cell count normal,23.00
876952,Pyrexia,23.00,Varicella post vaccine,23.00,,,,,,
876953,Abdominal pain upper,23.00,Back pain,23.00,Diarrhoea,
23.00,Disturbance in attention,23.00,Dizziness,23.00
876953,Fatigue,23.00,Feeling abnormal,23.00,Flatulence,23.00,Headache,
23.00,Loss of personal independence in daily activities,23.00
876953,Neck pain,23.00,,,,,,,
876954,Syncope,23.00,,,,,,,
876955,Wrong product administered,23.00,,,,,,,
876957,Expired product administered,23.00,No adverse event,23.00,,,,,,
876958,Liver function test normal,23.00,Pruritus,23.00,Renal function
test normal,23.00,,,,,
876959,Pyrexia,23.00,,,,,,,
876960,Headache,23.00,Inappropriate schedule of product
administration,23.00,Pain in extremity,23.00,Pyrexia,23.00,,
876962,Exposure during pregnancy,23.00,No adverse event,23.00,Product
storage error,23.00,,,,,
876964,Erythema,23.00,Gait disturbance,23.00,Pain,23.00,Skin warm,
23.00,Swelling,23.00
876965,Diarrhoea,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
876966,Diarrhoea,23.00,Headache,23.00,Pyrexia,23.00,,,,,
876967,Urticaria,23.10,,,,,,,
876968,Abdominal pain,23.00,Blood potassium decreased,
23.00,Computerised tomogram abdomen,23.00,Computerised tomogram
pelvis,23.00,Diarrhoea,23.00
876968,Injection site cellulitis,23.00,Nausea,23.00,Pyrexia,
23.00,Vomiting,23.00,,
876973,Herpes zoster,23.00,,,,,,,
876975,Hepatitis B antibody negative,23.00,Therapy non-responder,
23.00,,,,,,

876976,Headache,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
876977,Headache,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
876978,Headache,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
876979,Apgar score normal,23.00,Drug withdrawal syndrome neonatal,
23.00,Foetal exposure during pregnancy,23.00,Intensive care,23.00,,
876980,Nausea,23.00,Pallor,23.00,Presyncope,23.00,,,,,
876981,Anxiety,23.00,Blood glucose normal,23.00,Blood thyroid
stimulating hormone normal,23.00,C-reactive protein normal,
23.00,Central nervous system lesion,23.00
876981,Cough,23.00,Demyelination,23.00,Insomnia,23.00,Magnetic
resonance imaging brain abnormal,23.00,Magnetic resonance imaging
spinal normal,23.00
876981,Muscle tightness,23.00,Musculoskeletal stiffness,
23.00,Paraesthesia,23.00,Red blood cell sedimentation rate normal,
23.00,Vitamin B12 normal,23.00
876982,Discomfort,23.00,Pruritus,23.00,Rash,23.00,Scrotal dermatitis,
23.00,Scrotal swelling,23.00
876983,Contusion,23.00,Fatigue,23.00,Haemorrhage subcutaneous,
23.00,Immunoglobulin therapy,23.00,Increased tendency to bruise,23.00
876983,Mucosal haemorrhage,23.00,Nervousness,23.00,Platelet count
decreased,23.00,Thirst,23.00,,
876984,Injection site pain,23.00,Lethargy,23.00,,,,,,
876993,Abdominal discomfort,23.00,Condition aggravated,23.00,Crohn's
disease,23.00,Fatigue,23.00,Haematochezia,23.00
876993,Injection site pain,23.00,Injection site pruritus,
23.00,Pyrexia,23.00,,,,,
876994,Body temperature increased,23.00,Injection site erythema,
23.00,Irritability,23.00,Vaccination site swelling,23.00,,
876995,Back pain,23.00,Chills,23.00,Dizziness,23.00,Dysphagia,
23.00,Fatigue,23.00
876995,Injection site pain,23.00,Muscle spasms,23.00,Pain in
extremity,23.00,Pallor,23.00,Swollen tongue,23.00
876996,Paraesthesia,23.00,,,,,,
876997,Dizziness,23.00,Loss of consciousness,23.00,Tinnitus,
23.00,Tremor,23.00,,
877001,Antibody test negative,23.00,Antibody test positive,23.00,,,,,,
877002,Expired product administered,23.00,No adverse event,23.00,,,,,,
877003,Expired product administered,23.00,No adverse event,23.00,,,,,,
877004,Abdominal discomfort,23.00,Malaise,23.00,Pyrexia,
23.00,Vomiting,23.00,,
877005,Chills,23.00,Erythema,23.00,Pain in extremity,23.00,Pyrexia,
23.00,Skin warm,23.00
877005,Tenderness,23.00,,,,,,
877006,Extensive swelling of vaccinated limb,23.00,Injection site
induration,23.00,Injection site nodule,23.00,Injection site pain,
23.00,Limb discomfort,23.00
877007,Diarrhoea,23.00,Fatigue,23.00,Nausea,23.00,,,,,
877008,Dyspnoea,23.00,Loss of personal independence in daily
activities,23.00,Pain,23.00,Rash,23.00,,
877009,Abdominal pain,23.00,Dizziness postural,23.00,Nausea,23.00,,,,,

877010, Fatigue, 23.00, Headache, 23.00, Impaired work ability,
23.00, Musculoskeletal pain, 23.00, Myalgia, 23.00
877011, Product administered to patient of inappropriate age,
23.00, , , , , , , , ,
877012, Injection site mass, 23.00, Injection site pain, 23.00, , , , , ,
877014, Syncope, 23.00, , , , , , , , ,
877015, Influenza like illness, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site reaction,
23.00, Injection site swelling, 23.00
877015, Malaise, 23.00, Pain, 23.00, Rash macular, 23.00, , , , ,
877016, Arthralgia, 23.00, Cold sweat, 23.00, Hyperhidrosis, 23.00, Influenza
like illness, 23.00, Myalgia, 23.00
877016, N-terminal prohormone brain natriuretic peptide increased,
23.00, Pain in extremity, 23.00, Syncope, 23.00, , , , ,
877017, Syncope, 23.00, , , , , , , , ,
877018, Pruritus, 23.00, Rash erythematous, 23.00, Swelling face,
23.00, Urticaria, 23.00, , ,
877019, Product administered to patient of inappropriate age,
23.00, , , , , , , , ,
877020, Pyrexia, 23.00, Rash, 23.00, Rash pruritic, 23.00, , , , ,
877023, Chills, 23.00, Lymph node pain, 23.00, Lymphadenopathy,
23.00, Malaise, 23.00, Myalgia, 23.00
877023, Peripheral swelling, 23.00, , , , , , , , ,
877024, Chills, 23.00, Fatigue, 23.00, Pain, 23.00, , , , ,
877025, Burning sensation, 23.00, Rash, 23.00, , , , , , , ,
877026, Blood test, 23.00, Lymphadenopathy, 23.00, Ultrasound scan,
23.00, , , , ,
877027, Erythema, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
877027, Peripheral swelling, 23.00, Tenderness, 23.00, , , , , , , ,
877028, Injection site reaction, 23.00, Rash erythematous, 23.00, Rash
papular, 23.00, , , , ,
877037, Expired product administered, 23.00, , , , , , , , ,
877038, Injection site erythema, 23.00, Product storage error, 23.00, , , , , , , ,
877039, Neuralgia, 23.00, Rash, 23.00, Rash vesicular, 23.00, , , , ,
877040, Product storage error, 23.00, , , , , , , , ,
877041, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
877042, Chills, 23.00, Fatigue, 23.00, Impaired work ability, 23.00, Injected
limb mobility decreased, 23.00, Injection site pain, 23.00
877042, Insomnia, 23.00, Pain, 23.00, Pain in extremity, 23.00, , , , ,
877043, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Injected limb
mobility decreased, 23.00, Myalgia, 23.00
877043, Nausea, 23.00, Pain in extremity, 23.00, , , , , , , ,
877045, Body temperature increased, 23.00, Headache, 23.00, Pain,
23.00, Tremor, 23.00, , ,
877046, Bacterial test negative, 23.10, Erythema, 23.10, Fatigue,
23.10, Headache, 23.10, Incisional drainage, 23.10
877046, Injection site pain, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10, SARS-CoV-2 test negative, 23.10, Skin warm, 23.10
877046, Varicella post vaccine, 23.10, Varicella virus test negative,

23.10,Viral test negative,23.10,,,,
877047,Injection site erythema,23.00,Muscle mass,23.00,Pyrexia,
23.00,Skin mass,23.00,Tenderness,23.00
877048,Malaise,23.00,Pain,23.00,Pyrexia,23.00,,,,,
877052,Eyelid disorder,23.00,Muscle twitching,23.00,Seizure like
phenomena,23.00,,,,,
877053,Abdominal discomfort,23.00,Dizziness,23.00,Dyspnoea,
23.00,Fatigue,23.00,Headache,23.00
877053,Heart rate increased,23.00,Pyrexia,23.00,,,,,,
877054,Erythema,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00,Pyrexia,
23.00
877055,Vaccination complication,23.00,,,,,,
877056,Herpes zoster,23.00,Stress,23.00,Tension,23.00,,,,,
877057,Chills,23.00,Fatigue,23.00,Feeling hot,23.00,Nausea,23.00,Pain
in extremity,23.00
877058,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Oxygen
saturation decreased,23.00
877058,Pain,23.00,Pyrexia,23.00,Swelling face,23.00,Tachycardia,
23.00,,
877059,Injection site warmth,23.10,Pain in extremity,23.10,Swelling,
23.10,,,,,
877060,Dizziness,23.00,Tremor,23.00,,,,,,
877061,Pruritus,23.00,Urticaria,23.00,,,,,,
877062,Injection site erythema,23.00,Injection site induration,
23.00,Injection site swelling,23.00,Injection site warmth,
23.00,Musculoskeletal stiffness,23.00
877062,Nausea,23.00,Neck pain,23.00,Pain,23.00,Pain in extremity,
23.00,,
877063,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
877064,Gait inability,23.00,Injection site erythema,23.00,Injection
site movement impairment,23.00,Injection site swelling,23.00,Pyrexia,
23.00
877064,Ultrasound scan,23.00,Vomiting,23.00,Weight bearing difficulty,
23.00,X-ray,23.00,,
877067,Dizziness,23.00,Inappropriate schedule of product
administration,23.00,Nausea,23.00,Pallor,23.00,,
877068,Chills,23.00,Erythema,23.00,Fatigue,23.00,Myalgia,23.00,Pain,
23.00
877068,Swelling,23.00,,,,,,
877069,Dermatitis acneiform,23.00,Pyrexia,23.00,Rash,23.00,,,,,
877070,Injection site cellulitis,23.00,,,,,,
877075,Facial paralysis,23.00,Herpes zoster,23.00,,,,,
877076,Extra dose administered,23.00,Inappropriate schedule of product
administration,23.00,No adverse event,23.00,,,,,
877077,Pruritus,23.00,Rash,23.00,Rash pruritic,23.00,Rash vesicular,
23.00,,
877078,Confusional state,23.00,Hallucination,23.00,,,,,,
877079,Chills,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,23.00,,
877080,Complication of pregnancy,23.00,Delivery,23.00,Eclampsia,

23.00, Exposure during pregnancy, 23.00, Foetal biophysical profile score normal, 23.00
877080, Gestational hypertension, 23.00, Prenatal screening test, 23.00, Ultrasound antenatal screen normal, 23.00, Urinary tract infection, 23.00, Vaginal infection, 23.00
877081, Immune-mediated adverse reaction, 23.00, Injected limb mobility decreased, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00, Joint range of motion decreased, 23.00
877081, Magnetic resonance imaging abnormal, 23.00, Musculoskeletal pain, 23.00, Oedema, 23.00, Pain, 23.00, Periarthritis, 23.00
877081, Product administered at inappropriate site, 23.00, X-ray limb normal, 23.00, , , , , ,
877082, Beta haemolytic streptococcal infection, 23.00, Delivery, 23.00, Exposure during pregnancy, 23.00, Nausea, 23.00, Pelvic pain, 23.00
877082, Streptococcus test positive, 23.00, Ultrasound antenatal screen normal, 23.00, Viral infection, 23.00, Vomiting, 23.00, ,
877089, Abdominal pain, 23.00, Abdominal tenderness, 23.00, C-reactive protein increased, 23.00, Chills, 23.00, Cold sweat, 23.00
877089, Fibrin D dimer increased, 23.00, Hyperhidrosis, 23.00, Lymphocyte count decreased, 23.00, Malaise, 23.00, Nausea, 23.00
877089, Pyrexia, 23.00, SARS-CoV-2 test negative, 23.00, Systemic inflammatory response syndrome, 23.00, Vomiting, 23.00, White blood cell count decreased, 23.00
877090, Pyrexia, 23.00, Rash, 23.00, , , , , ,
877091, Shoulder injury related to vaccine administration, 23.00, , , , , , , ,
877092, Erythema, 23.00, Pain, 23.00, , , , , ,
877093, Immediate post-injection reaction, 23.00, Pallor, 23.00, Presyncope, 23.00, Tonic clonic movements, 23.00, Unresponsive to stimuli, 23.00
877094, Asthenia, 23.00, Chills, 23.00, Swollen tongue, 23.00, , , , ,
877095, Blindness, 23.00, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, , , , ,
877096, Chemotherapy, 23.00, , , , , , , ,
877097, Dizziness, 23.00, Immobile, 23.00, Loss of consciousness, 23.00, Pain, 23.00, ,
877098, Dizziness, 23.00, Immobile, 23.00, Loss of consciousness, 23.00, Pain, 23.00, ,
877099, Gait disturbance, 23.00, Mobility decreased, 23.00, Rheumatoid arthritis, 23.00, , , , ,
877100, Blood pressure increased, 23.00, Muscle rigidity, 23.00, Oxygen saturation decreased, 23.00, Pallor, 23.00, Syncope, 23.00
877100, Unresponsive to stimuli, 23.00, , , , , , , ,
877101, Injection site swelling, 23.00, , , , , , , ,
877102, Differential white blood cell count normal, 23.00, Dizziness, 23.00, Dyspnoea, 23.00, Full blood count normal, 23.00, Heart rate increased, 23.00
877102, Human chorionic gonadotropin normal, 23.00, Metabolic function test normal, 23.00, Pain, 23.00, Pain in extremity, 23.00, Paraesthesia, 23.00
877102, SARS-CoV-2 test negative, 23.00, Syncope, 23.00, Troponin I normal,

23.00,,,,,
877103,Diarrhoea,23.00,Feeling hot,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
877103,Paraesthesia oral,23.00,Rash,23.00,Rash pruritic,23.00,,,,,
877104,Abdominal pain upper,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,
23.00,,
877105,Chills,23.00,Dizziness,23.00,Feeling cold,23.00,Headache,
23.00,Nausea,23.00
877105,Sluggishness,23.00,Somnolence,23.00,Swelling,23.00,,,,,
877106,Injection site bruising,23.00,Injection site induration,
23.00,Injection site swelling,23.00,,,,,
877107,Musculoskeletal pain,23.00,Pain in extremity,23.00,,,,,,
877108,Chills,23.00,Headache,23.00,Pain in extremity,23.00,Vomiting,
23.00,,
877117,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,,
877118,Expired product administered,23.00,,,,,,,
877119,Expired product administered,23.00,No adverse event,23.00,,,,,,
877120,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,,
877121,No adverse event,23.00,Product storage error,23.00,,,,,,
877122,No adverse event,23.00,Product storage error,23.00,,,,,,
877123,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
877124,Erythema,23.00,Musculoskeletal pain,23.00,Pain in extremity,
23.00,,,,,
877126,Myalgia,23.00,Pyrexia,23.00,,,,,,
877127,Injection site erythema,23.00,Injection site pain,23.00,,,,,,
877128,Pain in extremity,23.00,,,,,,
877129,Blister,23.00,Headache,23.00,Herpes zoster,23.00,Nausea,
23.00,Pain,23.00
877129,Pruritus,23.00,Pyrexia,23.00,Rash,23.00,Social problem,23.00,,
877130,Asthenia,23.00,Circumstance or information capable of leading
to medication error,23.00,Inappropriate schedule of product
administration,23.00,Influenza like illness,23.00,Injection site pain,
23.00
877130,Musculoskeletal pain,23.00,Pyrexia,23.00,Sluggishness,23.00,,,,,
877131,Lymphadenopathy,23.00,Subcutaneous abscess,23.00,,,,,,
877132,Pain,23.00,Pyrexia,23.00,,,,,,
877134,Pyrexia,23.00,,,,,,
877135,Extra dose administered,23.00,Fatigue,23.00,Pain,23.00,Pyrexia,
23.00,,
877136,Arthralgia,23.00,Asthenia,23.00,Dizziness,23.00,Fatigue,
23.00,Injection site erythema,23.00
877136,Injection site pain,23.00,Injection site swelling,23.00,Loss of
personal independence in daily activities,23.00,Malaise,23.00,Pain,
23.00
877137,Fatigue,23.00,Vomiting,23.00,,,,,,
877138,Syncope,23.00,,,,,,
877139,Nodule,23.00,,,,,,

877140, Chills, 23.00, Fatigue, 23.00, Nausea, 23.00, Pain, 23.00, Pain in extremity, 23.00
877140, Pyrexia, 23.00, , , , , , , , ,
877141, Blister, 23.00, Erythema, 23.00, Mass, 23.00, Neck pain, 23.00, Spinal pain, 23.00
877142, Hypersensitivity, 23.00, Pruritus, 23.00, Swelling, 23.00, , , , ,
877144, Injection site erythema, 23.00, Injection site rash, 23.00, Rash, 23.00, , , , ,
877145, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Pain, 23.00, , ,
877146, Erythema, 23.00, Skin warm, 23.00, , , , , , , , ,
877147, Back pain, 23.00, Chills, 23.00, Eye pain, 23.00, Headache, 23.00, Neck pain, 23.00
877147, Pain, 23.00, Pyrexia, 23.00, Rash, 23.00, Rash pruritic, 23.00, SARS-CoV-2 test negative, 23.00
877147, Skin warm, 23.00, Swelling, 23.00, , , , , , , , ,
877148, Headache, 23.00, Injection site erythema, 23.00, Injection site nodule, 23.00, Injection site rash, 23.00, Injection site reaction, 23.00
877148, Injection site swelling, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00, Rash, 23.00, Urticaria, 23.00
877149, Fatigue, 23.00, Injection site reaction, 23.00, Myalgia, 23.00, , , , , ,
877150, Agitation, 23.00, Chills, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00, Pyrexia, 23.00
877150, Rash erythematous, 23.00, Restlessness, 23.00, , , , , , , , ,
877151, Nausea, 23.00, Pain, 23.00, Somnolence, 23.00, , , , , , , , ,
877152, Abdominal discomfort, 23.00, Chills, 23.00, Headache, 23.00, Injection site pain, 23.00, Myalgia, 23.00
877152, Nausea, 23.00, Pollakiuria, 23.00, , , , , , , , ,
877153, Asthenia, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Hypersomnia, 23.00
877153, Impaired work ability, 23.00, , , , , , , , , , , , , , ,
877154, Arthralgia, 23.00, Decreased appetite, 23.00, Dizziness, 23.00, Headache, 23.00, Pain, 23.00
877154, Pyrexia, 23.00, , , , , , , , , , , , , , ,
877155, Injection site erythema, 23.00, Local reaction, 23.00, , , , , , , , , , , , , , ,
877156, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00
877157, Condition aggravated, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00, Musculoskeletal stiffness, 23.00, Osteoarthritis, 23.00
877157, Pain, 23.00, Pain in extremity, 23.00, , , , , , , , , , , , , , ,
877158, Injection site pain, 23.00, Pain in extremity, 23.00, , , , , , , , , , , , , , ,
877159, Muscle spasms, 23.00, Pain in extremity, 23.00, , , , , , , , , , , , , , ,
877160, Headache, 23.00, Myalgia, 23.00, Pain, 23.00, Pyrexia, 23.00, SARS-CoV-2 test, 23.00
877161, Fatigue, 23.00, Injection site pain, 23.00, Malaise, 23.00, , , , , , , , , , , , , , ,
877162, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, , , , , , , , , , , , , , ,
877163, Chills, 23.00, Crying, 23.00, Decreased appetite, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00
877163, Mood altered, 23.00, Poor quality sleep, 23.00, Pyrexia, 23.00, Weight bearing difficulty, 23.00, , ,

877164,Extra dose administered,23.00,No adverse event,23.00,,,,,
877165,Asthenopia,23.00,Balance disorder,23.00,Chills,23.00,Fatigue,
23.00,Feeling abnormal,23.00
877165,Feeling cold,23.00,Headache,23.00,Influenza like illness,
23.00,Myalgia,23.00,Nausea,23.00
877165,Pyrexia,23.00,Sluggishness,23.00,,,,,
877166,Loss of consciousness,23.00,Vomiting,23.00,,,,,
877167,Asthenia,23.00,Fatigue,23.00,Injection site pain,
23.00,Rhinorrhoea,23.00,,
877168,Herpes zoster,23.00,,,,,
877169,Cyanosis,23.00,Dyskinesia,23.00,Pallor,23.00,Unresponsive to
stimuli,23.00,,
877170,Diarrhoea,23.00,Fatigue,23.00,Headache,23.00,Impaired work
ability,23.00,Myalgia,23.00
877170,Nausea,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,SARS-CoV-2 test,23.00
877170,Skin warm,23.00,,,,,
877171,Lip swelling,23.00,,,,,
877172,Chills,23.00,Cough,23.00,Diarrhoea,23.00,Ear pain,
23.00,Headache,23.00
877172,Injected limb mobility decreased,23.00,Insomnia,23.00,Myalgia,
23.00,Neck pain,23.00,Retching,23.00
877172,Rhinorrhoea,23.00,Tinnitus,23.00,,,,,
877173,Abdominal discomfort,23.00,Body temperature increased,
23.00,Injection site discomfort,23.00,Malaise,23.00,,
877174,Arthralgia,23.00,Axillary pain,23.00,Chills,23.00,Headache,
23.00,Hyperhidrosis,23.00
877174,Lethargy,23.00,Migraine,23.00,Nausea,23.00,Pyrexia,
23.00,Restlessness,23.00
877175,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Hypersomnia,23.00
877175,Pyrexia,23.00,,,,,
877176,Headache,23.00,Injection site pain,23.00,Pyrexia,23.00,,,,
877177,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,
877178,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
877180,Erythema,23.00,Inflammation,23.00,Peripheral swelling,23.00,,,,
877181,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
877182,Rash,23.00,Rash erythematous,23.00,Rash papular,
23.00,Vaccination complication,23.00,,
877183,Immunisation,23.00,Injection site inflammation,23.00,Injection
site reaction,23.00,Injection site warmth,23.00,Rash,23.00
877184,Injection site reaction,23.00,Rash,23.00,Rash erythematous,
23.00,Rash macular,23.00,,
877185,Back pain,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Injection site swelling,23.00,Mobility decreased,23.00
877185,Musculoskeletal stiffness,23.00,Pain,23.00,,,,,
877186,Fatigue,23.00,Pain,23.00,Rash,23.00,,,,

877187, Arthralgia, 23.00, Blood creatinine increased, 23.00, Joint swelling, 23.00, Rheumatoid factor increased, 23.00,,
877188, Arthralgia, 23.00, Immediate post-injection reaction, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site rash, 23.00
877188, Injection site swelling, 23.00,,,,,,
877189, Alopecia, 23.00, Skin test negative, 23.00, Thyroid function test normal, 23.00,,,,
877190, Pain in extremity, 23.00,,,,,,
877191, Pain, 23.00, Pyrexia, 23.00,,,,,
877192, Blood test normal, 23.00, Burning sensation, 23.00, Chest discomfort, 23.00, Chest pain, 23.00, Dizziness, 23.00
877192, Dry mouth, 23.00, Electrocardiogram normal, 23.00, Fatigue, 23.00, Genital rash, 23.00, Hypoaesthesia oral, 23.00
877192, Lip swelling, 23.00, Paraesthesia oral, 23.00, Rash, 23.00, Swelling face, 23.00, Throat tightness, 23.00
877192, Visual impairment, 23.00,,,,,,
877194, Diarrhoea, 23.00, Muscle twitching, 23.00, Pustule, 23.00, Rash, 23.00, Rash erythematous, 23.00
877194, Vaccination complication, 23.00,,,,,,
877195, Brain oedema, 23.00, Crying, 23.00, Diarrhoea, 23.00, Ear infection, 23.00, Fluid intake reduced, 23.00
877195, Hydrocephalus, 23.00, Ill-defined disorder, 23.00, Irritability, 23.00, Laboratory test, 23.00, Lethargy, 23.00
877195, Magnetic resonance imaging brain abnormal, 23.00, Neutrophil count increased, 23.00, Pain, 23.00, Pallor, 23.00, Petit mal epilepsy, 23.00
877195, Pyrexia, 23.00, Seizure, 23.00, Urine analysis normal, 23.00, Urine output decreased, 23.00, Ventricular drainage, 23.00
877195, Ventricular enlargement, 23.00, Ventriculo-peritoneal shunt, 23.00, Viral infection, 23.00, Vomiting, 23.00, White blood cell count increased, 23.00
877196, Injection site swelling, 23.00,,,,,,
877197, Erythema, 23.00, Nodule, 23.00, Skin warm, 23.00, Tenderness, 23.00,,
877198, Erythema, 23.00, Injection site erythema, 23.00, Oropharyngeal pain, 23.00, Pruritus, 23.00,,
877199, Abdominal pain upper, 23.00, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00
877208, Rash, 23.00,,,,,,
877209, Condition aggravated, 23.00, Postural orthostatic tachycardia syndrome, 23.00,,,,,
877210, No adverse event, 23.00, Product storage error, 23.00,,,,,
877211, Expired product administered, 23.00, No adverse event, 23.00,,,,,
877212, Injection site induration, 23.00, Injection site mass, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00,,
877213, No adverse event, 23.00, Product storage error, 23.00,,,,,
877214, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00,,,,,
877215, Immediate post-injection reaction, 23.00, Loss of consciousness, 23.00,,,,,
877216, No adverse event, 23.00, Product storage error, 23.00,,,,,

877217,Herpes zoster,23.00,Inappropriate schedule of product administration,23.00,Vaccination failure,23.00,,,,,
877218,Influenza,23.00,Vaccination failure,23.00,,,,,,
877219,Fatigue,23.00,Injection site pain,23.00,Pain,23.00,Pyrexia,23.00,,
877220,Malaise,23.00,,,,,,,
877221,Extra dose administered,23.00,No adverse event,23.00,,,,,,
877222,No adverse event,23.00,Product storage error,23.00,,,,,,
877223,Expired product administered,23.00,No adverse event,23.00,,,,,,
877224,No adverse event,23.00,Product preparation error,23.00,,,,,,
877225,Vaccination site haemorrhage,23.00,Venous injury,23.00,,,,,,
877226,No adverse event,23.00,Product preparation issue,23.00,,,,,,
877227,Expired product administered,23.00,No adverse event,23.00,,,,,,
877228,Eye pain,23.00,Fatigue,23.00,Insomnia,23.00,Joint range of motion decreased,23.00,Limb discomfort,23.00
877228,Muscular weakness,23.00,Musculoskeletal stiffness,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00
877229,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
877230,Lymphadenopathy,23.10,,,,,,,
877231,Chills,23.00,Dizziness,23.00,Gait disturbance,23.00,Headache,23.00,Pain in extremity,23.00
877231,Vertigo,23.00,,,,,,,
877232,Injection site erythema,23.00,Injection site oedema,23.00,Injection site pain,23.00,Injection site swelling,23.00,,
877233,Dehydration,23.00,Febrile convulsion,23.00,,,,,,
877235,No adverse event,23.00,Product storage error,23.00,,,,,,
877236,Herpes zoster,23.00,,,,,,,
877237,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,,
877238,No adverse event,23.00,Product storage error,23.00,,,,,,
877239,Adverse drug reaction,23.00,Influenza like illness,23.00,Vaccine positive rechallenge,23.00,,,,,
877240,Herpes zoster,23.00,Nerve injury,23.00,Vaccination failure,23.00,,,,,
877241,Abdominal discomfort,23.00,Abdominal pain upper,23.00,Erythema,23.00,Skin warm,23.00,,
877242,Headache,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
877243,Asthenia,23.00,Chills,23.00,Dyspepsia,23.00,Fatigue,23.00,Feeling of body temperature change,23.00
877243,Headache,23.00,Hyperhidrosis,23.00,Hypersomnia,23.00,Pyrexia,23.00,,
877244,Arthralgia,23.00,Crying,23.00,Detoxification,23.00,Loss of personal independence in daily activities,23.00,Lymphadenopathy,23.00
877244,Mobility decreased,23.00,Screaming,23.00,,,,,,
877245,Loss of personal independence in daily activities,23.00,Mobility decreased,23.00,,,,,,
877246,Diarrhoea,23.00,Pain,23.00,Vomiting,23.00,,,,,
877248,Hypophagia,23.00,Injection site pain,23.00,Swelling,23.00,,,,,
877249,Abdominal discomfort,23.00,Hypotension,23.00,Lethargy,23.00,Loss of consciousness,23.00,Pallor,23.00

877249, Seizure, 23.00, , , , , , , , ,
877250, Nausea, 23.00, Neck pain, 23.00, Pain, 23.00, Pain in jaw, 23.00, Pyrexia, 23.00
877250, Tremor, 23.00, Vomiting, 23.00, , , , , , , ,
877252, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
877253, Adverse event, 23.00, Herpes zoster, 23.00, Pain, 23.00, Vaccination failure, 23.00, ,
877254, Cough, 23.00, Dyspnoea, 23.00, Eosinophil count increased, 23.00, Weight decreased, 23.00, ,
877255, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , , ,
877256, Chills, 23.00, Herpes zoster, 23.00, Rash, 23.00, Vaccination failure, 23.00, ,
877257, Differential white blood cell count, 23.00, Dizziness, 23.00, Electrocardiogram, 23.00, Full blood count, 23.00, Human chorionic gonadotropin, 23.00
877257, Metabolic function test, 23.00, Muscle contractions involuntary, 23.00, Muscular weakness, 23.00, Urine analysis, 23.00, ,
877258, Cheilitis, 23.00, Pruritus, 23.00, Rash, 23.00, Urticaria, 23.00, ,
877259, Injection site induration, 23.00, Injection site rash, 23.00, Injection site swelling, 23.00, , , , , , , ,
877260, Expired product administered, 23.00, , , , , , , , ,
877261, Feeling abnormal, 23.00, , , , , , , , ,
877262, Erythema, 23.00, Injection site erythema, 23.00, Rash, 23.00, Rash pruritic, 23.00, Rash vesicular, 23.00
877263, Pain, 23.00, Pyrexia, 23.00, Rash, 23.00, Rash morbilliform, 23.00, Screaming, 23.00
877263, Skin warm, 23.00, Tremor, 23.00, , , , , , , ,
877264, Dermatitis acneiform, 23.00, Injection site nodule, 23.00, Injection site swelling, 23.00, Rash, 23.00, Swollen tongue, 23.00
877264, Tongue paralysis, 23.00, Vulvovaginal swelling, 23.00, , , , , , , ,
877265, Dizziness, 23.00, , , , , , , , ,
877270, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, , , , , , , ,
877271, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
877272, Chills, 23.00, Feeling abnormal, 23.00, Headache, 23.00, Pyrexia, 23.00, ,
877273, Abdominal discomfort, 23.00, Pain of skin, 23.00, Pyrexia, 23.00, , , , , , , ,
877274, Injection site pain, 23.00, , , , , , , , ,
877275, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
877276, No adverse event, 23.00, Underdose, 23.00, , , , , , , ,
877277, No adverse event, 23.00, Product preparation issue, 23.00, , , , , , , ,
877278, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
877279, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
877280, Product storage error, 23.00, , , , , , , , ,
877281, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
877282, No adverse event, 23.00, Product quality issue, 23.00, , , , , , , ,
877283, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , ,
877285, Alpha 1 foetoprotein normal, 23.00, Congenital teratoma, 23.00, Exposure during pregnancy, 23.00, Foetal disorder, 23.00, Morning sickness, 23.00

877285,Prenatal screening test,23.00,Ultrasound antenatal screen,
23.00,Ultrasound antenatal screen abnormal,23.00,,,,,
877286,Injection site discomfort,23.00,Injection site erythema,
23.00,Injection site rash,23.00,,,,,
877287,Ear pain,23.00,Pain in jaw,23.00,Trigeminal nerve disorder,
23.00,X-ray dental normal,23.00,,
877288,Erythema,23.00,Injection site erythema,23.00,,,,,,
877289,Condition aggravated,23.10,Fibromyalgia,23.10,Injected limb
mobility decreased,23.10,Musculoskeletal disorder,23.10,Pain in
extremity,23.10
877290,Immediate post-injection reaction,23.10,Injection site
reaction,23.10,Swelling,23.10,Urticaria,23.10,,
877294,Extra dose administered,23.00,No adverse event,23.00,,,,,,
877295,Chills,23.00,Dizziness,23.00,Injection site pain,
23.00,Insomnia,23.00,Nausea,23.00
877295,Pain,23.00,Peripheral swelling,23.00,Tremor,23.00,Vaccine
positive rechallenge,23.00,Vomiting,23.00
877296,Pruritus,23.00,Rash,23.00,,,,,,
877297,Guillain-Barre syndrome,23.00,Hypoaesthesia,
23.00,Immunoglobulin therapy,23.00,Paraesthesia,23.00,Plasmapheresis,
23.00
877298,Dermatitis,23.00,Erythema,23.00,Injection site erythema,
23.00,Injection site macule,23.00,Papule,23.00
877298,Pruritus,23.00,Rash,23.00,Urticaria,23.00,,,,,
877300,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,,,,,
877301,Cellulitis,23.00,Fatigue,23.00,Malaise,23.00,Pain,23.00,,
877302,Dyspnoea,23.00,Pain in extremity,23.00,Painful respiration,
23.00,Throat tightness,23.00,,
877303,Injection site swelling,23.00,Pain,23.00,Skin warm,23.00,,,,,
877304,Fatigue,23.00,Headache,23.00,Muscle spasms,23.00,Myalgia,
23.00,Nausea,23.00
877304,Pyrexia,23.00,,,,,,
877305,Injection site swelling,23.00,,,,,,
877306,Injection site pain,23.00,Magnetic resonance imaging,23.00,X-
ray limb,23.00,,,,,
877307,Expired product administered,23.00,,,,,,
877308,Erythema,23.00,Periorbital swelling,23.00,Pyrexia,
23.00,Swelling face,23.00,Urticaria,23.00
877309,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site oedema,23.00,,,,,
877310,Injection site erythema,23.00,Injection site warmth,23.00,,,,,,
877311,Rash,23.00,,,,,,
877312,Analgesic drug level,23.00,Arthralgia,23.00,Back pain,
23.00,Blood creatine phosphokinase,23.00,Blood creatine phosphokinase
MB,23.00
877312,Blood lactate dehydrogenase,23.00,Blood lactic acid,23.00,C-
reactive protein,23.00,Decreased appetite,23.00,Differential white
blood cell count,23.00
877312,Dysphagia,23.00,Fatigue,23.00,Fibrin D dimer,23.00,Full blood

count,23.00,Headache,23.00
877312,Metabolic function test,23.00,Musculoskeletal pain,23.00,Neck pain,23.00,Oropharyngeal pain,23.00,Pain,23.00
877312,Procalcitonin,23.00,SARS-CoV-2 test,23.00,Serum ferritin,23.00,Sinusitis,23.00,Troponin I,23.00
877313,Antiphospholipid antibodies positive,23.00,Bedridden,23.00,Condition aggravated,23.00,Disturbance in attention,23.00,Feeling abnormal,23.00
877313,Loss of employment,23.00,Memory impairment,23.00,Renal impairment,23.00,Systemic lupus erythematosus,23.00,Thinking abnormal,23.00
877314,Axillary pain,23.00,Chills,23.00,Fatigue,23.00,Musculoskeletal pain,23.00,Nausea,23.00
877314,Pain in extremity,23.00,Pyrexia,23.00,Tenderness,23.00,,,,,
877318,No adverse event,23.00,Product storage error,23.00,,,,,,
877319,Fatigue,23.00,,,,,,,
877320,Fatigue,23.00,Myalgia,23.00,,,,,,
877321,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
877322,Blister,23.00,Contusion,23.00,Injection site swelling,23.00,Pain in extremity,23.00,Product administration error,23.00
877322,Rash vesicular,23.00,,,,,,,
877323,Allergy to vaccine,23.00,Brain oedema,23.00,Brain stem syndrome,23.00,Central nervous system viral infection,23.00,Corneal reflex decreased,23.00
877323,Drizzling,23.00,Ear discomfort,23.00,Encephalitis,23.00,Eye irritation,23.00,Eye swelling,23.00
877323,Eyelid function disorder,23.00,Facial paralysis,23.00,Facial paresis,23.00,Herpes zoster,23.00,Herpes zoster meningoencephalitis,23.00
877323,Hypoaesthesia,23.00,Intracranial mass,23.00,Lumbar puncture,23.00,Magnetic resonance imaging brain abnormal,23.00,Paraesthesia,23.00
877323,Trigeminal neuralgia,23.00,Vision blurred,23.00,,,,,,
877324,Pruritus,23.00,,,,,,,
877325,Injected limb mobility decreased,23.00,Injection site pain,23.00,Pain in extremity,23.00,,,,,
877326,Pruritus,23.10,,,,,,,
877327,Arthralgia,23.00,Biopsy skin abnormal,23.00,Borrelia test positive,23.00,CSF test abnormal,23.00,Central nervous system lesion,23.00
877327,Condition aggravated,23.00,Electromyogram abnormal,23.00,Fatigue,23.00,Hypoaesthesia,23.00,Immune system disorder,23.00
877327,Laboratory test abnormal,23.00,Lumbar puncture abnormal,23.00,Lyme disease,23.00,Magnetic resonance imaging brain abnormal,23.00,Muscle atrophy,23.00
877327,Myalgia,23.00,Nerve injury,23.00,Paraesthesia,23.00,Small fibre neuropathy,23.00,Weight decreased,23.00
877328,Ear swelling,23.00,Erythema,23.00,Pyrexia,23.00,Swelling face,23.00,Swelling of eyelid,23.00

877328,Urticaria,23.00,,,,,,,,,
877329,Paraesthesia,23.00,,,,,,,,,
877334,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
877335,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
877338,Contusion,23.00,Crying,23.00,Erythema,23.00,Swelling,23.00,,
877339,Injection site pain,23.00,Injection site swelling,23.00,Lip
swelling,23.00,Pyrexia,23.00,Weight bearing difficulty,23.00
877340,Injected limb mobility decreased,23.00,Injection site pain,
23.00,,,,,,,,,
877341,Psychotic disorder,23.00,,,,,,,,,
877342,Arthralgia,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,,
877343,Burning sensation,23.00,,,,,,,,,
877344,Confusional state,23.00,Pain,23.00,Skin warm,23.00,,,,,
877345,Injection site reaction,23.00,Injection site scab,23.00,Rash
pruritic,23.00,,,,,
877346,Expired product administered,23.10,,,,,,,,,
877354,Injection site erythema,23.00,Rash,23.00,Rash erythematous,
23.00,,,,,
877355,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
877356,Erythema,23.00,Injection site erythema,23.00,Injection site
pruritus,23.00,Pruritus,23.00,,
877357,Wrong product administered,23.10,,,,,,,,,
877359,Injection site pain,23.00,Pain,23.00,,,,,,,,,
877361,Cystitis,23.00,Gout,23.00,Herpes zoster,23.00,White blood cell
count decreased,23.00,,
877362,Injection site mass,23.00,,,,,,,,,
877363,Dizziness,23.00,Pallor,23.00,Presyncope,23.00,Vision blurred,
23.00,,
877365,Injection site pain,23.00,Mobility decreased,
23.00,Musculoskeletal pain,23.00,Neck pain,23.00,Pain in extremity,
23.00
877366,Body temperature increased,23.00,Breath sounds abnormal,
23.00,C-reactive protein normal,23.00,Chest X-ray abnormal,
23.00,Flushing,23.00
877366,Full blood count normal,23.00,Hypotonia,23.00,Metabolic
function test normal,23.00,Pallor,23.00,Pneumonia,23.00
877366,Pneumonia viral,23.00,Polymerase chain reaction,
23.00,Respiratory syncytial virus test,23.00,SARS-CoV-2 test negative,
23.00,Specific gravity urine normal,23.00
877366,Streptococcus test negative,23.00,Urine analysis normal,
23.00,White blood cell count normal,23.00,,,,,
877373,Syncope,23.00,,,,,,,,,
877374,Incorrect route of product administration,23.00,Product
administered to patient of inappropriate age,23.00,Wrong product
administered,23.00,,,,,
877375,Erythema,23.00,Skin warm,23.00,Swelling,23.00,,,,,
877376,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
877378,Adverse drug reaction,23.00,Vaccine positive rechallenge,
23.00,,,,,,,,,

877379,Local reaction,23.00,,,,,,,,,
877381,Adverse drug reaction,23.00,,,,,,,,,
877382,Erythema,23.00,Injection site erythema,23.00,,,,,
877383,Pain,23.00,Pyrexia,23.00,,,,,
877384,Headache,23.00,Myalgia,23.00,Pain,23.00,,,,,
877385,Pyrexia,23.10,Rash,23.10,,,,,
877386,Headache,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
877388,Tenderness,23.10,Weight bearing difficulty,23.10,,,,,
877392,Erythema,23.10,Injection site warmth,23.10,Pain,23.10,Pyrexia,
23.10,Swelling,23.10
877393,Asthenia,23.00,Eye pain,23.00,Headache,23.00,Influenza,
23.00,Lethargy,23.00
877393,Myalgia,23.00,Nausea,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,Pyrexia,23.00
877394,Crying,23.00,Irritability,23.00,Pain,23.00,Pyrexia,23.00,Rash,
23.00
877395,Chills,23.00,Headache,23.00,Myalgia,23.00,Pain,23.00,,
877396,Loss of consciousness,23.00,,,,,,,,,
877397,Erythema,23.00,Fatigue,23.00,Headache,23.00,Mobility decreased,
23.00,Pain in extremity,23.00
877397,Peripheral swelling,23.00,,,,,,,,,
877398,Abdominal discomfort,23.00,Asthenia,23.00,Chills,
23.00,Dizziness,23.00,Influenza,23.00
877398,Pain,23.00,Pyrexia,23.00,,,,,
877399,Erythema,23.00,Pain,23.00,Pruritus,23.00,,,,,
877401,Expired product administered,23.00,,,,,,,,,
877402,Injection site nodule,23.00,Injection site reaction,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
877404,Expired product administered,23.00,No adverse event,23.00,,,,,
877405,Arthralgia,23.00,Blood pressure decreased,23.00,Blood test,
23.00,Body temperature increased,23.00,Cardiac stress test,23.00
877405,Diarrhoea,23.00,Dyspnoea,23.00,Headache,23.00,Hot flush,
23.00,Hyperhidrosis,23.00
877405,Hypersomnia,23.00,Injection site pain,23.00,Middle insomnia,
23.00,Oropharyngeal pain,23.00,Pain,23.00
877405,Pain in extremity,23.00,SARS-CoV-2 test negative,
23.00,Sneezing,23.00,,,,,
877406,Mobility decreased,23.00,Pain in extremity,23.00,,,,,
877407,Expired product administered,23.00,No adverse event,23.00,,,,,
877408,Pruritus,23.00,Urticaria,23.00,,,,,
877409,Abdominal discomfort,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,Wrong product administered,23.00,,
877410,Irritability,23.00,Pyrexia,23.00,Urticaria,23.00,,,,,
877412,Fatigue,23.00,Feeling abnormal,23.00,Headache,23.00,Injected
limb mobility decreased,23.00,Injection site erythema,23.00
877412,Injection site oedema,23.00,Injection site swelling,
23.00,Injection site urticaria,23.00,Pain,23.00,,
877413,Chills,23.00,Feeling abnormal,23.00,Loss of personal
independence in daily activities,23.00,Pain,23.00,Pyrexia,23.00
877414,Adverse drug reaction,23.00,Anxiety,23.00,Blood test,

23.00,Electroencephalogram,23.00,Magnetic resonance imaging,23.00
877414,Malaise,23.00,Pain,23.00,Seizure,23.00,Syncope,23.00,,
877415,Dizziness,23.00,Headache,23.00,Injection site reaction,
23.00,Muscle spasms,23.00,Nausea,23.00
877416,Dizziness,23.00,Feeling hot,23.00,Headache,23.00,Influenza like
illness,23.00,Nausea,23.00
877417,Hypoaesthesia,23.00,Paraesthesia,23.00,,,,,
877418,Hypoaesthesia,23.00,Paraesthesia,23.00,,,,,
877419,Altered state of consciousness,23.00,Blood test normal,
23.00,Cardiac stress test normal,23.00,Contusion,23.00,Dizziness,23.00
877419,Electrocardiogram normal,23.00,Mobility decreased,23.00,Pain in
extremity,23.00,Paraesthesia,23.00,Peripheral swelling,23.00
877419,SARS-CoV-2 test negative,23.00,Scratch,23.00,,,,,
877420,Immediate post-injection reaction,23.00,Sensory disturbance,
23.00,,,,,
877421,Joint swelling,23.00,Peripheral swelling,23.00,Sensory
disturbance,23.00,,,,
877422,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,
877423,Abnormal behaviour,23.00,,,,,
877424,Scan brain,23.00,Seizure,23.00,,,,,
877426,Herpes zoster,23.00,,,,,
877427,Herpes zoster,23.00,,,,,
877428,Erythema,23.00,Injection site mass,23.00,Oedema,23.00,Product
administered at inappropriate site,23.00,Swelling face,23.00
877428,Tenderness,23.00,,,,,
877429,Pyrexia,23.00,,,,,
877433,Diarrhoea,23.00,Influenza like illness,23.00,Nausea,23.00,Pain
in extremity,23.00,Pyrexia,23.00
877433,Retching,23.00,,,,,
877434,Asthenia,23.00,Dizziness,23.00,Fall,23.00,Pallor,23.00,Syncope,
23.00
877434,Unresponsive to stimuli,23.00,,,,,
877435,Erythema,23.10,Peripheral swelling,23.10,Skin mass,23.10,Skin
warm,23.10,,
877436,Injection site erythema,23.10,Injection site induration,
23.10,Injection site inflammation,23.10,Injection site pain,
23.10,Injection site warmth,23.10
877436,Tuberculin test,23.10,,,,,
877437,Dyspnoea,23.10,Urticaria,23.10,,,,,
877438,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Local reaction,23.00
877439,Erythema,23.00,Feeling hot,23.00,Muscle swelling,
23.00,Tenderness,23.00,,
877440,Lethargy,23.00,Oxygen saturation decreased,23.00,Pyrexia,
23.00,Tremor,23.00,,
877441,Gait disturbance,23.10,Headache,23.10,Injection site bruising,
23.10,Injection site erythema,23.10,Injection site pain,23.10
877441,Injection site reaction,23.10,Injection site swelling,
23.10,Muscle mass,23.10,Pyrexia,23.10,,

877442,Headache,23.10,,,,,,,,,
877446,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
877447,Extra dose administered,23.00,,,,,,,,,
877448,Asthenia,23.00,Dizziness,23.00,Headache,23.00,Hyperhidrosis,
23.00,Immediate post-injection reaction,23.00
877448,Loss of consciousness,23.00,Memory impairment,23.00,Pallor,
23.00,Seizure,23.00,Tinnitus,23.00
877448,Unresponsive to stimuli,23.00,,,,,,,,,
877449,Autism spectrum disorder,23.00,Cough,23.00,Developmental delay,
23.00,Pyrexia,23.00,,
877450,Product administered to patient of inappropriate age,
23.00,Wrong product administered,23.00,,,,,,,,,
877453,Feeling abnormal,23.00,Tremor,23.00,,,,,,,,,
877454,Chills,23.00,Electrocardiogram,23.00,Facial paralysis,
23.00,Facial paresis,23.00,Headache,23.00
877454,Hyperhidrosis,23.00,Hypoacusis,23.00,Hypoesthesia oral,
23.00,Laboratory test,23.00,Myalgia,23.00
877454,Nausea,23.00,Pyrexia,23.00,SARS-CoV-2 test,23.00,Tenderness,
23.00,Vomiting,23.00
877455,Dysgeusia,23.00,Headache,23.00,Immediate post-injection
reaction,23.00,Joint stiffness,23.00,Nausea,23.00
877456,Pain in extremity,23.00,Peripheral swelling,23.00,,,,,,,,,
877457,Injection site discharge,23.00,Injection site discomfort,
23.00,Injection site erythema,23.00,Injection site rash,23.00,,
877461,Adverse reaction,23.00,Arthropod sting,23.00,Erythema,
23.00,Rash erythematous,23.00,Skin ulcer,23.00
877462,Body temperature increased,23.00,Chills,23.00,Injection site
pruritus,23.00,Injection site swelling,23.00,Injection site warmth,
23.00
877463,Mobility decreased,23.00,Pain in extremity,23.00,,,,,,,,,
877464,Fatigue,23.10,Feeling abnormal,23.10,Mobility decreased,
23.10,,,,,
877466,Erythema,23.10,Hypotonia,23.10,,,,,,,,,
877467,Incorrect dose administered,23.00,,,,,,,,,
877468,Erythema,23.00,Injection site swelling,23.00,Skin warm,
23.00,,,,,
877469,Abdominal pain upper,23.00,Death,23.00,Myocardial infarction,
23.00,Nausea,23.00,Vomiting,23.00
877470,Injection site bruising,23.00,Injection site rash,23.00,Rash
vesicular,23.00,,,,,
877471,Body temperature increased,23.00,Chills,23.00,Headache,
23.00,Influenza virus test negative,23.00,Mononucleosis heterophile
test negative,23.00
877471,SARS-CoV-2 test negative,23.00,Streptococcus test negative,
23.00,,,,,,,,,
877472,Eye swelling,23.00,Lip swelling,23.00,Rash,23.00,,,,,
877473,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
877474,Erythema,23.00,Peripheral swelling,23.00,,,,,,,,,

877475, Pyrexia, 23.00, Vomiting, 23.00, , , , , ,
877476, Chills, 23.00, Erythema, 23.00, Insomnia, 23.00, Pain, 23.00, Pain in extremity, 23.00
877476, Peripheral swelling, 23.00, Pruritus, 23.00, Skin warm, 23.00, , , , ,
877477, Injection site erythema, 23.00, Injection site warmth, 23.00, , , , , , ,
877478, Abdominal discomfort, 23.00, Chills, 23.00, Pyrexia, 23.00, , , , ,
877479, Dysgeusia, 23.00, Malaise, 23.00, Neck pain, 23.00, Swelling, 23.00, ,
877480, Incorrect route of product administration, 23.00, , , , , , , ,
877482, Chills, 23.00, Erythema, 23.00, Fatigue, 23.00, Headache, 23.00, Myalgia, 23.00
877482, Peripheral swelling, 23.00, Pyrexia, 23.00, , , , , , ,
877483, Anxiety, 23.00, Balance disorder, 23.00, Nausea, 23.00, , , , ,
877484, Body temperature, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Migraine, 23.00, ,
877485, Contusion, 23.00, Erythema, 23.00, Pain, 23.00, Swelling, 23.00, ,
877486, Discomfort, 23.00, Injection site pain, 23.00, Musculoskeletal stiffness, 23.00, , , , ,
877487, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Pain, 23.00
877487, Pyrexia, 23.00, Vomiting, 23.00, , , , , , ,
877488, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Muscle spasms, 23.00, Pyrexia, 23.00
877489, Erythema, 23.00, Skin warm, 23.00, , , , , , ,
877490, Cheilitis, 23.00, Herpes zoster, 23.00, , , , , , ,
877491, Fatigue, 23.00, Headache, 23.00, Muscle fatigue, 23.00, Myalgia, 23.00, Pyrexia, 23.00
877492, Diarrhoea, 23.00, Headache, 23.00, Influenza like illness, 23.00, Myalgia, 23.00, Pyrexia, 23.00
877492, Somnolence, 23.00, Vaccine positive rechallenge, 23.00, Vomiting, 23.00, , , , ,
877493, Chills, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Pyrexia, 23.00
877495, Fatigue, 23.00, Headache, 23.00, Influenza, 23.00, Pain, 23.00, Rash erythematous, 23.00
877496, Dizziness, 23.00, Headache, 23.00, Hypoacusis, 23.00, Malaise, 23.00, Photophobia, 23.00
877496, Presyncope, 23.00, Pyrexia, 23.00, , , , , , ,
877497, Axillary pain, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Swelling, 23.00, ,
877498, Injection site urticaria, 23.00, , , , , , , ,
877499, Rash erythematous, 23.00, Urticaria, 23.00, , , , , , ,
877500, Wrong product administered, 23.00, , , , , , , ,
877501, Dizziness, 23.10, Loss of consciousness, 23.10, Seizure, 23.10, , , , ,
877502, Injection site urticaria, 23.00, , , , , , , ,
877503, Dizziness, 23.00, Face and mouth X-ray abnormal, 23.00, Facial bones fracture, 23.00, Fall, 23.00, Head injury, 23.00
877503, Loss of consciousness, 23.00, Nausea, 23.00, Slow response to stimuli, 23.00, Syncope, 23.00, Vomiting, 23.00
877504, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00, Injection site swelling,

23.00, Injection site warmth, 23.00
877505, Urticaria, 23.00, , , , , , , , ,
877506, Body temperature increased, 23.00, Injection site swelling,
23.00, Pain, 23.00, , , , ,
877507, Erythema, 23.00, Feeling hot, 23.00, Oedema, 23.00, Pain, 23.00, ,
877508, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00, Injection site
pain, 23.00, Pain, 23.00
877509, Pain in extremity, 23.00, Peripheral swelling, 23.00, Pyrexia,
23.00, , , , ,
877510, Cellulitis, 23.00, Mobility decreased, 23.00, Pain, 23.00, Skin
tightness, 23.00, Skin warm, 23.00
877510, Swelling, 23.00, , , , , , , , ,
877511, Erythema, 23.00, Peripheral swelling, 23.00, Skin mass, 23.00, , , , ,
877512, Cough, 23.00, Fatigue, 23.00, Headache, 23.00, Lower respiratory
tract infection, 23.00, Pain, 23.00
877512, Pyrexia, 23.00, , , , , , , , ,
877513, Extra dose administered, 23.00, , , , , , , , ,
877514, Injection site erythema, 23.00, Injection site rash, 23.00, , , , , , , , ,
877515, Abdominal discomfort, 23.00, Chills, 23.00, Headache, 23.00, Pain,
23.00, , ,
877516, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00, , , , ,
877517, Injection site discharge, 23.00, Product administered at
inappropriate site, 23.00, Vaccination site pain, 23.00, Vaccination site
warmth, 23.00, , ,
877518, Erythema, 23.00, Pain, 23.00, Peripheral swelling, 23.00, , , , ,
877519, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling,
23.00, Tenderness, 23.00, , ,
877520, Blood glucose normal, 23.00, Dizziness, 23.00, Immediate post-
injection reaction, 23.00, Nausea, 23.00, Nervousness, 23.00
877520, Presyncope, 23.00, Tremor, 23.00, , , , , , , , ,
877521, Abdominal discomfort, 23.00, Chills, 23.00, Cough, 23.00, Headache,
23.00, Nausea, 23.00
877521, Pain, 23.00, Pruritus, 23.00, Pyrexia, 23.00, SARS-CoV-2 test
negative, 23.00, Urticaria, 23.00
877522, Pain, 23.00, Pyrexia, 23.00, Rash, 23.00, Urticaria, 23.00, , ,
877523, Blister, 23.00, Pustule, 23.00, Rash erythematous, 23.00, Rash
pruritic, 23.00, Skin warm, 23.00
877524, Anti-cyclic citrullinated peptide antibody, 23.00, C-reactive
protein, 23.00, Chiropractic, 23.00, Full blood count, 23.00, Injection site
pain, 23.00
877524, Metabolic function test, 23.00, Musculoskeletal discomfort,
23.00, Musculoskeletal stiffness, 23.00, Pain in extremity, 23.00, Red
blood cell sedimentation rate, 23.00
877524, Rheumatoid factor, 23.00, , , , , , , , ,
877525, Blister, 23.00, Erythema, 23.00, Local reaction, 23.00, Swelling,
23.00, , ,
877559, Computerised tomogram, 23.00, Erythema, 23.00, Magnetic resonance
imaging, 23.00, Mobility decreased, 23.00, Myalgia, 23.00
877559, Rash, 23.00, , , , , , , , ,

877560, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Nausea, 23.00, Pyrexia, 23.00
877561, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
877562, Product administered to patient of inappropriate age, 23.00, , , , , , , ,
877563, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
877564, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
877565, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
877566, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
877567, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
877568, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
877569, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
877570, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
877571, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
877572, Anaphylactic reaction, 23.00, Angiogram peripheral abnormal, 23.00, Aptyalism, 23.00, Axillary mass, 23.00, Brain injury, 23.00
877572, Enlarged uvula, 23.00, Injection site haemorrhage, 23.00, Neurotransmitter level altered, 23.00, Pain, 23.00, Peripheral artery occlusion, 23.00
877572, Polyneuropathy, 23.00, Sjogren's syndrome, 23.00, Stem cell transplant, 23.00, Systemic lupus erythematosus, 23.00, Tooth infection, 23.00
877573, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
877574, Incorrect dose administered, 23.00, No adverse event, 23.00, , , , , , ,
877575, Incomplete course of vaccination, 23.00, , , , , , , ,
877576, Inappropriate schedule of product administration, 23.00, Oropharyngeal pain, 23.00, Pyrexia, 23.00, , , ,
877577, Expired product administered, 23.00, , , , , , , ,
877579, Cerebrovascular accident, 23.00, Dysarthria, 23.00, Encephalopathy, 23.00, , , , ,
877580, Antibody test negative, 23.00, No adverse event, 23.00, Product storage error, 23.00, , , , ,
877581, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
877582, Fibromyalgia, 23.00, Loss of consciousness, 23.00, , , , , , ,
877583, Dermatitis, 23.00, Generalised tonic-clonic seizure, 23.00, Hyperglycaemia, 23.00, Pyrexia, 23.00, Rash, 23.00
877583, Varicella, 23.00, , , , , , , ,
877584, Arthralgia, 23.00, Fatigue, 23.00, , , , , , ,
877585, Adverse drug reaction, 23.00, , , , , , , ,
877586, Dehydration, 23.00, Headache, 23.00, Inappropriate schedule of product administration, 23.00, Pain in extremity, 23.00, Social problem, 23.00
877587, Hyperhidrosis, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
877587, Insomnia, 23.00, Pyrexia, 23.00, Restlessness, 23.00, , , , , ,
877588, Coordination abnormal, 23.00, Dizziness, 23.00, Fatigue, 23.00, Feeling abnormal, 23.00, Headache, 23.00
877588, Hypoaesthesia, 23.00, Loss of consciousness, 23.00, Nausea, 23.00, Paraesthesia, 23.00, Seizure, 23.00

877588,Tremor,23.00,Tunnel vision,23.00,Visual impairment,23.00,,,,,
877589,Infertility female,23.00,,,,,,,,,
877590,Pain in extremity,23.00,,,,,,,,,
877591,Swelling face,23.00,Urticaria,23.00,,,,,,,,,
877592,Influenza,23.00,Vaccination failure,23.00,,,,,,,,,
877593,Pulpitis dental,23.00,Toothache,23.00,,,,,,,,,
877595,Chills,23.00,Headache,23.00,Injection site pain,23.00,Injection
site swelling,23.00,Injection site warmth,23.00
877595,Pain,23.00,Pyrexia,23.00,,,,,,,,,
877596,Alanine aminotransferase increased,23.00,Antibody test
negative,23.00,Aspartate aminotransferase increased,23.00,Biopsy skin
abnormal,23.00,Blood immunoglobulin A normal,23.00
877596,Blood immunoglobulin G normal,23.00,Blood immunoglobulin M
decreased,23.00,Full blood count normal,23.00,Immunoglobulin therapy,
23.00,Laboratory test normal,23.00
877596,Lymphocyte count normal,23.00,Natural killer cell count
decreased,23.00,Pneumonia,23.00,Smear site unspecified normal,
23.00,Therapeutic response decreased,23.00
877596,Transaminases increased,23.00,,,,,,,,,
877597,Asthenia,23.00,Fatigue,23.00,Injection site pain,23.00,Myalgia,
23.00,,
877598,Inappropriate schedule of product administration,23.00,,,,,,,,,
877599,Erythema,23.00,Induration,23.00,Swelling,23.00,,,,,
877600,Extra dose administered,23.00,Headache,23.00,Inappropriate
schedule of product administration,23.00,Injection site erythema,
23.00,Injection site pain,23.00
877600,Pain,23.00,Renal pain,23.00,,,,,,,,,
877601,Arthralgia,23.00,Chills,23.00,Myalgia,23.00,Pyrexia,23.00,,
877602,Herpes zoster,23.00,,,,,,,,,
877603,Dizziness,23.00,,,,,,,,,
877605,Bone pain,23.00,Diarrhoea,23.00,Dizziness,23.00,Fatigue,
23.00,Feeding disorder,23.00
877605,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Pain,
23.00,Pyrexia,23.00
877606,Fatigue,23.00,Feeling hot,23.00,Headache,23.00,Pain,23.00,Pain
in extremity,23.00
877606,Pyrexia,23.00,,,,,,,,,
877607,Extra dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
877608,Halo vision,23.00,Visual impairment,23.00,,,,,,,,,
877609,Visual impairment,23.00,,,,,,,,,
877610,Rash,23.00,,,,,,,,,
877611,Lymphadenitis,23.00,,,,,,,,,
877612,Adverse drug reaction,23.00,,,,,,,,,
877613,Pain,23.00,Pyrexia,23.00,,,,,,,,,
877614,Joint range of motion decreased,23.00,Musculoskeletal
stiffness,23.00,Pain,23.00,Shoulder injury related to vaccine
administration,23.00,,
877615,Injection site discomfort,23.00,,,,,,,,,
877616,Chills,23.00,Inappropriate schedule of product administration,

23.00,Tremor,23.00,,,,,
877617,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
877618,Expired product administered,23.00,No adverse event,23.00,,,,,,
877619,No adverse event,23.00,Product storage error,23.00,,,,,,
877620,Product administered to patient of inappropriate age,
23.00,Wrong product administered,23.00,,,,,,
877621,Expired product administered,23.00,No adverse event,23.00,,,,,,
877622,Incorrect dose administered,23.00,No adverse event,23.00,Wrong
product administered,23.00,,,,,
877623,Complication of pregnancy,23.00,Exposure during pregnancy,
23.00,Gene mutation identification test negative,23.00,Laboratory test
normal,23.00,Laparotomy,23.00
877623,Ruptured ectopic pregnancy,23.00,,,,,,,
877624,Abortion spontaneous,23.00,Exposure during pregnancy,
23.00,Foetal death,23.00,Ultrasound antenatal screen abnormal,
23.00,Urinary tract infection,23.00
877626,Immediate post-injection reaction,23.00,Loss of consciousness,
23.00,Syncope,23.00,,,,,
877627,Injection site erythema,23.00,Injection site warmth,23.00,,,,,,
877628,Arthralgia,23.00,Injection site pain,23.00,Malaise,
23.00,Myalgia,23.00,,
877629,Hypoaesthesia,23.00,Injection site bruising,23.00,Pain,
23.00,Tenderness,23.00,,
877630,Chills,23.00,Cough,23.00,Headache,23.00,Pain,23.00,Pyrexia,
23.00
877630,Sneezing,23.00,,,,,,,
877631,Dermatitis,23.00,Erythema,23.00,Lip haemorrhage,23.00,Lip
swelling,23.00,,
877632,Erythema,23.00,Skin warm,23.00,Swelling,23.00,,,,,
877633,Kawasaki's disease,23.00,Pyrexia,23.00,,,,,,
877634,Rash maculo-papular,23.00,,,,,,,
877635,Discomfort,23.00,Erythema,23.00,Peripheral swelling,23.00,,,,,
877636,Chills,23.00,Headache,23.00,Pyrexia,23.00,,,,,
877637,Asthenia,23.00,Dyspnoea,23.00,Rash,23.00,,,,,
877638,Product preparation issue,23.00,,,,,,,
877639,Abdominal pain upper,23.00,Chills,23.00,Eructation,
23.00,Flatulence,23.00,Headache,23.00
877639,Injection site discomfort,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,,,,,
877640,Herpes zoster,23.00,Rash,23.00,,,,,,
877641,Hypoaesthesia,23.00,Limb discomfort,23.00,Pain,
23.00,Paraesthesia,23.00,Skin discolouration,23.00
877642,Fatigue,23.00,Feeling hot,23.00,Pain,23.00,Pain in extremity,
23.00,Paraesthesia,23.00
877642,Pruritus,23.00,Pyrexia,23.00,,,,,,
877643,Hyperhidrosis,23.00,Nausea,23.00,Vomiting,23.00,,,,,
877644,Abdominal pain,23.00,Myalgia,23.00,,,,,,
877645,Chills,23.00,Fatigue,23.00,Nausea,23.00,Vomiting,23.00,,
877646,Rash,23.00,Rash erythematous,23.00,,,,,,
877648,Full blood count normal,23.00,Injection site inflammation,

23.00,Measles antibody negative,23.00,Metabolic function test normal,
23.00,SARS-CoV-2 test negative,23.00
877648,Viral test,23.00,,,,,,,,,
877649,Back pain,23.00,Chills,23.00,Fatigue,23.00,Feeling abnormal,
23.00,Feeling cold,23.00
877649,Nausea,23.00,Neck pain,23.00,Skin warm,23.00,,,,,
877650,Dizziness,23.00,,,,,,,,,
877651,Aphasia,23.00,Confusional state,23.00,Disturbance in attention,
23.00,Dizziness,23.00,Headache,23.00
877651,Mental status changes,23.00,Speech disorder,23.00,,,,,,,,,
877652,Blood test,23.00,Gene sequencing,23.00,Lumbar puncture,
23.00,Nerve injury,23.00,Seizure,23.00
877658,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
877659,Herpes zoster,23.00,,,,,,,,,
877660,Herpes zoster,23.00,,,,,,,,,
877661,Herpes zoster,23.00,,,,,,,,,
877662,Herpes zoster,23.00,,,,,,,,,
877663,Herpes zoster,23.00,,,,,,,,,
877664,Expired product administered,23.00,,,,,,,,,
877665,Extra dose administered,23.00,,,,,,,,,
877666,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
877667,Blindness transient,23.00,Dizziness,23.00,Syncope,23.00,,,,,
877668,No adverse event,23.00,Underdose,23.00,,,,,,,,,
877669,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
877670,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
877671,Expired product administered,23.00,No adverse event,23.00,,,,,,,,,
877672,Abdominal pain,23.00,Activated partial thromboplastin time
normal,23.00,Arthralgia,23.00,Back pain,23.00,Biopsy skin abnormal,
23.00
877672,Blood immunoglobulin A normal,23.00,C-reactive protein normal,
23.00,Coagulation test normal,23.00,Complement factor
C3,23.00,Complement factor C4,23.00
877672,Complement factor normal,23.00,Full blood count normal,
23.00,Gait inability,23.00,Headache,23.00,Henoch-Schonlein purpura,
23.00
877672,Inflammatory marker increased,23.00,International normalised
ratio normal,23.00,Joint range of motion decreased,23.00,Joint
swelling,23.00,Magnetic resonance imaging spinal abnormal,23.00
877672,Metabolic function test normal,23.00,Neurological examination
normal,23.00,Oedema,23.00,Oedema peripheral,23.00,Pain in extremity,
23.00
877672,Petechiae,23.00,Platelet count increased,23.00,Prothrombin time
normal,23.00,Purpura,23.00,Rash,23.00
877672,Rash macular,23.00,Red blood cell sedimentation rate increased,
23.00,Rhinorrhoea,23.00,Skin oedema,23.00,Soft tissue swelling,23.00
877672,Swelling,23.00,Tenderness,23.00,Urine analysis normal,
23.00,White blood cell count decreased,23.00,X-ray limb abnormal,23.00
877673,Herpes zoster,23.00,Injection site pain,23.00,Rash vesicular,
23.00,,,,,
877674,Glossopharyngeal neuralgia,23.00,Trigeminal neuralgia,

23.00,,,,,
877675,Asthenia,23.00,Dyspnoea,23.00,Hypoaesthesia,23.00,Pain,
23.00,Paraesthesia,23.00
877675,Syncope,23.00,Vaccination complication,23.00,,,,,
877676,Crying,23.00,Feeling abnormal,23.00,Oropharyngeal discomfort,
23.00,,,,,
877677,No adverse event,23.00,Product preparation error,23.00,,,,,
877678,Feeling cold,23.00,Gait disturbance,23.00,Myalgia,
23.00,Pyrexia,23.00,,
877679,Vaccination site cellulitis,23.00,,,,,
877680,Eye pain,23.00,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,,
877681,Vaccination site cellulitis,23.00,,,,,
877682,Acoustic stimulation tests abnormal,23.00,Deafness,
23.00,Tinnitus,23.00,,,,,
877683,Dizziness,23.00,Fatigue,23.00,Headache,23.00,,,,,
877684,Blister,23.10,Erythema,23.10,Fall,23.10,Purulent discharge,
23.10,Quadriplegia,23.10
877684,Rash,23.10,,,,,
877687,Blood pressure increased,23.00,Herpes zoster,23.00,Pain,
23.00,,,,,
877688,Discomfort,23.00,Dizziness,23.00,Head discomfort,
23.00,Headache,23.00,Hypoaesthesia,23.00
877688,Injection site pain,23.00,Irritability,23.00,Vascular headache,
23.00,,,,,
877689,Chills,23.00,Feeling cold,23.00,Pyrexia,23.00,Tremor,23.00,,
877690,Adverse reaction,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Pyrexia,23.00
877691,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Pain,23.00,Pain in
extremity,23.00
877691,Pyrexia,23.00,,,,,
877692,Pain in extremity,23.00,Pyrexia,23.00,,,,,
877693,Pain in extremity,23.00,,,,,
877694,Pruritus,23.00,Rash,23.00,,,,,
877695,Musculoskeletal pain,23.00,Neck pain,23.00,Pain in extremity,
23.00,,,,,
877696,Chills,23.00,Discomfort,23.00,Disorientation,23.00,Dizziness,
23.00,Insomnia,23.00
877696,Malaise,23.00,Musculoskeletal stiffness,23.00,Myalgia,
23.00,Nausea,23.00,Pyrexia,23.00
877696,Tremor,23.00,Vaccination site pain,23.00,Vaccination site
reaction,23.00,,,,,
877701,Unevaluable event,23.10,,,,,
877727,Injection site erythema,23.10,Injection site inflammation,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
877737,No adverse event,23.00,Product storage error,23.00,,,,,
877738,Expired product administered,23.00,No adverse event,23.00,,,,,
877739,No adverse event,23.00,Product storage error,23.00,,,,,
877740,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
877741,Herpes zoster,23.00,,,,,
877742,Condition aggravated,23.00,Measles antibody,23.00,Measles post

vaccine,23.00,Mumps antibody test negative,23.00,Psoriasis,23.00
877742,Rubella antibody test,23.00,,,,,
877743,No adverse event,23.00,Product storage error,23.00,,,,,
877744,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
877745,Alopecia,23.00,Blood test normal,23.00,Contusion,
23.00,Madarosis,23.00,Rash,23.00
877746,Expired product administered,23.00,,,,,
877747,Injection site rash,23.00,,,,,
877748,Expired product administered,23.00,No adverse event,23.00,,,,,
877750,Expired product administered,23.00,,,,,
877751,Incorrect dose administered,23.00,No adverse event,23.00,,,,,
877752,No adverse event,23.00,Product storage error,23.00,,,,,
877753,No adverse event,23.00,Product storage error,23.00,,,,,
877754,No adverse event,23.00,Product storage error,23.00,,,,,
877755,Laboratory test abnormal,23.00,Lethargy,23.00,Systemic lupus
erythematosus,23.00,,,,,
877756,Cellulitis,23.00,Herpes zoster,23.00,Rash,23.00,,,,,
877757,Injection site rash,23.00,Local reaction,23.00,Rash,23.00,,,,,
877758,Pain in extremity,23.00,,,,,
877760,Erythema,23.00,Tenderness,23.00,,,,,
877761,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,,
877762,Injection site erythema,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
877763,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
877764,Back pain,23.00,Injection site pain,23.00,Joint swelling,
23.00,Malaise,23.00,Musculoskeletal pain,23.00
877766,Insomnia,23.00,Pyrexia,23.00,,,,,
877768,Erythema,23.00,Feeling hot,23.00,Pruritus,23.00,,,,,
877769,Demyelination,23.00,Myelitis transverse,23.00,Neurological
symptom,23.00,,,,,
877770,Hepatic steatosis,23.00,Herpes zoster,23.00,Liver function test
abnormal,23.00,Pneumonia,23.00,Pyrexia,23.00
877770,SARS-CoV-2 test negative,23.00,,,,,
877771,Dizziness,23.00,Nausea,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,
877772,Asthenia,23.00,Chills,23.00,Dizziness,23.00,Feeling abnormal,
23.00,Injection site pain,23.00
877772,Nausea,23.00,Night sweats,23.00,Pain,23.00,Pyrexia,
23.00,Retching,23.00
877773,Chills,23.00,Dehydration,23.00,Dyskinesia,23.00,Dysstasia,
23.00,Fatigue,23.00
877773,Feeling abnormal,23.00,Hypoaesthesia,23.00,Insomnia,
23.00,Muscular weakness,23.00,Nausea,23.00
877773,Palpitations,23.00,Paraesthesia,23.00,Pyrexia,23.00,Seizure
like phenomena,23.00,Tinnitus,23.00
877773,Tremor,23.00,,,,,
877774,Herpes zoster,23.00,Ophthalmic herpes zoster,23.00,,,,,
877775,Fatigue,23.00,Feeling abnormal,23.00,Lymphadenopathy,

23.00,Pain,23.00,Peripheral swelling,23.00
877776,Anaphylactic reaction,23.00,,,,,,,
877777,Syncope,23.00,,,,,,,
877778,Extra dose administered,23.00,Increased upper airway secretion,
23.00,,,,,
877779,Chills,23.00,Pain,23.00,,,,,
877780,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,Product storage error,23.00,,,,,
877781,Expired product administered,23.00,No adverse event,23.00,,,,,
877782,Arthralgia,23.00,Axillary pain,23.00,Injection site pain,
23.00,Neck pain,23.00,,
877783,No adverse event,23.00,Product storage error,23.00,,,,,
877786,Product storage error,23.00,,,,,,,
877787,Injection site pain,23.00,,,,,,,
877789,Extra dose administered,23.00,,,,,,,
877790,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,
877791,Feeling hot,23.00,Injection site erythema,23.00,Swelling,
23.00,,,,,
877792,Feeling hot,23.00,Injection site discolouration,23.00,Pain,
23.00,Swelling,23.00,,
877793,Chills,23.00,Headache,23.00,Injection site pain,23.00,Injection
site reaction,23.00,Injection site swelling,23.00
877793,Injection site warmth,23.00,Rash erythematous,23.00,,,,,
877794,Cold sweat,23.00,Dizziness,23.00,Loss of consciousness,
23.00,Nervousness,23.00,Pallor,23.00
877794,Thinking abnormal,23.00,,,,,,,
877795,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
877796,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,
23.00,Pyrexia,23.00
877797,Injection site pain,23.00,Injection site reaction,23.00,Rash,
23.00,Rash erythematous,23.00,Rash pruritic,23.00
877798,Appendicectomy,23.00,Appendicitis,23.00,Blood test,
23.00,Computerised tomogram,23.00,Urine analysis,23.00
877799,Rash,23.00,,,,,,,
877803,No adverse event,23.00,Product storage error,23.00,,,,,
877804,Product storage error,23.00,,,,,,,
877805,Exposure during pregnancy,23.00,Wrong product administered,
23.00,,,,,
877806,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
877807,Feeling abnormal,23.00,Headache,23.00,Mobility decreased,
23.00,Pain in extremity,23.00,,
877808,Malaise,23.00,,,,,,,
877809,Inappropriate schedule of product administration,
23.00,Injection site pain,23.00,,,,,
877810,Rash pruritic,23.00,Rash pustular,23.00,Rash vesicular,

23.00,,,,,
877811,Injection site haemorrhage,23.00,Injection site reaction,
23.00,Wrong technique in product usage process,23.00,,,,,
877812,Injection site haemorrhage,23.00,Injection site reaction,
23.00,Wrong technique in product usage process,23.00,,,,,
877813,Herpes zoster,23.00,,,,,,
877814,Incomplete course of vaccination,23.00,Social problem,
23.00,,,,,
877818,Abdominal discomfort,23.00,Body temperature increased,
23.00,Chills,23.00,Fatigue,23.00,Headache,23.00
877818,Musculoskeletal stiffness,23.00,Myalgia,23.00,Pain,23.00,,,,,
877819,Erythema,23.00,Pain,23.00,Skin warm,23.00,Swelling,23.00,,
877820,Cellulitis,23.10,Injection site erythema,23.10,Injection site
warmth,23.10,Pyrexia,23.10,,
877822,No adverse event,23.00,Product storage error,23.00,,,,,
877823,No adverse event,23.00,Product lot number issue,23.00,,,,,
877824,Herpes zoster,23.00,,,,,,
877825,Expired product administered,23.00,No adverse event,23.00,,,,,
877826,Malaise,23.00,Pain,23.00,,,,,
877827,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
877828,Abdominal distension,23.00,Extra dose administered,
23.00,Muscular weakness,23.00,,,,,
877829,Injection site pain,23.00,Neck pain,23.00,Pain in extremity,
23.00,,,,,
877830,Urticaria,23.00,,,,,,
877831,Injection site pain,23.00,Mass,23.00,Pain,23.00,,,,,
877832,Incorrect dose administered,23.00,,,,,,
877833,Chills,23.00,Erythema,23.00,Pyrexia,23.00,Swelling,23.00,,
877834,C-reactive protein increased,23.00,Myositis,23.00,,,,,
877835,Chills,23.00,Fatigue,23.00,Headache,23.00,Pyrexia,23.00,,
877836,Arthralgia,23.00,Pyrexia,23.00,,,,,
877837,Headache,23.00,Injection site erythema,23.00,Nausea,
23.00,Pyrexia,23.00,Rash,23.00
877837,Vomiting,23.00,,,,,,
877838,Urticaria,23.00,Wheezing,23.00,,,,,
877839,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Pyrexia,
23.00,,
877840,Myalgia,23.00,Pyrexia,23.00,,,,,
877841,Syncope,23.00,,,,,,
877842,Blood pressure increased,23.00,Headache,23.00,,,,,
877843,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,,,,,
877844,Fatigue,23.00,Injection site pain,23.00,Injection site rash,
23.00,Injection site swelling,23.00,Vomiting,23.00
877845,Erythema,23.00,Pain,23.00,Swelling,23.00,,,,,
877847,Injection site swelling,23.00,,,,,,
877848,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,Somnolence,23.00,,
877849,Mobility decreased,23.00,Pain,23.00,Pyrexia,23.00,,,,,
877850,Injection site pain,23.00,,,,,,
877851,Abnormal behaviour,23.00,Asthenia,23.00,Body temperature

decreased,23.00,Fatigue,23.00,Neutropenia,23.00
877851,Neutrophil count decreased,23.00,Pyrexia,23.00,Vomiting,
23.00,White blood cell count decreased,23.00,,
877852,Headache,23.00,Injection site erythema,23.00,Injection site
inflammation,23.00,Palpitations,23.00,,
877853,Activated partial thromboplastin time shortened,23.00,Alanine
aminotransferase increased,23.00,Anion gap,23.00,Antibody test
negative,23.00,Aspartate aminotransferase increased,23.00
877853,Bacterial test negative,23.00,Basophil count decreased,
23.00,Basophil percentage decreased,23.00,Bilirubin conjugated normal,
23.00,Bilirubin urine,23.00
877853,Biopsy bone marrow abnormal,23.00,Blood albumin decreased,
23.00,Blood alkaline phosphatase normal,23.00,Blood bilirubin normal,
23.00,Blood calcium decreased,23.00
877853,Blood chloride increased,23.00,Blood creatinine normal,
23.00,Blood glucose normal,23.00,Blood group A,23.00,Blood
immunoglobulin A normal,23.00
877853,Blood immunoglobulin G normal,23.00,Blood immunoglobulin M
normal,23.00,Blood lactate dehydrogenase increased,23.00,Blood
potassium normal,23.00,Blood sodium normal,23.00
877853,Blood urea normal,23.00,Blood uric acid normal,23.00,Blood
urine present,23.00,Carbon dioxide normal,23.00,Chromaturia,23.00
877853,Contusion,23.00,Eosinophil count normal,23.00,Eosinophil
percentage,23.00,Flow cytometry,23.00,Glucose urine absent,23.00
877853,Haematocrit decreased,23.00,Haematuria,23.00,Haemoglobin
decreased,23.00,Haptoglobin decreased,23.00,Immature granulocyte
percentage increased,23.00
877853,Immune thrombocytopenia,23.00,Immunoglobulin therapy,
23.00,International normalised ratio normal,23.00,Laboratory test
abnormal,23.00,Lymphocyte count increased,23.00
877853,Lymphocyte percentage increased,23.00,Mean cell haemoglobin
concentration normal,23.00,Mean cell haemoglobin normal,23.00,Mean
cell volume decreased,23.00,Mean platelet volume,23.00
877853,Megakaryocytes increased,23.00,Monocyte count increased,
23.00,Monocyte percentage increased,23.00,Neutrophil count normal,
23.00,Neutrophil percentage decreased,23.00
877853,Nitrite urine absent,23.00,Nucleated red cells,23.00,Petechiae,
23.00,Platelet count decreased,23.00,Polychromasia,23.00
877853,Protein total normal,23.00,Protein urine present,
23.00,Prothrombin time prolonged,23.00,Purpura,23.00,Red blood cell
anisocytes present,23.00
877853,Red blood cell count decreased,23.00,Red blood cell microcytes
present,23.00,Red blood cell nucleated morphology,23.00,Red blood
cells urine positive,23.00,Red cell distribution width,23.00
877853,Red cell distribution width normal,23.00,Reticulocyte count
increased,23.00,Rhesus antigen positive,23.00,SARS-CoV-2 test
negative,23.00,Specific gravity urine normal,23.00
877853,Thrombocytopenia,23.00,Ultrasound kidney,23.00,Urine
abnormality,23.00,Urine analysis abnormal,23.00,Urine bilirubin
decreased,23.00

877853,Urine ketone body absent,23.00,Urine leukocyte esterase,
23.00,Urobilinogen urine,23.00,White blood cell count increased,
23.00,White blood cells urine positive,23.00
877853,pH urine normal,23.00,,,,,,,,,
877854,Asthenia,23.00,Balance disorder,23.00,Chest pain,23.00,Fall,
23.00,Loss of consciousness,23.00
877854,Musculoskeletal stiffness,23.00,Oral disorder,23.00,Pallor,
23.00,Seizure,23.00,Sensory loss,23.00
877854,Unresponsive to stimuli,23.00,,,,,,,,,
877855,Chills,23.00,Headache,23.00,Injection site pain,23.00,Nausea,
23.00,Pain in extremity,23.00
877855,Pyrexia,23.00,,,,,,,,,
877856,Diarrhoea,23.00,Fatigue,23.00,Nausea,23.00,Pain in extremity,
23.00,Retching,23.00
877856,Vomiting,23.00,,,,,,,,,
877857,Chills,23.00,Headache,23.00,Myalgia,23.00,Pain in extremity,
23.00,,
877858,Asthenia,23.00,Confusional state,23.00,Hypotonia,
23.00,Presyncope,23.00,,
877859,Dyspnoea,23.00,Hyporesponsive to stimuli,23.00,Laboratory test
normal,23.00,Lethargy,23.00,Pyrexia,23.00
877859,SARS-CoV-2 test negative,23.00,Speech disorder,23.00,Swelling,
23.00,Swelling face,23.00,,
877860,Blister,23.00,Erythema,23.00,Herpes zoster,23.00,Pruritus,
23.00,,
877861,Blood test,23.00,Chills,23.00,Migraine,23.00,Neck pain,
23.00,Rash,23.00
877861,Rash erythematous,23.00,Scan brain,23.00,Tremor,23.00,,,,,
877862,Chills,23.00,Injection site erythema,23.00,Injection site pain,
23.00,Pain,23.00,Pyrexia,23.00
877863,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Pain,
23.00,,
877864,Disorientation,23.00,Dizziness,23.00,Flushing,23.00,,,,,
877865,Mobility decreased,23.00,Neuralgia,23.00,,,,,,,,,
877866,Disorientation,23.00,Dizziness,23.00,Nausea,23.00,,,,,
877867,Dizziness,23.00,Vertigo,23.00,,,,,,,,,
877868,Asthenia,23.00,Dizziness,23.00,Pain,23.00,Tinnitus,23.00,,
877869,Contusion,23.00,Erythema,23.00,Pain in extremity,23.00,Skin
warm,23.00,,
877870,Fatigue,23.00,Injection site swelling,23.00,Malaise,
23.00,Pyrexia,23.00,,
877871,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
877872,Chills,23.00,Headache,23.00,Pain,23.00,,,,,
877873,Arthralgia,23.00,Diarrhoea,23.00,Fatigue,23.00,Headache,
23.00,Nausea,23.00
877874,Incomplete course of vaccination,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
877875,Chest pain,23.00,Fatigue,23.00,,,,,,,,,
877876,Herpes zoster,23.00,Rash,23.00,Rash vesicular,23.00,,,,,

877877, Loss of consciousness, 23.00, , , , , , , , , ,
877878, Erythema, 23.00, Feeling hot, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00
877878, Pain, 23.00, Pyrexia, 23.00, Swelling, 23.00, Urticaria, 23.00, Vomiting, 23.00
877879, Decreased appetite, 23.00, Dizziness, 23.00, Fatigue, 23.00, Headache, 23.00, Heart rate increased, 23.00
877879, Myalgia, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, ,
877880, Chills, 23.00, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00
877880, Pain in extremity, 23.00, Pyrexia, 23.00, , , , , , ,
877881, Flushing, 23.00, Irritability, 23.00, Pyrexia, 23.00, Vomiting, 23.00, ,
877882, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, , , , ,
877883, Blood test, 23.00, Cardiac monitoring, 23.00, Chest X-ray, 23.00, Fatigue, 23.00, Feeding disorder, 23.00
877883, Fluid intake reduced, 23.00, Headache, 23.00, Hyponatraemia, 23.00, Malaise, 23.00, Pyrexia, 23.00
877883, SARS-CoV-2 test negative, 23.00, Somnolence, 23.00, Urine analysis, 23.00, Vision blurred, 23.00, ,
877884, Arthralgia, 23.00, Dizziness, 23.00, Headache, 23.00, Heart rate increased, 23.00, Injection site pain, 23.00
877884, Injection site swelling, 23.00, Injection site warmth, 23.00, Pain, 23.00, Paraesthesia, 23.00, Paraesthesia oral, 23.00
877884, Pyrexia, 23.00, , , , , , , ,
877885, Body temperature increased, 23.10, Chills, 23.10, Feeling abnormal, 23.10, Feeling cold, 23.10, Headache, 23.10
877885, Hyperhidrosis, 23.10, Tremor, 23.10, Vomiting, 23.10, , , ,
877887, Urticaria, 23.00, , , , , , , ,
877888, Rash, 23.00, , , , , , , ,
877895, Injection site bruising, 23.00, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site warmth, 23.00, ,
877897, Loss of consciousness, 23.00, Malaise, 23.00, Poor quality sleep, 23.00, Pyrexia, 23.00, ,
877898, Abdominal pain upper, 23.00, Back pain, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Injection site pain, 23.00
877898, Injection site warmth, 23.00, Myalgia, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00, Rash, 23.00
877899, Chills, 23.00, Influenza like illness, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00
877899, Skin warm, 23.00, , , , , , , ,
877901, Erythema, 23.00, Fatigue, 23.00, Myalgia, 23.00, Skin warm, 23.00, ,
877902, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site warmth, 23.00, , , , ,
877903, Injection site erythema, 23.00, Injection site warmth, 23.00, Lethargy, 23.00, Pyrexia, 23.00, Swelling, 23.00
877904, Erythema, 23.00, Injection site pain, 23.00, Swelling, 23.00, , , , ,
877905, Dehydration, 23.00, Dizziness, 23.00, Loss of consciousness,

23.00,Posture abnormal,23.00,,
877906,Oral herpes,23.00,,,,,,
877907,Injection site erythema,23.00,Malaise,23.00,Pain,23.00,,,,
877908,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Pyrexia,
23.00,Vomiting,23.00
877909,Injection site pain,23.00,Loss of personal independence in
daily activities,23.00,Pain,23.00,,,,
877910,Abdominal pain upper,23.00,Bed rest,23.00,Nausea,23.00,Pyrexia,
23.00,,
877923,Hepatitis B surface antibody negative,23.00,,,,,,
877924,No adverse event,23.00,Product storage error,23.00,,,,,
877925,Herpes zoster,23.00,,,,,,
877926,No adverse event,23.00,Product storage error,23.00,,,,,
877927,No adverse event,23.00,Product storage error,23.00,,,,,
877928,Expired product administered,23.00,No adverse event,23.00,,,,,
877929,No adverse event,23.00,Syringe issue,23.00,Underdose,23.00,,,,
877930,No adverse event,23.00,Product storage error,23.00,,,,,
877931,Product storage error,23.00,,,,,,
877932,No adverse event,23.00,Product storage error,23.00,,,,,
877933,No adverse event,23.00,Wrong product administered,23.00,,,,,
877934,Neurological symptom,23.00,Rash,23.00,Rash vesicular,23.00,,,,
877935,Inappropriate schedule of product administration,
23.00,Interchange of vaccine products,23.00,,,,,
877936,Expired product administered,23.00,No adverse event,23.00,,,,,
877937,Expired product administered,23.00,No adverse event,23.00,,,,,
877938,Inappropriate schedule of product administration,
23.00,Injection site pain,23.00,Myalgia,23.00,Social problem,23.00,,
877939,Dizziness,23.00,Pallor,23.00,Vision blurred,23.00,,,,
877940,Injection site erythema,23.00,Injection site pruritus,
23.00,Paraesthesia,23.00,,,,
877941,Adverse event,23.00,,,,,,
877942,Influenza like illness,23.00,Pain,23.00,Pyrexia,23.00,Social
problem,23.00,,
877943,Body temperature increased,23.00,Chills,23.00,Pain in
extremity,23.00,,,,
877944,Herpes zoster,23.00,,,,,,
877945,Herpes zoster,23.00,,,,,,
877946,Flank pain,23.00,Herpes zoster,23.00,Rash,23.00,Skin
discolouration,23.00,,
877947,Injection site extravasation,23.00,No adverse event,
23.00,Product leakage,23.00,Underdose,23.00,Wrong technique in product
usage process,23.00
877948,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
877949,Urticaria chronic,23.00,,,,,,
877952,Alopecia,23.00,Alopecia areata,23.00,,,,,
877953,Erythema,23.00,Fatigue,23.00,Headache,23.00,Hot flush,
23.00,Insomnia,23.00
877953,Loss of personal independence in daily activities,23.00,Pain,
23.00,Swelling,23.00,,,,

877958,Injection site pain,23.00,,,,,,,,,
877959,Injection site pain,23.00,,,,,,,,,
877960,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,,,,,
877961,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,,,,,
877962,Antinuclear antibody positive,23.00,Antiphospholipid antibodies
negative,23.00,Asthenia,23.00,Autoimmune disorder,23.00,Bed rest,23.00
877962,Blood test abnormal,23.00,Borrelia test negative,23.00,Chest X-
ray abnormal,23.00,Chest pain,23.00,Chills,23.00
877962,Computerised tomogram normal,23.00,Cough,23.00,Decreased
appetite,23.00,HIV test negative,23.00,Headache,23.00
877962,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Lethargy,23.00,Lung disorder,23.00,Magnetic resonance imaging
abnormal,23.00
877962,Mobility decreased,23.00,Nerve injury,23.00,Pain in extremity,
23.00,Paraesthesia,23.00,Periarthritis,23.00
877962,Post herpetic neuralgia,23.00,Rash,23.00,Shoulder operation,
23.00,Throat irritation,23.00,White blood cell count decreased,23.00
877963,Asthenia,23.00,Axillary pain,23.00,Feeling hot,23.00,Headache,
23.00,Injection site pain,23.00
877963,Off label use,23.00,Pain,23.00,Product administered to patient
of inappropriate age,23.00,,,,,
877964,Eczema,23.00,Incomplete course of vaccination,23.00,,,,,,,,,
877965,Chills,23.00,Fatigue,23.00,Lymph node pain,
23.00,Lymphadenopathy,23.00,Pain,23.00
877965,Pain in extremity,23.00,,,,,,,,,
877966,Injection site erythema,23.00,Injection site pain,23.00,,,,,,,,,
877967,Insomnia,23.00,Myalgia,23.00,,,,,,,,,
877968,Chills,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pain,23.00,,
877969,Chills,23.00,Cough,23.00,Decreased appetite,23.00,Dysphagia,
23.00,Fatigue,23.00
877969,Headache,23.00,Inflammation,23.00,Insomnia,
23.00,Lymphadenopathy,23.00,Musculoskeletal stiffness,23.00
877969,Nausea,23.00,Oropharyngeal pain,23.00,Pyrexia,23.00,,,,,
877970,Dizziness,23.00,Gait disturbance,23.00,Nausea,23.00,Pain in
extremity,23.00,,
877974,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
877975,Product storage error,23.00,,,,,,,,,
877976,Injection site reaction,23.00,,,,,,,,,
877977,Malaise,23.00,,,,,,,,,
877978,Malaise,23.00,,,,,,,,,
877979,Hypersensitivity,23.00,Urticaria,23.00,,,,,,,,,
877980,Body temperature increased,23.00,Chills,23.00,Inappropriate
schedule of product administration,23.00,Pain in extremity,
23.00,Vaccine positive rechallenge,23.00
877981,Chills,23.00,Fatigue,23.00,Feeling abnormal,23.00,Pain in
extremity,23.00,,
877982,Chills,23.00,Fatigue,23.00,Feeling cold,23.00,Injection site

erythema,23.00,Injection site swelling,23.00
877982,Injection site warmth,23.00,Pain,23.00,,,,,
877983,Rash,23.00,,,,,
877984,Fatigue,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Nausea,23.00,Pain,23.00
877984,Vaccine positive rechallenge,23.00,,,,,
877985,Feeling abnormal,23.00,Feeling cold,23.00,Pyrexia,23.00,,,,,
877986,Abdominal pain upper,23.00,Insomnia,23.00,Pain in extremity,
23.00,Pruritus,23.00,Skin swelling,23.00
877987,Injection site pruritus,23.00,Injection site rash,23.00,,,,,
877988,Injection site pruritus,23.00,Injection site rash,23.00,,,,,
877989,Cheilitis,23.10,Rash,23.10,,,,,
877990,Chills,23.10,Erythema,23.10,Nausea,23.10,Pruritus,
23.10,Pyrexia,23.10
877990,Skin warm,23.10,Tremor,23.10,,,,,
877991,Epistaxis,23.00,Gingival bleeding,23.00,Immune
thrombocytopenia,23.00,Immunoglobulin therapy,23.00,Platelet count
decreased,23.00
877992,Erythema,23.00,Injection site reaction,23.00,Lip erythema,
23.00,Penile swelling,23.00,Penis disorder,23.00
877992,Pruritus,23.00,Rash,23.00,Skin irritation,23.00,,,,,
877993,Erythema,23.00,Injection site oedema,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Rash macular,23.00
877994,Headache,23.00,Nausea,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,
877995,Injection site pain,23.00,Lymphadenopathy,23.00,,,,,
877996,Expired product administered,23.00,,,,,
877997,Feeling abnormal,23.00,,,,,
878003,Feeling abnormal,23.00,Injection site erythema,23.00,,,,,
878004,Feeling abnormal,23.00,Injection site erythema,23.00,,,,,
878005,Formication,23.00,Pain in extremity,23.00,,,,,
878007,Deafness unilateral,23.00,,,,,
878008,Incomplete course of vaccination,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00,,
878009,Rash erythematous,23.00,Swelling,23.00,,,,,
878010,Vomiting,23.00,,,,,
878011,Injection site pruritus,23.00,Injection site vesicles,
23.00,,,,,
878012,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
878013,Axillary pain,23.00,Chills,23.00,Malaise,23.00,Myalgia,
23.00,Pyrexia,23.00
878014,Fatigue,23.00,Headache,23.00,Pyrexia,23.00,,,,,
878015,Diarrhoea,23.10,Ear pruritus,23.10,Headache,23.10,Paraesthesia,
23.10,Pruritus,23.10
878015,Vulvovaginal pruritus,23.10,,,,,
878016,Chills,23.10,Feeling abnormal,23.10,Headache,23.10,Malaise,
23.10,Musculoskeletal stiffness,23.10
878016,Pain,23.10,Pyrexia,23.10,,,,,
878017,Feeling cold,23.10,Headache,23.10,Injection site pain,
23.10,Pyrexia,23.10,,

878024, Chills, 23.00, Headache, 23.00, Pain, 23.00, , , , ,
878025, Erythema, 23.00, Extensive swelling of vaccinated limb,
23.00, Injection site erythema, 23.00, Injection site swelling,
23.00, Malaise, 23.00
878025, Pyrexia, 23.00, , , , , , , , ,
878026, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , ,
878027, Injection site pain, 23.00, Injection site reaction, 23.00, Rash
erythematous, 23.00, , , , ,
878028, Hypotonia, 23.00, Respiratory arrest, 23.00, , , , , , ,
878029, Insomnia, 23.00, Monoplegia, 23.00, Pain in extremity,
23.00, Pyrexia, 23.00, ,
878030, Dizziness, 23.00, Fatigue, 23.00, Nausea, 23.00, , , , ,
878031, Unevaluable event, 23.00, , , , , , , , ,
878032, Feeling hot, 23.00, Pruritus, 23.00, Swelling, 23.00, , , , ,
878033, Blister, 23.00, , , , , , , , ,
878034, Atrial fibrillation, 23.00, Rash, 23.00, , , , , , ,
878035, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , ,
878036, Herpes zoster, 23.00, Rash, 23.00, , , , , , ,
878037, Crying, 23.00, Face and mouth X-ray, 23.00, Face injury, 23.00, Fall,
23.00, Mydriasis, 23.00
878037, Pain, 23.00, Syncope, 23.00, Tonic convulsion, 23.00, Unresponsive to
stimuli, 23.00, X-ray, 23.00
878038, Inappropriate schedule of product administration, 23.00, Visual
impairment, 23.00, , , , , , , , ,
878039, Pyrexia, 23.00, Rash, 23.00, , , , , , ,
878040, Abscess drainage, 23.00, Bacterial test positive, 23.00, Injection
site abscess, 23.00, Injection site erythema, 23.00, Injection site mass,
23.00
878040, Injection site swelling, 23.00, Laboratory test, 23.00, , , , , , ,
878041, Dizziness, 23.00, Hyperhidrosis, 23.00, , , , , , ,
878042, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
878043, Cold sweat, 23.00, Dizziness, 23.00, Immediate post-injection
reaction, 23.00, Pain, 23.00, Vomiting, 23.00
878044, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
878045, Accidental exposure to product, 23.00, , , , , , , , ,
878046, Erythema, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Injection site swelling, 23.00, Tenderness, 23.00
878047, Contusion, 23.00, Injection site discolouration, 23.00, Injection
site erythema, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00
878048, Chills, 23.00, Erythema, 23.00, Fatigue, 23.00, Myalgia, 23.00, Pain,
23.00
878048, Swelling, 23.00, , , , , , , , ,
878049, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, ,
878050, Injection site erythema, 23.00, Injection site pruritus,
23.00, Injection site warmth, 23.00, , , , ,
878051, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site swelling, 23.00, , , , ,
878052, Bradycardia, 23.00, Hypotension, 23.00, Immediate post-injection

reaction,23.00,Loss of consciousness,23.00,,
878053,Injection site erythema,23.00,Muscular weakness,23.00,Pain in
extremity,23.00,Tenderness,23.00,,
878054,Computerised tomogram,23.00,Flank pain,23.00,Herpes zoster,
23.00,Neuralgia,23.00,Rash,23.00
878055,Altered state of consciousness,23.00,Dizziness,23.00,Immediate
post-injection reaction,23.00,,,,,
878056,Dizziness,23.00,Immediate post-injection reaction,23.00,,,,,,
878057,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
878058,Injection site pain,23.00,,,,,,,
878059,Contusion,23.00,Full blood count,23.00,Immune thrombocytopenia,
23.00,Immunoglobulin therapy,23.00,Laboratory test,23.00
878059,Platelet count decreased,23.00,,,,,,,
878060,Eczema,23.00,Injection site erythema,23.00,Injection site
nodule,23.00,Injection site swelling,23.00,,
878061,Immediate post-injection reaction,23.00,Injection site pain,
23.00,Pain,23.00,Pyrexia,23.00,,
878065,No adverse event,23.00,Product storage error,23.00,,,,,,
878066,No adverse event,23.00,Product storage error,23.00,,,,,,
878067,Back pain,23.00,Injection site pain,23.00,Injection site
reaction,23.00,Muscle tightness,23.00,Musculoskeletal pain,23.00
878068,Adrenal insufficiency,23.00,Autoimmune hepatitis,23.00,B-
lymphocyte count,23.00,Blood smear test normal,23.00,Bronchiectasis,
23.00
878068,Bronchoalveolar lavage abnormal,23.00,Bronchoscopy abnormal,
23.00,Computerised tomogram thorax abnormal,23.00,Cough,
23.00,Functional gastrointestinal disorder,23.00
878068,Hypoparathyroidism,23.00,Immune-mediated pneumonitis,
23.00,Immunoglobulin therapy,23.00,Immunoglobulins normal,23.00,Loss
of personal independence in daily activities,23.00
878068,Lung infiltration,23.00,Measles antibody negative,
23.00,Mucocutaneous candidiasis,23.00,Pneumonia,23.00,Pneumonia
staphylococcal,23.00
878068,Purulent discharge,23.00,Pyrexia,23.00,Sinusitis,
23.00,Sjogren's syndrome,23.00,Streptococcus test positive,23.00
878068,Sweat test normal,23.00,Ultrasound spleen,23.00,,,,,,
878069,No adverse event,23.00,Product storage error,23.00,,,,,,
878070,No adverse event,23.00,Product storage error,23.00,,,,,,
878071,No adverse event,23.00,Product storage error,23.00,,,,,,
878072,Malaise,23.00,,,,,,,
878073,No adverse event,23.00,Product storage error,23.00,,,,,,
878074,No adverse event,23.00,Product preparation issue,23.00,,,,,,
878075,Chills,23.00,Fatigue,23.00,Influenza like illness,
23.00,Injection site erythema,23.00,Injection site pain,23.00
878075,Injection site warmth,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,,,,
878077,Death,23.00,Meningitis,23.00,,,,,,
878078,Syncope,23.10,,,,,,,
878079,Headache,23.00,Injection site erythema,23.00,Injection site

pain,23.00,Injection site pruritus,23.00,Injection site swelling,23.00
878079,Injection site warmth,23.00,Nausea,23.00,Pyrexia,
23.00,Rhinorrhoea,23.00,,
878080,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Type IV hypersensitivity reaction,
23.00,,
878082,Breast pain,23.00,Rash,23.00,,,,,
878083,Chest discomfort,23.00,Dizziness,23.00,Throat tightness,
23.00,,,,,
878084,Pruritus,23.00,,,,,
878090,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
878091,Injected limb mobility decreased,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Musculoskeletal discomfort,23.00,Pain
in extremity,23.00
878092,Injection site erythema,23.00,Injection site inflammation,
23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
878093,Drug administered in wrong device,23.00,Injection site
erythema,23.00,Injection site swelling,23.00,,,,,
878094,Arthralgia,23.00,Fatigue,23.00,Pain in extremity,23.00,,,,,
878095,Chills,23.00,Cough,23.00,Erythema,23.00,Fatigue,23.00,Headache,
23.00
878095,Peripheral swelling,23.00,Pyrexia,23.00,,,,,
878096,Blister,23.00,Pruritus,23.00,,,,,
878097,Lethargy,23.00,Myalgia,23.00,Pain in extremity,
23.00,Somnolence,23.00,,
878098,Flank pain,23.00,Musculoskeletal chest pain,23.00,,,,,
878099,Herpes zoster,23.00,Rash,23.00,,,,,
878100,Granuloma,23.00,Mobility decreased,23.00,Pain,23.00,,,,,
878101,Injection site erythema,23.00,Injection site urticaria,
23.00,Injection site warmth,23.00,,,,,
878102,Abdominal pain,23.00,Allergy test negative,23.00,Blood test
normal,23.00,Carbohydrate antigen 125 normal,23.00,Colonoscopy normal,
23.00
878102,Computerised tomogram normal,23.00,Diarrhoea,23.00,Endoscopy
normal,23.00,Eructation,23.00,Fatigue,23.00
878102,Nausea,23.00,Scan with contrast normal,23.00,Taste disorder,
23.00,,,,,
878103,Dyspnoea,23.00,Hypersensitivity,23.00,Throat tightness,
23.00,,,,,
878104,Dizziness,23.00,Dyspnoea,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Syncope,23.00
878104,Vomiting,23.00,,,,,
878105,Chills,23.00,Cold sweat,23.00,Decreased appetite,23.00,Fatigue,
23.00,Hypersensitivity,23.00
878105,Injection site pain,23.00,Nausea,23.00,Pain,23.00,Pruritus,
23.00,Rash macular,23.00
878105,Skin warm,23.00,,,,,
878106,Neuralgia,23.00,Pain in extremity,23.00,,,,,

878107, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, , , ,
878108, Nodule, 23.10, Pain, 23.10, Pruritus, 23.10, Skin warm, 23.10, ,
878109, Injection site reaction, 23.00, Injection site urticaria,
23.00, Rash pruritic, 23.00, Urticaria, 23.00, ,
878110, Hypotonia, 23.00, , , , , , , ,
878111, Chills, 23.00, Decreased appetite, 23.00, Fatigue, 23.00, Nausea,
23.00, Pain in extremity, 23.00
878112, Feeling cold, 23.00, Myalgia, 23.00, Neck pain, 23.00, Pain in
extremity, 23.00, Pyrexia, 23.00
878113, Chest X-ray normal, 23.00, Diarrhoea, 23.00, Fatigue, 23.00, SARS-
CoV-2 test negative, 23.00, ,
878114, Pyrexia, 23.00, Rash, 23.00, , , , , ,
878115, Herpes zoster, 23.00, , , , , , , ,
878116, Erythema, 23.00, Injection site erythema, 23.00, Injection site
pain, 23.00, Pain in extremity, 23.00, Skin warm, 23.00
878145, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
878146, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
878147, Peripheral swelling, 23.00, , , , , , , ,
878148, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, , , , ,
878149, Arthralgia, 23.00, Back pain, 23.00, Throat irritation, 23.00, , , , ,
878150, Arthralgia, 23.00, Back pain, 23.00, Throat irritation, 23.00, , , , ,
878151, Arthralgia, 23.00, Back pain, 23.00, Throat irritation, 23.00, , , , ,
878152, Arthralgia, 23.00, Back pain, 23.00, Throat irritation, 23.00, , , , ,
878153, Chills, 23.00, Hearing aid user, 23.00, Hypoacusis, 23.00, Influenza
like illness, 23.00, Tinnitus, 23.00
878154, Abdominal pain, 23.00, Activated partial thromboplastin time
normal, 23.00, Arthralgia, 23.00, Back pain, 23.00, Blood immunoglobulin A
normal, 23.00
878154, C-reactive protein normal, 23.00, Coagulation test normal,
23.00, Complement factor C3, 23.00, Complement factor C4, 23.00, Complement
factor normal, 23.00
878154, Full blood count normal, 23.00, Gait disturbance, 23.00, Gait
inability, 23.00, Headache, 23.00, Henoch-Schonlein purpura, 23.00
878154, Immobile, 23.00, Inflammatory marker increased,
23.00, International normalised ratio normal, 23.00, Joint range of
motion decreased, 23.00, Joint swelling, 23.00
878154, Magnetic resonance imaging spinal abnormal, 23.00, Metabolic
function test normal, 23.00, Oedema peripheral, 23.00, Pain, 23.00, Pain in
extremity, 23.00
878154, Petechiae, 23.00, Platelet count increased, 23.00, Prothrombin time
normal, 23.00, Purpura, 23.00, Rash, 23.00
878154, Rash erythematous, 23.00, Red blood cell sedimentation rate
increased, 23.00, Rhinorrhoea, 23.00, Soft tissue swelling, 23.00, Swelling,
23.00
878154, Tenderness, 23.00, Urine analysis normal, 23.00, White blood cell
count increased, 23.00, X-ray limb abnormal, 23.00, , ,
878155, Erythema, 23.00, Peripheral swelling, 23.00, , , , , , ,
878156, Immediate post-injection reaction, 23.00, Mobility decreased,
23.00, Musculoskeletal stiffness, 23.00, Pyrexia, 23.00, Respiratory
syncytial virus infection, 23.00

878156,Weight bearing difficulty,23.00,,,,,
878158,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,,,,
878159,Feeling abnormal,23.10,Syncope,23.10,,,,,
878160,Dizziness,23.10,Fall,23.10,Head injury,23.10,Loss of
consciousness,23.10,,
878166,Product storage error,23.00,,,,,
878167,Adverse event,23.00,,,,,
878168,Myalgia,23.00,,,,,
878169,Hepatitis B antibody negative,23.00,Therapy non-responder,
23.00,,,,,
878170,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
878171,Loss of personal independence in daily activities,
23.00,Mobility decreased,23.00,,,,,
878172,Blood potassium increased,23.00,,,,,
878173,Injection site erythema,23.00,,,,,
878174,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site warmth,23.00,,
878175,Headache,23.00,Lymphadenopathy,23.00,Musculoskeletal pain,
23.00,Neck pain,23.00,,
878176,Arthralgia,23.00,Chills,23.00,Injection site swelling,23.00,,,,,
878177,Chills,23.00,Feeling hot,23.00,Headache,23.00,Pain in
extremity,23.00,Vomiting,23.00
878178,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Pyrexia,23.00,,
878179,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pruritus,23.00,Skin warm,23.00
878180,Hypersensitivity,23.00,Rash,23.00,,,,,
878181,Asthenia,23.00,Cold sweat,23.00,Dizziness,23.00,Vomiting,
23.00,,
878182,Abnormal sensation in eye,23.00,Ear discomfort,
23.00,Hypoaesthesia,23.00,Paraesthesia,23.00,,
878183,Syncope,23.00,,,,,
878184,Herpes zoster,23.00,,,,,
878185,Full blood count normal,23.00,Pyrexia,23.00,,,,,
878186,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
878187,Chills,23.00,Injection site pain,23.00,Nausea,23.00,Somnolence,
23.00,,
878188,Dizziness,23.00,Hot flush,23.00,Visual impairment,23.00,,,,,
878189,Erythema,23.00,Pain,23.00,Peripheral swelling,23.00,Pruritus,
23.00,,
878190,Wrong product administered,23.00,,,,,
878191,Expired product administered,23.00,No adverse event,23.00,,,,,
878192,Headache,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,
878193,Erythema of eyelid,23.00,Rash,23.00,,,,,
878194,Urticaria,23.00,,,,,
878195,Injection site swelling,23.00,,,,,

878196, Abnormal behaviour, 23.00, Dizziness, 23.00, Lethargy, 23.00, Loss of consciousness, 23.00, Unresponsive to stimuli, 23.00
878197, Erythema, 23.00, Injection site warmth, 23.00, Skin warm, 23.00, , , , ,
878198, Dizziness, 23.00, Feeling hot, 23.00, Nausea, 23.00, Tinnitus, 23.00, Vomiting, 23.00
878199, Pain in extremity, 23.00, , , , , , , , ,
878200, Back pain, 23.00, Erythema, 23.00, Fatigue, 23.00, Swelling, 23.00, Vomiting, 23.00
878201, Feeling cold, 23.00, Headache, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site pruritus, 23.00
878201, Injection site swelling, 23.00, Pain, 23.00, , , , , , ,
878202, Erythema, 23.00, Fatigue, 23.00, Swelling, 23.00, Tenderness, 23.00, ,
878203, Chills, 23.00, Myalgia, 23.00, , , , , , ,
878211, Dizziness, 23.10, Vomiting, 23.10, , , , , , , ,
878212, Blood pressure decreased, 23.10, Dizziness, 23.10, Pallor, 23.10, , , , ,
878213, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
878214, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
878215, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , ,
878216, Blindness, 23.00, Cerebrovascular accident, 23.00, Conjunctival follicles, 23.00, Dry eye, 23.00, Eustachian tube dysfunction, 23.00
878216, Eyelid margin crusting, 23.00, Herpes zoster, 23.00, Lacrimation decreased, 23.00, Malaise, 23.00, Nasal congestion, 23.00
878216, Nasal dryness, 23.00, Nasal mucosal disorder, 23.00, Nasal oedema, 23.00, Nasal septum disorder, 23.00, Ophthalmic herpes zoster, 23.00
878216, Pemphigoid, 23.00, Pemphigus, 23.00, Pinguecula, 23.00, Post herpetic neuralgia, 23.00, Rash vesicular, 23.00
878216, Sinusitis, 23.00, Tension headache, 23.00, Trigeminal neuralgia, 23.00, Varicella zoster virus infection, 23.00, Vitreous detachment, 23.00
878217, Product administered to patient of inappropriate age, 23.00, , , , , , , , ,
878218, Exposure during pregnancy, 23.00, Ultrasound antenatal screen normal, 23.00, , , , , , , , ,
878219, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
878220, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
878221, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , ,
878222, Oropharyngeal pain, 23.00, , , , , , , , ,
878223, Chills, 23.00, Hot flush, 23.00, Malaise, 23.00, Pain, 23.00, , ,
878224, Extra dose administered, 23.00, No adverse event, 23.00, , , , , , , , ,
878225, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , ,
878226, Blood potassium increased, 23.00, , , , , , , , ,
878227, Chills, 23.00, Headache, 23.00, Pain, 23.00, , , , , , ,
878228, Electrocardiogram normal, 23.10, Irritability, 23.10, Pyrexia, 23.10, , , , ,
878229, Arthralgia, 23.00, Fatigue, 23.00, Injection site pain, 23.00, Loss of personal independence in daily activities, 23.00, Myalgia, 23.00
878230, Nerve injury, 23.00, , , , , , , , ,
878237, Urticaria, 23.00, , , , , , , , ,
878238, Injection site erythema, 23.10, Injection site oedema, 23.10, Injection site streaking, 23.10, Pyrexia, 23.10, Skin warm, 23.10

878238,Tenderness,23.10,,,,,,,,,
878239,Differential white blood cell count,23.10,Full blood count,
23.10,Injection site discolouration,23.10,Injection site erythema,
23.10,Injection site haemorrhage,23.10
878239,Injection site reaction,23.10,Rash macular,23.10,,,,,
878240,Pain,23.00,Product administered at inappropriate site,
23.00,Pyrexia,23.00,Shoulder injury related to vaccine administration,
23.00,,
878241,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
878242,Ascites,23.00,Autopsy,23.00,Death,23.00,Decreased interest,
23.00,Intestinal infarction,23.00
878242,Intestinal ischaemia,23.00,Mesenteric arterial occlusion,
23.00,Volume blood decreased,23.00,,,,,
878243,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,,,,,
878244,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
878245,Contusion,23.10,Electrocardiogram normal,23.10,Face injury,
23.10,Fall,23.10,Loss of consciousness,23.10
878245,Skin laceration,23.10,Syncope,23.10,,,,,
878246,No adverse event,23.00,Wrong product administered,23.00,,,,,
878247,Wrong product administered,23.00,,,,,
878248,Pharyngeal swelling,23.10,Rash,23.10,,,,,
878249,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,,,,,
878252,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
878253,Abdominal pain upper,23.00,Asthenia,23.00,Insomnia,23.00,Pain,
23.00,Pain in extremity,23.00
878253,Piloerection,23.00,Pruritus,23.00,,,,,
878254,Blindness,23.00,,,,,
878255,Oropharyngeal pain,23.00,,,,,
878256,Chills,23.00,Flank pain,23.00,Musculoskeletal chest pain,
23.00,Myalgia,23.00,Pyrexia,23.00
878257,Fatigue,23.00,Heart rate increased,23.00,Injection site pain,
23.00,Pyrexia,23.00,,
878258,Chills,23.00,Fatigue,23.00,Hot flush,23.00,Injection site pain,
23.00,Injection site warmth,23.00
878258,Malaise,23.00,Pain,23.00,Pyrexia,23.00,,,,,
878259,Headache,23.00,,,,,
878260,Headache,23.00,,,,,
878261,Injection site erythema,23.00,Injection site pruritus,
23.00,Pain,23.00,Pain in extremity,23.00,Tenderness,23.00
878262,Headache,23.00,Nausea,23.00,,,,,
878263,Herpes zoster,23.00,,,,,
878264,Extra dose administered,23.00,No adverse event,23.00,,,,,
878265,Fall,23.00,Head injury,23.00,Loss of consciousness,23.00,Nasal
injury,23.00,Neurological examination normal,23.00
878265,Syncope,23.00,,,,,
878266,Extra dose administered,23.00,,,,,
878268,Pruritus,23.00,Scab,23.00,Skin lesion,23.00,,,,,

878269, Febrile convulsion, 23.10, Pyrexia, 23.10, , , , , , ,
878270, Arthralgia, 23.00, Blood glucose abnormal, 23.00, Fall, 23.00, Lip injury, 23.00, Memory impairment, 23.00
878270, Tremor, 23.00, Unresponsive to stimuli, 23.00, , , , , , ,
878271, Ear discomfort, 23.00, Hypoacusis, 23.00, Injection site swelling, 23.00, Tinnitus, 23.00, ,
878272, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00, , , , ,
878273, Asthenia, 23.00, Cold sweat, 23.00, Dizziness, 23.00, Paraesthesia, 23.00, ,
878274, Acidosis, 23.00, Acute kidney injury, 23.00, Alanine aminotransferase normal, 23.00, Aspartate aminotransferase normal, 23.00, Bacterial test negative, 23.00
878274, Blood alkaline phosphatase normal, 23.00, Blood bicarbonate normal, 23.00, Blood bilirubin normal, 23.00, Blood chloride normal, 23.00, Blood creatinine increased, 23.00
878274, Blood glucose increased, 23.00, Blood potassium decreased, 23.00, Blood sodium decreased, 23.00, Blood urea increased, 23.00, C-reactive protein increased, 23.00
878274, Clostridium test negative, 23.00, Culture stool negative, 23.00, Dehydration, 23.00, Electrocardiogram QT prolonged, 23.00, Electrolyte imbalance, 23.00
878274, Faecal calprotectin increased, 23.00, Gastroenteritis, 23.00, Haematocrit normal, 23.00, Haemoglobin normal, 23.00, Helicobacter test negative, 23.00
878274, Hypochloraemia, 23.00, Hypokalaemia, 23.00, Hyponatraemia, 23.00, Lipase normal, 23.00, Nitrite urine absent, 23.00
878274, Occult blood negative, 23.00, Parasite stool test negative, 23.00, Platelet count increased, 23.00, Respiratory viral panel, 23.00, Specific gravity urine decreased, 23.00
878274, Urine leukocyte esterase positive, 23.00, White blood cell count abnormal, 23.00, pH urine normal, 23.00, , , , , , ,
878279, Expired product administered, 23.00, No adverse event, 23.00, , , , , , ,
878280, Erythema, 23.00, Headache, 23.00, Swelling, 23.00, , , , , , ,
878281, Fatigue, 23.00, Headache, 23.00, Influenza like illness, 23.00, Myalgia, 23.00, ,
878282, Injection site rash, 23.00, Pain in extremity, 23.00, Rash, 23.00, , , , , ,
878283, Injection site pain, 23.00, , , , , , , , , , , , ,
878284, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00, , , , , , ,
878285, Accidental exposure to product by child, 23.00, No adverse event, 23.00, Product administered to patient of inappropriate age, 23.00, , , , , , ,
878286, Delivery, 23.00, Exposure during pregnancy, 23.00, Foetal disorder, 23.00, Gastroschisis, 23.00, Gene mutation identification test negative, 23.00
878286, Influenza, 23.00, Premature delivery, 23.00, Prenatal screening test, 23.00, Rash erythematous, 23.00, Ultrasound antenatal screen abnormal, 23.00
878287, Abdominal discomfort, 23.00, Diarrhoea, 23.00, Impaired work

ability,23.00,Lethargy,23.00,Nausea,23.00
878287,Pain in extremity,23.00,,,,,
878288,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
878289,Crying,23.00,Erythema,23.00,Irritability,23.00,Tenderness,
23.00,Urticaria,23.00
878290,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,,,,
878296,Diarrhoea,23.00,Headache,23.00,Injection site erythema,
23.00,Myalgia,23.00,Oropharyngeal pain,23.00
878296,Pyrexia,23.00,Respiratory tract congestion,23.00,,,,,
878297,Arthralgia,23.00,Injected limb mobility decreased,23.00,,,,,
878298,Abdominal pain,23.00,Injection site pain,23.00,Injection site
swelling,23.00,,,,,
878299,Myalgia,23.00,,,,,
878300,Dyspnoea,23.00,Injection site swelling,23.00,,,,,
878301,Injection site erythema,23.00,Injection site pruritus,
23.00,Throat irritation,23.00,Urticaria,23.00,,
878302,Axillary pain,23.00,Influenza like illness,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Lethargy,23.00
878302,Malaise,23.00,Pyrexia,23.00,,,,,
878303,Diarrhoea,23.00,Nausea,23.00,Presyncope,23.00,Vomiting,23.00,,
878304,Fatigue,23.00,Injection site pain,23.00,Nausea,23.00,Pain,
23.00,,
878305,Oral herpes,23.00,,,,,
878306,Wrong product administered,23.00,,,,,
878307,Balance disorder,23.00,Body temperature increased,
23.00,Dizziness,23.00,Fatigue,23.00,Migraine,23.00
878307,Pain,23.00,Pain in extremity,23.00,,,,,
878308,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
878309,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
878310,Injection site erythema,23.00,Vaccination site rash,
23.00,Vaccination site swelling,23.00,,,,,
878311,No adverse event,23.00,Wrong product administered,23.00,,,,,
878312,Alopecia,23.00,Autoimmune thyroiditis,23.00,Blood test,
23.00,Fatigue,23.00,Gastrointestinal disorder,23.00
878312,Inflammation,23.00,,,,,
878313,Loss of consciousness,23.00,Malaise,23.00,,,,,
878314,Musculoskeletal chest pain,23.00,,,,,
878315,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain,23.00,,
878316,Abdominal pain upper,23.00,Body temperature increased,
23.00,Chills,23.00,Headache,23.00,Myalgia,23.00
878316,Urticaria,23.00,,,,,
878317,Extra dose administered,23.00,,,,,
878318,Peripheral swelling,23.00,,,,,
878319,Expired product administered,23.00,No adverse event,23.00,,,,,
878320,Electrocardiogram,23.00,Laboratory test,23.00,Syncope,23.00,,,,,
878321,Lethargy,23.00,Pain,23.00,Pyrexia,23.00,,,,,

878322,Encephalopathy,23.00,Fatigue,23.00,Headache,23.00,Nausea,
23.00,Photophobia,23.00
878322,Pyrexia,23.00,Vomiting,23.00,,,,,
878323,Injection site erythema,23.00,Injection site inflammation,
23.00,Injection site pruritus,23.00,Injection site vesicles,23.00,,
878324,Hypoglycaemia,23.00,Syncope,23.00,,,,,
878325,Feeling of body temperature change,23.00,Pain,23.00,,,,,
878326,Rash macular,23.00,,,,,
878327,Musculoskeletal stiffness,23.00,Mydriasis,23.00,Syncope,
23.00,Urinary incontinence,23.00,,
878328,Abdominal discomfort,23.00,Pyrexia,23.00,Rash macular,23.00,,,,,
878329,Asthma,23.00,Autoimmune disorder,23.00,Hypersensitivity,
23.00,Irritable bowel syndrome,23.00,Vitiligo,23.00
878330,Herpes zoster,23.00,Pain,23.00,Pruritus,23.00,,,,,
878331,Apparent life threatening event,23.00,Diplegia,23.00,Foreign
body,23.00,Inflammation,23.00,Paraesthesia,23.00
878331,Rash,23.00,Spinal pain,23.00,Urinary incontinence,23.00,,,,,
878342,Product storage error,23.00,,,,,
878343,No adverse event,23.00,Product storage error,23.00,,,,,
878344,Expired product administered,23.00,No adverse event,23.00,,,,,
878345,Expired product administered,23.00,No adverse event,23.00,,,,,
878346,Nausea,23.00,,,,,
878347,Nervousness,23.00,Pyrexia,23.00,,,,,
878348,Liver disorder,23.00,Liver function test increased,23.00,,,,,
878349,Arthralgia,23.00,Injection site pain,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,,
878350,Rash,23.00,Rash erythematous,23.00,Type III immune complex
mediated reaction,23.00,,,,,
878351,Expired product administered,23.00,No adverse event,23.00,,,,,
878352,Expired product administered,23.00,No adverse event,23.00,,,,,
878353,Excessive eye blinking,23.00,Head discomfort,23.00,Nausea,
23.00,Pain in extremity,23.00,Pallor,23.00
878353,Peripheral coldness,23.00,,,,,
878354,Asthenia,23.00,Dizziness,23.00,Pain in extremity,23.00,Pallor,
23.00,,
878355,Inflammation,23.00,Injection site pain,23.00,,,,,
878358,Injection site reaction,23.00,Injection site urticaria,
23.00,Rash macular,23.00,,,,,
878359,Abdominal discomfort,23.00,Body temperature increased,
23.00,Feeding disorder,23.00,Feeling abnormal,23.00,Feeling cold,23.00
878359,Loss of personal independence in daily activities,23.00,Pain in
extremity,23.00,Poor quality sleep,23.00,Vomiting,23.00,,
878360,Injection site erythema,23.00,Injection site swelling,
23.00,Pyrexia,23.00,,,,,
878364,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Muscular weakness,23.00
878364,Paraesthesia,23.00,Pyrexia,23.00,,,,,
878366,Wrong product administered,23.00,,,,,
878367,Dizziness,23.00,Head injury,23.00,Heart rate decreased,
23.00,Loss of consciousness,23.00,Musculoskeletal stiffness,23.00

878368, Syncope, 23.10, , , , , , , , ,
878374, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
878375, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , , ,
878376, Rash macular, 23.00, Rash pruritic, 23.00, , , , , , , ,
878377, Erythema, 23.00, Hyperaesthesia, 23.00, Incomplete course of
vaccination, 23.00, Product administered at inappropriate site, 23.00, ,
878378, Arthralgia, 23.00, Back pain, 23.00, Pyrexia, 23.00, Throat
irritation, 23.00, Vision blurred, 23.00
878379, Back pain, 23.00, Herpes zoster, 23.00, Rash, 23.00, , , , ,
878380, Hepatitis B, 23.00, Hepatitis B antibody negative, 23.00, Hepatitis
B antigen positive, 23.00, Hepatitis B surface antibody negative,
23.00, Hepatitis B virus test positive, 23.00
878380, Therapy non-responder, 23.00, Vaccination failure, 23.00, , , , , , ,
878381, Abdominal discomfort, 23.00, , , , , , , , ,
878382, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, Wrong product administered, 23.00, , , , ,
878383, Injection site pain, 23.00, Mobility decreased, 23.00, Pain,
23.00, , , , ,
878384, CSF test normal, 23.00, Lumbar puncture normal, 23.00, Magnetic
resonance imaging normal, 23.00, Strabismus, 23.00, VIth nerve paralysis,
23.00
878385, Burning sensation, 23.00, Eye pain, 23.00, Fatigue, 23.00, Headache,
23.00, Neuralgia, 23.00
878385, Pain, 23.00, Tenderness, 23.00, , , , , , , , ,
878386, Developmental regression, 23.00, Ear infection, 23.00, Ear tube
insertion, 23.00, Emotional distress, 23.00, Fall, 23.00
878386, Gait inability, 23.00, Irritability, 23.00, Malaise, 23.00, Speech
disorder, 23.00, , ,
878387, Myoclonus, 23.10, Tic, 23.10, , , , , , , , ,
878388, No adverse event, 23.00, Product administered to patient of
inappropriate age, 23.00, , , , , , , , ,
878389, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , , ,
878392, Pain, 23.10, , , , , , , , , ,
878393, Product storage error, 23.00, , , , , , , , , ,
878394, Product storage error, 23.00, , , , , , , , , ,
878395, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,
878396, Chills, 23.00, Headache, 23.00, Injection site pain, 23.00, Myalgia,
23.00, Pyrexia, 23.00
878397, Depressed level of consciousness, 23.10, Incontinence,
23.10, Syncope, 23.10, , , , , , , , ,
878398, Miliaria, 23.00, Rash, 23.00, Rash pruritic, 23.00, Rash vesicular,
23.00, Varicella, 23.00
878399, Asthenia, 23.00, Ear congestion, 23.00, Fatigue, 23.00, Headache,
23.00, Injection site pain, 23.00
878399, Nausea, 23.00, Pruritus, 23.00, Rhinorrhoea, 23.00, , , , , ,
878400, Abdominal pain upper, 23.00, Arthralgia, 23.00, Confusional state,
23.00, Dyspepsia, 23.00, Fatigue, 23.00
878400, Headache, 23.00, , , , , , , , , ,
878411, No adverse event, 23.00, Product storage error, 23.00, , , , , , , ,

878412,Exposure during pregnancy,23.00,,,,,,,,,
878413,Headache,23.00,Hypersensitivity,23.00,Myalgia,23.00,,,,,
878414,Antibody test negative,23.00,,,,,,,,,
878415,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
878416,Injection site erythema,23.00,Injection site mass,23.00,Pain in
extremity,23.00,,,,,
878417,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site
erythema,23.00,Injection site swelling,23.00
878417,Nausea,23.00,Pyrexia,23.00,,,,,
878418,Rash,23.00,,,,,,,,,
878419,Blood pressure decreased,23.00,Cold sweat,23.00,Skin warm,
23.00,,,,,
878420,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00,,
878421,Injection site erythema,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
878421,Skin tightness,23.00,,,,,,,,,
878422,Pain,23.00,,,,,,,,,
878423,Syncope,23.00,,,,,,,,,
878424,C-reactive protein,23.00,Culture urine,23.00,Febrile
convulsion,23.00,Full blood count,23.00,Metabolic function test,23.00
878424,Pyrexia,23.00,SARS-CoV-2 test,23.00,Urine analysis,23.00,,,,,
878425,Allodynia,23.00,Lumbar puncture,23.00,Magnetic resonance
imaging abnormal,23.00,Myelitis transverse,23.00,Pollakiuria,23.00
878425,Urinary hesitation,23.00,Vaccination complication,23.00,,,,,
878426,Myalgia,23.00,Pain,23.00,Pyrexia,23.00,Swelling,23.00,,
878427,Paralysis,23.00,,,,,,,,,
878428,Expired product administered,23.00,No adverse event,23.00,,,,,
878429,Back pain,23.00,Irritability,23.00,Myalgia,23.00,Pain,
23.00,Pain of skin,23.00
878429,Pyrexia,23.00,Rash,23.00,Skin warm,23.00,Tenderness,23.00,,
878430,Fall,23.00,Scan normal,23.00,,,,,
878431,Pallor,23.00,Rash,23.00,,,,,
878432,Injection site erythema,23.00,Injection site induration,
23.00,Injection site inflammation,23.00,Injection site pain,23.00,,
878433,Rash,23.00,Rash macular,23.00,,,,,
878434,Dizziness,23.00,Fatigue,23.00,Myalgia,23.00,Nausea,23.00,,
878435,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
878436,Dizziness,23.00,Headache,23.00,Neck pain,23.00,Syncope,23.00,,
878437,Chest pain,23.00,Palpitations,23.00,,,,,
878438,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Nausea,
23.00,Pyrexia,23.00
878439,Injection site pain,23.00,Injection site swelling,23.00,Rash,
23.00,,,,,
878440,Injection site erythema,23.00,Injection site swelling,
23.00,Local reaction,23.00,,,,,
878441,Hallucination,23.00,Nausea,23.00,Vomiting,23.00,,,,,
878442,Injection site induration,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,

878443,Decreased appetite,23.00,Erythema,23.00,Fatigue,23.00,Pain in extremity,23.00,,
878444,Fatigue,23.00,Influenza like illness,23.00,Laboratory test,23.00,Malaise,23.00,Nausea,23.00
878444,Pain,23.00,,,,,,,,,
878445,Chills,23.00,Injection site rash,23.00,Mass,23.00,Pain,23.00,Pyrexia,23.00
878446,Fatigue,23.00,Headache,23.00,,,,,,,,,
878447,Cellulitis,23.00,Erythema,23.00,Feeling hot,23.00,,,,,
878448,Headache,23.00,Pain,23.00,Pyrexia,23.00,,,,,
878449,Exposure during pregnancy,23.00,Feeling hot,23.00,Injected limb mobility decreased,23.00,Injection site pain,23.00,Insomnia,23.00
878449,Nausea,23.00,Pain,23.00,,,,,,,,,
878450,Insomnia,23.10,Rhinorrhoea,23.10,Vomiting projectile,23.10,,,,,
878497,Inappropriate schedule of product administration,23.00,No adverse event,23.00,Product supply issue,23.00,,,,,
878498,Herpes zoster,23.10,,,,,,,,,
878499,Antibody test negative,23.10,Pyrexia,23.10,Rash vesicular,23.10,,,,,
878500,Injection site erythema,23.10,Injection site pain,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
878501,Expired product administered,23.10,No adverse event,23.10,,,,,,
878502,Product storage error,23.10,,,,,,,,,
878503,Product storage error,23.10,,,,,,,,,
878504,Product storage error,23.10,,,,,,,,,
878505,Product storage error,23.10,,,,,,,,,
878506,Product storage error,23.10,,,,,,,,,
878507,Musculoskeletal pain,23.00,Musculoskeletal stiffness,23.00,,,,,,
878508,Arthralgia,23.00,Fatigue,23.00,Feeling abnormal,23.00,Headache,23.00,Inflammatory marker increased,23.00
878508,Joint range of motion decreased,23.00,Joint stiffness,23.00,Musculoskeletal stiffness,23.00,Myalgia,23.00,Nausea,23.00
878508,Polymyalgia rheumatica,23.00,Rheumatoid factor positive,23.00,,,,,,
878509,Burning sensation,23.00,Eye irritation,23.00,Feeling abnormal,23.00,Herpes ophthalmic,23.00,Herpes zoster,23.00
878509,Ophthalmological examination normal,23.00,Paraesthesia,23.00,Pruritus,23.00,Puncture site pain,23.00,Rheumatoid arthritis,23.00
878509,Vaccination failure,23.00,Vaccine positive rechallenge,23.00,,,,,,
878510,Chemotherapy,23.00,Incomplete course of vaccination,23.00,Neoplasm malignant,23.00,,,,,
878512,Expired product administered,23.10,No adverse event,23.10,,,,,,
878513,COVID-19,23.10,Cough,23.10,Headache,23.10,Nausea,23.10,,
878514,Extra dose administered,23.10,No adverse event,23.10,,,,,,
878516,Cellulitis,23.00,Erythema,23.00,Peripheral swelling,23.00,,,,,
878519,Mumps antibody test negative,23.10,,,,,,,,,
878520,Antibody test negative,23.10,Clostridium test negative,

23.10,Vaccination failure,23.10,,,,,
878521,Burning sensation,23.00,Herpes zoster,23.00,,,,,,
878522,Abdominal pain,23.00,Back pain,23.00,Burning sensation,
23.00,Dizziness,23.00,Herpes zoster,23.00
878522,Hypoaesthesia,23.00,Presyncope,23.00,Rash,23.00,Transient
ischaemic attack,23.00,,
878523,Hypersensitivity,23.00,Reaction to excipient,23.00,,,,,,
878524,Incomplete course of vaccination,23.00,Pain in extremity,
23.00,,,,,,
878525,Incomplete course of vaccination,23.00,Pain in extremity,
23.00,,,,,,
878526,Heart rate increased,23.00,Pyrexia,23.00,,,,,,
878527,Extra dose administered,23.10,,,,,,
878528,Fatigue,23.10,Pain,23.10,,,,,,
878529,Abdominal discomfort,23.00,Chills,23.00,Headache,23.00,Pain,
23.00,Pyrexia,23.00
878530,Injection site pain,23.10,Pain,23.10,,,,,,
878531,Chills,23.10,Dizziness,23.10,Fatigue,23.10,Gastrointestinal
disorder,23.10,Pyrexia,23.10
878532,Dizziness,23.10,Pallor,23.10,Seizure,23.10,,,,,
878533,Burning sensation,23.10,Feeling hot,23.10,Lip swelling,
23.10,Pain in extremity,23.10,Pruritus,23.10
878533,Rash,23.10,Respiratory tract congestion,23.10,Swelling face,
23.10,Urticaria,23.10,Wheezing,23.10
878534,Electrocardiogram normal,23.10,Feeling abnormal,23.10,Loss of
consciousness,23.10,,,,,
878535,Blister,23.10,Injection site reaction,23.10,Rash vesicular,
23.10,Varicella post vaccine,23.10,Yellow skin,23.10
878536,Arthralgia,23.00,Bursitis,23.00,Chiropractic,23.00,Joint range
of motion decreased,23.00,Musculoskeletal pain,23.00
878541,Product storage error,23.10,,,,,,
878542,No adverse event,23.00,Product storage error,23.00,,,,,,
878543,Skin exfoliation,23.00,,,,,,
878544,Fatigue,23.00,Myalgia,23.00,,,,,,
878546,Asthenia,23.00,Chills,23.00,Cold sweat,23.00,Nausea,
23.00,Pruritus,23.00
878546,Pyrexia,23.00,Retching,23.00,Skin lesion,23.00,,,,,
878547,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,,
878548,Adverse reaction,23.00,,,,,,
878549,Herpes zoster,23.00,Rash,23.00,,,,,,
878550,Excessive eye blinking,23.10,Muscle twitching,23.10,Tic,
23.10,,,,,
878551,Cold urticaria,23.10,Laboratory test abnormal,23.10,Lip
swelling,23.10,Paraesthesia,23.10,Pharyngeal swelling,23.10
878551,Temperature intolerance,23.10,Urticaria,23.10,,,,,,
878552,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Hyperhidrosis,
23.00,Rash,23.00
878552,Vomiting,23.00,,,,,,
878553,Injection site rash,23.10,Lymphadenopathy,23.10,Rash,23.10,,,,,

878554, Injection site swelling, 23.00, Pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, ,
878555, Blood lactic acid increased, 23.00, Blood test, 23.00, Fatigue, 23.00, Headache, 23.00, Peripheral swelling, 23.00
878555, Pyrexia, 23.00, Rash, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, SARS-CoV-2 test negative, 23.00
878556, Alopecia, 23.00, Antinuclear antibody, 23.00, Arthralgia, 23.00, Beta-2 glycoprotein antibody, 23.00, C-reactive protein, 23.00
878556, Cardiolipin antibody, 23.00, Chest X-ray, 23.00, Fibrin D dimer, 23.00, Lupus nephritis, 23.00, Migraine, 23.00
878556, Myalgia, 23.00, Pleurisy, 23.00, Pyrexia, 23.00, Russell's viper venom time, 23.00, Systemic lupus erythematosus, 23.00
878556, Weight decreased, 23.00, , , , , , , , , , ,
878557, Injection site erythema, 23.10, Vaccination site swelling, 23.10, Vaccination site warmth, 23.10, , , , ,
878558, Pyrexia, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash papular, 23.10, , ,
878559, Arthralgia, 23.10, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, , ,
878560, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Vaccination complication, 23.10, Vision blurred, 23.10
878608, Gaze palsy, 23.10, Lethargy, 23.10, Pallor, 23.10, Posturing, 23.10, Seizure, 23.10
878608, Syncope, 23.10, Tonic convulsion, 23.10, Unresponsive to stimuli, 23.10, , , , , ,
878627, Pyrexia, 23.10, Somnolence, 23.10, , , , , , , , , ,
878628, Abdominal lymphadenopathy, 23.00, Biopsy bone marrow abnormal, 23.00, Blood immunoglobulin A decreased, 23.00, Blood immunoglobulin G normal, 23.00, Blood immunoglobulin M decreased, 23.00
878628, CD4 lymphocytes decreased, 23.00, CD8 lymphocytes, 23.00, Cytokine test, 23.00, Flow cytometry, 23.00, Gene mutation identification test positive, 23.00
878628, Gene sequencing, 23.00, Imaging procedure abnormal, 23.00, Interleukin level increased, 23.00, Lymphopenia, 23.00, Rash, 23.00
878628, Rash vesicular, 23.00, Retroperitoneal lymphadenopathy, 23.00, Selective IgA immunodeficiency, 23.00, Skin lesion, 23.00, Splenomegaly, 23.00
878628, T-lymphocyte count increased, 23.00, , , , , , , , , , ,
878629, Skin exfoliation, 23.00, , , , , , , , , , ,
878630, Herpes zoster, 23.00, , , , , , , , , , ,
878631, Pain, 23.00, , , , , , , , , , ,
878632, Back pain, 23.00, Herpes zoster, 23.00, Musculoskeletal pain, 23.00, Pain, 23.00, Pruritus, 23.00
878632, Spinal pain, 23.00, Swelling, 23.00, Tenderness, 23.00, , , , , ,
878633, Discomfort, 23.00, Myalgia, 23.00, Pyrexia, 23.00, , , , , ,
878634, Myalgia, 23.00, Pyrexia, 23.00, , , , , , , , , , ,
878635, Blood pressure increased, 23.00, Headache, 23.00, , , , , , , , , , ,
878636, Eye movement disorder, 23.10, Head injury, 23.10, Hypotonia, 23.10, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10

878636, Muscle rigidity, 23.10, Muscle spasms, 23.10, Pallor, 23.10, Syncope, 23.10,,
878637, Body temperature increased, 23.10, Chills, 23.10, Feeling cold, 23.10,,,,,
878638, Dizziness, 23.00, Pallor, 23.00,,,,,,
878639, Pyrexia, 23.10, Rash, 23.10,,,,,,
878640, Breath holding, 23.10, Crying, 23.10, Pain, 23.10,,,,,
878641, Pyrexia, 23.10,,,,,,
878642, C-reactive protein normal, 23.00, Decreased appetite, 23.00, Full blood count normal, 23.00, Immediate post-injection reaction, 23.00, Injection site erythema, 23.00
878642, Injection site pruritus, 23.00, Injection site swelling, 23.00, Injection site urticaria, 23.00, Injection site warmth, 23.00, Pyrexia, 23.00
878643, Diarrhoea, 23.10, Pallor, 23.10, Vomiting, 23.10,,,,,
878644, Discomfort, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Soft tissue swelling, 23.10, Ultrasound scan abnormal, 23.10
878652, No adverse event, 23.10, Product storage error, 23.10,,,,,,
878653, Abdominal pain, 23.00, Back pain, 23.00, Blister, 23.00, Blood immunoglobulin A normal, 23.00, Blood immunoglobulin G normal, 23.00
878653, Blood immunoglobulin M normal, 23.00, CD4 lymphocytes normal, 23.00, CD8 lymphocytes, 23.00, CSF glucose decreased, 23.00, CSF lymphocyte count increased, 23.00
878653, CSF protein increased, 23.00, CSF red blood cell count positive, 23.00, Complement factor normal, 23.00, Computerised tomogram abdomen normal, 23.00, Computerised tomogram head normal, 23.00
878653, Computerised tomogram pelvis, 23.00, Confusional state, 23.00, Disseminated varicella zoster vaccine virus infection, 23.00, Dizziness, 23.00, Flow cytometry, 23.00
878653, Full blood count normal, 23.00, Headache, 23.00, Herpes simplex test negative, 23.00, Herpes zoster meningitis, 23.00, Immunoglobulins normal, 23.00
878653, Immunology test normal, 23.00, Interferon gamma normal, 23.00, Magnetic resonance imaging brain abnormal, 23.00, Metabolic function test normal, 23.00, Natural killer cell count, 23.00
878653, Nausea, 23.00, Polymerase chain reaction positive, 23.00, T-lymphocyte count normal, 23.00, Varicella virus test positive, 23.00, Vomiting, 23.00
878654, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, Product supply issue, 23.00,,,,,
878655, Decreased appetite, 23.10, Hypersomnia, 23.10, Screaming, 23.10, Urine output decreased, 23.10,,
878656, Death, 23.00,,,,,,
878657, Erythema, 23.00, Injection site erythema, 23.00, Peripheral swelling, 23.00, Pyrexia, 23.00, Skin warm, 23.00
878658, Pyrexia, 23.00, Rash, 23.00,,,,,,
878659, Erythema, 23.10, Feeling hot, 23.10, Swelling face, 23.10,,,,,
878660, Injection site reaction, 23.10, Local reaction, 23.10, Rash macular, 23.10, Urticaria, 23.10,,

878661, Abdominal discomfort, 23.00, Axillary pain, 23.00, Chills, 23.00, Dizziness, 23.00, Fatigue, 23.00
878661, Feeling abnormal, 23.00, Headache, 23.00, Hyperhidrosis, 23.00, Lymphadenopathy, 23.00, Nausea, 23.00
878661, Pyrexia, 23.00, , , , , , , , ,
878662, Arthralgia, 23.00, Asthenia, 23.00, Chills, 23.00, Disorientation, 23.00, Feeling abnormal, 23.00
878662, Injection site pain, 23.00, Myalgia, 23.00, Somnolence, 23.00, , , , ,
878663, Macule, 23.10, Rash, 23.10, Rash papular, 23.10, , , , ,
878664, Extra dose administered, 23.10, , , , , , , , ,
878665, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Nausea, 23.00, Pain in extremity, 23.00
878665, Pyrexia, 23.00, Vertigo, 23.00, , , , , , , , ,
878666, Cold sweat, 23.00, Dizziness, 23.00, Dysarthria, 23.00, Dyspnoea, 23.00, Hyperhidrosis, 23.00
878666, Hypopnoea, 23.00, Hypotension, 23.00, Nausea, 23.00, Respiratory rate increased, 23.00, Retching, 23.00
878666, Vomiting, 23.00, , , , , , , , ,
878667, Erythema, 23.00, Skin warm, 23.00, , , , , , , , ,
878668, Measles antibody, 23.10, Mumps antibody test, 23.10, Rubella antibody test, 23.10, Wrong product administered, 23.10, , ,
878669, Measles antibody, 23.10, Mumps antibody test, 23.10, Rubella antibody test, 23.10, Wrong product administered, 23.10, , ,
878670, Arthralgia, 23.00, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Pain, 23.00
878670, Peripheral swelling, 23.00, , , , , , , , ,
878671, Hypersensitivity, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , , ,
878672, Herpes simplex test, 23.10, Oral disorder, 23.10, Oral herpes, 23.10, Polymerase chain reaction, 23.10, Pyrexia, 23.10
878672, Vaccination site swelling, 23.10, , , , , , , , ,
878674, Injection site pain, 23.10, Injection site reaction, 23.10, Rash erythematous, 23.10, Weight bearing difficulty, 23.10, , ,
878675, Rash, 23.10, Rash erythematous, 23.10, , , , , , , , ,
878676, Autoimmune disorder, 23.00, Biopsy artery abnormal, 23.00, Blood test abnormal, 23.00, Coeliac disease, 23.00, Hypothyroidism, 23.00
878677, Chills, 23.00, Headache, 23.00, Pyrexia, 23.00, , , , , ,
878678, Disorientation, 23.00, Dizziness, 23.00, "Hallucination, auditory", 23.00, Headache, 23.00, Nausea, 23.00
878678, Syncope, 23.00, , , , , , , , ,
878679, Syncope, 23.00, , , , , , , , ,
878680, Hypoacusis, 23.00, Nausea, 23.00, Pallor, 23.00, Vomiting, 23.00, , ,
878681, Blood test, 23.00, Differential white blood cell count, 23.00, Emotional disorder, 23.00, Full blood count, 23.00, Mood swings, 23.00
878681, Sleep disorder, 23.00, Tic, 23.00, , , , , , , , ,
878682, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
878683, Headache, 23.00, Influenza virus test negative, 23.00, Lethargy, 23.00, Pain, 23.00, Pyrexia, 23.00
878683, SARS-CoV-2 test negative, 23.00, Streptococcus test negative,

23.00, Tongue dry, 23.00,,,,,
878684, Asthenia, 23.00, Chills, 23.00, Pyrexia, 23.00,,,,,
878685, Feeling hot, 23.00, Headache, 23.00, Herpes zoster, 23.00, Rash,
23.00,,
878686, Injection site erythema, 23.00, Injection site pain,
23.00, Injection site pruritus, 23.00, Injection site swelling, 23.00,,
878687, Artificial crown procedure, 23.00, Concussion, 23.00, Endodontic
procedure, 23.00, Face injury, 23.00, Fall, 23.00
878687, Haemorrhage, 23.00, Loss of consciousness, 23.00, Nasal injury,
23.00, Pain, 23.00, Tooth fracture, 23.00
878687, X-ray, 23.00,,,,,,
878688, Dehydration, 23.00, Dizziness, 23.00, Loss of consciousness,
23.00, Tremor, 23.00, Vaccination complication, 23.00
878689, Immediate post-injection reaction, 23.00, Pain, 23.00, Swelling,
23.00,,,,,
878690, Injection site nodule, 23.00, Musculoskeletal pain, 23.00, Pain,
23.00,,,,,
878691, Back pain, 23.10, Dyspnoea, 23.10, Fatigue, 23.10, Lethargy,
23.10, Mobility decreased, 23.10
878691, Pain, 23.10,,,,,,
878692, Chills, 23.00, Dizziness, 23.00, Headache, 23.00, Hypotension,
23.00, Insomnia, 23.00
878692, Peripheral coldness, 23.00,,,,,,
878693, Erythema, 23.00, Pain in extremity, 23.00, Pruritus, 23.00, Skin
induration, 23.00, Skin warm, 23.00
878695, Exposure during pregnancy, 23.00,,,,,,
878696, Injection site erythema, 23.00, Injection site swelling,
23.00, Malaise, 23.00, Product administered at inappropriate site, 23.00,,
878697, Immediate post-injection reaction, 23.00, Loss of consciousness,
23.00, Posture abnormal, 23.00,,,,,
878698, Chills, 23.00, Erythema, 23.00, Headache, 23.00, Skin warm,
23.00, Swelling, 23.00
878699, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10,,,,,
878700, Injection site erythema, 23.00, Pruritus, 23.00,,,,,,
878701, Wrong product administered, 23.10,,,,,,
878702, Back pain, 23.00, Fall, 23.00, Headache, 23.00, Injection site pain,
23.00, Mobility decreased, 23.00
878702, Nausea, 23.00, Poor quality sleep, 23.00, Product administered at
inappropriate site, 23.00,,,,,
878703, Bed rest, 23.00, Chest pain, 23.00, Chills, 23.00, Dyspnoea,
23.00, Fatigue, 23.00
878703, Loss of personal independence in daily activities,
23.00, Migraine, 23.00, Nausea, 23.00, Pain, 23.00, Peripheral swelling, 23.00
878703, Pharyngeal swelling, 23.00, Scrotal dermatitis, 23.00, Swelling,
23.00, Swelling face, 23.00, Urticaria, 23.00
878704, Diarrhoea, 23.00, Headache, 23.00, Pustule, 23.00, Pyrexia, 23.00,,
878705, Headache, 23.00, Influenza like illness, 23.00, Injection site
pain, 23.00, Insomnia, 23.00, Nausea, 23.00
878705, Pain, 23.00,,,,,,
878706, Blood glucose normal, 23.00, Loss of consciousness, 23.00, Syncope,

23.00,,,,,
878707, Arthralgia, 23.00, Fatigue, 23.00, Headache, 23.00, Immediate post-
injection reaction, 23.00, Injection site erythema, 23.00
878707, Injection site pain, 23.00, Injection site pruritus,
23.00, Injection site swelling, 23.00, Lethargy, 23.00, Nausea, 23.00
878707, Pruritus, 23.00, Pyrexia, 23.00,,,,,
878708, Malaise, 23.00, Opisthotonus, 23.00, Screaming, 23.00, Urticaria,
23.00,,
878709, Pain, 23.00, Rash, 23.00, Swelling, 23.00,,,,,
878710, Hypertension, 23.00, Pain, 23.00, Pyrexia, 23.00,,,,,
878711, Headache, 23.00, Nasal congestion, 23.00, Pruritus, 23.00, Skin warm,
23.00, Urticaria, 23.00
878712, Abdominal pain upper, 23.10, Asthenia, 23.10, Diarrhoea,
23.10, Dizziness, 23.10, Fatigue, 23.10
878712, Headache, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site warmth, 23.10, Nausea, 23.10
878713, Chills, 23.00, Headache, 23.00, Pain, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00
878713, Pyrexia, 23.00,,,,,
878714, Arthralgia, 23.00, Condition aggravated, 23.00, Herpes simplex,
23.00, Neuralgia, 23.00, Rash pruritic, 23.00
878715, Decreased appetite, 23.10, Vomiting, 23.10,,,,,
878716, Muscle spasms, 23.00, Pain, 23.00, Pain in extremity,
23.00, Pulmonary pain, 23.00,,
878717, Dizziness, 23.00, Feeling hot, 23.00,,,,,
878718, Injection site pain, 23.10, Injection site reaction,
23.10, Injection site swelling, 23.10, Rash erythematous, 23.10,,
878719, Arthralgia, 23.00, Chills, 23.00, Dizziness, 23.00, Injection site
pain, 23.00, Injection site reaction, 23.00
878719, Oedema peripheral, 23.00, Pain, 23.00, Pyrexia, 23.00, Rash
erythematous, 23.00, Rash pruritic, 23.00
878720, Injection site bruising, 23.10,,,,,
878721, Rash, 23.00,,,,,
878722, Headache, 23.00, Injection site pain, 23.00, Loss of personal
independence in daily activities, 23.00, Malaise, 23.00, Pain in
extremity, 23.00
878722, Pyrexia, 23.00,,,,,
878723, Electroencephalogram normal, 23.00, Eye movement disorder,
23.00, Musculoskeletal stiffness, 23.00, Tic, 23.00,,
878724, Conjunctivitis, 23.10, Headache, 23.10, Pyrexia, 23.10, Rash, 23.10,,
878725, Injection site erythema, 23.00, Injection site pain, 23.00,,,,,
878726, Body temperature increased, 23.00, Erythema, 23.00, Feeling
abnormal, 23.00, Pain, 23.00,,
878727, Asthenia, 23.00, Back pain, 23.00, Fatigue, 23.00, Injection site
erythema, 23.00, Pain in extremity, 23.00
878728, Dizziness, 23.10, Feeling abnormal, 23.10, Heart rate increased,
23.10, Hyperhidrosis, 23.10, Pallor, 23.10
878728, Tremor, 23.10,,,,,
878729, Contusion, 23.00,,,,,
878730, Asthenia, 23.00, Chest discomfort, 23.00, Nausea, 23.00, Throat

tightness,23.00,Vomiting,23.00
878731,Injection site reaction,23.10,Rash,23.10,Rash papular,23.10,,,,,
878732,Facial paralysis,23.00,,,,,,
878733,Injection site pain,23.00,Injection site swelling,
23.00,Malaise,23.00,Pyrexia,23.00,,
878734,Dizziness,23.10,,,,,,
878735,Borrelia test negative,23.10,C-reactive protein increased,
23.10,Culture throat negative,23.10,Decreased appetite,23.10,Delirium,
23.10
878735,Full blood count abnormal,23.10,Headache,23.10,Injection site
erythema,23.10,Laboratory test normal,23.10,Lethargy,23.10
878735,Lymphadenopathy,23.10,Mobility decreased,23.10,Myalgia,
23.10,Neutropenia,23.10,Pyrexia,23.10
878735,Streptococcus test negative,23.10,Vaccination site induration,
23.10,Vaccination site swelling,23.10,,,,,
878736,Injection site pain,23.00,Pyrexia,23.00,,,,,
878738,Facial pain,23.10,Pain,23.10,Pain of skin,23.10,Pyrexia,
23.10,Tenderness,23.10
878739,Contusion,23.00,Internal haemorrhage,23.00,Mobility decreased,
23.00,Pain in extremity,23.00,X-ray limb,23.00
878740,Chills,23.00,Injection site pain,23.00,Middle insomnia,
23.00,Pain,23.00,,
878786,Muscle spasms,23.00,Pruritus,23.00,,,,,
878787,No adverse event,23.10,Product storage error,23.10,,,,,
878788,Antibody test negative,23.10,Blood test,23.10,Measles antibody
negative,23.10,Mumps antibody test negative,23.10,Product administered
to patient of inappropriate age,23.10
878788,Rubella antibody negative,23.10,Wrong product administered,
23.10,,,,,
878789,No adverse event,23.10,Product storage error,23.10,,,,,
878790,Product storage error,23.10,,,,,
878791,Incorrect route of product administration,23.00,No adverse
event,23.00,,,,,
878792,Expired product administered,23.10,No adverse event,23.10,,,,,
878793,No adverse event,23.00,Product storage error,23.00,,,,,
878794,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
878795,No adverse event,23.10,Product storage error,23.10,,,,,
878796,Expired product administered,23.10,No adverse event,
23.10,Product storage error,23.10,,,,,
878797,Product storage error,23.10,,,,,
878798,Herpes zoster,23.00,Social problem,23.00,,,,,
878799,Loss of consciousness,23.00,Syncope,23.00,,,,,
878800,Extensive swelling of vaccinated limb,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site rash,
23.00,Mental impairment,23.00
878800,Pyrexia,23.00,,,,,
878802,Immediate post-injection reaction,23.00,Syncope,23.00,,,,,
878803,Blister,23.00,Pustule,23.00,Tenderness,23.00,,,,,
878804,Chills,23.10,Fatigue,23.10,Headache,23.10,Influenza like

illness,23.10,,
878805,Asthenia,23.00,Myalgia,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,
878806,Body temperature increased,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
878812,Wrong product administered,23.10,,,,,,
878815,Colonoscopy,23.00,Cytogenetic analysis,23.00,Injection site
nodule,23.00,Injection site pain,23.00,Insomnia,23.00
878816,No adverse event,23.10,Product storage error,23.10,,,,,
878817,Myalgia,23.00,,,,,,
878818,Back pain,23.00,Burning sensation,23.00,Flank pain,23.00,Herpes
zoster,23.00,Hot flush,23.00
878818,Hypoaesthesia,23.00,Pain,23.00,Pain in extremity,
23.00,Paraesthesia,23.00,Sciatica,23.00
878818,Vasculitis,23.00,,,,,,
878819,Blindness unilateral,23.00,,,,,,
878820,Activated partial thromboplastin time normal,23.10,Full blood
count normal,23.10,Injection site reaction,23.10,Petechiae,
23.10,Prothrombin time normal,23.10
878821,Chills,23.00,Pain,23.00,Rash,23.00,,,,,
878822,Cough,23.10,Headache,23.10,Nasal congestion,23.10,Pain,
23.10,Tremor,23.10
878823,Headache,23.10,Vomiting,23.10,,,,,
878824,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Pruritus,23.10,,
878825,Chills,23.00,Headache,23.00,Nausea,23.00,Pain,
23.00,Palpitations,23.00
878825,Tremor,23.00,,,,,,
878826,Chills,23.00,Condition aggravated,23.00,Cough,23.00,Dizziness,
23.00,Fatigue,23.00
878826,Headache,23.00,Rash,23.00,Rash pruritic,23.00,Tinnitus,23.00,,
878827,Abdominal pain upper,23.10,Headache,23.10,Hypersomnia,
23.10,Lethargy,23.10,Urticaria,23.10
878828,Lip swelling,23.10,Pain in extremity,23.10,Speech disorder,
23.10,,,,,
878831,Syncope,23.00,Vomiting,23.00,,,,,
878833,Feeling abnormal,23.10,Limb discomfort,23.10,Pain in extremity,
23.10,Paraesthesia oral,23.10,Sensory disturbance,23.10
878834,Blister,23.10,Peripheral swelling,23.10,,,,,
878835,No adverse event,23.10,,,,,,
878836,Chills,23.10,Myalgia,23.10,Nausea,23.10,Pain,
23.10,Palpitations,23.10
878836,Pyrexia,23.10,,,,,,
878837,Loss of consciousness,23.00,Posture abnormal,23.00,Presyncope,
23.00,,,,,
878838,Chills,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
878838,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,,,,
878839,Body temperature increased,23.00,Fatigue,23.00,Musculoskeletal
stiffness,23.00,,,,,

878846, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
878847, Balance disorder, 23.00, Haematuria, 23.00, , , , , ,
878848, Abdominal discomfort, 23.00, Dizziness, 23.00, Injection site
erythema, 23.00, Injection site haemorrhage, 23.00, Injection site pain,
23.00
878848, Rash, 23.00, Rash pruritic, 23.00, , , , , ,
878850, Pain, 23.00, Pain in extremity, 23.00, , , , , ,
878851, Fatigue, 23.00, , , , , , ,
878852, Pyrexia, 23.00, , , , , , ,
878853, Chills, 23.00, Dizziness, 23.00, Fatigue, 23.00, Injection site
erythema, 23.00, Injection site pain, 23.00
878853, Injection site swelling, 23.00, Malaise, 23.00, Pain, 23.00, , , ,
878854, Pruritus, 23.00, Urticaria, 23.00, , , , , ,
878855, Asthenia, 23.00, Chills, 23.00, Diarrhoea, 23.00, Dizziness,
23.00, Erythema, 23.00
878855, Pain in extremity, 23.00, , , , , , ,
878856, Herpes zoster, 23.00, , , , , , ,
878857, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
878858, Hypersensitivity, 23.00, Rash, 23.00, , , , , ,
878859, Chills, 23.00, Pyrexia, 23.00, , , , , ,
878860, Contusion, 23.00, Screaming, 23.00, , , , , ,
878861, Diarrhoea, 23.10, Haematochezia, 23.10, , , , , ,
878862, Erythema, 23.00, Induration, 23.00, Pain, 23.00, Skin warm,
23.00, Swelling, 23.00
878873, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
878874, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
878875, Product dose omission, 23.00, , , , , , ,
878876, Herpes zoster, 23.00, Hypoaesthesia, 23.00, , , , , ,
878877, Coronavirus infection, 23.00, Pyrexia, 23.00, , , , , ,
878878, Pain, 23.00, Pyrexia, 23.00, , , , , ,
878879, Fatigue, 23.00, Headache, 23.00, Injection site mass,
23.00, Injection site pain, 23.00, Nausea, 23.00
878880, Pain in extremity, 23.00, , , , , , ,
878881, Chills, 23.10, Pyrexia, 23.10, , , , , ,
878882, Erythema, 23.10, Peripheral swelling, 23.10, , , , , ,
878883, Delivery, 23.00, Exposure during pregnancy, 23.00, Pre-eclampsia,
23.00, Premature delivery, 23.00, ,
878884, Foetal exposure during pregnancy, 23.00, Premature baby,
23.00, , , , , , ,
878885, Pyrexia, 23.00, , , , , , ,
878886, Contusion, 23.10, Injection site bruising, 23.10, Injection site
nodule, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
878887, Blister, 23.00, Chills, 23.00, Feeling abnormal, 23.00, Pyrexia,
23.00, Scab, 23.00
878888, Headache, 23.10, Vomiting, 23.10, , , , , ,
878889, Unevaluable event, 23.10, , , , , , ,
878890, Enema administration, 23.00, Gastrointestinal haemorrhage,
23.00, Intussusception, 23.00, Ultrasound scan, 23.00, X-ray, 23.00
878904, Gait disturbance, 23.10, Hypophagia, 23.10, Pyrexia, 23.10, Tremor,

23.10,,
878905,Pain in extremity,23.00,Peripheral swelling,23.00,Pruritus,
23.00,Skin warm,23.00,Urticaria,23.00
878906,Culture urine negative,23.00,Electroencephalogram normal,
23.00,Febrile convulsion,23.00,Full blood count,23.00,Leukocytosis,
23.00
878906,SARS-CoV-2 test negative,23.00,Urine analysis normal,
23.00,Viral test negative,23.00,White blood cell count increased,
23.00,,
878908,Dizziness,23.00,,,,,,,,,
878909,Expired product administered,23.00,,,,,,,,,
878910,Limb discomfort,23.00,Pain,23.00,,,,,,,,,
878911,Allergy to vaccine,23.10,Erythema,23.10,Hypersensitivity,
23.10,Pain in extremity,23.10,Skin warm,23.10
878912,Back pain,23.00,Decreased appetite,23.00,Dizziness,
23.00,Impaired driving ability,23.00,Influenza like illness,23.00
878912,Mobility decreased,23.00,Nausea,23.00,Retching,23.00,,,,,
878913,Infection,23.00,Injection site inflammation,23.00,Injection
site streaking,23.00,Injection site warmth,23.00,Lymphadenopathy,23.00
878913,Pyrexia,23.00,,,,,,,,,
878914,Presyncope,23.00,,,,,,,,,
878915,Erythema,23.10,,,,,,,,,
878916,Gait disturbance,23.10,Hypophagia,23.10,Laboratory test normal,
23.10,Pyrexia,23.10,Tremor,23.10
878917,Dizziness,23.00,Laboratory test,23.00,,,,,,,,,
878918,Diarrhoea,23.00,Feeling of body temperature change,
23.00,Headache,23.00,Injection site pain,23.00,Injection site
swelling,23.00
878918,Nausea,23.00,Tinnitus,23.00,,,,,,,,,
878919,Injection site erythema,23.00,Injection site mass,
23.00,Injection site pain,23.00,,,,,
878920,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site swelling,23.10,Pyrexia,
23.10
878920,Rash erythematous,23.10,Rash macular,23.10,,,,,,,,,
878921,Crying,23.10,Rash pruritic,23.10,,,,,,,,,
878922,Injection site erythema,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Injection site warmth,23.00,Rash
macular,23.00
878923,Lymph node pain,23.00,Lymphadenopathy,23.00,Rash,23.00,,,,,
878924,Epistaxis,23.00,Head injury,23.00,Lip haemorrhage,23.00,Loss of
consciousness,23.00,Moaning,23.00
878924,Syncope,23.00,,,,,,,,,
878925,Depressed level of consciousness,23.10,Hyperhidrosis,
23.10,Muscle rigidity,23.10,Pallor,23.10,Posture abnormal,23.10
878925,Snoring,23.10,,,,,,,,,
878926,Aphasia,23.10,Communication disorder,23.10,Discomfort,
23.10,Spinal pain,23.10,,
878927,Extra dose administered,23.10,,,,,,,,,
878928,Erythema,23.00,Joint range of motion decreased,23.00,,,,,,,,,

878929,Allergy to vaccine,23.10,Hypersensitivity,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10
878929,Pain in extremity,23.10,,,,,
878930,Anxiety,23.00,Dyskinesia,23.00,Encephalitis,23.00,Hallucination,23.00,Mental disorder,23.00
878930,Screaming,23.00,Speech disorder,23.00,,,,,
878931,Arthralgia,23.00,Blister,23.00,Lip swelling,23.00,Pyrexia,23.00,Rash,23.00
878931,Stevens-Johnson syndrome,23.00,Swelling,23.00,,,,,
878932,Musculoskeletal chest pain,23.00,,,,,
878933,Fall,23.10,Syncope,23.10,,,,,
878943,Tic,23.00,,,,,
878944,Expired product administered,23.00,No adverse event,23.00,,,,,
878945,No adverse event,23.00,Product storage error,23.00,,,,,
878946,Expired product administered,23.10,No adverse event,23.10,,,,,
878947,Inappropriate schedule of product administration,23.10,No adverse event,23.10,,,,,
878948,No adverse event,23.10,Product storage error,23.10,,,,,
878949,Genital rash,23.00,Herpes zoster,23.00,Penile rash,23.00,Rash,23.00,,
878950,Deafness neurosensory,23.00,Deafness unilateral,23.00,Sudden hearing loss,23.00,,,,,
878951,Local reaction,23.10,Vaccination complication,23.10,,,,,
878952,Blood test,23.00,Loss of consciousness,23.00,Syncope,23.00,,,,,
878953,Facial paralysis,23.00,,,,,
878954,Deafness neurosensory,23.00,Deafness unilateral,23.00,Dizziness,23.00,Sudden hearing loss,23.00,Tinnitus,23.00
878954,Vertigo,23.00,,,,,
878955,Injection site mass,23.10,Injection site rash,23.10,Injection site reaction,23.10,Rash,23.10,,
878956,Expired product administered,23.10,No adverse event,23.10,,,,,
878957,No adverse event,23.00,Wrong product administered,23.00,,,,,
878958,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Nausea,23.00
878958,Pyrexia,23.00,Vertigo,23.00,,,,,
878959,Exposure via skin contact,23.10,No adverse event,23.10,Underdose,23.10,,,,,
878960,Paraesthesia,23.00,Peripheral swelling,23.00,,,,,
878961,No adverse event,23.00,Wrong product administered,23.00,,,,,
878962,Urticaria,23.00,,,,,
878963,Extra dose administered,23.10,No adverse event,23.10,,,,,
878964,Accidental exposure to product,23.10,Exposure via skin contact,23.10,No adverse event,23.10,Syringe issue,23.10,,
878965,Fatigue,23.00,,,,,
878966,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,,,,
878967,No adverse event,23.10,Product preparation issue,23.10,,,,,
878968,Expired product administered,23.10,No adverse event,23.10,,,,,
878969,Immediate post-injection reaction,23.00,Syncope,23.00,,,,,

878970,Cough,23.00,Feeling of body temperature change,23.00,Headache,
23.00,Myalgia,23.00,,
878971,Erythema,23.10,Injection site cellulitis,23.10,Pain,23.10,Skin
warm,23.10,Swelling,23.10
878972,Back pain,23.10,Inappropriate schedule of product
administration,23.10,,,,,
878973,Injection site nodule,23.10,,,,,
878974,Body temperature,23.00,Malaise,23.00,SARS-CoV-2 test negative,
23.00,,,,,
878975,Chills,23.00,Diarrhoea,23.00,Dizziness,23.00,Erythema,
23.00,Rash,23.00
878975,Vomiting,23.00,,,,,
878976,Dizziness,23.10,Fatigue,23.10,Nausea,23.10,Vision blurred,
23.10,Vomiting,23.10
878980,Expired product administered,23.10,No adverse event,23.10,,,,,
878981,Rash pruritic,23.00,,,,,
878982,Headache,23.00,Pyrexia,23.00,,,,,
878983,Balance disorder,23.00,Neuropathy peripheral,23.00,,,,,
878984,Syncope,23.10,,,,,
878985,Rash,23.10,Urticaria,23.10,,,,,
878986,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site warmth,23.10,,,,,
878987,Drug dispensed to wrong patient,23.00,Injection site pain,
23.00,,,,,
878988,Pruritus,23.00,Swelling face,23.00,Urticaria,23.00,,,,,
878989,Pain in extremity,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
878990,Injection site erythema,23.10,Pain in extremity,23.10,Pyrexia,
23.10,,,,,
878991,Erythema,23.00,Feeling abnormal,23.00,Musculoskeletal
stiffness,23.00,Nodule,23.00,Peripheral swelling,23.00
878991,Pruritus,23.00,Somnolence,23.00,Swelling,23.00,,,,,
878992,Tremor,23.00,Vomiting,23.00,,,,,
878993,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pyrexia,23.10
878993,SARS-CoV-2 test positive,23.10,,,,,
878994,Chills,23.00,Decreased appetite,23.00,Fatigue,23.00,Feeling
cold,23.00,Fluid intake reduced,23.00
878994,Myalgia,23.00,Pain,23.00,Peripheral coldness,23.00,,,,,
878996,Urticaria,23.00,,,,,
878997,Differential white blood cell count,23.10,Fontanelle bulging,
23.10,Full blood count normal,23.10,Human herpes virus 6 serology,
23.10,Polymerase chain reaction,23.10
878997,Pyrexia,23.10,Rash,23.10,Red blood cell sedimentation rate
increased,23.10,,,,,
878998,Fatigue,23.00,Gastrointestinal disorder,23.00,Headache,
23.00,Injection site erythema,23.00,Injection site swelling,23.00
878998,Pain,23.00,,,,,
879006,No adverse event,23.10,Wrong product administered,23.10,,,,,
879007,Genital rash,23.00,Herpes zoster,23.00,Rash,23.00,,,,,
879008,Herpes zoster,23.00,,,,,

879009,Herpes zoster,23.00,,,,,,,,,
879010,Herpes zoster,23.10,Neuralgia,23.10,,,,,
879011,Herpes zoster,23.10,,,,,,,,,
879012,Expired product administered,23.10,No adverse event,23.10,,,,,
879013,Adverse event,23.00,Electrocardiogram abnormal,23.00,,,,,
879014,Mobility decreased,23.00,Pain in extremity,23.00,,,,,
879015,Injection site pain,23.10,Pain,23.10,Sleep disorder,23.10,,,,,
879016,Injection site erythema,23.10,Injection site scab,
23.10,Injection site vesicles,23.10,Injection site warmth,23.10,,
879017,Arthralgia,23.00,Cough,23.00,Full blood count,
23.00,Inflammatory marker increased,23.00,Injection site erythema,
23.00
879017,Liver function test increased,23.00,Metabolic function test,
23.00,Pain,23.00,Pyrexia,23.00,,
879018,Diarrhoea,23.10,Pyrexia,23.10,,,,,
879019,Antiphospholipid antibodies negative,23.00,Arthralgia,
23.00,Joint lock,23.00,,,,,
879020,Eye swelling,23.10,Ocular hyperaemia,23.10,,,,,
879021,Arthralgia,23.00,,,,,,,,,
879022,Abdominal pain,23.00,Cardiac flutter,23.00,Computerised
tomogram,23.00,Condition aggravated,23.00,Laboratory test,23.00
879022,Magnetic resonance imaging,23.00,Renal cancer,23.00,Sepsis,
23.00,Surgery,23.00,Ultrasound scan,23.00
879023,Chills,23.10,Injection site pain,23.10,Pyrexia,
23.10,Restlessness,23.10,,
879034,No adverse event,23.10,Product storage error,23.10,,,,,
879035,No adverse event,23.10,Product storage error,23.10,,,,,
879036,Immediate post-injection reaction,23.10,Injection site
erythema,23.10,Injection site swelling,23.10,Product storage error,
23.10,,
879037,Aphasia,23.00,Cerebrovascular accident,23.00,Dysphagia,
23.00,Facial asymmetry,23.00,Muscular weakness,23.00
879038,Cerebrovascular accident,23.00,Deafness neurosensory,
23.00,Dizziness,23.00,Herpes zoster,23.00,Hypoaesthesia,23.00
879038,Rash,23.00,Vertigo,23.00,,,,,
879039,Herpes zoster,23.00,,,,,,,,,
879040,Pyrexia,23.10,,,,,,,,,
879041,Chills,23.00,Headache,23.00,Injection site pain,23.00,Pyrexia,
23.00,,
879042,Loss of consciousness,23.10,Nervousness,23.10,Syncope,23.10,,,,,
879043,Muscle spasms,23.00,Muscle twitching,23.00,,,,,
879044,Urticaria,23.10,,,,,,,,,
879045,Pain in extremity,23.00,,,,,,,,,
879046,Dizziness,23.00,Feeling hot,23.00,Loss of consciousness,
23.00,Nausea,23.00,,
879047,Fatigue,23.00,Pyrexia,23.00,,,,,
879048,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
879049,Headache,23.00,Injection site pain,23.00,Lethargy,23.00,Nausea,
23.00,Pain,23.00

879049,Pyrexia,23.00,,,,,
879050,Bacterial test positive,23.00,Body temperature increased,
23.00,Chest X-ray normal,23.00,Culture urine,23.00,Full blood count,
23.00
879050,Lumbar puncture,23.00,SARS-CoV-2 test negative,23.00,Seizure,
23.00,White blood cells urine positive,23.00,,
879051,Discomfort,23.10,Lymph node pain,23.10,Lymphadenopathy,
23.10,,,,,
879052,Dizziness,23.00,Fall,23.00,Urticaria,23.00,,,,,
879053,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
879054,Chills,23.00,Fatigue,23.00,Myalgia,23.00,Nausea,23.00,Pain in
extremity,23.00
879054,Pyrexia,23.00,,,,,
879055,Muscle twitching,23.00,Oedema,23.00,Pain,23.00,Sensitive skin,
23.00,Skin warm,23.00
879055,Swelling,23.00,,,,,
879056,Back pain,23.00,Dizziness,23.00,Hypoaesthesia oral,
23.00,Injection site paraesthesia,23.00,Neck pain,23.00
879056,Rash,23.00,Rash erythematous,23.00,Rash pruritic,23.00,,,,,
879057,Paraesthesia,23.10,Pruritus,23.10,,,,,
879058,Injection site bruising,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Musculoskeletal stiffness,
23.00,Pain,23.00
879058,Pain in extremity,23.00,,,,,
879059,Activated partial thromboplastin time normal,23.00,Angiogram
normal,23.00,Aphasia,23.00,Confusional state,23.00,Electrocardiogram
normal,23.00
879059,Full blood count normal,23.00,Headache,23.00,Laboratory test
normal,23.00,Magnetic resonance imaging brain normal,23.00,Metabolic
function test normal,23.00
879059,Muscular weakness,23.00,Nausea,23.00,Troponin normal,
23.00,Vomiting,23.00,,
879060,Alopecia,23.10,Altered state of consciousness,23.10,Asthenia,
23.10,Blood test normal,23.10,Crying,23.10
879060,Dizziness,23.10,Impaired driving ability,23.10,,,,,
879061,Dizziness,23.00,Presyncope,23.00,,,,,
879062,Rash,23.00,Skin warm,23.00,,,,,
879063,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,,,,,
879064,Contusion,23.10,Skin discolouration,23.10,Swelling,23.10,,,,,
879065,Seizure,23.00,Somnolence,23.00,,,,,
879066,Diarrhoea,23.00,Dizziness,23.00,Fatigue,23.00,Headache,
23.00,Nausea,23.00
879066,Pain,23.00,,,,,
879067,Administration site nodule,23.00,Injection site pain,
23.00,Injection site reaction,23.00,Muscle spasms,23.00,Muscle
tightness,23.00
879067,Pain in extremity,23.00,,,,,
879068,Headache,23.10,Injection site pain,23.10,,,,,

879072,Product storage error,23.00,,,,,,,,,
879073,No adverse event,23.00,Product storage error,23.00,,,,,
879075,Herpes zoster,23.00,Ophthalmic herpes zoster,23.00,,,,,
879076,Deafness,23.00,Herpes zoster oticus,23.00,,,,,
879077,Deafness bilateral,23.00,Deafness neurosensory,23.00,,,,,
879078,Blindness,23.00,Neuropathy peripheral,23.00,Pain,23.00,,,,,
879079,Blindness,23.00,Ophthalmic herpes zoster,23.00,,,,,
879080,No adverse event,23.10,Product storage error,23.10,,,,,
879081,Product storage error,23.10,,,,,
879082,No adverse event,23.10,Product storage error,23.10,,,,,
879083,Death,23.00,,,,,
879084,Pyrexia,23.00,,,,,
879085,Hypersensitivity,23.00,,,,,
879086,Injection site cellulitis,23.00,,,,,
879087,Lymphadenopathy,23.10,Rash morbilliform,23.10,,,,,
879088,Rash macular,23.10,,,,,
879090,Injection site pain,23.00,Pallor,23.00,Seizure,23.00,Tremor,
23.00,,
879091,Abdominal pain,23.00,Fatigue,23.00,Impaired work ability,
23.00,Loss of personal independence in daily activities,23.00,Pyrexia,
23.00
879092,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site reaction,23.00,Injection site swelling,
23.00,Pruritus,23.00
879092,Urticaria,23.00,,,,,
879093,Dizziness,23.10,,,,,
879094,Computerised tomogram,23.00,Magnetic resonance imaging,
23.00,Oligodendroglioma,23.00,Seizure,23.00,,
879096,No adverse event,23.10,Product storage error,23.10,,,,,
879097,No adverse event,23.10,Product storage error,23.10,,,,,
879099,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Joint swelling,23.10,Peripheral swelling,23.10
879100,Chills,23.00,Pain,23.00,,,,,
879101,Influenza like illness,23.00,Injection site erythema,
23.00,Vaccination site pain,23.00,Vaccination site warmth,23.00,,
879102,Chills,23.00,Fatigue,23.00,Injection site pain,23.00,Pyrexia,
23.00,,
879103,Injection site pain,23.10,Injection site reaction,
23.10,Injection site swelling,23.10,Rash erythematous,23.10,,
879104,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
879105,Abdominal pain upper,23.00,Asthenia,23.00,Chills,23.00,Malaise,
23.00,Mobility decreased,23.00
879105,Nausea,23.00,Pain,23.00,Pyrexia,23.00,,,,
879106,Appetite disorder,23.10,Pyrexia,23.10,,,,,
879107,Chills,23.00,Immediate post-injection reaction,23.00,Injection
site pain,23.00,Pain,23.00,Pyrexia,23.00
879108,Hypotension,23.10,Seizure,23.10,,,,,
879111,Deafness,23.00,Herpes zoster oticus,23.00,,,,,
879112,Deafness neurosensory,23.00,Deafness unilateral,23.00,Ear

congestion,23.00,,,,,
879113,Herpes zoster,23.00,Rash vesicular,23.00,,,,,,
879114,Herpes zoster,23.00,Post herpetic neuralgia,23.00,Rash,
23.00,Rash erythematous,23.00,,
879115,Product storage error,23.10,,,,,,
879116,Guillain-Barre syndrome,23.00,Vaccination complication,
23.00,,,,,,
879117,Chills,23.00,Confusional state,23.00,Crying,23.00,Decreased
appetite,23.00,Extra dose administered,23.00
879117,Eye swelling,23.00,Headache,23.00,Nausea,23.00,Pain,
23.00,Pyrexia,23.00
879117,Vomiting,23.00,,,,,,
879118,Malaise,23.00,,,,,,
879119,Hepatic enzyme increased,23.00,,,,,,
879120,Hepatic enzyme increased,23.00,,,,,,
879121,Adverse reaction,23.00,,,,,,
879122,Adverse event,23.00,,,,,,
879123,Hypersensitivity,23.00,Rash,23.00,,,,,
879124,Heart rate increased,23.00,,,,,,
879125,Erythema,23.00,Peripheral swelling,23.00,,,,,
879126,Chills,23.00,Paraesthesia,23.00,,,,,
879127,Erythema,23.00,Feeling hot,23.00,Injection site erythema,
23.00,Injection site warmth,23.00,,
879128,Herpes zoster,23.00,Vaccination failure,23.00,,,,,
879129,Chills,23.00,Fatigue,23.00,Headache,23.00,Pyrexia,23.00,Weight
decreased,23.00
879130,Injection site bruising,23.00,,,,,,
879131,Swelling face,23.00,,,,,,
879132,Pyrexia,23.00,Rash,23.00,,,,,
879133,Cellulitis,23.00,Immediate post-injection reaction,23.00,Rash,
23.00,Sepsis,23.00,,
879134,Blood test normal,23.10,Dizziness,23.10,Hip fracture,23.10,Hip
surgery,23.10,Hypotension,23.10
879134,Lip swelling,23.10,Oral discomfort,23.10,Oral mucosal
blistering,23.10,Swelling face,23.10,Swollen tongue,23.10
879134,Urticaria,23.10,Weight decreased,23.10,,,,,
879135,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain in extremity,23.10,,,,
879136,Chills,23.10,Lymphocyte count decreased,23.10,Nausea,
23.10,Swelling face,23.10,White blood cell count,23.10
879137,Injection site rash,23.00,Lymph node pain,23.00,,,,,
879138,Wrong product administered,23.10,,,,,,
879139,Arthralgia,23.00,Back pain,23.00,Chills,23.00,Fatigue,
23.00,Feeling hot,23.00
879139,Feeling of body temperature change,23.00,Headache,23.00,Heart
rate increased,23.00,Hyperhidrosis,23.00,Injection site pain,23.00
879139,Middle insomnia,23.00,Myalgia,23.00,Neck pain,23.00,Pain,
23.00,,
879140,Chills,23.00,Dizziness,23.00,Feeling hot,23.00,Headache,
23.00,Insomnia,23.00

879140, Mobility decreased, 23.00, Musculoskeletal stiffness, 23.00, Neck pain, 23.00, Thirst, 23.00, Vision blurred, 23.00
879141, Chills, 23.10, Eye pain, 23.10, Malaise, 23.10, Movement disorder, 23.10, Tremor, 23.10
879141, Unresponsive to stimuli, 23.10, , , , , , , , , , ,
879142, Decreased appetite, 23.10, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10, ,
879143, Diarrhoea, 23.10, Oral mucosal eruption, 23.10, Pyrexia, 23.10, Rash, 23.10, Rash pruritic, 23.10
879155, No adverse event, 23.00, Product storage error, 23.00, , , , , , , , , , ,
879156, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , , , , ,
879157, Malaise, 23.00, , , , , , , , , , ,
879158, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10, , ,
879159, Chills, 23.00, Fatigue, 23.00, Feeling hot, 23.00, Headache, 23.00, Hypersomnia, 23.00
879159, Lethargy, 23.00, Rash, 23.00, , , , , , , , , , ,
879160, Blood test, 23.10, Pyrexia, 23.10, Transfusion, 23.10, Ultrasound abdomen, 23.10, Vomiting, 23.10
879160, X-ray, 23.10, , , , , , , , , , ,
879161, Impaired work ability, 23.10, , , , , , , , , , , ,
879162, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , , , , ,
879163, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , , , , ,
879164, Injection site erythema, 23.00, Injection site swelling, 23.00, , , , , , , , , , ,
879166, Urticaria, 23.10, , , , , , , , , , , ,
879167, Injection site erythema, 23.10, Injection site swelling, 23.10, Irritability, 23.10, , , , , , , , , , ,
879168, Injection site rash, 23.10, Irritability, 23.10, , , , , , , , , , , ,
879169, Back pain, 23.00, Discomfort, 23.00, Mobility decreased, 23.00, Musculoskeletal pain, 23.00, Neck pain, 23.00
879170, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , , , , , , ,
879171, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site streaking, 23.10, Injection site swelling, 23.10, , ,
879172, Abdominal pain upper, 23.00, Chills, 23.00, Headache, 23.00, Injection site erythema, 23.00, Nausea, 23.00
879172, Pain in extremity, 23.00, Pyrexia, 23.00, Vaccination site swelling, 23.00, , , , , , , , , , ,
879173, Injection site erythema, 23.10, Injection site rash, 23.10, Rash vesicular, 23.10, , , , , , , , , , ,
879175, Deafness bilateral, 23.00, Deafness neurosensory, 23.00, Hypoacusis, 23.00, , , , , , , , , , ,
879176, Immediate post-injection reaction, 23.10, Oral administration complication, 23.10, Vomiting, 23.10, , , , , , , , , , ,
879177, Herpes zoster, 23.00, , , , , , , , , , , , ,
879178, Herpes zoster, 23.00, , , , , , , , , , , , ,
879179, Herpes zoster, 23.00, , , , , , , , , , , , ,

879180,Product storage error,23.10,,,,,,,,,
879181,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,,,,,
879182,Incorrect route of product administration,23.10,,,,,,,,,
879183,Fatigue,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,,
879184,Bone pain,23.00,Injection site pain,23.00,Injection site
reaction,23.00,,,,,
879185,Extra dose administered,23.10,No adverse event,23.10,,,,,,,,,
879186,Pain of skin,23.10,Peripheral swelling,23.10,Skin warm,
23.10,,,,,
879187,Rash,23.10,,,,,,,,,
879188,Crying,23.10,Decreased activity,23.10,Fatigue,23.10,Gait
disturbance,23.10,Injection site swelling,23.10
879188,Pain,23.10,Skin warm,23.10,,,,,,,,,
879189,Face injury,23.00,Fall,23.00,Syncope,23.00,Traumatic tooth
displacement,23.00,,
879190,Disorientation,23.00,Dizziness,23.00,Fall,23.00,Fundoscopy
normal,23.00,Head injury,23.00
879190,Headache,23.00,Skin abrasion,23.00,Swelling,23.00,Syncope,
23.00,Tenderness,23.00
879191,Herpes zoster,23.00,,,,,,,,,
879192,Diarrhoea,23.00,Nausea,23.00,Vomiting,23.00,,,,,
879193,Rash,23.00,,,,,,,,,
879194,Erythema,23.10,Hypersensitivity,23.10,Pain in extremity,
23.10,Pruritus,23.10,Rash,23.10
879194,Skin induration,23.10,Skin warm,23.10,,,,,,,,,
879195,Fatigue,23.00,Headache,23.00,Injection site erythema,
23.00,Myalgia,23.00,Pyrexia,23.00
879195,Vaccination site papule,23.00,Vaccination site swelling,
23.00,Vaccination site warmth,23.00,,,,,
879196,Chills,23.00,Fatigue,23.00,Headache,23.00,,,,,
879197,Fatigue,23.00,Pain,23.00,Pyrexia,23.00,,,,,
879198,Asthenia,23.00,Dysphonia,23.00,Hypoaesthesia,23.00,Pain in
extremity,23.00,Paraesthesia,23.00
879199,Aphonia,23.00,Arthralgia,23.00,Feeding disorder,23.00,Headache,
23.00,Malaise,23.00
879199,Night sweats,23.00,Pyrexia,23.00,Urticaria,23.00,,,,,
879200,Mobility decreased,23.10,Muscle spasms,23.10,,,,,,,,,
879201,Cellulitis,23.00,Influenza like illness,23.00,Malaise,
23.00,Pruritus,23.00,Seborrhoeic keratosis,23.00
879201,Sleep disorder,23.00,,,,,,,,,
879202,Unevaluable event,23.10,,,,,,,,,
879203,Swelling,23.00,Swelling face,23.00,,,,,,,,,
879205,Erythema,23.00,Fatigue,23.00,Pain,23.00,Peripheral swelling,
23.00,Pruritus,23.00
879205,Scab,23.00,,,,,,,,,
879206,Headache,23.10,Injection site pain,23.10,Nausea,23.10,Pyrexia,
23.10,,
879207,Electrocardiogram normal,23.00,Fall,23.00,,,,,,,,,

879208,Injection site swelling,23.00,Pain,23.00,Peripheral swelling,
23.00,Rash erythematous,23.00,Skin warm,23.00
879208,Swelling,23.00,,,,,
879219,Cellulitis,23.00,Local reaction,23.00,,,,,
879220,Injection site cellulitis,23.00,Local reaction,23.00,,,,,
879221,Herpes zoster,23.00,,,,,
879222,No adverse event,23.10,Product storage error,23.10,,,,,
879223,Anxiety,23.00,Bartonella test,23.00,Blood aluminium increased,
23.00,Blood test,23.00,Borrelia test,23.00
879223,Cat scratch disease,23.00,Immunology test,23.00,Insomnia,
23.00,Lyme disease,23.00,Mitochondrial toxicity,23.00
879223,Rash,23.00,,,,,
879224,No adverse event,23.10,Product storage error,23.10,,,,,
879225,Extra dose administered,23.10,No adverse event,23.10,,,,,
879226,Influenza like illness,23.00,,,,,
879227,Pain,23.00,,,,,
879228,Decreased appetite,23.00,Diarrhoea,23.00,Feeling abnormal,
23.00,Immediate post-injection reaction,23.00,Insomnia,23.00
879228,Pyrexia,23.00,,,,,
879229,Influenza like illness,23.00,Vaccine positive rechallenge,
23.00,,,,,
879230,Injection site erythema,23.00,Injection site warmth,23.00,,,,,
879231,No adverse event,23.10,Product preparation issue,23.10,Vaccine
positive rechallenge,23.10,,,,,
879232,No adverse event,23.10,Product storage error,23.10,,,,,
879233,No adverse event,23.10,Product storage error,23.10,,,,,
879234,No adverse event,23.10,Product storage error,23.10,,,,,
879235,No adverse event,23.10,Product storage error,23.10,,,,,
879236,Anaphylactic reaction,23.00,,,,,
879237,Asthenia,23.00,Chills,23.00,Heart rate increased,23.00,Pyrexia,
23.00,,
879238,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
879239,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
879240,Arthritis,23.00,Arthroscopy,23.00,Hypokinesia,23.00,Magnetic
resonance imaging,23.00,Musculoskeletal pain,23.00
879240,Rotator cuff syndrome,23.00,X-ray limb,23.00,,,,,
879241,Injection site bruising,23.00,,,,,
879242,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
879243,Chills,23.00,Headache,23.00,Heart rate increased,23.00,,,,,
879244,Aphasia,23.00,Asthenia,23.00,Balance disorder,23.00,CSF protein
increased,23.00,Cerebral atrophy,23.00
879244,Cognitive disorder,23.00,Computerised tomogram head abnormal,
23.00,Confusional state,23.00,Coordination abnormal,
23.00,Disorientation,23.00
879244,Encephalitis,23.00,Endotracheal intubation,23.00,Fall,
23.00,Herpes zoster,23.00,Herpes zoster meningoencephalitis,23.00
879244,Lethargy,23.00,Lymphocytosis,23.00,Measles,23.00,Mechanical

ventilation,23.00,Mental status changes,23.00
879244,Mobility decreased,23.00,Muscular weakness,23.00,Neuralgia,
23.00,Pain in extremity,23.00,Pyrexia,23.00
879244,Rash,23.00,Restlessness,23.00,Skin lesion,23.00,Tremor,
23.00,Varicella virus test positive,23.00
879245,Rash vesicular,23.00,,,,,,,,,
879246,Herpes zoster,23.00,Inappropriate schedule of product
administration,23.00,,,,,,,,,
879247,Injection site erythema,23.00,Injection site rash,23.00,,,,,,,,,
879248,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,,,,,
879249,Dermatitis contact,23.10,Injection site irritation,
23.10,Injection site pain,23.10,Injection site swelling,
23.10,Injection site urticaria,23.10
879249,Joint swelling,23.10,Pruritus,23.10,,,,,,,,,
879250,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
879251,Rash erythematous,23.10,Rash maculo-papular,23.10,,,,,,,,,
879252,Muscular weakness,23.10,Neuritis,23.10,Radial nerve palsy,
23.10,,,,,
879253,Erythema,23.00,Fatigue,23.00,Peripheral swelling,23.00,Pyrexia,
23.00,,
879254,Ear pain,23.00,Facial pain,23.00,Headache,23.00,Herpes zoster,
23.00,Rash erythematous,23.00
879255,Injection site joint pain,23.00,Pain,23.00,Product administered
at inappropriate site,23.00,,,,,
879256,Flushing,23.10,Hyperhidrosis,23.10,Syncope,23.10,,,,,
879257,Contusion,23.10,Erythema,23.10,Peripheral swelling,23.10,Skin
warm,23.10,,
879258,Wrong product administered,23.10,,,,,,,,,
879259,Malaise,23.00,Paraesthesia oral,23.00,Throat irritation,
23.00,Tremor,23.00,,
879260,No adverse event,23.10,Vaccination error,23.10,,,,,,,,,
879261,Back pain,23.00,Headache,23.00,Nausea,23.00,Neck pain,
23.00,Pyrexia,23.00
879262,Pyrexia,23.10,,,,,,,,,
879263,Abdominal pain upper,23.00,Chills,23.00,Headache,23.00,Nausea,
23.00,Pain,23.00
879263,Pyrexia,23.00,,,,,,,,,
879268,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879270,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879271,Product storage error,23.10,,,,,,,,,
879272,Herpes zoster,23.00,Pain of skin,23.00,Vaccination failure,
23.00,,,,,
879273,Adverse drug reaction,23.00,Incorrect route of product
administration,23.00,Wrong technique in product usage process,
23.00,,,,,
879274,Chills,23.00,Headache,23.00,Heart rate increased,23.00,,,,,
879275,Fatigue,23.00,Injection site pain,23.00,,,,,,,,,
879276,Nerve injury,23.00,,,,,,,,,

879277, Altered state of consciousness, 23.00, Arthritis, 23.00, Biopsy liver, 23.00, Chills, 23.00, Chromaturia, 23.00
879277, Dizziness, 23.00, Dysstasia, 23.00, Erythema, 23.00, Fatigue, 23.00, Hepatic enzyme increased, 23.00
879277, Immobile, 23.00, Induration, 23.00, Influenza like illness, 23.00, Jaundice, 23.00, Nausea, 23.00
879277, Urine analysis, 23.00, , , , , , , , ,
879278, Injection site erythema, 23.00, Injection site pruritus, 23.00, Injection site warmth, 23.00, , , , ,
879279, Diarrhoea, 23.00, Headache, 23.00, Lethargy, 23.00, Myalgia, 23.00, Weight decreased, 23.00
879280, Diarrhoea, 23.00, Headache, 23.00, Lethargy, 23.00, Myalgia, 23.00, Weight decreased, 23.00
879281, Headache, 23.00, Immediate post-injection reaction, 23.00, Lymphadenopathy, 23.00, Pain, 23.00, , ,
879282, Injection site erythema, 23.00, Injection site pain, 23.00, , , , , , , ,
879283, Injection site erythema, 23.00, Injection site inflammation, 23.00, Injection site pain, 23.00, Injection site warmth, 23.00, , ,
879284, Condition aggravated, 23.00, Tinnitus, 23.00, , , , , , , ,
879285, Fatigue, 23.00, Heart rate decreased, 23.00, Myalgia, 23.00, , , , , ,
879286, Injection site warmth, 23.10, Pyrexia, 23.10, , , , , , , ,
879287, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10, , ,
879288, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site reaction, 23.10, Injection site warmth, 23.10, , ,
879289, Vaccination site erythema, 23.10, , , , , , , , ,
879290, Skin warm, 23.10, Urticaria, 23.10, , , , , , , ,
879291, Diarrhoea, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, Sinus disorder, 23.00
879292, No adverse event, 23.00, , , , , , , , ,
879293, Erythema, 23.10, Exposure during pregnancy, 23.10, Injection site erythema, 23.10, Injection site rash, 23.10, Limb mass, 23.10
879293, Pain, 23.10, Rash erythematous, 23.10, Skin warm, 23.10, , , , ,
879294, Blood glucose, 23.10, Hypotonia, 23.10, Immediate post-injection reaction, 23.10, Syncope, 23.10, Unresponsive to stimuli, 23.10
879295, Fatigue, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Pain in extremity, 23.10
879296, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , ,
879297, Stomatitis, 23.00, Urticaria, 23.00, , , , , , , ,
879298, Burning sensation, 23.10, Chills, 23.10, Erythema, 23.10, Fatigue, 23.10, Headache, 23.10
879298, Insomnia, 23.10, Loss of personal independence in daily activities, 23.10, Mobility decreased, 23.10, Myalgia, 23.10, Oedema peripheral, 23.10
879298, Pain in extremity, 23.10, , , , , , , , ,
879307, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
879308, Inappropriate schedule of product administration, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10

879308,Pain,23.10,,,,,,,,,
879309,No adverse event,23.10,Product storage error,23.10,,,,,
879310,No adverse event,23.10,Product storage error,23.10,,,,,
879311,Extra dose administered,23.00,Hepatitis A antibody negative,
23.00,Inappropriate schedule of product administration,23.00,Therapy
non-responder,23.00,,
879312,Impaired work ability,23.00,Reactogenicity event,23.00,,,,,
879313,Myalgia,23.00,,,,,,,,,
879314,Intensive care,23.00,Meningococcal infection,23.00,Vaccination
failure,23.00,,,,,
879315,Body temperature increased,23.00,Fatigue,23.00,Headache,
23.00,Hot flush,23.00,Insomnia,23.00
879315,Myalgia,23.00,,,,,,,,,
879316,Faeces discoloured,23.00,Nausea,23.00,Pain,23.00,,,,,
879317,Chills,23.00,Erythema,23.00,Swelling,23.00,,,,,
879318,Arthralgia,23.00,Fatigue,23.00,Myalgia,23.00,Pyrexia,23.00,,
879319,Herpes zoster,23.00,Pain in extremity,23.00,,,,,
879320,Chills,23.00,Headache,23.00,Malaise,23.00,Pain,23.00,,
879321,Pruritus,23.00,Rash erythematous,23.00,Rash papular,23.00,,,,,
879322,Injection site vesicles,23.00,,,,,,,,,
879323,Allergy to vaccine,23.10,Hypersensitivity,23.10,,,,,
879324,No adverse event,23.10,Product preparation error,23.10,,,,,
879325,No adverse event,23.10,Product storage error,23.10,,,,,
879326,Erythema,23.10,Pain,23.10,Secretion discharge,23.10,Swelling,
23.10,,
879327,Urticaria,23.00,,,,,,,,,
879328,Chills,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site warmth,23.00,Myalgia,23.00
879328,Pyrexia,23.00,Tremor,23.00,,,,,
879329,Chills,23.10,Fatigue,23.10,Influenza like illness,
23.10,Injection site erythema,23.10,Injection site swelling,23.10
879329,Injection site urticaria,23.10,Nausea,23.10,Pain,23.10,Pyrexia,
23.10,,
879330,Arthralgia,23.10,Asthenia,23.10,Chills,23.10,Discomfort,
23.10,Fatigue,23.10
879330,Myalgia,23.10,Pyrexia,23.10,,,,,
879331,Dizziness,23.10,Hypoaesthesia,23.10,Paraesthesia,23.10,,,,,
879334,Product quality issue,23.00,,,,,,,,,
879335,Injection site erythema,23.10,Injection site pain,
23.10,Injection site rash,23.10,Injection site swelling,23.10,,
879336,Expired product administered,23.10,No adverse event,23.10,,,,,
879338,Injection site mass,23.10,Injection site pain,23.10,,,,,
879339,Neuralgia,23.10,Pain in extremity,23.10,,,,,
879340,Incorrect product formulation administered,23.10,Product
preparation issue,23.10,,,,,
879341,Bursitis,23.10,Injected limb mobility decreased,23.10,Injection
site erythema,23.10,Injection site pain,23.10,Injection site swelling,
23.10
879342,Insomnia,23.00,Muscle swelling,23.00,Pain,23.00,Peripheral
swelling,23.00,,

879343,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
879344,Arthralgia,23.10,Body temperature increased,23.10,Decreased
appetite,23.10,Dizziness,23.10,Fatigue,23.10
879344,Headache,23.10,Heart rate increased,23.10,Hyperhidrosis,
23.10,Insomnia,23.10,Myalgia,23.10
879344,Pain,23.10,Thinking abnormal,23.10,,,,,,
879345,Malaise,23.00,Pallor,23.00,,,,,,
879346,Headache,23.00,Musculoskeletal stiffness,23.00,Nausea,
23.00,Pain,23.00,Pyrexia,23.00
879347,Erythema,23.00,Injected limb mobility decreased,
23.00,Peripheral swelling,23.00,Pruritus,23.00,,
879348,Laboratory test,23.00,Lung disorder,23.00,Musculoskeletal
disorder,23.00,Myelitis transverse,23.00,Nervous system disorder,23.00
879348,Wheelchair user,23.00,,,,,,
879349,Dizziness,23.10,Pallor,23.10,Staring,23.10,,,,,
879350,Pain in extremity,23.00,Peripheral swelling,23.00,Vascular test
normal,23.00,,,,,
879351,Decreased appetite,23.00,Diarrhoea,23.00,Dizziness,
23.00,Hyperhidrosis,23.00,Hypoaesthesia,23.00
879351,Nausea,23.00,Pain in extremity,23.00,Retching,23.00,Vomiting,
23.00,,
879352,Abdominal pain upper,23.00,Arthralgia,23.00,Headache,
23.00,Muscle twitching,23.00,Myalgia,23.00
879353,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
879354,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
879355,Loss of consciousness,23.00,,,,,,
879356,Erythema,23.10,Peripheral swelling,23.10,Tenderness,23.10,,,,,
879357,Chills,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,Vomiting,
23.00
879358,Hypersensitivity,23.00,Injection site swelling,
23.00,Lymphadenopathy,23.00,,,,,
879359,Chest discomfort,23.10,Dizziness,23.10,,,,,,
879360,Expired product administered,23.10,No adverse event,23.10,,,,,,
879361,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,
879362,Expired product administered,23.10,No adverse event,23.10,,,,,,
879363,Injection site erythema,23.10,,,,,,
879364,Pain in extremity,23.10,,,,,,
879365,Decreased appetite,23.00,Headache,23.00,Influenza like illness,
23.00,Myalgia,23.00,,
879366,Extra dose administered,23.00,,,,,,
879367,Varicella post vaccine,23.10,,,,,,
879368,Urticaria,23.00,,,,,,
879369,Mouth swelling,23.00,Pharyngeal swelling,23.00,,,,,,
879370,Dyskinesia,23.00,Hypotonia,23.00,Loss of consciousness,
23.00,Memory impairment,23.00,Unresponsive to stimuli,23.00
879371,Abdominal pain upper,23.00,Chills,23.00,Myalgia,23.00,Nausea,

23.00,Pyrexia,23.00
879372,Rash,23.00,Skin irritation,23.00,,,,,
879373,Chills,23.00,Discomfort,23.00,Headache,23.00,Influenza like
illness,23.00,Insomnia,23.00
879373,Nausea,23.00,Pain,23.00,Pain in extremity,23.00,Somnolence,
23.00,,
879374,Pain in extremity,23.00,Peripheral swelling,23.00,,,,,
879375,Cough,23.00,Hypertension,23.00,Pruritus,23.00,,,,,
879376,Chiropractic,23.00,Pain in extremity,23.00,,,,,
879377,Erythema,23.00,,,,,
879378,Injection site pain,23.10,,,,,
879379,Lethargy,23.00,Nausea,23.00,Pain,23.00,Pain in extremity,
23.00,Pyrexia,23.00
879386,Product administered to patient of inappropriate age,
23.00,,,,,
879387,Product storage error,23.00,,,,,
879388,Product storage error,23.10,,,,,
879389,Product storage error,23.10,,,,,
879390,Inappropriate schedule of product administration,23.00,,,,,
879391,Herpes zoster,23.00,,,,,
879392,Expired product administered,23.10,No adverse event,23.10,,,,,
879393,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Rash,23.10,Tenderness,23.10
879394,Product storage error,23.10,,,,,
879395,Product storage error,23.10,,,,,
879396,Expired product administered,23.10,No adverse event,23.10,,,,,
879397,Expired product administered,23.10,No adverse event,23.10,,,,,
879398,Expired product administered,23.10,,,,,
879399,Influenza,23.00,Vaccination failure,23.00,,,,,
879400,Injection site erythema,23.00,,,,,
879401,Allergy to vaccine,23.00,Guillain-Barre syndrome,
23.00,Hypoaesthesia,23.00,Milk allergy,23.00,Nerve injury,23.00
879401,Paralysis,23.00,Prostatic disorder,23.00,,,,,
879403,Loss of consciousness,23.00,,,,,
879404,Headache,23.00,Viral infection,23.00,,,,,
879405,No adverse event,23.10,Product storage error,23.10,,,,,
879406,No adverse event,23.10,Product storage error,23.10,,,,,
879407,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
879408,No adverse event,23.10,Product preparation issue,23.10,,,,,
879409,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
879410,Fatigue,23.00,Influenza virus test negative,23.00,Malaise,
23.00,Pyrexia,23.00,,
879411,Expired product administered,23.10,No adverse event,23.10,,,,,
879412,Expired product administered,23.10,No adverse event,23.10,,,,,
879414,Injection site erythema,23.10,Injection site swelling,
23.10,Irritability,23.10,,,,,
879415,No adverse event,23.10,Wrong product administered,23.10,,,,,
879416,Chest discomfort,23.10,Electrocardiogram,23.10,Pruritus,

23.10,Urticaria,23.10,,
879417,Hypoaesthesia,23.00,Paraesthesia,23.00,,,,,
879418,Dyspnoea,23.00,Hypoaesthesia,23.00,Nasal congestion,23.00,Pain,
23.00,,
879419,Acoustic stimulation tests,23.00,Deafness,23.00,Tinnitus,
23.00,,,,,
879420,Expired product administered,23.10,No adverse event,23.10,,,,,
879421,Injection site joint pain,23.10,Injection site pain,23.10,Pain,
23.10,X-ray limb normal,23.10,,
879422,Syncope,23.10,,,,,
879423,Chest X-ray normal,23.10,Pyrexia,23.10,Rash,23.10,SARS-CoV-2
test negative,23.10,Urine analysis normal,23.10
879424,Injection site erythema,23.00,Vaccination complication,
23.00,,,,,
879425,Pyrexia,23.10,Rash,23.10,Rash erythematous,23.10,,,,,
879426,Injection site erythema,23.10,Injection site pain,
23.10,Pyrexia,23.10,,,,,
879427,Extra dose administered,23.10,,,,,
879428,Cellulitis,23.10,,,,,
879430,Fatigue,23.10,Headache,23.10,Injection site pain,23.10,Pyrexia,
23.10,Rash,23.10
879431,Pruritus,23.10,Urticaria,23.10,,,,,
879436,Therapeutic response decreased,23.00,,,,,
879437,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,
879438,Fatigue,23.00,Pain,23.00,,,,,
879439,Immediate post-injection reaction,23.00,Injection site
haemorrhage,23.00,Underdose,23.00,,,,,
879440,Hypoaesthesia,23.00,Inappropriate schedule of product
administration,23.00,Pain in extremity,23.00,Paraesthesia,23.00,,
879441,Dry mouth,23.00,Fatigue,23.00,Incomplete course of vaccination,
23.00,Lichen planus,23.00,Pain in extremity,23.00
879442,Rash,23.00,Rash papular,23.00,,,,,
879443,Tinnitus,23.00,,,,,
879444,Cardiovascular disorder,23.00,Fatigue,23.00,Incomplete course
of vaccination,23.00,,,,,
879445,Injection site pain,23.00,Musculoskeletal pain,23.00,Pain,
23.00,Pain in extremity,23.00,,
879446,Diarrhoea,23.10,Irritability,23.10,Rotavirus test positive,
23.10,,,,,
879447,Erythema,23.10,Pain,23.10,Skin warm,23.10,Swelling,23.10,,
879448,Parotitis,23.10,Pyrexia,23.10,Swelling face,23.10,,,,,
879449,Nausea,23.00,Nervousness,23.00,Pallor,23.00,,,,,
879450,Underdose,23.10,,,,,
879451,Chills,23.10,Pyrexia,23.10,,,,,
879452,Chills,23.00,Nausea,23.00,Pyrexia,23.00,Vomiting,23.00,,
879453,Immediate post-injection reaction,23.00,Syncope,23.00,,,,,
879455,Headache,23.10,Hypoaesthesia,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Paraesthesia,23.10
879457,Injection site erythema,23.00,Injection site pain,

23.00,Injection site warmth,23.00,,,,,
879464,No adverse event,23.10,Product storage error,23.10,,,,,
879465,Hypoaesthesia,23.00,Inappropriate schedule of product
administration,23.00,Incomplete course of vaccination,23.00,Pain in
extremity,23.00,Paraesthesia,23.00
879466,Axillary pain,23.00,Loss of personal independence in daily
activities,23.00,Mobility decreased,23.00,Nerve injury,
23.00,Neuralgia,23.00
879466,Pain,23.00,Pain in extremity,23.00,Rash,23.00,Sleep disorder,
23.00,,
879467,Oropharyngeal pain,23.00,,,,,
879468,Asthenia,23.00,Chills,23.00,Dizziness,23.00,Heart rate
increased,23.00,Injection site mass,23.00
879468,Injection site nodule,23.00,Injection site pain,23.00,Injection
site swelling,23.00,Injection site warmth,23.00,Pain,23.00
879469,Malaise,23.00,,,,,
879470,Injection site mass,23.00,Injection site nodule,23.00,Injection
site pain,23.00,Injection site swelling,23.00,,
879471,Neuropathy peripheral,23.00,Swelling,23.00,,,,,
879472,Injection site discolouration,23.00,Injection site rash,
23.00,,,,,
879473,Feeling hot,23.00,Injection site swelling,23.00,Nausea,
23.00,Swelling,23.00,Tenderness,23.00
879474,Inappropriate schedule of product administration,
23.10,Laboratory test,23.10,No adverse event,23.10,,,,,
879475,Complication of delivery,23.00,Delivery,23.00,Exposure during
pregnancy,23.00,Face presentation,23.00,Streptococcus test negative,
23.00
879478,Dizziness,23.00,Immediate post-injection reaction,23.00,,,,,
879479,Injection site reaction,23.10,Varicella post vaccine,
23.10,,,,,
879482,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
879483,No adverse event,23.10,Underdose,23.10,,,,,
879484,Syncope,23.00,Urticaria,23.00,,,,,
879486,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
879487,Expired product administered,23.10,No adverse event,23.10,,,,,
879488,Erythema,23.10,Injection site induration,23.10,Pyrexia,
23.10,Skin warm,23.10,,
879489,Coating in mouth,23.10,Dysgeusia,23.10,Heart rate increased,
23.10,Throat irritation,23.10,,
879490,Pruritus,23.00,Urticaria,23.00,,,,,
879491,Injection site erythema,23.10,Injection site induration,
23.10,,,,,
879492,Headache,23.00,Lethargy,23.00,Myalgia,23.00,Neck pain,23.00,,
879493,Hypoaesthesia,23.10,Muscle spasms,23.10,Paraesthesia,23.10,,,,,
879494,Unevaluable event,23.10,,,,,
879497,Injection site rash,23.10,,,,,

879498, Injection site erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, , , , ,
879499, Asthenia, 23.00, Chills, 23.00, Malaise, 23.00, Myalgia, 23.00, Pyrexia, 23.00
879499, Somnolence, 23.00, , , , , , , , , , ,
879500, Cellulitis, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , ,
879501, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
879502, Biopsy skin, 23.10, Rash, 23.10, Rash pruritic, 23.10, , , , ,
879503, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00, , , , , ,
879504, Aspartate aminotransferase increased, 23.00, Blood creatine phosphokinase increased, 23.00, Burning sensation, 23.00, Computerised tomogram normal, 23.00, Full blood count, 23.00
879504, Head discomfort, 23.00, Hyperaesthesia, 23.00, Hypoaesthesia, 23.00, Magnetic resonance imaging brain normal, 23.00, Metabolic function test normal, 23.00
879504, Paraesthesia, 23.00, Visual impairment, 23.00, , , , , , , , , , ,
879505, Erythema, 23.00, Feeling hot, 23.00, Induration, 23.00, Paraesthesia, 23.00, Swelling, 23.00
879506, Muscular weakness, 23.00, , , , , , , , , , ,
879507, Fatigue, 23.00, , , , , , , , , , ,
879508, Chills, 23.00, Injection site erythema, 23.00, Injection site induration, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00
879508, Pain, 23.00, , , , , , , , , , ,
879509, Fall, 23.00, Syncope, 23.00, , , , , , , , , , ,
879510, Rash, 23.10, Rash pruritic, 23.10, Rash vesicular, 23.10, , , , , ,
879511, Dyspnoea, 23.00, Fatigue, 23.00, Insomnia, 23.00, Nausea, 23.00, Pain, 23.00
879512, Injected limb mobility decreased, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , ,
879513, Myalgia, 23.00, Pain in extremity, 23.00, , , , , , , , , , ,
879514, Haemorrhage, 23.00, Injection site urticaria, 23.00, Venous injury, 23.00, , , , , ,
879515, Discomfort, 23.00, Hypersensitivity, 23.00, , , , , , , , , , ,
879516, Abnormal behaviour, 23.10, Dark circles under eyes, 23.10, Diarrhoea, 23.10, Erythema, 23.10, Lid sulcus deepened, 23.10
879516, Pyrexia, 23.10, Urticaria, 23.10, , , , , , , , , , ,
879517, Muscular weakness, 23.00, , , , , , , , , , ,
879518, Erythema, 23.10, Injection site swelling, 23.10, Nasal congestion, 23.10, Pyrexia, 23.10, Rash morbilliform, 23.10
879519, Decreased appetite, 23.10, Dizziness, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Nausea, 23.10
879519, Pain, 23.10, Pyrexia, 23.10, , , , , , , , , , ,
879520, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Immediate post-injection reaction, 23.10
879520, Myalgia, 23.10, Pyrexia, 23.10, , , , , , , , , , ,
879521, No adverse event, 23.00, Wrong product administered, 23.00, , , , , , , , , , ,
879522, Dizziness, 23.00, Fall, 23.00, General physical condition abnormal,

23.00,Heart rate decreased,23.00,Loss of consciousness,23.00
879522,Nausea,23.00,Syncope,23.00,,,,,
879523,Fatigue,23.00,Headache,23.00,Influenza like illness,23.00,Pain,
23.00,Pyrexia,23.00
879524,Limb mass,23.00,Peripheral swelling,23.00,,,,,
879525,Injection site erythema,23.10,Irritability,23.10,Vaccination
site mass,23.10,Vaccination site pain,23.10,,
879526,Arthralgia,23.00,Dizziness,23.00,Fatigue,23.00,Myalgia,
23.00,Nausea,23.00
879526,Pain in extremity,23.00,,,,,
879527,Injection site erythema,23.00,Injection site swelling,
23.00,Rash erythematous,23.00,Rash pruritic,23.00,,
879528,Loss of consciousness,23.10,Syncope,23.10,,,,,
879529,Limb discomfort,23.00,Pain in extremity,23.00,Palpitations,
23.00,,,,,
879530,Erythema,23.10,,,,,
879531,Injection site reaction,23.00,Rash papular,23.00,,,,,
879532,Dermatitis acneiform,23.10,Erythema,23.10,Feeling hot,
23.10,Joint swelling,23.10,Pain,23.10
879532,Peripheral swelling,23.10,,,,,
879533,Rash vesicular,23.00,,,,,
879534,Abdominal discomfort,23.00,Blood glucose normal,
23.00,Gastroesophageal reflux disease,23.00,Incontinence,23.00,Loss
of consciousness,23.00
879534,Muscle twitching,23.00,Posture abnormal,23.00,Unresponsive to
stimuli,23.00,,,,,
879535,Chills,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain,
23.00
879535,Pyrexia,23.00,,,,,
879536,Arthralgia,23.10,Body temperature increased,23.10,Head
discomfort,23.10,Injection site reaction,23.10,Injection site
urticaria,23.10
879536,Muscle spasms,23.10,Nausea,23.10,Pain in jaw,23.10,Urticaria,
23.10,Vertigo,23.10
879536,Vision blurred,23.10,,,,,
879537,Cellulitis,23.00,Erythema,23.00,Skin warm,23.00,Swelling,
23.00,,
879538,Lymph node pain,23.00,Pyrexia,23.00,,,,,
879539,Fatigue,23.00,Pain,23.00,Pruritus,23.00,Urticaria,23.00,,
879540,Limb discomfort,23.10,Pain,23.10,,,,,
879541,Injection site swelling,23.00,Injection site vesicles,
23.00,,,,,
879542,Arthralgia,23.10,Arthritis,23.10,Blood test,23.10,Joint
swelling,23.10,Muscular weakness,23.10
879542,Myalgia,23.10,,,,,
879543,Diarrhoea,23.00,Hypoaesthesia,23.00,Injection site
hypoaesthesia,23.00,Oropharyngeal pain,23.00,,
879544,Extra dose administered,23.00,No adverse event,23.00,,,,,
879545,Chills,23.00,Insomnia,23.00,Lethargy,23.00,Malaise,
23.00,Pyrexia,23.00

879546,Disturbance in attention,23.10,Fatigue,23.10,Feeling abnormal,
23.10,Injection site erythema,23.10,Injection site inflammation,23.10
879546,Injection site pain,23.10,Injection site reaction,
23.10,Injection site warmth,23.10,Rash papular,23.10,,
879547,Injection site erythema,23.00,Injection site induration,
23.00,Injection site swelling,23.00,Pyrexia,23.00,,
879548,Body temperature increased,23.00,Gingival disorder,
23.00,Gingival erythema,23.00,Gingival pain,23.00,Lymph node pain,
23.00
879548,Pain,23.00,Pain in jaw,23.00,,,,,
879549,Chills,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Pyrexia,23.00
879550,Fatigue,23.00,Influenza like illness,23.00,Pain,23.00,Rash
erythematous,23.00,,
879551,Injection site haemorrhage,23.00,Syringe issue,23.00,,,,,
879552,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,
879553,Arthralgia,23.00,Lip swelling,23.00,,,,,
879554,Injection site swelling,23.00,Lip swelling,23.00,,,,,
879555,Injection site urticaria,23.00,Injection site warmth,
23.00,,,,,
879556,CSF glucose normal,23.00,CSF lymphocyte count normal,23.00,CSF
protein increased,23.00,CSF red blood cell count positive,23.00,CSF
test normal,23.00
879556,CSF white blood cell count increased,23.00,Chills,
23.00,Encephalopathy,23.00,Mental status changes,23.00,Polymerase
chain reaction,23.00
879556,Pyrexia,23.00,Somnolence,23.00,,,,,
879557,Abdominal pain upper,23.00,Chills,23.00,Diarrhoea,
23.00,Headache,23.00,Nausea,23.00
879557,Pyrexia,23.00,,,,,
879558,Dizziness,23.00,,,,,
879559,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
879560,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
879561,Dermatitis acneiform,23.10,Rash erythematous,23.10,,,,,
879562,Musculoskeletal pain,23.00,Pyrexia,23.00,,,,,
879563,Rash,23.10,,,,,
879564,Urticaria,23.00,,,,,
879565,Body temperature increased,23.10,Chills,23.10,Gastrointestinal
disorder,23.10,Hyperhidrosis,23.10,Injection site erythema,23.10
879565,Injection site pain,23.10,Lethargy,23.10,Nausea,23.10,Pain in
extremity,23.10,Vertigo,23.10
879566,Asthenia,23.10,Condition aggravated,23.10,Fatigue,
23.10,Injection site erythema,23.10,Injection site swelling,23.10
879566,Migraine,23.10,Myalgia,23.10,Nausea,23.10,,,,
879567,Blood glucose increased,23.00,Fatigue,23.00,Headache,
23.00,Injection site erythema,23.00,Injection site pain,23.00
879567,Injection site swelling,23.00,Pyrexia,23.00,,,,,
879568,Defaecation urgency,23.00,Diarrhoea,23.00,,,,,

879569,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site urticaria,
23.00,Injection site warmth,23.00
879570,Chills,23.00,Fatigue,23.00,Headache,23.00,Lymph node pain,
23.00,Lymphadenopathy,23.00
879570,Pain,23.00,Pain in extremity,23.00,,,,,
879571,Adverse drug reaction,23.00,Biopsy skin abnormal,23.00,Chest
discomfort,23.00,Erythema,23.00,Pruritus,23.00
879571,Rash vesicular,23.00,Skin haemorrhage,23.00,Skin ulcer,
23.00,Weight increased,23.00,,
879572,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Skin warm,23.10,,
879574,Chills,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Myalgia,23.00
879574,Pyrexia,23.00,,,,,
879575,Fatigue,23.10,Headache,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10
879575,Injection site warmth,23.10,Pyrexia,23.10,,,,,
879576,Pain in extremity,23.10,,,,,
879577,Abdominal pain upper,23.00,Chills,23.00,Headache,
23.00,Injection site erythema,23.00,Injection site swelling,23.00
879577,Myalgia,23.00,Nasopharyngitis,23.00,Pyrexia,23.00,,,,
879578,Injection site rash,23.10,Injection site swelling,23.10,,,,,
879579,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
879580,Decreased activity,23.00,Fatigue,23.00,Feeling hot,
23.00,Insomnia,23.00,Myalgia,23.00
879580,Pain in extremity,23.00,,,,,
879581,Fatigue,23.00,Injection site swelling,23.00,Insomnia,23.00,Pain
in extremity,23.00,,
879582,Urticaria,23.00,,,,,
879583,Erythema,23.00,Feeling hot,23.00,Pain,23.00,,,,
879584,Dizziness,23.00,Hypoaesthesia,23.00,Limb discomfort,23.00,Pain
in extremity,23.00,Vision blurred,23.00
879585,Erythema,23.00,Peripheral swelling,23.00,Pyrexia,23.00,Skin
warm,23.00,,
879586,Hypersomnia,23.10,Nausea,23.10,Pyrexia,23.10,Rash,
23.10,Vaccination complication,23.10
879586,Vomiting,23.10,,,,,
879587,Appetite disorder,23.10,Crying,23.10,Decreased interest,
23.10,Diarrhoea,23.10,Fatigue,23.10
879587,Lethargy,23.10,Pyrexia,23.10,Somnolence,23.10,Streptococcus
test negative,23.10,Vomiting,23.10
879594,Exposure during pregnancy,23.00,,,,,
879595,Discomfort,23.10,Urticaria,23.10,,,,,
879596,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
879597,No adverse event,23.00,Product storage error,23.00,,,,,
879598,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
879599,Incorrect route of product administration,23.10,No adverse

event,23.10,,,,,,
879600,Exposure during pregnancy,23.00,No adverse event,23.00,,,,,,
879601,No adverse event,23.10,Product storage error,23.10,,,,,,
879602,Expired product administered,23.10,,,,,,
879603,Inappropriate schedule of product administration,23.10,,,,,,
879604,Injection site macule,23.10,Injection site swelling,
23.10,Product administered at inappropriate site,23.10,Pruritus,
23.10,Varicella,23.10
879605,Gait disturbance,23.00,Malaise,23.00,Pyrexia,23.00,Vaccination
complication,23.00,,
879606,Musculoskeletal pain,23.00,Pain in extremity,23.00,,,,,
879607,Headache,23.00,Oropharyngeal pain,23.00,,,,,
879608,Rash,23.00,,,,,,
879609,Feeling abnormal,23.00,Incomplete course of vaccination,
23.00,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00
879610,Rash,23.00,,,,,,
879611,Inappropriate schedule of product administration,
23.00,Incomplete course of vaccination,23.00,,,,,
879612,Expired product administered,23.10,,,,,,
879613,Wrong product administered,23.10,,,,,,
879614,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
879615,Expired product administered,23.10,No adverse event,23.10,,,,,
879616,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,
879617,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Nausea,23.10,Pain,23.10
879617,Pyrexia,23.10,,,,,,
879620,Off label use,23.10,,,,,,
879621,Herpes zoster,23.00,Pain,23.00,,,,,
879622,Expired product administered,23.10,No adverse event,23.10,,,,,
879623,Chills,23.00,Feeling cold,23.00,Headache,23.00,Myalgia,
23.00,Nausea,23.00
879623,Pyrexia,23.00,Vision blurred,23.00,Vomiting,23.00,,,,
879624,Chills,23.00,Feeling abnormal,23.00,Lethargy,23.00,Malaise,
23.00,Mobility decreased,23.00
879624,Muscle spasms,23.00,Musculoskeletal stiffness,23.00,Nausea,
23.00,Pain,23.00,Pain in extremity,23.00
879625,Cellulitis,23.00,Erythema,23.00,Peripheral swelling,23.00,,,,
879626,Cough,23.10,Dyspnoea,23.10,Oxygen therapy,23.10,Urticaria,
23.10,Vomiting,23.10
879626,Wheezing,23.10,,,,,,
879627,Erythema,23.00,Pain in extremity,23.00,Tenderness,23.00,,,,
879628,Rash,23.10,,,,,,
879629,Wrong product administered,23.10,,,,,,
879630,Lethargy,23.10,Pain in extremity,23.10,Sleep disorder,23.10,,,,
879631,Chills,23.10,Fatigue,23.10,Headache,23.10,Hyperhidrosis,
23.10,Pain,23.10
879631,Vomiting,23.10,,,,,,

879632,Cough,23.00,Dizziness,23.00,Incomplete course of vaccination,
23.00,Injection site erythema,23.00,Injection site pruritus,23.00
879632,Injection site swelling,23.00,Ligament disorder,23.00,Nausea,
23.00,Pharyngeal swelling,23.00,Sneezing,23.00
879632,Somnolence,23.00,Vaccination complication,23.00,,,,,
879633,Musculoskeletal stiffness,23.00,Neck pain,23.00,Pain in
extremity,23.00,,,,,
879634,Injection site urticaria,23.10,Urticaria,23.10,,,,,
879635,Injection site erythema,23.10,Injection site induration,
23.10,Injection site swelling,23.10,Rash erythematous,23.10,Rash
macular,23.10
879636,Dizziness,23.00,Erythema,23.00,Pain,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00
879636,Skin warm,23.00,Vomiting,23.00,,,,,
879637,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Malaise,23.00,,
879638,Headache,23.10,Neck pain,23.10,,,,,
879640,Expired product administered,23.00,No adverse event,23.00,,,,,
879641,Product storage error,23.10,,,,,
879642,Interchange of vaccine products,23.10,No adverse event,
23.10,,,,,
879643,Seizure,23.00,,,,,
879644,Chills,23.00,Coronavirus infection,23.00,Laboratory test
normal,23.00,Malaise,23.00,Pain in extremity,23.00
879644,Vaccination complication,23.00,,,,,
879645,Adverse drug reaction,23.00,Incorrect route of product
administration,23.00,,,,,
879646,Expired product administered,23.10,No adverse event,23.10,,,,,
879647,Dizziness,23.00,Eye irritation,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Loss of consciousness,23.00
879647,Malaise,23.00,Nausea,23.00,Palpitations,23.00,,,,,
879648,Asthenia,23.00,Back pain,23.00,Fatigue,23.00,Nausea,23.00,,
879649,"Hallucination, auditory",23.00,"Hallucination, visual",
23.00,,,,,
879650,No adverse event,23.10,,,,,
879651,Injection site erythema,23.10,Injection site swelling,
23.10,Skin warm,23.10,,,,,
879652,Injection site rash,23.10,Rash papular,23.10,Urticaria,
23.10,,,,,
879653,Abscess drainage,23.10,Axillary pain,23.10,Breast abscess,
23.10,Breast pain,23.10,Diagnostic aspiration,23.10
879653,Mammogram abnormal,23.10,Pasteurella test positive,
23.10,Swelling,23.10,Tenderness,23.10,Ultrasound breast abnormal,23.10
879654,Injected limb mobility decreased,23.00,Injection site pain,
23.00,Nausea,23.00,Pyrexia,23.00,Rash erythematous,23.00
879654,Vomiting,23.00,,,,,
879655,Pain,23.00,Pyrexia,23.00,,,,,
879662,Incorrect route of product administration,23.10,,,,,
879663,Product storage error,23.10,,,,,
879664,Expired product administered,23.10,No adverse event,23.10,,,,,

879665, Erythema, 23.00, Induration, 23.00, Malaise, 23.00, Peripheral swelling, 23.00,,
879666, Neuropathy peripheral, 23.00, Pain in extremity, 23.00,,,,,
879667, Cellulitis, 23.00, Injection site erythema, 23.00, Injection site injury, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00
879667, Scratch, 23.00,,,,,
879668, Abdominal discomfort, 23.00, Abdominal distension, 23.00, Anaemia, 23.00, Arthralgia, 23.00, Biopsy skin abnormal, 23.00
879668, Blood glucose decreased, 23.00, Blood potassium increased, 23.00, Blood pressure increased, 23.00, Blood test, 23.00, Blood uric acid normal, 23.00
879668, Chills, 23.00, Condition aggravated, 23.00, Dry eye, 23.00, Dyspepsia, 23.00, Eructation, 23.00
879668, Fatigue, 23.00, Feeling abnormal, 23.00, Flatulence, 23.00, Headache, 23.00, Hypothyroidism, 23.00
879668, Inflammation, 23.00, Joint swelling, 23.00, Laboratory test abnormal, 23.00, Limb mass, 23.00, Lymph node pain, 23.00
879668, Muscle spasms, 23.00, Neck pain, 23.00, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
879668, Platelet count decreased, 23.00, Post thrombotic syndrome, 23.00, Pyrexia, 23.00, Renal impairment, 23.00, Scan normal, 23.00
879668, Tooth disorder, 23.00, Toothache, 23.00, Ultrasound scan normal, 23.00, Viral infection, 23.00, Vomiting, 23.00
879668, White blood cell count decreased, 23.00,,,,,
879669, Rash vesicular, 23.00,,,,,
879670, Influenza like illness, 23.10,,,,,
879671, Face presentation, 23.00, Foetal exposure during pregnancy, 23.00,,,,,
879672, Antibody test negative, 23.00, Back pain, 23.00, Chest X-ray normal, 23.00, Crying, 23.00, Gait inability, 23.00
879672, Musculoskeletal pain, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00, Reticulocyte percentage increased, 23.00,,
879673, Dizziness, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Syncope, 23.00,,
879674, Arthralgia, 23.10, Nausea, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, Skin warm, 23.10
879675, Urticaria, 23.10,,,,,
879676, Inflammation, 23.00, Injection site inflammation, 23.00, Injection site streaking, 23.00, Pain in extremity, 23.00,,
879677, Pruritus, 23.00,,,,,
879678, Asthenia, 23.10, Chills, 23.10, Malaise, 23.10, Pyrexia, 23.10,,
879679, Vomiting, 23.10,,,,,
879680, Injection site vesicles, 23.10,,,,,
879681, Cellulitis, 23.10, Inflammation, 23.10, Injection site rash, 23.10,,,,
879682, Blister, 23.10, Herpes zoster, 23.10, Pain, 23.10, Pruritus, 23.10,,
879683, Breast pain, 23.10, Chest discomfort, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10
879683, Injection site pain, 23.10, Magnetic resonance imaging breast normal, 23.10,,,,,

879684, Ageusia, 23.10, Anosmia, 23.10, Computerised tomogram, 23.10, Dizziness, 23.10, Headache, 23.10
879684, Magnetic resonance imaging, 23.10, Malaise, 23.10, Nausea, 23.10, Neck pain, 23.10, Somnolence, 23.10
879684, X-ray, 23.10, , , , , , , , ,
879689, Anaphylactic reaction, 23.00, Dizziness, 23.00, Dyspnoea, 23.00, Feeling hot, 23.00, Nausea, 23.00
879689, Palpitations, 23.00, Vertigo, 23.00, , , , , , , , ,
879690, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
879691, Discomfort, 23.10, Extensive swelling of vaccinated limb, 23.10, Injection site pain, 23.10, Pruritus, 23.10, , ,
879692, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
879693, Expired product administered, 23.00, No adverse event, 23.00, , , , , , , , ,
879694, Product administered to patient of inappropriate age, 23.10, , , , , , , , , ,
879695, Aversion, 23.00, Condition aggravated, 23.00, Obsessive-compulsive disorder, 23.00, , , , , , , , , ,
879696, Injected limb mobility decreased, 23.00, , , , , , , , , , ,
879697, Inappropriate schedule of product administration, 23.10, , , , , , , , , , ,
879698, Dizziness, 23.00, Fall, 23.00, Head injury, 23.00, Loss of consciousness, 23.00, Pallor, 23.00
879698, Syncope, 23.00, , , , , , , , , , ,
879699, Chills, 23.00, Fatigue, 23.00, Injection site erythema, 23.00, Injection site pain, 23.00, Injection site reaction, 23.00
879699, Injection site warmth, 23.00, Nausea, 23.00, Pain in extremity, 23.00, Poor quality sleep, 23.00, Pyrexia, 23.00
879699, Rash, 23.00, Rash maculo-papular, 23.00, , , , , , , , , , ,
879700, Dizziness, 23.00, Fatigue, 23.00, Vomiting, 23.00, , , , , , , , , , ,
879701, Headache, 23.00, Injection site rash, 23.00, Nausea, 23.00, Pyrexia, 23.00, , ,
879702, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10, Skin warm, 23.10, Tenderness, 23.10
879703, Expired product administered, 23.10, , , , , , , , , , ,
879704, Lymphadenopathy, 23.00, , , , , , , , , , , ,
879705, Loss of consciousness, 23.00, Syncope, 23.00, , , , , , , , , , ,
879706, Cellulitis, 23.00, , , , , , , , , , , ,
879707, Injected limb mobility decreased, 23.00, Injection site warmth, 23.00, Middle insomnia, 23.00, Pain, 23.00, Pain in extremity, 23.00
879708, Rash, 23.00, , , , , , , , , , , ,
879709, Peripheral swelling, 23.00, , , , , , , , , , , ,
879710, Injection site reaction, 23.00, Injection site warmth, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, , ,
879711, Decreased appetite, 23.00, Influenza like illness, 23.00, Lethargy, 23.00, Myalgia, 23.00, Nausea, 23.00
879711, Oral herpes, 23.00, , , , , , , , , , , ,
879712, Hypersensitivity, 23.00, Urticaria, 23.00, , , , , , , , , , ,
879713, Injection site pain, 23.00, Injection site reaction, 23.00, Pyrexia, 23.00, Rash macular, 23.00, , ,
879714, Erythema, 23.00, Peripheral swelling, 23.00, , , , , , , , , , ,
879715, Enema administration, 23.00, Intussusception, 23.00, Lethargy, ,

23.00,Procedural failure,23.00,Small intestinal resection,23.00
879715,Ultrasound abdomen abnormal,23.00,Vomiting,23.00,,,,,
879716,Asthenia,23.00,Chills,23.00,Decreased appetite,23.00,Fatigue,
23.00,Headache,23.00
879716,Injection site pain,23.00,Malaise,23.00,Nausea,23.00,Pyrexia,
23.00,,
879717,Lip pruritus,23.00,Lip swelling,23.00,Pruritus,23.00,Swelling,
23.00,,
879718,Decreased appetite,23.00,Fatigue,23.00,Nodule,23.00,Pyrexia,
23.00,,
879719,Mobility decreased,23.00,Musculoskeletal pain,23.00,Neck pain,
23.00,Pain in extremity,23.00,Pruritus,23.00
879720,Rash,23.00,,,,,
879721,Tinnitus,23.00,,,,,
879722,Cold sweat,23.10,Flushing,23.10,Hyporesponsive to stimuli,
23.10,Mydriasis,23.10,Pallor,23.10
879723,Injection site swelling,23.10,Pyrexia,23.10,Tinnitus,23.10,,,,,
879724,Chest discomfort,23.10,Condition aggravated,23.10,Decreased
appetite,23.10,Diarrhoea,23.10,Dizziness,23.10
879724,Dyspnoea,23.10,Headache,23.10,Nausea,23.10,Pain,
23.10,Presyncope,23.10
879724,Pyrexia,23.10,Rash erythematous,23.10,,,,,
879725,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
879725,Pyrexia,23.00,,,,,
879726,Injection site pain,23.00,Injection site rash,23.00,,,,,
879738,Exposure via eye contact,23.10,Product container issue,
23.10,,,,,
879739,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
879740,Herpes zoster,23.00,Post herpetic neuralgia,23.00,,,,,
879742,Malaise,23.00,,,,,
879743,Fatigue,23.00,Headache,23.00,Malaise,23.00,Pain in extremity,
23.00,Pulmonary congestion,23.00
879743,Sinusitis,23.00,,,,,
879744,Asthenia,23.00,Dysstasia,23.00,Feeling cold,23.00,Feeling hot,
23.00,Headache,23.00
879744,Inappropriate schedule of product administration,
23.00,Injection site swelling,23.00,Vomiting,23.00,,,,,
879745,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
879746,No adverse event,23.00,Wrong product administered,23.00,,,,,
879747,No adverse event,23.10,Product preparation issue,23.10,,,,,
879748,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,Pyrexia,23.00,,,,,
879749,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
879750,Malaise,23.10,Pyrexia,23.10,Rash vesicular,23.10,,,,,
879751,Chills,23.00,Headache,23.00,Rhinorrhoea,23.00,,,,,
879752,Injection site erythema,23.10,Local reaction,23.10,Vaccination

site pain,23.10,Vaccination site papule,23.10,Vaccination site warmth,
23.10
879753,Dysstasia,23.10,Injection site pain,23.10,X-ray limb normal,
23.10,,,,,
879754,Peripheral swelling,23.00,Rash,23.00,,,,,,
879755,Contusion,23.00,Face injury,23.00,Laboratory test normal,
23.00,Skin laceration,23.00,Syncope,23.00
879757,No adverse event,23.10,Product storage error,23.10,,,,,,
879758,Expired product administered,23.10,No adverse event,23.10,,,,,,
879759,Injection site mass,23.00,,,,,,
879760,Blindness,23.00,Ophthalmic herpes zoster,23.00,,,,,,
879761,Herpes zoster,23.00,,,,,,
879762,Herpes zoster,23.00,,,,,,
879763,Deafness,23.00,Herpes zoster oticus,23.00,,,,,,
879764,Injection site erythema,23.00,,,,,,
879765,Crying,23.10,Injection site erythema,23.10,Limb discomfort,
23.10,,,,,
879766,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Pruritus,23.10,Skin warm,23.10
879767,Confusional state,23.10,Fall,23.10,Haemoptysis,23.10,Muscle
rigidity,23.10,Postictal state,23.10
879767,Respiration abnormal,23.10,Screaming,23.10,Seizure like
phenomena,23.10,Snoring,23.10,,
879768,Injection site induration,23.00,Injection site inflammation,
23.00,Injection site nodule,23.00,Injection site pruritus,23.00,,
879769,Ear pain,23.00,Facial paralysis,23.00,,,,,
879770,Headache,23.00,Rash,23.00,,,,,
879771,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
879772,Asthenia,23.00,Back pain,23.00,Feeling abnormal,23.00,Pain,
23.00,Walking aid user,23.00
879773,Vaccination site mass,23.10,,,,,,
879774,Fatigue,23.00,Impaired work ability,23.00,Injection site
discolouration,23.00,Injection site erythema,23.00,Injection site
mass,23.00
879774,Injection site pain,23.00,Insomnia,23.00,Pain,23.00,Pyrexia,
23.00,,
879778,Expired product administered,23.10,No adverse event,23.10,,,,,,
879779,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
879780,Injection site cellulitis,23.00,Injection site erythema,
23.00,Injection site injury,23.00,Injection site pain,23.00,Injection
site swelling,23.00
879780,Skin reaction,23.00,,,,,,
879781,Hypersensitivity,23.00,Rash erythematous,23.00,,,,,
879782,Product administered to patient of inappropriate age,
23.00,,,,,,
879783,Dizziness,23.10,Erythema,23.10,Myalgia,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10
879784,Abdominal discomfort,23.00,Abdominal pain upper,23.00,Abdominal

tenderness,23.00,Fatigue,23.00,Hypersomnia,23.00
879784,Injection site pain,23.00,Moaning,23.00,Nausea,23.00,Vomiting,
23.00,,
879789,Product storage error,23.10,,,,,,,,,
879790,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879791,Extra dose administered,23.10,Incorrect route of product
administration,23.10,No adverse event,23.10,,,,,
879792,Chills,23.00,Headache,23.00,Influenza like illness,23.00,Pain,
23.00,,
879793,Cellulitis,23.00,Extensive swelling of vaccinated limb,
23.00,Injection site erythema,23.00,Injection site swelling,23.00,,
879794,Chills,23.00,Cough,23.00,Fatigue,23.00,Pain,23.00,Pain in
extremity,23.00
879794,Pyrexia,23.00,,,,,,,,,
879795,Dizziness,23.00,Headache,23.00,Nausea,23.00,Visual impairment,
23.00,,
879796,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Rash,23.00,,
879797,Dizziness,23.00,Hypoaesthesia,23.00,Immediate post-injection
reaction,23.00,Malaise,23.00,Nausea,23.00
879797,Paraesthesia,23.00,Skin ulcer,23.00,,,,,,,,,
879798,Chills,23.00,Headache,23.00,Influenza like illness,23.00,Pain,
23.00,,
879799,Rash,23.00,,,,,,,,,
879800,Fatigue,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,
23.00,,
879801,Fatigue,23.00,Injection site erythema,23.00,Injection site
pain,23.00,Local reaction,23.00,Myalgia,23.00
879801,Peripheral swelling,23.00,Pyrexia,23.00,SARS-CoV-2 test
negative,23.00,,,,,
879802,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
879803,Erythema,23.00,Pyrexia,23.00,Rash,23.00,Swelling,23.00,,
879804,Rash,23.10,,,,,,,,,
879805,Blood glucose decreased,23.10,Seizure,23.10,Unresponsive to
stimuli,23.10,,,,,
879806,Abdominal pain,23.00,Asthenia,23.00,Headache,23.00,Nausea,
23.00,Pain,23.00
879806,Rash,23.00,Vomiting,23.00,,,,,,,,,
879808,Product storage error,23.10,,,,,,,,,
879809,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879811,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
879812,Hypoaesthesia oral,23.00,Intranasal hypoaesthesia,23.00,,,,,,,,,
879813,Pain in extremity,23.00,,,,,,,,,
879814,Asthenia,23.00,Chills,23.00,Feeling hot,23.00,Headache,
23.00,Pyrexia,23.00
879815,Arthralgia,23.00,Headache,23.00,Myalgia,23.00,Nausea,
23.00,Pyrexia,23.00
879816,Dizziness,23.00,Dyspnoea,23.00,Fatigue,23.00,Hypersensitivity,
23.00,Hypoaacusis,23.00
879816,Nausea,23.00,Pruritus,23.00,SARS-CoV-2 test negative,

23.00,Urticaria,23.00,Vision blurred,23.00
879817,Headache,23.00,Injection site pain,23.00,Musculoskeletal pain,
23.00,Nausea,23.00,Pain,23.00
879817,Pain in extremity,23.00,Vomiting,23.00,,,,,
879818,No adverse event,23.10,Wrong product administered,23.10,,,,,
879819,Injection site erythema,23.00,Injection site pain,
23.00,Injection site pruritus,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
879820,Arthralgia,23.00,Injection site discolouration,23.00,Injection
site pain,23.00,Pain,23.00,Pain in extremity,23.00
879821,Crying,23.10,Dairy intolerance,23.10,Decreased eye contact,
23.10,Diarrhoea,23.10,Gene mutation identification test,23.10
879821,Lethargy,23.10,Staring,23.10,,,,,
879822,Myalgia,23.00,Rash,23.00,,,,,
879823,Injection site erythema,23.00,Pain in extremity,23.00,Weight
bearing difficulty,23.00,,,,,
879824,Dizziness,23.00,,,,,
879825,Genital rash,23.10,Injection site reaction,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,Rash erythematous,23.10
879825,Rash macular,23.10,,,,,
879826,Urticaria,23.10,,,,,
879827,Injection site pain,23.00,Insomnia,23.00,Pain,23.00,Pain in
extremity,23.00,,
879828,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Myalgia,23.00,Nausea,23.00
879828,Pyrexia,23.00,,,,,
879829,Hypoaesthesia,23.00,Paraesthesia,23.00,,,,,
879830,Blood culture negative,23.00,Blood electrolytes normal,
23.00,CSF culture negative,23.00,Computerised tomogram head normal,
23.00,Culture urine negative,23.00
879830,Enterovirus test negative,23.00,Herpes simplex test negative,
23.00,Magnetic resonance imaging brain normal,23.00,Polymerase chain
reaction,23.00,Respiratory viral panel,23.00
879830,SARS-CoV-2 test negative,23.00,Seizure like phenomena,
23.00,,,,,
879831,Dissociation,23.10,Mania,23.10,Oral mucosal eruption,
23.10,Purpura,23.10,Pyrexia,23.10
879831,Rash,23.10,,,,,
879832,Erythema,23.10,Fatigue,23.10,Pain,23.10,Pruritus,23.10,Skin
warm,23.10
879832,Swelling,23.10,,,,,
879833,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
879834,Herpes zoster,23.00,Rash,23.00,,,,,
879835,Diplopia,23.00,Heart rate increased,23.00,,,,,
879836,Chills,23.10,Headache,23.10,Rash,23.10,Vaccination
complication,23.10,,
879837,Headache,23.00,Mobility decreased,23.00,Nausea,23.00,Nodule,
23.00,Pain in extremity,23.00
879837,Peripheral swelling,23.00,Pyrexia,23.00,Skin warm,23.00,,,,,

879838,Injection site erythema,23.00,Injection site induration,
23.00,Injection site pruritus,23.00,,,,,
879839,Feeling abnormal,23.00,Posture abnormal,23.00,Screaming,
23.00,,,,,
879841,Wrong product administered,23.00,,,,,,,
879842,Syncope,23.00,,,,,,,
879843,Injected limb mobility decreased,23.10,Pain,23.10,Pain in
extremity,23.10,,,,,
879844,Asthma,23.00,Condition aggravated,23.00,Treatment
noncompliance,23.00,,,,,
879845,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,
879846,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
879847,Asthenia,23.00,Decreased appetite,23.00,Fatigue,
23.00,Hypersomnia,23.00,Nausea,23.00
879847,Pain in extremity,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
879848,Feeling hot,23.00,Pain,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00,Rash,23.00
879848,Rash erythematous,23.00,,,,,,,
879849,Erythema,23.10,Muscular weakness,23.10,Pain,23.10,Pyrexia,
23.10,Swelling,23.10
879850,Dizziness,23.00,Fall,23.00,Loss of consciousness,23.00,Syncope,
23.00,,
879851,Cough,23.00,Fatigue,23.00,Headache,23.00,Myalgia,
23.00,Somnolence,23.00
879852,Injection site erythema,23.10,Injection site infection,
23.10,Injection site swelling,23.10,,,,,
879853,Abdominal discomfort,23.00,Chills,23.00,Fatigue,
23.00,Influenza,23.00,Myalgia,23.00
879853,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
879854,Asthenia,23.10,Chills,23.10,Cough,23.10,Dyspnoea,23.10,Heart
rate increased,23.10
879854,Hyperhidrosis,23.10,Injection site erythema,23.10,Injection
site induration,23.10,Injection site pain,23.10,Injection site
pruritus,23.10
879854,Injection site swelling,23.10,Injection site warmth,23.10,Pain,
23.10,Palpitations,23.10,Pyrexia,23.10
879854,Wheezing,23.10,,,,,,,
879856,No adverse event,23.10,Product storage error,23.10,,,,,,
879859,Product storage error,23.10,,,,,,,
879860,Pain in extremity,23.00,,,,,,,
879861,Expired product administered,23.10,,,,,,,
879862,Herpes zoster,23.00,,,,,,,
879863,No adverse event,23.10,Product storage error,23.10,,,,,,
879864,Product storage error,23.00,,,,,,,
879865,No adverse event,23.10,Product storage error,23.10,,,,,,
879866,No adverse event,23.10,Product storage error,23.10,,,,,,
879868,Facial paralysis,23.00,,,,,,,
879869,Product storage error,23.10,,,,,,,

879870,Cellulitis,23.00,,,,,,,,,
879871,Chills,23.00,Erythema,23.00,Herpes zoster,23.00,Musculoskeletal
discomfort,23.00,Pruritus,23.00
879871,Pustule,23.00,Pyrexia,23.00,Skin discolouration,23.00,Soft
tissue inflammation,23.00,,
879872,Fatigue,23.00,Headache,23.00,Immediate post-injection reaction,
23.00,Injected limb mobility decreased,23.00,Injection site pain,23.00
879872,Insomnia,23.00,Myalgia,23.00,Pain in extremity,23.00,,,,
879873,Alopecia,23.00,,,,,,,,,
879874,Dizziness,23.00,Headache,23.00,Nausea,23.00,Visual impairment,
23.00,,
879875,Chills,23.00,Fatigue,23.00,Headache,23.00,Hyperhidrosis,
23.00,Rash maculo-papular,23.00
879875,Skin lesion,23.00,Tremor,23.00,,,,,,,,,
879876,Cellulitis,23.00,Extensive swelling of vaccinated limb,
23.00,Injection site erythema,23.00,Injection site swelling,23.00,,
879877,Cellulitis,23.00,Extensive swelling of vaccinated limb,
23.00,Injection site erythema,23.00,Injection site swelling,23.00,,
879878,Chills,23.00,Feeling cold,23.00,Incomplete course of
vaccination,23.00,Pyrexia,23.00,Tremor,23.00
879879,Chills,23.00,Fatigue,23.00,Headache,23.00,Pain,23.00,Pain in
extremity,23.00
879879,Pyrexia,23.00,,,,,,,,,
879880,Chills,23.00,Cough,23.00,Fatigue,23.00,Pain,23.00,Pain in
extremity,23.00
879880,Pyrexia,23.00,,,,,,,,,
879881,Influenza,23.00,Oral mucosal blistering,23.00,,,,,,,,,
879882,Erythema,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Local reaction,23.00
879882,Myalgia,23.00,Peripheral swelling,23.00,Pyrexia,23.00,SARS-
CoV-2 test positive,23.00,Tenderness,23.00
879883,Erythema,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Local reaction,23.00
879883,Myalgia,23.00,Peripheral swelling,23.00,Pyrexia,23.00,SARS-
CoV-2 test negative,23.00,Tenderness,23.00
879884,Expired product administered,23.10,,,,,,,,,
879885,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
879886,Dizziness,23.00,Nausea,23.00,Vomiting,23.00,,,,,
879887,Chills,23.00,Fatigue,23.00,Influenza like illness,23.00,Loss of
personal independence in daily activities,23.00,Myalgia,23.00
879887,Nausea,23.00,Pyrexia,23.00,,,,,,,,,
879888,Urticaria,23.00,,,,,,,,,
879889,Immediate post-injection reaction,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
879890,Chills,23.10,Pyrexia,23.10,Urticaria,23.10,,,,,
879891,Hypotonia,23.10,Pyrexia,23.10,,,,,,,,,
879894,Extra dose administered,23.10,No adverse event,23.10,,,,,,,,,
879895,Syncope,23.00,,,,,,,,,
879896,Erythema,23.00,Injected limb mobility decreased,23.00,Loss of

personal independence in daily activities,23.00,Lymphadenopathy,
23.00,Pain in extremity,23.00
879896,Peripheral swelling,23.00,Pruritus,23.00,Swelling,
23.00,Vertigo,23.00,,
879897,Deafness unilateral,23.00,,,,,,
879898,Allodynia,23.00,Arthralgia,23.00,Arthritis,23.00,Arthropathy,
23.00,Back pain,23.00
879898,Bursitis,23.00,Immediate post-injection reaction,
23.00,Inflammation,23.00,Injected limb mobility decreased,
23.00,Injection site joint pain,23.00
879898,Injection site pain,23.00,Myalgia,23.00,Pain,23.00,Pain in
extremity,23.00,,
879899,Decreased appetite,23.00,Diarrhoea,23.00,Erythema,
23.00,Fatigue,23.00,Injection site erythema,23.00
879899,Injection site induration,23.00,Injection site pain,
23.00,Injection site rash,23.00,Lethargy,23.00,,
879900,Immunisation,23.00,Syringe issue,23.00,,,,,
879901,Dyspnoea,23.00,Syncope,23.00,Throat tightness,23.00,,,
879902,Injection site erythema,23.10,Injection site induration,
23.10,Injection site rash,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
879903,Immediate post-injection reaction,23.00,Staring,
23.00,Unresponsive to stimuli,23.00,,,
879904,Urticaria,23.10,,,,,
879905,Decreased appetite,23.00,Dizziness,23.00,Fatigue,
23.00,Musculoskeletal stiffness,23.00,Pyrexia,23.00
879905,Respiratory viral panel,23.00,SARS-CoV-2 test negative,
23.00,Viral test negative,23.00,,,
879906,Pruritus,23.00,Rash,23.00,Scab,23.00,Urticaria,23.00,,
879907,Asthenia,23.10,Chills,23.10,Dizziness,23.10,Fatigue,
23.10,Nausea,23.10
879907,Pain,23.10,Pyrexia,23.10,,,,,
879908,Amylase,23.00,Anaemia,23.00,Blood uric acid,23.00,Contusion,
23.00,Epistaxis,23.00
879908,Full blood count,23.00,Haemoglobin decreased,23.00,Human
chorionic gonadotropin,23.00,Lipase,23.00,Menorrhagia,23.00
879908,Petechiae,23.00,Platelet count decreased,
23.00,Thrombocytopenia,23.00,Thrombosis,23.00,Urine analysis,23.00
879908,Vaginal haemorrhage,23.00,,,,,
879909,Arthralgia,23.00,Injection site bruising,23.00,Pain in
extremity,23.00,,,
879910,Decreased appetite,23.10,Fatigue,23.10,Hypersomnia,23.10,Lymph
node pain,23.10,Pain,23.10
879910,Poor quality sleep,23.10,Pyrexia,23.10,,,,,
879913,No adverse event,23.10,Product storage error,23.10,,,,,
879914,Expired product administered,23.10,No adverse event,23.10,,,,,
879915,Herpes zoster,23.00,,,,,
879916,Herpes zoster,23.00,,,,,
879917,Pain in extremity,23.00,,,,,
879918,Gastric disorder,23.00,Pain in extremity,23.00,,,,,

879919,Blood thyroid stimulating hormone,23.10,Differential white blood cell count,23.10,Full blood count,23.10,Irritability,23.10,Metabolic function test,23.10
879919,Petit mal epilepsy,23.10,Red blood cell sedimentation rate,23.10,Seizure,23.10,Thyroxine free,23.10,,
879920,Injection site pain,23.10,Injection site swelling,23.10,,,,,
879921,Injection site reaction,23.10,Lip swelling,23.10,Local reaction,23.10,Rash vesicular,23.10,,
879922,Lymphadenopathy,23.00,,,,,
879923,Abdominal pain upper,23.00,Chills,23.00,Fatigue,23.00,Influenza like illness,23.00,Lethargy,23.00
879924,Acoustic stimulation tests abnormal,23.00,Blood test,23.00,Deafness neurosensory,23.00,Deafness unilateral,23.00,Magnetic resonance imaging brain,23.00
879924,Sudden hearing loss,23.00,,,,,
879925,Incorrect dose administered,23.10,,,,,
879926,Arthralgia,23.00,Axillary pain,23.00,Chills,23.00,Fatigue,23.00,Headache,23.00
879926,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Lethargy,23.00,Myalgia,23.00
879926,Nausea,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,
879927,Asthenia,23.00,Disturbance in attention,23.00,Feeling of body temperature change,23.00,Hyperhidrosis,23.00,Sensory disturbance,23.00
879928,Anion gap,23.00,Blood calcium,23.00,Blood chloride,23.00,Blood creatinine,23.00,Blood culture,23.00
879928,Blood glucose,23.00,Blood ketone body,23.00,Blood magnesium,23.00,Blood phosphorus,23.00,Blood potassium,23.00
879928,Blood sodium,23.00,Blood urea,23.00,C-reactive protein,23.00,Calcium ionised,23.00,Carbon dioxide,23.00
879928,Cellulitis,23.00,Culture urine,23.00,Differential white blood cell count,23.00,Erythema,23.00,Full blood count,23.00
879928,Glycosylated haemoglobin,23.00,Injection site cellulitis,23.00,Pain in extremity,23.00,Peripheral swelling,23.00,Pyrexia,23.00
879928,Rash,23.00,Red blood cell sedimentation rate,23.00,Respiratory viral panel,23.00,Urine analysis,23.00,,
879929,Grip strength decreased,23.10,Injected limb mobility decreased,23.10,Injection site pain,23.10,Pain,23.10,,
879930,Chills,23.00,Headache,23.00,Injection site pain,23.00,Myalgia,23.00,Nausea,23.00
879931,Condition aggravated,23.00,Polymyalgia rheumatica,23.00,Red blood cell sedimentation rate increased,23.00,,,
879932,No adverse event,23.00,Wrong product administered,23.00,,,,,
879934,Cerebrovascular accident,23.00,,,,,
879935,Expired product administered,23.00,No adverse event,23.00,,,,,
879936,Dizziness,23.00,Facial pain,23.00,Hypoaesthesia,23.00,Nausea,23.00,Paraesthesia,23.00
879936,Pyrexia,23.00,Skin disorder,23.00,Skin ulcer,23.00,,,
879937,Dizziness,23.00,Facial pain,23.00,Hypoaesthesia,23.00,Nausea,23.00,Paraesthesia,23.00
879937,Pyrexia,23.00,Skin disorder,23.00,,,,,

879938,Erythema,23.00,Mobility decreased,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Pyrexia,23.00
879938,Skin warm,23.00,,,,,,,,,
879939,Pruritus,23.00,Rash,23.00,,,,,,,,,
879940,Injection site swelling,23.10,Peripheral swelling,23.10,,,,,,,,,
879941,Injection site erythema,23.10,,,,,,,,,
879942,Herpes zoster,23.00,Rash,23.00,,,,,,,,,
879943,Ear pruritus,23.10,Injection site erythema,23.10,Urticaria,
23.10,,,,,
879944,Fatigue,23.00,Feeling cold,23.00,Immediate post-injection
reaction,23.00,Injection site pain,23.00,Nausea,23.00
879944,Pain,23.00,Pain in extremity,23.00,Poor quality sleep,
23.00,Pyrexia,23.00,Restlessness,23.00
879944,Vomiting,23.00,,,,,,,,,
879945,Vomiting,23.00,,,,,,,,,
879951,Injection site cellulitis,23.00,Injection site reaction,
23.00,Peau d'orange,23.00,,,,,
879954,Malaise,23.00,Product supply issue,23.00,,,,,,,,,
879955,Herpes ophthalmic,23.00,Herpes zoster,23.00,,,,,,,,,
879956,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
879957,Injection site inflammation,23.10,Injection site swelling,
23.10,,,,,,,,,
879958,Injection site pain,23.00,Pain in extremity,23.00,,,,,,,,,
879959,Discomfort,23.00,Injected limb mobility decreased,23.00,Pain in
extremity,23.00,Somnolence,23.00,,
879960,Fatigue,23.00,Injection site rash,23.00,Injection site
swelling,23.00,Malaise,23.00,Pyrexia,23.00
879961,Arthralgia,23.00,Chills,23.00,Dizziness,23.00,Fatigue,
23.00,Feeling hot,23.00
879961,Headache,23.00,Pain,23.00,Pain in extremity,23.00,Pyrexia,
23.00,Sneezing,23.00
879961,Vomiting,23.00,,,,,,,,,
879962,Injection site swelling,23.10,,,,,,,,,
879963,Guillain-Barre syndrome,23.00,,,,,,,,,
879964,Injection site vesicles,23.10,,,,,,,,,
879965,Injection site cellulitis,23.00,Injection site erythema,
23.00,,,,,
879966,Death,23.00,,,,,,,,,
879967,Burning sensation,23.10,Erythema,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,,
879968,Fatigue,23.00,Injection site erythema,23.00,Injection site
irritation,23.00,Injection site pruritus,23.00,Injection site
swelling,23.00
879968,Pain,23.00,,,,,,,,,
879969,Chills,23.00,Fatigue,23.00,Pyrexia,23.00,Vaccination
complication,23.00,,
879970,Abdominal pain upper,23.00,Chills,23.00,Decreased appetite,
23.00,Dizziness,23.00,Erythema,23.00
879970,Fatigue,23.00,Feeling cold,23.00,Headache,23.00,Nausea,

23.00,Pruritus,23.00
879970,Pyrexia,23.00,,,,,,,,,
879971,Abdominal pain upper,23.00,Chills,23.00,Malaise,23.00,Myalgia,
23.00,Nausea,23.00
879971,Pain in extremity,23.00,,,,,,,,,
879972,Chills,23.00,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Tremor,
23.00
879973,Pain in extremity,23.00,Pyrexia,23.00,,,,,,,,,
879974,Fatigue,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site pruritus,23.00,Injection site swelling,23.00
879974,Injection site warmth,23.00,Myalgia,23.00,,,,,,,,,
879975,Chills,23.00,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,,
879976,Chills,23.00,Nausea,23.00,Pain,23.00,Pyrexia,23.00,SARS-CoV-2
test negative,23.00
879976,Tremor,23.00,,,,,,,,,
879977,Arthralgia,23.10,Hyperhidrosis,23.10,Injection site pain,
23.10,,,,,
879978,Dizziness postural,23.00,Malaise,23.00,,,,,,,,,
879979,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
879980,Eyelid ptosis,23.00,Facial paralysis,23.00,,,,,,,,,
879981,Asthenia,23.00,Headache,23.00,Hypotension,23.00,Pain in
extremity,23.00,,
879982,Extra dose administered,23.00,No adverse event,23.00,,,,,,,,,
879983,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
879984,Chills,23.00,Erythema,23.00,Peripheral swelling,23.00,Pyrexia,
23.00,,
879985,Dyskinesia,23.10,Seizure,23.10,Visual impairment,23.10,,,,,
879986,Diarrhoea,23.00,Pyrexia,23.00,,,,,,,,,
879987,Crying,23.10,Decreased appetite,23.10,Initial insomnia,
23.10,Irritability,23.10,Screaming,23.10
879988,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,,,,,,,,,
879993,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879994,Product storage error,23.10,,,,,,,,,
879995,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879996,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879997,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
879998,Product storage error,23.10,,,,,,,,,
879999,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880000,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880001,No adverse event,23.00,Product storage error,23.00,,,,,,,,,
880002,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880003,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880004,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880005,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880006,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880007,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880008,No adverse event,23.00,Product storage error,23.00,,,,,,,,,

880009, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880010, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880011, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880012, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
880013, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880014, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880015, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
880016, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880017, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
880018, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880019, Expired product administered, 23.10, , , , , , ,
880020, Incorrect route of product administration, 23.10, Injection site
mass, 23.10, , , , , , ,
880021, Inappropriate schedule of product administration, 23.10, , , , , , ,
880022, Expired product administered, 23.10, , , , , , ,
880023, Inappropriate schedule of product administration, 23.00, , , , , , ,
880025, Decreased appetite, 23.00, Diarrhoea, 23.00, Erythema,
23.00, Injection site erythema, 23.00, Injection site induration, 23.00
880025, Injection site pain, 23.00, Lethargy, 23.00, , , , , ,
880026, Pruritus, 23.00, , , , , , ,
880027, Feeling abnormal, 23.00, , , , , , ,
880028, Herpes zoster, 23.00, Nephropathy, 23.00, , , , , ,
880029, Incomplete course of vaccination, 23.00, Pain in extremity,
23.00, , , , , , ,
880030, No adverse event, 23.00, Wrong product administered, 23.00, , , , , ,
880031, Injection site pain, 23.00, Pain in extremity, 23.00, , , , , ,
880032, Headache, 23.00, Nausea, 23.00, Pain in extremity, 23.00, , , ,
880033, Diarrhoea, 23.00, Nausea, 23.00, , , , , ,
880034, Diarrhoea, 23.00, Dizziness, 23.00, Injection site erythema,
23.00, Injection site pain, 23.00, Injection site swelling, 23.00
880034, Injection site warmth, 23.00, Loss of personal independence in
daily activities, 23.00, Nausea, 23.00, Presyncope, 23.00, Pyrexia, 23.00
880034, Vomiting, 23.00, , , , , , ,
880035, Herpes zoster, 23.00, Neuralgia, 23.00, Pain, 23.00, Rash, 23.00, ,
880036, Expired product administered, 23.10, , , , , , ,
880037, Unevaluable event, 23.10, , , , , , ,
880038, Autoimmune disorder, 23.00, , , , , , ,
880039, Guillain-Barre syndrome, 23.00, , , , , , ,
880040, Arthralgia, 23.00, Joint swelling, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, ,
880041, Circumstance or information capable of leading to medication
error, 23.00, Malaise, 23.00, Pain, 23.00, , , , ,
880042, Condition aggravated, 23.00, Herpes zoster, 23.00, Rash, 23.00, , , ,
880043, Full blood count, 23.10, Streptococcus test, 23.10, Streptococcus
test negative, 23.10, Tic, 23.10, ,
880044, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site pain, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10
880044, Injection site warmth, 23.10, , , , , , ,
880045, Injection site erythema, 23.10, Injection site induration,

23.10,Injection site nodule,23.10,Injection site pain,23.10,Injection site pruritus,23.10
880045,Injection site urticaria,23.10,,,,,,
880046,Dyspnoea,23.00,Erythema,23.00,Fear,23.00,Panic reaction,23.00,,
880047,Blood test normal,23.10,Computerised tomogram normal,23.10,Hypoaesthesia,23.10,Loss of consciousness,23.10,Muscle tightness,23.10
880047,Respiratory arrest,23.10,Resuscitation,23.10,Seizure,23.10,Urinary incontinence,23.10,Vision blurred,23.10
880048,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
880049,Wrong product administered,23.00,,,,,,
880050,Swelling face,23.00,Tooth disorder,23.00,X-ray dental normal,23.00,,,,
880051,Arthralgia,23.00,Asthenopia,23.00,Decreased appetite,23.00,Malaise,23.00,Muscle fatigue,23.00
880051,Pyrexia,23.00,,,,,,
880054,No adverse event,23.10,Product storage error,23.10,,,,,
880055,Expired product administered,23.10,No adverse event,23.10,,,,,
880056,No adverse event,23.10,Product storage error,23.10,,,,,
880057,No adverse event,23.10,Product storage error,23.10,,,,,
880058,No adverse event,23.00,Product storage error,23.00,,,,,
880059,No adverse event,23.10,Product storage error,23.10,,,,,
880060,No adverse event,23.10,Product storage error,23.10,,,,,
880061,Pain in extremity,23.00,,,,,,
880062,Injection site pain,23.00,,,,,,
880063,Erythema,23.00,Swelling,23.00,,,,,
880064,Incomplete course of vaccination,23.00,Malaise,23.00,Pain in extremity,23.00,Pyrexia,23.00,,
880065,Injection site pain,23.00,Pain in extremity,23.00,,,,,
880066,Headache,23.00,Influenza like illness,23.00,Nausea,23.00,Sensitive skin,23.00,Vomiting,23.00
880067,Lymphoma,23.00,,,,,,
880069,Bartonella test negative,23.00,C-reactive protein normal,23.00,Differential white blood cell count normal,23.00,Full blood count normal,23.00,Inflammation,23.00
880069,Lymphadenopathy,23.00,Peripheral swelling,23.00,Rash,23.00,Red blood cell sedimentation rate normal,23.00,Ultrasound scan normal,23.00
880070,Headache,23.00,Injection site rash,23.00,Malaise,23.00,Tinnitus,23.00,,
880071,Headache,23.00,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,Tinnitus,23.00
880072,Herpes zoster,23.00,Ophthalmic herpes zoster,23.00,,,,,
880073,Asthenia,23.00,Balance disorder,23.00,Seizure,23.00,,,,
880074,Feeling abnormal,23.10,Injection site pain,23.10,Mobility decreased,23.10,Pyrexia,23.10,Vertigo,23.10
880078,Expired product administered,23.10,No adverse event,23.10,,,,,
880079,Herpes zoster,23.10,Inappropriate schedule of product administration,23.10,,,,,

880080, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880081, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880082, Guillain-Barre syndrome, 23.00, , , , , , , , , , ,
880083, Cellulitis, 23.00, Pruritus, 23.00, Pyrexia, 23.00, , , , ,
880084, Accidental exposure to product, 23.00, Accidental underdose,
23.00, Exposure via skin contact, 23.00, Injection site haemorrhage,
23.00, ,
880085, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, , , , ,
880086, Facial paralysis, 23.00, , , , , , , , , , ,
880087, Fatigue, 23.00, Pain, 23.00, , , , , , ,
880088, Fatigue, 23.00, Pain, 23.00, , , , , , ,
880089, Erythema, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , ,
880090, Incorrect dose administered, 23.10, , , , , , , , , ,
880091, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
880092, Chest discomfort, 23.00, Chest pain, 23.00, Feeling abnormal,
23.00, Headache, 23.00, Insomnia, 23.00
880094, Product storage error, 23.10, , , , , , , , , ,
880095, Ischaemic stroke, 23.00, Visual field defect, 23.00, Visual
impairment, 23.00, , , , ,
880096, Herpes zoster, 23.00, , , , , , , , , , ,
880097, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880098, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880099, Herpes zoster, 23.00, , , , , , , , , , ,
880100, Seizure, 23.00, , , , , , , , , , ,
880101, Dyspnoea, 23.00, Mobility decreased, 23.00, Pain in extremity,
23.00, Tenderness, 23.00, , ,
880102, Adverse reaction, 23.10, Blister, 23.10, Cellulitis, 23.10, Erythema,
23.10, Induration, 23.10
880102, Injection site erythema, 23.10, Injection site warmth, 23.10, Local
reaction, 23.10, , , , ,
880103, Autoimmune disorder, 23.00, Cognitive disorder, 23.00, Computerised
tomogram head, 23.00, Fatigue, 23.00, Inflammation, 23.00
880103, Laboratory test, 23.00, Lumbar puncture, 23.00, Magnetic resonance
imaging brain, 23.00, Magnetic resonance imaging spinal, 23.00, Positron
emission tomogram, 23.00
880104, Erythema, 23.00, Skin warm, 23.00, Swelling, 23.00, , , , , ,
880105, Back pain, 23.00, Body temperature increased, 23.00, Chills,
23.00, Condition aggravated, 23.00, Fatigue, 23.00
880105, Headache, 23.00, Nausea, 23.00, , , , , , , ,
880106, Herpes zoster, 23.00, Mouth ulceration, 23.00, , , , , , , ,
880107, Erythema, 23.00, Pain, 23.00, Swelling, 23.00, , , , , ,
880108, Erythema, 23.00, Peripheral swelling, 23.00, Skin warm,
23.00, Urticaria, 23.00, , ,
880109, Erythema, 23.10, Limb discomfort, 23.10, Oedema peripheral,
23.10, Pain, 23.10, Pain in extremity, 23.10
880109, Peripheral swelling, 23.10, , , , , , , , , , ,
880110, Chills, 23.00, Dysphonia, 23.00, Pyrexia, 23.00, Urticaria, 23.00, , ,
880111, Loss of consciousness, 23.00, , , , , , , , , , ,
880112, Injection site oedema, 23.10, Injection site pain, 23.10, Injection

site rash,23.10,Injection site swelling,23.10,,
880113,Musculoskeletal stiffness,23.10,Neck pain,23.10,,,,,
880114,Hyperhidrosis,23.00,Muscle spasms,23.00,Muscle tightness,
23.00,,,,,
880115,Discomfort,23.00,Erythema,23.00,Feeling hot,
23.00,Hypoaesthesia,23.00,Lung disorder,23.00
880115,Muscle spasms,23.00,Paraesthesia,23.00,Swelling,23.00,,,,,
880116,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,,,,,
880117,Chills,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Pain,23.00,Pyrexia,23.00
880118,Syncope,23.10,,,,,
880119,Febrile convulsion,23.10,Pyrexia,23.10,,,,,
880120,Dizziness,23.10,Injection site pain,23.10,Syncope,23.10,,,,,
880121,Rash,23.10,,,,,
880123,Axillary pain,23.00,Chills,23.00,Fatigue,23.00,Loss of personal
independence in daily activities,23.00,Lymph node pain,23.00
880123,Pain,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
880124,Syncope,23.10,,,,,
880125,Injection site pruritus,23.00,Urticaria,23.00,,,,,
880126,Blood creatine phosphokinase,23.10,Injection site pain,
23.10,Muscular weakness,23.10,Myoglobin blood,23.10,Pain,23.10
880127,Chills,23.00,Oropharyngeal pain,23.00,Pyrexia,23.00,,,,,
880128,Injection site erythema,23.00,,,,,
880129,Musculoskeletal pain,23.00,Pain,23.00,Pain in extremity,
23.00,Pyrexia,23.00,,
880130,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pain,23.00,,
880131,Blood glucose,23.00,Cold sweat,23.00,Dizziness,23.00,Heart rate
decreased,23.00,Syncope,23.00
880132,Mobility decreased,23.00,Nausea,23.00,Paraesthesia,23.00,,,,,
880134,Pruritus,23.00,Rash erythematous,23.00,,,,,
880135,Arthralgia,23.10,Chills,23.10,Dizziness,23.10,Pain,
23.10,Pyrexia,23.10
880135,SARS-CoV-2 test negative,23.10,,,,,
880136,Erythema,23.10,Injection site pain,23.10,Skin warm,23.10,,,,,
880137,Erythema,23.00,Peripheral swelling,23.00,Pruritus,23.00,,,,,
880140,Erythema,23.00,Nausea,23.00,Pruritus,23.00,Pyrexia,23.00,Skin
warm,23.00
880141,Injection site bruising,23.10,Injection site haemorrhage,
23.10,Injection site pain,23.10,,,,,
880142,Abdominal discomfort,23.00,Arthralgia,23.00,Disorientation,
23.00,Disturbance in attention,23.00,Fatigue,23.00
880142,Feeling abnormal,23.00,Headache,23.00,Impaired driving ability,
23.00,Injection site erythema,23.00,Injection site mass,23.00
880142,Injection site pain,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Insomnia,23.00,Loss of personal
independence in daily activities,23.00
880142,Pain in extremity,23.00,Vertigo,23.00,,,,,
880143,Asthenia,23.00,Cellulitis,23.00,Erythema,23.00,Fatigue,

23.00, Induration, 23.00
880143, Injection site pain, 23.00, Pain, 23.00, Pain in extremity,
23.00, Peripheral swelling, 23.00, Skin warm, 23.00
880144, Chills, 23.00, Headache, 23.00, Nausea, 23.00, Pain in extremity,
23.00, Pyrexia, 23.00
880145, Chills, 23.10, Dyspnoea, 23.10, Headache, 23.10, Hyperhidrosis,
23.10, Nausea, 23.10
880145, Pain, 23.10, Somnolence, 23.10, , , , , , ,
880149, Injection site urticaria, 23.00, , , , , , , ,
880151, Erythema, 23.10, Erythema of eyelid, 23.10, Pruritus,
23.10, Urticaria, 23.10, ,
880152, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
880153, Expired product administered, 23.10, , , , , , , ,
880154, Herpes zoster, 23.00, , , , , , , ,
880155, Product storage error, 23.10, , , , , , , ,
880156, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880157, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, , , , , , ,
880158, Slow response to stimuli, 23.10, Tremor, 23.10, Unresponsive to
stimuli, 23.10, , , , ,
880159, Herpes zoster, 23.00, , , , , , , ,
880160, Herpes zoster, 23.00, , , , , , , ,
880161, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880162, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880163, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880164, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880165, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880166, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880167, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880168, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
880169, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880170, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880171, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880172, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880173, Product storage error, 23.00, , , , , , , ,
880174, No adverse event, 23.00, Product storage error, 23.00, , , , , , ,
880175, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880176, Injection site erythema, 23.10, , , , , , , ,
880177, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880178, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880179, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880180, Expired product administered, 23.10, , , , , , , ,
880181, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880182, Erythema, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, Pain in extremity, 23.10
880183, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
880184, Exposure during pregnancy, 23.00, Nausea, 23.00, , , , , , ,
880185, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880186, Product storage error, 23.10, , , , , , , ,
880187, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
880188, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,

880189, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880190, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880191, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880192, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880193, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880194, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880195, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880196, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880197, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880198, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880199, Aponia, 23.00, Cough, 23.00, Malaise, 23.00, , , , ,
880200, Influenza, 23.00, Vaccination failure, 23.00, , , , , ,
880201, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , ,
880202, Immediate post-injection reaction, 23.00, Malaise, 23.00, Nausea,
23.00, Pyrexia, 23.00, Underdose, 23.00
880203, Influenza like illness, 23.00, Malaise, 23.00, , , , , ,
880204, Rash vesicular, 23.00, , , , , , , ,
880205, Respiratory arrest, 23.10, , , , , , , ,
880206, Malaise, 23.00, , , , , , , ,
880207, Influenza, 23.00, Vaccination failure, 23.00, , , , , ,
880208, Influenza, 23.00, Vaccination failure, 23.00, , , , , ,
880209, Rash, 23.00, Rash pruritic, 23.00, Skin swelling, 23.00, , , , ,
880210, Fatigue, 23.00, Headache, 23.00, Injected limb mobility decreased,
23.00, Injection site pain, 23.00, Insomnia, 23.00
880210, Loss of personal independence in daily activities, 23.00, Pain,
23.00, Pyrexia, 23.00, X-ray normal, 23.00, ,
880211, Incomplete course of vaccination, 23.00, Injection site swelling,
23.00, , , , , , ,
880212, Incorrect route of product administration, 23.00, Injection site
mass, 23.00, Injection site swelling, 23.00, , , , , ,
880213, Injection site erythema, 23.00, Rash pruritic, 23.00, Urticaria,
23.00, , , , , ,
880214, Injection site pain, 23.00, , , , , , , ,
880215, Inappropriate schedule of product administration, 23.00, Pain,
23.00, , , , , , ,
880216, Pain in extremity, 23.00, Tenderness, 23.00, , , , , , ,
880217, Injection site erythema, 23.00, Injection site pain,
23.00, Peripheral swelling, 23.00, Urticaria, 23.00, , ,
880218, Eye pain, 23.00, Fatigue, 23.00, Influenza like illness,
23.00, Injection site erythema, 23.00, Oropharyngeal pain, 23.00
880218, Pain, 23.00, Pyrexia, 23.00, , , , , , ,
880219, Burning sensation, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash
pruritic, 23.10, , ,
880220, Malaise, 23.00, Syncope, 23.00, Vomiting, 23.00, , , , , ,
880221, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Pain, 23.10, , ,
880222, Erythema, 23.10, Inflammation, 23.10, Pruritus, 23.10, Rash, 23.10, , ,
880223, Eye swelling, 23.00, Lip swelling, 23.00, Rash, 23.00, , , , ,
880224, Hypersensitivity, 23.10, Injection site erythema, 23.10, Injection
site pain, 23.10, Injection site swelling, 23.10, , ,

880225,Abdominal pain upper,23.00,Chills,23.00,Headache,
23.00,Lethargy,23.00,Pain,23.00
880225,Pyrexia,23.00,,,,,
880227,Expired product administered,23.10,No adverse event,23.10,,,,,
880228,Injection site erythema,23.00,Injection site inflammation,
23.00,Injection site pain,23.00,,,,,
880229,Erythema,23.00,Injection site urticaria,23.00,Pruritus,
23.00,Skin warm,23.00,,
880230,Erythema,23.00,Pruritus,23.00,Urticaria,23.00,,,,,
880231,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
880232,Blood count normal,23.00,Metabolic function test normal,
23.00,Resuscitation,23.00,Seizure,23.00,,
880233,Back pain,23.00,Chest pain,23.00,Pain of skin,23.00,X-ray,
23.00,,
880234,Erythema,23.00,Pruritus,23.00,Swelling,23.00,,,,,
880235,Pruritus,23.10,Skin warm,23.10,Swelling,23.10,Urticaria,23.10,,
880236,Abdominal pain upper,23.10,Headache,23.10,Injection site
bruising,23.10,Injection site swelling,23.10,Injection site urticaria,
23.10
880236,Injection site warmth,23.10,Nausea,23.10,,,,,
880237,Injection site erythema,23.10,Rash,23.10,Skin warm,
23.10,Swelling,23.10,,
880239,Pain,23.00,Swelling,23.00,Vomiting,23.00,,,,,
880240,Full blood count normal,23.00,Headache,23.00,Injection site
pain,23.00,Malaise,23.00,Metabolic function test normal,23.00
880240,Myalgia,23.00,Nausea,23.00,Pain,23.00,SARS-CoV-2 test negative,
23.00,Vomiting,23.00
880241,Chills,23.00,Cold sweat,23.00,Diarrhoea haemorrhagic,23.00,,,,,
880242,Conjunctival oedema,23.10,Erythema,23.10,Swelling face,
23.10,Urticaria,23.10,Vomiting,23.10
880243,Diarrhoea haemorrhagic,23.10,Vomiting,23.10,,,,,
880244,Loss of consciousness,23.00,Pallor,23.00,,,,,
880245,Underdose,23.10,,,,,
880246,Acute myocardial infarction,23.00,Catheterisation cardiac,
23.00,Chest pain,23.00,Dyspnoea,23.00,Headache,23.00
880246,Laboratory test,23.00,Myocarditis,23.00,Troponin increased,
23.00,,,,,
880247,Eye pain,23.00,,,,,
880248,Discomfort,23.10,Injected limb mobility decreased,
23.10,Injection site pain,23.10,,,,,
880249,Abdominal pain upper,23.00,Asthenia,23.00,Dizziness,
23.00,Headache,23.00,Injection site pain,23.00
880249,Myalgia,23.00,Nausea,23.00,Pain of skin,23.00,,,,,
880250,Asthenia,23.00,Diplopia,23.00,Dizziness,23.00,Eye pain,
23.00,Fatigue,23.00
880250,Gait disturbance,23.00,Headache,23.00,Myalgia,23.00,Nausea,
23.00,Pain in extremity,23.00
880250,Pyrexia,23.00,Retching,23.00,Vomiting,23.00,,,,,
880251,Blood glucose normal,23.10,Dyskinesia,23.10,Eyelid disorder,

23.10, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10
880251, Nausea, 23.10, Posture abnormal, 23.10, Syncope, 23.10, , , ,
880252, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
880253, Injection site cellulitis, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
880254, Peripheral swelling, 23.00, Skin warm, 23.00, , , , , , ,
880255, Chills, 23.00, Dizziness, 23.00, Fatigue, 23.00, Pyrexia, 23.00, ,
880256, Dizziness, 23.00, Pallor, 23.00, Tremor, 23.00, , , , ,
880257, Blister, 23.00, Pain, 23.00, Pruritus, 23.00, Skin lesion, 23.00, ,
880258, Asthenia, 23.00, Cough, 23.00, Erythema, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
880258, Pyrexia, 23.00, , , , , , , ,
880259, Abdominal discomfort, 23.10, Diarrhoea, 23.10, Haematochezia, 23.10, , , , ,
880261, Rash, 23.10, , , , , , , , ,
880262, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site vesicles, 23.10, Pyrexia, 23.10
880263, Incorrect dose administered, 23.00, No adverse event, 23.00, , , , , , , ,
880264, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, Type IV hypersensitivity reaction, 23.10, ,
880265, Abdominal pain upper, 23.00, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea, 23.00
880265, Pyrexia, 23.00, , , , , , , , ,
880266, Abdominal discomfort, 23.00, Headache, 23.00, Nausea, 23.00, , , , , ,
880267, Dyspnoea, 23.10, Full blood count, 23.10, Headache, 23.10, Hot flush, 23.10, Malaise, 23.10
880267, Pain in jaw, 23.10, Rash, 23.10, Septic screen, 23.10, , , , , ,
880268, Macule, 23.00, Papule, 23.00, Rash pruritic, 23.00, , , , , ,
880269, Rash, 23.00, Swelling face, 23.00, , , , , , , ,
880270, Dyspnoea, 23.10, Hypopnoea, 23.10, Neck pain, 23.10, Pain, 23.10, Peripheral swelling, 23.10
880270, Swelling, 23.10, , , , , , , , ,
880271, Fatigue, 23.00, Injection site erythema, 23.00, Myalgia, 23.00, Pyrexia, 23.00, Vaccination site pain, 23.00
880272, Pyrexia, 23.00, , , , , , , , ,
880273, Erythema, 23.00, Pruritus, 23.00, Rash, 23.00, , , , , ,
880274, Inflammation, 23.10, Oedema peripheral, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Tendon disorder, 23.10
880274, X-ray limb abnormal, 23.10, , , , , , , , ,
880275, Pain in extremity, 23.00, Pyrexia, 23.00, Rash macular, 23.00, Swelling, 23.00, ,
880276, Injection site extravasation, 23.00, Underdose, 23.00, , , , , , , ,
880277, Erythema, 23.10, Headache, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10
880277, Urticaria, 23.10, , , , , , , , ,
880278, Injection site atrophy, 23.00, Injection site discolouration, 23.00, Injection site indentation, 23.00, , , , , ,

880279,Haematoma,23.00,Urticaria,23.00,,,,,
880280,Cold sweat,23.00,Dyspnoea,23.00,Injection site pain,
23.00,Injection site warmth,23.00,Tremor,23.00
880281,Eye swelling,23.00,Sinus disorder,23.00,,,,,
880282,Joint swelling,23.00,Rash,23.00,,,,,
880283,Discomfort,23.10,Dizziness,23.10,Headache,23.10,Injection site
pain,23.10,Mobility decreased,23.10
880283,Pain,23.10,Pain in jaw,23.10,Pyrexia,23.10,Spinal pain,
23.10,Tinnitus,23.10
880283,Visual impairment,23.10,,,,,
880284,Contraindication to vaccination,23.10,,,,,
880285,Herpes zoster,23.00,,,,,
880286,Balance disorder,23.00,Chills,23.00,Dizziness,23.00,Dyspnoea,
23.00,Flushing,23.00
880286,Immediate post-injection reaction,23.00,Photopsia,23.00,Vision
blurred,23.00,Vomiting,23.00,,
880287,Syncope,23.00,,,,,
880288,Arthralgia,23.00,Asthenia,23.00,,,,,
880289,Injection site pain,23.00,Injection site swelling,
23.00,Peripheral swelling,23.00,,,
880290,Urticaria,23.00,,,,,
880291,Condition aggravated,23.00,Muscle disorder,23.00,Nervous system
disorder,23.00,,,
880292,Diarrhoea,23.00,Headache,23.00,Nausea,23.00,Productive cough,
23.00,Pyrexia,23.00
880293,Injection site erythema,23.00,Injection site haemorrhage,
23.00,Injection site rash,23.00,Injection site scab,23.00,,
880294,Dizziness,23.00,Fatigue,23.00,Pain in extremity,23.00,Skin
warm,23.00,,
880295,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
880296,Rash erythematous,23.00,Rash pruritic,23.00,,,,,
880297,Fatigue,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,Injection site warmth,23.00,Myalgia,23.00
880298,Erythema,23.00,Fatigue,23.00,Inflammation,23.00,Pain,
23.00,Pyrexia,23.00
880299,Body temperature increased,23.10,Chills,23.10,Fatigue,23.10,,,
880300,Erythema,23.00,Pyrexia,23.00,Swelling,23.00,,,
880301,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,
880302,Arthralgia,23.10,Mobility decreased,23.10,Muscular weakness,
23.10,Pain,23.10,Pain in extremity,23.10
880303,Injection site haemorrhage,23.00,Injection site rash,
23.00,Injection site scab,23.00,,,
880304,Arthralgia,23.10,Chills,23.10,Pyrexia,23.10,,,
880305,Injection site pain,23.00,Pain,23.00,,,,,
880306,Rash,23.00,,,,,
880307,Chills,23.00,Erythema,23.00,Feeling cold,23.00,Headache,
23.00,Influenza like illness,23.00
880307,Injection site pain,23.00,Injection site swelling,23.00,Pain,

23.00,,,,,
880308,Erythema,23.00,Pain,23.00,Rash macular,23.00,Swelling,
23.00,Tenderness,23.00
880309,Joint swelling,23.10,Peripheral swelling,23.10,Pruritus,
23.10,,,,,
880310,Pain in extremity,23.00,Paraesthesia,23.00,Peripheral swelling,
23.00,,,,,
880311,Asthenia,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,SARS-
CoV-2 test negative,23.00
880312,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,
880313,Erythema,23.00,Feeling hot,23.00,Pruritus,23.00,,,,,
880314,Body temperature increased,23.10,Feeling abnormal,
23.10,Headache,23.10,Insomnia,23.10,Pain in extremity,23.10
880314,Pain in jaw,23.10,,,,,,
880315,Bone pain,23.00,Erythema,23.00,Peripheral swelling,23.00,,,,,
880316,Skin disorder,23.00,Skin reaction,23.00,Skin swelling,23.00,,,,,
880317,Abnormal behaviour,23.10,Anger,23.10,Emotional disorder,
23.10,Personality change,23.10,,
880318,Autoimmune disorder,23.00,Coeliac disease,23.00,Food
intolerance,23.00,Urticaria,23.00,,
880319,Erythema,23.00,Local reaction,23.00,Pain in extremity,
23.00,Pyrexia,23.00,,
880320,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
880321,Influenza like illness,23.00,Myalgia,23.00,Nuchal rigidity,
23.00,Pain,23.00,,
880322,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Pruritus,
23.00,Rash vesicular,23.00
880322,Scab,23.00,,,,,,
880323,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,Neck pain,23.10
880323,Pain,23.10,Rash,23.10,,,,,
880324,Herpes zoster,23.00,,,,,,
880325,Rash,23.00,,,,,,
880326,Atrial fibrillation,23.00,Heart rate increased,
23.00,Respiratory rate increased,23.00,,,,,
880327,Asthenia,23.00,Balance disorder,23.00,Condition aggravated,
23.00,Gait inability,23.00,Multiple sclerosis,23.00
880327,Myalgia,23.00,,,,,,
880328,Hypoacusis,23.00,,,,,,
880329,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
880330,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Local reaction,23.00,,
880331,Abdominal pain,23.00,Abdominal pain upper,23.00,Back pain,
23.00,Fatigue,23.00,Injection site pain,23.00
880331,Injection site swelling,23.00,Nausea,23.00,Pain,23.00,Pyrexia,
23.00,,
880332,Gait inability,23.00,Hyperhidrosis,23.00,Muscle spasms,

23.00,Pain in extremity,23.00,Pyrexia,23.00
880332,Vomiting,23.00,,,,,
880333,Fatigue,23.00,Influenza like illness,23.00,Mobility decreased,
23.00,Myalgia,23.00,Pain in extremity,23.00
880334,Chills,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Injection site pain,23.00
880334,Myalgia,23.00,Night sweats,23.00,Pain,23.00,,,,,
880335,Pyrexia,23.00,,,,,
880336,Back pain,23.00,Chills,23.00,Dizziness,23.00,Lethargy,
23.00,Nausea,23.00
880337,Injected limb mobility decreased,23.00,Injection site swelling,
23.00,Loss of personal independence in daily activities,23.00,Pain,
23.00,Peripheral swelling,23.00
880338,Erythema,23.00,Swelling,23.00,,,,,
880339,Contusion,23.10,,,,,
880340,Axillary pain,23.00,Back pain,23.00,Chest pain,23.00,Fatigue,
23.00,Herpes zoster,23.00
880340,Inflammation,23.00,Photophobia,23.00,Rash,23.00,,,,,
880341,Amnesia,23.00,Crying,23.00,Pyrexia,23.00,Staring,
23.00,Unresponsive to stimuli,23.00
880341,Vomiting,23.00,,,,,
880342,Local reaction,23.10,,,,,
880343,Ageusia,23.00,Chest pain,23.00,Chills,23.00,Dizziness,
23.00,Headache,23.00
880343,Hyperhidrosis,23.00,Myalgia,23.00,Nausea,23.00,Neck pain,
23.00,Pelvic pain,23.00
880343,Pyrexia,23.00,,,,,
880344,Blood test normal,23.00,Computerised tomogram head normal,
23.00,Dizziness,23.00,Fall,23.00,Feeling hot,23.00
880344,Head injury,23.00,Muscle twitching,23.00,Nausea,23.00,Seizure,
23.00,Skin abrasion,23.00
880344,Skin laceration,23.00,Syncope,23.00,,,,,
880345,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
880346,Vomiting projectile,23.00,,,,,
880347,Injected limb mobility decreased,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site swelling,23.00,,
880348,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
880349,Headache,23.00,Nausea,23.00,Vomiting,23.00,,,,,
880350,Malaise,23.00,Pain,23.00,Vaccination site bruising,
23.00,Vaccination site swelling,23.00,,
880351,Rash erythematous,23.00,Rash pruritic,23.00,,,,,
880352,Musculoskeletal stiffness,23.10,Pruritus,23.10,,,,,
880353,Injection site irritation,23.00,Injection site urticaria,
23.00,Mobility decreased,23.00,Pain in extremity,23.00,Skin warm,23.00
880354,Generalised tonic-clonic seizure,23.00,Loss of consciousness,
23.00,,,,,
880355,Eczema,23.00,Rash,23.00,,,,,
880356,Chills,23.00,Diarrhoea,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Pyrexia,23.00

880356,Rhinorrhoea,23.00,,,,,,,,,
880357,Chills,23.00,Headache,23.00,Nausea,23.00,Pain,23.00,Vomiting,
23.00
880358,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Pyrexia,
23.00,,
880359,Seizure,23.00,,,,,,,,,
880360,Rash erythematous,23.00,Rash pruritic,23.00,,,,,,,,,
880361,Erythema,23.00,Mass,23.00,,,,,,,,,
880362,Discomfort,23.00,Erythema,23.00,Injection site pain,23.00,Pain,
23.00,Swelling,23.00
880363,Injection site bruising,23.00,Injection site discolouration,
23.00,Injection site inflammation,23.00,Injection site pain,23.00,,
880364,Alopecia,23.00,Alopecia universalis,23.00,Asthma,
23.00,Autoimmune disorder,23.00,Food allergy,23.00
880364,Hypersensitivity,23.00,Otitis media,23.00,Viral infection,
23.00,Wheezing,23.00,,
880365,Chills,23.00,Confusional state,23.00,Dizziness,23.00,Injection
site pain,23.00,Musculoskeletal discomfort,23.00
880366,Fatigue,23.00,Headache,23.00,Menstruation irregular,
23.00,Migraine,23.00,,
880367,Cellulitis,23.00,Chills,23.00,Injection site erythema,
23.00,Injection site warmth,23.00,Pyrexia,23.00
880368,Erythema,23.00,Injection site warmth,23.00,Pruritus,
23.00,Pyrexia,23.00,Swelling,23.00
880369,Peripheral swelling,23.00,Rash,23.00,,,,,,,,,
880370,Injection site rash,23.10,,,,,,,,,
880371,Abdominal pain upper,23.00,Chills,23.00,Decreased appetite,
23.00,Lethargy,23.00,,
880372,Asthenia,23.00,Blood test,23.00,Computerised tomogram head,
23.00,Dry mouth,23.00,Fall,23.00
880372,Head injury,23.00,Headache,23.00,Peripheral coldness,
23.00,Tremor,23.00,,
880373,Injection site erythema,23.00,Injection site pain,
23.00,Malaise,23.00,Myalgia,23.00,Nausea,23.00
880373,Pyrexia,23.00,,,,,,,,,
880374,Erythema,23.00,Lethargy,23.00,Pain in extremity,23.00,,,,,
880375,Incorrect product formulation administered,23.00,No adverse
event,23.00,Product preparation issue,23.00,,,,,
880376,Presyncope,23.00,Urinary incontinence,23.00,,,,,,,,,
880391,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880392,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
880393,Deformity,23.10,Granuloma skin,23.10,Papule,23.10,Rubivirus
test positive,23.10,Skin plaque,23.10
880394,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880395,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
880396,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880397,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880398,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880399,No adverse event,23.10,Product storage error,23.10,,,,,,,,,

880400, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
880401, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880402, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
880403, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880404, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880405, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
880406, Papilloma viral infection, 23.00, , , , , , ,
880407, Expired product administered, 23.10, , , , , , ,
880408, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
880409, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
880410, Incorrect dose administered, 23.10, No adverse event, 23.10, , , , , ,
880411, Incorrect dose administered, 23.00, Product complaint, 23.00, Wrong
technique in product usage process, 23.00, , , , ,
880412, Injection site erythema, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, , , , ,
880413, Herpes zoster, 23.00, Vaccination failure, 23.00, , , , , ,
880414, Pertussis, 23.00, Vaccination failure, 23.00, , , , , ,
880415, Pyrexia, 23.00, , , , , , ,
880416, Fatigue, 23.00, , , , , , ,
880417, Herpes zoster, 23.00, Pruritus, 23.00, Rash, 23.00, Skin swelling,
23.00, , ,
880418, Injected limb mobility decreased, 23.00, Muscle swelling,
23.00, Musculoskeletal pain, 23.00, Myalgia, 23.00, Pain in extremity, 23.00
880419, Immediate post-injection reaction, 23.00, Lymphadenitis,
23.00, Lymphadenopathy, 23.00, Product administered at inappropriate
site, 23.00, , ,
880420, Injection site pain, 23.00, Insomnia, 23.00, , , , , ,
880421, Chills, 23.00, Extensive swelling of vaccinated limb, 23.00, Muscle
spasms, 23.00, , , , ,
880422, Headache, 23.00, Scleritis, 23.00, , , , , ,
880423, Chills, 23.00, Fatigue, 23.00, Influenza like illness, 23.00, Pain,
23.00, Pyrexia, 23.00
880423, Rash erythematous, 23.00, Tenderness, 23.00, , , , , ,
880424, Abdominal pain upper, 23.00, Chills, 23.00, Diarrhoea,
23.00, Fatigue, 23.00, Feeling hot, 23.00
880424, Hyperhidrosis, 23.00, Myalgia, 23.00, Pain, 23.00, SARS-CoV-2 test
negative, 23.00, , ,
880425, Deafness, 23.00, Eyelid ptosis, 23.00, Facial paralysis, 23.00, , , , ,
880426, Erythema, 23.00, Extensive swelling of vaccinated limb,
23.00, Feeling hot, 23.00, Headache, 23.00, Injection site rash, 23.00
880426, Myalgia, 23.00, Pruritus, 23.00, Rash, 23.00, , , , ,
880427, Antibody test negative, 23.00, Serology test, 23.00, Therapy non-
responder, 23.00, , , , ,
880428, Pruritus, 23.00, Swelling, 23.00, , , , , ,
880429, Erythema, 23.00, Feeling abnormal, 23.00, Feeling hot, 23.00, Gastric
disorder, 23.00, Headache, 23.00
880429, Induration, 23.00, Injection site pain, 23.00, Nausea, 23.00, , , , ,
880430, Coronavirus test positive, 23.00, SARS-CoV-2 test positive,
23.00, , , , , ,
880431, Arthralgia, 23.00, Injected limb mobility decreased, 23.00, Product

administered at inappropriate site,23.00,,,,,
880432,Fatigue,23.00,Pain,23.00,Pain in extremity,23.00,Tenderness,
23.00,,
880433,Fatigue,23.00,Feeling cold,23.00,Feeling hot,23.00,Headache,
23.00,Pain in extremity,23.00
880434,Dysgeusia,23.00,,,,,,
880435,Neck pain,23.00,Pyrexia,23.00,,,,,
880436,Erythema,23.10,Urticaria,23.10,,,,,
880437,High-pitched crying,23.00,Pyrexia,23.00,Seizure,23.00,,,,,
880438,Mass,23.10,Pain,23.10,Skin warm,23.10,Swelling,
23.10,Tenderness,23.10
880439,Product preparation issue,23.10,,,,,,
880440,Abnormal behaviour,23.10,Confusional state,23.10,Cyanosis,
23.10,Glassy eyes,23.10,Mass,23.10
880440,Musculoskeletal stiffness,23.10,Respiratory arrest,
23.10,Ultrasound scan normal,23.10,X-ray normal,23.10,,
880441,Extra dose administered,23.10,,,,,,
880442,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,,,,,
880443,Nausea,23.10,,,,,,
880444,Injection site erythema,23.10,Injection site swelling,
23.10,Urticaria,23.10,,,,,
880445,Chills,23.00,Fatigue,23.00,Headache,23.00,Influenza like
illness,23.00,Myalgia,23.00
880445,Pain in extremity,23.00,Pyrexia,23.00,,,,,
880446,Pyrexia,23.10,,,,,,
880448,Expired product administered,23.10,No adverse event,
23.10,Product storage error,23.10,,,,,
880449,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
880450,Dizziness,23.00,Fall,23.00,Head injury,23.00,Syncope,23.00,,
880451,Injection site haemorrhage,23.00,Injection site swelling,
23.00,Peripheral swelling,23.00,,,,,
880452,Asthenia,23.00,Dizziness,23.00,Headache,23.00,Immediate post-
injection reaction,23.00,Injection site erythema,23.00
880452,Injection site nodule,23.00,Injection site pain,23.00,Injection
site swelling,23.00,Injection site warmth,23.00,,
880453,Malaise,23.10,Vomiting,23.10,,,,,
880454,Erythema,23.10,Flushing,23.10,Injection site urticaria,
23.10,,,,,
880455,Fatigue,23.00,Feeling abnormal,23.00,Injection site pain,
23.00,Lymph node pain,23.00,Pain,23.00
880456,Facial paralysis,23.10,,,,,,
880457,Chills,23.00,Injection site pain,23.00,Tremor,23.00,,,,,
880458,Fatigue,23.00,,,,,,
880459,Extra dose administered,23.10,No adverse event,23.10,Wrong
product administered,23.10,,,,,
880460,Decreased appetite,23.10,Headache,23.10,Lethargy,
23.10,Pruritus,23.10,Pyrexia,23.10
880460,Rash,23.10,Vision blurred,23.10,,,,,,

880461, Arthralgia, 23.00, Chills, 23.00, Hyperhidrosis, 23.00, Injection site pain, 23.00, Myalgia, 23.00
 880461, Pyrexia, 23.00, Rhinorrhoea, 23.00, Sneezing, 23.00, , , , ,
 880462, Atrial fibrillation, 23.10, Blood test, 23.10, Condition aggravated, 23.10, Dyspnoea, 23.10, Echocardiogram, 23.10
 880462, Electrocardiogram ST-T segment abnormal, 23.10, Electrocardiogram ambulatory normal, 23.10, Heart rate increased, 23.10, Injection site pain, 23.10, Migraine, 23.10
 880462, Myocardial infarction, 23.10, , , , , , , , ,
 880463, Asthenia, 23.00, Musculoskeletal stiffness, 23.00, Nausea, 23.00, Pain, 23.00, Pyrexia, 23.00
 880463, Tremor, 23.00, Trismus, 23.00, Vomiting, 23.00, , , , ,
 880464, Injection site pain, 23.00, Injection site rash, 23.00, , , , , , , , ,
 880465, Injection site cellulitis, 23.00, Nephrolithiasis, 23.00, , , , , , , , ,
 880466, Cellulitis, 23.00, Injection site inflammation, 23.00, Malaise, 23.00, Pyrexia, 23.00, ,
 880467, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10
 880467, Malaise, 23.10, Myalgia, 23.10, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, ,
 880468, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Neck pain, 23.10, Pain, 23.10, ,
 880469, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10, , , , ,
 880470, Hypoaesthesia, 23.00, Mobility decreased, 23.00, , , , , , , , ,
 880471, Haemorrhage, 23.00, Loss of consciousness, 23.00, Loss of personal independence in daily activities, 23.00, Product administration error, 23.00, Pyrexia, 23.00
 880471, Vomiting, 23.00, , , , , , , , ,
 880472, Erythema, 23.10, Fatigue, 23.10, Feeling hot, 23.10, Insomnia, 23.10, Peripheral swelling, 23.10
 880472, Pyrexia, 23.10, Restlessness, 23.10, Skin warm, 23.10, Vomiting, 23.10, ,
 880473, Headache, 23.10, Incontinence, 23.10, Pain, 23.10, , , , , , , , ,
 880474, Cold sweat, 23.00, Dizziness, 23.00, Heart rate increased, 23.00, Syncope, 23.00, ,
 880475, Fall, 23.00, Generalised tonic-clonic seizure, 23.00, Loss of consciousness, 23.00, Neurological examination, 23.00, ,
 880478, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
 880479, Inappropriate schedule of product administration, 23.00, No adverse event, 23.00, , , , , , , , ,
 880480, Expired product administered, 23.10, , , , , , , , , ,
 880481, Arrhythmia, 23.00, Fatigue, 23.00, Influenza like illness, 23.00, Pain, 23.00, ,
 880483, Ear pain, 23.00, Eye pain, 23.00, Facial pain, 23.00, Gingival blister, 23.00, Gingival pain, 23.00
 880483, Oropharyngeal blistering, 23.00, Oropharyngeal pain, 23.00, Pain of skin, 23.00, , , , ,
 880484, Cellulitis, 23.00, Extensive swelling of vaccinated limb, 23.00, Feeling abnormal, 23.00, Pain in extremity, 23.00, Pyrexia, 23.00

880484,Rash pruritic,23.00,,,,,,,,,
880485,Prostatic specific antigen increased,23.00,,,,,,,,,
880486,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
880487,Back pain,23.00,Chest pain,23.00,Dizziness,23.00,Headache,
23.00,Hypertension,23.00
880487,Injection site haemorrhage,23.00,Laboratory test normal,
23.00,,,,,,,,,
880488,Confusional state,23.10,Serum sickness,23.10,Speech disorder,
23.10,Vision blurred,23.10,,
880489,Hypoaesthesia,23.10,,,,,,,,,
880490,Erythema,23.10,Pain in extremity,23.10,Pruritus,23.10,,,,,
880491,Erythema,23.00,Skin warm,23.00,Swelling,23.00,,,,,
880492,Wrong product administered,23.10,,,,,,,,,
880493,Erythema,23.00,Headache,23.00,Influenza like illness,
23.00,Malaise,23.00,Oropharyngeal pain,23.00
880493,Pain in extremity,23.00,,,,,,,,,
880494,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Local reaction,23.00,Pain in
extremity,23.00
880495,Anaphylactic shock,23.00,Cough,23.00,Dyspnoea,23.00,Heart rate
increased,23.00,Peripheral swelling,23.00
880495,Swelling face,23.00,Urticaria,23.00,Wheezing,23.00,,,,,
880496,Chills,23.00,Erythema,23.00,Musculoskeletal discomfort,
23.00,Neck pain,23.00,Pain in extremity,23.00
880496,Pyrexia,23.00,Skin warm,23.00,Swelling,23.00,Vaccination
complication,23.00,,
880497,Arthralgia,23.00,Diarrhoea,23.00,Headache,23.00,Injected limb
mobility decreased,23.00,Injection site swelling,23.00
880497,Injection site warmth,23.00,Lethargy,23.00,Nausea,
23.00,Pyrexia,23.00,,
880498,Pyrexia,23.10,Rash,23.10,,,,,,,,,
880499,Chills,23.10,Decreased appetite,23.10,Headache,23.10,Injection
site erythema,23.10,Injection site swelling,23.10
880499,Nausea,23.10,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,,
880500,Chills,23.00,Rash erythematous,23.00,,,,,,,,,
880501,Decreased appetite,23.10,Erythema,23.10,Irritability,
23.10,Oropharyngeal pain,23.10,Pyrexia,23.10
880502,Erythema,23.10,Fatigue,23.10,Headache,23.10,Nausea,23.10,Pain,
23.10
880503,Pyrexia,23.10,Rash,23.10,,,,,,,,,
880504,Herpes zoster,23.00,Pain,23.00,,,,,,,,,
880506,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880507,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
880508,Herpes zoster,23.00,,,,,,,,,
880509,Herpes zoster,23.00,Pain,23.00,,,,,,,,,
880510,Myalgia,23.00,,,,,,,,,
880511,Apgar score normal,23.00,Foetal exposure during pregnancy,
23.00,Large for dates baby,23.00,Shoulder dystocia,23.00,,
880512,Alpha 1 foetoprotein normal,23.00,Beta haemolytic streptococcal
infection,23.00,Caesarean section,23.00,Exposure during pregnancy,

23.00,Gestational hypertension,23.00
880512,Pre-eclampsia,23.00,Prolonged labour,23.00,Streptococcus test
positive,23.00,Ultrasound antenatal screen normal,23.00,,
880513,Apgar score normal,23.00,Caesarean section,23.00,Foetal
distress syndrome,23.00,Foetal exposure during pregnancy,
23.00,Maternal condition affecting foetus,23.00
880514,Impaired work ability,23.10,Rash,23.10,Rash vesicular,23.10,,,,,
880515,Chills,23.00,Fatigue,23.00,Influenza like illness,
23.00,Neuralgia,23.00,Pain,23.00
880515,Pruritus,23.00,Rash pruritic,23.00,,,,,,
880516,Head injury,23.00,Malaise,23.00,,,,,,
880517,Dizziness,23.00,Headache,23.00,Heart rate increased,
23.00,Hypotension,23.00,Injection site bruising,23.00
880517,Injection site discolouration,23.00,Injection site erythema,
23.00,Injection site induration,23.00,Injection site mass,23.00,Livedo
reticularis,23.00
880517,Pyrexia,23.00,,,,,,,
880518,Dysgeusia,23.00,,,,,,,
880519,Asthenia,23.00,Chills,23.00,Dizziness,23.00,Nausea,
23.00,Pyrexia,23.00
880520,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,Pruritus,23.00,Rash,23.00
880520,SARS-CoV-2 test negative,23.00,,,,,,,
880522,Joint swelling,23.10,Peripheral swelling,23.10,,,,,,
880523,No adverse event,23.10,Wrong product administered,23.10,,,,,,
880529,Product storage error,23.10,,,,,,,
880530,Blood test normal,23.00,Dehydration,23.00,Dizziness,
23.00,Headache,23.00,SARS-CoV-2 test,23.00
880530,Vomiting,23.00,,,,,,,
880531,Herpes zoster,23.00,Pneumonia,23.00,,,,,,
880532,Gait inability,23.10,Weight bearing difficulty,23.10,,,,,,
880533,Erythema,23.00,,,,,,,
880534,Injection site rash,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Rash,23.10,,
880535,Decreased appetite,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Lethargy,23.00,Piloerection,23.00
880535,Pyrexia,23.00,Skin fissures,23.00,Skin irritation,23.00,,,,,
880536,Rash macular,23.10,,,,,,,
880537,Erythema,23.00,Local reaction,23.00,Skin warm,23.00,Swelling,
23.00,,
880538,Body temperature increased,23.00,Chills,23.00,Confusional
state,23.00,Nausea,23.00,Pain,23.00
880538,Tremor,23.00,,,,,,,
880539,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
880540,Injection site erythema,23.10,Injection site nodule,
23.10,Injection site pain,23.10,Vaccination complication,23.10,,
880541,Fatigue,23.00,Hypoaesthesia,23.00,Muscle spasms,
23.00,Nasopharyngitis,23.00,Pallor,23.00
880541,Tremor,23.00,Vomiting,23.00,,,,,,

880542,Cold sweat,23.10,Eye movement disorder,23.10,Hypotonia,
23.10,Pallor,23.10,,
880543,Injection site erythema,23.00,Injection site pain,
23.00,Pruritus,23.00,Urticaria,23.00,,
880544,Arthralgia,23.10,Chills,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site warmth,23.10
880544,Malaise,23.10,Myalgia,23.10,Pyrexia,23.10,SARS-CoV-2 test
negative,23.10,,
880545,Erythema,23.00,Hypoaesthesia,23.00,Inflammation,23.00,Injected
limb mobility decreased,23.00,Pain in extremity,23.00
880545,Paraesthesia,23.00,Pruritus,23.00,Ultrasound Doppler,23.00,,,,,
880546,Chills,23.00,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain,
23.00
880546,Pain in extremity,23.00,Pyrexia,23.00,Swelling,
23.00,Tenderness,23.00,,
880547,Syncope,23.10,,,,,,
880548,Cold sweat,23.10,Dizziness,23.10,Fatigue,23.10,Injection site
pain,23.10,Injection site swelling,23.10
880548,Loss of consciousness,23.10,Malaise,23.10,,,,,
880549,Fatigue,23.00,Urticaria,23.00,,,,,
880550,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
880551,Injection site pain,23.00,Pyrexia,23.00,Rash,23.00,,,,,
880552,Syncope,23.00,,,,,,
880553,Dizziness,23.00,,,,,,
880554,Blindness,23.10,Dyspnoea,23.10,Pallor,23.10,Paraesthesia,
23.10,,
880555,Magnetic resonance imaging,23.00,Periarthritis,23.00,,,,,
880556,Injection site pain,23.10,Rash,23.10,Rash pruritic,23.10,,,,,
880557,Chest discomfort,23.10,Cough,23.10,Dizziness,23.10,Eye
discharge,23.10,Eye pruritus,23.10
880557,Headache,23.10,Heart rate increased,23.10,Myalgia,
23.10,Oropharyngeal pain,23.10,Retching,23.10
880557,Vision blurred,23.10,,,,,,
880558,Contusion,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,,,
880561,Injection site pain,23.10,Injection site swelling,23.10,,,,,
880562,Computerised tomogram normal,23.00,Deafness,23.00,,,,,
880563,Peripheral swelling,23.10,Rash,23.10,,,,,
880564,Fatigue,23.00,Pyrexia,23.00,,,,,
880565,Injection site erythema,23.00,Injection site rash,23.00,Pain in
extremity,23.00,,,,,
880566,Muscular weakness,23.00,Pain in extremity,23.00,Paraesthesia,
23.00,Peripheral swelling,23.00,,
880567,Dizziness,23.10,Fall,23.10,Syncope,23.10,,,,,
880568,Headache,23.00,Pyrexia,23.00,,,,,
880569,Unevaluable event,23.00,,,,,,
880570,Abdominal discomfort,23.00,Diarrhoea,23.00,Nausea,
23.00,Respiratory tract congestion,23.00,,
880571,Injection site inflammation,23.00,Rash pruritic,23.00,,,,,
880573,Injection site rash,23.00,,,,,,

880574,Diarrhoea,23.10,Headache,23.10,Myalgia,23.10,,,,,
880575,Decreased appetite,23.10,Diarrhoea,23.10,Diet refusal,
23.10,Fatigue,23.10,Irritability,23.10
880575,Lethargy,23.10,Pyrexia,23.10,Screaming,23.10,Skin warm,
23.10,Somnolence,23.10
880575,Vomiting,23.10,,,,,,
880577,Varicella post vaccine,23.10,,,,,,
880581,Expired product administered,23.10,,,,,,
880582,Extra dose administered,23.10,No adverse event,23.10,Product
administered to patient of inappropriate age,23.10,,,,,
880583,No adverse event,23.10,Product storage error,23.10,,,,,
880584,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
880585,No adverse event,23.00,Product storage error,23.00,,,,,
880586,Expired product administered,23.10,No adverse event,23.10,,,,,
880587,Inappropriate schedule of product administration,23.00,,,,,
880588,Inappropriate schedule of product administration,23.00,No
adverse event,23.00,,,,,
880589,Product storage error,23.10,,,,,
880590,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
880591,Haemorrhage,23.00,Skin laceration,23.00,Syringe issue,23.00,,,,,
880592,Injection site inflammation,23.00,Pain in extremity,23.00,Skin
warm,23.00,,,,,
880593,Dry skin,23.00,Eczema,23.00,Rash pruritic,23.00,,,,,
880594,Abdominal discomfort,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Pyrexia,23.00
880595,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,
880596,Herpes zoster,23.00,,,,,
880597,Dizziness,23.00,Headache,23.00,Nausea,23.00,Urticaria,
23.00,Vertigo,23.00
880598,Vomiting,23.00,,,,,
880599,Chills,23.00,Pain,23.00,Pyrexia,23.00,,,,,
880600,Injection site erythema,23.00,Injection site pain,23.00,Pain,
23.00,Pyrexia,23.00,,
880602,Burning sensation,23.00,Feeling hot,23.00,Injection site
bruising,23.00,Injection site erythema,23.00,Injection site reaction,
23.00
880602,Local reaction,23.00,Paraesthesia,23.00,Sleep disorder,
23.00,Spinal pain,23.00,,
880603,Hypersensitivity,23.00,Urticaria,23.00,,,,,
880604,Rash erythematous,23.00,,,,,
880606,Myalgia,23.10,Pain,23.10,,,,,
880607,Injection site rash,23.00,Rash pruritic,23.00,,,,,
880609,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
880610,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
880611,Breath holding,23.10,Crying,23.10,Emotional distress,

23.10,Erythema,23.10,Eye movement disorder,23.10
880611,Pallor,23.10,Posture abnormal,23.10,Rash macular,23.10,,,,,
880612,Asthenia,23.00,Chills,23.00,Fatigue,23.00,Oropharyngeal pain,
23.00,,
880614,Intentional product use issue,23.10,,,,,,,
880616,Cellulitis,23.10,Erythema,23.10,Localised infection,
23.10,Peripheral swelling,23.10,Tenderness,23.10
880617,Injection site erythema,23.10,Injection site pain,
23.10,Malaise,23.10,Nausea,23.10,,
880618,Abdominal pain,23.10,Diarrhoea,23.10,Gait disturbance,
23.10,Influenza,23.10,Injection site pain,23.10
880618,Vomiting,23.10,,,,,,,
880619,Blood pressure increased,23.10,Headache,23.10,Pyrexia,23.10,,,,,
880620,Pruritus,23.10,Urticaria,23.10,,,,,,
880621,Back pain,23.00,Hyperhidrosis,23.00,Tremor,23.00,Vomiting,
23.00,,
880622,Injection site erythema,23.00,Injection site inflammation,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
880623,Abdominal pain,23.00,Blister,23.00,Burning sensation,23.00,Rash
erythematous,23.00,,
880624,Irritability,23.10,Mydriasis,23.10,Opisthotonus,23.10,Pallor,
23.10,Respiration abnormal,23.10
880626,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,,,,,
880627,Expired product administered,23.10,No adverse event,23.10,,,,,,
880628,Herpes zoster,23.00,,,,,,,
880629,Herpes zoster,23.00,,,,,,,
880630,Herpes zoster,23.00,,,,,,,
880631,Encephalitis,23.00,,,,,,,
880633,Pain in extremity,23.00,,,,,,,
880634,Injected limb mobility decreased,23.00,Pain in extremity,
23.00,Pyrexia,23.00,,,,,
880635,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,Musculoskeletal stiffness,23.00,,
880636,Visual impairment,23.00,Vitreous floaters,23.00,,,,,,
880637,Varicella,23.00,,,,,,,
880638,Fatigue,23.00,Lethargy,23.00,Loss of consciousness,
23.00,Pollakiuria,23.00,Pyrexia,23.00
880639,Body temperature decreased,23.10,Immediate post-injection
reaction,23.10,Injection site erythema,23.10,Rash,23.10,,
880640,Headache,23.10,Myalgia,23.10,Sluggishness,23.10,,,,,
880641,Abdominal pain upper,23.00,Chills,23.00,Fatigue,23.00,Headache,
23.00,Myalgia,23.00
880641,Nausea,23.00,Pain in extremity,23.00,Rash,23.00,Skin warm,
23.00,,
880642,Feeling cold,23.00,Mobility decreased,23.00,Pyrexia,
23.00,Throat tightness,23.00,Urticaria,23.00
880643,Culture urine negative,23.00,Cyanosis,23.00,Febrile convulsion,
23.00,Pyrexia,23.00,Respiratory arrest,23.00
880643,Resuscitation,23.00,Seizure,23.00,Urine analysis normal,

23.00,,,,,
880644,Injection site rash,23.00,Injection site warmth,
23.00,Musculoskeletal stiffness,23.00,Pain in extremity,23.00,Vision
blurred,23.00
880645,Asthenia,23.00,Nausea,23.00,Syncope,23.00,,,,,
880646,Dysgeusia,23.00,,,,,,
880647,Back pain,23.10,Dizziness,23.10,Dyspnoea,23.10,,,,,
880648,Rash papular,23.10,Rash vesicular,23.10,,,,,
880649,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,,,,,
880650,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pyrexia,23.00,,
880651,Fatigue,23.00,Headache,23.00,Nausea,23.00,Pain in extremity,
23.00,,
880652,Inflammation,23.00,Swelling,23.00,,,,,,
880653,Rash erythematous,23.00,Skin warm,23.00,,,,,,
880654,Chills,23.00,Diarrhoea,23.00,Nausea,23.00,Pain in extremity,
23.00,,
880655,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Peripheral swelling,23.10,,,,,
880656,Documented hypersensitivity to administered product,
23.10,,,,,,
880666,No adverse event,23.10,Product storage error,23.10,,,,,
880667,No adverse event,23.10,Underdose,23.10,,,,,
880668,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
880669,No adverse event,23.10,Product storage error,23.10,,,,,
880670,Product storage error,23.10,,,,,,
880671,Blindness,23.00,Facial paralysis,23.00,Herpes zoster,23.00,,,,,
880672,No adverse event,23.10,Product storage error,23.10,,,,,
880673,Expired product administered,23.10,No adverse event,23.10,,,,,
880674,Drug ineffective,23.00,Malaise,23.00,,,,,
880675,Burning sensation,23.00,Chills,23.00,Erythema,23.00,Feeling
abnormal,23.00,Injection site erythema,23.00
880675,Nausea,23.00,Neck pain,23.00,Pain,23.00,Pain in extremity,
23.00,Paraesthesia,23.00
880675,Pyrexia,23.00,,,,,,
880676,Cellulitis,23.00,Neurological symptom,23.00,Pyrexia,23.00,,,,,
880677,Allergy to metals,23.10,Allergy to vaccine,23.10,Drug
hypersensitivity,23.10,,,,,
880678,Dizziness,23.00,Fatigue,23.00,Headache,23.00,Injection site
haemorrhage,23.00,Injection site pain,23.00
880678,Nausea,23.00,,,,,,
880679,Chills,23.00,Choking,23.00,Fatigue,23.00,Headache,23.00,Pain,
23.00
880680,Pain,23.00,Swelling,23.00,,,,,
880681,Pruritus,23.00,Rash,23.00,,,,,
880682,Nausea,23.00,Pain in extremity,23.00,,,,,
880683,Abdominal discomfort,23.00,Fatigue,23.00,Headache,23.00,Pain,
23.00,,
880684,Unevaluable event,23.10,,,,,,

880685, Vaccination site bruising, 23.00, , , , , , , ,
880686, Pyrexia, 23.10, , , , , , , ,
880687, Burning sensation, 23.00, , , , , , , ,
880691, Herpes zoster, 23.00, , , , , , , ,
880692, Syringe issue, 23.10, Underdose, 23.10, , , , , ,
880693, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
880694, Pain, 23.00, Pain in extremity, 23.00, Swelling, 23.00, , , , ,
880695, Contusion, 23.00, Haemorrhage, 23.00, Immediate post-injection
reaction, 23.00, Pain, 23.00, ,
880696, Abdominal pain, 23.00, Chest pain, 23.00, Chills, 23.00, Headache,
23.00, Pyrexia, 23.00
880696, Vomiting, 23.00, , , , , , , ,
880697, Diarrhoea, 23.10, Vomiting, 23.10, , , , , , ,
880698, Body temperature increased, 23.00, Erythema, 23.00, Injection site
erythema, 23.00, Injection site pain, 23.00, Injection site swelling, 23.00
880698, Injection site warmth, 23.00, Malaise, 23.00, Pruritus,
23.00, Swelling, 23.00, Vaccination site pain, 23.00
880699, Administration site bruise, 23.00, Erythema, 23.00, Limb
discomfort, 23.00, Pain in extremity, 23.00, Skin warm, 23.00
880699, Swelling, 23.00, , , , , , , ,
880700, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
880701, Acoustic stimulation tests, 23.00, Tinnitus, 23.00, , , , , , , ,
880702, Lymphadenopathy, 23.00, Oropharyngeal pain, 23.00, , , , , , , ,
880704, Eye movement disorder, 23.00, Musculoskeletal stiffness,
23.00, Pallor, 23.00, Seizure, 23.00, Syncope, 23.00
880705, Electroencephalogram, 23.10, Febrile convulsion, 23.10, Pyrexia,
23.10, , , , ,
880706, Back pain, 23.00, Pain in extremity, 23.00, Paraesthesia, 23.00, , , , ,
880707, Chills, 23.00, Fatigue, 23.00, Headache, 23.00, Myalgia, 23.00, Nausea,
23.00
880707, Pyrexia, 23.00, , , , , , , ,
880708, Diarrhoea, 23.00, Neuralgia, 23.00, , , , , , , ,
880709, Contusion, 23.00, Influenza, 23.00, Injection site pain, 23.00, Lymph
node pain, 23.00, Lymphadenopathy, 23.00
880709, Nausea, 23.00, , , , , , , ,
880710, Asthenia, 23.10, Crying, 23.10, Decreased appetite,
23.10, Hypersomnia, 23.10, Injection site erythema, 23.10
880710, Injection site pain, 23.10, Neck pain, 23.10, Pain, 23.10, Pyrexia,
23.10, Screaming, 23.10
880710, Thirst decreased, 23.10, Urine output decreased, 23.10, , , , , , , ,
880711, Chills, 23.00, Headache, 23.00, Nausea, 23.00, Pyrexia, 23.00, , ,
880712, Headache, 23.10, Nausea, 23.10, Pyrexia, 23.10, Tremor, 23.10, , ,
880713, Erythema, 23.00, Local reaction, 23.00, Pruritus, 23.00, , , , ,
880714, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
880715, Cold sweat, 23.00, Cyanosis, 23.00, Respiratory rate decreased,
23.00, Syncope, 23.00, , ,
880716, Blood uric acid increased, 23.00, Gout, 23.00, Joint swelling,
23.00, Limb discomfort, 23.00, , ,
880717, Arthralgia, 23.10, Asthenia, 23.10, Confusional state,
23.10, Erythema, 23.10, Lethargy, 23.10

880717, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10, Swelling, 23.10,,
880718, Back pain, 23.00, Injection site pain, 23.00, Pain in extremity,
23.00,,,,,
880719, Pain in extremity, 23.00, Peripheral swelling, 23.00,,,,,,
880720, Diarrhoea, 23.10, Headache, 23.10, Injection site pain,
23.10, Nausea, 23.10, SARS-CoV-2 test, 23.10
880720, Vomiting, 23.10,,,,,,
880721, Injection site pain, 23.00, Injection site swelling, 23.00,,,,,,
880722, Cardiovascular evaluation, 23.00, Loss of consciousness,
23.00, Syncope, 23.00, Vaccination complication, 23.00,,
880723, Axillary pain, 23.00, Back pain, 23.00, Herpes zoster,
23.00, Lymphadenopathy, 23.00, Rash erythematous, 23.00
880723, Rash pruritic, 23.00,,,,,,
880725, Dizziness, 23.00, Hyperhidrosis, 23.00, Loss of consciousness,
23.00,,,,,
880726, Abnormal dreams, 23.00, Fatigue, 23.00, Feeling hot, 23.00, Headache,
23.00, Injection site pain, 23.00
880726, Nausea, 23.00,,,,,,
880727, Allergy to vaccine, 23.00, Feeling hot, 23.00, Injection site rash,
23.00, Injection site swelling, 23.00,,
880728, Dizziness, 23.00, Eye movement disorder, 23.00, Fall, 23.00, Head
injury, 23.00, Seizure, 23.00
880729, Pruritus, 23.00, Skin warm, 23.00, Swelling, 23.00,,,,,
880730, Rash, 23.10,,,,,,
880731, Asthenia, 23.00, Bedridden, 23.00, Dizziness, 23.00, Fatigue,
23.00, Head discomfort, 23.00
880731, Pain, 23.00, Paraesthesia, 23.00, Pruritus, 23.00, Rash, 23.00, SARS-
CoV-2 test negative, 23.00
880731, Skin burning sensation, 23.00, Walking aid user, 23.00,,,,,,
880732, Injection site pruritus, 23.00, Injection site swelling,
23.00,,,,,,
880733, Back pain, 23.00, Chest pain, 23.00, Dyspnoea,
23.00, Electrocardiogram, 23.00, Erythema, 23.00
880733, Flushing, 23.00, Nausea, 23.00, Pallor, 23.00,,,,,
880734, Erythema, 23.00, Skin warm, 23.00, Tenderness, 23.00,,,,,
880735, Injection site pain, 23.10, Injection site pruritus,
23.10, Injection site reaction, 23.10, Injection site swelling,
23.10, Urticaria, 23.10
880736, Injection site pain, 23.00, Injection site rash, 23.00, Rash,
23.00,,,,,
880737, Arthralgia, 23.10,,,,,,
880738, Unevaluable event, 23.00,,,,,,
880739, Injection site inflammation, 23.00, Injection site pain,
23.00,,,,,,
880740, Injection site swelling, 23.00, Rash, 23.00, Urticaria, 23.00,,,,,
880741, Chills, 23.00, Contusion, 23.00, Erythema, 23.00, Fatigue, 23.00, Mass,
23.00
880741, Pain, 23.00, Pain in extremity, 23.00, Peripheral swelling,
23.00, Pyrexia, 23.00,,
880742, Blood test, 23.10, Chest X-ray, 23.10, Chills, 23.10, Cold sweat,

23.10,Dizziness,23.10
880742,Electrocardiogram,23.10,Fatigue,23.10,Feeling cold,
23.10,Headache,23.10,Hypoaesthesia,23.10
880742,Insomnia,23.10,Nausea,23.10,Peripheral swelling,23.10,,,,,
880743,Pain,23.10,Pyrexia,23.10,,,,,
880748,Injury associated with device,23.00,,,,,
880749,No adverse event,23.00,Product storage error,23.00,,,,,
880750,Product storage error,23.10,,,,,
880751,No adverse event,23.10,Product storage error,23.10,,,,,
880752,No adverse event,23.00,Product storage error,23.00,,,,,
880753,No adverse event,23.10,Product storage error,23.10,,,,,
880754,No adverse event,23.10,Product storage error,23.10,,,,,
880755,Product administered to patient of inappropriate age,
23.10,,,,,
880756,Product storage error,23.10,,,,,
880757,Expired product administered,23.10,No adverse event,23.10,,,,,
880758,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
880759,No adverse event,23.10,Product storage error,23.10,,,,,
880760,Injection site erythema,23.00,Pain in extremity,23.00,,,,,
880761,Deafness unilateral,23.00,,,,,
880762,Erythema,23.00,Injection site pain,23.00,Pyrexia,
23.00,Swelling,23.00,,
880763,Chills,23.00,Fatigue,23.00,Pyrexia,23.00,,,,,
880764,Fatigue,23.00,Immediate post-injection reaction,23.00,Muscular
weakness,23.00,Myalgia,23.00,,
880765,Disability,23.00,Guillain-Barre syndrome,23.00,Near death
experience,23.00,,,,,
880766,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site warmth,23.10,,
880767,Rash,23.10,Swelling,23.10,Swelling face,23.10,,,,,
880768,Body temperature increased,23.00,Middle insomnia,23.00,Pain in
extremity,23.00,Vomiting,23.00,,
880769,Rash,23.00,,,,,
880770,Chills,23.00,Hyperaesthesia,23.00,Loss of consciousness,
23.00,Nausea,23.00,Pyrexia,23.00
880771,Chills,23.10,Injection site discolouration,23.10,Injection site
pain,23.10,Injection site rash,23.10,Injection site swelling,23.10
880771,Pain,23.10,Pyrexia,23.10,,,,,
880772,Diplegia,23.00,Dizziness,23.00,Muscle twitching,23.00,Pallor,
23.00,Seizure,23.00
880772,Tremor,23.00,Unresponsive to stimuli,23.00,,,,,
880773,Urticaria,23.10,,,,,
880774,Acoustic stimulation tests,23.10,Deafness unilateral,
23.10,Tympanometry,23.10,,,,,
880775,Cellulitis,23.10,,,,,
880776,Chills,23.00,Headache,23.00,Neck pain,23.00,Pain,23.00,Pyrexia,
23.00
880777,Wrong product administered,23.00,,,,,
880778,Injection site swelling,23.10,Injection site warmth,23.10,,,,,

880779,Dyspnoea,23.00,Lip swelling,23.00,Swelling of eyelid,23.00,,,,,
880780,Pruritus,23.00,Rash,23.00,,,,,,
880781,Expired product administered,23.10,No adverse event,23.10,,,,,,
880782,Fatigue,23.00,Oropharyngeal pain,23.00,Pain,23.00,Pyrexia,
23.00,,
880785,Product storage error,23.10,,,,,,
880786,Herpes zoster,23.00,,,,,,
880787,No adverse event,23.10,Product storage error,23.10,,,,,
880788,No adverse event,23.10,Product storage error,23.10,,,,,
880789,Chromaturia,23.00,Hepatic failure,23.00,Liver function test
increased,23.00,Ocular icterus,23.00,Pruritus,23.00
880789,Rash,23.00,,,,,,
880790,Balance disorder,23.00,Chills,23.00,Condition aggravated,
23.00,Coordination abnormal,23.00,Deafness neurosensory,23.00
880790,Dizziness,23.00,Feeling abnormal,23.00,Gait inability,
23.00,Head discomfort,23.00,Influenza like illness,23.00
880790,Labyrinthitis,23.00,Nausea,23.00,Pyrexia,23.00,Tinnitus,
23.00,Vertigo,23.00
880791,Exposure via skin contact,23.00,Occupational exposure to
product,23.00,Product complaint,23.00,Skin laceration,23.00,,
880792,Blister,23.00,Herpes zoster,23.00,Social problem,23.00,,,,,
880794,Feeling abnormal,23.00,Malaise,23.00,Nerve compression,
23.00,Pain,23.00,,
880795,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,,
880796,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,,
880797,Expired product administered,23.10,No adverse event,23.10,,,,,,
880798,Extra dose administered,23.10,No adverse event,23.10,,,,,,
880799,Injection site erythema,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site warmth,23.00,Lethargy,
23.00
880799,Myalgia,23.00,,,,,,
880800,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
880800,Pruritus,23.10,,,,,,
880801,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Muscular weakness,23.10,Myalgia,23.10
880801,Pain in extremity,23.10,,,,,,
880802,Contusion,23.00,Pyrexia,23.00,Swelling,23.00,,,,,
880803,Contusion,23.00,Erythema,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00,Tenderness,23.00
880804,Injection site erythema,23.00,Injection site pruritus,
23.00,Pyrexia,23.00,,,,,
880805,Ligament injury,23.10,Pain in extremity,23.10,Skeletal injury,
23.10,Weight bearing difficulty,23.10,,
880806,Pruritus,23.10,Rash,23.10,Urticaria,23.10,,,,,
880807,Influenza like illness,23.00,Insomnia,23.00,Myalgia,23.00,,,,,
880808,Extra dose administered,23.00,,,,,,

880809, Injection site urticaria, 23.00, Pruritus, 23.00, , , , , ,
880810, Pain, 23.00, Pruritus, 23.00, Urticaria, 23.00, , , ,
880812, Feeling abnormal, 23.00, Influenza like illness, 23.00, Pyrexia,
23.00, , , , ,
880813, Rash, 23.00, , , , , , , , ,
880814, Chills, 23.10, Erythema, 23.10, Headache, 23.10, Pain,
23.10, Peripheral swelling, 23.10
880814, Pyrexia, 23.10, Skin warm, 23.10, , , , , , ,
880820, Urticaria, 23.10, , , , , , , , ,
880823, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
880824, Syncope, 23.00, , , , , , , , ,
880825, Herpes zoster, 23.00, Post herpetic neuralgia, 23.00, , , , , , ,
880826, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
880827, Headache, 23.00, , , , , , , , ,
880828, Product storage error, 23.10, , , , , , , , ,
880829, Chills, 23.00, Condition aggravated, 23.00, Food allergy,
23.00, Pyrexia, 23.00, ,
880830, Balance disorder, 23.00, Decreased appetite, 23.00, Dizziness,
23.00, Fatigue, 23.00, Headache, 23.00
880831, Dizziness, 23.00, Erythema, 23.00, Gait inability, 23.00, Headache,
23.00, Injection site pain, 23.00
880831, Pain, 23.00, , , , , , , , ,
880832, Febrile convulsion, 23.00, , , , , , , , ,
880833, Injection site bruising, 23.00, Injection site swelling,
23.00, Injection site warmth, 23.00, , , , ,
880834, Urticaria, 23.00, , , , , , , , ,
880835, Cold sweat, 23.10, Dizziness, 23.10, Hypoacusis, 23.10, Visual
impairment, 23.10, ,
880836, Extra dose administered, 23.10, , , , , , , , ,
880837, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
880838, Chills, 23.10, Hypoaesthesia, 23.10, Injected limb mobility
decreased, 23.10, Injection site erythema, 23.10, Injection site pain,
23.10
880838, Injection site swelling, 23.10, Paraesthesia, 23.10, , , , , , ,
880839, Expired product administered, 23.10, No adverse event,
23.10, Parasite blood test, 23.10, , , , ,
880848, Discomfort, 23.00, Fatigue, 23.00, Headache, 23.00, Malaise,
23.00, Pyrexia, 23.00
880850, Dizziness, 23.00, , , , , , , , ,
880851, Herpes zoster, 23.00, , , , , , , , ,
880852, Syringe issue, 23.10, Underdose, 23.10, , , , , , ,
880853, Gait inability, 23.00, Parkinsonism, 23.00, , , , , , , ,
880854, Swelling, 23.10, , , , , , , , ,
880855, Chills, 23.00, Headache, 23.00, Pyrexia, 23.00, Spinal pain, 23.00, ,
880856, Discomfort, 23.00, Injection site pain, 23.00, Limb discomfort,
23.00, , , , ,
880857, Exercise tolerance decreased, 23.10, Influenza like illness,
23.10, Pain in extremity, 23.10, Pyrexia, 23.10, ,
880858, Incorrect dose administered, 23.00, No adverse event,
23.00, Product administered to patient of inappropriate age, 23.00, , , , ,

880859,Blister,23.00,Pain of skin,23.00,,,,,
880860,Body temperature increased,23.00,Retching,23.00,Vomiting
projectile,23.00,,,,,
880861,Chest discomfort,23.00,Cough,23.00,Dyspnoea,23.00,Ear swelling,
23.00,Eye swelling,23.00
880861,Pharyngeal swelling,23.00,Swelling face,23.00,,,,,
880862,Dyspnoea,23.10,Paraesthesia oral,23.10,Pharyngeal swelling,
23.10,,,,,
880863,Urticaria,23.00,,,,,
880864,Flushing,23.10,Headache,23.10,Oropharyngeal pain,23.10,Pain in
extremity,23.10,Sensation of foreign body,23.10
880864,Urticaria,23.10,,,,,
880865,Blood glucose normal,23.00,Nausea,23.00,,,,,
880866,Administration site reaction,23.00,Rash erythematous,
23.00,,,,,
880867,Injection site erythema,23.00,Injection site warmth,23.00,,,,,
880868,Joint swelling,23.00,Urticaria,23.00,,,,,
880869,Injection site pain,23.00,Insomnia,23.00,Pain in extremity,
23.00,Skeletal injury,23.00,,
880870,Peripheral swelling,23.00,Rash pruritic,23.00,,,,,
880871,Injection site bruising,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Limb discomfort,23.00,,
880872,Pain in extremity,23.10,Rash macular,23.10,,,,,
880873,Acoustic stimulation tests abnormal,23.00,Chills,
23.00,Deafness,23.00,Night sweats,23.00,Ototoxicity,23.00
880873,Pyrexia,23.00,Tinnitus,23.00,,,,,
880874,Pain in extremity,23.00,Wrong product administered,23.00,,,,,
880875,Erythema,23.00,Joint range of motion decreased,23.00,Pain,
23.00,Skin warm,23.00,Swelling,23.00
880876,Appetite disorder,23.00,Febrile convulsion,23.00,Feeling hot,
23.00,Irritability,23.00,Seizure,23.00
880876,Somnolence,23.00,Vomiting,23.00,,,,,
880877,Fatigue,23.00,Injection site erythema,23.00,Injection site
mass,23.00,,,,,
880878,Peripheral swelling,23.00,Pruritus,23.00,Urticaria,23.00,,,,,
880879,Myalgia,23.00,,,,,
880880,Abdominal pain upper,23.00,Cough,23.00,Decreased appetite,
23.00,Diarrhoea,23.00,Pain in extremity,23.00
880880,Pyrexia,23.00,Swelling,23.00,Vomiting,23.00,,,,,
880881,Dyspnoea,23.00,Heart rate increased,23.00,Nausea,23.00,,,,,
880882,Headache,23.00,Injection site pain,23.00,Nausea,23.00,Vomiting,
23.00,,
880883,Dizziness,23.00,Hyperhidrosis,23.00,Tunnel vision,23.00,,,,,
880884,Dizziness,23.00,Hyperhidrosis,23.00,Nausea,23.00,,,,,
880885,Chills,23.10,Diarrhoea,23.10,Erythema,23.10,Headache,
23.10,Peripheral swelling,23.10
880885,Pyrexia,23.10,Skin warm,23.10,,,,,
880886,Lip swelling,23.00,Rash,23.00,Swelling face,23.00,,,,,
880887,Hyperhidrosis,23.00,Immediate post-injection reaction,
23.00,Vomiting,23.00,,,,,

880888,Headache,23.00,Injection site erythema,23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
880889,Chills,23.00,Dizziness,23.00,Headache,23.00,Myalgia,23.00,Nausea,23.00
880889,Pyrexia,23.00,,,,,,,,,
880890,Injection site reaction,23.10,Rash erythematous,23.10,Rash pruritic,23.10,,,,,
880891,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00,,,,,
880892,Cold sweat,23.00,Eye movement disorder,23.00,Heart rate decreased,23.00,Nausea,23.00,Pallor,23.00
880892,Posture abnormal,23.00,Presyncope,23.00,,,,,,,,,
880893,Induration,23.00,Mass,23.00,Skin warm,23.00,,,,,
880894,Pain in extremity,23.10,,,,,,,,,
880895,Back pain,23.10,Dyspnoea,23.10,Muscle spasms,23.10,Neck pain,23.10,Pain,23.10
880895,Spinal pain,23.10,Tenderness,23.10,,,,,,,,,
880896,Rash,23.00,Rash pruritic,23.00,Rash vesicular,23.00,,,,,
880897,Arthritis,23.00,Headache,23.00,Injection site erythema,23.00,Injection site pain,23.00,Injection site swelling,23.00
880897,Pain,23.00,,,,,,,,,
880898,Discomfort,23.10,Erythema,23.10,Irritability,23.10,Pruritus,23.10,Pyrexia,23.10
880898,Rash,23.10,,,,,,,,,
880899,Chills,23.00,Fatigue,23.00,Headache,23.00,Injection site reaction,23.00,Migraine,23.00
880899,Nausea,23.00,Rash erythematous,23.00,,,,,
880911,No adverse event,23.10,Product storage error,23.10,,,,,
880912,Product storage error,23.10,,,,,,,,,
880913,Pyrexia,23.10,,,,,,,,,
880914,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
880915,Expired product administered,23.10,No adverse event,23.10,,,,,
880916,Injection site rash,23.10,,,,,,,,,
880917,Expired product administered,23.10,No adverse event,23.10,,,,,
880918,Expired product administered,23.10,No adverse event,23.10,,,,,
880919,No adverse event,23.10,Product storage error,23.10,,,,,
880920,No adverse event,23.10,Product storage error,23.10,,,,,
880921,No adverse event,23.10,Product storage error,23.10,,,,,
880922,Product storage error,23.10,,,,,,,,,
880923,No adverse event,23.10,Product storage error,23.10,,,,,
880924,No adverse event,23.10,Product storage error,23.10,,,,,
880925,Expired product administered,23.10,,,,,,,,,
880926,Herpes zoster,23.00,Rash,23.00,,,,,
880927,Therapeutic response unexpected,23.10,,,,,,,,,
880928,Injection site bruising,23.00,,,,,,,,,
880929,Incomplete course of vaccination,23.00,,,,,,,,,
880930,No adverse event,23.10,Product preparation issue,23.10,,,,,
880931,Chest X-ray,23.10,Computerised tomogram head,23.10,Culture,23.10,Febrile convulsion,23.10,Pyrexia,23.10

880931,Toxicologic test,23.10,,,,,,,,,
880932,Albumin globulin ratio normal,23.00,Anion gap,23.00,Aspartate
aminotransferase normal,23.00,Blood albumin normal,23.00,Blood
alkaline phosphatase normal,23.00
880932,Blood bilirubin normal,23.00,Blood calcium normal,23.00,Blood
chloride normal,23.00,Blood creatinine normal,23.00,Blood glucose
normal,23.00
880932,Blood potassium normal,23.00,Blood sodium normal,23.00,Blood
urea nitrogen/creatinine ratio,23.00,Blood urea normal,23.00,Carbon
dioxide normal,23.00
880932,Haematocrit normal,23.00,Haemoglobin normal,23.00,Lipase
increased,23.00,Mean cell haemoglobin normal,23.00,Mean cell volume
normal,23.00
880932,Mean platelet volume normal,23.00,Platelet count normal,
23.00,Protein total normal,23.00,Red blood cell count normal,23.00,Red
cell distribution width increased,23.00
880932,Vomiting,23.00,White blood cell count normal,23.00,,,,,,,,,
880934,Feeling abnormal,23.00,Immediate post-injection reaction,
23.00,Polymyalgia rheumatica,23.00,,,,,
880935,Agitation,23.00,Arthralgia,23.00,Diarrhoea,23.00,Drug
hypersensitivity,23.00,Fatigue,23.00
880935,Headache,23.00,Rheumatoid arthritis,23.00,Tremor,
23.00,Vomiting,23.00,,
880936,Adverse reaction,23.00,Deafness,23.00,,,,,,,,,
880937,Autoimmune disorder,23.00,Hypersensitivity,23.00,Malaise,
23.00,Nerve injury,23.00,,
880938,Pain,23.10,Pain in extremity,23.10,Rash,23.10,,,,,
880939,Erythema,23.00,Hypoaesthesia,23.00,Inflammation,23.00,,,,,
880940,Injection site induration,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
880941,Cellulitis,23.10,Chills,23.10,Fatigue,23.10,Injection site
erythema,23.10,Injection site swelling,23.10
880941,Injection site warmth,23.10,Pain,23.10,Pyrexia,23.10,,,,,
880942,Condition aggravated,23.10,Dermatitis contact,23.10,Pruritus,
23.10,Rash,23.10,,
880948,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
880949,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
880950,Extra dose administered,23.10,,,,,,,,,
880951,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
880952,Loss of consciousness,23.00,Skull fracture,23.00,Syncope,
23.00,,,,,
880953,Malaise,23.00,,,,,,,,,
880954,Cellulitis,23.00,Oedema,23.00,,,,,,,,,
880955,Herpes zoster,23.00,Ophthalmic herpes zoster,23.00,,,,,,,,,
880956,Malaise,23.00,,,,,,,,,
880957,Injection site erythema,23.00,Injection site mass,
23.00,Injection site warmth,23.00,,,,,
880958,Pain in extremity,23.00,,,,,,,,,
880959,Genital herpes,23.00,Skin lesion,23.00,,,,,,,,,
880960,Chills,23.00,Incomplete course of vaccination,23.00,Malaise,

23.00,Pain,23.00,Pyrexia,23.00
880960,Somnolence,23.00,,,,,
880961,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
880962,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
880963,Abdominal pain upper,23.10,Feeling hot,23.10,Pruritus,
23.10,Throat tightness,23.10,,
880964,Balance disorder,23.00,Body temperature increased,23.00,Cough,
23.00,Fatigue,23.00,Feeling abnormal,23.00
880964,Gait disturbance,23.00,Headache,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
880964,Myalgia,23.00,Oropharyngeal pain,23.00,,,,,
880965,Arthralgia,23.00,Headache,23.00,Lymphadenopathy,23.00,,,,
880966,Influenza like illness,23.10,,,,,
880967,Abdominal discomfort,23.00,Chills,23.00,Fatigue,23.00,Heart
rate increased,23.00,Injection site pain,23.00
880967,Insomnia,23.00,Myalgia,23.00,Pyrexia,23.00,,,,,
880968,Fatigue,23.00,Headache,23.00,Myalgia,23.00,Pyrexia,23.00,,
880969,Condition aggravated,23.00,Oral herpes,23.00,Rash,23.00,Rash
erythematous,23.00,,
880970,Rash,23.10,Skin burning sensation,23.10,,,,,
880971,Erythema,23.00,Pain,23.00,,,,,
880972,No adverse event,23.00,Wrong product administered,23.00,,,,,
880973,Discomfort,23.10,Injection site bruising,23.10,Injection site
erythema,23.10,Injection site pain,23.10,,
880974,No adverse event,23.10,Wrong product administered,23.10,,,,,
880975,Dizziness,23.00,Loss of consciousness,23.00,,,,,
880976,Asthenia,23.10,Chills,23.10,Fatigue,23.10,Feeling abnormal,
23.10,Headache,23.10
880976,Heart rate increased,23.10,Injection site pain,23.10,Nausea,
23.10,Pain in extremity,23.10,Peripheral coldness,23.10
880976,Skin warm,23.10,,,,,
880977,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
880978,Influenza like illness,23.00,Myalgia,23.00,,,,,
880986,No adverse event,23.10,Product administered at inappropriate
site,23.10,,,,,
880987,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
880988,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
880989,Eye haemorrhage,23.00,Vomiting,23.00,,,,,
880990,Syncope,23.00,,,,,
880991,Extra dose administered,23.10,Malaise,23.10,,,,,
880992,Eye haemorrhage,23.00,Headache,23.00,Tenderness,23.00,,,,,
880993,Eye swelling,23.00,Herpes zoster,23.00,Ophthalmic herpes
zoster,23.00,Paraesthesia,23.00,Rash,23.00
880993,Swelling of eyelid,23.00,,,,,
880994,Chills,23.00,Decreased appetite,23.00,Erythema,23.00,Fatigue,

23.00,Headache,23.00
880994,Injected limb mobility decreased,23.00,Injection site erythema,
23.00,Injection site nodule,23.00,Injection site pain,23.00,Injection
site swelling,23.00
880994,Myalgia,23.00,Nausea,23.00,Pyrexia,23.00,,,,,
880995,Incomplete course of vaccination,23.00,Urticaria,23.00,,,,,,
880996,Asthenia,23.00,Balance disorder,23.00,Chills,23.00,Dizziness,
23.00,Fatigue,23.00
880996,Headache,23.00,Pain in extremity,23.00,Tremor,23.00,,,,,
880997,Blood test,23.00,Eye swelling,23.00,Swelling face,23.00,Swollen
tongue,23.00,,
880998,Herpes zoster,23.00,Incomplete course of vaccination,
23.00,,,,,,
880999,Dyspnoea,23.00,Hepatic cancer metastatic,23.00,Hepatic cancer
stage IV,23.00,Hypersensitivity,23.00,Throat tightness,23.00
881000,Gait disturbance,23.00,Mobility decreased,23.00,Myalgia,
23.00,,,,,
881001,Gait disturbance,23.00,Mobility decreased,23.00,Myalgia,
23.00,,,,,
881002,Gait disturbance,23.00,Mobility decreased,23.00,Myalgia,
23.00,,,,,
881003,Axillary pain,23.00,Chills,23.00,Dizziness,23.00,Fatigue,
23.00,Headache,23.00
881003,Injection site pain,23.00,Lymphadenopathy,23.00,Neck pain,
23.00,,,,,
881004,Injection site erythema,23.10,Injection site pain,23.10,,,,,,
881005,Alanine aminotransferase increased,23.10,Aspartate
aminotransferase increased,23.10,Blood creatinine increased,
23.10,Blood urea increased,23.10,Diarrhoea,23.10
881005,Disseminated intravascular coagulation,23.10,Fatigue,23.10,Full
blood count,23.10,Haemolysis,23.10,Hypotension,23.10
881005,Pyrexia,23.10,Septic shock,23.10,Thrombocytopenia,23.10,Urine
analysis abnormal,23.10,Vomiting,23.10
881005,White blood cell count decreased,23.10,,,,,,
881006,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Pyrexia,23.10,Rash,23.10
881006,Urticaria,23.10,,,,,,
881007,No adverse event,23.10,Product storage error,23.10,,,,,
881008,Dizziness,23.00,Hyperhidrosis,23.00,Hyperventilation,
23.00,Injection site pain,23.00,Injection site swelling,23.00
881008,Loss of consciousness,23.00,Muscle spasms,23.00,Seizure,
23.00,,,,,
881013,Expired product administered,23.10,No adverse event,23.10,,,,,
881014,Herpes zoster,23.00,,,,,,
881015,Extra dose administered,23.10,No adverse event,23.10,,,,,
881016,Erythema,23.10,Induration,23.10,Oedema,23.10,Skin reaction,
23.10,,
881017,Joint range of motion decreased,23.10,Limb discomfort,
23.10,Pain in extremity,23.10,,,,,
881018,Chills,23.00,Fatigue,23.00,Headache,23.00,Hyperhidrosis,

23.00,Myalgia,23.00
881018,Pyrexia,23.00,,,,,
881019,Injection site erythema,23.10,Injection site induration,
23.10,Injection site warmth,23.10,,,,,
881020,Cellulitis,23.00,Injection site erythema,23.00,Injection site
swelling,23.00,,,,,
881021,Pain in extremity,23.00,Skin warm,23.00,,,,,
881022,Pain in extremity,23.00,,,,,
881023,Chills,23.00,Fatigue,23.00,Pyrexia,23.00,,,,,
881024,Cyanosis,23.10,Developmental delay,23.10,Electroencephalogram
abnormal,23.10,Generalised tonic-clonic seizure,23.10,Irritability,
23.10
881024,Magnetic resonance imaging normal,23.10,Muscle twitching,
23.10,Oxygen saturation decreased,23.10,Petit mal epilepsy,23.10,Poor
quality sleep,23.10
881024,Psychomotor hyperactivity,23.10,Selective mutism,23.10,Sensory
disturbance,23.10,Speech disorder developmental,23.10,,
881025,Fatigue,23.10,Pain,23.10,Pyrexia,23.10,,,,,
881026,Erythema,23.00,Pruritus,23.00,Skin warm,23.00,Swelling,23.00,,
881027,Crying,23.10,Injection site discolouration,23.10,Injection site
erythema,23.10,Injection site rash,23.10,Screaming,23.10
881028,Injection site erythema,23.10,Injection site induration,
23.10,Injection site mass,23.10,Injection site pain,23.10,Pyrexia,
23.10
881029,Extra dose administered,23.10,,,,,
881030,Erythema,23.10,Injection site vesicles,23.10,Peripheral
swelling,23.10,,,,,
881031,Headache,23.00,Pyrexia,23.00,Tuberculin test negative,23.00,,,,,
881032,Hypotension,23.00,Nausea,23.00,Pain,23.00,Vomiting,23.00,,
881033,Chills,23.00,Fatigue,23.00,Headache,23.00,,,,,
881034,Haematochezia,23.10,Vomiting,23.10,,,,,
881035,Chills,23.00,Headache,23.00,Nausea,23.00,Pain,23.00,,
881036,Bursitis,23.00,Tendonitis,23.00,,,,,
881037,Musculoskeletal pain,23.00,Pain in extremity,23.00,,,,,
881038,Chills,23.00,Headache,23.00,Myalgia,23.00,Pain in extremity,
23.00,Peripheral swelling,23.00
881039,Joint swelling,23.10,Rash erythematous,23.10,,,,,
881040,Chills,23.00,Myalgia,23.00,,,,,
881041,Injection site extravasation,23.00,,,,,
881042,Abdominal discomfort,23.00,Fatigue,23.00,Headache,
23.00,Myalgia,23.00,Pain,23.00
881042,Pollakiuria,23.00,Pyrexia,23.00,,,,,
881043,Haemoglobin decreased,23.10,Haemolytic anaemia,23.10,Jaundice,
23.10,Pyrexia,23.10,,
881044,Injection site erythema,23.00,Injection site swelling,
23.00,Injection site warmth,23.00,Pain in extremity,23.00,Peripheral
swelling,23.00
881044,Skin warm,23.00,,,,,
881045,Injection site erythema,23.10,Injection site swelling,
23.10,Pain,23.10,Pruritus,23.10,Rash macular,23.10

881046, Musculoskeletal pain, 23.00, , , , , , , , , ,
881047, Erythema, 23.10, Inflammation, 23.10, Peripheral swelling,
23.10, Skin warm, 23.10, ,
881048, Asthenia, 23.00, Dizziness, 23.00, , , , , , ,
881049, Rash, 23.10, Rash erythematous, 23.10, , , , , , ,
881050, Diarrhoea, 23.00, Nausea, 23.00, Pain, 23.00, Urticaria, 23.00, ,
881051, Diarrhoea, 23.10, Pyrexia, 23.10, Somnolence, 23.10, , , , ,
881052, Discomfort, 23.00, Pain, 23.00, Peripheral swelling, 23.00, Pyrexia,
23.00, ,
881053, Chest pain, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Feeling hot,
23.10, ,
881054, Rash erythematous, 23.00, Skin warm, 23.00, , , , , , ,
881055, Dizziness, 23.00, Muscle twitching, 23.00, Respiratory rate
decreased, 23.00, , , , ,
881056, Erythema, 23.10, Heart rate increased, 23.10, Pyrexia, 23.10, , , , ,
881057, Erythema, 23.10, Malaise, 23.10, Pain in extremity, 23.10, , , , ,
881058, Injection site bruising, 23.10, Injection site erythema,
23.10, Injection site irritation, 23.10, Injection site swelling,
23.10, Irritability, 23.10
881058, Pain, 23.10, , , , , , , , ,
881059, Abnormal behaviour, 23.10, Cyanosis, 23.10, Fatigue,
23.10, Hypotonia, 23.10, Pallor, 23.10
881060, Alopecia, 23.10, Blood test abnormal, 23.10, Eczema, 23.10, Food
allergy, 23.10, Insomnia, 23.10
881060, Skin test positive, 23.10, , , , , , , , ,
881061, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Rash, 23.10, , ,
881062, Allergy to vaccine, 23.00, Chest X-ray normal,
23.00, Electrocardiogram normal, 23.00, Heart rate increased,
23.00, Pyrexia, 23.00
881062, Tachycardia, 23.00, Tinnitus, 23.00, , , , , , , ,
881073, Adverse event, 23.10, Wrong patient received product, 23.10, , , , , , ,
881074, Chills, 23.10, Mobility decreased, 23.10, Nausea, 23.10, Pain in
extremity, 23.10, Pyrexia, 23.10
881075, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
881076, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
881077, Condition aggravated, 23.00, Seizure, 23.00, , , , , , , ,
881079, Extra dose administered, 23.10, , , , , , , , ,
881080, Product packaging issue, 23.10, , , , , , , , ,
881081, Product storage error, 23.10, , , , , , , , ,
881082, Product storage error, 23.10, , , , , , , , ,
881083, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , ,
881084, Incorrect route of product administration, 23.10, No adverse
event, 23.10, , , , , , , , ,
881085, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
881086, Fatigue, 23.00, Headache, 23.00, Pain in extremity, 23.00, , , , ,
881087, Infection, 23.00, , , , , , , , , ,
881088, Injection site pain, 23.00, Tinnitus, 23.00, , , , , , , ,
881089, Injection site erythema, 23.00, Injection site pain,

23.00,Injection site swelling,23.00,,,,,
881091,Abdominal pain upper,23.10,Back pain,23.10,Headache,
23.10,Injection site joint pain,23.10,Pyrexia,23.10
881092,Blood magnesium,23.10,Blood urea,23.10,Chills,
23.10,Electroencephalogram,23.10,Full blood count,23.10
881092,Liver function test,23.10,Metabolic function test,23.10,Urine
analysis,23.10,,,,,
881093,Injection site erythema,23.10,Injection site nodule,
23.10,Injection site swelling,23.10,,,,,
881094,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,
881095,Activated partial thromboplastin time ratio normal,23.00,Blood
magnesium normal,23.00,Blood phosphorus normal,23.00,Calcium ionised
normal,23.00,Computerised tomogram head normal,23.00
881095,Differential white blood cell count normal,23.00,Eye movement
disorder,23.00,Full blood count normal,23.00,Hemiparesis,
23.00,International normalised ratio normal,23.00
881095,Irritability,23.00,Magnetic resonance imaging brain normal,
23.00,Metabolic function test normal,23.00,Musculoskeletal stiffness,
23.00,Prothrombin time normal,23.00
881095,SARS-CoV-2 test negative,23.00,,,,,,
881097,Abdominal discomfort,23.00,Chills,23.00,Headache,23.00,,,,,
881098,Injection site pain,23.00,Pain in extremity,23.00,,,,,,
881099,Rash,23.00,,,,,,
881100,Expired product administered,23.10,No adverse event,
23.10,Product administered at inappropriate site,23.10,,,,,
881101,Fatigue,23.10,Headache,23.10,Malaise,23.10,Pain,23.10,Pyrexia,
23.10
881102,Fatigue,23.00,Hyperhidrosis,23.00,Pyrexia,23.00,,,,,
881103,Bedridden,23.10,Paralysis,23.10,,,,,,
881104,Erythema,23.10,Injection site pain,23.10,Oedema,23.10,Skin
warm,23.10,,
881105,Paraesthesia,23.10,Peripheral swelling,23.10,,,,,,
881106,Chest X-ray,23.10,Chest pain,23.10,Differential white blood
cell count,23.10,Dizziness,23.10,Dyspnoea,23.10
881106,Electrocardiogram,23.10,Full blood count,23.10,Glomerular
filtration rate,23.10,Metabolic function test,23.10,Urine analysis,
23.10
881107,Hypoaesthesia oral,23.00,Lip swelling,23.00,Paraesthesia oral,
23.00,,,,,
881108,Pallor,23.10,,,,,,
881109,Chills,23.10,Musculoskeletal disorder,23.10,Pain,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10
881110,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Pyrexia,23.10,,
881111,Pallor,23.10,Presyncope,23.10,Vomiting,23.10,,,,,
881121,Deafness,23.00,Herpes zoster oticus,23.00,,,,,,
881122,Back pain,23.10,Headache,23.10,Malaise,23.10,Pain in extremity,
23.10,Pyrexia,23.10
881123,Extra dose administered,23.10,No adverse event,23.10,,,,,,

881124,Back pain,23.00,Herpes zoster,23.00,Musculoskeletal pain,
23.00,Myalgia,23.00,Pain,23.00
881124,Pain in extremity,23.00,,,,,,,,,
881125,Fatigue,23.00,Headache,23.00,Muscle fatigue,23.00,,,,,
881126,Product administered to patient of inappropriate age,
23.10,,,,,,,,,
881127,Influenza A virus test negative,23.10,Influenza B virus test,
23.10,Influenza virus test negative,23.10,Pyrexia,23.10,Respiratory
syncytial virus test negative,23.10
881127,SARS-CoV-2 test negative,23.10,Seizure,23.10,Urine analysis
normal,23.10,,,,,
881128,No adverse event,23.10,Product storage error,23.10,,,,,,
881129,No adverse event,23.10,Product storage error,23.10,,,,,,
881130,Cold sweat,23.00,Dizziness,23.00,Fall,23.00,Feeling hot,23.00,,
881131,No adverse event,23.10,Product storage error,23.10,,,,,,
881132,Expired product administered,23.10,,,,,,,,,
881133,No adverse event,23.10,Product storage error,23.10,,,,,,
881134,Dizziness,23.10,Fatigue,23.10,Myalgia,23.10,,,,,
881135,Feeling hot,23.00,Nausea,23.00,Peripheral swelling,23.00,,,,,
881136,Abdominal pain,23.00,Decreased appetite,23.00,Fatigue,
23.00,Myalgia,23.00,Pyrexia,23.00
881136,SARS-CoV-2 test positive,23.00,Thirst,23.00,,,,,,
881140,Discomfort,23.10,Immediate post-injection reaction,
23.10,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10
881140,Rash,23.10,,,,,,,,,
881141,No adverse event,23.10,Product storage error,23.10,,,,,,
881142,No adverse event,23.10,Product storage error,23.10,,,,,,
881143,Expired product administered,23.10,No adverse event,23.10,,,,,,
881144,Herpes zoster,23.00,,,,,,,,,
881145,Loss of consciousness,23.00,,,,,,,,,
881146,Extensive swelling of vaccinated limb,23.00,Herpes zoster,
23.00,Injection site erythema,23.00,Injection site swelling,23.00,,
881147,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
881148,Injection site erythema,23.00,Injection site pruritus,
23.00,,,,,,
881149,Extensive swelling of vaccinated limb,23.00,Injection site
erythema,23.00,Injection site pain,23.00,Injection site swelling,
23.00,Injection site warmth,23.00
881150,Arthralgia,23.00,Decreased appetite,23.00,Fatigue,23.00,Gait
disturbance,23.00,Gait inability,23.00
881150,Injection site pain,23.00,Musculoskeletal stiffness,
23.00,Myalgia,23.00,Pruritus,23.00,,
881151,Syncope,23.00,,,,,,,,,
881152,Fatigue,23.10,,,,,,,,,
881153,Pallor,23.10,Peripheral swelling,23.10,Rash,23.10,Rash maculo-
papular,23.10,,
881154,Death,23.00,Extra dose administered,23.00,Wrong product
administered,23.00,,,,,

881155, Chills, 23.10, Feeling abnormal, 23.10, Injection site erythema, 23.10, Pain, 23.10, Pyrexia, 23.10
881156, Gait disturbance, 23.00, Joint swelling, 23.00, Laboratory test, 23.00, , , , ,
881157, Electrocardiogram, 23.10, Full blood count, 23.10, Palpitations, 23.10, Sinus tachycardia, 23.10, ,
881158, Contusion, 23.00, , , , , , , , ,
881159, Injection site reaction, 23.10, Rash, 23.10, Rash erythematous, 23.10, , , , ,
881160, Dizziness, 23.10, Limb discomfort, 23.10, Malaise, 23.10, Musculoskeletal discomfort, 23.10, Nausea, 23.10
881160, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , , ,
881161, Fatigue, 23.10, Pain in extremity, 23.10, Rash erythematous, 23.10, Urticaria, 23.10, ,
881162, Injection site erythema, 23.00, Injection site mass, 23.00, Injection site swelling, 23.00, , , , ,
881163, Dizziness, 23.10, Eye movement disorder, 23.10, Feeling abnormal, 23.10, Nausea, 23.10, Nervousness, 23.10
881163, Tremor, 23.10, Unresponsive to stimuli, 23.10, Vomiting, 23.10, , , , ,
881164, Dysgeusia, 23.10, Feeling abnormal, 23.10, Skin lesion, 23.10, Skin reaction, 23.10, ,
881165, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , ,
881166, Tubulointerstitial nephritis, 23.00, , , , , , , , ,
881167, Cellulitis, 23.00, Erythema, 23.00, Mobility decreased, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
881169, Chills, 23.10, Erythema, 23.10, Pain in extremity, 23.10, Palpitations, 23.10, Pyrexia, 23.10
881171, Headache, 23.10, Pain, 23.10, , , , , , ,
881172, Decreased appetite, 23.10, Disorientation, 23.10, Myalgia, 23.10, Nausea, 23.10, Pruritus, 23.10
881173, Asthenia, 23.00, Body temperature increased, 23.00, Injection site pain, 23.00, , , , ,
881174, Asthenia, 23.00, Tremor, 23.00, , , , , , , ,
881175, Injection site pain, 23.10, Pain in extremity, 23.10, Rash, 23.10, , , , ,
881176, Dehydration, 23.10, Diarrhoea, 23.10, Pyrexia, 23.10, Rash, 23.10, Vomiting, 23.10
881177, Asthenia, 23.00, Headache, 23.00, Pain in extremity, 23.00, Polyuria, 23.00, Swelling, 23.00
881178, Decreased appetite, 23.10, Fatigue, 23.10, Injection site pain, 23.10, Irritability, 23.10, Pyrexia, 23.10
881179, Expired product administered, 23.10, , , , , , , , ,
881180, Asthenia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Dizziness, 23.10, Fatigue, 23.10
881180, Headache, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
881181, Anxiety, 23.10, Tremor, 23.10, , , , , , ,
881182, Erythema, 23.00, Hypersensitivity, 23.00, Infection, 23.00, Injection site warmth, 23.00, Swelling, 23.00
881183, Injection site infection, 23.00, Peripheral swelling, 23.00, , , , , , , ,

881184,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pruritus,23.00,,
881185,Expired product administered,23.10,No adverse event,23.10,,,,,
881186,Urticaria,23.00,,,,,
881187,Blood test,23.00,Lumbar puncture,23.00,Meningitis pneumococcal,
23.00,Pyrexia,23.00,Seizure,23.00
881188,Anxiety,23.10,Dizziness,23.10,Hyperhidrosis,23.10,Hypotonia,
23.10,Malaise,23.10
881188,Pallor,23.10,Syncope,23.10,Thirst,23.10,,,,
881189,Headache,23.10,Injection site pain,23.10,Malaise,23.10,Nausea,
23.10,,
881190,Injection site erythema,23.10,Injection site pain,
23.10,Injection site reaction,23.10,Injection site warmth,23.10,,
881191,Product storage error,23.10,,,,,
881192,Expired product administered,23.10,No adverse event,
23.10,Product storage error,23.10,,,,
881193,Chills,23.10,Impaired work ability,23.10,Injection site pain,
23.10,Pain,23.10,Pyrexia,23.10
881193,Rash,23.10,,,,,
881194,Injection site pain,23.10,Malaise,23.10,Nausea,23.10,Pain,
23.10,,
881195,Immediate post-injection reaction,23.00,Oral herpes,
23.00,Pruritus,23.00,Skin warm,23.00,,
881196,Rash,23.00,,,,,
881197,Malaise,23.00,Nausea,23.00,Vomiting,23.00,,,,
881198,Chills,23.10,Headache,23.10,Injection site reaction,
23.10,Myalgia,23.10,Nausea,23.10
881198,Pain,23.10,,,,,
881199,Product administered to patient of inappropriate age,
23.10,,,,,
881200,Arthralgia,23.00,Chills,23.00,Decreased appetite,
23.00,Dizziness,23.00,Headache,23.00
881200,Hyperaesthesia,23.00,Influenza like illness,23.00,Joint
stiffness,23.00,Migraine,23.00,Musculoskeletal stiffness,23.00
881200,Nausea,23.00,Neck pain,23.00,Paraesthesia oral,23.00,Pruritus,
23.00,Rash erythematous,23.00
881200,Tinnitus,23.00,Urticaria,23.00,,,,,
881201,Pain,23.10,Peripheral swelling,23.10,,,,,
881202,Chest pain,23.10,Vomiting,23.10,,,,,
881203,Headache,23.10,Injection site pain,23.10,Myalgia,23.10,,,,
881204,Chills,23.00,Fatigue,23.00,Injection site erythema,
23.00,Injection site swelling,23.00,Injection site warmth,23.00
881204,Pyrexia,23.00,,,,,
881205,Erythema,23.10,Pain,23.10,Skin warm,23.10,,,,
881206,Injection site pain,23.10,Injection site warmth,23.10,,,,,
881207,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,
881208,Rash,23.00,,,,,
881209,Chills,23.10,Fatigue,23.10,Tremor,23.10,,,,
881210,Erythema,23.10,Pain,23.10,Skin warm,23.10,Swelling,

23.10,Tenderness,23.10
881211,Headache,23.10,Loss of consciousness,23.10,Nausea,
23.10,Vomiting,23.10,,
881212,Dysgeusia,23.10,Pharyngeal swelling,23.10,Pruritus,
23.10,Urticaria,23.10,,
881213,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,
881214,Deafness,23.00,Vision blurred,23.00,,,,,,
881215,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,,
881216,Dizziness,23.10,Feeling abnormal,23.10,Loss of consciousness,
23.10,Pallor,23.10,,
881217,Erythema,23.10,Mobility decreased,23.10,Peripheral swelling,
23.10,,,,,
881218,Injection site swelling,23.10,Paraesthesia,23.10,Pyrexia,
23.10,,,,,
881219,Arthralgia,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Myalgia,23.10
881220,Swollen tongue,23.00,,,,,,
881221,Dehydration,23.00,Syncope,23.00,,,,,,
881222,Arthralgia,23.00,Asthenia,23.00,Back pain,23.00,Fatigue,
23.00,Gait disturbance,23.00
881222,Musculoskeletal pain,23.00,Myalgia,23.00,Pain in extremity,
23.00,,,,,
881223,Confusional state,23.00,Dizziness,23.00,Heart rate decreased,
23.00,Hypotension,23.00,Syncope,23.00
881224,Dizziness,23.10,Eye movement disorder,23.10,Headache,
23.10,Incoherent,23.10,Nausea,23.10
881224,Pallor,23.10,Paraesthesia,23.10,,,,,,
881225,Back pain,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Hyperhidrosis,23.10
881225,Pain in extremity,23.10,,,,,,
881226,Burning sensation,23.10,Injection site warmth,23.10,Pain,
23.10,Swelling,23.10,Urticaria,23.10
881227,Asthenia,23.10,Chills,23.10,Irritability,23.10,Pallor,
23.10,Pyrexia,23.10
881227,Vomiting,23.10,,,,,,
881228,Fatigue,23.10,Herpes zoster,23.10,Skin lesion,23.10,,,,,
881229,Blister,23.10,Erythema,23.10,Pruritus,23.10,,,,,
881230,Dizziness,23.00,Headache,23.00,Injection site pain,23.00,Pain,
23.00,Pyrexia,23.00
881231,Inflammation,23.00,Musculoskeletal stiffness,23.00,Pain,
23.00,Peripheral swelling,23.00,Swelling,23.00
881232,Pyrexia,23.00,Rash,23.00,,,,,
881233,Abdominal pain upper,23.10,Dizziness,23.10,Fatigue,
23.10,Injection site erythema,23.10,Injection site warmth,23.10
881233,Nausea,23.10,Pain,23.10,Pyrexia,23.10,,,,,
881234,Injection site reaction,23.10,Rash pruritic,23.10,,,,,,
881235,Body temperature increased,23.00,Erythema,23.00,Injection site
swelling,23.00,Pain,23.00,Pyrexia,23.00

881235,Urticaria,23.00,,,,,,,,,
881236,Heart rate increased,23.00,Injection site swelling,23.00,Rash,
23.00,,,,,
881237,Injection site pain,23.10,Pain,23.10,Swelling,23.10,,,,,
881238,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
881239,Asthenia,23.00,Body temperature increased,23.00,Chills,
23.00,Fatigue,23.00,Feeling of body temperature change,23.00
881239,Malaise,23.00,Nausea,23.00,Pain,23.00,Pain in extremity,23.00,,
881240,Chills,23.00,Myalgia,23.00,,,,,
881241,Headache,23.00,Pain in extremity,23.00,Pyrexia,23.00,,,,,
881242,Dizziness,23.10,Gait inability,23.10,Impaired driving ability,
23.10,Motion sickness,23.10,Nausea,23.10
881242,Vertigo,23.10,,,,,
881243,Injection site erythema,23.10,Injection site pain,
23.10,Injection site reaction,23.10,Injection site warmth,
23.10,Swelling,23.10
881243,Urticaria,23.10,,,,,
881244,Injection site swelling,23.00,Injection site warmth,23.00,Pain,
23.00,,,,,
881245,Cough,23.10,Rhinorrhoea,23.10,,,,,
881246,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
881247,Headache,23.10,Injection site rash,23.10,Nausea,23.10,,,,,
881248,Erythema,23.10,Injection site cellulitis,23.10,Pain,23.10,Skin
warm,23.10,Swelling,23.10
881249,Cellulitis,23.00,Pain,23.00,Peripheral swelling,23.00,Skin
warm,23.00,,
881250,Dizziness,23.10,Nausea,23.10,Pallor,23.10,Vomiting,23.10,,
881251,Erythema,23.00,Peripheral swelling,23.00,Tenderness,23.00,,,,,
881252,Herpes zoster,23.10,,,,,
881253,Chills,23.00,Headache,23.00,Pain,23.00,Pyrexia,23.00,,
881254,Arthralgia,23.10,Chills,23.10,Feeling of body temperature
change,23.10,Myalgia,23.10,Pyrexia,23.10
881255,Pain in extremity,23.10,,,,,
881256,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pruritus,23.00,,
881257,Cold sweat,23.10,Injection site swelling,23.10,Irritability,
23.10,Somnolence,23.10,,
881258,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Pruritus,23.00,,
881259,Loss of consciousness,23.00,Pallor,23.00,Syncope,23.00,,,,,
881260,Pruritus,23.10,,,,,
881261,Erythema,23.00,Musculoskeletal pain,23.00,Neck pain,
23.00,Pyrexia,23.00,Skin indentation,23.00
881261,Swelling,23.00,,,,,
881262,Injection site erythema,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site warmth,23.00,,
881263,Blood glucose increased,23.00,Disorientation,23.00,Muscle
strength abnormal,23.00,Pyrexia,23.00,Tremor,23.00

881264, Arthralgia, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Pain, 23.00, Pain in extremity, 23.00
881265, Lymphadenopathy, 23.00, , , , , , , , , ,
881266, Asthenia, 23.00, Erythema, 23.00, Fatigue, 23.00, Joint range of motion decreased, 23.00, Pain in extremity, 23.00
881266, Peripheral swelling, 23.00, , , , , , , , , ,
881267, Injection site rash, 23.10, Injection site swelling, 23.10, Pain, 23.10, , , , ,
881268, Swelling, 23.00, , , , , , , , , ,
881269, Asthenia, 23.10, Chills, 23.10, Injection site pain, 23.10, , , , ,
881270, Induration, 23.00, Injection site erythema, 23.00, Injection site swelling, 23.00, Pain in extremity, 23.00, Peripheral swelling, 23.00
881270, Pyrexia, 23.00, Skin warm, 23.00, , , , , , , , , ,
881271, Pain, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10, Skin irritation, 23.10
881271, Urticaria, 23.10, , , , , , , , , ,
881272, Chills, 23.00, Feeling cold, 23.00, Insomnia, 23.00, , , , , , , , , ,
881273, Dizziness, 23.00, Hypoaesthesia, 23.00, , , , , , , , , ,
881274, Arrhythmia, 23.10, Dizziness, 23.10, Headache, 23.10, Influenza like illness, 23.10, Myalgia, 23.10
881274, Pyrexia, 23.10, , , , , , , , , ,
881275, Anxiety, 23.10, Injection site pruritus, 23.10, Injection site rash, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
881276, Injection site bruising, 23.00, , , , , , , , , ,
881277, Erythema, 23.00, Peripheral swelling, 23.00, Skin warm, 23.00, , , , , , , , , ,
881278, Chills, 23.10, Injection site pain, 23.10, Pyrexia, 23.10, , , , , , , , , ,
881279, Erythema, 23.00, Fall, 23.00, Head injury, 23.00, Speech disorder, 23.00, Tremor, 23.00
881280, Anxiety, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Nausea, 23.10, Pyrexia, 23.10
881281, Erythema, 23.00, Pain, 23.00, Swelling, 23.00, , , , , , , , , ,
881282, Cough, 23.10, Musculoskeletal stiffness, 23.10, Oropharyngeal pain, 23.10, Pain in extremity, 23.10, , , , , , , , , ,
881283, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10
881283, Rash, 23.10, , , , , , , , , ,
881284, Influenza virus test, 23.00, Pyrexia, 23.00, SARS-CoV-2 test, 23.00, , , , , , , , , ,
881285, Injection site pain, 23.00, Rash erythematous, 23.00, Rash pruritic, 23.00, , , , , , , , , ,
881286, Chills, 23.00, Headache, 23.00, Myalgia, 23.00, , , , , , , , , ,
881287, Contusion, 23.00, Erythema, 23.00, Lymph node pain, 23.00, Lymphadenopathy, 23.00, Myalgia, 23.00
881287, Tenderness, 23.00, , , , , , , , , ,
881288, Cold sweat, 23.00, Dizziness, 23.00, Erythema, 23.00, Flushing, 23.00, Headache, 23.00
881288, Hyperhidrosis, 23.00, Myalgia, 23.00, Nausea, 23.00, Pyrexia, 23.00, Vomiting, 23.00
881289, Chest discomfort, 23.00, Cold sweat, 23.00, Injection site erythema, 23.00, Injection site inflammation, 23.00, Injection site

warmth,23.00
881289,Vomiting,23.00,,,,,,,,,
881290,Abdominal pain,23.10,Arthralgia,23.10,Diarrhoea,23.10,Fatigue,
23.10,Injection site erythema,23.10
881290,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Myalgia,23.10,Nausea,23.10
881291,Pruritus,23.00,,,,,,,,,
881292,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
881293,Erythema,23.00,Inflammation,23.00,Pain in extremity,
23.00,Swelling,23.00,,
881294,Discomfort,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
881295,Injection site bruising,23.10,,,,,,,,,
881296,Rash,23.10,,,,,,,,,
881297,Injection site erythema,23.00,Injection site pain,23.00,Pain in
extremity,23.00,,,,,
881298,Erythema,23.10,Peripheral swelling,23.10,Pruritus,23.10,,,,,
881299,Pallor,23.10,Visual impairment,23.10,,,,,
881300,Dizziness,23.10,Nausea,23.10,Pain in extremity,23.10,Vomiting,
23.10,,
881301,Product administered to patient of inappropriate age,
23.00,,,,,,,,,
881302,Disorientation,23.00,Dizziness,23.00,Fatigue,23.00,Headache,
23.00,Influenza like illness,23.00
881302,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Nausea,23.00,Pain,23.00
881303,Erythema,23.10,Injection site pruritus,23.10,Pain,23.10,Skin
discolouration,23.10,Skin warm,23.10
881304,Arthralgia,23.10,Back pain,23.10,Hypoaesthesia,23.10,Impaired
work ability,23.10,Loss of personal independence in daily activities,
23.10
881304,Muscle tightness,23.10,Musculoskeletal stiffness,23.10,Myalgia,
23.10,Pain in extremity,23.10,Paraesthesia,23.10
881304,Sleep disorder,23.10,,,,,,,,,
881305,Injection site pruritus,23.10,Musculoskeletal stiffness,
23.10,Pain in extremity,23.10,Pruritus,23.10,Rash,23.10
881305,Skin warm,23.10,Swelling,23.10,Vaccination site pain,
23.10,Vaccination site rash,23.10,Vaccination site swelling,23.10
881305,Vaccination site warmth,23.10,,,,,,,,,
881306,Abdominal pain upper,23.10,Chills,23.10,Fatigue,23.10,Feeling
abnormal,23.10,Headache,23.10
881306,Nausea,23.10,Pain,23.10,,,,,
881307,Erythema,23.00,Peripheral swelling,23.00,Rash,23.00,Skin warm,
23.00,,
881308,Chest discomfort,23.00,,,,,,,,,
881321,Herpes zoster,23.00,,,,,,,,,
881322,Blood cholesterol,23.00,Blood test,23.00,Fatigue,
23.00,Influenza like illness,23.00,Joint swelling,23.00
881322,Non-alcoholic steatohepatitis,23.00,Pain,23.00,Peripheral

swelling,23.00,Swelling,23.00,Weight decreased,23.00
881323,Product administered to patient of inappropriate age,
23.10,,,,,,,,,
881324,Product storage error,23.10,,,,,,,,,
881325,No adverse event,23.10,Underdose,23.10,,,,,,,,,
881326,Product administered to patient of inappropriate age,
23.10,,,,,,,,,
881327,Herpes zoster,23.10,,,,,,,,,
881328,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
881329,Product storage error,23.10,,,,,,,,,
881330,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
881331,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
881332,Inappropriate schedule of product administration,23.10,,,,,,,,,
881333,Expired product administered,23.10,,,,,,,,,
881334,Chills,23.00,Headache,23.00,Pyrexia,23.00,,,,,
881335,Influenza like illness,23.00,Myalgia,23.00,,,,,,,,,
881336,Rash erythematous,23.00,,,,,,,,,
881337,Pyrexia,23.00,,,,,,,,,
881338,Influenza like illness,23.00,Myalgia,23.00,,,,,,,,,
881339,COVID-19,23.00,Chills,23.00,Hypersensitivity,
23.00,Hypoaesthesia,23.00,Pain in extremity,23.00
881339,Pyrexia,23.00,,,,,,,,,
881340,Chills,23.00,Feeling of body temperature change,23.00,Flushing,
23.00,Inappropriate schedule of product administration,23.00,Pyrexia,
23.00
881340,Vision blurred,23.00,,,,,,,,,
881341,Injection site erythema,23.00,Injection site pain,
23.00,Injection site warmth,23.00,,,,,
881342,Axillary pain,23.00,Chills,23.00,Derealisation,23.00,Dizziness,
23.00,Fatigue,23.00
881342,Hallucination,23.00,Headache,23.00,Injection site pain,
23.00,Injection site rash,23.00,Injection site warmth,23.00
881342,Muscular weakness,23.00,Myalgia,23.00,Nausea,23.00,Pain,
23.00,Paraesthesia,23.00
881342,Pyrexia,23.00,,,,,,,,,
881343,Incomplete course of vaccination,23.00,Rash,23.00,Tooth
infection,23.00,,,,,
881344,Dyspnoea,23.00,Malaise,23.00,Pneumonia,23.00,,,,,
881345,Erythema,23.00,Herpes zoster,23.00,Pruritus,23.00,,,,,
881346,Injection site erythema,23.00,Injection site pain,
23.00,Injection site swelling,23.00,Injection site warmth,23.00,,
881347,Injection site erythema,23.00,Injection site swelling,
23.00,,,,,,,,,
881348,Pain,23.00,Social problem,23.00,,,,,,,,,
881349,Dizziness,23.00,Nausea,23.00,,,,,,,,,
881350,Injection site erythema,23.00,Injection site rash,23.00,Rash
erythematous,23.00,,,,,
881351,Erythema,23.00,,,,,,,,,
881352,Arthralgia,23.00,,,,,,,,,
881353,Fatigue,23.10,Pyrexia,23.10,,,,,,,,,

881354,Oedema peripheral,23.10,Tenderness,23.10,,,,,
881355,Exposure via skin contact,23.10,Injection site extravasation,
23.10,Needle issue,23.10,No adverse event,23.10,Underdose,23.10
881356,Injection site pruritus,23.00,Injection site swelling,
23.00,,,,,
881357,Exposure during pregnancy,23.10,Feeling abnormal,23.10,Foetal
disorder,23.10,Impaired work ability,23.10,Injected limb mobility
decreased,23.10
881357,Limb discomfort,23.10,Pain in extremity,23.10,Ultrasound
antenatal screen abnormal,23.10,,,,
881358,Chills,23.00,Fatigue,23.00,Pain,23.00,Pain in extremity,
23.00,Poor quality sleep,23.00
881358,Rash,23.00,,,,,
881359,Aphthous ulcer,23.10,Eating disorder,23.10,Herpes zoster,
23.10,Pain,23.10,,
881360,No adverse event,23.10,Product storage error,23.10,,,,,
881362,Injection site erythema,23.00,Injection site pruritus,
23.00,Injection site swelling,23.00,,,,
881363,Herpes zoster,23.00,Inappropriate schedule of product
administration,23.00,,,,,
881364,No adverse event,23.10,Product storage error,23.10,,,,,
881365,Cold sweat,23.10,Fatigue,23.10,Feeling hot,23.10,Malaise,
23.10,Musculoskeletal pain,23.10
881365,Thinking abnormal,23.10,,,,,
881366,Back pain,23.10,Chills,23.10,Fatigue,23.10,Pain,23.10,Pain in
extremity,23.10
881366,Pyrexia,23.10,,,,,
881367,No adverse event,23.10,Product storage error,23.10,,,,,
881368,Arthralgia,23.10,Axillary pain,23.10,Induration,23.10,Injection
site pruritus,23.10,Mobility decreased,23.10
881368,Neck pain,23.10,Odynophagia,23.10,Oropharyngeal pain,
23.10,Pain,23.10,Pain in extremity,23.10
881368,Pyrexia,23.10,Swelling,23.10,Tenderness,23.10,,,,
881369,Chills,23.10,Injection site pain,23.10,Myalgia,23.10,Nausea,
23.10,,
881370,Blood test,23.10,Dizziness,23.10,Injection site swelling,
23.10,Pain,23.10,Throat irritation,23.10
881370,Urticaria,23.10,,,,,
881371,Fatigue,23.10,Headache,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Migraine,23.10
881371,Musculoskeletal stiffness,23.10,Pyrexia,23.10,,,,,
881372,Crying,23.10,Injection site rash,23.10,Injection site reaction,
23.10,Rash,23.10,Rash erythematous,23.10
881372,Rash pruritic,23.10,Urticaria,23.10,,,,,
881373,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
881374,Chills,23.10,Diarrhoea,23.10,Fatigue,23.10,Headache,
23.10,Myalgia,23.10
881374,Pyrexia,23.10,,,,,
881379,Inappropriate schedule of product administration,23.10,No

adverse event,23.10,,,,,
881380,Herpes zoster,23.00,,,,,
881381,No adverse event,23.10,Product storage error,23.10,,,,,
881382,COVID-19,23.00,Cough,23.00,Injection site bruising,
23.00,Pyrexia,23.00,,
881383,Dyspnoea,23.00,Malaise,23.00,Pneumonia,23.00,Vaccine positive
rechallenge,23.00,,
881384,Cerebrovascular accident,23.00,Herpes zoster,
23.00,Musculoskeletal pain,23.00,Pain in extremity,23.00,,
881385,No adverse event,23.10,Product storage error,23.10,,,,,
881386,No adverse event,23.10,Product storage error,23.10,,,,,
881387,Injection site nodule,23.10,Muscular weakness,23.10,Pain in
extremity,23.10,,,,,
881388,No adverse event,23.10,Product storage error,23.10,,,,,
881389,No adverse event,23.10,Product storage error,23.10,,,,,
881390,Rash erythematous,23.10,Rash macular,23.10,,,,,
881391,Injection site rash,23.10,Injection site urticaria,23.10,,,,,
881392,Chills,23.00,Headache,23.00,Hyperhidrosis,23.00,Insomnia,
23.00,Pain,23.00
881392,Pyrexia,23.00,SARS-CoV-2 test,23.00,,,,,
881393,Hypotonia,23.10,Loss of consciousness,23.10,Pallor,
23.10,Syncope,23.10,,
881394,Contusion,23.10,Full blood count normal,23.10,Platelet count
normal,23.10,,,,,
881395,Erythema,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Rash macular,23.10,,
881396,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site warmth,23.10,,
881397,Blood glucose normal,23.10,Dizziness,23.10,,,,,
881398,Erythema,23.00,Swelling,23.00,,,,,
881399,Fall,23.10,Syncope,23.10,,,,,
881400,Loss of consciousness,23.10,Tonic convulsion,23.10,,,,,
881401,Blood test,23.10,Laboratory test,23.10,Pruritus,23.10,Rash,
23.10,Swelling face,23.10
881401,Swollen tongue,23.10,Urticaria,23.10,,,,,
881402,Loss of consciousness,23.00,,,,,
881403,Blister,23.10,Rash,23.10,Scar,23.10,,,,,
881404,Cough,23.10,Fatigue,23.10,Headache,23.10,Pain in extremity,
23.10,Pyrexia,23.10
881405,Abdominal pain upper,23.10,Cough,23.10,Dizziness,
23.10,Epistaxis,23.10,Headache,23.10
881405,Oropharyngeal pain,23.10,Retching,23.10,Throat irritation,
23.10,,,,,
881413,No adverse event,23.10,Product storage error,23.10,,,,,
881414,Deafness unilateral,23.00,Facial pain,23.00,Neuralgia,
23.00,Trigeminal neuralgia,23.00,Vocal cord paralysis,23.00
881415,Expired product administered,23.10,,,,,
881416,Lacrimation increased,23.00,Malaise,23.00,,,,,
881417,Blindness transient,23.00,,,,,
881418,Arthralgia,23.00,Fatigue,23.00,Influenza like illness,

23.00,Joint swelling,23.00,Musculoskeletal pain,23.00
881418,Neck pain,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Rash,23.00,Swelling,23.00
881418,Weight decreased,23.00,,,,,,,
881419,Product administered to patient of inappropriate age,
23.00,Rheumatoid arthritis,23.00,,,,,,
881420,Impaired driving ability,23.00,Loss of personal independence in
daily activities,23.00,Vision blurred,23.00,Visual impairment,23.00,,
881421,Chills,23.00,Pyrexia,23.00,,,,,,
881422,Headache,23.10,Myalgia,23.10,Pain,23.10,,,,
881423,No adverse event,23.10,Product storage error,23.10,,,,,,
881424,No adverse event,23.10,Product storage error,23.10,,,,,,
881425,No adverse event,23.10,Product storage error,23.10,,,,,,
881426,Pruritus,23.10,,,,,,,
881427,Dyskinesia,23.10,Posture abnormal,23.10,Seizure like phenomena,
23.10,Unresponsive to stimuli,23.10,,
881428,Rash,23.10,Rash erythematous,23.10,,,,,,
881429,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
881430,Hypersensitivity,23.10,Injection site cellulitis,
23.10,Injection site erythema,23.10,Injection site warmth,23.10,Rash,
23.10
881431,Asthenia,23.10,Cardiac monitoring normal,23.10,Computerised
tomogram head,23.10,Dizziness,23.10,Echocardiogram normal,23.10
881431,Electrocardiogram normal,23.10,Feeling of body temperature
change,23.10,Haemorrhage,23.10,Jaw fracture,23.10,Jaw operation,23.10
881431,Loss of consciousness,23.10,Malaise,23.10,Pain,23.10,Pain in
jaw,23.10,Skull X-ray abnormal,23.10
881432,Nasal congestion,23.10,Pneumonitis,23.10,Pyrexia,23.10,,,,
881433,Dizziness,23.10,Syncope,23.10,,,,,,
881434,Inflammation,23.10,Joint range of motion decreased,23.10,Pain,
23.10,,,,
881435,Malaise,23.10,Type 1 diabetes mellitus,23.10,,,,,,
881436,No adverse event,23.10,Wrong product administered,23.10,,,,,,
881437,Cellulitis,23.10,,,,,,,
881438,Computerised tomogram,23.10,Movement disorder,23.10,,,,,,
881439,Rash,23.10,Skin discolouration,23.10,,,,,,
881440,Erythema,23.10,Injection site pain,23.10,Paraesthesia,
23.10,Rash,23.10,,
881441,Contusion,23.10,Erythema,23.10,Skin discolouration,23.10,,,,
881443,Burning sensation,23.10,Cellulitis,23.10,Erythema,23.10,Pain,
23.10,Pain in extremity,23.10
881443,Phlebitis,23.10,Pyrexia,23.10,Skin warm,23.10,,,,
881444,Chills,23.10,Dry eye,23.10,Erythema,23.10,Eye discharge,
23.10,Eye swelling,23.10
881444,Fatigue,23.10,Headache,23.10,Hyperhidrosis,23.10,Injected limb
mobility decreased,23.10,Joint range of motion decreased,23.10
881444,Joint swelling,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,,,,
881445,Injection site rash,23.10,Injection site reaction,

23.10,Varicella post vaccine,23.10,,,,,
881446,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
881453,Contraindication to vaccination,23.10,,,,,,,
881454,Herpes zoster,23.10,,,,,,,
881455,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,,,
881456,Expired product administered,23.10,No adverse event,23.10,,,,,,,
881457,Product storage error,23.10,,,,,,,
881458,Malaise,23.00,,,,,,,
881459,Malaise,23.00,,,,,,,
881460,Hepatitis B antibody negative,23.00,Inappropriate schedule of
product administration,23.00,Therapeutic response decreased,23.00,,,,,
881461,Influenza like illness,23.00,Pain in extremity,23.00,,,,,
881462,Allergy to vaccine,23.00,Body temperature increased,
23.00,Cellulitis,23.00,Neurological symptom,23.00,,
881463,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
881464,Dyskinesia,23.10,Eye movement disorder,23.10,Loss of
consciousness,23.10,Syncope,23.10,,
881465,Injection site pain,23.10,Injection site reaction,23.10,Rotator
cuff syndrome,23.10,,,,,
881466,Injection site erythema,23.10,Injection site pain,23.10,,,,,,
881467,Erythema,23.10,Pruritus,23.10,Pyrexia,23.10,Skin warm,
23.10,Swelling,23.10
881468,Urticaria,23.10,,,,,,,
881470,Feeling abnormal,23.00,Irritability,23.00,Pyrexia,23.00,Rash,
23.00,Vaccination complication,23.00
881471,Fall,23.10,Syncope,23.10,,,,,,
881472,Mouth injury,23.00,Skin laceration,23.00,Syncope,23.00,,,,,
881473,Injection site erythema,23.00,Injection site rash,23.00,,,,,,
881474,Headache,23.10,Myalgia,23.10,Pain,23.10,,,,,
881475,Irritability,23.10,Rash,23.10,,,,,,
881476,Burning sensation,23.10,Erythema,23.10,Injection site erythema,
23.10,Urticaria,23.10,,
881477,Diarrhoea,23.10,Pyrexia,23.10,Vomiting,23.10,,,,,
881478,Chills,23.10,Feeling cold,23.10,Hypotension,23.10,Injection
site erythema,23.10,Injection site swelling,23.10
881478,Pyrexia,23.10,,,,,,,
881479,Chills,23.10,Fatigue,23.10,Pyrexia,23.10,,,,,
881480,Erythema,23.00,Swelling,23.00,,,,,,
881481,Erythema,23.00,Skin warm,23.00,,,,,,
881482,Headache,23.10,Herpes zoster,23.10,,,,,,
881483,Erythema,23.10,Induration,23.10,Injection site erythema,
23.10,Injection site rash,23.10,Peripheral swelling,23.10
881484,Feeling hot,23.10,Malaise,23.10,Pyrexia,23.10,,,,,
881485,Asthenia,23.10,Chills,23.10,Dizziness,23.10,Headache,
23.10,Injection site erythema,23.10
881485,Injection site pain,23.10,Injection site swelling,
23.10,Lethargy,23.10,Nausea,23.10,,

881486, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Pyrexia, 23.10,,
881487, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10,,,,,
881488, Injection site erythema, 23.00, Injection site pruritus, 23.00,,,,,,
881489, Injection site rash, 23.10, Lethargy, 23.10, Pyrexia, 23.10,,,,,
881490, Exposure during pregnancy, 23.10, Injection site pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, Tenderness, 23.10
881491, Pain, 23.10,,,,,,
881492, Abdominal discomfort, 23.00, Pain in extremity, 23.00,,,,,
881493, Injection site erythema, 23.10, Injection site swelling, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10,,
881494, Axillary pain, 23.10, Erythema, 23.10, Injection site rash, 23.10, Pain, 23.10, Pyrexia, 23.10
881494, Rash, 23.10, Skin warm, 23.10,,,,,
881495, Injection site erythema, 23.00, Injection site swelling, 23.00, Injection site warmth, 23.00, Local reaction, 23.00,,
881496, Cellulitis, 23.10, Erythema, 23.10, Pruritus, 23.10, Rash, 23.10, Skin warm, 23.10
881497, Erythema, 23.00, Pruritus, 23.00, Skin warm, 23.00, Swelling, 23.00,,
881498, Hypersensitivity, 23.00, Lip swelling, 23.00,,,,,
881499, Product administered to patient of inappropriate age, 23.00,,,,,,
881500, Rash, 23.00,,,,,,
881501, Injection site erythema, 23.00, Injection site nodule, 23.00, Injection site warmth, 23.00,,,,,
881502, Blister, 23.10, Erythema, 23.10, Irritability, 23.10, Pruritus, 23.10, Pyrexia, 23.10
881503, Rash, 23.00,,,,,,
881504, Rhinorrhoea, 23.00, Secretion discharge, 23.00,,,,,
881505, Death, 23.00, Unresponsive to stimuli, 23.00,,,,,
881506, Injection site pain, 23.10, Injection site swelling, 23.10,,,,,
881507, Hypoaesthesia, 23.10, Pain, 23.10,,,,,
881508, Dizziness, 23.10, Visual impairment, 23.10,,,,,
881509, Body temperature increased, 23.10, Hypoaesthesia, 23.10, Injection site hypoaesthesia, 23.10, Injection site paraesthesia, 23.10, Muscular weakness, 23.10
881509, Paraesthesia, 23.10, Radiculitis brachial, 23.10,,,,,
881510, Blepharospasm, 23.10, Dizziness, 23.10, Fatigue, 23.10, Immediate post-injection reaction, 23.10, Pallor, 23.10
881510, Syncope, 23.10,,,,,,
881511, Asthenia, 23.10, Asthenopia, 23.10, Blood test, 23.10, Chest X-ray, 23.10, Fatigue, 23.10
881511, Headache, 23.10, Myalgia, 23.10, Neuralgia, 23.10, Pain, 23.10, Thinking abnormal, 23.10
881518, Product storage error, 23.10,,,,,,
881519, Borrelia test negative, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Hyperthermia, 23.10, Impaired work ability, 23.10
881519, Malaise, 23.10, Metabolic function test normal, 23.10, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, Stool analysis normal, 23.10

881520, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , ,
881521, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
881522, Herpes zoster, 23.00, , , , , , , ,
881523, Product storage error, 23.10, , , , , , , ,
881524, Inappropriate schedule of product administration, 23.10, , , , , , , ,
881525, Herpes zoster, 23.00, , , , , , , ,
881527, Adverse reaction, 23.00, Product use in unapproved indication,
23.00, , , , , , , ,
881528, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Taste disorder, 23.10, ,
881529, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
881530, Rash, 23.00, , , , , , , ,
881531, Pain, 23.00, , , , , , , ,
881532, Chills, 23.00, Nausea, 23.00, Pain in extremity, 23.00, , , ,
881533, Visual impairment, 23.00, , , , , , , ,
881534, Abdominal pain upper, 23.00, Back pain, 23.00, Pain, 23.00, Rash
vesicular, 23.00, ,
881535, No adverse event, 23.00, Product storage error, 23.00, , , , , ,
881537, Peripheral swelling, 23.00, , , , , , , ,
881538, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
881539, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
881540, Hypersensitivity, 23.10, , , , , , , ,
881541, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
881542, Contusion, 23.10, Injection site pain, 23.10, , , , , ,
881543, Injection site erythema, 23.10, Injection site induration,
23.10, Pyrexia, 23.10, , , , ,
881544, Abdominal discomfort, 23.10, Body temperature increased,
23.10, Headache, 23.10, Pain in extremity, 23.10, , ,
881546, Cellulitis, 23.10, Peripheral swelling, 23.10, , , , , , ,
881547, Pyrexia, 23.10, Vomiting, 23.10, , , , , , ,
881548, Arthralgia, 23.10, Dizziness, 23.10, Fatigue, 23.10, Feeding
disorder, 23.10, Headache, 23.10
881548, Heart rate increased, 23.10, Insomnia, 23.10, Myalgia, 23.10, Nausea,
23.10, Oropharyngeal pain, 23.10
881548, Pyrexia, 23.10, Restlessness, 23.10, Sensitive skin, 23.10, Swelling,
23.10, , ,
881549, Asthenia, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , ,
881550, Fatigue, 23.10, Influenza like illness, 23.10, Injection site pain,
23.10, Pain, 23.10, Vaccine positive rechallenge, 23.10
881551, Injection site erythema, 23.00, Injection site rash,
23.00, Injection site swelling, 23.00, , , , ,
881552, Presyncope, 23.10, , , , , , , ,
881553, Fatigue, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Myalgia, 23.10, Pyrexia, 23.10
881554, Dizziness, 23.10, Hypoacusis, 23.10, , , , , , ,
881555, Product preparation issue, 23.10, , , , , , , ,
881556, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
881557, Malaise, 23.10, Migraine, 23.10, Paraesthesia, 23.10, , , , ,

881558,Chills,23.10,Headache,23.10,Injection site rash,23.10,Pyrexia,
23.10,,
881560,Herpes zoster,23.00,,,,,,,,,
881561,Wrong product administered,23.10,,,,,,,,,
881563,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
881564,Injection site erythema,23.10,Injection site warmth,23.10,,,,,,,,,
881565,Abdominal pain upper,23.10,Asthenia,23.10,Chest pain,
23.10,Chills,23.10,Dizziness,23.10
881565,Headache,23.10,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10,Vaccine
positive rechallenge,23.10
881565,Vision blurred,23.10,,,,,,,,,
881566,Pyrexia,23.10,Vertigo,23.10,,,,,,,,,
881567,Extra dose administered,23.10,No adverse event,23.10,,,,,,,,,
881568,Mobility decreased,23.00,Pain in extremity,23.00,,,,,,,,,
881569,Arthralgia,23.10,Headache,23.10,Pain,23.10,Pyrexia,23.10,,
881570,Injection site discomfort,23.10,Paraesthesia,23.10,Rash,
23.10,,,,,
881571,Electrocardiogram P wave abnormal,23.10,Electrocardiogram QRS
complex abnormal,23.10,Sinus bradycardia,23.10,Syncope,23.10,,
881572,Arthralgia,23.10,Grip strength decreased,23.10,Injected limb
mobility decreased,23.10,Injection site pain,23.10,Myalgia,23.10
881573,Swelling,23.10,,,,,,,,,
881574,Chills,23.10,Fatigue,23.10,Tremor,23.10,,,,,
881575,Genital rash,23.10,Rash,23.10,,,,,,,,,
881576,Vomiting,23.10,,,,,,,,,
881577,No adverse event,23.00,Product administered to patient of
inappropriate age,23.00,,,,,,,,,
881578,Chills,23.10,Fatigue,23.10,Headache,23.10,Myalgia,23.10,Pain,
23.10
881578,Pain in extremity,23.10,,,,,,,,,
881579,No adverse event,23.10,Product preparation error,23.10,,,,,,,,,
881580,Dizziness,23.00,Unresponsive to stimuli,23.00,,,,,,,,,
881581,Headache,23.00,Pain,23.00,Peripheral swelling,23.00,,,,,
881582,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,,,,,
881583,Erythema,23.00,Injection site erythema,23.00,Injection site
reaction,23.00,Rash maculo-papular,23.00,Rash pruritic,23.00
881584,Injection site erythema,23.00,Pyrexia,23.00,,,,,,,,,
881585,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,,
881595,Extra dose administered,23.10,No adverse event,23.10,,,,,,,,,
881596,Renal impairment,23.00,,,,,,,,,
881597,Herpes zoster,23.00,,,,,,,,,
881598,Herpes zoster,23.00,,,,,,,,,
881601,Cellulitis,23.00,Local reaction,23.00,,,,,,,,,
881602,Headache,23.10,Pain,23.10,,,,,,,,,
881603,Headache,23.10,Pain,23.10,,,,,,,,,
881604,Injection site pain,23.10,,,,,,,,,
881605,Headache,23.10,Myalgia,23.10,Pain,23.10,,,,,
881606,Headache,23.10,Myalgia,23.10,Pain,23.10,Sleep disorder,23.10,,
881607,Headache,23.10,Myalgia,23.10,Pain,23.10,,,,,

881608,Dyschromatopsia,23.00,Fluorescence angiogram,23.00,Fluorescence angiogram abnormal,23.00,Fundus autofluorescence,23.00,Intraocular pressure test,23.00
881608,Ophthalmological examination abnormal,23.00,Optical coherence tomography abnormal,23.00,Photopsia,23.00,Retinal exudates,23.00,Vision blurred,23.00
881608,Visual acuity tests abnormal,23.00,Visual field defect,23.00,,,,,
881609,Death,23.00,,,,,
881610,Myalgia,23.10,Nausea,23.10,Rash,23.10,,,
881611,No adverse event,23.00,Product administered to patient of inappropriate age,23.00,Wrong product administered,23.00,,,
881612,Pain,23.10,Sleep disorder,23.10,,,,,
881613,Heart rate increased,23.00,Injection site pruritus,23.00,Pruritus,23.00,Skin warm,23.00,Swelling,23.00
881614,Nodule,23.10,Pain,23.10,,,,,
881615,Wrong product administered,23.10,,,,,
881616,Mobility decreased,23.10,Neck pain,23.10,Pain in extremity,23.10,,,
881617,Expired product administered,23.10,No adverse event,23.10,,,,,
881618,Chills,23.10,Diarrhoea,23.10,,,,,
881619,Rash,23.10,,,,,
881622,Arthralgia,23.10,Fatigue,23.10,Impaired work ability,23.10,Pain in extremity,23.10,,
881623,No adverse event,23.10,Product storage error,23.10,,,,,
881624,Product storage error,23.10,,,,,
881625,Inappropriate schedule of product administration,23.00,Product storage error,23.00,,,,,
881626,Memory impairment,23.10,,,,,
881627,Chills,23.00,Injection site swelling,23.00,Peripheral coldness,23.00,,,
881628,Extra dose administered,23.10,Wrong product administered,23.10,,,,,
881629,Pain,23.00,Pain in extremity,23.00,,,,,
881630,Cellulitis,23.10,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
881631,Paraesthesia,23.10,Seizure,23.10,,,,,
881632,Dyskinesia,23.00,Feeling abnormal,23.00,Musculoskeletal stiffness,23.00,Unresponsive to stimuli,23.00,,
881633,Dizziness,23.00,Fatigue,23.00,Gait disturbance,23.00,Gait inability,23.00,Loss of personal independence in daily activities,23.00
881633,Muscle spasms,23.00,Pain,23.00,,,,,
881634,Balance disorder,23.10,Dizziness,23.10,Headache,23.10,Injected limb mobility decreased,23.10,Pain in extremity,23.10
881635,Arthralgia,23.10,,,,,
881636,Pain in extremity,23.10,,,,,
881637,Back pain,23.00,Gait disturbance,23.00,,,,,
881638,Pruritus,23.00,Urticaria,23.00,,,,,
881639,Deafness unilateral,23.10,Tinnitus,23.10,,,,,

881640,Dizziness,23.00,Headache,23.00,Injection site pain,
23.00,Pruritus,23.00,Rash,23.00
881640,Throat tightness,23.00,,,,,
881641,Dizziness,23.10,Headache,23.10,Pain,23.10,,,,,
881642,C-reactive protein increased,23.10,Chest discomfort,23.10,Chest
pain,23.10,Ejection fraction decreased,23.10,Electrocardiogram ST
segment elevation,23.10
881642,Exercise test normal,23.10,Red blood cell sedimentation rate
increased,23.10,Troponin I increased,23.10,Ventricular tachycardia,
23.10,,
881643,Extra dose administered,23.10,No adverse event,23.10,,,,,
881644,Skin warm,23.00,Swelling,23.00,Tenderness,23.00,,,,,
881645,Cellulitis,23.00,,,,,
881646,Feeling hot,23.00,Nausea,23.00,Unresponsive to stimuli,
23.00,,,,,
881647,Pain in extremity,23.10,Peripheral swelling,23.10,Skin warm,
23.10,,,,,
881648,Body temperature increased,23.10,Coordination abnormal,
23.10,Hemiparesis,23.10,,,,,
881649,Chest pain,23.10,Chills,23.10,Ear pain,23.10,Fatigue,
23.10,Headache,23.10
881649,Myalgia,23.10,Nausea,23.10,,,,,
881650,Incorrect route of product administration,23.10,Injection site
erythema,23.10,Injection site pain,23.10,Injection site swelling,
23.10,Malaise,23.10
881651,Chills,23.10,Dysphonia,23.10,Myalgia,23.10,Pyrexia,23.10,Vocal
cord paralysis,23.10
881652,Haemorrhage,23.00,Peripheral swelling,23.00,Pruritus,23.00,Skin
warm,23.00,,
881653,Rash pruritic,23.10,Rash vesicular,23.10,,,,,
881654,Fatigue,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,
881655,Cold sweat,23.10,Dizziness,23.10,Loss of consciousness,
23.10,Syncope,23.10,Tremor,23.10
881656,Hypoaesthesia,23.00,Injection site pain,23.00,Myositis,
23.00,Pain in extremity,23.00,Paraesthesia,23.00
881657,Pyrexia,23.10,Rash,23.10,Urticaria,23.10,,,,,
881658,Injection site erythema,23.10,Injection site rash,23.10,Pain in
extremity,23.10,Skin warm,23.10,,
881659,Contusion,23.10,Hyperaesthesia,23.10,Pain,23.10,Rash,23.10,,
881660,Chills,23.00,Pyrexia,23.00,Vomiting,23.00,,,,,
881661,Erythema,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,,,,,
881662,Blister,23.10,Contusion,23.10,Haemorrhage,23.10,,,,,
881665,Abdominal discomfort,23.10,Diarrhoea,23.10,Feeling cold,
23.10,Malaise,23.10,Mobility decreased,23.10
881665,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,,
881666,Chills,23.00,Injection site pain,23.00,Insomnia,23.00,Nausea,
23.00,Pyrexia,23.00
881667,Pain,23.10,,,,,
881668,Rash,23.10,Swelling,23.10,,,,,

881669,Back pain,23.00,Dyspnoea,23.00,Musculoskeletal chest pain,
23.00,Oropharyngeal pain,23.00,Rhinorrhoea,23.00
881670,Pain in extremity,23.10,,,,,
881671,Chills,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,
881672,Abdominal discomfort,23.00,Injection site erythema,
23.00,Injection site pain,23.00,Injection site warmth,23.00,Nausea,
23.00
881672,Vertigo,23.00,,,,,
881673,Erythema,23.10,Pruritus,23.10,Swelling,23.10,,,
881674,Pyrexia,23.10,Rash,23.10,,,,,
881681,Extra dose administered,23.10,,,,,
881682,No adverse event,23.10,Product storage error,23.10,,,,,
881683,Product storage error,23.10,,,,,
881684,Product storage error,23.10,,,,,
881685,Extra dose administered,23.10,,,,,
881686,No adverse event,23.10,Product storage error,23.10,,,,,
881687,Product storage error,23.10,,,,,
881688,Inappropriate schedule of product administration,23.10,,,,,
881689,Product storage error,23.10,,,,,
881690,Expired product administered,23.10,No adverse event,23.10,,,,,
881691,Product administered to patient of inappropriate age,
23.10,,,,,
881692,Product storage error,23.10,,,,,
881693,Product storage error,23.10,,,,,
881694,Product storage error,23.10,,,,,
881695,Product storage error,23.10,,,,,
881696,Dizziness,23.10,,,,,
881697,Product storage error,23.10,,,,,
881698,Product storage error,23.10,,,,,
881699,Erythema,23.00,Peripheral swelling,23.00,Skin warm,23.00,,,
881700,Headache,23.00,Pyrexia,23.00,,,,,
881701,Pain in extremity,23.00,,,,,
881702,Herpes zoster,23.10,Rash vesicular,23.10,Vaccination failure,
23.10,,,
881703,Pain in extremity,23.00,,,,,
881704,Erythema multiforme,23.10,,,,,
881705,Fatigue,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,,
881706,Blister,23.00,Dry skin,23.00,Erythema,23.00,Pruritus,23.00,,
881707,Arthralgia,23.00,Chills,23.00,Fatigue,23.00,,,
881708,Brain injury,23.10,Condition aggravated,23.10,,,,,
881709,Erythema multiforme,23.10,,,,,
881710,Erythema,23.10,Rash,23.10,,,,,
881711,Urticaria,23.00,,,,,
881712,Dizziness,23.00,Pain,23.00,Pyrexia,23.00,,,
881713,Headache,23.00,Pyrexia,23.00,Vertigo,23.00,,,
881714,Arthralgia,23.10,Injection site pain,23.10,Myalgia,23.10,Pain,
23.10,Pain in extremity,23.10
881715,Chills,23.10,Headache,23.10,Nausea,23.10,Pollakiuria,
23.10,Pyrexia,23.10

881715,SARS-CoV-2 test negative,23.10,Urine analysis normal,
23.10,,,,,
881716,Erythema,23.10,Induration,23.10,,,,,
881719,Injection site discharge,23.10,,,,,
881720,Expired product administered,23.10,,,,,
881721,Abdominal pain,23.00,Abdominal pain upper,23.00,Dizziness,
23.00,Headache,23.00,Pyrexia,23.00
881722,Muscle spasms,23.10,Pyrexia,23.10,Seizure like phenomena,
23.10,Tremor,23.10,Vaccine positive rechallenge,23.10
881723,Cellulitis,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,
881724,Chills,23.10,Injection site pain,23.10,Pyrexia,23.10,,,,
881725,Abdominal discomfort,23.10,Chills,23.10,Diarrhoea,
23.10,Dizziness,23.10,Erythema,23.10
881725,Headache,23.10,Nausea,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,Tenderness,23.10
881726,Confusional state,23.10,Dizziness,23.10,Eye movement disorder,
23.10,Hypotonia,23.10,Loss of consciousness,23.10
881726,Muscle rigidity,23.10,Muscle spasms,23.10,,,,,
881727,Blood culture negative,23.10,Body temperature increased,
23.10,Chest X-ray normal,23.10,Decreased appetite,23.10,Full blood
count normal,23.10
881727,Influenza virus test negative,23.10,Lethargy,23.10,Metabolic
function test,23.10,Pyrexia,23.10,Respiratory syncytial virus test
negative,23.10
881727,Vaccination complication,23.10,Vomiting,23.10,,,,,
881728,Fatigue,23.10,Headache,23.10,Injection site pain,23.10,Myalgia,
23.10,Poor quality sleep,23.10
881728,Pyrexia,23.10,,,,,
881729,Rash,23.10,Rash erythematous,23.10,Rash pruritic,23.10,,,,
881730,Intussusception,23.10,Irritability,23.10,Lethargy,
23.10,Ultrasound abdomen,23.10,Vomiting,23.10
881731,Dyspnoea,23.00,Rash,23.00,,,,,
881732,Immediate post-injection reaction,23.10,Injected limb mobility
decreased,23.10,Injection site pain,23.10,,,,
881733,Lip erythema,23.10,Lip pain,23.10,,,,,
881742,Product storage error,23.10,,,,,
881743,Product storage error,23.10,,,,,
881744,Expired product administered,23.10,,,,,
881745,Product storage error,23.10,,,,,
881746,Foetal exposure during pregnancy,23.10,Jaundice neonatal,
23.10,Poor feeding infant,23.10,,,,
881747,Migraine,23.00,,,,,
881748,Fatigue,23.00,Pain in extremity,23.00,Peripheral swelling,
23.00,Pyrexia,23.00,,
881749,Chills,23.00,Lethargy,23.00,Nausea,23.00,Pyrexia,
23.00,Vomiting,23.00
881750,Chills,23.00,Lethargy,23.00,Nausea,23.00,Pyrexia,
23.00,Vomiting,23.00
881751,Injection site pruritus,23.00,Injection site swelling,
23.00,,,,,

881752, Dry mouth, 23.10, Injection site pain, 23.10, Loss of personal independence in daily activities, 23.10, Pain, 23.10,,
881753, Erythema, 23.10, Palpitations, 23.10, Papule, 23.10, Paraesthesia, 23.10, Urticaria, 23.10
881754, Injection site erythema, 23.10, Injection site swelling, 23.10,,,,,
881755, Rash, 23.10, Rash macular, 23.10,,,,,
881756, Dry mouth, 23.10, Fatigue, 23.10, Headache, 23.10, Malaise, 23.10,,
881757, Chills, 23.00, Pyrexia, 23.00,,,,,
881758, Cardiovascular examination, 23.00, Injection site reaction, 23.00, Neuralgia, 23.00,,,,
881759, Syncope, 23.00,,,,,
881760, Chills, 23.10, Dizziness, 23.10, Nausea, 23.10,,,,
881761, Injection site pain, 23.10, Wrong product administered, 23.10,,,,,
881762, Underdose, 23.10,,,,,
881763, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Pain, 23.10
881763, Pyrexia, 23.10,,,,,
881764, Asthenia, 23.00, Chills, 23.00, Feeling hot, 23.00, Pain, 23.00,,
881765, Injection site pain, 23.10, Pyrexia, 23.10,,,,,
881766, Pyrexia, 23.00,,,,,
881778, Product storage error, 23.10,,,,,
881779, No adverse event, 23.10, Wrong product administered, 23.10,,,,,
881780, C-reactive protein normal, 23.10, Chest X-ray normal, 23.10, Computerised tomogram head normal, 23.10, Dizziness, 23.10, Drug screen negative, 23.10
881780, Electrocardiogram QT prolonged, 23.10, Electrocardiogram abnormal, 23.10, Full blood count normal, 23.10, Gait disturbance, 23.10, Lethargy, 23.10
881780, Metabolic function test normal, 23.10, Nausea, 23.10, Pallor, 23.10, Red blood cell sedimentation rate normal, 23.10, SARS-CoV-2 test negative, 23.10
881780, Supraventricular extrasystoles, 23.10, Walking aid user, 23.10,,,,,
881781, Herpes zoster, 23.10,,,,,
881782, No adverse event, 23.10, Product storage error, 23.10,,,,,
881783, Herpes zoster, 23.10,,,,,
881784, Product storage error, 23.10,,,,,
881785, Product storage error, 23.10,,,,,
881786, Herpes zoster, 23.10,,,,,
881787, Swelling, 23.00,,,,,
881788, Chills, 23.00, Influenza like illness, 23.00, Insomnia, 23.00, Pain, 23.00, Pyrexia, 23.00
881789, Myalgia, 23.00, Pyrexia, 23.00,,,,,
881790, Abdominal discomfort, 23.00, Back pain, 23.00, Chills, 23.00, Decreased appetite, 23.00, Fatigue, 23.00
881790, Injection site pain, 23.00, Myalgia, 23.00, Pyrexia, 23.00,,,,
881791, Delivery, 23.10, Exposure during pregnancy, 23.10, Gestational hypertension, 23.10, Labour induction, 23.10,,

881792,Extra dose administered,23.10,No adverse event,23.10,,,,,
881793,Foetal exposure during pregnancy,23.10,Oedematous kidney,
23.10,,,,,
881794,Hallucination,23.00,Muscle spasms,23.00,Pyrexia,23.00,,,,,
881795,Cellulitis,23.10,Injection site erythema,23.10,Vaccination site
pain,23.10,Vaccination site swelling,23.10,Vaccination site warmth,
23.10
881796,Injection site erythema,23.00,Injection site nodule,
23.00,Injection site pain,23.00,Injection site warmth,23.00,,
881797,Arthralgia,23.10,Back pain,23.10,Influenza like illness,
23.10,Pain in extremity,23.10,,
881798,Irritability,23.00,,,,,
881801,Expired product administered,23.10,,,,,
881802,No adverse event,23.10,Product storage error,23.10,,,,,
881803,No adverse event,23.10,Underdose,23.10,Wrong product
administered,23.10,,,,,
881804,Pain in extremity,23.10,,,,,
881805,Fatigue,23.10,Feeding disorder,23.10,Injected limb mobility
decreased,23.10,Injection site erythema,23.10,Injection site pain,
23.10
881805,Injection site swelling,23.10,,,,,
881806,Abdominal pain upper,23.10,Arthralgia,23.10,Chills,
23.10,Fatigue,23.10,Headache,23.10
881806,Pollakiuria,23.10,Pyrexia,23.10,,,,,
881807,Dizziness,23.10,Headache,23.10,Nausea,23.10,Pyrexia,23.10,,
881808,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site reaction,23.10,Wound,23.10,,
881809,Hypersensitivity,23.10,Injection site erythema,23.10,Injection
site nodule,23.10,Injection site swelling,23.10,Pyrexia,23.10
881809,Skin warm,23.10,,,,,
881810,Arthralgia,23.10,Asthenia,23.10,Back pain,23.10,Chills,
23.10,Dizziness,23.10
881810,Headache,23.10,Injected limb mobility decreased,
23.10,Lymphadenopathy,23.10,Myalgia,23.10,Pain in extremity,23.10
881810,Pain of skin,23.10,Pyrexia,23.10,Sleep disorder,23.10,,,
881811,Burning sensation,23.10,Rash,23.10,,,,,
881812,Paraesthesia,23.10,,,,,
881813,Headache,23.10,Malaise,23.10,Myalgia,23.10,Pyrexia,23.10,,
881814,Chills,23.10,Cough,23.10,Lip swelling,23.10,Oropharyngeal pain,
23.10,,
881815,Fatigue,23.10,Malaise,23.10,Weight decreased,23.10,,,
881816,Dyskinesia,23.10,Dyspnoea,23.10,Eye movement disorder,
23.10,Muscle contractions involuntary,23.10,Opisthotonus,23.10
881816,Oxygen saturation decreased,23.10,Peripheral coldness,
23.10,Sensory disturbance,23.10,,,
881817,Injection site rash,23.10,Injection site reaction,23.10,Rash,
23.10,Skin exfoliation,23.10,,
881818,Migraine,23.10,Visual impairment,23.10,Vitreous floaters,
23.10,,,
881819,Erythema,23.10,Nodule,23.10,Pain,23.10,Skin warm,

23.10, Swelling, 23.10
881820, Blood pressure increased, 23.10, Chills, 23.10, Heart rate increased, 23.10, Hyperhidrosis, 23.10, Pyrexia, 23.10
881820, Rash, 23.10, , , , , , , ,
881821, Fixed eruption, 23.10, Rash, 23.10, , , , , ,
881822, Dizziness, 23.10, , , , , , , ,
881823, Ear pain, 23.10, Lymphadenopathy, 23.10, Oropharyngeal pain, 23.10, , , , ,
881824, Abdominal pain upper, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10, Dizziness, 23.10, Dyspnoea, 23.10
881824, Erythema, 23.10, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Insomnia, 23.10
881824, Nausea, 23.10, Nervousness, 23.10, Night sweats, 23.10, Pain, 23.10, Pain in extremity, 23.10
881824, Peripheral swelling, 23.10, Pyrexia, 23.10, Skin warm, 23.10, , , , ,
881825, Asthenia, 23.10, Headache, 23.10, Injected limb mobility decreased, 23.10, Insomnia, 23.10, Pain, 23.10
881825, Pruritus, 23.10, , , , , , , ,
881826, Erythema, 23.10, , , , , , , ,
881827, Limb discomfort, 23.10, Neck pain, 23.10, Pain in jaw, 23.10, Pyrexia, 23.10, , ,
881828, Rash maculo-papular, 23.10, , , , , , , ,
881829, Rash, 23.10, Swelling, 23.10, , , , , , , ,
881830, Chills, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
881830, Myalgia, 23.10, Peripheral coldness, 23.10, , , , , , , ,
881831, Crying, 23.10, Decreased appetite, 23.10, Discomfort, 23.10, Irritability, 23.10, Lethargy, 23.10
881831, Poor quality sleep, 23.10, Pyrexia, 23.10, Rash, 23.10, Rash erythematous, 23.10, Screaming, 23.10
881831, Skin irritation, 23.10, Streptococcus test negative, 23.10, , , , , , , ,
881832, Chills, 23.10, Hyperaesthesia, 23.10, Pain of skin, 23.10, , , , , , , ,
881833, Eye swelling, 23.10, Rash, 23.10, , , , , , , ,
881834, Incisional drainage, 23.10, Injection site abscess, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Sepsis, 23.10
881835, Body temperature increased, 23.10, Chills, 23.10, Feeling hot, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
881835, Pain, 23.10, , , , , , , ,
881836, Injection site erythema, 23.10, Injection site warmth, 23.10, Pyrexia, 23.10, , , , , , , ,
881837, Dysphagia, 23.10, Lip oedema, 23.10, Lip pruritus, 23.10, Swollen tongue, 23.10, Tongue oedema, 23.10
881837, Tongue pruritus, 23.10, , , , , , , ,
881838, Arthralgia, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10, Eye irritation, 23.10, Fatigue, 23.10
881838, Headache, 23.10, Hyperaesthesia, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , ,
881839, Dizziness, 23.10, Nausea, 23.10, , , , , , , ,
881840, Body temperature increased, 23.10, Dyspnoea, 23.10, Headache,

23.10,,,,
881841,Allergic respiratory symptom,23.10,Rhinorrhoea,23.10,Throat irritation,23.10,,,,
881842,Impaired work ability,23.10,Mobility decreased,23.10,Nausea,23.10,Pain,23.10,Paraesthesia,23.10
881842,Vomiting,23.10,,,,,
881843,Chills,23.10,Headache,23.10,Pyrexia,23.10,,,,,
881844,Immediate post-injection reaction,23.10,Injection site pain,23.10,Pain in extremity,23.10,Pain of skin,23.10,,
881845,Hyperhidrosis,23.10,Syncope,23.10,,,,,
881846,Dizziness,23.10,Syncope,23.10,Unresponsive to stimuli,23.10,,,,,
881847,Lethargy,23.10,Pallor,23.10,Tremor,23.10,,,,,
881848,Mobility decreased,23.10,Shoulder injury related to vaccine administration,23.10,,,,,
881849,Fatigue,23.10,Injection site reaction,23.10,Injection site warmth,23.10,Myalgia,23.10,Pyrexia,23.10
881849,Rash macular,23.10,,,,,
881850,Myalgia,23.10,Pain in extremity,23.10,,,,,
881851,Fatigue,23.10,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,Injection site warmth,23.10
881852,Erythema,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Nausea,23.10,Peripheral swelling,23.10
881852,Vomiting,23.10,,,,,
881853,Erythema,23.10,Product administered at inappropriate site,23.10,,,,,
881854,Chills,23.10,Headache,23.10,Injection site bruising,23.10,Injection site pain,23.10,Insomnia,23.10
881854,Pain,23.10,Pyrexia,23.10,,,,,
881855,Back pain,23.10,Guillain-Barre syndrome,23.10,Vaccination complication,23.10,,,,,
881856,Arthralgia,23.10,Gait disturbance,23.10,Joint stiffness,23.10,,,,,
881857,Injection site erythema,23.10,Injection site pruritus,23.10,Tenderness,23.10,,,,,
881858,Burning sensation,23.10,Sensitive skin,23.10,,,,,
881859,Dizziness,23.10,Ear pain,23.10,Ear pruritus,23.10,Erythema,23.10,Feeling hot,23.10
881859,Headache,23.10,Injection site pain,23.10,Injection site swelling,23.10,Rash,23.10,Rash erythematous,23.10
881859,Rash pruritic,23.10,Skin warm,23.10,,,,,
881860,Arthralgia,23.10,Immediate post-injection reaction,23.10,,,,,
881861,Fall,23.10,Headache,23.10,Syncope,23.10,,,,,
881862,Headache,23.10,Pyrexia,23.10,,,,,
881869,No adverse event,23.10,Vaccination error,23.10,,,,,
881870,Product storage error,23.10,,,,,
881871,Product storage error,23.10,,,,,
881872,No adverse event,23.10,Product storage error,23.10,,,,,
881873,Product storage error,23.10,,,,,
881874,Product storage error,23.10,,,,,

881875, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
881876, Product storage error, 23.10, , , , , , , ,
881877, Product storage error, 23.10, , , , , , , ,
881878, Product storage error, 23.10, , , , , , , ,
881879, Product storage error, 23.10, , , , , , , ,
881880, Product storage error, 23.10, , , , , , , ,
881881, Cellulitis, 23.10, , , , , , , ,
881882, Product storage error, 23.10, , , , , , , ,
881883, Product storage error, 23.10, , , , , , , ,
881884, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
881885, Product storage error, 23.10, , , , , , , ,
881886, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
881888, Product storage error, 23.10, , , , , , , ,
881889, Product storage error, 23.10, , , , , , , ,
881890, Exposure during pregnancy, 23.10, , , , , , , ,
881891, Chills, 23.10, Pain, 23.10, , , , , , , ,
881892, Extensive swelling of vaccinated limb, 23.10, , , , , , , ,
881893, Extra dose administered, 23.10, Fatigue, 23.10, , , , , , , ,
881894, Influenza like illness, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site swelling, 23.10, ,
881895, Erythema, 23.10, , , , , , , ,
881896, Injection site pain, 23.10, Mobility decreased, 23.10, , , , , , , ,
881897, Urticaria, 23.10, , , , , , , ,
881898, Cold sweat, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , , ,
881899, Arthralgia, 23.10, Chills, 23.10, Feeling abnormal, 23.10, Injection
site reaction, 23.10, Pain, 23.10
881899, Pain in extremity, 23.10, Pyrexia, 23.10, Rash erythematous,
23.10, , , , ,
881900, Product administered to patient of inappropriate age,
23.10, , , , , , , ,
881909, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
881910, Malaise, 23.10, , , , , , , ,
881911, Injection site discolouration, 23.10, Injection site discomfort,
23.10, Injection site erythema, 23.10, , , , ,
881912, Blindness unilateral, 23.10, , , , , , , ,
881913, Rash, 23.10, Rash erythematous, 23.10, Vaccination site pain,
23.10, , , , ,
881914, Injection site reaction, 23.10, Injection site urticaria,
23.10, Rash erythematous, 23.10, , , , ,
881915, Arthralgia, 23.10, Dizziness, 23.10, Headache, 23.10, Myalgia,
23.10, Nausea, 23.10
881916, Extra dose administered, 23.10, , , , , , , ,
881917, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
881918, Chills, 23.10, Nasopharyngitis, 23.10, Retching, 23.10, , , , ,
881919, Dyspnoea, 23.10, Eye swelling, 23.10, Hypersensitivity, 23.10, Ocular
hyperaemia, 23.10, Sinus disorder, 23.10
881920, Malaise, 23.10, Mobility decreased, 23.10, Pain in extremity,
23.10, Pyrexia, 23.10, Sleep disorder, 23.10
881920, Vitamin D, 23.10, , , , , , , ,

881921,Injection site erythema,23.10,Injection site pain,23.10,,,,,
881922,Wrong product administered,23.10,,,,,
881923,CSF glucose increased,23.10,CSF protein increased,23.10,CSF
white blood cell count negative,23.10,Guillain–Barre syndrome,23.10,,
881924,Erythema,23.10,Pain,23.10,Paraesthesia,23.10,Pruritus,
23.10,Swelling,23.10
881925,Erythema,23.10,Pain,23.10,Skin warm,23.10,Swelling,23.10,,
881926,Blood gases,23.10,Blood lactic acid,23.10,Blood magnesium,
23.10,Blood phosphorus,23.10,Cardio–respiratory arrest,23.10
881926,Chest X–ray,23.10,Coagulation test,23.10,Computerised tomogram
head,23.10,Cyanosis,23.10,Death,23.10
881926,Differential white blood cell count,23.10,Electrocardiogram,
23.10,Electroencephalogram,23.10,Full blood count,23.10,Infantile
apnoea,23.10
881926,Intensive care,23.10,Laboratory test,23.10,Metabolic function
test,23.10,Pulse abnormal,23.10,Resuscitation,23.10
881927,Rash,23.10,Skin lesion,23.10,,,,,
881928,Pain in extremity,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,,,,,
881929,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
881930,Autism spectrum disorder,23.10,Disturbance in attention,
23.10,,,,,
881931,Condition aggravated,23.10,Seizure,23.10,,,,,
881935,Expired product administered,23.10,No adverse event,23.10,,,,,
881936,Product storage error,23.10,,,,,
881937,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
881938,Product storage error,23.10,,,,,
881939,Injection site pain,23.10,,,,,
881940,Erythema,23.10,Injection site rash,23.10,Pain,23.10,Pruritus,
23.10,Rash,23.10
881940,Rash erythematous,23.10,Rash pruritic,23.10,Swelling,23.10,,,,,
881941,Extensive swelling of vaccinated limb,23.10,,,,,
881942,Urticaria,23.10,,,,,
881943,Dermatitis,23.10,Erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,Local reaction,23.10
881944,Dizziness,23.10,Nausea,23.10,,,,,
881945,Angiogram,23.10,Central nervous system vasculitis,
23.10,Cerebrovascular accident,23.10,Computerised tomogram,
23.10,Headache,23.10
881945,Hypoaesthesia,23.10,Laboratory test,23.10,Magnetic resonance
imaging,23.10,Paraesthesia,23.10,Venogram,23.10
881945,Vision blurred,23.10,,,,,
881946,Vomiting,23.10,,,,,
881947,Fatigue,23.10,Gait inability,23.10,Incoherent,23.10,Myalgia,
23.10,Pyrexia,23.10
881947,Urinary retention,23.10,,,,,
881948,Pain,23.10,,,,,
881949,Cough,23.10,Dizziness,23.10,Erythema,23.10,Fatigue,

23.10,Myalgia,23.10
881949,Pruritus,23.10,Tremor,23.10,Vomiting,23.10,,,,,
881950,Tinnitus,23.10,,,,,,
881951,Injection site erythema,23.10,Injection site swelling,
23.10,Pyrexia,23.10,,,,,
881952,Arthralgia,23.10,Fatigue,23.10,Injection site swelling,
23.10,Pyrexia,23.10,Urticaria,23.10
881953,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
881954,Asthenia,23.10,Chills,23.10,Myalgia,23.10,Nausea,23.10,,
881955,Injection site pain,23.10,Injection site swelling,23.10,,,,,,
881956,Erythema,23.10,Pain,23.10,Pain in extremity,23.10,Pyrexia,
23.10,,
881967,No adverse event,23.10,Product storage error,23.10,,,,,,
881968,No adverse event,23.10,Product storage error,23.10,,,,,,
881969,Herpes zoster,23.10,,,,,,
881970,Product storage error,23.10,,,,,,
881971,Angioedema,23.10,Chest discomfort,23.10,Electrocardiogram
normal,23.10,Pruritus,23.10,Urticaria,23.10
881972,Cerebrovascular accident,23.10,Hemiparesis,23.10,,,,,
881973,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
881974,Rash,23.10,Urticaria,23.10,,,,,
881975,Incorrect dose administered,23.10,Malaise,23.10,Pain in
extremity,23.10,Product preparation error,23.10,,
881976,Injected limb mobility decreased,23.10,Malaise,23.10,Pain in
extremity,23.10,,,,,
881977,Malaise,23.10,,,,,,
881978,Immune system disorder,23.10,,,,,,
881979,Arthralgia,23.10,Cough,23.10,Decreased appetite,
23.10,Dizziness,23.10,Fatigue,23.10
881979,Injection site pain,23.10,,,,,,
881981,Dysaesthesia,23.10,Herpes zoster,23.10,,,,,
881982,Expired product administered,23.10,No adverse event,23.10,,,,,,
881983,Asthenia,23.10,Balance disorder,23.10,Dizziness,23.10,Flushing,
23.10,Gait inability,23.10
881983,Hypersomnia,23.10,Immediate post-injection reaction,
23.10,Musculoskeletal stiffness,23.10,Nausea,23.10,Speech disorder,
23.10
881983,Thinking abnormal,23.10,Vision blurred,23.10,,,,,
881984,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Ligament pain,23.10,Myalgia,23.10,,
881985,Injection site erythema,23.10,Injection site induration,
23.10,Injection site swelling,23.10,,,,,
881986,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site pruritus,23.10,,
881987,Chills,23.10,Dizziness,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Nausea,23.10
881987,Pain,23.10,Pyrexia,23.10,,,,,
881988,Asthenia,23.10,Chills,23.10,Gait inability,23.10,Injection site

cellulitis,23.10,Pyrexia,23.10
881989,Computerised tomogram head normal,23.10,Fall,23.10,Head injury,
23.10,Syncope,23.10,Vomiting,23.10
881990,Blood pressure decreased,23.10,Loss of consciousness,
23.10,,,,,
881991,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,,,,
881992,Gait disturbance,23.10,Pain in extremity,23.10,,,,,
881993,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
881994,Feeling abnormal,23.10,SARS-CoV-2 test,23.10,Syncope,23.10,,,,,
881995,Headache,23.10,Pain,23.10,Pyrexia,23.10,,,,,
881996,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
881997,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
881998,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site reaction,23.10,Injection site warmth,23.10,Pain
in extremity,23.10
881999,Pruritus,23.10,Rash,23.10,,,,,
882000,Injection site pain,23.10,Injection site swelling,23.10,,,,,
882011,Herpes zoster,23.10,Pain,23.10,Pruritus,23.10,,,,,
882012,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong patient received product,23.10,,,,,
882013,No adverse event,23.10,Product storage error,23.10,,,,,
882014,No adverse event,23.10,Product storage error,23.10,,,,,
882015,No adverse event,23.10,Product storage error,23.10,,,,,
882016,No adverse event,23.10,Product storage error,23.10,,,,,
882017,Product storage error,23.10,,,,,
882018,Incorrect route of product administration,23.10,,,,,
882020,Crying,23.10,Epistaxis,23.10,Lethargy,23.10,,,,,
882021,Blood pressure increased,23.10,Heart rate increased,
23.10,Palpitations,23.10,,,,,
882022,Arthralgia,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Myalgia,23.10,,
882023,Back pain,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Pain in
extremity,23.10
882023,Pyrexia,23.10,,,,,
882025,Chills,23.10,Fatigue,23.10,Feeling abnormal,23.10,Feeling hot,
23.10,Injection site erythema,23.10
882025,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Myalgia,23.10,Pain,23.10
882026,Erythema,23.10,Skin warm,23.10,,,,,
882027,Biopsy skin,23.10,Rash,23.10,,,,,
882028,Pyrexia,23.10,,,,,
882029,Hypotonia,23.10,Loss of consciousness,23.10,Urinary
incontinence,23.10,,,,,
882030,Blood glucose normal,23.10,Hypotonia,23.10,Unresponsive to
stimuli,23.10,,,,,
882031,Pain,23.10,Product administered at inappropriate site,

23.10,,,,,
882032,Urticaria,23.10,,,,,
882033,Blister,23.10,Urticaria,23.10,,,,,
882034,Erythema,23.10,Pain,23.10,Swelling,23.10,,,,,
882035,Limb injury,23.10,Mobility decreased,23.10,,,,,
882036,Decreased appetite,23.10,Diarrhoea,23.10,Injection site rash,
23.10,Rash,23.10,,
882037,Headache,23.10,Hypoaesthesia,23.10,Laboratory test normal,
23.10,Magnetic resonance imaging normal,23.10,Paraesthesia,23.10
882038,Abdominal pain upper,23.10,Arthralgia,23.10,Asthenia,
23.10,Chills,23.10,Dizziness,23.10
882038,Headache,23.10,Myalgia,23.10,Nausea,23.10,,,,,
882039,Injection site reaction,23.10,Rash erythematous,23.10,,,,,
882040,Abdominal discomfort,23.10,Vomiting,23.10,,,,,
882041,Abdominal pain,23.10,Back pain,23.10,Burning sensation,
23.10,Headache,23.10,Injected limb mobility decreased,23.10
882041,Pain in extremity,23.10,Vomiting,23.10,,,,,
882042,Arthralgia,23.10,Pain in extremity,23.10,Rash,23.10,,,,,
882043,Injection site rash,23.10,,,,,
882044,Chills,23.10,Influenza like illness,23.10,Injection site pain,
23.10,Pyrexia,23.10,,
882045,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pyrexia,23.10,,
882046,Skin warm,23.10,Syncope,23.10,,,,,
882047,Pain in extremity,23.10,Tendon injury,23.10,,,,,
882048,Dry eye,23.10,Ear pain,23.10,Facial paralysis,23.10,Facial
paresis,23.10,Foreign body sensation in eyes,23.10
882048,Hypoaesthesia,23.10,Paraesthesia,23.10,Vision blurred,23.10,,,,,
882049,Erythema,23.10,Pain in extremity,23.10,,,,,
882050,Dizziness,23.10,Feeling abnormal,23.10,Mydriasis,23.10,Tremor,
23.10,Unresponsive to stimuli,23.10
882051,Electroencephalogram,23.10,Epilepsy,23.10,Magnetic resonance
imaging,23.10,Neurological decompensation,23.10,Seizure,23.10
882052,Expired product administered,23.10,Flatulence,23.10,,,,,
882054,Injection site erythema,23.10,Injection site pain,23.10,,,,,
882055,Epistaxis,23.10,Headache,23.10,Injected limb mobility
decreased,23.10,Lacrimation increased,23.10,Limb discomfort,23.10
882055,Pruritus,23.10,Rash,23.10,Rash erythematous,23.10,Swelling,
23.10,Vision blurred,23.10
882056,Rash,23.10,Skin warm,23.10,,,,,
882057,Product administered to patient of inappropriate age,
23.10,,,,,
882058,Abdominal discomfort,23.10,Asthenia,23.10,Headache,
23.10,Nausea,23.10,Pain in extremity,23.10
882058,Pyrexia,23.10,,,,,
882059,Feeling cold,23.10,Pollakiuria,23.10,,,,,
882060,Arthralgia,23.10,Pain in extremity,23.10,,,,,
882061,Extra dose administered,23.10,,,,,
882062,Chills,23.10,Contusion,23.10,Erythema,23.10,Immediate post-
injection reaction,23.10,Malaise,23.10

882062,Migraine,23.10,Pain,23.10,Pain in extremity,23.10,Pyrexia,
23.10,Skin warm,23.10
882062,Swelling,23.10,Tenderness,23.10,,,,,
882063,Arthralgia,23.10,Dyspnoea,23.10,Pain,23.10,Pyrexia,23.10,,
882064,Fatigue,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,
23.10,Vaccination site pain,23.10
882065,Chills,23.10,Influenza like illness,23.10,Pain,23.10,,,,
882066,Chills,23.10,Dizziness,23.10,Fatigue,23.10,Headache,
23.10,Mobility decreased,23.10
882066,Pain in extremity,23.10,Pyrexia,23.10,Rash,23.10,Skin warm,
23.10,,
882067,Hypoaesthesia,23.10,Injected limb mobility decreased,
23.10,Nodule,23.10,Pain in extremity,23.10,,
882068,Extra dose administered,23.10,,,,,
882069,Pain in extremity,23.10,Tenderness,23.10,,,,,
882070,Chills,23.10,Nausea,23.10,Pyrexia,23.10,,,,
882071,Flushing,23.10,Hyperhidrosis,23.10,Irregular breathing,
23.10,Loss of consciousness,23.10,Paraesthesia,23.10
882071,Seizure like phenomena,23.10,Staring,23.10,Tremor,23.10,,,,
882072,Erythema,23.10,Immediate post-injection reaction,
23.10,Peripheral swelling,23.10,Skin discolouration,23.10,,
882073,Decreased appetite,23.10,Fatigue,23.10,Feeling abnormal,
23.10,Feeling hot,23.10,Pain,23.10
882073,Pyrexia,23.10,,,,,
882074,Injection site bruising,23.10,Myalgia,23.10,,,,,
882075,Dyspnoea,23.10,,,,,
882076,Arthralgia,23.10,Chills,23.10,Diarrhoea,23.10,Fatigue,
23.10,Headache,23.10
882076,Malaise,23.10,Nausea,23.10,Pain,23.10,Tinnitus,23.10,,
882077,Dehydration,23.10,Irritability,23.10,Lethargy,23.10,Rash,
23.10,Vomiting projectile,23.10
882077,X-ray gastrointestinal tract abnormal,23.10,,,,,
882078,Fatigue,23.10,Influenza like illness,23.10,Injection site pain,
23.10,Myalgia,23.10,,
882079,Erythema,23.10,Induration,23.10,Skin warm,23.10,Tenderness,
23.10,,
882080,Chills,23.10,Decreased appetite,23.10,Headache,
23.10,Hyperhidrosis,23.10,Injection site erythema,23.10
882081,Arthralgia,23.10,Back pain,23.10,Cold sweat,23.10,Decreased
appetite,23.10,Dizziness,23.10
882081,Feeling of body temperature change,23.10,Headache,
23.10,Injection site pain,23.10,Lethargy,23.10,Loss of personal
independence in daily activities,23.10
882081,Mental impairment,23.10,Nausea,23.10,Pain,23.10,,,,
882091,Herpes zoster,23.10,,,,,
882092,Product storage error,23.10,,,,,
882093,Herpes zoster,23.10,Neuropathy peripheral,23.10,,,,,
882094,No adverse event,23.10,Product storage error,23.10,,,,,
882095,Herpes zoster,23.10,,,,,
882096,Product storage error,23.10,,,,,

882097,Product storage error,23.10,,,,,,,,,
882098,Product storage error,23.10,,,,,,,,,
882099,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
882100,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,,,,,
882101,Herpes zoster,23.10,,,,,,,,,
882102,Extra dose administered,23.10,No adverse event,23.10,,,,,,,,,
882103,Incomplete course of vaccination,23.10,,,,,,,,,
882104,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
882105,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
882106,Product storage error,23.10,,,,,,,,,
882107,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
882108,Product storage error,23.10,,,,,,,,,
882109,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
882110,Product storage error,23.10,,,,,,,,,
882111,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
882112,Syncope,23.10,,,,,,,,,
882113,Eye inflammation,23.10,Eye pain,23.10,Ocular discomfort,
23.10,Ocular hyperaemia,23.10,Uveitis,23.10
882113,Vision blurred,23.10,,,,,,,,,
882114,Abdominal pain,23.10,Chest pain,23.10,Computerised tomogram
abdomen normal,23.10,Computerised tomogram normal,23.10,Computerised
tomogram pelvis,23.10
882114,Diarrhoea,23.10,Dyspnoea,23.10,Electrocardiogram normal,
23.10,Nausea,23.10,Renal mass,23.10
882114,Vomiting,23.10,,,,,,,,,
882115,Fatigue,23.10,Injection site pain,23.10,Injection site
reaction,23.10,Rash macular,23.10,,
882116,Extra dose administered,23.10,Pain in extremity,23.10,,,,,,,,,
882117,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,,,,
882118,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,,,,
882119,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Skin warm,23.10,,
882120,Extra dose administered,23.10,,,,,,,,,
882121,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,,,,,
882122,Blood electrolytes,23.10,Chills,23.10,Coronavirus test,
23.10,Electrocardiogram,23.10,Fatigue,23.10
882122,Full blood count,23.10,Headache,23.10,Myalgia,23.10,Nausea,
23.10,Tremor,23.10
882122,Vomiting,23.10,,,,,,,,,
882123,Chills,23.10,Fatigue,23.10,Headache,23.10,Pyrexia,23.10,,
882124,Chest pain,23.10,Pyrexia,23.10,Rash,23.10,,,,,
882129,No adverse event,23.10,Syringe issue,23.10,,,,,,,,,
882130,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
882131,Extra dose administered,23.10,Nausea,23.10,Pyrexia,23.10,,,,,
882132,Chills,23.10,Fatigue,23.10,Myalgia,23.10,Pyrexia,23.10,,
882133,Fatigue,23.10,,,,,,,,,

882134, Injection site erythema, 23.10, Injection site oedema, 23.10, Injection site warmth, 23.10, , , , ,
882135, Syncope, 23.10, , , , , , , , ,
882136, Body temperature increased, 23.10, Chills, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
882137, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, , , , ,
882138, Axillary nerve injury, 23.10, Burning sensation, 23.10, Bursal fluid accumulation, 23.10, Cervical radiculopathy, 23.10, Electromyogram abnormal, 23.10
882138, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Magnetic resonance imaging abnormal, 23.10, Mononeuropathy, 23.10
882138, Nasopharyngitis, 23.10, Nerve conduction studies abnormal, 23.10, Neuropathy peripheral, 23.10, Paraesthesia, 23.10, Rotator cuff syndrome, 23.10
882138, Tendon disorder, 23.10, Vaccination complication, 23.10, X-ray limb abnormal, 23.10, , , , ,
882139, Chest pain, 23.10, Dyspnoea, 23.10, Erythema, 23.10, Heart rate increased, 23.10, ,
882141, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
882142, Eye pain, 23.10, Nausea, 23.10, Ophthalmological examination, 23.10, Visual impairment, 23.10, ,
882143, Injection site mass, 23.10, Injection site swelling, 23.10, , , , , , ,
882144, Injection site discolouration, 23.10, Injection site erythema, 23.10, Injection site mass, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
882145, Abdominal pain upper, 23.10, Chills, 23.10, Headache, 23.10, Injection site pain, 23.10, Nausea, 23.10
882145, Pyrexia, 23.10, , , , , , , , ,
882146, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site nodule, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
882146, Pain, 23.10, , , , , , , , ,
882147, Injection site pain, 23.10, , , , , , , , ,
882148, Fatigue, 23.10, Pain, 23.10, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, ,
882153, Cough, 23.10, Crying, 23.10, Urticaria, 23.10, , , , ,
882154, Deafness, 23.10, Eczema, 23.10, Eye pain, 23.10, Eye swelling, 23.10, Eyelid oedema, 23.10
882154, Eyelid pain, 23.10, Neuropathy peripheral, 23.10, Pain, 23.10, Perivascular dermatitis, 23.10, Pustule, 23.10
882154, Rash, 23.10, Swelling of eyelid, 23.10, Tinnitus, 23.10, , , , ,
882155, Herpes zoster, 23.10, , , , , , , , ,
882156, Herpes zoster, 23.10, , , , , , , , ,
882157, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
882158, Balance disorder, 23.10, Blister, 23.10, Eye pain, 23.10, Herpes zoster, 23.10, Hypoacusis, 23.10
882158, Rash, 23.10, Scar, 23.10, Skin burning sensation, 23.10, Transient ischaemic attack, 23.10, Urticaria, 23.10
882158, Vision blurred, 23.10, , , , , , , , ,
882159, Blood thyroid stimulating hormone decreased, 23.10, Incomplete

course of vaccination,23.10,Malaise,23.10,,,,,
882160,Blood pressure decreased,23.10,Dizziness,23.10,Injection site
erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10
882160,Injection site warmth,23.10,Pain in extremity,
23.10,Paraesthesia,23.10,,,,,
882161,Abdominal pain,23.10,Dizziness,23.10,Fall,23.10,Hyperhidrosis,
23.10,Loss of consciousness,23.10
882162,Rash erythematous,23.10,Rash pruritic,23.10,,,,,,
882164,Diarrhoea,23.10,Migraine,23.10,Pyrexia,23.10,Vomiting,23.10,,
882165,Erythema,23.10,,,,,,
882166,Dizziness,23.10,Headache,23.10,Hypoaesthesia,23.10,Pruritus,
23.10,Rash,23.10
882167,Cyanosis,23.10,Dizziness,23.10,Dyspnoea,23.10,Eye movement
disorder,23.10,Loss of consciousness,23.10
882167,Nausea,23.10,Pallor,23.10,,,,,,
882168,Erythema,23.10,Pyrexia,23.10,Rash macular,23.10,Skin warm,
23.10,,
882169,Arthralgia,23.10,Chills,23.10,Headache,23.10,Hyperhidrosis,
23.10,Pyrexia,23.10
882170,Dizziness,23.10,Loss of consciousness,23.10,,,,,,
882171,Rash,23.10,,,,,,
882172,Discomfort,23.10,Hypoaesthesia,23.10,Paraesthesia,23.10,,,,,
882173,Expired product administered,23.10,,,,,,
882174,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Pruritus,23.10,,
882175,Expired product administered,23.10,,,,,,
882176,Rash maculo-papular,23.10,,,,,,
882177,Discomfort,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10
882177,Pain in extremity,23.10,Sleep disorder,23.10,,,,,,
882178,Abdominal pain upper,23.10,Nausea,23.10,,,,,,
882179,Herpes simplex test positive,23.10,Lumbar puncture abnormal,
23.10,Meningoencephalitis herpetic,23.10,,,,,
882194,No adverse event,23.10,Product storage error,23.10,,,,,,
882195,Product storage error,23.10,,,,,,
882196,Product storage error,23.10,,,,,,
882197,Product storage error,23.10,,,,,,
882198,Product storage error,23.10,,,,,,
882199,Herpes zoster,23.10,,,,,,
882200,Back pain,23.10,Chest pain,23.10,Cough,23.10,Herpes zoster,
23.10,Sneezing,23.10
882201,No adverse event,23.10,Product storage error,23.10,,,,,,
882202,Abdominal discomfort,23.10,Erythema,23.10,Headache,
23.10,Inflammation,23.10,Pain,23.10
882203,Fatigue,23.10,Headache,23.10,,,,,,
882204,Hypersensitivity,23.10,Pruritus,23.10,,,,,,
882205,Joint swelling,23.10,Musculoskeletal stiffness,23.10,,,,,,
882206,Abnormal behaviour,23.10,Anger,23.10,Asthenia,23.10,Feeling
abnormal,23.10,Gait disturbance,23.10
882206,Injection site pain,23.10,Muscular weakness,23.10,Pain in

extremity,23.10,Paraesthesia,23.10,,
882207,Erythema,23.10,Local reaction,23.10,Skin warm,23.10,,,,,
882210,Asthenia,23.10,Headache,23.10,Loss of personal independence in
daily activities,23.10,Malaise,23.10,Pain,23.10
882210,Spinal pain,23.10,Syncope,23.10,,,,,,
882211,Pyrexia,23.10,,,,,,,
882212,Lip swelling,23.10,Odynophagia,23.10,Rash,23.10,Swelling of
eyelid,23.10,,
882213,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
882214,Headache,23.10,Pain,23.10,,,,,,
882215,Pyrexia,23.10,Swelling face,23.10,,,,,,
882216,Pyrexia,23.10,Vomiting,23.10,,,,,,
882218,Dyspnoea,23.10,Throat irritation,23.10,Throat tightness,
23.10,,,,,
882219,Bursal fluid accumulation,23.10,Computerised tomogram abnormal,
23.10,Mobility decreased,23.10,Pain in extremity,23.10,,
882220,Bone pain,23.10,Cold sweat,23.10,Myalgia,23.10,Neck pain,
23.10,,
882221,No adverse event,23.10,Wrong product administered,23.10,,,,,,
882222,Chills,23.10,Headache,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site warmth,23.10
882222,Muscle spasms,23.10,Tremor,23.10,,,,,,
882223,Arthralgia,23.10,Muscle spasms,23.10,Swelling,23.10,,,,,
882224,C-reactive protein normal,23.10,Epstein-Barr virus antibody
negative,23.10,Erythema multiforme,23.10,Full blood count normal,
23.10,Herpes simplex test negative,23.10
882224,Joint swelling,23.10,Lip oedema,23.10,Mycoplasma test negative,
23.10,Peripheral swelling,23.10,Rash,23.10
882224,Red blood cell sedimentation rate normal,23.10,Streptococcus
test,23.10,Streptococcus test negative,23.10,,,,,
882225,Septic shock,23.10,Tremor,23.10,,,,,,
882226,Chest discomfort,23.10,Dizziness,23.10,Fatigue,23.10,Feeling
abnormal,23.10,Influenza like illness,23.10
882226,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,Throat
irritation,23.10
882227,Mobility decreased,23.10,Pain in extremity,23.10,X-ray limb
normal,23.10,,,,,
882228,Arthralgia,23.10,Chills,23.10,Pyrexia,23.10,,,,,
882229,Body temperature increased,23.10,Injected limb mobility
decreased,23.10,Injection site pain,23.10,Pain,23.10,X-ray limb
normal,23.10
882230,Contusion,23.10,Rash,23.10,,,,,,
882231,Erythema,23.10,Pruritus,23.10,Swelling,23.10,,,,,
882232,Body temperature increased,23.10,Erythema,23.10,Injection site
cellulitis,23.10,Injection site erythema,23.10,Injection site
swelling,23.10
882232,Skin warm,23.10,,,,,,,
882233,Injection site erythema,23.10,Injection site pain,

23.10, Injection site swelling, 23.10, Pain, 23.10, Pain in extremity, 23.10
882234, Cellulitis, 23.10, Erythema, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Neck pain, 23.10
882234, Pain, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Pyrexia, 23.10, Skin warm, 23.10
882235, Erythema, 23.10, Peripheral swelling, 23.10, Vaccination
complication, 23.10, , , , ,
882236, Chills, 23.10, Headache, 23.10, , , , , , ,
882237, Wrong product administered, 23.10, , , , , , , , ,
882238, Asthenia, 23.10, Balance disorder, 23.10, Cellulitis,
23.10, Dehydration, 23.10, Dizziness, 23.10
882238, Muscular weakness, 23.10, Myalgia, 23.10, Pain, 23.10, Vomiting,
23.10, ,
882239, Nausea, 23.10, Vomiting, 23.10, , , , , , ,
882240, Chills, 23.10, Diarrhoea, 23.10, Nausea, 23.10, , , , ,
882241, Asthenia, 23.10, Feeling hot, 23.10, Hypoaesthesia, 23.10, Pallor,
23.10, Paraesthesia, 23.10
882242, Arthralgia, 23.10, Bradykinesia, 23.10, Chills, 23.10, Fatigue,
23.10, Headache, 23.10
882242, Pain, 23.10, Pyrexia, 23.10, , , , , , ,
882243, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
882244, Headache, 23.10, Injection site erythema, 23.10, Injection site
pruritus, 23.10, Injection site warmth, 23.10, , ,
882245, Abscess, 23.10, Bacterial infection, 23.10, Gram stain positive,
23.10, Incisional drainage, 23.10, Injection site erythema, 23.10
882245, Injection site swelling, 23.10, , , , , , , , ,
882246, Injection site discomfort, 23.10, Injection site erythema,
23.10, , , , , , ,
882247, Dyspnoea, 23.10, Eye discharge, 23.10, Eye swelling, 23.10, Headache,
23.10, Pain in extremity, 23.10
882247, Pyrexia, 23.10, Respiratory tract congestion, 23.10, Rhinorrhoea,
23.10, , , , , ,
882249, Dizziness, 23.10, Loss of consciousness, 23.10, Nervousness,
23.10, Pallor, 23.10, Seizure like phenomena, 23.10
882250, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10, , , , , , ,
882251, Vertigo, 23.10, , , , , , , , ,
882252, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site warmth, 23.10, , , , , ,
882253, Headache, 23.10, Pain, 23.10, Photophobia, 23.10, Pyrexia, 23.10, , ,
882254, Injection site bruising, 23.10, Injection site inflammation,
23.10, , , , , , ,
882255, Rash, 23.10, , , , , , , , ,
882256, Injection site infection, 23.10, , , , , , , , ,
882257, Rash, 23.10, , , , , , , , ,
882258, Unevaluable event, 23.10, , , , , , , , ,
882259, Blindness, 23.10, Deafness, 23.10, Throat tightness, 23.10, , , , ,
882260, Nervousness, 23.10, Urticaria, 23.10, , , , , , ,
882261, Asthenia, 23.10, Coordination abnormal, 23.10, Dizziness,

23.10,Heart rate increased,23.10,Loss of personal independence in daily activities,23.10
882261,Nausea,23.10,Ocular hyperaemia,23.10,Peripheral swelling, 23.10,Pyrexia,23.10,Vomiting,23.10
882262,Dizziness,23.10,Fatigue,23.10,Pain in extremity,23.10,,,,
882263,Chills,23.10,Erythema,23.10,Fatigue,23.10,Headache, 23.10,Injection site pain,23.10
882263,Nausea,23.10,Night sweats,23.10,Swelling,23.10,,,,,
882264,Chills,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,
882265,Paraesthesia oral,23.10,Swollen tongue,23.10,,,,,,
882266,Injected limb mobility decreased,23.10,Injection site swelling, 23.10,,,,,,
882267,Fatigue,23.10,Feeling hot,23.10,Headache,23.10,Nausea, 23.10,Rhinorrhoea,23.10
882268,Blindness,23.10,Blood glucose normal,23.10,Dizziness, 23.10,Lethargy,23.10,Mydriasis,23.10
882268,Pallor,23.10,Skin warm,23.10,,,,,,
882269,Arthralgia,23.10,Local reaction,23.10,Mobility decreased, 23.10,Musculoskeletal stiffness,23.10,Pain in extremity,23.10
882269,Peripheral swelling,23.10,,,,,,
882270,Contusion,23.10,Erythema,23.10,,,,,,
882271,Injection site erythema,23.10,Injection site rash,23.10,,,,,
882272,Chills,23.10,Myalgia,23.10,Palpitations,23.10,,,,,
882273,Asthenia,23.10,Fatigue,23.10,Headache,23.10,Injection site swelling,23.10,Tremor,23.10
882273,Vomiting,23.10,,,,,,
882274,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,
882275,Cold sweat,23.10,Dizziness,23.10,Fatigue,23.10,Headache, 23.10,Nausea,23.10
882275,Pyrexia,23.10,Tremor,23.10,,,,,
882276,Abdominal pain upper,23.10,Diarrhoea,23.10,Rash,23.10,Rash erythematous,23.10,Rash pruritic,23.10
882277,Injection site reaction,23.10,Injection site swelling, 23.10,Rash macular,23.10,Urticaria,23.10,,
882278,Hypertension,23.10,Muscle tightness,23.10,Nervousness, 23.10,Sensation of foreign body,23.10,,
882279,Erythema,23.10,Pain,23.10,Swelling,23.10,,,,,
882281,Erythema,23.10,Pain in extremity,23.10,Paraesthesia, 23.10,Pruritus,23.10,,
882282,Fall,23.10,Head injury,23.10,Headache,23.10,Pallor, 23.10,Syncope,23.10
882283,Headache,23.10,Muscle twitching,23.10,Pallor,23.10,Syncope, 23.10,Tinnitus,23.10
882284,Diarrhoea,23.10,Ear infection,23.10,Fatigue,23.10,Pharyngitis, 23.10,,
882285,Body temperature increased,23.10,Chills,23.10,Injection site swelling,23.10,Pain,23.10,,
882286,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling, 23.10,Pruritus,23.10,Skin warm,23.10
882287,Anxiety,23.10,Injection site pain,23.10,Paraesthesia,23.10,,,,,

882288, Injection site mass, 23.10, , , , , , , , , , ,
882289, Hypoaesthesia, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10, , , , ,
882290, Injection site erythema, 23.10, , , , , , , , , , ,
882291, Arthralgia, 23.10, Crying, 23.10, Ear pain, 23.10, Grip strength decreased, 23.10, Headache, 23.10
882291, Injected limb mobility decreased, 23.10, Insomnia, 23.10, Musculoskeletal stiffness, 23.10, Nausea, 23.10, Neck pain, 23.10
882291, Pain, 23.10, Pain in extremity, 23.10, Toothache, 23.10, , , , , ,
882292, Influenza like illness, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, , ,
882293, Erythema, 23.10, Skin warm, 23.10, , , , , , , , , , ,
882294, Altered state of consciousness, 23.10, Fall, 23.10, , , , , , , , , , ,
882295, Cyanosis, 23.10, Erythema, 23.10, Inflammation, 23.10, Skin warm, 23.10, , ,
882296, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, , , , , ,
882297, Pain, 23.10, Pain in extremity, 23.10, , , , , , , , , , ,
882298, Arthralgia, 23.10, Contusion, 23.10, Erythema, 23.10, Feeling abnormal, 23.10, Headache, 23.10
882298, Oropharyngeal pain, 23.10, Pyrexia, 23.10, , , , , , , , , , ,
882299, Chills, 23.10, Injection site erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10
882300, Abdominal pain upper, 23.10, Fatigue, 23.10, Injection site erythema, 23.10, Injection site nodule, 23.10, Malaise, 23.10
882300, Pain, 23.10, , , , , , , , , , , ,
882301, Chills, 23.10, Feeling abnormal, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10
882302, Asthenia, 23.10, CSF culture negative, 23.10, CSF glucose normal, 23.10, CSF test abnormal, 23.10, CSF white blood cell count negative, 23.10
882302, Electromyogram abnormal, 23.10, Gait inability, 23.10, Guillain-Barre syndrome, 23.10, Hypoaesthesia, 23.10, Immunoglobulin therapy, 23.10
882302, Laboratory test normal, 23.10, Magnetic resonance imaging brain normal, 23.10, Magnetic resonance imaging spinal normal, 23.10, Nerve conduction studies abnormal, 23.10, Paraesthesia, 23.10
882302, SARS-CoV-2 test negative, 23.10, , , , , , , , , , , ,
882303, Angioedema, 23.10, Blood test, 23.10, Colonoscopy, 23.10, Crohn's disease, 23.10, Lip swelling, 23.10
882303, Lymphadenopathy, 23.10, Magnetic resonance elastography, 23.10, Magnetic resonance imaging, 23.10, Oesophagogastroduodenoscopy, 23.10, Salivary gland enlargement, 23.10
882303, Stool analysis, 23.10, Swelling face, 23.10, Ultrasound scan, 23.10, , , , , ,
882305, Blood test normal, 23.10, Crying, 23.10, Dyskinesia, 23.10, Electrocardiogram normal, 23.10, Loss of consciousness, 23.10
882305, Memory impairment, 23.10, Syncope, 23.10, Urine analysis normal, 23.10, , , , , ,
882307, Rash, 23.10, Swelling, 23.10, , , , , , , , , , ,
882308, Injection site swelling, 23.10, Pain in extremity, 23.10, Pyrexia,

23.10,Tenderness,23.10,,
882309,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
882310,Chills,23.10,Influenza like illness,23.10,Lethargy,23.10,Pain,
23.10,Pain in extremity,23.10
882310,Pyrexia,23.10,Urticaria,23.10,,,,,
882311,Erythema,23.10,Hypokinesia,23.10,Pain in extremity,23.10,Skin
warm,23.10,Staphylococcal infection,23.10
882312,Rash,23.10,Rash erythematous,23.10,Rash macular,
23.10,Tenderness,23.10,,
882313,Peripheral swelling,23.10,,,,,
882315,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
882316,Fatigue,23.10,Muscle spasms,23.10,Pain,23.10,Pain in extremity,
23.10,Pyrexia,23.10
882317,Erythema,23.10,Injection site erythema,23.10,Injection site
nodule,23.10,Injection site swelling,23.10,Pruritus,23.10
882317,Pyrexia,23.10,Skin irritation,23.10,,,,,
882318,Dyspnoea,23.10,Throat irritation,23.10,,,,,
882319,Arthralgia,23.10,Asthenia,23.10,Cold sweat,23.10,Dizziness,
23.10,Fall,23.10
882319,Feeling hot,23.10,Head injury,23.10,Joint range of motion
decreased,23.10,Loss of consciousness,23.10,Pain,23.10
882319,Sleep disorder,23.10,,,,,
882320,Chest pain,23.10,Fatigue,23.10,Lethargy,23.10,Myalgia,
23.10,Pyrexia,23.10
882321,Mobility decreased,23.10,,,,,
882322,Abdominal pain upper,23.10,Chills,23.10,Feeling abnormal,
23.10,Nausea,23.10,Supportive care,23.10
882323,Erythema,23.10,Swelling,23.10,,,,,
882324,Rash erythematous,23.10,Rash pruritic,23.10,,,,,
882325,Asthenia,23.10,Erythema,23.10,Inflammation,23.10,Mobility
decreased,23.10,Pain,23.10
882325,Peripheral swelling,23.10,Skin warm,23.10,,,,,
882326,Injection site swelling,23.10,,,,,
882327,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
882328,Axillary pain,23.10,Erythema,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10
882328,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,
882329,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
882330,Tremor,23.10,,,,,
882331,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site pain,23.10,,,,,
882332,Contusion,23.10,Erythema,23.10,Peripheral swelling,23.10,,,,,
882333,Chills,23.10,Dizziness,23.10,Injected limb mobility decreased,
23.10,Muscle spasms,23.10,Pain,23.10
882333,Pain in extremity,23.10,Vomiting,23.10,,,,,
882334,Injection site bruising,23.10,Injection site reaction,
23.10,Insomnia,23.10,Mobility decreased,23.10,Pain,23.10

882335, Pyrexia, 23.10, Urticaria, 23.10, , , , , , ,
882336, Conjunctivitis, 23.10, Eye discharge, 23.10, Eye irritation,
23.10, Eye swelling, 23.10, Eyelid margin crusting, 23.10
882336, Ocular hyperaemia, 23.10, , , , , , , ,
882337, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, , , , ,
882338, Arthralgia, 23.10, Back pain, 23.10, Headache,
23.10, Lymphadenopathy, 23.10, Middle insomnia, 23.10
882338, Myalgia, 23.10, Pain in extremity, 23.10, Swelling, 23.10, , , , ,
882339, Headache, 23.10, Mobility decreased, 23.10, Nausea, 23.10, Pain in
extremity, 23.10, Vomiting, 23.10
882340, Dyspnoea, 23.10, Heart rate increased, 23.10, , , , , , , ,
882341, Headache, 23.10, Immediate post-injection reaction, 23.10, Myalgia,
23.10, Pyrexia, 23.10, , ,
882342, Erythema, 23.10, Nausea, 23.10, Pruritus, 23.10, Rash, 23.10, , ,
882343, Chills, 23.10, Headache, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site swelling, 23.10
882343, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
882344, Rash, 23.10, Rash pruritic, 23.10, Skin mass, 23.10, , , , ,
882345, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
882346, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
882347, Erythema, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, Skin
irritation, 23.10, Skin warm, 23.10
882348, Arthralgia, 23.10, Joint range of motion decreased, 23.10, Loss of
personal independence in daily activities, 23.10, Pain in extremity,
23.10, , ,
882349, Injection site erythema, 23.10, , , , , , , , ,
882350, Injection site swelling, 23.10, Injection site urticaria,
23.10, Lip swelling, 23.10, Pain in extremity, 23.10, Urticaria, 23.10
882351, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Influenza like
illness, 23.10, Myalgia, 23.10
882351, Nausea, 23.10, Pyrexia, 23.10, , , , , , , ,
882352, Body temperature increased, 23.10, Erythema, 23.10, Furuncle,
23.10, Head discomfort, 23.10, Lethargy, 23.10
882352, Scab, 23.10, , , , , , , , ,
882353, Asthenia, 23.10, Injected limb mobility decreased, 23.10, Injection
site joint pain, 23.10, Injection site pain, 23.10, Musculoskeletal
disorder, 23.10
882354, Dyspnoea, 23.10, Erythema, 23.10, Pharyngeal erythema, 23.10, , , , ,
882355, Dyspnoea, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , ,
882356, Herpes zoster, 23.10, , , , , , , , ,
882357, Injection site oedema, 23.10, , , , , , , , ,
882358, Peripheral swelling, 23.10, Rash erythematous, 23.10, , , , , , ,
882359, Erythema, 23.10, Injected limb mobility decreased, 23.10, Pain,
23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10
882359, Skin swelling, 23.10, , , , , , , , ,
882360, Arthralgia, 23.10, Erythema, 23.10, Injection site pain,
23.10, Peripheral swelling, 23.10, Skin warm, 23.10
882361, Body temperature increased, 23.10, Chills, 23.10, Dyspnoea,
23.10, Headache, 23.10, Vomiting, 23.10

882362,Pain,23.10,Pain in extremity,23.10,,,,,
882363,Bursitis,23.10,Immediate post-injection reaction,23.10,Mobility decreased,23.10,Pain in extremity,23.10,Product administered at inappropriate site,23.10
882364,Loss of consciousness,23.10,Syncope,23.10,,,,,
882365,Fatigue,23.10,Rash,23.10,,,,,
882366,Erythema,23.10,Lip swelling,23.10,Oral pruritus,23.10,,,,,
882367,Nausea,23.10,Pyrexia,23.10,,,,,
882368,Injection site pain,23.10,,,,,
882369,Hypoaesthesia,23.10,Injection site pain,23.10,Pain in extremity,23.10,,,,,
882370,Unevaluable event,23.10,,,,,
882371,Oropharyngeal pain,23.10,Pyrexia,23.10,Respiratory tract congestion,23.10,,,,,
882372,Balance disorder,23.10,Dizziness postural,23.10,Gait disturbance,23.10,Myalgia,23.10,,
882373,Chills,23.10,Injection site pain,23.10,Lethargy,23.10,Pain,23.10,,
882374,Arthralgia,23.10,Headache,23.10,Injection site induration,23.10,Injection site swelling,23.10,Pain,23.10
882375,Diarrhoea,23.10,Dyspnoea,23.10,Headache,23.10,Pyrexia,23.10,,
882376,Arthralgia,23.10,Chills,23.10,Headache,23.10,Injection site pain,23.10,Muscle discomfort,23.10
882376,Musculoskeletal discomfort,23.10,Myalgia,23.10,Pyrexia,23.10,,,,,
882377,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
882378,Injection site irritation,23.10,Injection site pain,23.10,Injection site vesicles,23.10,Pain in extremity,23.10,,
882379,Contusion,23.10,Injection site pain,23.10,Pain,23.10,Pain in extremity,23.10,,
882380,Paraesthesia,23.10,,,,,
882381,Injection site vesicles,23.10,Pyrexia,23.10,,,,,
882382,Constipation,23.10,Crying,23.10,Grunting,23.10,Moaning,23.10,Pain,23.10
882382,Poor feeding infant,23.10,Posture abnormal,23.10,,,,,
882383,Constipation,23.10,Crying,23.10,Poor feeding infant,23.10,,,,,
882384,Injection site erythema,23.10,Irritability,23.10,Sleep disorder,23.10,Urticaria,23.10,,
882385,Balance disorder,23.10,Crying,23.10,Decreased appetite,23.10,Decreased eye contact,23.10,Fatigue,23.10
882385,Irritability,23.10,Movement disorder,23.10,Pyrexia,23.10,Somnolence,23.10,Staring,23.10
882386,Blood test normal,23.10,Computerised tomogram normal,23.10,Cyanosis,23.10,Electroencephalogram normal,23.10,Gaze palsy,23.10
882386,Hyperhidrosis,23.10,Intensive care,23.10,Lumbar puncture normal,23.10,Magnetic resonance imaging normal,23.10,Seizure,23.10
882386,Tremor,23.10,,,,,
882423,Off label use,23.10,Product administered to patient of inappropriate age,23.10,,,,,

882424,Vaccination site pain,23.10,,,,,,,,,
882427,No adverse event,23.10,Product storage error,23.10,,,,,,
882428,Product storage error,23.10,,,,,,,,,
882429,No adverse event,23.10,Product storage error,23.10,,,,,,
882430,Polymenorrhoea,23.10,,,,,,,,,
882431,No adverse event,23.10,Product storage error,23.10,,,,,,
882432,No adverse event,23.10,Product storage error,23.10,,,,,,
882433,Antibody test negative,23.10,Measles antibody negative,
23.10,Product administered to patient of inappropriate age,23.10,Wrong
product administered,23.10,,
882434,Febrile convulsion,23.10,Polymerase chain reaction positive,
23.10,Product administered to patient of inappropriate age,
23.10,Pyrexia,23.10,Rash,23.10
882434,Vaccination complication,23.10,,,,,,,,,
882435,Product storage error,23.10,,,,,,,,,
882436,Product storage error,23.10,,,,,,,,,
882437,Product storage error,23.10,,,,,,,,,
882438,Product storage error,23.10,,,,,,,,,
882439,Product storage error,23.10,,,,,,,,,
882440,No adverse event,23.10,Product storage error,23.10,,,,,,
882441,No adverse event,23.10,Product storage error,23.10,,,,,,
882442,Product storage error,23.10,,,,,,,,,
882443,No adverse event,23.10,Product storage error,23.10,,,,,,
882444,Product storage error,23.10,,,,,,,,,
882445,No adverse event,23.10,Product storage error,23.10,,,,,,
882446,Product storage error,23.10,,,,,,,,,
882447,Product storage error,23.10,,,,,,,,,
882448,Antibody test negative,23.10,,,,,,,,,
882449,Product storage error,23.10,,,,,,,,,
882450,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
882451,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
882452,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,,
882453,No adverse event,23.10,Product storage error,23.10,,,,,,
882454,Antibody test,23.10,H1N1 influenza,23.10,Herpes zoster,
23.10,Immediate post-injection reaction,23.10,Infectious
mononucleosis,23.10
882454,Pituitary tumour,23.10,Polycystic ovaries,23.10,Pyrexia,
23.10,Viral infection,23.10,,
882455,Expired product administered,23.10,,,,,,,,,
882456,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,,
882457,Herpes zoster,23.10,Hypoaesthesia,23.10,Joint swelling,
23.10,Papule,23.10,Rash,23.10
882458,No adverse event,23.10,Product storage error,23.10,,,,,,
882459,Back pain,23.10,Blister,23.10,Herpes zoster,23.10,,,,,
882460,Product storage error,23.10,,,,,,,,,
882461,No adverse event,23.10,Product storage error,23.10,,,,,,
882462,No adverse event,23.10,Product storage error,23.10,,,,,,

882463,Ear pain,23.10,Eyelid rash,23.10,Facial pain,23.10,Herpes zoster,23.10,Pain,23.10
882464,Accidental overdose,23.10,Extra dose administered,23.10,No adverse event,23.10,,,,,
882465,Product storage error,23.10,,,,,,
882466,Product storage error,23.10,,,,,,
882467,No adverse event,23.10,Product storage error,23.10,,,,,
882468,Product storage error,23.10,,,,,,
882469,Extra dose administered,23.10,No adverse event,23.10,,,,,
882470,No adverse event,23.10,Product storage error,23.10,,,,,
882471,No adverse event,23.10,Product storage error,23.10,,,,,
882472,No adverse event,23.10,Product storage error,23.10,,,,,
882473,No adverse event,23.10,Product storage error,23.10,,,,,
882474,No adverse event,23.10,Product storage error,23.10,,,,,
882475,No adverse event,23.10,Product storage error,23.10,,,,,
882476,No adverse event,23.10,Product storage error,23.10,,,,,
882477,No adverse event,23.10,Product storage error,23.10,,,,,
882478,Product storage error,23.10,,,,,,
882479,Product storage error,23.10,,,,,,
882480,No adverse event,23.10,Product storage error,23.10,,,,,
882481,No adverse event,23.10,Product storage error,23.10,,,,,
882482,No adverse event,23.10,Product storage error,23.10,,,,,
882483,No adverse event,23.10,Product storage error,23.10,,,,,
882484,No adverse event,23.10,Product storage error,23.10,,,,,
882485,Rash,23.10,,,,,,
882486,Expired product administered,23.10,No adverse event,23.10,,,,,
882487,No adverse event,23.10,Product storage error,23.10,,,,,
882488,Inappropriate schedule of product administration,23.10,,,,,,
882489,Product storage error,23.10,,,,,,
882490,Product storage error,23.10,,,,,,
882491,Product storage error,23.10,,,,,,
882492,No adverse event,23.10,Product storage error,23.10,,,,,
882493,Product storage error,23.10,,,,,,
882494,Product storage error,23.10,,,,,,
882495,Product storage error,23.10,,,,,,
882496,Product storage error,23.10,,,,,,
882497,Expired product administered,23.10,,,,,,
882498,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
882499,Product storage error,23.10,,,,,,
882501,Pyrexia,23.10,,,,,,
882502,Laboratory test,23.10,Pyrexia,23.10,,,,,
882503,Arthralgia,23.10,Chills,23.10,Myalgia,23.10,Pyrexia,23.10,,
882504,Illness,23.10,Influenza,23.10,Vaccination failure,23.10,,,,
882505,Rash,23.10,,,,,,
882506,Illness,23.10,,,,,,
882507,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,
882508,Arthralgia,23.10,Carpal tunnel syndrome,23.10,Condition aggravated,23.10,Coronary artery disease,23.10,Diabetic neuropathy,23.10

882508, Dyspnoea, 23.10, Hypercholesterolaemia, 23.10, Insomnia, 23.10, Night sweats, 23.10, Obesity, 23.10
882508, Obstructive airways disorder, 23.10, Proteinuria, 23.10, Restrictive pulmonary disease, 23.10, Sleep apnoea syndrome, 23.10, Type 2 diabetes mellitus, 23.10
882508, Wheezing, 23.10, , , , , , , , ,
882509, Anaemia, 23.10, Carpal tunnel syndrome, 23.10, Coronary artery disease, 23.10, Cough, 23.10, Diarrhoea, 23.10
882509, Hypercholesterolaemia, 23.10, Hyperlipidaemia, 23.10, Hypertension, 23.10, Obesity, 23.10, Polycythaemia, 23.10
882509, Proteinuria, 23.10, Sleep apnoea syndrome, 23.10, Type 2 diabetes mellitus, 23.10, Vitamin B12 deficiency, 23.10, Vitamin D decreased, 23.10
882509, Wheezing, 23.10, , , , , , , , ,
882510, Carpal tunnel syndrome, 23.10, Condition aggravated, 23.10, Coronary artery disease, 23.10, Cough, 23.10, Diabetes mellitus, 23.10
882510, Dyspnoea, 23.10, Hypercholesterolaemia, 23.10, Hypertension, 23.10, Muscle strain, 23.10, Obesity, 23.10
882510, Obstructive airways disorder, 23.10, Osteoarthritis, 23.10, Presyncope, 23.10, Proteinuria, 23.10, Restrictive pulmonary disease, 23.10
882510, Sleep apnoea syndrome, 23.10, Vitamin B12 deficiency, 23.10, , , , , , ,
882511, Illness, 23.10, Influenza, 23.10, Vaccination failure, 23.10, , , , ,
882512, Dry skin, 23.10, Erythema, 23.10, Headache, 23.10, Swelling, 23.10, ,
882513, Diarrhoea, 23.10, , , , , , , ,
882514, Erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, , , , ,
882515, Loss of personal independence in daily activities, 23.10, Movement disorder, 23.10, Nausea, 23.10, Paraesthesia, 23.10, ,
882516, Back pain, 23.10, , , , , , , ,
882517, Rash erythematous, 23.10, , , , , , , ,
882518, Arthralgia, 23.10, Condition aggravated, 23.10, Erythema, 23.10, Fatigue, 23.10, Illness, 23.10
882518, Loss of personal independence in daily activities, 23.10, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10
882518, Rheumatoid arthritis, 23.10, Swelling, 23.10, , , , , , ,
882519, Injection site erythema, 23.10, Injection site swelling, 23.10, Lymphadenopathy, 23.10, Ultrasound scan normal, 23.10, ,
882520, Chemotherapy, 23.10, Inappropriate schedule of product administration, 23.10, Neoplasm malignant, 23.10, , , , ,
882521, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
882522, Ophthalmic herpes zoster, 23.10, , , , , , , ,
882523, Extensive swelling of vaccinated limb, 23.10, Hypoaesthesia, 23.10, Injection site swelling, 23.10, Insomnia, 23.10, Pain, 23.10
882523, Pain in extremity, 23.10, , , , , , , ,
882524, Feeling hot, 23.10, Movement disorder, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, ,
882525, Chemotherapy, 23.10, Inappropriate schedule of product administration, 23.10, Neoplasm malignant, 23.10, , , , ,
882526, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,

882527,Rash,23.10,Rash erythematous,23.10,Rash pruritic,23.10,,,,
882528,Chills,23.10,Headache,23.10,Musculoskeletal stiffness,
23.10,Pain in extremity,23.10,Paraesthesia,23.10
882529,Chest discomfort,23.10,Cough,23.10,Eye pain,23.10,,,,
882530,Vaccination complication,23.10,,,,,,,
882531,Chest discomfort,23.10,Cough,23.10,Eye pain,23.10,,,,
882532,Chills,23.10,Dyskinesia,23.10,Myalgia,23.10,Oxygen saturation
decreased,23.10,Pyrexia,23.10
882532,Tremor,23.10,,,,,,,
882533,No adverse event,23.10,Wrong product administered,23.10,,,,,
882534,No adverse event,23.10,Product preparation error,23.10,,,,,
882535,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
882536,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site mass,23.10,Injection site pain,23.10,Injection
site urticaria,23.10
882536,Pyrexia,23.10,,,,,,,
882537,No adverse event,23.10,Wrong product administered,23.10,,,,,
882538,No adverse event,23.10,Wrong product administered,23.10,,,,,
882539,Extra dose administered,23.10,No adverse event,23.10,,,,,
882540,No adverse event,23.10,Product storage error,23.10,,,,,
882541,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
882542,Rash,23.10,,,,,,,
882543,Contusion,23.10,,,,,,,
882544,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
882548,Anxiety,23.10,Illness,23.10,,,,,
882549,Injection site pain,23.10,,,,,,,
882550,No adverse event,23.10,Product storage error,23.10,,,,,
882551,Injection site pruritus,23.10,Injection site urticaria,
23.10,,,,,
882552,Arthralgia,23.10,Headache,23.10,Hypoaesthesia,23.10,Joint range
of motion decreased,23.10,Joint stiffness,23.10
882552,Myalgia,23.10,Neck pain,23.10,Pain in extremity,23.10,Swelling,
23.10,,
882553,Rash,23.10,Rash erythematous,23.10,Rash maculo-papular,
23.10,,,,,
882554,Dizziness,23.10,Fall,23.10,Head injury,23.10,Loss of
consciousness,23.10,Musculoskeletal stiffness,23.10
882554,Pallor,23.10,Skin reaction,23.10,Thirst,23.10,,,,,
882555,Blood pressure increased,23.10,Dry mouth,23.10,Eye pain,
23.10,Headache,23.10,Injection site pain,23.10
882555,Middle insomnia,23.10,Nausea,23.10,Pain,23.10,,,,,
882556,Injection site erythema,23.10,Injection site induration,
23.10,Injection site mass,23.10,Injection site pain,23.10,Injection
site swelling,23.10
882557,Asthenia,23.10,Influenza like illness,23.10,Injected limb
mobility decreased,23.10,Injection site bruising,23.10,Injection site
erythema,23.10

882557,Injection site mass,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Pain,23.10,Pyrexia,23.10
882558,Injection site erythema,23.10,Injection site swelling,
23.10,Vomiting,23.10,,,,,
882559,Crying,23.10,Loss of personal independence in daily activities,
23.10,Mobility decreased,23.10,Pain in extremity,23.10,,
882560,Immunoglobulin therapy,23.10,Non-Hodgkin's lymphoma,23.10,,,,,,
882561,Wrong product administered,23.10,,,,,,
882562,Chest pain,23.10,Feeling of body temperature change,23.10,Loss
of consciousness,23.10,Pain,23.10,Pain in extremity,23.10
882563,Chest discomfort,23.10,Dizziness,23.10,Fatigue,23.10,Feeling
hot,23.10,Heart rate increased,23.10
882563,Hyperhidrosis,23.10,Hypoaesthesia,23.10,Palpitations,
23.10,Paraesthesia,23.10,Product administered to patient of
inappropriate age,23.10
882563,Tremor,23.10,,,,,,
882564,Arthralgia,23.10,Swelling,23.10,,,,,
882565,Diarrhoea,23.10,Influenza,23.10,Influenza virus test positive,
23.10,Pyrexia,23.10,SARS-CoV-2 test negative,23.10
882565,Social problem,23.10,,,,,,
882566,Blister,23.10,,,,,,
882567,Breast enlargement,23.10,Breast pain,23.10,Dizziness,
23.10,Fatigue,23.10,Hemiparesis,23.10
882567,Immediate post-injection reaction,23.10,Injection site
erythema,23.10,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
882567,Mammogram normal,23.10,Pain,23.10,Peripheral swelling,
23.10,Pruritus,23.10,,
882568,Injection site erythema,23.10,Injection site pain,
23.10,Injection site reaction,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
882569,Computerised tomogram head normal,23.10,Hypoaesthesia,
23.10,,,,,
882570,Hypoaesthesia,23.10,Injection site mass,23.10,Local reaction,
23.10,Pain,23.10,,
882571,Breast swelling,23.10,Peripheral swelling,23.10,,,,,
882572,Extra dose administered,23.10,No adverse event,23.10,,,,,
882573,Injection site erythema,23.10,Injection site swelling,
23.10,Peripheral swelling,23.10,,,,,
882574,Induration,23.10,Pain,23.10,Pruritus,23.10,Swelling,23.10,,
882590,Product storage error,23.10,,,,,,
882591,No adverse event,23.10,Product storage error,23.10,,,,,
882592,No adverse event,23.10,Product storage error,23.10,,,,,
882593,Extra dose administered,23.10,No adverse event,23.10,Product
confusion,23.10,Wrong product administered,23.10,,
882594,Rash,23.10,,,,,,
882595,Blood thyroid stimulating hormone normal,23.10,Differential
white blood cell count normal,23.10,Erythema,23.10,Full blood count
normal,23.10,Injection site pain,23.10
882595,Lipids normal,23.10,Metabolic function test normal,

23.10, Mobility decreased, 23.10, Pain, 23.10, Tenderness, 23.10
882595, Thyroxine free normal, 23.10, Urine analysis normal, 23.10, Vitamin
D, 23.10, , , , ,
882596, Blood test, 23.10, Fatigue, 23.10, Limb discomfort, 23.10, Lumbar
puncture, 23.10, Magnetic resonance imaging, 23.10
882596, Nerve conduction studies, 23.10, Neuralgia, 23.10, Neuropathy
peripheral, 23.10, , , , ,
882597, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Vaccination site pain, 23.10, , , , ,
882598, Abdominal pain upper, 23.10, Dizziness, 23.10, Dyschezia,
23.10, Dyskinesia, 23.10, Immediate post-injection reaction, 23.10
882598, Influenza like illness, 23.10, Pain, 23.10, , , , , ,
882599, Unevaluable event, 23.10, , , , , , , ,
882600, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
882601, Myositis, 23.10, Pain in extremity, 23.10, , , , , ,
882602, Chills, 23.10, Diarrhoea, 23.10, Dysgeusia, 23.10, Movement disorder,
23.10, Pain, 23.10
882602, Vomiting, 23.10, , , , , , , ,
882603, Chills, 23.10, Pyrexia, 23.10, , , , , ,
882604, Migraine, 23.10, , , , , , , ,
882605, Lip swelling, 23.10, , , , , , , ,
882606, Erythema, 23.10, Injection site urticaria, 23.10, Peripheral
swelling, 23.10, Pruritus, 23.10, Tenderness, 23.10
882606, Urticaria, 23.10, , , , , , , ,
882607, Computerised tomogram, 23.10, Pain in extremity, 23.10, Peripheral
swelling, 23.10, , , , ,
882608, Abnormal behaviour, 23.10, Computerised tomogram,
23.10, Electrocardiogram, 23.10, Syncope, 23.10, Vomiting, 23.10
882609, Syncope, 23.10, , , , , , , ,
882610, Erythema, 23.10, Swelling, 23.10, , , , , ,
882611, Mobility decreased, 23.10, Musculoskeletal stiffness, 23.10, , , , , ,
882612, Dizziness, 23.10, , , , , , , ,
882613, Cough, 23.10, , , , , , , ,
882614, Adverse reaction, 23.10, , , , , , , ,
882615, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , ,
882616, Asthenia, 23.10, Headache, 23.10, Hypertension, 23.10, Pallor,
23.10, Peripheral coldness, 23.10
882616, Somnolence, 23.10, Tremor, 23.10, , , , , , ,
882617, Dyskinesia, 23.10, Facial pain, 23.10, , , , , , ,
882618, Blood glucose increased, 23.10, Blood test, 23.10, Confusional
state, 23.10, Glycosylated haemoglobin increased, 23.10, Hypertension,
23.10
882618, Magnetic resonance imaging brain abnormal, 23.10, Speech
disorder, 23.10, Transient ischaemic attack, 23.10, , , , ,
882619, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , ,
882620, Erythema, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Peripheral swelling, 23.10, Rash, 23.10
882620, Rash erythematous, 23.10, , , , , , , ,

882621,Injection site swelling,23.10,Musculoskeletal stiffness,
23.10,,,,,
882622,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
882623,Chills,23.10,Fatigue,23.10,Pyrexia,23.10,,,,,
882624,No adverse event,23.10,Product storage error,23.10,,,,,
882625,No adverse event,23.10,Product storage error,23.10,,,,,
882626,Expired product administered,23.10,,,,,
882627,Injection site rash,23.10,Rash,23.10,,,,,
882628,Varicella,23.10,,,,,
882629,Decreased appetite,23.10,Irritability,23.10,Rash,23.10,Rash
papular,23.10,,
882630,Full blood count,23.10,Henoch-Schonlein purpura,23.10,Metabolic
function test,23.10,Urine analysis,23.10,,
882631,Chills,23.10,Injection site pain,23.10,Pyrexia,23.10,,,,,
882632,Extra dose administered,23.10,No adverse event,23.10,,,,,
882634,Chills,23.10,Decreased appetite,23.10,Full blood count normal,
23.10,Lymphadenopathy,23.10,Malaise,23.10
882634,Metabolic function test normal,23.10,Oropharyngeal pain,
23.10,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,Weight decreased,
23.10
882635,Erythema,23.10,Skin warm,23.10,,,,,
882636,Ear swelling,23.10,Eye swelling,23.10,Pharyngeal swelling,
23.10,Pruritus,23.10,Urticaria,23.10
882637,Expired product administered,23.10,No adverse event,23.10,,,,,
882638,Dizziness,23.10,Feeling abnormal,23.10,,,,,
882639,Botulism,23.10,Clostridium test,23.10,Drooling,23.10,Dysphagia,
23.10,Paralysis,23.10
882639,Respiratory failure,23.10,,,,,
882640,Injection site pain,23.10,Sleep disorder,23.10,,,,,
882641,Abnormal behaviour,23.10,Crying,23.10,Decreased appetite,
23.10,Irritability,23.10,Pyrexia,23.10
882641,Sleep disorder,23.10,,,,,
882642,Injection site bruising,23.10,Rash,23.10,,,,,
882643,Chills,23.10,Nausea,23.10,,,,,
882644,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Mobility decreased,23.10,,
882645,Pain in extremity,23.10,Rash,23.10,Visual impairment,23.10,,,,,
882646,Erythema,23.10,Oedema,23.10,,,,,
882647,Gait disturbance,23.10,Pain in extremity,23.10,Sleep disorder,
23.10,,,,,
882648,Insomnia,23.10,Pain,23.10,,,,,
882649,Expired product administered,23.10,,,,,
882650,Chills,23.10,Dizziness,23.10,Malaise,23.10,Nausea,23.10,,
882651,Contusion,23.10,Mobility decreased,23.10,Pain in extremity,
23.10,,,,,
882652,Limb discomfort,23.10,Peripheral swelling,23.10,Tenderness,
23.10,,,,,
882653,Blood glucose increased,23.10,Blood lactic acid increased,
23.10,Dehydration,23.10,Depressed level of consciousness,
23.10,Diarrhoea,23.10

882653,Hyperglycaemia,23.10,Mental status changes,23.10,Metabolic acidosis,23.10,Rotavirus test positive,23.10,Somnolence,23.10
882653,Tachycardia,23.10,,,,,,,
882654,Headache,23.10,,,,,,,
882655,Blindness unilateral,23.10,Headache,23.10,Migraine with aura,23.10,Retinal migraine,23.10,,
882656,Erythema,23.10,Feeling abnormal,23.10,Feeling hot,23.10,,,,
882657,Dizziness,23.10,Tremor,23.10,,,,,,,
882658,Blood pressure decreased,23.10,Cold sweat,23.10,Dizziness,23.10,Feeling abnormal,23.10,Loss of consciousness,23.10
882658,Opisthotonus,23.10,Pallor,23.10,Posture abnormal,23.10,Slow response to stimuli,23.10,,
882659,Headache,23.10,Hypoaesthesia,23.10,Movement disorder,23.10,Pain in extremity,23.10,,
882660,Pain,23.10,Pain in extremity,23.10,,,,,,
882661,Stomatitis,23.10,,,,,,,
882662,Injection site erythema,23.10,Injection site warmth,23.10,,,,,,
882663,Abdominal pain upper,23.10,Fatigue,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10
882663,Injection site warmth,23.10,Myalgia,23.10,,,,,,
882664,Abdominal pain upper,23.10,Diarrhoea,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10
882664,Injection site warmth,23.10,,,,,,,
882665,Product preparation error,23.10,,,,,,,
882666,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,,
882667,Exposure via eye contact,23.10,Exposure via skin contact,23.10,Eye irrigation,23.10,,,,
882668,Hypersensitivity,23.10,Petechiae,23.10,Rash,23.10,Urticaria,23.10,,
882669,Injection site rash,23.10,,,,,,,
882670,Injection site rash,23.10,,,,,,,
882671,Capillary nail refill test,23.10,Chills,23.10,Erythema,23.10,Injection site erythema,23.10,Injection site vesicles,23.10
882671,Oedema,23.10,Skin warm,23.10,,,,,,
882672,Arthralgia,23.10,Muscular weakness,23.10,Pain in extremity,23.10,,,,
882673,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,,,
882674,Dizziness,23.10,Vomiting,23.10,,,,,,,
882675,Injection site pain,23.10,Nausea,23.10,Pain in extremity,23.10,,,,
882676,Abdominal pain upper,23.10,Feeling abnormal,23.10,Feeling hot,23.10,Headache,23.10,Malaise,23.10
882676,Nausea,23.10,Pyrexia,23.10,Sleep disorder,23.10,,,,
882677,Chills,23.10,Injection site pain,23.10,Muscle spasms,23.10,Nausea,23.10,Pain,23.10
882678,Asthenia,23.10,Back pain,23.10,Blister,23.10,Burning sensation,23.10,Hypersensitivity,23.10
882678,Injection site bruising,23.10,Injection site pain,23.10,Myalgia,23.10,Pyrexia,23.10,Skin hypertrophy,23.10

882678, Skin odour abnormal, 23.10, Skin swelling, 23.10, Skin weeping,
23.10,,,,,
882679, Body temperature increased, 23.10, Chest pain, 23.10, Cough,
23.10, Headache, 23.10, Oropharyngeal pain, 23.10
882679, Pain, 23.10,,,,,,
882680, Erythema, 23.10, Skin irritation, 23.10,,,,,
882688, No adverse event, 23.10, Product storage error, 23.10,,,,,
882689, No adverse event, 23.10, Product storage error, 23.10,,,,,
882690, Product storage error, 23.10,,,,,
882691, Herpes zoster, 23.10,,,,,
882692, No adverse event, 23.10, Product storage error, 23.10,,,,,
882693, Syncope, 23.10,,,,,
882694, Expired product administered, 23.10,,,,,
882695, Product administered to patient of inappropriate age,
23.10,,,,,
882696, Product storage error, 23.10,,,,,
882697, Inappropriate schedule of product administration, 23.10,,,,,
882698, Laboratory test normal, 23.10, Lipase increased,
23.10, Pancreatitis acute, 23.10,,,,,
882699, No adverse event, 23.10,,,,,
882700, No adverse event, 23.10, Product storage error, 23.10,,,,,
882701, Antinuclear antibody positive, 23.10, Arthralgia, 23.10, Blood
test, 23.10, Laboratory test, 23.10,,
882702, Inappropriate schedule of product administration, 23.10,,,,,
882703, No adverse event, 23.10, Product storage error, 23.10,,,,,
882704, Product storage error, 23.10,,,,,
882705, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10,,,,,
882706, Atrophy, 23.10, Injection site indentation, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10,,
882707, Pyrexia, 23.10,,,,,
882708, Pyrexia, 23.10,,,,,
882709, Rash, 23.10,,,,,
882710, Lymphoedema, 23.10,,,,,
882711, Herpes zoster, 23.10, Ophthalmic herpes zoster, 23.10, Paralysis,
23.10, Rash, 23.10, Rash vesicular, 23.10
882711, Serology negative, 23.10,,,,,
882712, Headache, 23.10, Injection site erythema, 23.10, Injection site
pruritus, 23.10, Vaccination site rash, 23.10, Vaccination site swelling,
23.10
882712, Vaccination site warmth, 23.10,,,,,
882713, Headache, 23.10, Injection site erythema, 23.10, Injection site
pruritus, 23.10, Vaccination site rash, 23.10, Vaccination site swelling,
23.10
882713, Vaccination site warmth, 23.10,,,,,
882714, Headache, 23.10, Injection site erythema, 23.10, Injection site
pruritus, 23.10, Vaccination site rash, 23.10, Vaccination site swelling,
23.10
882714, Vaccination site warmth, 23.10,,,,,
882715, No adverse event, 23.10, Product administered to patient of

inappropriate age,23.10,,,,,
882716,Arthritis reactive,23.10,Blood creatine phosphokinase normal,
23.10,C-reactive protein normal,23.10,Full blood count normal,
23.10,Gait disturbance,23.10
882716,Myalgia,23.10,Pain in extremity,23.10,Red blood cell
sedimentation rate normal,23.10,Renal function test normal,
23.10,Walking aid user,23.10
882716,Weight bearing difficulty,23.10,X-ray normal,23.10,X-ray of
pelvis and hip normal,23.10,,,,,
882717,Asthenia,23.10,Dyspnoea,23.10,Gait disturbance,
23.10,Hyperhidrosis,23.10,Immediate post-injection reaction,23.10
882717,Injection site pain,23.10,Myalgia,23.10,,,,,
882718,Injection site discharge,23.10,Injection site erythema,
23.10,Injection site haemorrhage,23.10,Injection site pain,
23.10,Injection site swelling,23.10
882719,Unevaluable event,23.10,,,,,,,
882720,Face injury,23.10,Fall,23.10,Loss of consciousness,
23.10,Posture abnormal,23.10,Syncope,23.10
882720,Tension,23.10,,,,,,,
882725,Extra dose administered,23.10,No adverse event,23.10,,,,,
882726,Pemphigoid,23.10,,,,,,,
882727,Lymphadenopathy,23.10,Oedema peripheral,23.10,Pain of skin,
23.10,Sensitive skin,23.10,,
882728,Body temperature increased,23.10,,,,,,,
882729,Chest pain,23.10,Pericardial effusion,23.10,Pericardial
excision,23.10,,,,,
882730,Induration,23.10,Rash,23.10,Rash erythematous,23.10,Rash
papular,23.10,Rash pruritic,23.10
882730,Rash pustular,23.10,,,,,,,
882731,Cough,23.10,Dyspnoea,23.10,SARS-CoV-2 test negative,23.10,,,,,
882736,Asthenia,23.10,Balance disorder,23.10,Condition aggravated,
23.10,Immune system disorder,23.10,Impaired work ability,23.10
882736,Loss of personal independence in daily activities,23.10,Nervous
system disorder,23.10,Rheumatoid arthritis,23.10,,,,,
882737,Death,23.10,Influenza,23.10,Pneumonia,23.10,Vaccination
failure,23.10,,
882738,Abdominal discomfort,23.10,Arthralgia,23.10,Feeling abnormal,
23.10,Headache,23.10,Injection site pain,23.10
882738,Insomnia,23.10,Malaise,23.10,Neck pain,23.10,Pain in extremity,
23.10,Somnolence,23.10
882739,Blister,23.10,Cellulitis orbital,23.10,Facial pain,23.10,Rash,
23.10,,
882740,Injection site pain,23.10,,,,,,,
882741,Dizziness,23.10,Dyspnoea,23.10,,,,,,,
882742,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
882743,Pain,23.10,Pain in extremity,23.10,,,,,,,
882744,Chills,23.10,Injection site pain,23.10,,,,,,,
882745,Peripheral swelling,23.10,,,,,,,
882746,Contusion,23.10,,,,,,,

882747, Cellulitis, 23.10, Swelling, 23.10, , , , , ,
882748, Discharge, 23.10, Erythema, 23.10, Injection site cellulitis,
23.10, Peripheral swelling, 23.10, ,
882749, Vaccination complication, 23.10, , , , , , ,
882750, Arthralgia, 23.10, Asthenia, 23.10, Decreased appetite,
23.10, Dyspnoea, 23.10, Hyperhidrosis, 23.10
882750, Lethargy, 23.10, Myalgia, 23.10, Nausea, 23.10, , , ,
882751, Injection site swelling, 23.10, , , , , , ,
882752, Immediate post-injection reaction, 23.10, Injection site
bruising, 23.10, Injection site haemorrhage, 23.10, Injection site
swelling, 23.10, ,
882753, Hyperhidrosis, 23.10, Nausea, 23.10, Unresponsive to stimuli,
23.10, , , ,
882754, Erythema, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, Skin
warm, 23.10, Vaccination complication, 23.10
882755, Cellulitis, 23.10, Swelling, 23.10, , , , , ,
882756, Chills, 23.10, Hyperhidrosis, 23.10, Injection site pain,
23.10, Nausea, 23.10, Pyrexia, 23.10
882756, Syncope, 23.10, , , , , , ,
882765, Exposure during pregnancy, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Pregnancy test positive, 23.10, ,
882766, Inappropriate schedule of product administration, 23.10, , , , , , ,
882767, Herpes zoster, 23.10, Rash, 23.10, , , , , ,
882768, Inappropriate schedule of product administration, 23.10, , , , , , ,
882769, Pain in extremity, 23.10, , , , , , ,
882770, Laboratory test, 23.10, Weight increased, 23.10, , , , , ,
882771, Pain in extremity, 23.10, , , , , , ,
882772, Dermatitis contact, 23.10, Drug hypersensitivity, 23.10, , , , , ,
882773, Exposure during pregnancy, 23.10, Injected limb mobility
decreased, 23.10, Injection site pain, 23.10, Pain in extremity,
23.10, Periarthritis, 23.10
882774, Chills, 23.10, Disorientation, 23.10, Dysarthria, 23.10, Feeding
disorder, 23.10, Loss of personal independence in daily activities, 23.10
882774, Musculoskeletal disorder, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia,
23.10, ,
882775, Joint swelling, 23.10, Lip swelling, 23.10, Peripheral swelling,
23.10, , , ,
882776, Grip strength decreased, 23.10, Loss of personal independence in
daily activities, 23.10, Muscular weakness, 23.10, Pain in extremity,
23.10, ,
882777, Arthralgia, 23.10, Chest pain, 23.10, Chills, 23.10, Headache,
23.10, Injection site pain, 23.10
882777, Neck pain, 23.10, Pain, 23.10, Painful respiration, 23.10, Pleuritic
pain, 23.10, Pyrexia, 23.10
882777, Sleep disorder, 23.10, , , , , , ,
882778, Fear of injection, 23.10, Injection site erythema, 23.10, Injection
site swelling, 23.10, Injection site warmth, 23.10, Pyrexia, 23.10
882778, Tension, 23.10, , , , , , ,
882779, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
882780, Erythema, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia,

23.10,,
882782,Product use in unapproved indication,23.10,,,,,,,,,
882783,Product storage error,23.10,,,,,,,,,
882784,Malaise,23.10,,,,,,,,,
882785,Arthralgia,23.10,Back pain,23.10,Injection site pain,
23.10,Malaise,23.10,,
882786,Fatigue,23.10,Pain,23.10,,,,,,,,,
882787,Blood pressure increased,23.10,Erythema,23.10,Nervousness,
23.10,Peripheral swelling,23.10,,
882788,Syncope,23.10,,,,,,,,,
882789,Cold sweat,23.10,Dizziness,23.10,Fatigue,23.10,Headache,
23.10,Loss of consciousness,23.10
882789,Pallor,23.10,Syncope,23.10,,,,,,,,,
882790,Rash,23.10,,,,,,,,,
882791,Cellulitis,23.10,,,,,,,,,
882792,Influenza like illness,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,Pain,
23.10
882792,Tenderness,23.10,,,,,,,,,
882793,Oxygen saturation decreased,23.10,Respiratory rate increased,
23.10,Sleep disorder,23.10,Swelling face,23.10,Urticaria,23.10
882794,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
882795,Aphasia,23.10,Cerebrovascular accident,23.10,Facial paralysis,
23.10,Magnetic resonance imaging,23.10,Transient ischaemic attack,
23.10
882795,Ultrasound Doppler,23.10,,,,,,,,,
882796,Feeling hot,23.10,Loss of consciousness,23.10,Posture abnormal,
23.10,Vomiting,23.10,,
882797,Malaise,23.10,Vomiting,23.10,,,,,,,,,
882798,Contusion,23.10,Discomfort,23.10,Fatigue,23.10,Feeling
abnormal,23.10,,
882799,Back pain,23.10,Influenza like illness,23.10,Pain,23.10,,,,,
882800,C-reactive protein normal,23.10,Full blood count normal,
23.10,Gait disturbance,23.10,Hypoaesthesia,23.10,Imaging procedure,
23.10
882800,Metabolic function test normal,23.10,Muscular weakness,
23.10,Red blood cell sedimentation rate normal,23.10,Spinal X-ray
normal,23.10,Urine analysis normal,23.10
882801,Erythema,23.10,Inflammation,23.10,Injection site pruritus,
23.10,Pustule,23.10,Swelling,23.10
882802,Arthralgia,23.10,Asthenia,23.10,Headache,23.10,Insomnia,
23.10,Pain,23.10
882802,Pyrexia,23.10,,,,,,,,,
882803,Wrong product administered,23.10,,,,,,,,,
882804,Unevaluable event,23.10,,,,,,,,,
882805,Dizziness,23.10,Fall,23.10,Loss of consciousness,23.10,Nausea,
23.10,,
882806,Erythema,23.10,Pain,23.10,Skin warm,23.10,Swelling,23.10,,
882807,Injection site discomfort,23.10,Pyrexia,23.10,Rash papular,

23.10,Viral infection,23.10,,
882808,Administration site rash,23.10,Injection site erythema,
23.10,Skin warm,23.10,,,,,
882809,Eye pruritus,23.10,Lip swelling,23.10,Throat irritation,
23.10,,,,,
882810,Headache,23.10,Pain,23.10,Pyrexia,23.10,,,,,
882811,Injection site pain,23.10,Sleep disorder,23.10,Vaccination site
bruising,23.10,,,,,
882812,Headache,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site swelling,23.10,Lethargy,23.10
882812,Pain,23.10,,,,,,,
882813,Erythema,23.10,Pain in extremity,23.10,Pruritus,23.10,Skin
warm,23.10,,
882814,Erythema,23.10,Pruritus,23.10,,,,,,,
882815,Fatigue,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Vomiting,
23.10
882816,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,Malaise,23.10
882816,Nausea,23.10,,,,,,,
882817,Chills,23.10,Headache,23.10,Injected limb mobility decreased,
23.10,Injection site swelling,23.10,Musculoskeletal stiffness,23.10
882817,Product administered at inappropriate site,23.10,Tremor,
23.10,,,,,,,
882818,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Pruritus,23.10,Swelling,23.10
882819,Pruritus,23.10,Rash,23.10,,,,,,,
882820,Pyrexia,23.10,Vomiting,23.10,,,,,,,
882821,Erythema,23.10,Eye swelling,23.10,Rash macular,23.10,,,,,
882822,Asthenia,23.10,Dyspnoea,23.10,Heart rate increased,23.10,,,,,
882823,Vision blurred,23.10,Visual impairment,23.10,,,,,,,
882824,Headache,23.10,Nausea,23.10,Pain in extremity,23.10,,,,,
882825,Syringe issue,23.10,,,,,,,
882826,Mobility decreased,23.10,Peripheral swelling,23.10,Skin warm,
23.10,,,,,
882827,Injection site pain,23.10,Myalgia,23.10,Pain,23.10,,,,,
882828,Altered state of consciousness,23.10,Heart rate increased,
23.10,Hyperhidrosis,23.10,Speech disorder,23.10,,
882829,Cellulitis,23.10,Joint range of motion decreased,23.10,,,,,,,
882830,Chest discomfort,23.10,Dyspnoea,23.10,,,,,,,
882831,Erythema,23.10,Swelling,23.10,,,,,,,
882832,Contraindication to vaccination,23.10,,,,,,,
882833,Erythema,23.10,Headache,23.10,Pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10
882834,Arthralgia,23.10,Mobility decreased,23.10,,,,,,,
882835,Nausea,23.10,Syncope,23.10,,,,,,,
882836,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,,,
882837,Back pain,23.10,Dizziness,23.10,Pain,23.10,,,,,
882838,Chills,23.10,Disorientation,23.10,Eye movement disorder,
23.10,Fall,23.10,Fatigue,23.10

882838, Hypotonia, 23.10, Muscle spasms, 23.10, Ocular hyperaemia, 23.10, Posture abnormal, 23.10, Staring, 23.10
882838, Tremor, 23.10, , , , , , , ,
882839, Chills, 23.10, , , , , , , ,
882840, Induration, 23.10, Rash erythematous, 23.10, , , , , , , ,
882848, Expired product administered, 23.10, , , , , , , ,
882849, Product use in unapproved indication, 23.10, , , , , , , ,
882850, Product storage error, 23.10, , , , , , , ,
882851, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
882852, Interchange of vaccine products, 23.10, No adverse event, 23.10, , , , , , , ,
882853, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
882854, Product storage error, 23.10, , , , , , , ,
882855, Product storage error, 23.10, , , , , , , ,
882856, Product administered to patient of inappropriate age, 23.10, , , , , , , ,
882857, Product storage error, 23.10, , , , , , , ,
882858, Product storage error, 23.10, , , , , , , ,
882859, Product storage error, 23.10, , , , , , , ,
882860, Product storage error, 23.10, , , , , , , ,
882861, Product storage error, 23.10, , , , , , , ,
882862, Dizziness, 23.10, Fall, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Head injury, 23.10
882862, Hyperhidrosis, 23.10, Inappropriate schedule of product administration, 23.10, Influenza like illness, 23.10, Lethargy, 23.10, Loss of consciousness, 23.10
882862, Nausea, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, Skin laceration, 23.10
882863, Feeling abnormal, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10, ,
882864, No adverse event, 23.10, Product preparation issue, 23.10, , , , , , , ,
882865, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
882866, Abdominal pain, 23.10, Faeces soft, 23.10, Nausea, 23.10, Rhinorrhoea, 23.10, ,
882867, Pain, 23.10, Pyrexia, 23.10, Renal pain, 23.10, , , , ,
882868, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
882869, Chest discomfort, 23.10, Dyspnoea, 23.10, Erythema, 23.10, Fatigue, 23.10, Impaired work ability, 23.10
882869, Influenza like illness, 23.10, Injection site erythema, 23.10, Injection site paraesthesia, 23.10, Injection site swelling, 23.10, Paraesthesia, 23.10
882869, Peripheral swelling, 23.10, Pharyngeal swelling, 23.10, Sinus congestion, 23.10, Sleep disorder, 23.10, ,
882877, Product storage error, 23.10, , , , , , , ,
882878, Product storage error, 23.10, , , , , , , ,
882879, Dizziness, 23.10, Fatigue, 23.10, , , , , , , ,
882880, Urticaria, 23.10, , , , , , , ,
882881, Abdominal pain, 23.10, Arthralgia, 23.10, Muscle spasms, 23.10, Musculoskeletal chest pain, 23.10, Pain, 23.10
882881, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , , , ,

882882,Injection site injury,23.10,Injection site scab,23.10,Injection site vesicles,23.10,,,,,
882883,Hepatitis B antibody negative,23.10,Therapeutic response decreased,23.10,,,,,,
882884,Incorrect dose administered,23.10,Injection site pain,23.10,Product preparation issue,23.10,,,,,
882885,Herpes zoster,23.10,Neuralgia,23.10,Post herpetic neuralgia,23.10,Vaccination failure,23.10,,
882886,Headache,23.10,,,,,,,
882887,Injection site reaction,23.10,Lethargy,23.10,Pyrexia,23.10,,,,,
882888,Erythema,23.10,,,,,,,
882889,Erythema,23.10,Pain in extremity,23.10,,,,,,
882890,Lymphadenopathy,23.10,,,,,,,
882891,Injection site erythema,23.10,Injection site pruritus,23.10,,,,,,
882892,Chills,23.10,Fatigue,23.10,Headache,23.10,Hyperhidrosis,23.10,Mononucleosis heterophile test negative,23.10
882892,Pain,23.10,Pyrexia,23.10,Rash,23.10,SARS-CoV-2 test negative,23.10,Streptococcus test negative,23.10
882893,Rash,23.10,Urticaria,23.10,,,,,,
882894,Asthenia,23.10,Atrial fibrillation,23.10,Dizziness,23.10,Electrocardiogram abnormal,23.10,Hypotension,23.10
882895,No adverse event,23.10,,,,,,,
882896,Burning sensation,23.10,Chills,23.10,Headache,23.10,Myalgia,23.10,Pain,23.10
882896,Pain in extremity,23.10,Pyrexia,23.10,,,,,,
882897,Injection site rash,23.10,Skin irritation,23.10,,,,,,
882898,Limb mass,23.10,Nausea,23.10,Pyrexia,23.10,Seizure like phenomena,23.10,Tremor,23.10
882898,Ultrasound scan,23.10,,,,,,,
882899,Erythema,23.10,,,,,,,
882900,Pain in extremity,23.10,Pyrexia,23.10,Restlessness,23.10,,,,,
882901,Abdominal pain upper,23.10,Asthenia,23.10,Hyperhidrosis,23.10,Nausea,23.10,Syncope,23.10
882901,Tremor,23.10,,,,,,,
882902,Impaired driving ability,23.10,Impaired work ability,23.10,Mobility decreased,23.10,Pain,23.10,Peripheral swelling,23.10
882902,Tenderness,23.10,,,,,,,
882903,Injection site erythema,23.10,Pain,23.10,Rash,23.10,,,,,
882904,Contusion,23.10,Injected limb mobility decreased,23.10,Malaise,23.10,Pain in extremity,23.10,Pyrexia,23.10
882904,Rash,23.10,,,,,,,
882907,Product storage error,23.10,,,,,,,
882908,Expired product administered,23.10,,,,,,,
882909,Adverse drug reaction,23.10,Chills,23.10,Laboratory test,23.10,Pyrexia,23.10,,
882910,Syncope,23.10,,,,,,,
882911,Herpes zoster,23.10,,,,,,,
882912,Pain,23.10,Pain in extremity,23.10,,,,,,
882913,Back pain,23.10,Headache,23.10,Pain in extremity,23.10,,,,,

882914, Fatigue, 23.10, , , , , , , , ,
882915, Inflammation, 23.10, Local reaction, 23.10, Mass, 23.10, Skin warm, 23.10, ,
882916, Pyrexia, 23.10, Rash, 23.10, Rash vesicular, 23.10, , , , ,
882917, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , ,
882918, Chills, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
882919, Arthralgia, 23.10, Chills, 23.10, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10
882920, Balance disorder, 23.10, Dizziness, 23.10, Gait disturbance, 23.10, Injection site pain, 23.10, Vertigo, 23.10
882921, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10, ,
882922, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Pain, 23.10, Pyrexia, 23.10
882922, Vomiting, 23.10, , , , , , , , ,
882923, Asthenia, 23.10, Cough, 23.10, Headache, 23.10, Influenza, 23.10, Muscle spasms, 23.10
882923, Pain, 23.10, Sinus congestion, 23.10, , , , , , ,
882924, Asthenia, 23.10, Fatigue, 23.10, Nausea, 23.10, , , , ,
882925, Blood glucose increased, 23.10, Generalised tonic-clonic seizure, 23.10, Loss of consciousness, 23.10, , , , ,
882926, Chills, 23.10, Headache, 23.10, Influenza like illness, 23.10, Pain, 23.10, ,
882927, Arthralgia, 23.10, Burning sensation, 23.10, Chills, 23.10, Fatigue, 23.10, Feeling of body temperature change, 23.10
882927, Headache, 23.10, Influenza like illness, 23.10, Pain, 23.10, Pyrexia, 23.10, Toothache, 23.10
882928, Cellulitis, 23.10, Erythema, 23.10, Induration, 23.10, , , , ,
882929, Abdominal pain, 23.10, Blood glucose normal, 23.10, Pallor, 23.10, Presyncope, 23.10, Slow response to stimuli, 23.10
882930, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10, ,
882931, Injection site erythema, 23.10, Irritability, 23.10, Pain, 23.10, Pyrexia, 23.10, Swelling, 23.10
882932, Abdominal pain upper, 23.10, Allergy to vaccine, 23.10, Hypersensitivity, 23.10, Injection site erythema, 23.10, ,
882933, Chills, 23.10, Headache, 23.10, Influenza like illness, 23.10, Pain, 23.10, Pyrexia, 23.10
882934, Chest discomfort, 23.10, Dizziness, 23.10, , , , , , ,
882935, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, , , , ,
882936, Dizziness, 23.10, Urticaria, 23.10, , , , , , ,
882937, Erythema, 23.10, Swelling, 23.10, , , , , , ,
882938, Immediate post-injection reaction, 23.10, Injection site haematoma, 23.10, Injection site haemorrhage, 23.10, , , , ,
882939, Erythema, 23.10, Pain, 23.10, Swelling, 23.10, , , , ,
882940, Cellulitis, 23.10, Fatigue, 23.10, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10
882940, Pain, 23.10, Paraesthesia, 23.10, , , , , , ,
882941, Injection site pain, 23.10, Injection site swelling,

23.10, Injection site warmth, 23.10, Joint range of motion decreased,
23.10, Pyrexia, 23.10
882951, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
882952, Dizziness, 23.10, Fatigue, 23.10, , , , , ,
882953, Dermatitis bullous, 23.10, Eschar, 23.10, Herpes simplex, 23.10, Lip
blister, 23.10, Malaise, 23.10
882953, Myalgia, 23.10, Necrosis, 23.10, Pyrexia, 23.10, Scar, 23.10, ,
882954, Erythema, 23.10, Inflammation, 23.10, Mass, 23.10, Pain,
23.10, Peripheral swelling, 23.10
882954, Pruritus, 23.10, Urticaria, 23.10, , , , , ,
882955, Chills, 23.10, Fall, 23.10, Functional gastrointestinal disorder,
23.10, Limb injury, 23.10, Nausea, 23.10
882955, Pain, 23.10, Road traffic accident, 23.10, , , , , ,
882956, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , ,
882957, Illness, 23.10, Influenza like illness, 23.10, Social problem,
23.10, , , , ,
882958, Atrioventricular block, 23.10, Coronary artery bypass,
23.10, Coronary artery disease, 23.10, Social problem, 23.10, Transfusion,
23.10
882959, Erythema, 23.10, Mobility decreased, 23.10, Peripheral swelling,
23.10, , , , ,
882960, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
882961, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
882962, Amnesia, 23.10, Anaemia, 23.10, Blood lactic acid increased,
23.10, Chills, 23.10, Confusional state, 23.10
882962, Pyrexia, 23.10, , , , , , ,
882963, Erythema, 23.10, Pain, 23.10, Urticaria, 23.10, , , , ,
882964, Rash, 23.10, , , , , , ,
882965, Abdominal discomfort, 23.10, Eye oedema, 23.10, Eye swelling,
23.10, Headache, 23.10, Hypertension, 23.10
882965, Malaise, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
882966, Chills, 23.10, , , , , , ,
882967, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
882968, Brain injury, 23.10, Respiratory arrest, 23.10, , , , , ,
882969, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
882970, Injection site reaction, 23.10, Rash, 23.10, Rash erythematous,
23.10, Vaccination complication, 23.10, , ,
882971, Extra dose administered, 23.10, , , , , , ,
882972, Product administered to patient of inappropriate age,
23.10, , , , , , ,
882973, Pain, 23.10, Urticaria, 23.10, , , , , ,
882974, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , ,
882975, Blindness transient, 23.10, Immediate post-injection reaction,
23.10, Loss of consciousness, 23.10, Seizure like phenomena, 23.10, , ,
882976, Injection site cellulitis, 23.10, Rash vesicular, 23.10, , , , , ,
882977, Asthenia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Lethargy,
23.10, Pyrexia, 23.10

882977,Vertigo,23.10,,,,,,,,,
882978,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
882979,Wrong product administered,23.10,,,,,,,,,
882983,Expired product administered,23.10,No adverse event,23.10,,,,,
882984,Product storage error,23.10,,,,,,,,,
882985,Extra dose administered,23.10,,,,,,,,,
882986,No adverse event,23.10,Product storage error,23.10,,,,,
882987,Incomplete course of vaccination,23.10,Pain in extremity,
23.10,,,,,
882988,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
882989,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
882990,Aggression,23.10,Dyskinesia,23.10,Echocardiogram normal,
23.10,Irritability,23.10,Magnetic resonance imaging brain normal,23.10
882990,Streptococcus test negative,23.10,Sydenham's chorea,23.10,Tic,
23.10,,,,,
882991,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
882992,Rash,23.10,,,,,,,,,
882993,Dyspnoea,23.10,Myalgia,23.10,Pruritus,23.10,Throat tightness,
23.10,Tremor,23.10
882994,Asthenia,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Influenza like illness,23.10
882994,Pain,23.10,,,,,,,,,
882995,Bone pain,23.10,Cold sweat,23.10,Dizziness,23.10,Erythema,
23.10,Feeling hot,23.10
882995,Hot flush,23.10,Skin warm,23.10,,,,,
882996,Vertigo,23.10,,,,,,,,,
882997,Night sweats,23.10,Pyrexia,23.10,,,,,
882998,Diarrhoea,23.10,,,,,,,,,
882999,Lymphadenopathy,23.10,Pruritus,23.10,Rash,23.10,,,,,
883000,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883001,Injection site erythema,23.10,Peripheral swelling,23.10,,,,,
883002,Rash,23.10,Rash erythematous,23.10,Rash papular,23.10,Skin
warm,23.10,,
883003,Arthralgia,23.10,Herpes zoster,23.10,Pain in extremity,
23.10,Rash,23.10,Sciatica,23.10
883003,Ultrasound scan normal,23.10,,,,,,,,,
883004,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
883005,Arthralgia,23.10,Headache,23.10,Mobility decreased,23.10,Neck
pain,23.10,Spinal pain,23.10
883006,Pruritus,23.10,Pustule,23.10,Pyrexia,23.10,Rash,
23.10,Urticaria,23.10
883007,Headache,23.10,Musculoskeletal stiffness,23.10,Pyrexia,
23.10,,,,,
883008,Altered state of consciousness,23.10,Discomfort,
23.10,Dizziness,23.10,Feeling abnormal,23.10,Head discomfort,23.10
883008,Hypertension,23.10,Paraesthesia,23.10,,,,,

883009,Headache,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
883010,Extra dose administered,23.10,Wrong product administered,23.10,,,,,
883011,Vomiting,23.10,,,,,
883012,Chills,23.10,,,,,
883013,Injection site cellulitis,23.10,,,,,
883014,Injection site erythema,23.10,Injection site induration,23.10,Injection site warmth,23.10,,,,
883015,Chest discomfort,23.10,Headache,23.10,Respiratory tract congestion,23.10,Rhinorrhoea,23.10,Skin irritation,23.10
883016,Haematochezia,23.10,Occult blood,23.10,,,,,
883017,Abdominal pain upper,23.10,Chills,23.10,Fatigue,23.10,Headache,23.10,Injection site swelling,23.10
883017,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10,,,,
883018,Ear pruritus,23.10,Eye swelling,23.10,,,,,
883019,Erythema,23.10,Peripheral swelling,23.10,Skin discolouration,23.10,,,,
883020,Hypersensitivity,23.10,Lip swelling,23.10,,,,,
883021,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,,,
883022,Presyncope,23.10,,,,,
883023,Cardiac failure,23.10,Death,23.10,Tremor,23.10,Vomiting,23.10,,
883024,Injection site pruritus,23.10,Injection site swelling,23.10,Local reaction,23.10,Peripheral swelling,23.10,,
883025,Immediate post-injection reaction,23.10,Migraine,23.10,Pain in jaw,23.10,,,,
883026,Injected limb mobility decreased,23.10,Injection site pain,23.10,Loss of personal independence in daily activities,23.10,,,,
883027,Pyrexia,23.10,,,,,
883028,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
883029,Cellulitis,23.10,Peripheral swelling,23.10,,,,,
883030,Lip swelling,23.10,Swelling face,23.10,Urticaria,23.10,,,,
883031,Peripheral swelling,23.10,Skin warm,23.10,,,,,
883032,Cough,23.10,Dyspnoea,23.10,Swelling face,23.10,,,,
883033,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,,,
883034,Injection site erythema,23.10,Injection site pain,23.10,Injection site warmth,23.10,,,,
883035,Injection site pain,23.10,Sleep disorder,23.10,,,,,
883036,Unevaluable event,23.10,,,,,
883037,Injection site cellulitis,23.10,,,,,
883038,Mobility decreased,23.10,Pain in extremity,23.10,Peripheral swelling,23.10,,,,
883039,Irritability,23.10,Pain,23.10,,,,,
883040,Syncope,23.10,,,,,
883041,Feeling cold,23.10,Somnolence,23.10,,,,,
883042,Axillary pain,23.10,C-reactive protein increased,23.10,Chest X-ray abnormal,23.10,Full blood count,23.10,Lung infiltration,23.10

883042, Metabolic function test, 23.10, Musculoskeletal chest pain, 23.10, Swelling, 23.10, Ultrasound chest, 23.10, ,
883043, Injection site pain, 23.10, Injection site swelling, 23.10, Nausea, 23.10, , , ,
883044, Erythema, 23.10, Fatigue, 23.10, Swelling, 23.10, , , , ,
883045, Death, 23.10, Pyrexia, 23.10, Seizure like phenomena, 23.10, , , , ,
883046, Electroencephalogram abnormal, 23.10, Seizure, 23.10, , , , , ,
883047, Chest pain, 23.10, , , , , , , ,
883048, Rash, 23.10, , , , , , , ,
883049, Nasal congestion, 23.10, Pyrexia, 23.10, , , , , ,
883050, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Limb discomfort, 23.10, Pain, 23.10, Pain in extremity, 23.10
883051, Arthralgia, 23.10, Chills, 23.10, Hyperhidrosis, 23.10, Injection site pain, 23.10, Myalgia, 23.10
883051, Pyrexia, 23.10, , , , , , , ,
883060, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
883064, Product storage error, 23.10, , , , , , , ,
883065, Extra dose administered, 23.10, , , , , , , ,
883066, Product storage error, 23.10, , , , , , , ,
883067, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
883068, Cellulitis, 23.10, Erythema, 23.10, Fatigue, 23.10, Feeling hot, 23.10, Headache, 23.10
883068, Joint warmth, 23.10, Musculoskeletal stiffness, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10
883068, Skin warm, 23.10, , , , , , , ,
883069, Injection site induration, 23.10, Injection site mass, 23.10, Pain, 23.10, X-ray limb, 23.10, ,
883070, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
883071, Erythema, 23.10, Lymph node pain, 23.10, Pain in extremity, 23.10, Skin burning sensation, 23.10, Skin irritation, 23.10
883072, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
883073, Inappropriate schedule of product administration, 23.10, No adverse event, 23.10, , , , , , ,
883074, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
883075, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
883076, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
883077, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10, , , ,
883078, Dyskinesia, 23.10, Eye movement disorder, 23.10, Neurological symptom, 23.10, Tic, 23.10, ,
883079, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, ,
883080, Injection site rash, 23.10, Rash, 23.10, Rash erythematous, 23.10, Urticaria, 23.10, ,
883081, Rash, 23.10, , , , , , , ,
883082, Herpes zoster, 23.10, Pruritus, 23.10, Rash, 23.10, Rash pruritic, 23.10, Skin discolouration, 23.10
883082, Urticaria, 23.10, , , , , , , ,
883083, Headache, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10, Injection site swelling, 23.10, Myalgia, 23.10

883083,Rash erythematous,23.10,,,,,,,,,
883090,Dizziness,23.10,Fatigue,23.10,Feeling abnormal,23.10,Headache,
23.10,Injection site erythema,23.10
883090,Injection site pain,23.10,Injection site warmth,
23.10,Paraesthesia oral,23.10,Peripheral coldness,23.10,,
883092,Dizziness,23.10,Injection site erythema,23.10,Injection site
induration,23.10,Injection site swelling,23.10,Pruritus,23.10
883093,Feeling abnormal,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,
23.10,,
883094,Abdominal discomfort,23.10,Pyrexia,23.10,,,,,,,,,
883095,No adverse event,23.10,Product storage error,23.10,Underdose,
23.10,,,,,
883096,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
883098,Asthenia,23.10,Nausea,23.10,Skin warm,23.10,Vomiting,23.10,,
883099,Fatigue,23.10,Myalgia,23.10,Pain,23.10,Pyrexia,23.10,,
883100,Blood pressure increased,23.10,Chills,23.10,Feeling cold,
23.10,Feeling hot,23.10,Heart rate increased,23.10
883100,Pain in extremity,23.10,Pyrexia,23.10,Tremor,23.10,,,,,
883101,Injection site urticaria,23.10,Urticaria,23.10,,,,,,,,,
883102,Mobility decreased,23.10,Musculoskeletal stiffness,23.10,,,,,,,,,
883103,Headache,23.10,Injection site bruising,23.10,Myalgia,23.10,,,,,
883104,Mobility decreased,23.10,Musculoskeletal stiffness,23.10,,,,,,,,,
883105,Erythema,23.10,Pruritus,23.10,Urticaria,23.10,,,,,
883106,Chills,23.10,Fatigue,23.10,Headache,23.10,Heart rate increased,
23.10,Myalgia,23.10
883106,Pain in extremity,23.10,,,,,,,,,
883107,Injection site vesicles,23.10,,,,,,,,,
883108,Chills,23.10,Lethargy,23.10,Muscular weakness,23.10,Myalgia,
23.10,Pain,23.10
883108,Sleep disorder,23.10,,,,,,,,,
883114,Chlamydia test,23.10,Circumstance or information capable of
leading to medication error,23.10,Exposure during pregnancy,
23.10,Glucose tolerance test,23.10,No adverse event,23.10
883114,Sexually transmitted disease test,23.10,,,,,,,,,
883115,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
883116,Incomplete course of vaccination,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
883117,Extra dose administered,23.10,No adverse event,23.10,,,,,,,,,
883118,Abdominal pain,23.10,Fatigue,23.10,Feeling abnormal,
23.10,Gastrointestinal motility disorder,23.10,Hyperhidrosis,23.10
883118,Myalgia,23.10,Nausea,23.10,Presyncope,23.10,,,,,
883119,Extra dose administered,23.10,No adverse event,23.10,Wrong
patient received product,23.10,,,,,
883120,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
883121,Epistaxis,23.10,Fall,23.10,Lip injury,23.10,Nasal injury,
23.10,Unresponsive to stimuli,23.10
883122,Chills,23.10,Headache,23.10,Myalgia,23.10,,,,,
883123,Arthralgia,23.10,Erythema,23.10,Pain in extremity,
23.10,Pyrexia,23.10,Skin warm,23.10
883123,Urticaria,23.10,,,,,,,,,

883124, Arthralgia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Headache, 23.10, Pain, 23.10
883124, Pyrexia, 23.10, Rash, 23.10, , , , , ,
883125, Erythema, 23.10, Injection site bruising, 23.10, Injection site erythema, 23.10, Injection site irritation, 23.10, Injection site pruritus, 23.10
883125, Injection site rash, 23.10, Pruritus, 23.10, Rash, 23.10, Skin irritation, 23.10, ,
883126, Unevaluable event, 23.10, , , , , , , ,
883127, Injection site pain, 23.10, Injection site swelling, 23.10, Joint range of motion decreased, 23.10, Pain, 23.10, Product administered at inappropriate site, 23.10
883128, Erythema, 23.10, Headache, 23.10, Skin warm, 23.10, , , , ,
883129, Eye laser surgery, 23.10, Retinal tear, 23.10, Visual impairment, 23.10, , , , ,
883130, Dyskinesia, 23.10, Eyelid disorder, 23.10, Tic, 23.10, , , , ,
883131, Chills, 23.10, Diarrhoea, 23.10, Nausea, 23.10, Pyrexia, 23.10, ,
883142, Herpes zoster, 23.10, , , , , , , ,
883143, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
883144, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
883145, Hypoaesthesia, 23.10, , , , , , , ,
883146, Fatigue, 23.10, , , , , , , ,
883147, Dizziness, 23.10, Myalgia, 23.10, Peripheral swelling, 23.10, , , , ,
883148, Influenza, 23.10, Vaccination failure, 23.10, , , , , , ,
883149, Guillain-Barre syndrome, 23.10, Hypoaesthesia, 23.10, Intensive care, 23.10, Near death experience, 23.10, ,
883150, Arthralgia, 23.10, Gait inability, 23.10, Injection site pain, 23.10, Joint swelling, 23.10, Muscle spasms, 23.10
883150, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, , , , ,
883151, Erythema, 23.10, Lethargy, 23.10, Pain in extremity, 23.10, Rash, 23.10, Rash macular, 23.10
883152, Hypersensitivity, 23.10, , , , , , , ,
883153, Injection site mass, 23.10, Injection site rash, 23.10, Injection site swelling, 23.10, , , , ,
883154, Injection site erythema, 23.10, Injection site mass, 23.10, Injection site swelling, 23.10, , , , ,
883155, Inappropriate schedule of product administration, 23.10, , , , , , , ,
883156, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
883157, Arthralgia, 23.10, Back pain, 23.10, Chills, 23.10, Fatigue, 23.10, Influenza like illness, 23.10
883157, Injection site warmth, 23.10, Pain in extremity, 23.10, Peripheral coldness, 23.10, Rash, 23.10, ,
883158, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
883159, Headache, 23.10, Incomplete course of vaccination, 23.10, Influenza like illness, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
883159, Mobility decreased, 23.10, Pain in extremity, 23.10, Rash, 23.10, , , , ,

883160, Fatigue, 23.10, Headache, 23.10, Malaise, 23.10, Pain, 23.10,,
883161, Sinus congestion, 23.10, Sinusitis, 23.10, Vertigo, 23.10,,,,,
883162, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Product storage error, 23.10,,,,,
883163, No adverse event, 23.10, Wrong product administered, 23.10,,,,,,
883164, Hypersensitivity, 23.10,,,,,,,
883165, Arthralgia, 23.10, Contusion, 23.10, Immediate post-injection
reaction, 23.10, Injection site pain, 23.10, Pain, 23.10
883165, Tenderness, 23.10,,,,,,,
883166, Extra dose administered, 23.10, No adverse event, 23.10,,,,,,
883167, Injection site pain, 23.10, Injection site reaction,
23.10, Injection site swelling, 23.10, Muscle spasms, 23.10, Pain in
extremity, 23.10
883168, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10,,,,,
883169, Cardiac disorder, 23.10,,,,,,,
883170, Malaise, 23.10, Myalgia, 23.10,,,,,,
883171, Erythema, 23.10, Pruritus, 23.10,,,,,,
883172, Immediate post-injection reaction, 23.10, Injection site
swelling, 23.10,,,,,,
883173, Erythema, 23.10, Induration, 23.10, Pain, 23.10, Skin warm,
23.10, Swelling, 23.10
883174, Swollen tongue, 23.10,,,,,,,
883175, Injection site erythema, 23.10, Rash, 23.10, Rash erythematous,
23.10,,,,,
883176, Abdominal pain, 23.10, Blood alcohol, 23.10, Computerised tomogram
pancreas abnormal, 23.10, Lipase increased, 23.10, Oedematous
pancreatitis, 23.10
883176, Pancreatitis acute, 23.10,,,,,,,
883177, Vaccination complication, 23.10,,,,,,,
883178, Injection site erythema, 23.10, Injection site swelling,
23.10,,,,,,
883179, Blood prolactin, 23.10, Breast discharge, 23.10, Full blood count,
23.10, Nausea, 23.10, Oestradiol, 23.10
883179, Pain in extremity, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, Red
blood cell sedimentation rate, 23.10,,
883182, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10,,,,,
883183, Herpes zoster, 23.10,,,,,,,
883184, Fatigue, 23.10, Headache, 23.10, Injection site swelling,
23.10, Pain, 23.10, Pruritus, 23.10
883184, Rash erythematous, 23.10, Tenderness, 23.10,,,,,,
883185, Arthralgia, 23.10, Back pain, 23.10, Balance disorder, 23.10, Chest
discomfort, 23.10, Eye pain, 23.10
883185, Fall, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Headache,
23.10, Insomnia, 23.10
883185, Mobility decreased, 23.10, Musculoskeletal chest pain, 23.10, Neck
pain, 23.10, Pain, 23.10,,
883186, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain,
23.10, Pain, 23.10

883186,Peripheral coldness,23.10,,,,,
883187,Injection site rash,23.10,Injection site swelling,23.10,,,,,
883188,Apgar score normal,23.10,Foetal exposure during pregnancy,
23.10,Large for dates baby,23.10,Vacuum extractor delivery,23.10,,
883189,Syncope,23.10,,,,,
883190,Cellulitis,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site swelling,23.10,Pyrexia,23.10
883191,Chest pain,23.10,Dysstasia,23.10,Pain in extremity,23.10,,,,
883192,Asthenia,23.10,Diarrhoea,23.10,Nausea,23.10,Pyrexia,23.10,,
883193,Injection site rash,23.10,Muscle spasms,23.10,Pain in
extremity,23.10,,,,
883194,Asthenia,23.10,Dizziness,23.10,Fall,23.10,Head injury,
23.10,Pain in extremity,23.10
883194,Pollakiuria,23.10,Poor quality sleep,23.10,Syncope,23.10,,,,
883195,Condition aggravated,23.10,Herpes virus infection,23.10,,,,,
883196,Contusion,23.10,,,,,
883197,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883198,Irritable bowel syndrome,23.10,Migraine,23.10,Ovarian cyst,
23.10,Small fibre neuropathy,23.10,,
883199,Headache,23.10,Injection site erythema,23.10,Injection site
induration,23.10,Injection site swelling,23.10,Injection site warmth,
23.10
883200,Underdose,23.10,,,,,
883201,Erythema,23.10,,,,,
883202,Injection site erythema,23.10,Vaccination site pain,
23.10,Vaccination site swelling,23.10,,,,
883203,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883204,Gingival disorder,23.10,Oral discomfort,23.10,Stomatitis,
23.10,Throat irritation,23.10,Tongue disorder,23.10
883205,Erythema,23.10,Injection site pain,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,Pyrexia,23.10
883206,Extra dose administered,23.10,No adverse event,23.10,Wrong
product administered,23.10,,,,
883207,Chills,23.10,Rash,23.10,,,,,
883208,Pruritus,23.10,Swelling of eyelid,23.10,Urticaria,23.10,,,,
883209,Erythema,23.10,Peripheral swelling,23.10,Pyrexia,23.10,,,,
883210,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,
883211,Product administered to patient of inappropriate age,
23.10,,,,,
883212,Pyrexia,23.10,Rash,23.10,Rash vesicular,23.10,,,,
883213,Headache,23.10,Inflammation,23.10,Nausea,23.10,Pain in
extremity,23.10,Vomiting,23.10
883214,Erythema,23.10,Skin warm,23.10,,,,,
883215,Electroencephalogram,23.10,Fall,23.10,Magnetic resonance
imaging,23.10,Postictal state,23.10,Tonic clonic movements,23.10
883216,Urticaria,23.10,,,,,
883217,Abdominal pain,23.10,Chills,23.10,Diarrhoea,23.10,Enuresis,

23.10, Fatigue, 23.10
883217, Pain, 23.10, , , , , , , ,
883218, Head injury, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , ,
883219, Injection site erythema, 23.10, Injection site nodule,
23.10, Injection site swelling, 23.10, , , , ,
883220, Abdominal pain, 23.10, Chills, 23.10, Diarrhoea, 23.10, Enuresis,
23.10, Fatigue, 23.10
883220, Pain, 23.10, SARS-CoV-2 test negative, 23.10, , , , , , ,
883221, Product administered to patient of inappropriate age,
23.10, , , , , , , ,
883222, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
883223, Headache, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Pain in
extremity, 23.10, Pyrexia, 23.10
883224, Loss of consciousness, 23.10, Mydriasis, 23.10, Oxygen saturation
normal, 23.10, Syncope, 23.10, ,
883225, Diarrhoea, 23.10, Fatigue, 23.10, Feeding disorder, 23.10, Vomiting,
23.10, ,
883226, Kawasaki's disease, 23.10, Ocular hyperaemia, 23.10, Pyrexia,
23.10, Rash, 23.10, Vomiting, 23.10
883227, Injection site cellulitis, 23.10, , , , , , , ,
883228, Urticaria, 23.10, , , , , , , ,
883229, Loss of consciousness, 23.10, Syncope, 23.10, , , , , , ,
883230, Myalgia, 23.10, , , , , , , ,
883231, Peripheral swelling, 23.10, Pruritus, 23.10, Rash, 23.10, Skin
reaction, 23.10, Skin striae, 23.10
883231, Urticaria, 23.10, , , , , , , ,
883232, Injection site reaction, 23.10, Injection site warmth, 23.10, Rash
erythematous, 23.10, Urticaria, 23.10, ,
883233, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Magnetic resonance imaging, 23.10, X-ray limb, 23.10, ,
883234, Dizziness, 23.10, Visual impairment, 23.10, , , , , , ,
883235, Contusion, 23.10, Pain, 23.10, , , , , , ,
883236, Abdominal X-ray, 23.10, Bladder scan, 23.10, Cerebellar ataxia,
23.10, Computerised tomogram, 23.10, Enema administration, 23.10
883236, Viral test, 23.10, , , , , , , ,
883237, Fatigue, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
883238, Headache, 23.10, Lethargy, 23.10, , , , , , ,
883239, Myalgia, 23.10, , , , , , , ,
883240, Abdominal discomfort, 23.10, Abdominal pain upper, 23.10, Chills,
23.10, Feeling abnormal, 23.10, Feeling cold, 23.10
883240, Hyperhidrosis, 23.10, Influenza like illness, 23.10, Injection site
swelling, 23.10, Nausea, 23.10, Pain in extremity, 23.10
883240, Pyrexia, 23.10, , , , , , , ,
883241, Feeling hot, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Myalgia, 23.10, Pain, 23.10
883241, Rash, 23.10, , , , , , , ,
883242, Chest pain, 23.10, Neck pain, 23.10, Pain in extremity, 23.10, , , , ,
883244, Incomplete course of vaccination, 23.10, Joint fluid drainage,
23.10, Joint swelling, 23.10, Osteoarthritis, 23.10, Walking aid user, 23.10
883245, Injection site erythema, 23.10, Injection site swelling,

23.10, Injection site warmth, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10
883246, Dyspnoea, 23.10, Malaise, 23.10, , , , , ,
883247, Dizziness, 23.10, Hypoacusis, 23.10, Photopsia, 23.10, Vision blurred, 23.10, Visual impairment, 23.10
883248, Back pain, 23.10, C-reactive protein, 23.10, Full blood count, 23.10, Metabolic function test, 23.10, Opisthotonus, 23.10
883248, Red blood cell sedimentation rate normal, 23.10, Sleep disorder, 23.10, Ultrasound abdomen, 23.10, , , , ,
883249, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , ,
883250, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , ,
883251, Diarrhoea, 23.10, Dyspnoea, 23.10, Hyperhidrosis, 23.10, Muscle spasms, 23.10, Nausea, 23.10
883251, Pharyngeal swelling, 23.10, , , , , , , , ,
883252, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
883253, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , , ,
883254, Allergy to vaccine, 23.10, Chills, 23.10, Erythema, 23.10, Hyperhidrosis, 23.10, Hypersensitivity, 23.10
883254, Nausea, 23.10, Peripheral swelling, 23.10, Rash pruritic, 23.10, , , , , ,
883255, Injection site pain, 23.10, Injection site warmth, 23.10, , , , , , , ,
883256, Injection site swelling, 23.10, , , , , , , , ,
883257, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Sleep disorder, 23.10, , ,
883258, Pyrexia, 23.10, Urticaria, 23.10, , , , , , , , ,
883259, Injection site erythema, 23.10, Injection site haemorrhage, 23.10, Injection site reaction, 23.10, Injection site swelling, 23.10, Rash macular, 23.10
883260, Back pain, 23.10, Dizziness, 23.10, Erythema, 23.10, Malaise, 23.10, , ,
883261, Blood urine present, 23.10, , , , , , , , , ,
883262, Feeling abnormal, 23.10, Lip swelling, 23.10, , , , , , , , , ,
883263, Abdominal discomfort, 23.10, Diarrhoea, 23.10, Headache, 23.10, Nausea, 23.10, Vomiting, 23.10
883264, Erythema, 23.10, Swelling, 23.10, Tenderness, 23.10, , , , , ,
883265, Balance disorder, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , , ,
883266, Insomnia, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10, , ,
883267, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Loss of personal independence in daily activities, 23.10
883267, Magnetic resonance imaging abnormal, 23.10, Muscular weakness, 23.10, Pain, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10
883267, Product administered at inappropriate site, 23.10, Sleep disorder, 23.10, Tendonitis, 23.10, X-ray abnormal, 23.10, , ,
883268, Product administered to patient of inappropriate age, 23.10, , , , , , , , , ,
883269, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10
883270, Blood culture negative, 23.10, Injection site pain,

23.10, Injection site reaction, 23.10, Pyrexia, 23.10, Tremor, 23.10
883270, Urine analysis normal, 23.10, X-ray limb normal, 23.10, , , , , ,
883271, Asthenia, 23.10, Back pain, 23.10, Headache, 23.10, Neck pain,
23.10, Pain, 23.10
883271, Pain in extremity, 23.10, Pyrexia, 23.10, Vaccination site
erythema, 23.10, Vaccination site pain, 23.10, Vaccination site warmth,
23.10
883272, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site pain, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10
883273, Syncope, 23.10, , , , , , , ,
883274, Dizziness, 23.10, Hyperhidrosis, 23.10, Nausea, 23.10, , , ,
883275, Abnormal behaviour, 23.10, Computerised tomogram, 23.10, Cyanosis,
23.10, Electrocardiogram, 23.10, Electroencephalogram, 23.10
883275, Eye movement disorder, 23.10, Head injury, 23.10, Hypotonia,
23.10, Laboratory test, 23.10, Loss of consciousness, 23.10
883275, Posture abnormal, 23.10, Unresponsive to stimuli, 23.10, , , , , ,
883276, Pruritus, 23.10, Rash, 23.10, Urticaria, 23.10, , , , ,
883277, Bruxism, 23.10, Facial paralysis, 23.10, Hypoaesthesia, 23.10, Mouth
swelling, 23.10, Myalgia, 23.10
883277, Swelling face, 23.10, , , , , , , ,
883278, Abdominal pain upper, 23.10, Asthenia, 23.10, Headache,
23.10, Injection site pain, 23.10, Myalgia, 23.10
883279, Arthralgia, 23.10, Asthenia, 23.10, Axillary pain, 23.10, Decreased
appetite, 23.10, Dizziness, 23.10
883279, Fatigue, 23.10, Grip strength decreased, 23.10, Mobility decreased,
23.10, Muscular weakness, 23.10, Swelling, 23.10
883279, Vomiting, 23.10, , , , , , , ,
883280, Arthralgia, 23.10, Deafness unilateral, 23.10, Oropharyngeal pain,
23.10, Paranasal sinus hypersecretion, 23.10, Secretion discharge, 23.10
883280, Sinus congestion, 23.10, Tinnitus, 23.10, , , , , , ,
883281, Arthralgia, 23.10, Headache, 23.10, Injection site pain,
23.10, Myalgia, 23.10, Pyrexia, 23.10
883282, Chills, 23.10, Headache, 23.10, Injection site mass, 23.10, Injection
site pain, 23.10, Myalgia, 23.10
883282, Pyrexia, 23.10, , , , , , , ,
883283, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , ,
883284, Axillary pain, 23.10, Injection site pain, 23.10, Swelling,
23.10, , , , ,
883285, Dizziness, 23.10, Headache, 23.10, Nausea, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10
883285, Vomiting, 23.10, , , , , , , ,
883286, Fall, 23.10, Haemorrhage, 23.10, Head injury, 23.10, Syncope,
23.10, Wound, 23.10
883287, Chills, 23.10, Hypersomnia, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site warmth, 23.10
883287, Insomnia, 23.10, Lethargy, 23.10, Pyrexia, 23.10, Tenderness, 23.10, ,
883288, Body temperature increased, 23.10, Fatigue, 23.10, Injection site
inflammation, 23.10, Injection site pain, 23.10, Injection site swelling,
23.10

883288, Injection site warmth, 23.10, Pain, 23.10, , , , , , ,
883289, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
883290, Blood glucose, 23.10, Dizziness, 23.10, Hyperhidrosis, 23.10, Pallor,
23.10, ,
883291, Injection site erythema, 23.10, Injection site pruritus,
23.10, , , , , , ,
883292, Blood glucose normal, 23.10, Bruxism, 23.10, Eye movement disorder,
23.10, Muscle rigidity, 23.10, Posture abnormal, 23.10
883292, Tremor, 23.10, Unresponsive to stimuli, 23.10, , , , , , ,
883293, Cellulitis, 23.10, Injection site swelling, 23.10, , , , , , ,
883294, Joint range of motion decreased, 23.10, Pain in extremity,
23.10, , , , , , ,
883295, Muscle spasms, 23.10, Muscle tightness, 23.10, Paraesthesia,
23.10, Peripheral sensory neuropathy, 23.10, ,
883296, Dizziness, 23.10, , , , , , , ,
883297, Abnormal behaviour, 23.10, Agitation, 23.10, Fear, 23.10, Insomnia,
23.10, Psychomotor hyperactivity, 23.10
883298, Asthenia, 23.10, Decreased appetite, 23.10, Hypophagia,
23.10, Injected limb mobility decreased, 23.10, Moaning, 23.10
883298, Musculoskeletal stiffness, 23.10, Nausea, 23.10, Pain in extremity,
23.10, Pyrexia, 23.10, Vomiting, 23.10
883299, Asthenia, 23.10, Chills, 23.10, Feeling cold, 23.10, Oral herpes,
23.10, Pyrexia, 23.10
883299, Vomiting projectile, 23.10, , , , , , , ,
883300, Apathy, 23.10, Asthenia, 23.10, Decreased appetite, 23.10, Erythema,
23.10, Pain in extremity, 23.10
883300, Swelling, 23.10, , , , , , , ,
883301, Pyrexia, 23.10, , , , , , , ,
883302, Chest discomfort, 23.10, Rash, 23.10, Syncope, 23.10, , , , ,
883303, Pain in extremity, 23.10, Paraesthesia, 23.10, , , , , , ,
883304, Pyrexia, 23.10, Swelling face, 23.10, , , , , , ,
883305, Periorbital swelling, 23.10, , , , , , , ,
883306, Contusion, 23.10, Dizziness, 23.10, Fatigue, 23.10, Feeling abnormal,
23.10, Nausea, 23.10
883307, Hyperhidrosis, 23.10, Hypotonia, 23.10, Loss of consciousness,
23.10, Pain in extremity, 23.10, Pallor, 23.10
883307, Urinary incontinence, 23.10, , , , , , , ,
883308, Urticaria, 23.10, , , , , , , ,
883309, Mobility decreased, 23.10, Musculoskeletal stiffness, 23.10, Pain,
23.10, Pain in extremity, 23.10, ,
883310, Muscular weakness, 23.10, Pain in extremity, 23.10, , , , , , ,
883311, Contusion, 23.10, Dizziness, 23.10, Erythema, 23.10, Fatigue,
23.10, Inflammation, 23.10
883311, Nausea, 23.10, Vomiting, 23.10, , , , , , ,
883312, Chills, 23.10, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10, ,
883313, Face oedema, 23.10, Localised oedema, 23.10, Swelling,
23.10, Swelling face, 23.10, Tooth infection, 23.10
883314, Dizziness, 23.10, Lymphadenopathy, 23.10, Rhinorrhoea, 23.10, , , , ,
883315, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injected limb
mobility decreased, 23.10, Mobility decreased, 23.10

883315, Myalgia, 23.10, Pyrexia, 23.10, , , , , ,
883316, Erythema, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Myalgia, 23.10
883316, Oedema peripheral, 23.10, Swelling, 23.10, Tenderness, 23.10, , , , ,
883317, Herpes zoster, 23.10, Injection site erythema, 23.10, Injection site rash, 23.10, Injection site warmth, 23.10, , ,
883318, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site reaction, 23.10, Injection site swelling, 23.10
883318, Musculoskeletal stiffness, 23.10, , , , , , , , ,
883319, Injection site bruising, 23.10, Injection site discolouration, 23.10, Pain, 23.10, , , , ,
883320, Paraesthesia, 23.10, , , , , , , , ,
883321, Cardiac arrest, 23.10, , , , , , , , ,
883322, Ear discomfort, 23.10, Feeling hot, 23.10, Halo vision, 23.10, Tinnitus, 23.10, , ,
883323, Erythema, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, , , , ,
883324, Headache, 23.10, Nausea, 23.10, Photophobia, 23.10, Pyrexia, 23.10, Vertigo, 23.10
883324, Visual impairment, 23.10, Vomiting, 23.10, , , , , , ,
883325, Injection site erythema, 23.10, Injection site pruritus, 23.10, , , , , , ,
883326, Injection site bruising, 23.10, Injection site erythema, 23.10, Injection site inflammation, 23.10, Injection site warmth, 23.10, Pruritus, 23.10
883327, Pain in extremity, 23.10, , , , , , , , ,
883328, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10
883328, Injection site warmth, 23.10, , , , , , , , ,
883329, Inflammation, 23.10, Pruritus, 23.10, Rash erythematous, 23.10, , , , ,
883330, Injection site swelling, 23.10, , , , , , , , ,
883331, Injection site pain, 23.10, Pyrexia, 23.10, , , , , , , ,
883332, Erythema, 23.10, Muscle tightness, 23.10, Tenderness, 23.10, Vaccination site inflammation, 23.10, Vaccination site warmth, 23.10
883333, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10, Seizure, 23.10, Tremor, 23.10, Vomiting, 23.10
883334, Asthenia, 23.10, Blood glucose decreased, 23.10, Loss of consciousness, 23.10, Pallor, 23.10, Vision blurred, 23.10
883335, Abdominal pain lower, 23.10, Blood glucose decreased, 23.10, Electrocardiogram, 23.10, Posture abnormal, 23.10, Syncope, 23.10
883336, Fall, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , , ,
883337, Dizziness, 23.10, Dysstasia, 23.10, Loss of personal independence in daily activities, 23.10, Mobility decreased, 23.10, , ,
883338, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, Vomiting, 23.10, , , , ,
883339, Joint swelling, 23.10, , , , , , , , ,
883340, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,

883341,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
883342,Headache,23.10,Influenza,23.10,Lethargy,23.10,Pain,
23.10,Pyrexia,23.10
883342,Rhinorrhoea,23.10,,,,,
883343,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site warmth,23.10
883343,Limb discomfort,23.10,,,,,
883344,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
883345,Chest pain,23.10,Dysphagia,23.10,Dyspnoea,23.10,Fatigue,
23.10,Feeling cold,23.10
883345,Headache,23.10,Myalgia,23.10,Pain,23.10,Pyrexia,23.10,,
883346,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
883347,Chills,23.10,Headache,23.10,Hyperhidrosis,23.10,Injection site
pain,23.10,Myalgia,23.10
883347,Nausea,23.10,Pain,23.10,Pyrexia,23.10,,,,,
883348,Blood glucose decreased,23.10,Erythema,23.10,Fall,23.10,Feeling
abnormal,23.10,Head injury,23.10
883348,Headache,23.10,Loss of consciousness,23.10,Nervousness,
23.10,Syncope,23.10,,
883349,Chills,23.10,Diarrhoea,23.10,Fatigue,23.10,Pyrexia,23.10,,
883350,Chills,23.10,Diarrhoea,23.10,Fatigue,23.10,Headache,
23.10,Injection site pain,23.10
883350,Injection site swelling,23.10,Pyrexia,23.10,,,,,
883352,Visual impairment,23.10,,,,,
883353,Dizziness,23.10,Heart rate decreased,23.10,Hyperhidrosis,
23.10,Mydriasis,23.10,Skin warm,23.10
883353,Tinnitus,23.10,Visual impairment,23.10,,,,,
883354,Fatigue,23.10,Pain,23.10,Pyrexia,23.10,,,,,
883355,Disorientation,23.10,Dizziness,23.10,Lymph node pain,
23.10,Lymphadenopathy,23.10,Oropharyngeal pain,23.10
883355,Sensory loss,23.10,Somnolence,23.10,Throat tightness,23.10,,,,,
883356,Erythema,23.10,Skin warm,23.10,,,,,
883357,Swelling,23.10,Tenderness,23.10,,,,,
883358,Dizziness,23.10,Nausea,23.10,Vomiting,23.10,,,,,
883359,Cellulitis,23.10,,,,,
883360,Arthralgia,23.10,Asthenia,23.10,Body temperature increased,
23.10,Chills,23.10,Decreased appetite,23.10
883360,Fatigue,23.10,Headache,23.10,Influenza like illness,
23.10,Myalgia,23.10,Pain,23.10
883360,Seizure,23.10,Spinal pain,23.10,Tremor,23.10,,,,,
883361,Abdominal pain upper,23.10,Asthenia,23.10,Chills,
23.10,Diarrhoea,23.10,Dizziness,23.10
883361,Headache,23.10,Nausea,23.10,Pain,23.10,Photophobia,
23.10,Urethritis,23.10
883362,Pruritus,23.10,Urticaria,23.10,,,,,
883363,Chills,23.10,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10,Vomiting,
23.10

883364, Blister, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, , , ,
883365, Nausea, 23.10, Pain in extremity, 23.10, Vomiting, 23.10, , , ,
883366, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , ,
883367, Chills, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
883368, Urticaria, 23.10, , , , , , , ,
883369, Syncope, 23.10, , , , , , , ,
883370, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Pyrexia, 23.10, ,
883371, Nausea, 23.10, Vomiting, 23.10, , , , , ,
883372, Abnormal dreams, 23.10, Delirium, 23.10, Migraine, 23.10, Pain,
23.10, Pyrexia, 23.10
883373, Head injury, 23.10, Neck pain, 23.10, Syncope, 23.10, , , , ,
883374, Dizziness, 23.10, Headache, 23.10, Palpitations, 23.10, , , , ,
883375, Erythema, 23.10, Fatigue, 23.10, Myalgia, 23.10, Rash, 23.10, Rash
pruritic, 23.10
883376, Immediate post-injection reaction, 23.10, Injected limb mobility
decreased, 23.10, Injection site pain, 23.10, Pain in extremity, 23.10, ,
883377, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10
883377, Pain, 23.10, Pyrexia, 23.10, , , , , ,
883378, Circumstance or information capable of leading to medication
error, 23.10, Injection site haemorrhage, 23.10, Injection site injury,
23.10, Underdose, 23.10, ,
883379, Injected limb mobility decreased, 23.10, Injection site bruising,
23.10, Pain in extremity, 23.10, , , , ,
883380, Chills, 23.10, Pain, 23.10, Poor quality sleep, 23.10, Pyrexia,
23.10, ,
883381, Chills, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Pain,
23.10, Pyrexia, 23.10
883381, Sleep disorder, 23.10, Tremor, 23.10, , , , , , ,
883382, Chills, 23.10, Mobility decreased, 23.10, Pain in extremity,
23.10, Palpitations, 23.10, Sleep disorder, 23.10
883383, Body temperature increased, 23.10, Chills, 23.10, Injected limb
mobility decreased, 23.10, Injection site pain, 23.10, ,
883384, Alopecia, 23.10, Chest X-ray, 23.10, Computerised tomogram abdomen,
23.10, Computerised tomogram thorax, 23.10, Contusion, 23.10
883384, Delivery, 23.10, Epistaxis, 23.10, Exposure during pregnancy,
23.10, Fatigue, 23.10, Full blood count, 23.10
883384, HIV test, 23.10, Helicobacter test, 23.10, Immune thrombocytopenia,
23.10, Immunoglobulin therapy, 23.10, Petechiae, 23.10
883384, Platelet count decreased, 23.10, Platelet transfusion,
23.10, Splenectomy, 23.10, Weight increased, 23.10, ,
883385, Injection site bruising, 23.10, Injection site swelling,
23.10, , , , , , ,
883386, Injection site erythema, 23.10, Injection site rash, 23.10, , , , , ,
883387, Erythema, 23.10, , , , , , , ,
883388, Abdominal discomfort, 23.10, Fatigue, 23.10, Malaise, 23.10, Rash,
23.10, ,
883389, Chills, 23.10, Fatigue, 23.10, Hypoaesthesia, 23.10, Injection site
rash, 23.10, Injection site swelling, 23.10

883389, Peripheral swelling, 23.10, Pyrexia, 23.10, Rash, 23.10, , , , ,
883390, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , ,
883391, Facial paralysis, 23.10, , , , , , , , ,
883392, Discomfort, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
883393, Dizziness, 23.10, , , , , , , , ,
883394, Abnormal loss of weight, 23.10, Asthenia, 23.10, Decreased
appetite, 23.10, Fatigue, 23.10, Pain, 23.10
883395, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
883396, Cellulitis, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, , , , ,
883397, Blister, 23.10, Burning sensation, 23.10, Contusion,
23.10, Musculoskeletal pain, 23.10, Pain, 23.10
883397, Rash, 23.10, , , , , , , , ,
883398, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
883399, Feeling cold, 23.10, Tremor, 23.10, Vomiting, 23.10, , , , ,
883400, Chills, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
883401, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site warmth, 23.10, , , , ,
883402, Feeling abnormal, 23.10, Flushing, 23.10, Syncope, 23.10, , , , ,
883403, Erythema, 23.10, Pain, 23.10, Pain in extremity, 23.10, Peripheral
coldness, 23.10, Peripheral swelling, 23.10
883404, Myalgia, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Pyrexia,
23.10, Tenderness, 23.10
883405, Asthenia, 23.10, Febrile convulsion, 23.10, Vomiting, 23.10, , , , ,
883406, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Myalgia,
23.10, Poor quality sleep, 23.10
883407, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Pruritus, 23.10, ,
883408, Injection site pain, 23.10, , , , , , , , ,
883409, Atrial fibrillation, 23.10, Condition aggravated,
23.10, Electrocardiogram, 23.10, Erythema, 23.10, Heart rate increased,
23.10
883409, Inflammation, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
883410, Dizziness, 23.10, Oropharyngeal pain, 23.10, Pain, 23.10, Pyrexia,
23.10, ,
883411, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site warmth, 23.10, , , , ,
883412, Asthenia, 23.10, Fall, 23.10, , , , , ,
883413, Rash erythematous, 23.10, , , , , , , , ,
883414, Blood test, 23.10, Chest X-ray, 23.10, Computerised tomogram,
23.10, Electrocardiogram, 23.10, Lumbar puncture, 23.10
883414, Magnetic resonance imaging, 23.10, Myelitis transverse,
23.10, Plasmapheresis, 23.10, , , , ,
883415, Fall, 23.10, , , , , , , , ,
883416, Muscle spasms, 23.10, Pain in extremity, 23.10, , , , , ,
883417, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Skin warm, 23.10, ,
883418, Arthralgia, 23.10, Dizziness, 23.10, Headache, 23.10, Loss of

personal independence in daily activities,23.10,Myalgia,23.10
883418,Nausea,23.10,Pyrexia,23.10,,,,,
883419,Dysphonia,23.10,Hypersensitivity,23.10,Throat tightness,
23.10,Urticaria,23.10,,
883420,Blood test,23.10,Chest X-ray,23.10,Syncope,23.10,,,
883421,Rash,23.10,Rash erythematous,23.10,Rash papular,23.10,Rash
pruritic,23.10,,
883423,Asthenia,23.10,Chills,23.10,Decreased appetite,23.10,Dry mouth,
23.10,Fatigue,23.10
883423,Headache,23.10,Injection site induration,23.10,Injection site
pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10
883423,Insomnia,23.10,Nausea,23.10,Pyrexia,23.10,,,
883424,Extra dose administered,23.10,No adverse event,23.10,,,,,
883428,Product storage error,23.10,,,,,
883429,Vaccination failure,23.10,,,,,
883430,Extra dose administered,23.10,,,,,
883431,No adverse event,23.10,Product storage error,23.10,,,,,
883432,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
883433,Antibody test negative,23.10,Vaccination failure,23.10,,,,,
883434,No adverse event,23.10,Product storage error,23.10,,,,,
883435,No adverse event,23.10,Product storage error,23.10,,,,,
883436,Extra dose administered,23.10,No adverse event,23.10,,,,,
883437,Malaise,23.10,,,,,
883438,Asthenia,23.10,Muscular weakness,23.10,,,,,
883439,Wrong product administered,23.10,,,,,
883440,Wrong product administered,23.10,,,,,
883441,Product administered to patient of inappropriate age,
23.10,Product packaging confusion,23.10,,,,,
883442,Chest discomfort,23.10,Chills,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Mucosal hypertrophy,23.10
883443,Cellulitis,23.10,Erythema,23.10,Injection site oedema,
23.10,Injection site pain,23.10,Injection site rash,23.10
883443,Injection site reaction,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Pain,23.10,Pallor,23.10
883443,Tenderness,23.10,,,,,
883444,Arthralgia,23.10,Blood test normal,23.10,,,,,
883445,Erythema,23.10,Pruritus,23.10,Rash,23.10,,,
883446,Peripheral swelling,23.10,,,,,
883447,Erythema,23.10,Peripheral swelling,23.10,,,,,
883448,Injection site pain,23.10,Pyrexia,23.10,,,,,
883449,Discomfort,23.10,Hypersensitivity,23.10,Pruritus,
23.10,Urticaria,23.10,,
883450,Diarrhoea,23.10,Feeling hot,23.10,Heart rate increased,
23.10,Hyperhidrosis,23.10,Lip swelling,23.10
883450,Paraesthesia oral,23.10,,,,,
883452,Anxiety,23.10,,,,,
883453,Product storage error,23.10,,,,,
883454,Product storage error,23.10,,,,,
883455,Asthenia,23.10,Bone pain,23.10,Hypersomnia,23.10,Pyrexia,

23.10,,
883456,Body temperature increased,23.10,Chills,23.10,Fatigue,
23.10,Headache,23.10,Injection site erythema,23.10
883456,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10,,,,,
883457,Peripheral swelling,23.10,,,,,,
883458,Unevaluable event,23.10,,,,,,
883459,Erythema,23.10,Peripheral swelling,23.10,,,,,
883460,Injection site pain,23.10,X-ray limb normal,23.10,,,,,
883461,Erythema,23.10,Swelling,23.10,,,,,
883467,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Peripheral swelling,23.10,Rash,23.10
883471,No adverse event,23.10,Product storage error,23.10,,,,,
883472,No adverse event,23.10,Product storage error,23.10,,,,,
883473,No adverse event,23.10,Product storage error,23.10,,,,,
883474,No adverse event,23.10,Product storage error,23.10,,,,,
883475,No adverse event,23.10,Product storage error,23.10,,,,,
883476,Inappropriate schedule of product administration,23.10,,,,,,
883477,Expired product administered,23.10,,,,,,
883478,No adverse event,23.10,Product storage error,23.10,,,,,
883479,Product storage error,23.10,,,,,,
883480,Product storage error,23.10,,,,,,
883481,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883482,Blood test normal,23.10,Erythema,23.10,Injection site pain,
23.10,Pain in extremity,23.10,,
883484,Fatigue,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Pain,23.10,,
883485,Incomplete course of vaccination,23.10,,,,,,
883486,Urticaria,23.10,,,,,,
883487,Injection site pain,23.10,Rash,23.10,,,,,
883488,Erythema,23.10,Hypersensitivity,23.10,Pain of skin,
23.10,Pruritus,23.10,Rash macular,23.10
883488,Rash pruritic,23.10,Rash vesicular,23.10,,,,,
883489,Chills,23.10,Fatigue,23.10,Feeling cold,23.10,Headache,
23.10,Injection site erythema,23.10
883489,Injection site urticaria,23.10,Insomnia,23.10,Malaise,
23.10,Musculoskeletal stiffness,23.10,Pain in extremity,23.10
883489,Pyrexia,23.10,Swelling,23.10,,,,,
883490,Chills,23.10,Cough,23.10,Hyperhidrosis,23.10,Insomnia,
23.10,Musculoskeletal stiffness,23.10
883490,Pleurisy,23.10,Pyrexia,23.10,,,,,
883491,Dysuria,23.10,Inappropriate schedule of product administration,
23.10,Injection site pain,23.10,Pain,23.10,Pyrexia,23.10
883492,Herpes zoster,23.10,Rash vesicular,23.10,,,,,
883493,Incomplete course of vaccination,23.10,Pain in extremity,
23.10,,,,,
883494,Incorrect route of product administration,23.10,Injection site
erythema,23.10,Injection site pain,23.10,,,,
883495,Crying,23.10,Erythema,23.10,Immediate post-injection reaction,

23.10,Urticaria,23.10,,
883496,Expired product administered,23.10,No adverse event,23.10,,,,,
883497,No adverse event,23.10,Poor quality product administered,
23.10,,,,,
883498,Anaphylactic reaction,23.10,,,,,
883499,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
883500,Fall,23.10,Syncope,23.10,,,,,
883501,Fatigue,23.10,Injection site swelling,23.10,Mobility decreased,
23.10,Pain in extremity,23.10,Pyrexia,23.10
883502,Contusion,23.10,Peripheral swelling,23.10,,,,,
883503,Syncope,23.10,Vomiting,23.10,,,,,
883504,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883505,Urticaria,23.10,,,,,
883506,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,,
883507,Back pain,23.10,Chills,23.10,Night sweats,23.10,Pyrexia,23.10,,
883508,Eye pain,23.10,Hyperhidrosis,23.10,Loss of consciousness,
23.10,Mobility decreased,23.10,Pain in extremity,23.10
883508,Syncope,23.10,,,,,
883509,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883510,Extra dose administered,23.10,No adverse event,23.10,,,,,
883511,Dizziness,23.10,Fatigue,23.10,Headache,23.10,Vomiting,23.10,,
883512,Arthralgia,23.10,Mobility decreased,23.10,Pain in extremity,
23.10,,,,,
883513,Dizziness,23.10,Seizure,23.10,Skin laceration,23.10,,,,,
883514,Expired product administered,23.10,,,,,
883515,Dry skin,23.10,Flushing,23.10,Swelling face,23.10,,,,,
883516,Chills,23.10,Hyperhidrosis,23.10,Pallor,23.10,Paraesthesia,
23.10,Vision blurred,23.10
883516,Vomiting,23.10,,,,,
883517,Dizziness,23.10,Pain in extremity,23.10,Urticaria,23.10,,,,,
883518,Dizziness,23.10,Fall,23.10,Feeling hot,23.10,Incorrect dose
administered,23.10,Loss of consciousness,23.10
883518,Skin laceration,23.10,,,,,
883519,Cellulitis,23.10,Injection site erythema,23.10,Injection site
induration,23.10,Injection site swelling,23.10,Injection site warmth,
23.10
883520,Injection site discomfort,23.10,Muscular weakness,23.10,,,,,
883521,Injection site discolouration,23.10,Injection site erythema,
23.10,Injection site rash,23.10,Injection site warmth,23.10,,
883522,Dizziness,23.10,Flushing,23.10,Loss of consciousness,23.10,,,,,
883523,Arthralgia,23.10,Chills,23.10,Headache,23.10,Myalgia,
23.10,Nausea,23.10
883523,Pyrexia,23.10,,,,,
883524,Injection site pain,23.10,Joint range of motion decreased,
23.10,Pain in extremity,23.10,,,,,
883525,Chills,23.10,Decreased appetite,23.10,Headache,
23.10,Hyperhidrosis,23.10,Influenza like illness,23.10

883525, Injection site erythema, 23.10, Injection site pain, 23.10, Nausea, 23.10, Pain, 23.10,,
883526, Dyspnoea, 23.10, Lip swelling, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Paraesthesia oral, 23.10
883526, Pruritus, 23.10,,,,,
883528, Dizziness, 23.10, Dizziness postural, 23.10, Hyperhidrosis, 23.10, Pallor, 23.10, Visual impairment, 23.10
883532, Expired product administered, 23.10, No adverse event, 23.10,,,,,
883533, No adverse event, 23.10, Product storage error, 23.10,,,,,
883534, No adverse event, 23.10, Product storage error, 23.10,,,,,
883535, No adverse event, 23.10, Product storage error, 23.10,,,,,
883536, Expired product administered, 23.10,,,,,
883537, Herpes zoster, 23.10,,,,,
883538, Immunisation, 23.10, No adverse event, 23.10, Underdose, 23.10,,,,
883539, Product preparation error, 23.10, Single component of a two-component product administered, 23.10,,,,,
883540, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10
883540, Pain in extremity, 23.10,,,,,
883541, Injection site rash, 23.10,,,,,
883542, Antibody test negative, 23.10, Serology test, 23.10, Therapeutic response decreased, 23.10,,,,
883543, Mobility decreased, 23.10, Pain, 23.10, Rash, 23.10, Swelling, 23.10,,
883544, Accidental exposure to product, 23.10, Exposure via eye contact, 23.10, Eye irritation, 23.10, Occupational exposure to product, 23.10,,
883545, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10,,,,
883546, Fatigue, 23.10, Feeling abnormal, 23.10, Pain, 23.10,,,,
883547, Limb discomfort, 23.10,,,,,
883548, Allergy to arthropod sting, 23.10, Anaphylactic reaction, 23.10, Blood pressure decreased, 23.10, Blood pressure increased, 23.10, Lip swelling, 23.10
883548, Near death experience, 23.10, Pain, 23.10, Rash pruritic, 23.10, Swelling face, 23.10,,
883549, Herpes zoster, 23.10, Vaccination failure, 23.10,,,,,
883550, Herpes zoster, 23.10, Insomnia, 23.10, Miliaria, 23.10, Muscle strain, 23.10, Pain, 23.10
883550, Skin discolouration, 23.10, Swelling, 23.10, Vaccination failure, 23.10,,,,
883551, Fall, 23.10, Malaise, 23.10,,,,,
883552, Tremor, 23.10,,,,,
883553, Incorrect route of product administration, 23.10, Peripheral swelling, 23.10,,,,,
883554, Erythema, 23.10, Inflammation, 23.10, Pain in extremity, 23.10,,,,
883555, Asthenia, 23.10, Hypoaesthesia, 23.10, Pain, 23.10, Paraesthesia, 23.10,,
883556, Dyspnoea, 23.10, Muscle tightness, 23.10,,,,,
883557, Injection site pain, 23.10, Pain, 23.10,,,,,
883558, Inflammation, 23.10, Skin warm, 23.10, Swelling, 23.10,,,,
883559, Dizziness, 23.10, Dysstasia, 23.10, Fatigue, 23.10, Feeling abnormal,

23.10,Syncope,23.10
883560,Injection site erythema,23.10,,,,,,,,,
883561,Injection site erythema,23.10,Urticaria,23.10,,,,,,,,,
883562,Asthenia,23.10,Erythema,23.10,Flushing,23.10,Headache,
23.10,Injection site erythema,23.10
883562,Injection site pain,23.10,Injection site warmth,23.10,Pain,
23.10,Rash,23.10,Tenderness,23.10
883562,Urticaria,23.10,,,,,,,,,
883563,Dizziness,23.10,,,,,,,,,
883564,Hypertension,23.10,Rash,23.10,,,,,,,,,
883565,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
883566,Administration site swelling,23.10,Injection site erythema,
23.10,,,,,,,,,
883567,Malaise,23.10,,,,,,,,,
883568,Mobility decreased,23.10,Pain,23.10,Peripheral swelling,
23.10,,,,,
883569,Erythema,23.10,Injection site erythema,23.10,,,,,,,,,
883570,Erythema,23.10,Peripheral swelling,23.10,,,,,,,,,
883571,Unevaluable event,23.10,,,,,,,,,
883572,Rash,23.10,Skin warm,23.10,,,,,,,,,
883573,Inflammation,23.10,Mobility decreased,23.10,Shoulder injury
related to vaccine administration,23.10,,,,,
883574,Erythema,23.10,Insomnia,23.10,Pain in extremity,23.10,Pruritus,
23.10,Skin warm,23.10
883575,Acne,23.10,Burning sensation,23.10,Pruritus,23.10,Pyrexia,
23.10,Rash erythematous,23.10
883575,Skin warm,23.10,,,,,,,,,
883576,Electroencephalogram,23.10,Hypotonia,23.10,Postictal state,
23.10,Specialist consultation,23.10,Staring,23.10
883577,Injection site rash,23.10,Pyrexia,23.10,Rash,23.10,,,,,
883578,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
883579,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
883580,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
883581,Herpes zoster,23.10,,,,,,,,,
883583,Injection site pain,23.10,Myalgia,23.10,Pyrexia,23.10,,,,,
883584,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
883585,Asthenia,23.10,Dizziness,23.10,,,,,,,,,
883586,Asthenia,23.10,Chills,23.10,Injection site pain,23.10,Malaise,
23.10,Mobility decreased,23.10
883586,Pain,23.10,,,,,,,,,
883587,Rash,23.10,,,,,,,,,
883588,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Nausea,23.10
883588,Pain,23.10,Vomiting,23.10,,,,,,,,,
883590,Dizziness,23.10,Fall,23.10,Hyperventilation,23.10,Vomiting,
23.10,,
883591,Urticaria,23.10,,,,,,,,,

883592, Injection site erythema, 23.10, Rash, 23.10, , , , , , ,
883593, Blood test, 23.10, Limb discomfort, 23.10, Musculoskeletal
discomfort, 23.10, Streptococcus test, 23.10, ,
883594, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site rash, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10
883594, Pyrexia, 23.10, , , , , , , ,
883595, Chills, 23.10, Nausea, 23.10, Peripheral swelling, 23.10, Pyrexia,
23.10, Rash erythematous, 23.10
883596, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Skin warm,
23.10, Swelling, 23.10
883596, Tenderness, 23.10, , , , , , , ,
883597, Blister, 23.10, Blood test, 23.10, Burning sensation,
23.10, Erythema, 23.10, Herpes zoster, 23.10
883597, Inflammation, 23.10, Injection site pain, 23.10, Pruritus,
23.10, Pustule, 23.10, Rash, 23.10
883598, Contusion, 23.10, Rash, 23.10, Skin warm, 23.10, Swelling, 23.10, ,
883599, Asthenia, 23.10, Burning sensation, 23.10, Chills, 23.10, Discomfort,
23.10, Headache, 23.10
883599, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
883600, Erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, , , , ,
883601, Pain in extremity, 23.10, , , , , , , ,
883602, Headache, 23.10, Induration, 23.10, Peripheral swelling,
23.10, Transient ischaemic attack, 23.10, ,
883603, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, , , , , , , ,
883604, Chills, 23.10, Feeling abnormal, 23.10, Headache, 23.10, Myalgia,
23.10, , ,
883605, Erythema, 23.10, Injection site reaction, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10, , ,
883606, Arthralgia, 23.10, Exposure during pregnancy, 23.10, Pain,
23.10, Pain in extremity, 23.10, , ,
883607, Cold sweat, 23.10, Dizziness, 23.10, Nausea, 23.10, Pallor,
23.10, Paraesthesia, 23.10
883608, Dyspnoea, 23.10, Hypersensitivity, 23.10, Lip swelling,
23.10, Swollen tongue, 23.10, , ,
883609, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Headache,
23.10, Nausea, 23.10
883609, Peripheral swelling, 23.10, Pyrexia, 23.10, Vomiting, 23.10, , , , ,
883610, Erythema, 23.10, Injection site vesicles, 23.10, Injection site
warmth, 23.10, Peripheral swelling, 23.10, Purulent discharge, 23.10
883611, Activated partial thromboplastin time normal, 23.10, Blister,
23.10, Blood immunoglobulin A increased, 23.10, Differential white blood
cell count, 23.10, Full blood count, 23.10
883611, Henoch-Schonlein purpura, 23.10, Herpes simplex test negative,
23.10, Joint swelling, 23.10, Lice infestation, 23.10, Mycoplasma test
negative, 23.10
883611, Peripheral swelling, 23.10, Petechiae, 23.10, Platelet count,
23.10, Prothrombin time normal, 23.10, Purpura, 23.10
883611, Rash, 23.10, Rash macular, 23.10, Scrotal swelling, 23.10, Skin

lesion,23.10,Spinal X-ray normal,23.10
883611,Urine analysis normal,23.10,Weight bearing difficulty,23.10,X-
ray limb abnormal,23.10,,,,,
883612,Dizziness,23.10,Loss of consciousness,23.10,Nausea,
23.10,Vomiting,23.10,,
883613,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pain in extremity,23.10,,
883614,Erythema,23.10,Musculoskeletal stiffness,23.10,Neck pain,
23.10,Skin warm,23.10,Swelling,23.10
883615,Fatigue,23.10,Feeding disorder,23.10,Hypersomnia,
23.10,Injection site erythema,23.10,Injection site pain,23.10
883615,Pain in extremity,23.10,,,,,,
883616,Cold sweat,23.10,,,,,,
883617,Erythema,23.10,Pain,23.10,Skin warm,23.10,Swelling,23.10,,
883618,Erythema,23.10,Skin warm,23.10,,,,,
883619,Erythema,23.10,Peripheral swelling,23.10,,,,,
883620,Erythema,23.10,Pruritus,23.10,Skin warm,23.10,,,,,
883621,Cough,23.10,Headache,23.10,Oropharyngeal pain,23.10,Pyrexia,
23.10,Respiratory tract congestion,23.10
883621,Rhinorrhoea,23.10,,,,,,
883622,Rash,23.10,,,,,,
883623,Pain of skin,23.10,Peripheral swelling,23.10,Skin warm,
23.10,,,,,
883624,Rash,23.10,,,,,,
883625,Asthenia,23.10,Chills,23.10,Diarrhoea,23.10,Dizziness,
23.10,Vertigo,23.10
883625,Vomiting,23.10,,,,,,
883626,Discharge,23.10,Erythema,23.10,Feeling hot,23.10,Pain,
23.10,Pruritus,23.10
883626,Rash,23.10,Tenderness,23.10,,,,,
883627,Injection site pain,23.10,Pain,23.10,,,,,
883628,Contusion,23.10,Injection site swelling,23.10,,,,,
883629,Vaccination site erythema,23.10,Vaccination site swelling,
23.10,,,,,
883630,Injection site induration,23.10,Injection site mass,23.10,,,,,
883631,Arthralgia,23.10,Pain in extremity,23.10,,,,,
883632,Chills,23.10,,,,,,
883633,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
883634,Pruritus,23.10,Swelling,23.10,Urticaria,23.10,,,,,
883635,Erythema,23.10,Injection site reaction,23.10,Mass,23.10,Pain,
23.10,Swelling,23.10
883636,Erythema,23.10,Injection site swelling,23.10,Skin warm,
23.10,Urticaria,23.10,,
883637,Headache,23.10,Hyperhidrosis,23.10,Hypersomnia,23.10,Pain,
23.10,Pain in extremity,23.10
883637,Pyrexia,23.10,,,,,,
883638,Dizziness,23.10,Loss of consciousness,23.10,Syncope,23.10,,,,,
883639,Blister,23.10,Herpes zoster,23.10,Neuralgia,23.10,,,,,
883640,Dizziness,23.10,Headache,23.10,Nausea,23.10,Pain in extremity,

23.10, Pyrexia, 23.10
883640, Vision blurred, 23.10, Vomiting, 23.10, , , , , ,
883641, Injection site pain, 23.10, Injection site reaction,
23.10, Injection site swelling, 23.10, Rash erythematous, 23.10, ,
883642, Fatigue, 23.10, Vertigo, 23.10, , , , , ,
883643, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
883644, Eye discharge, 23.10, Eye swelling, 23.10, Ocular hyperaemia,
23.10, Pain in jaw, 23.10, ,
883645, Headache, 23.10, Injection site erythema, 23.10, Injection site
joint pain, 23.10, Injection site pain, 23.10, Injection site swelling,
23.10
883645, Injection site warmth, 23.10, , , , , , , ,
883646, Vaccination site bruising, 23.10, Vaccination site warmth,
23.10, , , , , , ,
883647, Diarrhoea, 23.10, Pain in jaw, 23.10, , , , , , ,
883648, Body temperature abnormal, 23.10, Injection site bruising,
23.10, Injection site cellulitis, 23.10, Injection site discolouration,
23.10, Injection site erythema, 23.10
883648, Injection site inflammation, 23.10, Injection site warmth,
23.10, , , , , , ,
883649, Chills, 23.10, Feeling abnormal, 23.10, Feeling cold,
23.10, Injection site rash, 23.10, Pyrexia, 23.10
883649, Vomiting, 23.10, , , , , , , ,
883650, Blood uric acid normal, 23.10, Borrelia test negative, 23.10, C-
reactive protein normal, 23.10, Neuropathy peripheral, 23.10, White blood
cell count normal, 23.10
883651, Erythema, 23.10, Mass, 23.10, Skin warm, 23.10, , , , ,
883652, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site warmth, 23.10, , , , ,
883653, Erythema, 23.10, Mass, 23.10, Skin warm, 23.10, , , , ,
883654, Erythema, 23.10, Mass, 23.10, Skin warm, 23.10, , , , ,
883655, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
883656, Erythema, 23.10, Pain in extremity, 23.10, Swelling, 23.10, , , , ,
883657, Gait disturbance, 23.10, Gait inability, 23.10, Heart rate
increased, 23.10, Injection site pain, 23.10, Pain in extremity, 23.10
883658, Hypoaesthesia, 23.10, Injected limb mobility decreased, 23.10, Neck
pain, 23.10, Pain, 23.10, Pain in extremity, 23.10
883659, Abdominal pain upper, 23.10, Chills, 23.10, Fatigue, 23.10, Headache,
23.10, Muscular weakness, 23.10
883659, Pain, 23.10, Pyrexia, 23.10, , , , , , ,
883660, Fatigue, 23.10, Headache, 23.10, Immediate post-injection reaction,
23.10, Injection site erythema, 23.10, Injection site pain, 23.10
883660, Injection site pruritus, 23.10, Injection site swelling,
23.10, Myalgia, 23.10, Nausea, 23.10, Neurological symptom, 23.10
883660, Pain, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, Rash, 23.10, Rash
erythematous, 23.10
883660, Rash pruritic, 23.10, Rash vesicular, 23.10, , , , , , ,
883661, Fall, 23.10, Head injury, 23.10, Syncope, 23.10, , , , ,

883662,Injection site pain,23.10,Pyrexia,23.10,,,,,
883663,Lip swelling,23.10,Miosis,23.10,Paraesthesia oral,23.10,Throat
tightness,23.10,,
883664,Anxiety,23.10,Fall,23.10,Feeling of relaxation,23.10,Heart rate
increased,23.10,Loss of consciousness,23.10
883664,Pallor,23.10,,,,,
883665,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain,23.10,Pain in extremity,23.10,,
883666,Nausea,23.10,,,,,
883667,Arthralgia,23.10,Pruritus,23.10,Rash,23.10,,,
883676,Product storage error,23.10,,,,,
883677,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,Product administered to patient of inappropriate
age,23.10,,,
883678,Deafness,23.10,Herpes zoster oticus,23.10,,,,,
883679,Blindness,23.10,Ophthalmic herpes zoster,23.10,,,,,
883680,Herpes zoster,23.10,,,,,
883681,Facial paralysis,23.10,,,,,
883682,Herpes zoster,23.10,,,,,
883683,Herpes zoster,23.10,,,,,
883684,No adverse event,23.10,Product storage error,23.10,,,,,
883685,Product storage error,23.10,,,,,
883686,Expired product administered,23.10,No adverse event,23.10,,,,,
883687,Product storage error,23.10,,,,,
883688,Product storage error,23.10,,,,,
883689,Mobility decreased,23.10,Syncope,23.10,,,,,
883690,Extra dose administered,23.10,,,,,
883691,Extensive swelling of vaccinated limb,23.10,Injection site
erythema,23.10,Injection site swelling,23.10,,,
883692,Headache,23.10,Pain,23.10,Pyrexia,23.10,,,
883693,No adverse event,23.10,Product preparation issue,23.10,,,,,
883694,Expired product administered,23.10,,,,,
883696,Pyrexia,23.10,,,,,
883697,Arthralgia,23.10,Hypoaesthesia,23.10,Injection site discharge,
23.10,Injection site pain,23.10,Neck pain,23.10
883697,Paraesthesia,23.10,Pruritus,23.10,Scab,23.10,Tenderness,23.10,,
883698,Chills,23.10,Hyperhidrosis,23.10,Nausea,23.10,Pain in
extremity,23.10,Skin warm,23.10
883698,Sleep disorder,23.10,,,,,
883699,Muscle fatigue,23.10,,,,,
883700,Lip swelling,23.10,Pruritus,23.10,Rash,23.10,Urticaria,23.10,,
883701,Burning sensation,23.10,Fatigue,23.10,Pain in extremity,
23.10,Vision blurred,23.10,,
883702,Injection site rash,23.10,Injection site swelling,23.10,Pain,
23.10,Pain in extremity,23.10,Pyrexia,23.10
883702,Rash pruritic,23.10,,,,,
883703,Chills,23.10,Dizziness,23.10,Headache,23.10,Nausea,
23.10,Pyrexia,23.10
883703,Vision blurred,23.10,,,,,
883704,Injection site erythema,23.10,Injection site pain,

23.10, Injection site swelling, 23.10,,,,,
883705, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Pain, 23.10, Rash,
23.10
883705, Rash pruritic, 23.10,,,,,,
883706, Limb discomfort, 23.10, Malaise, 23.10, Mobility decreased,
23.10, Musculoskeletal stiffness, 23.10, Pain, 23.10
883706, Pyrexia, 23.10, Sleep disorder, 23.10,,,,,
883707, Rash, 23.10,,,,,,
883713, No adverse event, 23.10, Wrong product administered, 23.10,,,,,
883714, Expired product administered, 23.10, No adverse event, 23.10,,,,,
883715, Product storage error, 23.10,,,,,,
883716, Rash, 23.10,,,,,,
883717, Antibody test negative, 23.10, Measles antibody negative,
23.10, Mumps antibody test negative, 23.10, Product administered to
patient of inappropriate age, 23.10, Rubella antibody negative, 23.10
883718, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
883719, Abdominal pain upper, 23.10, Chills, 23.10, Dehydration,
23.10, Fatigue, 23.10, Hyperhidrosis, 23.10
883719, Myalgia, 23.10, Nausea, 23.10,,,,,
883720, Dizziness, 23.10, Loss of personal independence in daily
activities, 23.10,,,,,
883721, Asthenia, 23.10, Hypotonia, 23.10, Inappropriate schedule of
product administration, 23.10, Insomnia, 23.10, Loss of personal
independence in daily activities, 23.10
883721, Pain in extremity, 23.10,,,,,,
883722, Pain in extremity, 23.10,,,,,,
883723, Urticaria, 23.10,,,,,,
883724, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10,,,,,
883725, Impaired work ability, 23.10, Mobility decreased, 23.10, Pain in
extremity, 23.10,,,,,
883726, Febrile convulsion, 23.10,,,,,,
883727, Arthralgia, 23.10, Chills, 23.10, Condition aggravated,
23.10, Headache, 23.10, Mobility decreased, 23.10
883727, Myalgia, 23.10, Pyrexia, 23.10, Rash, 23.10,,,,,
883728, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Headache,
23.10, Heart rate increased, 23.10
883728, Nausea, 23.10,,,,,,
883729, Erythema, 23.10,,,,,,
883730, Injection site cellulitis, 23.10, Laboratory test abnormal,
23.10,,,,,
883731, Arthralgia, 23.10, Joint range of motion decreased, 23.10,,,,,
883732, Loss of consciousness, 23.10,,,,,,
883733, Arthralgia, 23.10, Blister, 23.10, Headache, 23.10, Impaired work
ability, 23.10, Pain, 23.10
883734, Rash, 23.10, Syncope, 23.10,,,,,
883735, Arthralgia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Fatigue,
23.10, Headache, 23.10
883735, Malaise, 23.10, Nasal congestion, 23.10, Nausea, 23.10,,,,,

883736,Herpes zoster,23.10,Varicella virus test,23.10,,,,,
883737,Herpes zoster,23.10,Malaise,23.10,Mobility decreased,23.10,,,,,
883738,Fatigue,23.10,Pyrexia,23.10,,,,,
883739,Chills,23.10,Dizziness,23.10,Fatigue,23.10,,,,,
883740,Lymphadenopathy,23.10,,,,,
883741,Blindness transient,23.10,Dysstasia,23.10,Hyporesponsive to
stimuli,23.10,Loss of consciousness,23.10,Pallor,23.10
883741,Respiratory arrest,23.10,,,,,
883742,Herpes zoster,23.10,,,,,
883744,Chills,23.10,Headache,23.10,Injection site pain,23.10,Loss of
personal independence in daily activities,23.10,Muscular weakness,
23.10
883744,Paralysis,23.10,Urinary incontinence,23.10,,,,,
883745,Skin warm,23.10,Swelling,23.10,,,,,
883746,Chills,23.10,Erythema,23.10,Feeling hot,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10
883746,Pyrexia,23.10,,,,,
883747,Cough,23.10,Diarrhoea,23.10,Oropharyngeal pain,23.10,Pyrexia,
23.10,Rash,23.10
883748,Blood culture positive,23.10,Chills,23.10,Escherichia test
positive,23.10,Fatigue,23.10,Influenza like illness,23.10
883748,Oxygen saturation decreased,23.10,Pyrexia,23.10,SARS-CoV-2
test,23.10,Tremor,23.10,,
883749,Axillary pain,23.10,Injection site rash,23.10,Injection site
swelling,23.10,Oedema peripheral,23.10,Pain,23.10
883749,Pyrexia,23.10,,,,,
883750,Feeling abnormal,23.10,Pain in extremity,23.10,,,,,
883751,Rash maculo-papular,23.10,,,,,
883755,No adverse event,23.10,Product storage error,23.10,,,,,
883756,Product storage error,23.10,,,,,
883757,Product storage error,23.10,,,,,
883758,Expired product administered,23.10,No adverse event,23.10,,,,,
883759,No adverse event,23.10,Product storage error,23.10,,,,,
883760,Chest pain,23.10,Headache,23.10,Neck pain,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10
883760,Vaccination complication,23.10,,,,,
883762,Pain in extremity,23.10,,,,,
883763,Fatigue,23.10,Immediate post-injection reaction,23.10,Influenza
like illness,23.10,Injection site pain,23.10,Injection site pruritus,
23.10
883763,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
883764,Lymphadenopathy,23.10,Pain in extremity,23.10,,,,,
883765,Rash,23.10,,,,,
883766,Rash,23.10,,,,,
883767,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883768,Ear pain,23.10,Eating disorder,23.10,Pain,23.10,Pain in jaw,
23.10,Swelling face,23.10
883769,Bronchiolitis,23.10,Chest X-ray abnormal,
23.10,Electroencephalogram normal,23.10,Hypotonia,23.10,Postictal

state,23.10
883769,Unresponsive to stimuli,23.10,,,,,
883770,Chest discomfort,23.10,Dysphonia,23.10,Eye discharge,23.10,Eye pruritus,23.10,Headache,23.10
883770,Otorrhoea,23.10,Paranasal sinus hypersecretion,23.10,Pharyngeal swelling,23.10,Rosacea,23.10,,
883771,Injection site urticaria,23.10,,,,,
883772,Acute sinusitis,23.10,Fatigue,23.10,Irritability,23.10,Nasal congestion,23.10,Pyrexia,23.10
883772,Rash,23.10,Rhinorrhoea,23.10,Urticaria,23.10,,,
883773,Abnormal behaviour,23.10,Drug screen negative,23.10,Inappropriate affect,23.10,,,
883774,Dizziness,23.10,Fatigue,23.10,Myalgia,23.10,Pyrexia,23.10,,
883775,Dizziness,23.10,Fall,23.10,Head injury,23.10,Loss of consciousness,23.10,Suture insertion,23.10
883776,Asthenia,23.10,Fatigue,23.10,Feeling cold,23.10,Gait disturbance,23.10,Headache,23.10
883776,Heart rate increased,23.10,Mobility decreased,23.10,Muscle tightness,23.10,Myalgia,23.10,Pyrexia,23.10
883777,Abdominal discomfort,23.10,Erythema,23.10,Limb discomfort,23.10,Pain in extremity,23.10,Peripheral swelling,23.10
883778,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,,
883779,Chills,23.10,Headache,23.10,Injection site pain,23.10,Pyrexia,23.10,Tremor,23.10
883780,Musculoskeletal stiffness,23.10,Myalgia,23.10,,,,,
883781,Febrile convulsion,23.10,,,,,
883782,Crying,23.10,Hiccups,23.10,,,,,
883783,Hallucination,23.10,Pain,23.10,Tremor,23.10,,,
883784,Full blood count,23.10,Hypothermia,23.10,Neutropenia,23.10,Neutrophil count decreased,23.10,Pyrexia,23.10
883784,Rash,23.10,SARS-CoV-2 antibody test negative,23.10,,,,,
883785,Deafness permanent,23.10,,,,,
883786,Erythema,23.10,Paraesthesia oral,23.10,Pruritus,23.10,,,
883796,No adverse event,23.10,Product storage error,23.10,,,,,
883797,No adverse event,23.10,Product storage error,23.10,,,,,
883798,Product storage error,23.10,,,,,
883799,No adverse event,23.10,,,,,
883800,Expired product administered,23.10,No adverse event,23.10,,,,,
883801,Muscle twitching,23.10,,,,,
883802,Arthritis,23.10,Headache,23.10,Influenza like illness,23.10,Lethargy,23.10,Myalgia,23.10
883802,Oropharyngeal pain,23.10,Pain in extremity,23.10,,,,,
883803,Injection site erythema,23.10,Injection site rash,23.10,,,,,
883804,Ear pain,23.10,"Ear, nose and throat examination normal",23.10,Eye swelling,23.10,Hyperaesthesia,23.10,Oropharyngeal pain,23.10
883804,Pain of skin,23.10,,,,,
883805,Injection site swelling,23.10,Pain,23.10,Pruritus,23.10,Skin wrinkling,23.10,,
883806,Injection site bruising,23.10,Injection site swelling,

23.10,Pruritus,23.10,,,,,
883807,Adverse reaction,23.10,,,,,,
883808,Injection site discolouration,23.10,Injection site swelling,
23.10,,,,,
883809,Injection site pain,23.10,Injection site rash,23.10,Injection
site swelling,23.10,Rash,23.10,,
883810,Hypotonia,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Rash macular,23.10,,
883811,Syncope,23.10,,,,,,
883812,Chills,23.10,Fatigue,23.10,Pain,23.10,Pyrexia,23.10,,
883813,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
883814,Abdominal discomfort,23.10,Asthenia,23.10,Chills,23.10,Fatigue,
23.10,Headache,23.10
883814,Injection site pain,23.10,,,,,,
883815,No adverse event,23.10,Underdose,23.10,,,,,
883816,Back pain,23.10,Discomfort,23.10,Muscle spasms,23.10,Muscle
twitching,23.10,Myalgia,23.10
883816,Vaccination site pain,23.10,,,,,,
883817,Rash,23.10,Rash erythematous,23.10,Rash papular,23.10,Rash
pruritic,23.10,,
883818,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pyrexia,23.10,,
883819,Dizziness,23.10,Dysstasia,23.10,Heart rate increased,
23.10,Injection site pain,23.10,Injection site swelling,23.10
883819,Photophobia,23.10,Photosensitivity reaction,23.10,,,,,
883822,Abdominal discomfort,23.10,Computerised tomogram normal,
23.10,Cyanosis,23.10,Eye movement disorder,23.10,Pallor,23.10
883822,Seizure,23.10,Tension,23.10,,,,,
883823,Cellulitis,23.10,Erythema,23.10,Skin warm,23.10,,,,
883824,Contusion,23.10,Erythema,23.10,Injection site erythema,
23.10,Injection site oedema,23.10,Injection site warmth,23.10
883824,Oedema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,
883826,Dyspnoea,23.10,Heart rate increased,23.10,Malaise,23.10,Tremor,
23.10,,
883827,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
883828,Rash,23.10,Rash pruritic,23.10,,,,,
883829,Rash,23.10,,,,,,
883830,Myalgia,23.10,Paraesthesia,23.10,,,,,
883831,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site mass,23.10,Injection site pain,23.10,Injection
site swelling,23.10
883831,Injection site warmth,23.10,Pain,23.10,,,,,
883833,Hypoaesthesia,23.10,,,,,,
883834,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,Loss
of consciousness,23.10
883834,Pain in extremity,23.10,,,,,,
883835,Chills,23.10,Fatigue,23.10,Feeling abnormal,23.10,Headache,

23.10, Intensive care, 23.10
883835, Laboratory test, 23.10, Mononucleosis heterophile test,
23.10, Nausea, 23.10, Pain in extremity, 23.10, Skin warm, 23.10
883835, T-cell type acute leukaemia, 23.10, Vomiting, 23.10, White blood
cell count increased, 23.10, , , , ,
883836, Cheilitis, 23.10, Dysphonia, 23.10, Fatigue, 23.10, Headache,
23.10, Hypoaesthesia oral, 23.10
883836, Injection site erythema, 23.10, Injection site urticaria,
23.10, Lip swelling, 23.10, Nasal discomfort, 23.10, Sneezing, 23.10
883836, Throat irritation, 23.10, Visual impairment, 23.10, , , , , ,
883837, Hypotonia, 23.10, Respiratory distress, 23.10, , , , , ,
883838, Arthralgia, 23.10, Body temperature fluctuation,
23.10, Conjunctivitis, 23.10, Dyspnoea, 23.10, Headache, 23.10
883838, Nausea, 23.10, Nodule, 23.10, Oropharyngeal pain, 23.10, , , , ,
883839, Chills, 23.10, Hyperhidrosis, 23.10, Insomnia, 23.10, Pyrexia, 23.10, ,
883840, Headache, 23.10, Injection site pain, 23.10, Nausea, 23.10, Pain,
23.10, Pyrexia, 23.10
883841, Loss of consciousness, 23.10, , , , , , , , ,
883842, Myocardial necrosis marker increased, 23.10, Tremor, 23.10, , , , , , ,
883843, Computerised tomogram, 23.10, Dizziness, 23.10, Electrocardiogram,
23.10, Neuritis, 23.10, Vertigo, 23.10
883843, Vomiting, 23.10, , , , , , , , ,
883844, Urticaria, 23.10, Vaccination complication, 23.10, , , , , , ,
883845, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10, , , , , , ,
883846, Peripheral swelling, 23.10, Rash macular, 23.10, Rash pruritic,
23.10, Skin warm, 23.10, , ,
883847, Erythema, 23.10, Injection site erythema, 23.10, Injection site
oedema, 23.10, Oedema peripheral, 23.10, , ,
883848, Extra dose administered, 23.10, , , , , , , , ,
883849, Axillary pain, 23.10, Swelling, 23.10, , , , , , ,
883850, Biopsy skin abnormal, 23.10, Erythema, 23.10, Papule,
23.10, Pruritus, 23.10, SARS-CoV-2 test negative, 23.10
883850, Viral rash, 23.10, , , , , , , , ,
883851, Abdominal pain, 23.10, Arthritis, 23.10, Blister, 23.10, Burning
sensation, 23.10, Chills, 23.10
883851, Cystitis noninfective, 23.10, Erythema, 23.10, Feeling abnormal,
23.10, Gastrointestinal inflammation, 23.10, Injection site swelling,
23.10
883851, Injection site warmth, 23.10, Pruritus, 23.10, Pyrexia, 23.10, , , , ,
883852, Injection site swelling, 23.10, Injection site warmth,
23.10, Pruritus, 23.10, , , , ,
883853, Injection site pain, 23.10, Insomnia, 23.10, Neck pain, 23.10, Pain
in extremity, 23.10, Skeletal injury, 23.10
883854, Erythema, 23.10, , , , , , , , ,
883855, Syncope, 23.10, , , , , , , , ,
883856, Injection site erythema, 23.10, Injection site nodule, 23.10, , , , , , ,
883857, Feeling abnormal, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , ,
883858, Fatigue, 23.10, Pyrexia, 23.10, , , , , , ,

883859, Chills, 23.10, Pyrexia, 23.10, , , , , ,
883860, Eye irritation, 23.10, Eye pruritus, 23.10, Oropharyngeal pain,
23.10, , , ,
883861, Injection site bruising, 23.10, Injection site nodule,
23.10, Injection site swelling, 23.10, , , ,
883862, Pruritus, 23.10, Rash, 23.10, , , , , ,
883863, Chest pain, 23.10, Headache, 23.10, Pain, 23.10, , , , ,
883864, Bone pain, 23.10, Grip strength decreased, 23.10, Pain, 23.10, , , , ,
883865, Dizziness, 23.10, Nausea, 23.10, Vomiting, 23.10, , , , ,
883866, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, , , , ,
883867, Product administered to patient of inappropriate age,
23.10, , , , , , , ,
883868, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
883869, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
883870, Rash, 23.10, , , , , , , ,
883871, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
883872, Arthralgia, 23.10, Candida infection, 23.10, Myalgia, 23.10, Rash,
23.10, ,
883873, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
883874, Chest pain, 23.10, , , , , , , ,
883875, Blood culture, 23.10, Blood lactic acid, 23.10, C-reactive protein,
23.10, Chills, 23.10, Differential white blood cell count, 23.10
883875, Erythema, 23.10, Full blood count, 23.10, Metabolic function test,
23.10, Myalgia, 23.10, Swelling, 23.10
883875, Vaccination site reaction, 23.10, , , , , , , ,
883876, Chest pain, 23.10, Documented hypersensitivity to administered
product, 23.10, Dyspnoea, 23.10, Fatigue, 23.10, ,
883877, Chills, 23.10, Fatigue, 23.10, Pain, 23.10, Pyrexia, 23.10, Tremor,
23.10
883878, Cardiac arrest, 23.10, Death, 23.10, Resuscitation, 23.10, Sudden
infant death syndrome, 23.10, ,
883879, Joint stiffness, 23.10, Joint swelling, 23.10, , , , , ,
883880, Abdominal pain, 23.10, Arthralgia, 23.10, Back pain, 23.10, Breast
pain, 23.10, Headache, 23.10
883880, Insomnia, 23.10, Pain in extremity, 23.10, Pruritus, 23.10, , , , ,
883881, Peripheral swelling, 23.10, Rash, 23.10, Rash erythematous,
23.10, , , , ,
883882, Fatigue, 23.10, Hyperhidrosis, 23.10, Immediate post-injection
reaction, 23.10, Nausea, 23.10, ,
883883, Herpes zoster, 23.10, Oral herpes, 23.10, Oral pain, 23.10, , , , ,
883884, Flushing, 23.10, Urticaria, 23.10, , , , , ,
883885, Chest pain, 23.10, Chills, 23.10, Cough, 23.10, Malaise, 23.10, Pain,
23.10
883885, Pyrexia, 23.10, , , , , , , ,
883886, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Oropharyngeal pain,
23.10, ,
883887, Asthenia, 23.10, Chest discomfort, 23.10, Cough, 23.10, Eye
haemorrhage, 23.10, Pyrexia, 23.10
883888, Axillary pain, 23.10, Lymph node pain, 23.10, Pain, 23.10, Rash

erythematous,23.10,Sleep disorder,23.10
883888,Swelling,23.10,,,,,
883895,No adverse event,23.10,Product storage error,23.10,,,,,
883896,No adverse event,23.10,Product storage error,23.10,,,,,
883897,Product storage error,23.10,,,,,
883898,Headache,23.10,Hypoaesthesia,23.10,Muscular weakness,23.10,Pain
in extremity,23.10,,
883899,Expired product administered,23.10,,,,,
883900,Expired product administered,23.10,,,,,
883901,Product storage error,23.10,,,,,
883902,No adverse event,23.10,Product storage error,23.10,,,,,
883904,Product storage error,23.10,,,,,
883905,Extra dose administered,23.10,,,,,
883906,Product storage error,23.10,,,,,
883907,Product storage error,23.10,,,,,
883908,Product storage error,23.10,,,,,
883909,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
883910,Malaise,23.10,,,,,
883911,Gait inability,23.10,,,,,
883912,Injection site extravasation,23.10,Needle issue,23.10,No
adverse event,23.10,Underdose,23.10,,
883913,Chills,23.10,Contusion,23.10,Device connection issue,
23.10,Exposure via skin contact,23.10,Immunisation,23.10
883913,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,Underdose,
23.10,,
883914,Malaise,23.10,,,,,
883915,Immunisation,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Product preparation issue,23.10,,
883917,Erythema,23.10,Incorrect route of product administration,
23.10,Pruritus,23.10,,,,
883918,Chills,23.10,Fatigue,23.10,Influenza like illness,23.10,Product
supply issue,23.10,,
883919,Chills,23.10,Headache,23.10,Malaise,23.10,Pyrexia,23.10,,
883922,Allergy to vaccine,23.10,,,,,
883923,Abdominal pain upper,23.10,Pain,23.10,Pain in extremity,
23.10,,,,
883924,Expired product administered,23.10,No adverse event,23.10,,,,,
883925,Expired product administered,23.10,No adverse event,23.10,,,,,
883926,No adverse event,23.10,Wrong product administered,23.10,,,,,
883927,Urticaria,23.10,,,,,
883928,Dizziness,23.10,Injection site erythema,23.10,Nausea,
23.10,Pyrexia,23.10,,
883929,Chills,23.10,Nausea,23.10,,,,,
883930,Chills,23.10,Myalgia,23.10,Pyrexia,23.10,,,,
883931,Fatigue,23.10,Injection site pruritus,23.10,Oropharyngeal pain,
23.10,Pruritus,23.10,Sensation of foreign body,23.10
883931,Urticaria,23.10,,,,,
883932,Product administered to patient of inappropriate age,
23.10,,,,,

883936, Crohn's disease, 23.10, Immunodeficiency, 23.10, , , , , ,
883937, Product storage error, 23.10, , , , , , , ,
883939, Arthralgia, 23.10, Neck pain, 23.10, , , , , , ,
883940, Pain, 23.10, Swelling, 23.10, , , , , , ,
883941, Rash, 23.10, Rash papular, 23.10, , , , , , ,
883942, Product administered to patient of inappropriate age,
23.10, , , , , , , ,
883943, Product administered to patient of inappropriate age,
23.10, , , , , , , ,
883944, Condition aggravated, 23.10, Migraine, 23.10, Pharyngeal swelling,
23.10, , , , ,
883945, Dizziness, 23.10, , , , , , , ,
883946, Blood glucose normal, 23.10, Cellulitis, 23.10, Chest X-ray normal,
23.10, Electrocardiogram normal, 23.10, Injection site erythema, 23.10
883946, Injection site pain, 23.10, Injection site swelling, 23.10, Loss of
consciousness, 23.10, Pyrexia, 23.10, Urine analysis normal, 23.10
883946, Vomiting, 23.10, , , , , , , ,
883947, Chills, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
883948, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Feeling
drunk, 23.10, Pyrexia, 23.10
883948, Taste disorder, 23.10, , , , , , , ,
883949, Injection site erythema, 23.10, Injection site reaction,
23.10, Limb discomfort, 23.10, Nodule, 23.10, Peripheral swelling, 23.10
883949, Pruritus, 23.10, Rash macular, 23.10, Tenderness, 23.10, , , ,
883950, Contusion, 23.10, Injected limb mobility decreased,
23.10, Peripheral swelling, 23.10, , , , ,
883951, Biopsy bladder normal, 23.10, Biopsy urethra normal, 23.10, Culture
urine negative, 23.10, Cystoscopy normal, 23.10, Prostate examination
normal, 23.10
883951, Urethral spasm, 23.10, Urinary incontinence, 23.10, Urine analysis
normal, 23.10, Urodynamics measurement, 23.10, , ,
883952, Injection site reaction, 23.10, Limb discomfort, 23.10, Mobility
decreased, 23.10, Nausea, 23.10, Pain in extremity, 23.10
883952, Rash macular, 23.10, Vomiting, 23.10, , , , , , ,
883953, Abnormal sensation in eye, 23.10, Headache, 23.10, Lethargy,
23.10, Myalgia, 23.10, Rash, 23.10
883953, Rash erythematous, 23.10, , , , , , , ,
883954, Immediate post-injection reaction, 23.10, Injection site
discolouration, 23.10, Injection site haemorrhage, 23.10, Injection site
swelling, 23.10, , ,
883955, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
883956, Dizziness, 23.10, Fall, 23.10, Head injury, 23.10, Loss of
consciousness, 23.10, Syncope, 23.10
883957, Injection site pain, 23.10, Injection site reaction,
23.10, Injection site swelling, 23.10, , , , , ,
883958, Extra dose administered, 23.10, , , , , , , ,
883959, Joint range of motion decreased, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10, Pruritus, 23.10, , ,
883960, Injection site induration, 23.10, Injection site pain, 23.10, Pain,
23.10, , , , ,

883961, Drug screen positive, 23.10, Seizure, 23.10, , , , , ,
883965, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , ,
883966, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
883967, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , ,
883968, Pain in extremity, 23.10, , , , , , , ,
883969, Abortion threatened, 23.10, Exposure during pregnancy,
23.10, Pregnancy test positive, 23.10, Vaginal haemorrhage, 23.10, ,
883970, Anaphylactic reaction, 23.10, Asthenia, 23.10, Nausea,
23.10, Pruritus, 23.10, ,
883971, Rash, 23.10, Urticaria, 23.10, , , , , ,
883972, Disorientation, 23.10, Emotional disorder, 23.10, Fall,
23.10, Headache, 23.10, Pallor, 23.10
883973, Syncope, 23.10, , , , , , , ,
883974, Pain in extremity, 23.10, , , , , , , ,
883975, Erythema, 23.10, Flushing, 23.10, Lip swelling, 23.10, Nausea,
23.10, Periorbital swelling, 23.10
883975, Vomiting, 23.10, , , , , , , ,
883976, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, , , , ,
883977, Chills, 23.10, Hyperhidrosis, 23.10, Pain, 23.10, Pyrexia,
23.10, Syncope, 23.10
883977, Vision blurred, 23.10, , , , , , , ,
883978, Burning sensation, 23.10, Herpes zoster, 23.10, Pain, 23.10, Pain in
extremity, 23.10, Pruritus, 23.10
883978, Rash, 23.10, Rash erythematous, 23.10, Rash papular, 23.10, , , , ,
883980, Injection site pruritus, 23.10, Paraesthesia, 23.10, Pharyngeal
paraesthesia, 23.10, Rash macular, 23.10, ,
883981, Dysstasia, 23.10, Speech disorder, 23.10, Tremor, 23.10, , , , ,
883982, Swelling face, 23.10, , , , , , , ,
883983, Apparent life threatening event, 23.10, , , , , , , ,
883984, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
883985, Erythema, 23.10, Skin warm, 23.10, , , , , , ,
883986, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, Urticaria, 23.10, ,
883987, Arthralgia, 23.10, Blister, 23.10, Headache, 23.10, Influenza like
illness, 23.10, Rash, 23.10
883994, Syringe issue, 23.10, Underdose, 23.10, , , , , , ,
883995, Expired product administered, 23.10, Incorrect route of product
administration, 23.10, , , , , , ,
883996, Product storage error, 23.10, , , , , , , ,
883997, Product storage error, 23.10, , , , , , , ,
883998, Product storage error, 23.10, , , , , , , ,
883999, Pain in extremity, 23.10, Vaccine positive rechallenge,
23.10, , , , , , ,
884000, Herpes zoster, 23.10, Pain, 23.10, , , , , , ,
884001, Pelvic pain, 23.10, , , , , , , ,
884002, Chills, 23.10, Peripheral coldness, 23.10, , , , , , ,
884003, Lip swelling, 23.10, , , , , , , ,
884004, Body temperature increased, 23.10, Dizziness, 23.10, Nausea,

23.10,Vertigo,23.10,,
884005,Abdominal discomfort,23.10,Diarrhoea,23.10,Nausea,23.10,,,,,
884006,Constipation,23.10,Cytogenetic analysis,23.10,Dyskinesia,
23.10,Escherichia test,23.10,Excessive eye blinking,23.10
884006,Gastrointestinal disorder,23.10,Hemiplegia,23.10,Injection site
muscle weakness,23.10,Injection site reaction,23.10,Staring,23.10
884006,Stereotypy,23.10,Stool analysis,23.10,,,,,,
884007,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain,23.10,,,,,
884008,Diarrhoea,23.10,,,,,,,
884009,Herpes zoster,23.10,,,,,,,
884010,Dizziness,23.10,Fatigue,23.10,Headache,23.10,Injection site
pain,23.10,Injection site swelling,23.10
884010,Pyrexia,23.10,,,,,,,
884011,Peripheral swelling,23.10,,,,,,,
884012,Hypoaesthesia,23.10,Paraesthesia,23.10,,,,,,
884013,Injection site pain,23.10,Muscle spasms,23.10,,,,,,
884014,Immediate post-injection reaction,23.10,Injected limb mobility
decreased,23.10,Injection site joint pain,23.10,Injection site pain,
23.10,Loss of personal independence in daily activities,23.10
884014,Muscular weakness,23.10,Pain,23.10,Product administered at
inappropriate site,23.10,,,,,
884015,Erythema,23.10,Peripheral swelling,23.10,,,,,,
884016,Alopecia,23.10,Tachycardia,23.10,,,,,,
884020,Balance disorder,23.10,Chills,23.10,Deafness,23.10,Decreased
appetite,23.10,Nausea,23.10
884020,Pain,23.10,Pyrexia,23.10,Vertigo,23.10,Vomiting,23.10,,
884021,Swelling,23.10,,,,,,,
884022,Cellulitis,23.10,,,,,,,
884023,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
884024,Pruritus,23.10,Rash,23.10,,,,,,
884025,Body temperature increased,23.10,Febrile convulsion,
23.10,Seizure,23.10,Skin warm,23.10,,
884026,Balance disorder,23.10,Feeling cold,23.10,Nausea,23.10,Pyrexia,
23.10,Vertigo,23.10
884027,Decreased appetite,23.10,Malaise,23.10,Pain,23.10,Vaccine
positive rechallenge,23.10,,
884028,Back pain,23.10,Chills,23.10,Headache,23.10,Nausea,
23.10,Pyrexia,23.10
884029,Dyspnoea,23.10,Feeling hot,23.10,Immediate post-injection
reaction,23.10,Pruritus,23.10,Skin warm,23.10
884029,Syncope,23.10,Urticaria,23.10,Wheezing,23.10,,,,,
884030,Blister,23.10,Pruritus,23.10,Rash,23.10,Rash erythematous,
23.10,,
884031,Blood glucose normal,23.10,Cognitive disorder,23.10,Generalised
tonic-clonic seizure,23.10,Loss of consciousness,23.10,Postictal
state,23.10
884031,Syncope,23.10,,,,,,,
884033,Wrong product administered,23.10,,,,,,,

884034,Urticaria,23.10,,,,,
884035,Injection site rash,23.10,Injection site swelling,23.10,Rash erythematous,23.10,Rash macular,23.10,,
884036,Inflammation,23.10,Pruritus,23.10,Swelling,23.10,,,
884037,Diarrhoea,23.10,Pain in extremity,23.10,,,,,
884038,Chills,23.10,Dizziness,23.10,Injection site pain,23.10,Malaise,23.10,Myalgia,23.10
884038,Palpitations,23.10,Pyrexia,23.10,,,,,
884039,Chills,23.10,Pain in extremity,23.10,,,,,
884040,Injection site discomfort,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10,Irritability,23.10
884040,Local reaction,23.10,Pyrexia,23.10,,,,,
884041,Discomfort,23.10,Immediate post-injection reaction,23.10,Mobility decreased,23.10,Pain,23.10,,
884042,Paraesthesia,23.10,Piloerection,23.10,,,,,
884043,Arthralgia,23.10,Asthenia,23.10,Chills,23.10,Headache,23.10,Injection site pruritus,23.10
884043,Injection site reaction,23.10,Malaise,23.10,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10
884043,Rash erythematous,23.10,Rash papular,23.10,,,,,
884044,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
884045,Allergy test positive,23.10,Food allergy,23.10,Rash,23.10,Rash erythematous,23.10,,
884046,Dizziness,23.10,Fatigue,23.10,Insomnia,23.10,Nausea,23.10,Pruritus,23.10
884047,Chills,23.10,Staphylococcal infection,23.10,,,,,
884048,Chills,23.10,Swelling,23.10,,,,,
884049,Erythema,23.10,Influenza like illness,23.10,Lethargy,23.10,Malaise,23.10,Pain in extremity,23.10
884049,Peripheral swelling,23.10,Pyrexia,23.10,Skin exfoliation,23.10,,,,,
884050,Fatigue,23.10,Headache,23.10,Pain,23.10,,,,,
884051,Dizziness,23.10,Hyperhidrosis,23.10,Pallor,23.10,Tinnitus,23.10,Vision blurred,23.10
884052,Herpes zoster,23.10,,,,,
884053,Asthenia,23.10,Chills,23.10,Pyrexia,23.10,,,,,
884054,Contusion,23.10,Injection site pain,23.10,Moaning,23.10,Paraesthesia,23.10,,
884055,Diarrhoea,23.10,Headache,23.10,,,,,
884056,Erythema,23.10,Infection,23.10,Peripheral swelling,23.10,Skin warm,23.10,Tenderness,23.10
884057,Dizziness,23.10,Feeling hot,23.10,Pruritus,23.10,Urticaria,23.10,,
884058,Arthralgia,23.10,Migraine,23.10,Myalgia,23.10,Neck pain,23.10,Pain in extremity,23.10
884059,Asthenia,23.10,Bursal fluid accumulation,23.10,Magnetic resonance imaging abnormal,23.10,Muscle disorder,23.10,Pain,23.10
884059,Shoulder operation,23.10,,,,,
884060,Injection site bruising,23.10,Injection site erythema,

23.10, Injection site pain, 23.10, Injection site swelling, 23.10,,
884061, Contusion, 23.10, Mobility decreased, 23.10, Musculoskeletal
stiffness, 23.10, Peripheral swelling, 23.10,,
884062, Loss of consciousness, 23.10, Posture abnormal, 23.10,,,,,
884063, Erythema, 23.10, Localised infection, 23.10, Peripheral swelling,
23.10,,,,,
884064, Product administered to patient of inappropriate age,
23.10,,,,,
884065, Chills, 23.10, Pain, 23.10, Peripheral swelling, 23.10,,,,,
884066, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia,
23.10, Nausea, 23.10
884067, Computerised tomogram abnormal, 23.10, Dizziness, 23.10, Eye
movement disorder, 23.10, Laboratory test normal, 23.10,,
884068, Erythema, 23.10, Induration, 23.10, Injection site pain,
23.10, Malaise, 23.10, Nausea, 23.10
884068, Peripheral swelling, 23.10, Pyrexia, 23.10, Skin warm, 23.10,,,,,
884069, Pruritus, 23.10, Skin lesion, 23.10, Swelling face, 23.10, Urticaria,
23.10,,
884070, Angioedema, 23.10, Erythema, 23.10, Flushing, 23.10, Injection site
oedema, 23.10, Injection site urticaria, 23.10
884070, Lip swelling, 23.10, Urticaria, 23.10,,,,,
884071, Dizziness, 23.10, Frequent bowel movements, 23.10, Vertigo,
23.10, Vomiting, 23.10,,
884072, Erythema, 23.10, Fatigue, 23.10, Pain, 23.10, Pain in extremity,
23.10, Pyrexia, 23.10
884072, Swelling, 23.10,,,,,
884073, Injected limb mobility decreased, 23.10, Injection site
discolouration, 23.10, Injection site pain, 23.10, Pain, 23.10,,
884074, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
884075, Erythema, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10,,,,,
884076, Rash, 23.10,,,,,
884077, Fatigue, 23.10, Feeling abnormal, 23.10, Hypertension,
23.10, Hyperthyroidism, 23.10, Thyroid function test abnormal, 23.10
884078, Ear pain, 23.10, Herpes simplex, 23.10, Herpes zoster, 23.10, Nasal
discomfort, 23.10, Oral herpes, 23.10
884078, Pain, 23.10, Rhinorrhoea, 23.10,,,,,
884079, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site rash, 23.10, Injection site swelling, 23.10,,
884080, Asthenia, 23.10, Feeling cold, 23.10, Pain, 23.10, Pyrexia, 23.10,,
884081, Injection site erythema, 23.10, Injection site pain,
23.10, Insomnia, 23.10, Pain, 23.10, Tendon pain, 23.10
884082, Immediate post-injection reaction, 23.10, Injection site
swelling, 23.10,,,,,
884083, Burning sensation, 23.10,,,,,
884084, Autism spectrum disorder, 23.10, Condition aggravated,
23.10, Feeling abnormal, 23.10, Language disorder, 23.10, Movement
disorder, 23.10
884085, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10,,,,,
884086, Breath sounds abnormal, 23.10, Developmental delay,
23.10, Dyskinesia, 23.10, Dyspnoea, 23.10, Electroencephalogram normal,

23.10
884086, Seizure like phenomena, 23.10, , , , , , , , , ,
884087, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
884088, Dizziness, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Nausea, 23.10, ,
884089, Injection site swelling, 23.10, Pyrexia, 23.10, , , , , , ,
884090, Dry skin, 23.10, Eczema, 23.10, Erythema, 23.10, Pruritus, 23.10, ,
884091, Crying, 23.10, Erythema, 23.10, Mass, 23.10, Pyrexia, 23.10, Rash, 23.10
884091, Screaming, 23.10, , , , , , , , ,
884092, Ear pruritus, 23.10, Eye pruritus, 23.10, Hypoaesthesia,
23.10, Paraesthesia, 23.10, Pruritus, 23.10
884092, Vulvovaginal pruritus, 23.10, , , , , , , , ,
884097, Product administered to patient of inappropriate age,
23.10, , , , , , , , ,
884098, Product storage error, 23.10, , , , , , , , ,
884099, Product storage error, 23.10, , , , , , , , ,
884100, Product storage error, 23.10, , , , , , , , ,
884101, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
884102, Chills, 23.10, Erythema, 23.10, Fatigue, 23.10, Pain, 23.10, Peripheral
swelling, 23.10
884102, Pyrexia, 23.10, Skin warm, 23.10, Tenderness, 23.10, , , , ,
884103, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
884104, Herpes zoster, 23.10, , , , , , , , ,
884105, Herpes zoster, 23.10, Immune system disorder, 23.10, Inflammation,
23.10, , , , ,
884106, Herpes zoster, 23.10, , , , , , , , ,
884107, Syringe issue, 23.10, Underdose, 23.10, , , , , , ,
884108, Incomplete course of vaccination, 23.10, No adverse event,
23.10, , , , , , ,
884109, Product storage error, 23.10, , , , , , , , ,
884110, Product storage error, 23.10, , , , , , , , ,
884111, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
884112, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , , ,
884113, Product storage error, 23.10, , , , , , , , ,
884114, Anaphylactic reaction, 23.10, Cough, 23.10, Dyspnoea,
23.10, Inappropriate schedule of product administration,
23.10, Pharyngeal swelling, 23.10
884114, Sneezing, 23.10, , , , , , , , ,
884115, Rash, 23.10, Urticaria, 23.10, , , , , , ,
884116, Peripheral swelling, 23.10, , , , , , , , ,
884117, Blood glucose increased, 23.10, Condition aggravated,
23.10, Diabetes mellitus, 23.10, Injection site rash, 23.10, Rash pruritic,
23.10
884118, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
884119, No adverse event, 23.10, Product preparation error, 23.10, , , , , , ,
884120, No adverse event, 23.10, Off label use, 23.10, Product administered
to patient of inappropriate age, 23.10, , , , , , ,
884121, No adverse event, 23.10, Product preparation issue, 23.10, , , , , , ,

884122, No adverse event, 23.10, Product preparation error, 23.10, , , , , , ,
884123, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
884124, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , ,
884125, No adverse event, 23.10, Underdose, 23.10, , , , , , , ,
884126, Needle issue, 23.10, No adverse event, 23.10, Underdose, 23.10, , , , ,
884127, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
884128, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
884129, Laboratory test abnormal, 23.10, Mobility decreased, 23.10, Typical
aura without headache, 23.10, Vertigo, 23.10, ,
884130, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
884132, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Skin warm, 23.10, Tenderness, 23.10
884133, Fall, 23.10, Loss of consciousness, 23.10, , , , , , , ,
884135, Herpes zoster, 23.10, , , , , , , , ,
884136, Herpes zoster, 23.10, Rash, 23.10, Vaccination failure, 23.10, , , , ,
884137, Gastrointestinal disorder, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
884138, Neuralgia, 23.10, , , , , , , , ,
884139, Pyrexia, 23.10, , , , , , , , ,
884140, Blood test normal, 23.10, Computerised tomogram normal,
23.10, Decreased appetite, 23.10, Fatigue, 23.10, Nausea, 23.10
884140, Weight decreased, 23.10, X-ray normal, 23.10, , , , , , , ,
884141, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , , ,
884142, Heart rate increased, 23.10, , , , , , , , ,
884143, Contusion, 23.10, Pain, 23.10, , , , , , , , ,
884144, Allergy test negative, 23.10, Dizziness, 23.10, Gastritis,
23.10, Laboratory test normal, 23.10, Malaise, 23.10
884144, Presyncope, 23.10, Vomiting, 23.10, , , , , , , , ,
884145, Blood test, 23.10, Chills, 23.10, Headache, 23.10, Influenza virus
test, 23.10, Pyrexia, 23.10
884145, Retching, 23.10, SARS-CoV-2 test, 23.10, Urine analysis, 23.10, , , , ,
884146, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Skin warm, 23.10, , ,
884147, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , , ,
884148, Blood test, 23.10, CSF protein increased, 23.10, Central venous
catheterisation, 23.10, Computerised tomogram, 23.10, Gait disturbance,
23.10
884148, Guillain-Barre syndrome, 23.10, Hypoaesthesia, 23.10, Hypoaesthesia
oral, 23.10, Lumbar puncture abnormal, 23.10, Nerve compression, 23.10
884148, Paraesthesia, 23.10, Plasmapheresis, 23.10, Walking aid user,
23.10, , , , ,
884149, Burning sensation, 23.10, Electromyogram, 23.10, Magnetic resonance
imaging spinal, 23.10, Neurological examination, 23.10, Paraesthesia, 23.10
884150, Abdominal pain upper, 23.10, Headache, 23.10, Injection site
erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
884150, Nausea, 23.10, Pyrexia, 23.10, , , , , , , , ,
884151, Back pain, 23.10, Chills, 23.10, Malaise, 23.10, Nausea, 23.10, Pain,
23.10
884151, Pain in extremity, 23.10, , , , , , , , ,
884152, Erythema, 23.10, Hypersensitivity, 23.10, Rash macular, 23.10, Skin

warm,23.10,Swelling,23.10
884154, Eye pain,23.10, Facial pain,23.10, Sensitive skin,23.10,,,,,
884155, Pyrexia,23.10, Rash,23.10, Urticaria,23.10,,,,,
884156, Hypersensitivity,23.10, Local reaction,23.10, Nausea,23.10,,,,,
884157, Injection site nodule,23.10, Injection site pain,23.10, Injection
site swelling,23.10, Positron emission tomogram abnormal,23.10,,
884158, Abdominal pain upper,23.10, Arthralgia,23.10, Chills,23.10, Ear
pain,23.10, Erythema,23.10
884158, Eye pain,23.10, Fatigue,23.10, Feeling cold,23.10, Headache,
23.10, Hypoaesthesia,23.10
884158, Injection site pain,23.10, Joint stiffness,23.10, Limb mass,
23.10, Lymphadenopathy,23.10, Muscle spasms,23.10
884158, Neck pain,23.10, Pain,23.10, Pain in extremity,23.10, Peripheral
coldness,23.10, Pyrexia,23.10
884158, Skin warm,23.10, Sleep disorder,23.10, Spinal pain,
23.10, Swelling,23.10,,
884159, Injection site erythema,23.10, Injection site pain,
23.10, Injection site pruritus,23.10, Injection site swelling,23.10,,
884160, Dizziness,23.10, Hyperhidrosis,23.10, Tachycardia,23.10,,,,,
884161, Dizziness,23.10, Dysstasia,23.10, Feeling abnormal,23.10, Gait
inability,23.10, Nausea,23.10
884162, Pyrexia,23.10, SARS-CoV-2 test,23.10, Streptococcus test
negative,23.10,,,,,
884163, Blister,23.10, Herpes zoster,23.10, Pain,23.10,,,,,
884164, Diarrhoea,23.10, Vomiting,23.10,,,,,,
884165, Facial paralysis,23.10,,,,,,
884168, Product storage error,23.10,,,,,,
884169, No adverse event,23.10, Product storage error,23.10,,,,,,
884170, Herpes zoster,23.10,,,,,,
884171, Extra dose administered,23.10, Inappropriate schedule of product
administration,23.10, No adverse event,23.10,,,,,
884172, Expired product administered,23.10,,,,,,
884173, Fatigue,23.10, Oropharyngeal pain,23.10, Pyrexia,23.10,,,,,
884174, Paralysis,23.10,,,,,,
884175, Headache,23.10,,,,,,
884176, Hypoaesthesia,23.10,,,,,,
884177, Injection site pain,23.10,,,,,,
884178, Erythema,23.10, Feeling hot,23.10, Incorrect route of product
administration,23.10, Inflammation,23.10,,
884180, Contusion,23.10, Mobility decreased,23.10, Pain,23.10,,,,,
884181, Injection site bruising,23.10,,,,,,
884182, Guillain-Barre syndrome,23.10,,,,,,
884183, Erythema,23.10, Extra dose administered,23.10, Swelling,23.10,,,,,
884184, Abdominal discomfort,23.10, Headache,23.10, Inappropriate
schedule of product administration,23.10,,,,,
884185, Dizziness,23.10, Erythema,23.10, Feeling abnormal,23.10, Intensive
care,23.10, Palpitations,23.10
884185, Paraesthesia,23.10, Peripheral swelling,23.10, Skin warm,
23.10,,,,,
884186, Chest X-ray normal,23.10, Chest pain,23.10, Electrocardiogram

normal,23.10,Erythema,23.10,Eye swelling,23.10
884186,Full blood count normal,23.10,Gastroesophageal reflux disease,
23.10,Metabolic function test normal,23.10,,,,
884187,Injection site inflammation,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
884188,Injection site rash,23.10,,,,,,
884189,Extra dose administered,23.10,,,,,,
884190,Blood thyroid stimulating hormone normal,23.10,C-reactive
protein normal,23.10,Chills,23.10,Differential white blood cell count
normal,23.10,Dizziness,23.10
884190,Full blood count normal,23.10,Headache,23.10,Human chorionic
gonadotropin normal,23.10,Metabolic function test normal,23.10,Nausea,
23.10
884190,Pain,23.10,Serum ferritin normal,23.10,Urine analysis normal,
23.10,,,,,
884191,Influenza like illness,23.10,Nausea,23.10,Pyrexia,
23.10,Vomiting,23.10,,
884192,Arthralgia,23.10,Erythema,23.10,Neck pain,23.10,Peripheral
swelling,23.10,,
884193,Abdominal pain,23.10,Defaecation urgency,23.10,Insomnia,
23.10,Malaise,23.10,Nausea,23.10
884193,Pyrexia,23.10,Vomiting,23.10,,,,,
884194,Arthralgia,23.10,Fall,23.10,Head injury,23.10,Headache,
23.10,Loss of consciousness,23.10
884194,Nervous system disorder,23.10,,,,,,
884195,Urticaria,23.10,,,,,,
884196,Feeling cold,23.10,Vomiting,23.10,,,,,
884197,Chills,23.10,Fatigue,23.10,Headache,23.10,Injection site
erythema,23.10,Injection site pain,23.10
884197,Injection site swelling,23.10,Pain,23.10,Pyrexia,23.10,,,,,
884198,Erythema,23.10,Peripheral swelling,23.10,Pyrexia,23.10,Skin
warm,23.10,,
884199,Chills,23.10,Feeling cold,23.10,Injection site pain,
23.10,Tremor,23.10,,
884200,Arthralgia,23.10,Asthenia,23.10,Chills,23.10,Decreased
appetite,23.10,Injection site pain,23.10
884200,Myalgia,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10,,
884201,Adverse drug reaction,23.10,Injection site erythema,
23.10,Injection site rash,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
884202,Blister,23.10,Herpes zoster,23.10,Pruritus,23.10,Rash,23.10,,
884203,Injection site rash,23.10,Pyrexia,23.10,Rash,23.10,SARS-CoV-2
test negative,23.10,,
884204,Incomplete course of vaccination,23.10,,,,,,
884205,Adverse reaction,23.10,Cardiac telemetry,23.10,Differential
white blood cell count,23.10,Full blood count,23.10,Metabolic function
test,23.10
884205,Troponin I,23.10,,,,,,
884206,Erythema,23.10,Pruritus,23.10,Skin exfoliation,23.10,Wound,
23.10,,

884207,Electrocardiogram normal,23.10,Fall,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Loss of consciousness,23.10
884207,Nausea,23.10,Syncope,23.10,,,,,
884208,Myalgia,23.10,,,,,
884209,Chills,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Malaise,23.10,Nausea,23.10
884209,Pyrexia,23.10,,,,,
884210,Balance disorder,23.10,Hypotension,23.10,Muscular weakness,23.10,Visual impairment,23.10,,
884211,Cheilitis,23.10,Inflammation,23.10,Swelling,23.10,,,
884212,Bursitis,23.10,Erythema,23.10,Injection site joint inflammation,23.10,Magnetic resonance imaging abnormal,23.10,Mobility decreased,23.10
884212,Pain in extremity,23.10,Periarthritis,23.10,Product administered at inappropriate site,23.10,Rotator cuff syndrome,23.10,Shoulder operation,23.10
884212,Swelling,23.10,Ultrasound scan normal,23.10,X-ray limb abnormal,23.10,,,,
884213,Injection site pain,23.10,Injection site swelling,23.10,,,,,
884214,Arthralgia,23.10,Pain,23.10,,,,,
884215,Chills,23.10,Feeling cold,23.10,Musculoskeletal chest pain,23.10,Myalgia,23.10,Pyrexia,23.10
884215,Retching,23.10,Spinal pain,23.10,,,,,
884216,Immediate post-injection reaction,23.10,Injection site erythema,23.10,Injection site pain,23.10,Pain in extremity,23.10,Peripheral swelling,23.10
884217,Extra dose administered,23.10,Inappropriate schedule of product administration,23.10,,,,,
884219,Erythema,23.10,Skin warm,23.10,,,,,
884227,Product storage error,23.10,,,,,
884228,Herpes zoster,23.10,,,,,
884229,Herpes zoster,23.10,,,,,
884230,Product storage error,23.10,,,,,
884231,Anxiety,23.10,Inappropriate schedule of product administration,23.10,,,,,
884232,Cardiovascular disorder,23.10,Hypoacusis,23.10,,,,,
884233,Inappropriate schedule of product administration,23.10,Injection site pain,23.10,Malaise,23.10,,,
884234,Adverse reaction,23.10,,,,,
884235,Fatigue,23.10,Glucose tolerance impaired,23.10,Hypertension,23.10,Injection site erythema,23.10,Injection site mass,23.10
884235,Injection site warmth,23.10,Sleep apnoea syndrome,23.10,,,,,
884236,Albumin urine,23.10,Blood creatine phosphokinase,23.10,Blood thyroid stimulating hormone,23.10,Full blood count,23.10,Glycosylated haemoglobin,23.10
884236,Injection site nodule,23.10,Lipids,23.10,Metabolic function test,23.10,Vitamin D,23.10,,
884237,Myalgia,23.10,SARS-CoV-2 test negative,23.10,,,,,
884239,Chills,23.10,Dysaesthesia,23.10,Fatigue,23.10,Headache,

23.10, Injection site pain, 23.10
884239, Myalgia, 23.10, Rash, 23.10, SARS-CoV-2 antibody test negative, 23.10, SARS-CoV-2 test negative, 23.10, Sensitive skin, 23.10
884239, Skin discomfort, 23.10, , , , , , , , ,
884240, Rash, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10, , , , ,
884241, Erythema, 23.10, Swelling, 23.10, , , , , , ,
884242, Chills, 23.10, Disorientation, 23.10, Dizziness, 23.10, Pyrexia, 23.10, ,
884243, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
884244, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, Septic screen, 23.10, , , , ,
884245, Abdominal discomfort, 23.10, Chills, 23.10, Headache, 23.10, , , , , ,
884246, Cellulitis, 23.10, Product administered at inappropriate site, 23.10, , , , , , ,
884247, Chills, 23.10, Injection site erythema, 23.10, Injection site warmth, 23.10, Pyrexia, 23.10, , ,
884248, Erythema, 23.10, Hyperaesthesia, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10
884249, Chills, 23.10, Tremor, 23.10, , , , , , , ,
884250, Blood creatine phosphokinase normal, 23.10, Blood potassium decreased, 23.10, Blood urine present, 23.10, Full blood count normal, 23.10, Gait inability, 23.10
884250, Henoch-Schonlein purpura, 23.10, Pyrexia, 23.10, Urine analysis abnormal, 23.10, , , , , ,
884252, Asthenia, 23.10, Feeling abnormal, 23.10, Grip strength decreased, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10
884252, Injection site warmth, 23.10, , , , , , , , ,
884260, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Joint range of motion decreased, 23.10, ,
884261, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
884263, Product storage error, 23.10, , , , , , , , , ,
884264, Electroencephalogram, 23.10, Seizure, 23.10, , , , , , , , ,
884265, Condition aggravated, 23.10, Grip strength decreased, 23.10, Ill-defined disorder, 23.10, Injected limb mobility decreased, 23.10, Loss of personal independence in daily activities, 23.10
884265, Pain in extremity, 23.10, Tendonitis, 23.10, , , , , , , , ,
884266, No adverse event, 23.10, Syringe issue, 23.10, Underdose, 23.10, , , , , , ,
884267, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , , , ,
884268, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10, , , , , , ,
884270, Cold sweat, 23.10, Heart rate decreased, 23.10, Peripheral coldness, 23.10, Syncope, 23.10, , ,
884271, Chest pain, 23.10, Fatigue, 23.10, Headache, 23.10, Malaise, 23.10, Myalgia, 23.10
884271, Sleep disorder, 23.10, , , , , , , , , , ,
884272, Back pain, 23.10, Blood pressure increased, 23.10, Chest pain, 23.10, Dyspnoea, 23.10, Feeling hot, 23.10
884272, Flushing, 23.10, Moaning, 23.10, Pain, 23.10, , , , , ,

884273,Dizziness,23.10,Eye swelling,23.10,Immediate post-injection reaction,23.10,Injection site swelling,23.10,,
884274,Erythema,23.10,Skin warm,23.10,,,,,
884275,Chills,23.10,Influenza,23.10,Nausea,23.10,Pyrexia,23.10,Vomiting,23.10
884276,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Oedema peripheral,23.10,,
884277,Neck mass,23.10,Neck pain,23.10,odynophagia,23.10,Swelling face,23.10,,
884278,Hypoaesthesia,23.10,Injection site hypoaesthesia,23.10,Injection site paraesthesia,23.10,Pain,23.10,Paraesthesia,23.10
884279,Injection site erythema,23.10,Injection site inflammation,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
884280,Chills,23.10,Dizziness,23.10,Dysstasia,23.10,Gait disturbance,23.10,Hot flush,23.10
884280,Vomiting,23.10,,,,,
884281,Circumstance or information capable of leading to medication error,23.10,Extra dose administered,23.10,,,,,
884282,Injection site erythema,23.10,Injection site swelling,23.10,,,,,
884283,Headache,23.10,Injection site erythema,23.10,Injection site induration,23.10,Injection site swelling,23.10,Injection site warmth,23.10
884283,Muscle spasms,23.10,Myalgia,23.10,,,,,
884284,Death,23.10,,,,,
884285,Dizziness,23.10,Presyncope,23.10,Tinnitus,23.10,,,,,
884286,Diarrhoea,23.10,Fatigue,23.10,Headache,23.10,Nausea,23.10,Vomiting,23.10
884287,Injection site erythema,23.10,Injection site pain,23.10,Urticaria,23.10,,,,,
884288,Chills,23.10,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,,
884289,Arthralgia,23.10,Lethargy,23.10,Myalgia,23.10,,,,,
884290,Hypacusis,23.10,Tinnitus,23.10,,,,,
884291,Injection site erythema,23.10,Injection site mass,23.10,Injection site warmth,23.10,,,,,
884292,Joint swelling,23.10,Peripheral swelling,23.10,Pruritus,23.10,Swollen tongue,23.10,,
884293,Blood glucose normal,23.10,Dyskinesia,23.10,Feeling hot,23.10,Hyperhidrosis,23.10,Nausea,23.10
884293,Pallor,23.10,Posture abnormal,23.10,,,,,
884294,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,Urticaria,23.10,,
884295,Injection site bruising,23.10,Injection site pain,23.10,,,,,
884296,Joint range of motion decreased,23.10,Pain,23.10,Pain in extremity,23.10,Peripheral swelling,23.10,Tenderness,23.10
884297,Urticaria,23.10,,,,,
884298,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
884299,Contusion,23.10,Erythema,23.10,Skin warm,23.10,,,,,
884300,Product administered to patient of inappropriate age,

23.10,,,,,
884301,Abdominal pain,23.10,Back pain,23.10,Blood test,23.10,Scan,
23.10,,
884302,Unevaluable event,23.10,,,,,
884303,Circumstance or information capable of leading to medication
error,23.10,Underdose,23.10,,,,,
884304,Injection site pain,23.10,Injection site swelling,23.10,,,,,
884305,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Injection site reaction,23.10,Musculoskeletal stiffness,
23.10,Pain,23.10
884305,Pain in extremity,23.10,,,,,
884306,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site vesicles,23.10,,
884307,Arthralgia,23.10,Chills,23.10,Discomfort,23.10,Injection site
swelling,23.10,Mobility decreased,23.10
884307,Pain in extremity,23.10,,,,,
884308,Dermatitis,23.10,Hypersensitivity,23.10,Pruritus,23.10,Pustule,
23.10,Skin irritation,23.10
884308,Skin reaction,23.10,,,,,
884309,Arthralgia,23.10,,,,,
884310,Lip swelling,23.10,Oral pain,23.10,Swelling face,23.10,Throat
tightness,23.10,,
884311,Muscular weakness,23.10,,,,,
884312,Incorrect route of product administration,23.10,Peripheral
swelling,23.10,Wrong technique in product usage process,23.10,,,,
884313,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,
884314,Chills,23.10,Disturbance in attention,23.10,Influenza like
illness,23.10,Pyrexia,23.10,Vaccination complication,23.10
884315,Cyanosis,23.10,Influenza virus test negative,23.10,Lethargy,
23.10,Pallor,23.10,Pyrexia,23.10
884315,Respiratory arrest,23.10,Streptococcus test negative,
23.10,Unresponsive to stimuli,23.10,,,,
884316,Computerised tomogram,23.10,Delirium,23.10,Influenza like
illness,23.10,Klebsiella sepsis,23.10,Klebsiella test positive,23.10
884316,Pyrexia,23.10,,,,,
884317,Pain in extremity,23.10,Rash erythematous,23.10,Skin warm,
23.10,Tenderness,23.10,,
884318,Injection site bruising,23.10,,,,,
884319,Arthralgia,23.10,Mobility decreased,23.10,Pain,23.10,Pain in
extremity,23.10,,
884320,Syncope,23.10,,,,,
884321,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
884322,Fatigue,23.10,Headache,23.10,Pain,23.10,Pyrexia,23.10,SARS-
CoV-2 test negative,23.10
884325,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
884326,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Skin warm,23.10,,
884327,Dizziness,23.10,Nausea,23.10,Vomiting,23.10,,,,

884328, Abdominal discomfort, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Feeling cold, 23.10
884328, Hypersomnia, 23.10, Peripheral swelling, 23.10, , , , , ,
884329, Erythema, 23.10, Peripheral swelling, 23.10, , , , , ,
884330, Asthenia, 23.10, Dizziness, 23.10, Injection site bruising, 23.10, Pyrexia, 23.10, ,
884332, Eye discharge, 23.10, Haemoglobin normal, 23.10, Lacrimation increased, 23.10, Lymphadenopathy, 23.10, Lymphocyte percentage increased, 23.10
884332, Monocyte percentage increased, 23.10, Neutrophil percentage decreased, 23.10, Pain, 23.10, Platelet count normal, 23.10, Pyrexia, 23.10
884332, Rhinorrhoea, 23.10, White blood cell count decreased, 23.10, , , , , ,
884333, Injection site reaction, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , ,
884344, Expired product administered, 23.10, , , , , , , ,
884345, Product storage error, 23.10, , , , , , , ,
884346, Exposure via skin contact, 23.10, Syringe issue, 23.10, Underdose, 23.10, , , , ,
884347, No adverse event, 23.10, Syringe issue, 23.10, Underdose, 23.10, , , , ,
884348, Inappropriate schedule of product administration, 23.10, No adverse event, 23.10, , , , , ,
884349, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
884350, Herpes simplex, 23.10, Incomplete course of vaccination, 23.10, , , , , , ,
884351, Herpes zoster, 23.10, , , , , , , ,
884352, Cardiovascular disorder, 23.10, Death, 23.10, , , , , ,
884353, Product storage error, 23.10, , , , , , , ,
884354, Product storage error, 23.10, , , , , , , ,
884355, Accidental exposure to product, 23.10, , , , , , , ,
884356, Product administered to patient of inappropriate age, 23.10, , , , , , , ,
884357, Malaise, 23.10, Vaccination failure, 23.10, , , , , ,
884358, Herpes zoster, 23.10, Rash, 23.10, , , , , ,
884359, Arthralgia, 23.10, Chills, 23.10, Fatigue, 23.10, Lymph node pain, 23.10, Pain, 23.10
884359, Tremor, 23.10, , , , , , , ,
884360, Injection site pain, 23.10, , , , , , , ,
884361, Bedridden, 23.10, Clavicle fracture, 23.10, Death, 23.10, Face injury, 23.10, Fall, 23.10
884361, Herpes zoster, 23.10, Injury, 23.10, Loss of consciousness, 23.10, Mobility decreased, 23.10, Pain, 23.10
884361, Upper limb fracture, 23.10, , , , , , , ,
884362, Herpes zoster, 23.10, Inappropriate schedule of product administration, 23.10, Vaccination failure, 23.10, , , , ,
884363, Dermatitis contact, 23.10, Rash, 23.10, , , , , ,
884364, Dysphonia, 23.10, Flushing, 23.10, Hypersensitivity, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10
884364, Pharyngeal swelling, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Rash, 23.10, Rash macular, 23.10
884365, Injection site swelling, 23.10, Injection site ulcer, 23.10, Pain

in extremity,23.10,Product administered at inappropriate site,
23.10,Wrong product administered,23.10
884366,No adverse event,23.10,Wrong product administered,23.10,,,,,
884367,Expired product administered,23.10,No adverse event,23.10,,,,,
884368,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
884369,Expired product administered,23.10,No adverse event,23.10,,,,,
884370,Exposure via skin contact,23.10,No adverse event,
23.10,Underdose,23.10,Wrong product administered,23.10,,
884371,Product preparation issue,23.10,,,,,
884372,Expired product administered,23.10,No adverse event,23.10,,,,,
884373,Body temperature increased,23.10,Chills,23.10,Injection site
erythema,23.10,Injection site inflammation,23.10,Injection site
swelling,23.10
884373,Nausea,23.10,Vomiting,23.10,,,,,
884374,Asthenia,23.10,Feeling cold,23.10,,,,,
884375,Injection site discharge,23.10,Injection site erythema,
23.10,Injection site mass,23.10,Injection site pain,23.10,,
884376,Dysstasia,23.10,Gait disturbance,23.10,Joint stiffness,
23.10,Joint swelling,23.10,Loss of personal independence in daily
activities,23.10
884376,Musculoskeletal stiffness,23.10,Pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Swelling,23.10
884377,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
884381,Injection site pain,23.10,,,,,
884382,Expired product administered,23.10,No adverse event,23.10,,,,,
884383,Mobility decreased,23.10,Weight bearing difficulty,23.10,,,,,
884384,Erythema,23.10,Peripheral swelling,23.10,Skin warm,
23.10,Tenderness,23.10,,
884385,Chills,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Pyrexia,
23.10
884385,Thirst,23.10,,,,,
884386,Haematochezia,23.10,,,,,
884387,Dyspnoea,23.10,Erythema,23.10,Injection site erythema,
23.10,Pain in extremity,23.10,Peripheral swelling,23.10
884387,Skin warm,23.10,Vaccine positive rechallenge,23.10,,,,,
884388,Chills,23.10,Headache,23.10,Hypoaesthesia,23.10,Musculoskeletal
stiffness,23.10,Pyrexia,23.10
884389,Headache,23.10,Hyperhidrosis,23.10,Nausea,23.10,Pain,
23.10,Pyrexia,23.10
884390,Areflexia,23.10,Asthenia,23.10,Atrial fibrillation,
23.10,Bedridden,23.10,Bilevel positive airway pressure,23.10
884390,CSF protein increased,23.10,Chest X-ray normal,23.10,Dyspnoea,
23.10,Endotracheal intubation,23.10,Fatigue,23.10
884390,Guillain-Barre syndrome,23.10,Hypertension,23.10,Hypervolaemia,
23.10,Hypoaesthesia,23.10,Immunoglobulin therapy,23.10
884390,Lumbar puncture,23.10,Mechanical ventilation,23.10,Muscle
disorder,23.10,Muscular weakness,23.10,Musculoskeletal disorder,23.10
884390,Neuropathy peripheral,23.10,Paraesthesia,23.10,Pneumonia,

23.10, Procalcitonin normal, 23.10, Sensory disturbance, 23.10
884390, Sputum culture positive, 23.10, Staphylococcal infection,
23.10, Staphylococcus test positive, 23.10, Urine analysis, 23.10,,
884391, Dizziness, 23.10, Fall, 23.10, Feeling hot, 23.10, Loss of
consciousness, 23.10, Retching, 23.10
884391, Vomiting, 23.10,,,,,,
884392, Blister, 23.10, Eye swelling, 23.10, Eyelids pruritus, 23.10,,,,
884393, Injection site rash, 23.10, Pain in extremity, 23.10,,,,,
884394, Dizziness, 23.10, Dyskinesia, 23.10, Loss of consciousness,
23.10, Pallor, 23.10,,
884395, Injection site erythema, 23.10, Injection site nodule,
23.10, Injection site pruritus, 23.10, Injection site swelling,
23.10, Injection site urticaria, 23.10
884395, Lethargy, 23.10, Malaise, 23.10, Pain, 23.10,,,,
884402, Abdominal pain upper, 23.10, Dizziness, 23.10, Loss of
consciousness, 23.10,,,,
884403, Headache, 23.10, Rash, 23.10, Skin warm, 23.10,,,,
884404, Blister, 23.10, Erythema, 23.10, Hypoaesthesia, 23.10, Pruritus,
23.10, Rash papular, 23.10
884404, Skin discolouration, 23.10, Skin warm, 23.10, Swelling, 23.10,,,,
884405, Hypersensitivity, 23.10,,,,,,
884406, Chills, 23.10, Feeling of body temperature change,
23.10, Laboratory test, 23.10,,,,
884407, Extra dose administered, 23.10, No adverse event, 23.10,,,,,
884408, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10,,,,,
884409, Arthralgia, 23.10, Joint range of motion decreased, 23.10,,,,,
884410, Hypopnoea, 23.10, Loss of consciousness, 23.10, Nervousness,
23.10, Syncope, 23.10, Tremor, 23.10
884411, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Pyrexia, 23.10,,
884412, Pyrexia, 23.10, Urticaria, 23.10,,,,,
884413, Abdominal pain upper, 23.10, Chest pain, 23.10, Dizziness,
23.10, Hyperhidrosis, 23.10,,
884414, Chills, 23.10, Headache, 23.10, Pyrexia, 23.10,,,,
884415, Paraesthesia, 23.10,,,,,,
884416, Peripheral swelling, 23.10, Skin warm, 23.10,,,,,
884417, Arthralgia, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Pyrexia,
23.10,,
884418, Asthenia, 23.10, Confusional state, 23.10, Headache, 23.10, Pyrexia,
23.10, SARS-CoV-2 test, 23.10
884418, Tunnel vision, 23.10, Urine analysis, 23.10,,,,,
884420, Injection site erythema, 23.10, Injection site pruritus,
23.10, Vaccination site warmth, 23.10,,,,
884421, Chest pain, 23.10, Muscle spasms, 23.10, Pain, 23.10,,,,
884422, Hypoaesthesia, 23.10, Paraesthesia, 23.10, Rash, 23.10,,,,
884423, Dizziness, 23.10, Injection site erythema, 23.10,,,,,
884424, Dizziness, 23.10, Dyskinesia, 23.10, Loss of consciousness,
23.10, Pallor, 23.10, Syncope, 23.10
884426, No adverse event, 23.10,,,,,,

884427, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
884428, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , ,
884429, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, Robust take following
exposure to vaccinia virus, 23.10, SARS-CoV-2 test, 23.10
884430, Injection site erythema, 23.10, Injection site joint pain,
23.10, Pain, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10
884431, Injection site pain, 23.10, Pain in extremity, 23.10, , , , , ,
884432, Injection site reaction, 23.10, Nausea, 23.10, Presyncope,
23.10, Urticaria, 23.10, Vomiting, 23.10
884441, Adverse reaction, 23.10, Bedridden, 23.10, , , , , ,
884442, Discomfort, 23.10, Malaise, 23.10, , , , , ,
884443, Fatigue, 23.10, Headache, 23.10, Injection site erythema,
23.10, Injection site induration, 23.10, Injection site pain, 23.10
884443, Nausea, 23.10, Syncope, 23.10, , , , , ,
884444, No adverse event, 23.10, Poor quality product administered,
23.10, , , , , ,
884446, Blood test normal, 23.10, Chest discomfort, 23.10, Cough,
23.10, Fatigue, 23.10, Headache, 23.10
884446, Influenza like illness, 23.10, Pyrexia, 23.10, SARS-CoV-2 test
negative, 23.10, Urticaria, 23.10, ,
884447, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, , , , , ,
884448, Erythema, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Malaise, 23.10, Peripheral swelling, 23.10
884448, Pyrexia, 23.10, , , , , , ,
884449, Chills, 23.10, Injection site erythema, 23.10, Injection site
inflammation, 23.10, Injection site swelling, 23.10, Injection site
warmth, 23.10
884449, Pain, 23.10, , , , , , ,
884450, Hypoaesthesia, 23.10, Ocular hyperaemia, 23.10, Paraesthesia,
23.10, Pharyngeal swelling, 23.10, ,
884451, Injection site pain, 23.10, Magnetic resonance imaging, 23.10, Pain
in extremity, 23.10, X-ray, 23.10, ,
884452, Pain in extremity, 23.10, , , , , , , ,
884453, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , ,
884454, Blood pressure decreased, 23.10, Dyspnoea, 23.10, Hyperhidrosis,
23.10, Nausea, 23.10, Tremor, 23.10
884454, Vomiting, 23.10, , , , , , , ,
884455, Chills, 23.10, Hyperhidrosis, 23.10, Loss of consciousness,
23.10, Pyrexia, 23.10, ,
884456, Incorrect dose administered, 23.10, No adverse event, 23.10, , , , , ,
884457, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
884458, Abdominal discomfort, 23.10, Chills, 23.10, Dizziness,
23.10, Fatigue, 23.10, Injection site pain, 23.10
884458, Neck pain, 23.10, Respiratory tract congestion, 23.10, , , , , ,
884459, Injection site erythema, 23.10, Injection site irritation,
23.10, , , , , ,
884460, Immediate post-injection reaction, 23.10, Injection site
hyposensitivity, 23.10, Injection site pain, 23.10, Injection site

paraesthesia,23.10,Pain,23.10
884460,Pain in extremity,23.10,,,,,
884461,Cellulitis,23.10,Erythema,23.10,Skin warm,23.10,,,
884462,Contusion,23.10,Hypoaesthesia,23.10,Movement disorder,
23.10,Paraesthesia,23.10,Rotator cuff syndrome,23.10
884475,Guillain-Barre syndrome,23.10,,,,,
884476,Herpes zoster,23.10,,,,,
884477,Extra dose administered,23.10,,,,,
884478,Chills,23.10,Induration,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site rash,23.10
884478,Injection site warmth,23.10,Muscle spasms,23.10,Pain,
23.10,Rash,23.10,Skin warm,23.10
884479,Immediate post-injection reaction,23.10,Influenza like illness,
23.10,,,,,
884480,Herpes zoster,23.10,,,,,
884481,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,
884482,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,
884485,Diarrhoea,23.10,Dizziness,23.10,Hypotension,23.10,Tremor,
23.10,,
884486,Rash,23.10,Rash papular,23.10,,,,,
884487,No adverse event,23.10,Wrong patient received product,
23.10,,,,,
884488,Arthralgia,23.10,Injection site pain,23.10,Pain,
23.10,Tenderness,23.10,,
884489,Lymph node pain,23.10,Lymphadenopathy,23.10,Mobility decreased,
23.10,,,
884490,Asthenia,23.10,Tenderness,23.10,Urinary retention,23.10,Urine
analysis,23.10,,
884491,Urticaria,23.10,,,,,
884492,Chills,23.10,Insomnia,23.10,Limb immobilisation,23.10,Pain,
23.10,Peripheral swelling,23.10
884492,Skin reaction,23.10,Skin warm,23.10,Urticaria,23.10,,,
884493,Expired product administered,23.10,No adverse event,23.10,,,,,
884494,Cellulitis,23.10,Skin irritation,23.10,Swelling,23.10,,,
884495,Chills,23.10,Erythema,23.10,Injection site streaking,
23.10,Lymph node pain,23.10,Lymphadenopathy,23.10
884495,Mobility decreased,23.10,Oedema peripheral,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10,Pruritus,23.10
884495,Pyrexia,23.10,Skin warm,23.10,Swelling,23.10,,,
884496,Feeling cold,23.10,Headache,23.10,Pain in extremity,23.10,,,
884497,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,
884498,Catatonia,23.10,Fall,23.10,Muscle twitching,23.10,,,
884499,Injection site haematoma,23.10,Injection site haemorrhage,
23.10,Injection site swelling,23.10,,,
884500,Urticaria,23.10,,,,,
884501,Rash,23.10,Rash erythematous,23.10,Rash papular,23.10,Rash
pruritic,23.10,Skin disorder,23.10

884502,Extra dose administered,23.10,,,,,,,,,
884503,Dyspnoea,23.10,,,,,,,,,
884504,Lip swelling,23.10,Urticaria,23.10,,,,,
884505,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,,,
884506,Blood test normal,23.10,Electrocardiogram normal,23.10,Full
blood count normal,23.10,Loss of consciousness,23.10,Pregnancy test
urine negative,23.10
884507,Dizziness,23.10,Fall,23.10,,,,,
884508,Wrong product administered,23.10,,,,,,,,,
884509,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
884510,Urticaria,23.10,,,,,,,,,
884511,Asthenia,23.10,Blood albumin decreased,23.10,Blood calcium
decreased,23.10,Blood potassium decreased,23.10,Chills,23.10
884511,Dizziness,23.10,Fatigue,23.10,Headache,23.10,Injection site
pain,23.10,Myalgia,23.10
884511,Pain,23.10,Pain in extremity,23.10,,,,,
884512,Chills,23.10,Headache,23.10,Impaired work ability,
23.10,Injection site pain,23.10,Nausea,23.10
884512,Pain,23.10,Pyrexia,23.10,,,,,
884513,Anxiety,23.10,Hypoaesthesia,23.10,Nausea,23.10,Vomiting,23.10,,
884514,Pain in extremity,23.10,Paraesthesia,23.10,,,,,
884515,Erythema,23.10,Skin warm,23.10,,,,,
884516,Headache,23.10,Injection site pain,23.10,Pain,23.10,Pyrexia,
23.10,,
884517,Erythema,23.10,Peripheral swelling,23.10,,,,,
884518,Immediate post-injection reaction,23.10,Peripheral swelling,
23.10,,,,,
884519,Injection site pain,23.10,,,,,,,,,
884520,Injected limb mobility decreased,23.10,Musculoskeletal
disorder,23.10,Neck pain,23.10,Pain,23.10,Pain in extremity,23.10
884521,Erythema,23.10,Headache,23.10,Local reaction,23.10,Pain,
23.10,Pyrexia,23.10
884521,Skin warm,23.10,Tenderness,23.10,,,,,
884522,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
884523,Analgesic drug level therapeutic,23.10,Blood magnesium normal,
23.10,Blood thyroid stimulating hormone normal,23.10,Consciousness
fluctuating,23.10,Drug screen negative,23.10
884523,Dyskinesia,23.10,Full blood count normal,23.10,Metabolic
function test normal,23.10,Psychogenic seizure,23.10,Thyroxine normal,
23.10
884523,Urine analysis normal,23.10,,,,,,,,,
884524,Dyspnoea,23.10,Vaccination complication,23.10,,,,,
884525,Asthenia,23.10,Chills,23.10,Dizziness,23.10,Headache,
23.10,Hypoaesthesia,23.10
884525,Palpitations,23.10,,,,,,,,,
884526,No adverse event,23.10,Wrong product administered,23.10,,,,,
884527,Chills,23.10,,,,,,,,,

884528,Bacterial test negative,23.10,Dyskinesia,
23.10,Electroencephalogram abnormal,23.10,Encephalopathy,23.10,Gaze
palsy,23.10
884528,Hypophagia,23.10,Irritability,23.10,Lumbar puncture,
23.10,Magnetic resonance imaging normal,23.10,Pyrexia,23.10
884528,Seizure like phenomena,23.10,Viral test,23.10,,,,,
884529,Rash,23.10,Rash erythematous,23.10,,,,,
884530,Nausea,23.10,Vomiting,23.10,,,,,
884531,Injection site pain,23.10,Injection site reaction,
23.10,Myalgia,23.10,,,,,
884532,Pain in extremity,23.10,Sleep disorder,23.10,,,,,
884533,Fatigue,23.10,Hyperaesthesia,23.10,Influenza like illness,
23.10,Malaise,23.10,Myalgia,23.10
884533,Pain,23.10,,,,,
884534,Headache,23.10,Injection site erythema,23.10,Injection site
induration,23.10,Injection site swelling,23.10,Malaise,23.10
884534,Pain,23.10,Pyrexia,23.10,,,,,
884535,Injection site reaction,23.10,Rash,23.10,Rash erythematous,
23.10,Rash pruritic,23.10,,
884536,Back pain,23.10,Dermatitis allergic,23.10,Headache,
23.10,Injection site pain,23.10,Malaise,23.10
884536,Pain in extremity,23.10,Rash,23.10,Rash macular,23.10,,,,,
884537,Immediate post-injection reaction,23.10,Pain,23.10,Pain in
extremity,23.10,Product administered at inappropriate site,23.10,,
884538,Discomfort,23.10,Headache,23.10,Injection site mass,23.10,Rash,
23.10,,
884539,Injection site reaction,23.10,Injection site swelling,
23.10,Rash erythematous,23.10,,,,,
884540,Balance disorder,23.10,Chills,23.10,Coordination abnormal,
23.10,Disorientation,23.10,Dizziness,23.10
884540,Fatigue,23.10,Muscular weakness,23.10,Nausea,23.10,Vomiting,
23.10,,
884541,Erythema,23.10,Feeling hot,23.10,,,,,
884542,Herpes zoster,23.10,,,,,
884543,Immediate post-injection reaction,23.10,Injection site
haemorrhage,23.10,Injection site pain,23.10,Injection site swelling,
23.10,,
884544,Eye swelling,23.10,Irritability,23.10,Pyrexia,23.10,,,,,
884545,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
884546,Chills,23.10,Injection site swelling,23.10,Pain,23.10,Pyrexia,
23.10,,
884547,Immediate post-injection reaction,23.10,Injection site
bruising,23.10,Injection site haemorrhage,23.10,Injection site
inflammation,23.10,Injection site swelling,23.10
884548,Blister,23.10,Facial pain,23.10,Headache,23.10,Herpes zoster,
23.10,Rash papular,23.10
884548,Scab,23.10,,,,,
884549,Cellulitis,23.10,Erythema,23.10,Peripheral swelling,23.10,,,,,
884550,Erythema,23.10,Oedema,23.10,Paraesthesia,23.10,Skin warm,

23.10,,
884551, Eye irritation, 23.10, Eyelid ptosis, 23.10, Hypoacusis,
23.10, Pharyngeal swelling, 23.10, Swollen tongue, 23.10
884551, Visual impairment, 23.10,,,,,,,
884552, Anaphylactic reaction, 23.10, Chest discomfort, 23.10, Dyspnoea,
23.10,,,,,
884553, Dyskinesia, 23.10, Loss of consciousness, 23.10, Muscle twitching,
23.10, Musculoskeletal stiffness, 23.10, Retching, 23.10
884553, Syncope, 23.10, Vision blurred, 23.10,,,,,,
884554, Rash, 23.10,,,,,,,
884555, Injection site swelling, 23.10,,,,,,,
884556, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Pyrexia, 23.10,,
884557, Abdominal discomfort, 23.10, Headache, 23.10, Lethargy,
23.10, Myalgia, 23.10, Pyrexia, 23.10
884557, Vaccination site pain, 23.10,,,,,,,
884558, Injection site erythema, 23.10, Injection site infection,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
884559, Chest pain, 23.10, Dyspnoea, 23.10,,,,,,
884560, Blood potassium, 23.10, Night sweats, 23.10, Palpitations,
23.10, Sleep disorder, 23.10,,
884561, Headache, 23.10, Pain, 23.10,,,,,,
884562, Axillary pain, 23.10, Chills, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Pain, 23.10
884562, Pyrexia, 23.10,,,,,,,
884563, Lymphadenopathy, 23.10, Pain in jaw, 23.10,,,,,,
884564, Sleep disorder, 23.10, Vaccination site bruising,
23.10, Vaccination site discolouration, 23.10, Vaccination site
discomfort, 23.10, Vaccination site mass, 23.10
884564, Vaccination site pain, 23.10, Vaccination site swelling,
23.10,,,,,,
884565, Eye swelling, 23.10, Lip swelling, 23.10, Pruritus, 23.10, Urticaria,
23.10,,
884566, Chills, 23.10, Pain, 23.10, Urticaria, 23.10,,,,,
884567, Body temperature, 23.10, Chills, 23.10, Dizziness, 23.10, Erythema,
23.10, Fatigue, 23.10
884567, Headache, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Nausea,
23.10, Pain, 23.10
884568, Bone pain, 23.10, Chills, 23.10, Fatigue, 23.10, Nasopharyngitis,
23.10, Pyrexia, 23.10
884569, Bone pain, 23.10, Chills, 23.10, Fatigue, 23.10, Nasopharyngitis,
23.10, Pyrexia, 23.10
884569, Vaccine positive rechallenge, 23.10,,,,,,,
884570, Influenza like illness, 23.10, Injection site pain, 23.10,,,,,,
884571, Urticaria, 23.10,,,,,,,
884572, Chills, 23.10, Fatigue, 23.10, Insomnia, 23.10, Pruritus,
23.10, Pyrexia, 23.10
884573, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10,,,,,,
884574, Unevaluable event, 23.10,,,,,,,
884575, Eye swelling, 23.10, Facial pain, 23.10, Headache, 23.10, Sleep

disorder,23.10,,
884576,Asthenia,23.10,Diarrhoea,23.10,Headache,23.10,Lethargy,
23.10,Myalgia,23.10
884576,Pyrexia,23.10,,,,,,,
884577,Dizziness,23.10,,,,,,,
884578,Cellulitis,23.10,Peripheral swelling,23.10,,,,,,
884579,Erythema,23.10,Hyperhidrosis,23.10,Malaise,23.10,Posture
abnormal,23.10,Tremor,23.10
884580,Dyspnoea,23.10,Eye pruritus,23.10,Fatigue,23.10,Ocular
hyperaemia,23.10,,
884581,Chest pain,23.10,Musculoskeletal chest pain,23.10,,,,,,
884582,Injection site pain,23.10,Pyrexia,23.10,Swelling,
23.10,Tenderness,23.10,,
884583,Loss of consciousness,23.10,Pallor,23.10,Posture abnormal,
23.10,,,,,
884584,Condition aggravated,23.10,Heart rate increased,
23.10,Hyperhidrosis,23.10,Hypertension,23.10,,
884585,Chest pain,23.10,Dizziness,23.10,Flushing,23.10,,,,,
884586,Pain in extremity,23.10,,,,,,,
884587,Pain in extremity,23.10,Product administered at inappropriate
site,23.10,Shoulder injury related to vaccine administration,23.10,,,,,
884588,Dyspnoea,23.10,Urticaria,23.10,,,,,,
884589,Asthenia,23.10,Chills,23.10,Fatigue,23.10,Influenza like
illness,23.10,Mobility decreased,23.10
884589,Pain,23.10,,,,,,,
884590,Product administered to patient of inappropriate age,
23.10,Rash,23.10,,,,,,
884591,Chills,23.10,Dizziness,23.10,Feeling abnormal,23.10,Feeling of
body temperature change,23.10,Sleep disorder,23.10
884591,Tremor,23.10,,,,,,,
884592,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Tenderness,23.10,,
884593,Erythema,23.10,Injection site pain,23.10,Peripheral swelling,
23.10,,,,,
884595,Injection site bruising,23.10,Injection site swelling,
23.10,,,,,,
884596,Asthenia,23.10,Dizziness,23.10,Syncope,23.10,,,,,
884597,Abdominal discomfort,23.10,Asthenia,23.10,Decreased appetite,
23.10,Diarrhoea,23.10,Dizziness,23.10
884597,Faeces discoloured,23.10,,,,,,,
884598,Dizziness,23.10,Injection site haemorrhage,23.10,Malaise,
23.10,Seizure,23.10,,
884599,Asthenia,23.10,Chest X-ray normal,23.10,Chills,23.10,Pyrexia,
23.10,SARS-CoV-2 test negative,23.10
884599,Streptococcus test negative,23.10,,,,,,,
884600,Arthralgia,23.10,Myalgia,23.10,,,,,,
884601,Decreased appetite,23.10,Malaise,23.10,Pain,23.10,Pyrexia,
23.10,,
884603,Cough,23.10,Eye pruritus,23.10,Headache,23.10,Injection site
pain,23.10,Lacrimation increased,23.10

884603,Ocular hyperaemia,23.10,Oropharyngeal pain,23.10,Productive cough,23.10,Sensation of foreign body,23.10,,
884604,Extra dose administered,23.10,,,,,,,
884605,Erythema,23.10,Skin ulcer,23.10,,,,,,
884606,Back pain,23.10,Feeling cold,23.10,Joint swelling,23.10,Mobility decreased,23.10,Peripheral swelling,23.10
884606,Swelling,23.10,Tremor,23.10,,,,,,
884607,Chills,23.10,Decreased appetite,23.10,Feeling hot,23.10,Headache,23.10,Impaired work ability,23.10
884607,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10,,,,,
884608,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,,
884609,Arthralgia,23.10,Back pain,23.10,Neck pain,23.10,Pain in extremity,23.10,,
884610,Dizziness,23.10,Fatigue,23.10,Grip strength decreased,23.10,Hyperhidrosis,23.10,Lethargy,23.10
884610,Pallor,23.10,Paraesthesia,23.10,Sensory disturbance,23.10,Somnolence,23.10,,
884611,Abdominal discomfort,23.10,Erythema,23.10,Fatigue,23.10,Flushing,23.10,Pain,23.10
884611,Pain in extremity,23.10,Peripheral swelling,23.10,Pyrexia,23.10,,,,,
884612,Arthralgia,23.10,Diarrhoea,23.10,,,,,,
884613,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,
884614,Localised infection,23.10,,,,,,,
884615,Fatigue,23.10,Injection site erythema,23.10,Injection site swelling,23.10,,,,,
884616,Injection site erythema,23.10,Injection site swelling,23.10,Pain in extremity,23.10,,,,,
884617,Malaise,23.10,Syncope,23.10,Vomiting,23.10,,,,,
884618,Adverse event,23.10,Death,23.10,,,,,,
884619,Dyspnoea,23.10,Hyperhidrosis,23.10,Nausea,23.10,Seizure,23.10,,
884620,Erythema,23.10,Pain in extremity,23.10,,,,,,
884621,Facial paralysis,23.10,Hypoaesthesia,23.10,Hypoaesthesia oral,23.10,,,,,
884622,Injection site erythema,23.10,Injection site streaking,23.10,Rash,23.10,Vaccination site warmth,23.10,,
884623,Abdominal pain upper,23.10,Abnormal faeces,23.10,Arthralgia,23.10,Decreased appetite,23.10,Diarrhoea,23.10
884623,Fatigue,23.10,Headache,23.10,Influenza like illness,23.10,Myalgia,23.10,Nausea,23.10
884623,Poor quality sleep,23.10,,,,,,,
884624,Hypersomnia,23.10,International normalised ratio normal,23.10,,,,,,
884625,Eyelid pain,23.10,Lip pain,23.10,,,,,,
884626,Headache,23.10,Nausea,23.10,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10
884627,Asthenia,23.10,Chest pain,23.10,Decreased appetite,23.10,Pain,23.10,,
884628,Asthenia,23.10,Cough,23.10,Decreased appetite,23.10,,,,,

884629, Body temperature increased, 23.10, Chills, 23.10, Diarrhoea, 23.10, Hyperhidrosis, 23.10, Tremor, 23.10
884629, Vomiting, 23.10, , , , , , , , ,
884630, Arthralgia, 23.10, Asthenia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Disturbance in attention, 23.10
884630, Erythema, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Headache, 23.10, Inflammation, 23.10
884630, Loss of personal independence in daily activities, 23.10, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10
884630, Pyrexia, 23.10, Sleep disorder, 23.10, Tremor, 23.10, , , , ,
884631, Arthralgia, 23.10, Chest discomfort, 23.10, Chills, 23.10, Headache, 23.10, Myalgia, 23.10
884631, Pyrexia, 23.10, Restless legs syndrome, 23.10, , , , , , , ,
884632, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
884632, Soft tissue disorder, 23.10, , , , , , , , ,
884633, Chest discomfort, 23.10, Fatigue, 23.10, Feeling of body temperature change, 23.10, Immediate post-injection reaction, 23.10, Influenza like illness, 23.10
884633, Injection site rash, 23.10, Pain, 23.10, Throat irritation, 23.10, Urticaria, 23.10, , ,
884634, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , , ,
884635, Headache, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Musculoskeletal stiffness, 23.10
884635, Myalgia, 23.10, Neck pain, 23.10, , , , , , , , ,
884636, Chills, 23.10, Headache, 23.10, Pyrexia, 23.10, Rash, 23.10, , ,
884637, Nasal mucosal ulcer, 23.10, Pyrexia, 23.10, , , , , , , , ,
884638, Cold sweat, 23.10, Diarrhoea, 23.10, Dizziness, 23.10, Fatigue, 23.10, Injection site pain, 23.10
884638, Myalgia, 23.10, Nausea, 23.10, Tinnitus, 23.10, , , , , , , , ,
884639, Back pain, 23.10, Dizziness, 23.10, Headache, 23.10, Nausea, 23.10, Neck pain, 23.10
884639, Pruritus, 23.10, Vomiting, 23.10, , , , , , , , ,
884640, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, , , , , , , , ,
884641, Axillary pain, 23.10, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Lymphadenopathy, 23.10
884641, Nausea, 23.10, Oedema peripheral, 23.10, Pyrexia, 23.10, , , , , , , , ,
884642, Feeling hot, 23.10, Hyperhidrosis, 23.10, Malaise, 23.10, , , , , , , , ,
884643, Urticaria, 23.10, , , , , , , , , , , , , ,
884644, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , , , , , ,
884645, Administration site swelling, 23.10, Injection site erythema, 23.10, Pain in extremity, 23.10, , , , , , , , ,
884646, Headache, 23.10, Nasopharyngitis, 23.10, Sneezing, 23.10, Somnolence, 23.10, , , , , , , , ,
884647, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , , , , , , , , ,
884648, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Oropharyngeal pain, 23.10, Pain, 23.10
884649, Pain, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Rash, 23.10, Rash

pruritic,23.10
884649,Rash vesicular,23.10,,,,,
884650,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
884651,Injection site pain,23.10,Pain,23.10,,,,,
884652,Injection site rash,23.10,Injection site warmth,23.10,Mass,
23.10,,,,,
884653,Blood pressure increased,23.10,Dizziness,23.10,,,,,
884654,Chills,23.10,Headache,23.10,Pain,23.10,,,,,
884655,Asthenia,23.10,Chills,23.10,Confusional state,23.10,Depression,
23.10,Disorientation,23.10
884655,Disturbance in attention,23.10,Fatigue,23.10,Headache,
23.10,Hyperventilation,23.10,Injection site pain,23.10
884655,Insomnia,23.10,Mobility decreased,23.10,Myalgia,23.10,Nausea,
23.10,Nightmare,23.10
884655,Pyrexia,23.10,,,,,
884656,Chills,23.10,Fatigue,23.10,Headache,23.10,Oropharyngeal
discomfort,23.10,Pain in extremity,23.10
884656,Peripheral swelling,23.10,Sinus pain,23.10,Skin warm,23.10,,,,,
884657,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
884658,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
884659,Cellulitis,23.10,Erythema,23.10,Hypersensitivity,23.10,Local
reaction,23.10,Malaise,23.10
884659,Pain in extremity,23.10,Peripheral swelling,23.10,Skin warm,
23.10,,,,,
884660,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site vesicles,23.10,Myalgia,23.10,,
884661,Compulsive lip biting,23.10,Eye pruritus,23.10,Facial
paralysis,23.10,Oral disorder,23.10,,
884662,Pain in extremity,23.10,,,,,
884663,Rash,23.10,,,,,
884664,Fatigue,23.10,Gait disturbance,23.10,Headache,23.10,Injection
site erythema,23.10,Pain in extremity,23.10
884664,Vaccination site swelling,23.10,,,,,
884665,Fatigue,23.10,,,,,
884666,Asthenia,23.10,Headache,23.10,Pain,23.10,Pyrexia,23.10,,
884667,Body temperature decreased,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10
884668,Peripheral swelling,23.10,,,,,
884669,Injection site bruising,23.10,Injection site discolouration,
23.10,,,,,
884670,Urticaria,23.10,,,,,
884671,Injection site erythema,23.10,Injection site pain,23.10,Pain,
23.10,Pyrexia,23.10,,
884672,Blood glucose increased,23.10,,,,,
884673,Injection site vesicles,23.10,Injection site warmth,23.10,,,,,
884674,Injection site erythema,23.10,Injection site induration,
23.10,Injection site paraesthesia,23.10,Injection site swelling,
23.10,,

884675, Chills, 23.10, Decreased appetite, 23.10, Hyperhidrosis, 23.10, Injection site erythema, 23.10, Injection site pruritus, 23.10
884675, Pyrexia, 23.10, Tremor, 23.10, , , , , ,
884676, Headache, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, Rash erythematous, 23.10
884676, Rash papular, 23.10, Rash pruritic, 23.10, , , , , ,
884677, Abdominal pain upper, 23.10, Headache, 23.10, , , , , ,
884678, Decreased appetite, 23.10, Fatigue, 23.10, Injection site swelling, 23.10, Nausea, 23.10, ,
884679, Injected limb mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
884680, Arthralgia, 23.10, , , , , , ,
884681, Erythema, 23.10, Fatigue, 23.10, Feeding disorder, 23.10, Headache, 23.10, Induration, 23.10
884681, Loss of personal independence in daily activities, 23.10, Nausea, 23.10, Pain, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10
884681, Skin warm, 23.10, , , , , , ,
884682, Abdominal discomfort, 23.10, Blood pressure normal, 23.10, Feeling cold, 23.10, , , , ,
884683, Contusion, 23.10, Erythema, 23.10, Injection site erythema, 23.10, Injection site vesicles, 23.10, ,
884684, Asthenia, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Headache, 23.10, Pyrexia, 23.10
884684, Vomiting, 23.10, , , , , , ,
884685, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10
884686, Arthralgia, 23.10, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Vomiting, 23.10
884687, Chills, 23.10, Dizziness, 23.10, Headache, 23.10, Pain in extremity, 23.10, ,
884688, Dizziness, 23.10, Headache, 23.10, Nausea, 23.10, Pyrexia, 23.10, Visual field defect, 23.10
884689, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
884690, Eye pruritus, 23.10, Periorbital swelling, 23.10, Pruritus, 23.10, Urticaria, 23.10, ,
884691, Chills, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Pain, 23.10, Pain in extremity, 23.10
884692, Diarrhoea, 23.10, Irritability, 23.10, Lethargy, 23.10, Pyrexia, 23.10, ,
884694, Unevaluable event, 23.10, , , , , , ,
884695, Herpes zoster, 23.10, , , , , , ,
884696, Blindness unilateral, 23.10, Ophthalmic herpes zoster, 23.10, Optic nerve injury, 23.10, , , , ,
884697, Expired product administered, 23.10, , , , , , ,
884698, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
884699, Exposure via skin contact, 23.10, Injection site extravasation, 23.10, , , , , ,
884700, Syncope, 23.10, , , , , , ,

884701, Lip pain, 23.10, Lip swelling, 23.10, Oral discomfort, 23.10, , , ,
884702, Cellulitis, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash
pruritic, 23.10, ,
884703, Pyrexia, 23.10, , , , , , , ,
884704, Febrile convulsion, 23.10, , , , , , , ,
884705, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
884706, Erythema, 23.10, Induration, 23.10, Pruritus, 23.10, Rash,
23.10, Swelling, 23.10
884707, Vomiting, 23.10, , , , , , , ,
884708, Arthralgia, 23.10, Injection site pain, 23.10, Joint range of
motion decreased, 23.10, Magnetic resonance imaging,
23.10, Musculoskeletal discomfort, 23.10
884708, Pain in extremity, 23.10, Periarthritis, 23.10, , , , , , ,
884709, Pain, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, Rash, 23.10, ,
884710, Asthenia, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
884711, Body temperature increased, 23.10, Chills, 23.10, Feeling cold,
23.10, Influenza virus test, 23.10, SARS-CoV-2 test, 23.10
884711, Streptococcus test, 23.10, , , , , , , ,
884712, Dyskinesia, 23.10, Eye movement disorder, 23.10, Hyperhidrosis,
23.10, Hypotonia, 23.10, Immediate post-injection reaction, 23.10
884712, Loss of consciousness, 23.10, Musculoskeletal stiffness,
23.10, Pallor, 23.10, Syncope, 23.10, ,
884713, Injection site discharge, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10
884713, Injection site warmth, 23.10, , , , , , , ,
884714, Hyperhidrosis, 23.10, Nausea, 23.10, Pallor, 23.10, Presyncope,
23.10, ,
884715, Injection site rash, 23.10, Rash, 23.10, , , , , , ,
884716, Immediate post-injection reaction, 23.10, Induration,
23.10, Swelling, 23.10, , , , ,
884717, Bone pain, 23.10, Hypoaesthesia, 23.10, Muscular weakness,
23.10, Neck pain, 23.10, Paraesthesia, 23.10
884718, Injection site cellulitis, 23.10, , , , , , , ,
884719, Pain, 23.10, Pyrexia, 23.10, , , , , , , ,
884720, Erythema, 23.10, Swelling, 23.10, Tenderness, 23.10, , , , ,
884721, Joint swelling, 23.10, Pruritus, 23.10, , , , , , , ,
884722, Lymph node pain, 23.10, Lymphadenopathy, 23.10, Swelling,
23.10, Tenderness, 23.10, ,
884723, Altered state of consciousness, 23.10, Dizziness, 23.10, Immediate
post-injection reaction, 23.10, Injection site pain, 23.10, ,
884724, Exfoliative rash, 23.10, Feeling jittery, 23.10, Periorbital
swelling, 23.10, Rash pruritic, 23.10, Rhinorrhoea, 23.10
884725, Exposure during pregnancy, 23.10, Varicella virus test negative,
23.10, Viral titre decreased, 23.10, , , , , , , ,
884726, Product storage error, 23.10, , , , , , , ,
884727, Chills, 23.10, Headache, 23.10, , , , , , , ,
884728, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , ,
884729, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
884730, Extra dose administered, 23.10, No adverse event, 23.10, Wrong

product administered,23.10,,,,,
884731,Expired product administered,23.10,No adverse event,23.10,,,,,,
884732,Incomplete course of vaccination,23.10,No adverse event,
23.10,,,,,,
884733,No adverse event,23.10,Product preparation error,23.10,Product
preparation issue,23.10,,,,,
884734,Depressed mood,23.10,Feeling abnormal,23.10,Poor quality sleep,
23.10,Product administered at inappropriate site,23.10,Wrong technique
in product usage process,23.10
884735,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
884736,Blood culture,23.10,Blood lactic acid increased,23.10,Blood
test,23.10,Chills,23.10,Computerised tomogram,23.10
884736,Electrocardiogram,23.10,Headache,23.10,Hypotension,
23.10,Myalgia,23.10,Nausea,23.10
884736,Pyrexia,23.10,SARS-CoV-2 test,23.10,Tachycardia,
23.10,Ultrasound scan,23.10,White blood cell count increased,23.10
884736,X-ray,23.10,,,,,,
884737,Blood test,23.10,Dyspnoea,23.10,Hypertension,23.10,Pyrexia,
23.10,SARS-CoV-2 test negative,23.10
884738,Injection site erythema,23.10,Injection site swelling,
23.10,Limb discomfort,23.10,Vaccination site warmth,23.10,,
884739,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
884740,Chest pain,23.10,Chills,23.10,Feeling cold,23.10,Influenza like
illness,23.10,Injected limb mobility decreased,23.10
884740,Injection site erythema,23.10,Injection site warmth,
23.10,Nausea,23.10,,,,,
884741,Injection site pain,23.10,,,,,,
884742,Body temperature increased,23.10,Injection site pain,
23.10,Injection site warmth,23.10,Lethargy,23.10,,
884743,Peripheral swelling,23.10,Pyrexia,23.10,Rash,23.10,,,,,
884761,Product storage error,23.10,,,,,,
884762,Product storage error,23.10,,,,,,
884763,Product storage error,23.10,,,,,,
884764,Product storage error,23.10,,,,,,
884765,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
884766,Mobility decreased,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,Pyrexia,23.10,Tenderness,23.10
884767,Product storage error,23.10,,,,,,
884768,Injection site mass,23.10,Injection site pain,23.10,,,,,
884769,Product storage error,23.10,,,,,,
884770,Product storage error,23.10,,,,,,
884771,Product storage error,23.10,,,,,,
884772,Extra dose administered,23.10,,,,,,
884773,Product storage error,23.10,,,,,,
884774,Expired product administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,,,
884775,Product storage error,23.10,,,,,,
884776,Herpes zoster,23.10,,,,,,

884777,Herpes zoster,23.10,,,,,,,,,
884778,Cerebrovascular accident,23.10,Herpes ophthalmic,23.10,Herpes
zoster,23.10,,,,,
884780,Cerebrovascular accident,23.10,,,,,,,,,
884781,Expired product administered,23.10,,,,,,,,,
884782,Herpes zoster,23.10,,,,,,,,,
884783,Herpes zoster,23.10,,,,,,,,,
884784,Herpes zoster,23.10,,,,,,,,,
884785,Product storage error,23.10,,,,,,,,,
884786,Expired product administered,23.10,No adverse event,23.10,,,,,
884787,Herpes zoster,23.10,,,,,,,,,
884788,Expired product administered,23.10,No adverse event,
23.10,Product storage error,23.10,,,,,
884789,Peripheral swelling,23.10,Rash,23.10,,,,,
884790,Product storage error,23.10,,,,,,,,,
884791,Concussion,23.10,Fall,23.10,Head injury,23.10,Syncope,23.10,,
884792,Pain in extremity,23.10,Tenderness,23.10,,,,,
884793,Pain,23.10,Rash macular,23.10,,,,,
884794,Abnormal behaviour,23.10,,,,,,,,,
884795,Hypersensitivity,23.10,,,,,,,,,
884796,Back pain,23.10,Ill-defined disorder,23.10,,,,,
884797,Back pain,23.10,,,,,,,,,
884798,Bedridden,23.10,Dizziness,23.10,Hypoaesthesia,23.10,Nausea,
23.10,Paraesthesia,23.10
884799,Injection site pain,23.10,,,,,,,,,
884800,Erythema,23.10,Limb mass,23.10,Swelling,23.10,,,,,
884801,Injection site pain,23.10,Injection site swelling,23.10,,,,,
884802,Erythema,23.10,Pain,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,Pruritus,23.10
884802,Pyrexia,23.10,,,,,,,,,
884803,Eye pain,23.10,Headache,23.10,Injection site joint pain,
23.10,Injection site pain,23.10,Pain of skin,23.10
884803,Sensitive skin,23.10,,,,,,,,,
884804,Extra dose administered,23.10,Headache,23.10,Injection site
pain,23.10,Pain,23.10,,
884805,Fatigue,23.10,Pyrexia,23.10,,,,,
884806,Rash,23.10,Rash pruritic,23.10,Rash vesicular,23.10,,,,,
884807,Pain in extremity,23.10,Pruritus,23.10,Urticaria,23.10,,,,,
884808,Chills,23.10,Full blood count normal,23.10,Headache,
23.10,Muscle twitching,23.10,Myopathy,23.10
884808,Paraesthesia,23.10,,,,,,,,,
884809,Injection site vesicles,23.10,Rash vesicular,23.10,,,,,
884810,Cheilitis,23.10,Dysphagia,23.10,Dyspnoea,23.10,Herpes zoster,
23.10,Injection site pain,23.10
884810,Lip swelling,23.10,Oral herpes,23.10,Swollen tongue,23.10,,,,,
884811,Influenza,23.10,Vaccination failure,23.10,,,,,
884812,Influenza like illness,23.10,Injection site pain,
23.10,Nervousness,23.10,Pain,23.10,Pain in extremity,23.10
884812,Sensitive skin,23.10,Tenderness,23.10,,,,,
884813,Paroxysmal nocturnal haemoglobinuria,23.10,,,,,,,,,

884814, Fatigue, 23.10, Influenza like illness, 23.10, Myalgia, 23.10, Pyrexia, 23.10,,
884815, Blister, 23.10, Blood pressure decreased, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10
884815, Malaise, 23.10, Myalgia, 23.10, Pain, 23.10,,,,
884816, Blister, 23.10, Immediate post-injection reaction, 23.10, Oral herpes, 23.10,,,,
884817, Fatigue, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10, Myalgia, 23.10, Pain in extremity, 23.10
884818, Injection site erythema, 23.10, Muscular weakness, 23.10,,,,,
884819, Lymphadenopathy, 23.10,,,,,
884820, Herpes zoster, 23.10, Rash, 23.10, Tinea cruris, 23.10,,,,
884821, Urticaria, 23.10,,,,,
884822, Incomplete course of vaccination, 23.10, Pain in extremity, 23.10,,,,,
884823, Chemotherapy, 23.10, Prostate cancer, 23.10,,,,,
884824, Injection site pain, 23.10, Malaise, 23.10,,,,,
884825, Rash, 23.10, Rash vesicular, 23.10,,,,,
884826, Herpes zoster, 23.10, Vaccination failure, 23.10,,,,,
884827, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
884828, No adverse event, 23.10, Product storage error, 23.10,,,,,
884829, No adverse event, 23.10, Product storage error, 23.10,,,,,
884830, Expired product administered, 23.10, No adverse event, 23.10,,,,,
884831, Expired product administered, 23.10, No adverse event, 23.10,,,,,
884832, Exposure via skin contact, 23.10, No adverse event, 23.10, Underdose, 23.10,,,,,
884833, Exposure via skin contact, 23.10, Injection site extravasation, 23.10, No adverse event, 23.10, Underdose, 23.10,,
884834, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
884835, Expired product administered, 23.10, No adverse event, 23.10, Wrong product administered, 23.10,,,,,
884836, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10,,,,,
884837, Anaphylactic reaction, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Hypertension, 23.10, Palpitations, 23.10
884838, Expired product administered, 23.10, No adverse event, 23.10,,,,,
884839, Arthralgia, 23.10, Blood pressure increased, 23.10, Burning sensation, 23.10, Malaise, 23.10, Noninfective encephalitis, 23.10
884839, Pain, 23.10,,,,,
884840, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
884841, Exposure via skin contact, 23.10, Injection site extravasation, 23.10, Muscle tightness, 23.10, No adverse event, 23.10,,
884842, Food allergy, 23.10, Rash, 23.10,,,,,
884843, Cough, 23.10, Diarrhoea, 23.10, Erythema, 23.10, Fatigue, 23.10, Myalgia, 23.10
884843, Peripheral swelling, 23.10, Respiratory tract congestion, 23.10,,,,,
23.10,,,,,

884844,Swelling of eyelid,23.10,,,,,
884845,Injection site rash,23.10,Rash erythematous,23.10,Rash papular,
23.10,,,,
884846,Back pain,23.10,Immediate post-injection reaction,
23.10,Injection site pain,23.10,Mobility decreased,23.10,Pain in
extremity,23.10
884847,Pain of skin,23.10,Swelling face,23.10,,,,,
884848,Rash,23.10,,,,,
884849,Unevaluable event,23.10,,,,,
884850,Injection site swelling,23.10,,,,,
884851,Headache,23.10,Nausea,23.10,,,,,
884852,Eye movement disorder,23.10,Syncope,23.10,Tremor,23.10,,,,
884853,Body temperature increased,23.10,Chills,23.10,,,,,
884854,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
884855,Headache,23.10,Injection site reaction,23.10,Musculoskeletal
stiffness,23.10,Myalgia,23.10,Pyrexia,23.10
884855,Rash erythematous,23.10,,,,,
884856,Eye discharge,23.10,Eye irritation,23.10,Eye swelling,
23.10,Fatigue,23.10,Fluorescence angiogram,23.10
884856,Influenza like illness,23.10,Ocular hyperaemia,23.10,Pain,
23.10,Ulcer,23.10,,
884857,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,
884858,Eye swelling,23.10,Lip swelling,23.10,Rash,23.10,,,,
884859,Back pain,23.10,Muscle spasms,23.10,,,,,
884860,Chest discomfort,23.10,Dyspnoea,23.10,Erythema,23.10,Fatigue,
23.10,Injection site erythema,23.10
884860,Injection site inflammation,23.10,Injection site pain,
23.10,Pain,23.10,Swelling,23.10,,
884861,Injection site erythema,23.10,Injection site swelling,
23.10,Pain,23.10,Pyrexia,23.10,,
884862,Erythema,23.10,Immediate post-injection reaction,23.10,Limb
mass,23.10,Paraesthesia,23.10,Tenderness,23.10
884863,Computerised tomogram normal,23.10,Laboratory test normal,
23.10,Petit mal epilepsy,23.10,,,,
884864,Dizziness,23.10,Influenza like illness,23.10,Nausea,23.10,,,,
884865,Lethargy,23.10,Pyrexia,23.10,Viral test,23.10,,,,
884866,Injection site pain,23.10,Injection site swelling,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10,Swelling face,23.10
884867,Dyspnoea,23.10,Loss of personal independence in daily
activities,23.10,Weight increased,23.10,,,,
884868,Erythema,23.10,Inflammation,23.10,Swelling,23.10,,,,
884869,Balance disorder,23.10,Confusional state,23.10,Dehydration,
23.10,Diarrhoea,23.10,,
884870,Dizziness,23.10,Fatigue,23.10,Malaise,23.10,Urticaria,23.10,,
884871,Abdominal discomfort,23.10,Eye swelling,23.10,Lip swelling,
23.10,Swelling face,23.10,Vomiting,23.10
884872,Urticaria,23.10,,,,,

884873, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10
884873, Musculoskeletal stiffness, 23.10, Myalgia, 23.10, Pyrexia, 23.10, Skin warm, 23.10,,
884874, Disorientation, 23.10, Fall, 23.10,,,,,
884875, Oral herpes, 23.10, Pruritus, 23.10,,,,,
884876, Incision site rash, 23.10, Injection site pain, 23.10, Neck pain, 23.10, Pain, 23.10, Rash, 23.10
884877, Pruritus, 23.10, Rash erythematous, 23.10, Tenderness, 23.10,,,,
884878, Ear pruritus, 23.10, Feeling hot, 23.10, Lip pruritus, 23.10, Lip swelling, 23.10, Pruritus, 23.10
884879, Rash erythematous, 23.10, Rash maculo-papular, 23.10,,,,,
884880, Erythema, 23.10, Skin warm, 23.10, Urticaria, 23.10,,,,
884881, Confusional state, 23.10, Decreased activity, 23.10, Dysstasia, 23.10, Injection site pain, 23.10, Pain, 23.10
884881, Pyrexia, 23.10, Reading disorder, 23.10,,,,,
884882, Injection site erythema, 23.10, Injection site oedema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Skin abrasion, 23.10
884883, Injection site discomfort, 23.10, Injection site pain, 23.10,,,,,
884884, Diarrhoea, 23.10, Vomiting, 23.10,,,,,
884885, Arthralgia, 23.10, Myalgia, 23.10, Pain in extremity, 23.10,,,,
884886, Computerised tomogram normal, 23.10, Headache, 23.10, Neurological examination normal, 23.10,,,,
884887, Rash, 23.10, Urticaria, 23.10,,,,,
884888, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, Vaccine positive rechallenge, 23.10, Vomiting, 23.10
884889, Contusion, 23.10, Dry skin, 23.10, Injection site pain, 23.10,,,,
884890, Herpes zoster, 23.10,,,,,
884891, Arthralgia, 23.10, Burning sensation, 23.10, Laboratory test abnormal, 23.10, Malaise, 23.10, Platelet count decreased, 23.10
884891, Vomiting, 23.10, White blood cell count decreased, 23.10,,,,,
884892, Blood test, 23.10, Computerised tomogram, 23.10, Facial paralysis, 23.10, Ocular hyperaemia, 23.10,,
884893, Loss of consciousness, 23.10, Malaise, 23.10,,,,,
884894, Hypoacusis, 23.10,,,,,
884895, Erythema, 23.10,,,,,
884896, Cellulitis, 23.10, Product administered at inappropriate site, 23.10,,,,,
884897, Anxiety, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Hypersensitivity, 23.10, Hyperventilation, 23.10
884897, Hypotension, 23.10, Injection site pain, 23.10, Injection site vesicles, 23.10, Rash, 23.10, Urticaria, 23.10
884898, Arthralgia, 23.10, Joint effusion, 23.10, Joint range of motion decreased, 23.10, Pain, 23.10, Tendonitis, 23.10
884898, X-ray limb abnormal, 23.10,,,,,
884899, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10,,,,
884900, Head injury, 23.10, Syncope, 23.10,,,,,
884901, Erythema, 23.10, Urticaria, 23.10,,,,,

884902, Chills, 23.10, Headache, 23.10, SARS-CoV-2 test negative, 23.10, Tremor, 23.10,,
884903, Erythema, 23.10, Urticaria, 23.10,,,,,
884904, Influenza like illness, 23.10, Injection site rash, 23.10, Pyrexia, 23.10,,,,,
884905, Asthenia, 23.10, Loss of consciousness, 23.10, Pyrexia, 23.10,,,,,
884906, Mobility decreased, 23.10, Pain, 23.10,,,,,
884907, Immediate post-injection reaction, 23.10, Injection site discolouration, 23.10, Injection site haemorrhage, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10
884907, Injection site swelling, 23.10, Urticaria, 23.10,,,,,
884908, Abdominal pain, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10,,
884909, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10,,,,,
884910, Syncope, 23.10, Vaccine positive rechallenge, 23.10,,,,,
884911, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Ultrasound scan normal, 23.10
884912, Urticaria, 23.10,,,,,
884913, Injection site induration, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10,,,,,
884914, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Paraesthesia, 23.10,,,,,
884915, Erythema, 23.10, Peripheral swelling, 23.10,,,,,
884916, Loss of consciousness, 23.10, Road traffic accident, 23.10,,,,,
884917, Ocular hyperaemia, 23.10, Rash, 23.10,,,,,
884918, Erythema, 23.10, Herpes zoster, 23.10, Injection site irritation, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
884918, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin disorder, 23.10, Skin warm, 23.10,,
884919, Injection site erythema, 23.10,,,,,
884920, Chest discomfort, 23.10,,,,,
884921, Rash, 23.10, Urticaria, 23.10,,,,,
884922, Erythema, 23.10, Malaise, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, Rash macular, 23.10
884923, Arthralgia, 23.10, Mobility decreased, 23.10,,,,,
884924, Headache, 23.10, Hyperhidrosis, 23.10, Insomnia, 23.10, Tachycardia, 23.10,,
884925, Dizziness, 23.10, Immediate post-injection reaction, 23.10,,,,,
884926, Eye pruritus, 23.10, Injection site pruritus, 23.10,,,,,
884927, Feeling hot, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pain, 23.10
884928, Arthralgia, 23.10, Body temperature increased, 23.10, Headache, 23.10, Myalgia, 23.10, Pain in extremity, 23.10
884929, Influenza like illness, 23.10, Pain, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10,,
884930, Injection site swelling, 23.10,,,,,
884931, Erythema, 23.10, Facial pain, 23.10, Herpes zoster, 23.10,,,,,
884932, Burning sensation, 23.10, Injection site warmth, 23.10, Pain in extremity, 23.10, Swelling, 23.10,,

884933,Back pain,23.10,Chest pain,23.10,,,,,
884934,Administration site erythema,23.10,Dyspnoea,23.10,Injection
site pain,23.10,Pain,23.10,,
884935,Immediate post-injection reaction,23.10,Injection site
haemorrhage,23.10,Injection site swelling,23.10,,,,,
884936,Pain,23.10,Pain in extremity,23.10,Pruritus,23.10,Skin warm,
23.10,Urticaria,23.10
884937,Arthralgia,23.10,Injected limb mobility decreased,
23.10,Injection site pain,23.10,Joint range of motion decreased,
23.10,Loss of personal independence in daily activities,23.10
884938,Rash,23.10,,,,,
884939,Blister,23.10,Pain in extremity,23.10,,,,,
884940,Body temperature increased,23.10,Chills,23.10,Decreased
appetite,23.10,Fatigue,23.10,Headache,23.10
884940,Hyperhidrosis,23.10,Injection site pain,23.10,Injection site
reaction,23.10,Injection site warmth,23.10,Mobility decreased,23.10
884940,Nausea,23.10,Pain,23.10,Rash erythematous,23.10,,,,,
884941,Back pain,23.10,Dizziness,23.10,Ear pain,23.10,Headache,
23.10,Insomnia,23.10
884941,Nausea,23.10,Pain,23.10,Pyrexia,23.10,,,,,
884942,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
884943,Febrile convulsion,23.10,,,,,
884945,Erythema,23.10,Injection site erythema,23.10,Injection site
warmth,23.10,Skin warm,23.10,,
884946,Back pain,23.10,Dizziness,23.10,Feeling abnormal,23.10,Flank
pain,23.10,Grip strength decreased,23.10
884946,Headache,23.10,Malaise,23.10,Musculoskeletal discomfort,
23.10,,,,,
884947,Pruritus,23.10,Swelling,23.10,Tenderness,23.10,,,,,
884948,Pain,23.10,Pyrexia,23.10,Swelling,23.10,,,,,
884949,Arthralgia,23.10,Injection site erythema,23.10,Injection site
induration,23.10,Injection site swelling,23.10,Injection site warmth,
23.10
884949,Myalgia,23.10,,,,,
884950,Chills,23.10,Cyanosis,23.10,Irritability,23.10,Nasal
congestion,23.10,Pyrexia,23.10
884950,SARS-CoV-2 test negative,23.10,,,,,
884951,Body temperature increased,23.10,Chest discomfort,23.10,Cough,
23.10,Decreased appetite,23.10,Dizziness,23.10
884951,Drug withdrawal headache,23.10,Dysphonia,23.10,Impaired work
ability,23.10,Injection site pain,23.10,Malaise,23.10
884951,Nasal congestion,23.10,Nausea,23.10,Pain,23.10,Rhinorrhoea,
23.10,,
884952,Unevaluable event,23.10,,,,,
884953,Back pain,23.10,Injection site pain,23.10,Movement disorder,
23.10,,,,,
884973,Inappropriate schedule of product administration,23.10,,,,,
884974,Product storage error,23.10,,,,,
884975,Expired product administered,23.10,,,,,

884976,Incorrect dose administered,23.10,Needle issue,23.10,Poor quality device used,23.10,Syringe issue,23.10,,
884977,No adverse event,23.10,Product storage error,23.10,,,,,
884978,Herpes zoster,23.10,Varicella,23.10,,,,,
884979,Herpes zoster,23.10,,,,,
884980,Product storage error,23.10,,,,,
884981,Herpes zoster,23.10,,,,,
884982,Facial paralysis,23.10,,,,,
884983,Chronic inflammatory demyelinating polyradiculoneuropathy, 23.10,,,,,
884984,Product storage error,23.10,,,,,
884985,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
884986,Herpes zoster,23.10,,,,,
884987,Herpes zoster,23.10,,,,,
884988,Facial paralysis,23.10,,,,,
884989,Inappropriate schedule of product administration,23.10,Wrong product administered,23.10,,,,,
884990,Expired product administered,23.10,,,,,
884991,Extra dose administered,23.10,No adverse event,23.10,,,,,
884992,Incomplete course of vaccination,23.10,No adverse event, 23.10,,,,,
884993,Herpes zoster,23.10,Oral herpes,23.10,,,,,
884994,Product storage error,23.10,,,,,
884995,Product storage error,23.10,,,,,
884996,Neuralgia,23.10,,,,,
884997,Exposure during pregnancy,23.10,Injection site bruising, 23.10,,,,,
884998,Peripheral swelling,23.10,,,,,
885000,No adverse event,23.10,Product preparation issue,23.10,,,,,
885001,Injection site mass,23.10,Injection site warmth,23.10,,,,,
885002,Extra dose administered,23.10,,,,,
885003,Injection site discharge,23.10,Injection site haemorrhage, 23.10,,,,,
885005,Expired product administered,23.10,No adverse event,23.10,,,,,
885006,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
885007,Expired product administered,23.10,No adverse event,23.10,,,,,
885008,Expired product administered,23.10,No adverse event,23.10,,,,,
885009,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
885010,Adverse reaction,23.10,,,,,
885011,No adverse event,23.10,Wrong product administered,23.10,,,,,
885012,Influenza,23.10,,,,,
885013,No adverse event,23.10,Product storage error,23.10,,,,,
885014,No adverse event,23.10,Product storage error,23.10,,,,,
885015,No adverse event,23.10,Product storage error,23.10,,,,,
885016,Immediate post-injection reaction,23.10,Injected limb mobility decreased,23.10,Injection site mass,23.10,Injection site pain, 23.10,Pain,23.10

885017, Pruritus, 23.10, Rash macular, 23.10, , , , , , ,
885018, Injection site bruising, 23.10, Injection site erythema,
23.10, Injection site inflammation, 23.10, Injection site pain,
23.10, Neuralgia, 23.10
885018, Scar, 23.10, , , , , , , ,
885019, Musculoskeletal disorder, 23.10, Pain in extremity, 23.10, , , , , , ,
885020, Fall, 23.10, Loss of consciousness, 23.10, Nausea, 23.10, , , , ,
885021, Injected limb mobility decreased, 23.10, Injection site erythema,
23.10, Pain in extremity, 23.10, Pyrexia, 23.10, ,
885022, Headache, 23.10, Injection site pain, 23.10, Pain, 23.10, Pain in
extremity, 23.10, Tenderness, 23.10
885023, Fatigue, 23.10, Headache, 23.10, Lip swelling, 23.10, Pyrexia,
23.10, Rash, 23.10
885023, Rash macular, 23.10, Swelling face, 23.10, , , , , , ,
885024, Rash, 23.10, Rash vesicular, 23.10, , , , , , ,
885030, Expired product administered, 23.10, , , , , , , ,
885031, Inappropriate schedule of product administration, 23.10, , , , , , , ,
885032, Cardiac function test, 23.10, Chest discomfort, 23.10, Chest pain,
23.10, Dyspnoea, 23.10, Electrocardiogram, 23.10
885032, Erythema, 23.10, Malaise, 23.10, , , , , , ,
885033, Product storage error, 23.10, , , , , , , ,
885034, Injection site reaction, 23.10, , , , , , , ,
885035, Extra dose administered, 23.10, No adverse event, 23.10, Product
administered to patient of inappropriate age, 23.10, , , , ,
885036, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
885037, Extra dose administered, 23.10, No adverse event, 23.10, Product
administered to patient of inappropriate age, 23.10, , , , ,
885039, Pain, 23.10, , , , , , , ,
885040, Fatigue, 23.10, Nausea, 23.10, , , , , , ,
885041, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site swelling, 23.10, Pain, 23.10, Pyrexia, 23.10
885042, Contusion, 23.10, Injection site swelling, 23.10, Neck pain,
23.10, , , , ,
885043, Asthenia, 23.10, Fatigue, 23.10, Injection site pain, 23.10, Nausea,
23.10, Sleep disorder, 23.10
885044, Dizziness, 23.10, Nausea, 23.10, Palpitations, 23.10, , , , ,
885045, Fatigue, 23.10, Feeling abnormal, 23.10, Rash, 23.10, Rash pruritic,
23.10, ,
885046, Adverse drug reaction, 23.10, Blood test normal,
23.10, Computerised tomogram normal, 23.10, Electrocardiogram normal,
23.10, Hypoaesthesia, 23.10
885046, Injection site hypoaesthesia, 23.10, Injection site paraesthesia,
23.10, Paraesthesia, 23.10, Urine analysis normal, 23.10, , ,
885047, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site warmth, 23.10, , , , , ,
885048, Erythema, 23.10, Swelling, 23.10, , , , , , ,
885049, Allergy test, 23.10, Injection site pain, 23.10, Injection site
reaction, 23.10, Injection site warmth, 23.10, Pain in extremity, 23.10
885049, Urticaria, 23.10, , , , , , , ,
885050, Injection site pain, 23.10, , , , , , , ,

885051,Injection site discharge,23.10,Injection site rash,
23.10,Injection site vesicles,23.10,,,,,
885052,Loss of consciousness,23.10,,,,,,
885053,Chills,23.10,Fatigue,23.10,Injection site pain,23.10,Myalgia,
23.10,Tenderness,23.10
885054,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
885055,Mobility decreased,23.10,Pain in extremity,23.10,Rash,23.10,,,,,
885056,Product administered to patient of inappropriate age,
23.10,,,,,,
885057,Urticaria,23.10,,,,,,
885058,Underdose,23.10,,,,,,
885059,Erythema,23.10,Pain,23.10,Swelling,23.10,,,,,
885060,Exposure during pregnancy,23.10,Feeling abnormal,
23.10,Inflammation,23.10,Injection site pain,23.10,Limb discomfort,
23.10
885060,Loss of personal independence in daily activities,23.10,Muscle
tightness,23.10,Myofascial pain syndrome,23.10,Pain,23.10,Pain in
extremity,23.10
885060,Product administered at inappropriate site,23.10,Radiculopathy,
23.10,Sleep disorder,23.10,,,,,
885061,Injection site erythema,23.10,Migraine,23.10,Neurological
examination normal,23.10,Vaccination site pain,23.10,Vaccination site
swelling,23.10
885062,Injection site reaction,23.10,,,,,,
885063,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site reaction,23.10,Rash erythematous,23.10,,
885064,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
885065,Urticaria,23.10,,,,,,
885066,Gait inability,23.10,Malaise,23.10,,,,,
885067,Loss of consciousness,23.10,Syncope,23.10,,,,,
885068,Erythema,23.10,Pyrexia,23.10,Skin warm,23.10,,,,,
885069,Limb injury,23.10,Mobility decreased,23.10,,,,,
885070,Blood pressure increased,23.10,Laboratory test,23.10,Lip
swelling,23.10,Paraesthesia oral,23.10,Urticaria,23.10
885071,Contusion,23.10,Injection site nodule,23.10,Pain in extremity,
23.10,,,,,
885072,Pharyngeal swelling,23.10,,,,,,
885073,Injection site pain,23.10,,,,,,
885074,Injection site erythema,23.10,Vaccination site swelling,
23.10,Vaccination site vesicles,23.10,,,,,
885075,Herpes zoster,23.10,,,,,,
885076,Asthenia,23.10,Chest discomfort,23.10,,,,,
885077,Gait inability,23.10,Swelling,23.10,Weight bearing difficulty,
23.10,,,,,
885078,Pruritus,23.10,Rash,23.10,Scab,23.10,Skin lesion,23.10,,
885079,Dizziness,23.10,,,,,,
885080,Asthenia,23.10,Chest discomfort,23.10,Feeling abnormal,
23.10,Influenza like illness,23.10,Pruritus,23.10
885080,Rash,23.10,,,,,,

885081, Syncope, 23.10, , , , , , , , ,
885093, Product storage error, 23.10, , , , , , , , ,
885094, No adverse event, 23.10, Product storage error, 23.10, , , , , , , , ,
885095, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
885096, Product storage error, 23.10, , , , , , , , ,
885097, Death, 23.10, Pneumonia, 23.10, , , , , , , , ,
885098, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , , , , , ,
885099, Escherichia infection, 23.10, Escherichia test positive,
23.10, , , , , , , , ,
885100, Apgar score normal, 23.10, Foetal exposure during pregnancy,
23.10, Low birth weight baby, 23.10, Premature baby, 23.10, Twin pregnancy,
23.10
885101, Apgar score normal, 23.10, Foetal exposure during pregnancy,
23.10, Low birth weight baby, 23.10, Premature baby, 23.10, Twin pregnancy,
23.10
885102, Headache, 23.10, Nausea, 23.10, Pain in extremity, 23.10, , , , , , , , ,
885103, Urticaria, 23.10, , , , , , , , ,
885104, Injection site induration, 23.10, Injection site swelling,
23.10, , , , , , , , ,
885105, Discomfort, 23.10, Injection site pain, 23.10, Pain, 23.10, Sleep
disorder, 23.10, , , , , , , , ,
885106, Unevaluable event, 23.10, , , , , , , , ,
885107, Abdominal pain, 23.10, Angiogram, 23.10, Colonoscopy,
23.10, Endoscopy, 23.10, Feeding disorder, 23.10
885107, Food intolerance, 23.10, Gastrointestinal disorder,
23.10, Immediate post-injection reaction, 23.10, Insomnia, 23.10, Irritable
bowel syndrome, 23.10
885107, Magnetic resonance cholangiopancreatography, 23.10, Pancreatitis
chronic, 23.10, Vaccine positive rechallenge, 23.10, , , , , , , , ,
885108, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site warmth, 23.10, Nausea, 23.10, Vomiting, 23.10
885109, Biopsy skin abnormal, 23.10, Granuloma annulare, 23.10, Rash,
23.10, , , , , , , , ,
885110, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , , , ,
885111, Injection site swelling, 23.10, , , , , , , , ,
885112, Pruritus, 23.10, Rash, 23.10, Rash papular, 23.10, , , , , , , , ,
885113, Vaccination site mass, 23.10, , , , , , , , ,
885114, Chills, 23.10, Hypoaesthesia, 23.10, , , , , , , , ,
885115, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, , , , , , , , ,
885116, Asthenia, 23.10, Confusional state, 23.10, Gait inability,
23.10, Peripheral swelling, 23.10, Rash, 23.10
885117, Concussion, 23.10, Syncope, 23.10, , , , , , , , ,
885118, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, , , , , , , , ,
885119, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , , , , , ,
885120, Pyrexia, 23.10, Skin warm, 23.10, Urticaria, 23.10, , , , , , , , ,
885121, Injection site pruritus, 23.10, Injection site swelling,
23.10, , , , , , , , ,
885122, Syncope, 23.10, , , , , , , , ,

885123, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,
885124, Gait disturbance, 23.10, Hypoaesthesia, 23.10, Musculoskeletal
pain, 23.10, Myalgia, 23.10, Pain in extremity, 23.10
885125, Pain in extremity, 23.10, , , , , , , ,
885126, Cellulitis, 23.10, , , , , , , ,
885127, Bursitis, 23.10, Injected limb mobility decreased, 23.10, Pain in
extremity, 23.10, Vaccination complication, 23.10, ,
885128, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
885129, Back pain, 23.10, Blood test normal, 23.10, Eating disorder,
23.10, Facial paralysis, 23.10, Guillain-Barre syndrome, 23.10
885129, Hypoaesthesia, 23.10, Magnetic resonance imaging abnormal,
23.10, Neck pain, 23.10, Paraesthesia, 23.10, Sleep disorder, 23.10
885129, Speech disorder, 23.10, Weight bearing difficulty, 23.10, , , , , , ,
885130, Urticaria, 23.10, , , , , , , ,
885131, Abdominal pain upper, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
885132, Full blood count abnormal, 23.10, Injection site erythema,
23.10, Injection site induration, 23.10, Injection site streaking, 23.10, ,
885133, Hypokinesia, 23.10, Injection site pain, 23.10, Product
administered at inappropriate site, 23.10, , , , ,
885134, Injection site bruising, 23.10, Injection site haemorrhage,
23.10, Injection site swelling, 23.10, , , , , ,
885135, Headache, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10, , ,
885136, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Pain, 23.10, , , , , ,
885137, Arthralgia, 23.10, Shoulder injury related to vaccine
administration, 23.10, Wrong technique in product usage process,
23.10, , , , , ,
885138, Axillary mass, 23.10, Pain in extremity, 23.10, Peripheral
swelling, 23.10, , , , , , ,
885139, Neuralgia, 23.10, Pain in extremity, 23.10, , , , , , , ,
885140, Blood pressure increased, 23.10, Injection site induration,
23.10, Injection site swelling, 23.10, , , , , ,
885141, Rash erythematous, 23.10, Rash macular, 23.10, , , , , , , ,
885144, Gingival bleeding, 23.10, Haemorrhage subcutaneous,
23.10, Injection site bruising, 23.10, Injection site pain,
23.10, Injection site reaction, 23.10
885144, International normalised ratio increased, 23.10, , , , , , , , ,
885146, Pain, 23.10, , , , , , , , ,
885147, Dyspnoea, 23.10, , , , , , , , ,
885148, Diarrhoea, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Nausea,
23.10, Vomiting, 23.10
885149, Arthritis, 23.10, Exposure during pregnancy, 23.10, Seizure,
23.10, , , , , ,
885150, Headache, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , ,
885151, Injection site erythema, 23.10, Injection site swelling,
23.10, Pyrexia, 23.10, , , , , , ,
885152, Seizure, 23.10, Vomiting, 23.10, , , , , , , , ,
885153, Feeling cold, 23.10, Musculoskeletal chest pain, 23.10, , , , , , , ,

885154,Injection site swelling,23.10,,,,,,,,,
885155,Chills,23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Injection site warmth,23.10
885155,Pain,23.10,Pyrexia,23.10,,,,,
885156,Pain in extremity,23.10,,,,,,,,,
885157,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
885158,Immediate post-injection reaction,23.10,Pallor,23.10,Syncope,
23.10,Vision blurred,23.10,,
885159,Blister,23.10,Dry skin,23.10,Herpes virus infection,
23.10,Injection site erythema,23.10,Injection site swelling,23.10
885159,Pain,23.10,Scab,23.10,Skin exfoliation,23.10,Skin haemorrhage,
23.10,,
885160,Arthralgia,23.10,Headache,23.10,Nausea,23.10,Tinnitus,23.10,,
885161,Varicella post vaccine,23.10,,,,,,,,,
885162,Eye pruritus,23.10,Headache,23.10,Pruritus,23.10,,,,,
885163,Abdominal discomfort,23.10,Gastroenteritis viral,23.10,,,,,,,,,
885164,Fatigue,23.10,Headache,23.10,Mobility decreased,23.10,Myalgia,
23.10,Pain,23.10
885164,Pain of skin,23.10,Pyrexia,23.10,Rash,23.10,,,,,
885171,Inappropriate schedule of product administration,23.10,,,,,,,,,
885172,Product storage error,23.10,,,,,,,,,
885173,Injection site pain,23.10,Myalgia,23.10,Pain in extremity,
23.10,,,,,
885174,No adverse event,23.10,Wrong product administered,23.10,,,,,,,,,
885175,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
885176,Product storage error,23.10,,,,,,,,,
885177,Injection site pain,23.10,Laboratory test,23.10,Pruritus,
23.10,Swelling of eyelid,23.10,,
885178,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
885179,Product administered to patient of inappropriate age,
23.10,,,,,,,,,
885180,Dizziness postural,23.10,Syncope,23.10,,,,,
885181,Varicella post vaccine,23.10,,,,,,,,,
885182,No adverse event,23.10,Wrong product administered,23.10,,,,,,,,,
885183,Product storage error,23.10,,,,,,,,,
885184,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
885185,No adverse event,23.10,Underdose,23.10,,,,,
885186,Product administered to patient of inappropriate age,
23.10,,,,,,,,,
885187,Product storage error,23.10,,,,,,,,,
885188,Vaccination site pain,23.10,,,,,,,,,
885190,Pertussis,23.10,Vaccination failure,23.10,,,,,
885191,Arthralgia,23.10,Blood test,23.10,Fibromyalgia,23.10,,,,,
885192,Fatigue,23.10,Injection site pain,23.10,,,,,
885193,Blister,23.10,Blister infected,23.10,Pruritus,23.10,Rash,
23.10,Rash follicular,23.10
885193,Scab,23.10,Varicella,23.10,,,,,
885194,Swelling face,23.10,,,,,,,,,

885195, No adverse event, 23.10, Syringe issue, 23.10, Underdose, 23.10, , , , ,
885196, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , ,
885197, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, Product administered to patient of inappropriate
age, 23.10, , , , , ,
885198, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , ,
885199, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
885200, Cough, 23.10, Eye swelling, 23.10, Headache, 23.10, Injection site
pain, 23.10, Lip swelling, 23.10
885200, Swelling face, 23.10, Throat tightness, 23.10, , , , , ,
885201, Lip swelling, 23.10, Malaise, 23.10, , , , , ,
885202, Rash, 23.10, , , , , , ,
885203, Abdominal rigidity, 23.10, Asthenia, 23.10, Balance disorder,
23.10, Decreased appetite, 23.10, Nocturia, 23.10
885203, Pain in extremity, 23.10, , , , , , ,
885204, Blood pressure increased, 23.10, Chills, 23.10, Dizziness,
23.10, Heart rate increased, 23.10, ,
885205, Heart rate increased, 23.10, Musculoskeletal chest pain,
23.10, Myalgia, 23.10, Nasopharyngitis, 23.10, Pyrexia, 23.10
885206, Injection site urticaria, 23.10, , , , , , ,
885207, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
885208, Impaired work ability, 23.10, Mobility decreased, 23.10, Neuralgia,
23.10, Pain, 23.10, Pain in extremity, 23.10
885208, Sleep disorder, 23.10, Weight bearing difficulty, 23.10, , , , , ,
885209, Injection site bruising, 23.10, , , , , , ,
885211, Product storage error, 23.10, , , , , , ,
885212, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
885213, Herpes zoster, 23.10, , , , , , ,
885215, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
885216, Dizziness, 23.10, Jaw fracture, 23.10, Loss of consciousness,
23.10, X-ray, 23.10, ,
885217, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, , , , ,
885218, Joint swelling, 23.10, Peripheral swelling, 23.10, , , , , ,
885219, Chills, 23.10, , , , , , ,
885220, Dizziness, 23.10, Dysstasia, 23.10, Headache, 23.10, , , , ,
885221, Chest pain, 23.10, Chills, 23.10, Headache, 23.10, Injection site
pain, 23.10, Nausea, 23.10
885221, Vomiting, 23.10, , , , , , ,
885222, Face injury, 23.10, Fall, 23.10, Loss of consciousness, 23.10, Skin
laceration, 23.10, Suture insertion, 23.10
885223, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10, , , , , , ,
885224, Product administered to patient of inappropriate age,
23.10, Wrong product administered, 23.10, , , , , , ,
885225, Injection site pain, 23.10, Joint swelling, 23.10, , , , , , ,
885226, Dizziness, 23.10, Head injury, 23.10, Loss of consciousness,
23.10, , , , ,

885227, Erythema, 23.10, Pain in extremity, 23.10, X-ray, 23.10, , , , ,
885228, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , ,
885229, Herpes zoster, 23.10, , , , , , , , , ,
885230, Injection site discomfort, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site reaction,
23.10, Injection site swelling, 23.10
885230, Injection site warmth, 23.10, Skin tightness, 23.10, , , , , , ,
885231, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Feeling cold,
23.10, Headache, 23.10
885232, Chills, 23.10, Erythema, 23.10, Eye irritation, 23.10, Malaise,
23.10, Migraine, 23.10
885232, Myalgia, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash macular,
23.10, , ,
885233, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Skin tightness, 23.10, Skin warm, 23.10
885234, Abdominal discomfort, 23.10, Cough, 23.10, Dyspnoea, 23.10, Erythema,
23.10, Fatigue, 23.10
885234, Nausea, 23.10, Swelling, 23.10, Throat tightness, 23.10, , , , ,
885235, Dizziness, 23.10, Echocardiogram abnormal, 23.10, Electrocardiogram
abnormal, 23.10, Electrocardiogram ambulatory abnormal, 23.10, Heart rate
irregular, 23.10
885235, Palpitations, 23.10, Ventricular extrasystoles, 23.10, , , , , , ,
885236, Chills, 23.10, Diarrhoea, 23.10, Headache, 23.10, Myalgia,
23.10, Nausea, 23.10
885236, Pyrexia, 23.10, , , , , , , , , ,
885242, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , , ,
885243, Incorrect route of product administration, 23.10, , , , , , , , , ,
885244, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , , ,
885245, Abdominal pain lower, 23.10, Chills, 23.10, Gastric dilatation,
23.10, Nausea, 23.10, Regurgitation, 23.10
885246, Atrial fibrillation, 23.10, Condition aggravated, 23.10, Heart rate
abnormal, 23.10, , , , ,
885247, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
885248, Injection site bruising, 23.10, Injection site induration,
23.10, , , , , , , , , ,
885249, Body temperature increased, 23.10, Erythema, 23.10, Limb mass,
23.10, Pain, 23.10, , ,
885250, Diarrhoea, 23.10, Headache, 23.10, Pyrexia, 23.10, , , , ,
885251, Chills, 23.10, Headache, 23.10, Heart rate increased,
23.10, Injection site erythema, 23.10, Injection site mass, 23.10
885251, Injection site pain, 23.10, Pyrexia, 23.10, Vertigo, 23.10, , , , ,
885252, Body temperature increased, 23.10, Swelling, 23.10, , , , , , ,
885253, Burning sensation, 23.10, Erythema, 23.10, Pain, 23.10, Swelling,
23.10, , ,
885254, Irritability, 23.10, Screaming, 23.10, , , , , , , , , ,
885255, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , , , , ,

885256, Arthralgia, 23.10, Erythema, 23.10, Malaise, 23.10, Pyrexia, 23.10,,
885257, Musculoskeletal disorder, 23.10, Pain in extremity, 23.10,,,,,
885258, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, Tenderness,
23.10,,
885259, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10,,,,,
885260, Injection site erythema, 23.10, Injection site swelling,
23.10,,,,,
885261, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Myalgia,
23.10, Oropharyngeal pain, 23.10
885261, SARS-CoV-2 test negative, 23.10,,,,,
885262, Chills, 23.10, Loss of personal independence in daily activities,
23.10, Pyrexia, 23.10,,,,,
885263, Arthralgia, 23.10, Chills, 23.10, Fatigue, 23.10, Flank pain,
23.10, Headache, 23.10
885263, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site reaction, 23.10, Injection site warmth,
23.10, Myalgia, 23.10
885263, Pain, 23.10, Paraesthesia, 23.10, Pyrexia, 23.10, Rash macular,
23.10,,
885265, Anosmia, 23.10,,,,,
885266, Wrong product administered, 23.10,,,,,
885267, Unevaluable event, 23.10,,,,,
885268, Computerised tomogram, 23.10, Condition aggravated, 23.10, Hip
fracture, 23.10, Injury, 23.10, Magnetic resonance imaging, 23.10
885268, Mobility decreased, 23.10, Musculoskeletal pain, 23.10, Pain in
extremity, 23.10, Stress fracture, 23.10, Walking aid user, 23.10
885268, X-ray, 23.10,,,,,
885269, Dyspnoea, 23.10, Lip swelling, 23.10, Urticaria, 23.10,,,,,
885270, Eye movement disorder, 23.10, Syncope, 23.10, Tremor, 23.10,,,,,
885271, Injection site erythema, 23.10, Injection site swelling,
23.10, Pyrexia, 23.10,,,,,
885272, Bursitis, 23.10, Magnetic resonance imaging abnormal, 23.10, Motor
dysfunction, 23.10, Tendon disorder, 23.10,,
885273, Fatigue, 23.10, Injection site erythema, 23.10, Injection site
induration, 23.10, Injection site pain, 23.10, Injection site swelling,
23.10
885274, Abnormal faeces, 23.10, Antibody test, 23.10, Decreased appetite,
23.10, Diarrhoea, 23.10, Frequent bowel movements, 23.10
885274, Irritability, 23.10, Parasitic test, 23.10, Pyrexia,
23.10, Somnolence, 23.10, Swelling face, 23.10
885274, Viral rash, 23.10,,,,,
885275, Nausea, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Vomiting,
23.10,,
885276, Cellulitis, 23.10, Inflammation, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10,,
885277, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10,,,,,
885278, Paraesthesia, 23.10, Pollakiuria, 23.10, Vaccine positive
rechallenge, 23.10,,,,,

885279, Crepitations, 23.10, Dry mouth, 23.10, Feeling cold, 23.10, Muscular weakness, 23.10,,
885280, Hyperhidrosis, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Malaise, 23.10, Pyrexia, 23.10
885280, Vomiting, 23.10,,,,,
885281, Administration site erythema, 23.10, Administration site swelling, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10,,
885282, Headache, 23.10, Nausea, 23.10,,,,,
885283, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Vomiting, 23.10
885284, Chest discomfort, 23.10, Cough, 23.10, Fatigue, 23.10, Hypersomnia, 23.10, No reaction on previous exposure to drug, 23.10
885284, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,,,
885285, Chills, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Malaise, 23.10, Pain in extremity, 23.10
885285, Pyrexia, 23.10, Sleep disorder, 23.10,,,,,
885286, Blood pressure decreased, 23.10, Eye movement disorder, 23.10, Feeling abnormal, 23.10, Seizure, 23.10,,
885287, Arthralgia, 23.10, Aspiration joint, 23.10, Bursitis, 23.10, Swelling, 23.10, Ultrasound scan, 23.10
885287, X-ray, 23.10,,,,,
885288, Injection site erythema, 23.10, Injection site inflammation, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10,,
885289, Cognitive disorder, 23.10, Fatigue, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site swelling, 23.10
885289, Injection site warmth, 23.10,,,,,
885290, Diarrhoea, 23.10, Vomiting, 23.10,,,,,
885291, Fatigue, 23.10, Gait disturbance, 23.10, Mobility decreased, 23.10, Somnolence, 23.10,,
885292, Chills, 23.10, Dizziness, 23.10, Headache, 23.10, Muscle spasms, 23.10, Nausea, 23.10
885293, Cellulitis, 23.10, Erythema, 23.10, Induration, 23.10, Pain in extremity, 23.10,,
885294, Fatigue, 23.10, Lethargy, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,
885295, Injection site pain, 23.10,,,,,
885296, Extra dose administered, 23.10,,,,,
885297, Injection site rash, 23.10, Pruritus, 23.10,,,,,
885300, Chills, 23.10, Dry mouth, 23.10, Headache, 23.10, Influenza like illness, 23.10, Nausea, 23.10
885300, Pyrexia, 23.10, Sleep disorder, 23.10,,,,,
885301, Injection site swelling, 23.10,,,,,
885303, Bowel movement irregularity, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Heart rate irregular, 23.10
885303, Hypersomnia, 23.10, Hypoaesthesia oral, 23.10, Immediate post-injection reaction, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
885303, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Insomnia, 23.10, Pain, 23.10

885303,Pain in extremity,23.10,Pyrexia,23.10,Swelling,23.10,Urticaria,
23.10,,
885304,Product packaging confusion,23.10,,,,,
885306,Arthralgia,23.10,Feeling of despair,23.10,Impaired work
ability,23.10,Injected limb mobility decreased,23.10,Myalgia,23.10
885306,Pyrexia,23.10,,,,,
885307,Discomfort,23.10,Fatigue,23.10,Headache,23.10,Injected limb
mobility decreased,23.10,Injection site erythema,23.10
885307,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Malaise,23.10,Nausea,23.10
885307,Pain,23.10,Pain in extremity,23.10,Poor quality sleep,
23.10,Pyrexia,23.10,Sleep disorder,23.10
885309,Asthenia,23.10,Injection site erythema,23.10,Injection site
pruritus,23.10,Injection site swelling,23.10,Injection site warmth,
23.10
885309,Nausea,23.10,Neuropathy peripheral,23.10,Pain,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10
885309,Pyrexia,23.10,,,,,
885310,Biopsy muscle abnormal,23.10,Dermatomyositis,
23.10,Electromyogram abnormal,23.10,,,,
885311,Periorbital swelling,23.10,Rash,23.10,,,,,
885313,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
885314,Headache,23.10,,,,,
885327,Product storage error,23.10,,,,,
885328,Product storage error,23.10,,,,,
885329,Product storage error,23.10,,,,,
885330,Inappropriate schedule of product administration,23.10,,,,,
885331,Product storage error,23.10,,,,,
885332,Product storage error,23.10,,,,,
885333,Product storage error,23.10,,,,,
885334,Herpes zoster,23.10,,,,,
885335,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
885336,Adverse reaction,23.10,,,,,
885337,Adenovirus test,23.10,Alanine aminotransferase increased,
23.10,Aspartate aminotransferase increased,23.10,Blood alkaline
phosphatase increased,23.10,Blood culture negative,23.10
885337,Chest X-ray normal,23.10,Chills,23.10,Clostridium test
negative,23.10,Colitis,23.10,Computerised tomogram abdomen abnormal,
23.10
885337,Computerised tomogram pelvis abnormal,23.10,Computerised
tomogram thorax normal,23.10,Culture stool negative,23.10,Culture
urine positive,23.10,Cytomegalovirus infection,23.10
885337,Cytomegalovirus test positive,23.10,Cytomegalovirus viraemia,
23.10,Decreased appetite,23.10,Diarrhoea,23.10,Diarrhoea haemorrhagic,
23.10
885337,Electrocardiogram normal,23.10,Epstein-Barr virus antibody
positive,23.10,Escherichia test positive,23.10,Gallbladder disorder,
23.10,Headache,23.10

885337, Hepatic function abnormal, 23.10, Hepatitis A virus test, 23.10, Hepatitis B test negative, 23.10, Hepatitis C test negative, 23.10, Hepatitis viral test negative, 23.10
885337, Lethargy, 23.10, Leukopenia, 23.10, Liver function test abnormal, 23.10, Lymphocyte count decreased, 23.10, Myalgia, 23.10
885337, Nausea, 23.10, Neutrophil count decreased, 23.10, Night sweats, 23.10, Parasite stool test negative, 23.10, Parvovirus B19 test negative, 23.10
885337, Platelet count decreased, 23.10, Pleuritic pain, 23.10, Polymerase chain reaction positive, 23.10, Pyrexia, 23.10, Renal function test normal, 23.10
885337, Respiratory viral panel, 23.10, Thrombocytopenia, 23.10, Ultrasound abdomen abnormal, 23.10, Urine analysis normal, 23.10, White blood cell count decreased, 23.10
885338, Herpes zoster, 23.10, Pain, 23.10, Pruritus, 23.10, Vaccination failure, 23.10,,
885339, Diarrhoea, 23.10,,,,,
885340, Haemorrhage, 23.10,,,,,
885341, Abdominal discomfort, 23.10, Adverse event, 23.10, Asthenia, 23.10, Chills, 23.10, Diarrhoea, 23.10
885341, Fatigue, 23.10, Headache, 23.10, Hypersomnia, 23.10, SARS-CoV-2 test, 23.10,,
885342, Erythema, 23.10, Peripheral swelling, 23.10,,,,,
885343, Product administered to patient of inappropriate age, 23.10,,,,,
885344, Arthralgia, 23.10, Headache, 23.10, Neck pain, 23.10, Vomiting, 23.10,,
885345, Anxiety, 23.10, Chills, 23.10, Dyspnoea, 23.10, Tremor, 23.10,,
885346, Pain in extremity, 23.10, Peripheral swelling, 23.10,,,,,
885347, Erythema, 23.10, Myalgia, 23.10, Pain of skin, 23.10, Peripheral swelling, 23.10,,
885348, Chills, 23.10, Cough, 23.10, Muscle spasms, 23.10, Musculoskeletal stiffness, 23.10, Pyrexia, 23.10
885349, Abdominal pain, 23.10, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Neck pain, 23.10
885350, Rash vesicular, 23.10,,,,,
885351, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Nausea, 23.10, Urticaria, 23.10
885352, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,,,
885353, Vomiting, 23.10,,,,,
885354, Dyspnoea, 23.10, Eye swelling, 23.10, Swelling face, 23.10, Wheezing, 23.10,,
885355, Blood creatine phosphokinase MB increased, 23.10, Blood creatine phosphokinase increased, 23.10, Brain natriuretic peptide increased, 23.10, C-reactive protein increased, 23.10, Chest pain, 23.10
885355, Echocardiogram abnormal, 23.10, Ejection fraction decreased, 23.10, Electrocardiogram ST segment elevation, 23.10, Electrocardiogram T wave abnormal, 23.10, Electrocardiogram repolarisation abnormality, 23.10
885355, Myocarditis, 23.10, Myoglobin blood increased, 23.10, Nausea,

23.10,Pyrexia,23.10,Red blood cell sedimentation rate increased,23.10
885355,Troponin increased,23.10,Vomiting,23.10,,,,,
885356,Product administered to patient of inappropriate age,
23.10,,,,,
885357,Hypoaesthesia,23.10,Injection site erythema,23.10,Injection
site swelling,23.10,,,,,
885358,Injection site erythema,23.10,Injection site warmth,
23.10,Peripheral swelling,23.10,,,,,
885359,Loss of consciousness,23.10,,,,,
885360,Injection site paraesthesia,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Paraesthesia,23.10,Rash pruritic,23.10
885361,Joint stiffness,23.10,Loss of consciousness,23.10,Staring,
23.10,Syncope,23.10,,
885362,Cellulitis,23.10,Extensive swelling of vaccinated limb,
23.10,,,,,
885363,Eye disorder,23.10,Musculoskeletal stiffness,23.10,Syncope,
23.10,Tremor,23.10,,
885364,Mobility decreased,23.10,Pain in extremity,23.10,Sleep
disorder,23.10,,,,,
885365,Arthralgia,23.10,Rash pruritic,23.10,,,,,
885366,Loss of consciousness,23.10,Syncope,23.10,Unresponsive to
stimuli,23.10,Vomiting,23.10,,
885367,Pain,23.10,Skin discolouration,23.10,Skin warm,23.10,Swelling,
23.10,,
885368,Injection site pain,23.10,Injection site swelling,23.10,,,,,
885369,Erythema,23.10,Pain in extremity,23.10,Swelling,23.10,,,,,
885370,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
885371,Chills,23.10,Injection site pain,23.10,Nausea,23.10,Pyrexia,
23.10,,
885372,Pain in extremity,23.10,Pyrexia,23.10,,,,,
885373,Peripheral swelling,23.10,,,,,
885374,Eye pruritus,23.10,Lethargy,23.10,Ocular hyperaemia,23.10,,,,,
885375,Arthralgia,23.10,,,,,
885376,Chills,23.10,Joint lock,23.10,Pyrexia,23.10,Tremor,23.10,,
885377,Hypoaesthesia,23.10,,,,,
885378,Condition aggravated,23.10,Herpes zoster,23.10,,,,,
885379,Heart rate decreased,23.10,Immediate post-injection reaction,
23.10,Syncope,23.10,,,,,
885380,Back pain,23.10,Chills,23.10,Epistaxis,23.10,,,,,
885381,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
885382,Wrong product administered,23.10,,,,,
885383,Confusional state,23.10,Dysarthria,23.10,Hypoaesthesia,
23.10,,,,,
885384,Erythema,23.10,Immediate post-injection reaction,
23.10,Pruritus,23.10,,,,,
885385,Body temperature increased,23.10,Cyanosis,23.10,Febrile
convulsion,23.10,Postictal state,23.10,White blood cell count
increased,23.10

885386, Mobility decreased, 23.10, , , , , , , ,
885387, Syncope, 23.10, , , , , , , ,
885388, Peripheral swelling, 23.10, Skin discolouration, 23.10, , , , , , , ,
885389, Urticaria, 23.10, , , , , , , ,
885390, Injection site erythema, 23.10, Injection site oedema,
23.10, Injection site pain, 23.10, Injection site swelling, 23.10, ,
885391, Feeling cold, 23.10, Injection site pain, 23.10, Injection site
rash, 23.10, , , , ,
885392, Abdominal discomfort, 23.10, Diarrhoea, 23.10, , , , , , , ,
885394, Lip swelling, 23.10, , , , , , , ,
885395, Rash, 23.10, , , , , , , ,
885396, Erythema, 23.10, Mobility decreased, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10, Pruritus, 23.10
885397, Vomiting, 23.10, , , , , , , ,
885398, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
885399, Musculoskeletal stiffness, 23.10, , , , , , , ,
885400, Abdominal pain upper, 23.10, Injection site erythema,
23.10, Injection site irritation, 23.10, Injection site swelling,
23.10, Nausea, 23.10
885401, Aphasia, 23.10, Developmental regression, 23.10, Dysphemia,
23.10, Electroencephalogram normal, 23.10, Language disorder, 23.10
885401, Pyrexia, 23.10, , , , , , , ,
885402, Blood test, 23.10, Encephalitis, 23.10, Magnetic resonance imaging
brain, 23.10, , , , ,
885403, Localised infection, 23.10, , , , , , , ,
885404, Injection site erythema, 23.10, Injection site rash, 23.10, , , , , , , ,
885405, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Pyrexia, 23.10, ,
885406, Injection site urticaria, 23.10, Urticaria, 23.10, , , , , , , ,
885407, Injection site discomfort, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
885408, Vaccination site erythema, 23.10, Vaccination site pain,
23.10, Vaccination site pruritus, 23.10, Vaccination site warmth, 23.10, ,
885410, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10, Tremor,
23.10
885411, Influenza like illness, 23.10, Mobility decreased, 23.10, Muscular
weakness, 23.10, , , , ,
885412, Dysarthria, 23.10, Feeling cold, 23.10, Irritability, 23.10, Tremor,
23.10, ,
885413, Skin reaction, 23.10, Skin warm, 23.10, Tenderness, 23.10, , , , ,
885414, Somnolence, 23.10, , , , , , , ,
885415, Injection site induration, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, Mobility decreased, 23.10, Pain, 23.10
885416, Chills, 23.10, Injection site erythema, 23.10, Myalgia, 23.10, Pain
in extremity, 23.10, ,
885417, Chills, 23.10, Feeling abnormal, 23.10, Headache, 23.10, Myalgia,
23.10, Pain, 23.10
885417, Sensitive skin, 23.10, , , , , , , ,
885418, Arthralgia, 23.10, Decreased appetite, 23.10, Myalgia,

23.10,Pyrexia,23.10,,
885419,Feeding intolerance,23.10,Oral herpes,23.10,Oral pain,23.10,,,,,
885420,Arthralgia,23.10,Blood glucose increased,23.10,Fatigue,
23.10,Feeling hot,23.10,Inflammation,23.10
885420,Tenderness,23.10,,,,,,
885421,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
885422,Abdominal discomfort,23.10,Abdominal distension,
23.10,Dysphonia,23.10,Feeling cold,23.10,Nausea,23.10
885422,Tremor,23.10,Vomiting,23.10,,,,,
885424,Cellulitis,23.10,Erythema,23.10,Inflammation,23.10,,,,,
885425,Herpes zoster,23.10,Pain in extremity,23.10,Rash,23.10,,,,,
885427,Abdominal pain upper,23.10,Throat irritation,23.10,,,,,
885428,Chills,23.10,Headache,23.10,Injection site pain,23.10,Loss of
personal independence in daily activities,23.10,Myalgia,23.10
885428,Nausea,23.10,Pyrexia,23.10,,,,,
885429,Contusion,23.10,Pain of skin,23.10,Skin erosion,23.10,Skin
exfoliation,23.10,,
885439,Product storage error,23.10,,,,,,
885440,Product storage error,23.10,,,,,,
885441,Product storage error,23.10,,,,,,
885442,Dehydration,23.10,Diarrhoea,23.10,Gastroenteritis,
23.10,Polymerase chain reaction,23.10,Pyrexia,23.10
885442,Stool analysis,23.10,Vomiting,23.10,,,,,
885443,No adverse event,23.10,Wrong product administered,23.10,,,,,
885444,Inappropriate schedule of product administration,23.10,,,,,
885445,Expired product administered,23.10,,,,,
885446,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
885447,Contusion,23.10,Skin discolouration,23.10,Tenderness,23.10,,,,,
885448,Extra dose administered,23.10,Inappropriate schedule of product
administration,23.10,,,,,
885449,Hypoaesthesia,23.10,Limb mass,23.10,Pain in extremity,
23.10,Ultrasound scan abnormal,23.10,,
885450,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
885451,Chills,23.10,Dizziness,23.10,Fatigue,23.10,Headache,
23.10,Hypersomnia,23.10
885451,Malaise,23.10,Pain,23.10,Pyrexia,23.10,,,,,
885452,Chills,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Pyrexia,
23.10
885453,Back pain,23.10,Chills,23.10,Dizziness,23.10,Fatigue,
23.10,Hyperhidrosis,23.10
885453,Influenza like illness,23.10,Injection site pain,23.10,Nausea,
23.10,Neck pain,23.10,Pain,23.10
885453,Pain in extremity,23.10,Pyrexia,23.10,,,,,
885454,Injection site pain,23.10,Injection site swelling,23.10,,,,,
885460,Expired product administered,23.10,,,,,
885461,No adverse event,23.10,Product storage error,23.10,,,,,
885462,Facial paralysis,23.10,Herpes zoster,23.10,Post herpetic
neuralgia,23.10,Tremor,23.10,,

885463,Rash,23.10,,,,,
885464,Pain,23.10,,,,,
885465,Dizziness,23.10,Dyspnoea,23.10,Heart rate increased,
23.10,Immediate post-injection reaction,23.10,,
885467,Limb discomfort,23.10,Pain,23.10,Pain in extremity,23.10,,,
885468,Feeling cold,23.10,Myalgia,23.10,Pyrexia,23.10,,,
885469,Pyrexia,23.10,,,,,
885470,Expired product administered,23.10,No adverse event,23.10,,,,,
885471,No adverse event,23.10,Product preparation issue,23.10,,,,,
885472,No adverse event,23.10,Poor quality product administered,
23.10,,,,,
885473,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,
885474,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,
885475,Pain in extremity,23.10,Vaccination site movement impairment,
23.10,,,,,
885476,Gait disturbance,23.10,Magnetic resonance imaging,23.10,Nausea,
23.10,Vertigo,23.10,,
885477,No adverse event,23.10,Wrong product administered,23.10,,,,,
885478,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,
885479,No adverse event,23.10,Product administered at inappropriate
site,23.10,,,,,
885480,Depression,23.10,Dizziness,23.10,Fatigue,23.10,Feeling cold,
23.10,Injected limb mobility decreased,23.10
885480,Injection site swelling,23.10,Insomnia,23.10,Malaise,
23.10,Musculoskeletal stiffness,23.10,Pain,23.10
885480,Somnolence,23.10,,,,,
885481,Erythema,23.10,Mobility decreased,23.10,Oedema peripheral,
23.10,Pain in extremity,23.10,Peripheral swelling,23.10
885481,Skin warm,23.10,,,,,
885482,Chest discomfort,23.10,Cough,23.10,Dizziness,23.10,Dyspnoea,
23.10,Eye pruritus,23.10
885482,Eye swelling,23.10,Pruritus,23.10,Pulmonary oedema,
23.10,Vaccination complication,23.10,,
885483,Myalgia,23.10,,,,,
885484,Ear pain,23.10,Eye pain,23.10,Facial neuralgia,23.10,Facial
pain,23.10,Gingival blister,23.10
885484,Gingival pain,23.10,Oropharyngeal pain,23.10,Pain of skin,
23.10,Vaccination complication,23.10,,
885485,Rash,23.10,,,,,
885486,Chills,23.10,Fatigue,23.10,Headache,23.10,Herpes zoster,
23.10,Injection site erythema,23.10
885486,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10,Pyrexia,23.10,,
885487,Injection site pain,23.10,Myalgia,23.10,Pain,23.10,Pyrexia,
23.10,,
885488,Rash,23.10,,,,,
885489,Herpes zoster,23.10,Pain,23.10,Pain in extremity,23.10,Rash,

23.10,,
885490,Rash,23.10,,,,,
885491,Gastric disorder,23.10,,,,,
885492,Injection site discomfort,23.10,Injection site swelling,
23.10,Magnetic resonance imaging,23.10,Magnetic resonance imaging
neck,23.10,Muscle atrophy,23.10
885492,Muscular weakness,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,X-ray,23.10,,
885500,Illness,23.10,,,,,
885501,Fatigue,23.10,Injection site pain,23.10,,,,,
885502,Fatigue,23.10,Injection site pain,23.10,,,,,
885503,Vomiting,23.10,,,,,
885504,Erythema,23.10,Incomplete course of vaccination,23.10,Nausea,
23.10,Pyrexia,23.10,,
885505,Herpes zoster,23.10,Rash vesicular,23.10,,,,,
885506,Immediate post-injection reaction,23.10,Inappropriate schedule
of product administration,23.10,Pain in extremity,23.10,Wrong
technique in product usage process,23.10,,
885507,No adverse event,23.10,Wrong product administered,23.10,,,,,
885508,No adverse event,23.10,Wrong product administered,23.10,,,,,
885509,Expired product administered,23.10,No adverse event,23.10,,,,,
885511,Cellulitis,23.10,Erythema,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Pyrexia,23.10
885512,Erythema,23.10,Swelling,23.10,,,,,
885513,Herpes zoster,23.10,,,,,
885514,Local reaction,23.10,Rash,23.10,,,,,
885515,Herpes zoster,23.10,,,,,
885516,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain,23.10,Pain in extremity,23.10,,
885517,Disorientation,23.10,Heart rate decreased,23.10,Hypotension,
23.10,Nausea,23.10,Pallor,23.10
885518,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Injection site swelling,23.10,,
885519,Immediate post-injection reaction,23.10,Loss of consciousness,
23.10,Syncope,23.10,,,
885520,Pruritus,23.10,,,,,
885521,Rash,23.10,Rash erythematous,23.10,Rash papular,23.10,,,
885522,Autoimmune disorder,23.10,Chills,23.10,Fatigue,
23.10,Musculoskeletal stiffness,23.10,Nausea,23.10
885522,Pyrexia,23.10,Vomiting,23.10,,,,,
885527,Brain injury,23.10,Deafness,23.10,Meningitis,23.10,Seizure,
23.10,Vaccination failure,23.10
885528,Illness,23.10,,,,,
885529,Extra dose administered,23.10,No adverse event,23.10,,,,,
885530,Pyrexia,23.10,Vomiting,23.10,,,,,
885531,Rash,23.10,Urticaria,23.10,,,,,
885532,Cold sweat,23.10,Confusional state,23.10,Disorientation,
23.10,Dizziness,23.10,Mydriasis,23.10
885532,Nasopharyngitis,23.10,,,,,
885533,Loss of consciousness,23.10,Syncope,23.10,,,,,

885534, Asthenia, 23.10, Blood glucose, 23.10, Chest X-ray, 23.10, Dyspnoea, 23.10, Electrocardiogram, 23.10
885534, Feeling hot, 23.10, Flushing, 23.10, Full blood count, 23.10, Headache, 23.10, Heart rate increased, 23.10
885534, Metabolic function test, 23.10, Pain, 23.10, Pyrexia, 23.10, SARS-CoV-2 test, 23.10, Troponin, 23.10
885535, Hypertension, 23.10, Malaise, 23.10, Pyrexia, 23.10, Syncope, 23.10, Tachycardia, 23.10
885536, Abdominal discomfort, 23.10, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10,,
885537, Pruritus, 23.10, Rash erythematous, 23.10, Rash papular, 23.10, Rash pruritic, 23.10, Urticaria, 23.10
885538, Wrong product administered, 23.10,,,,,
885539, Injection site inflammation, 23.10, Injection site pruritus, 23.10,,,,,
885540, Erythema, 23.10, Infection, 23.10, Swelling, 23.10,,,,
885541, Anxiety, 23.10, Depressed level of consciousness, 23.10, Hyperventilation, 23.10, Pallor, 23.10, Syncope, 23.10
885541, Vision blurred, 23.10,,,,,
885542, Dyspnoea, 23.10, Immediate post-injection reaction, 23.10, Peripheral swelling, 23.10, Swelling face, 23.10,,
885543, Mobility decreased, 23.10, Pain in extremity, 23.10, Rash, 23.10, Rash erythematous, 23.10,,
885544, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,,,
885545, Injection site erythema, 23.10, Injection site swelling, 23.10,,,,,
885546, Hallucination, 23.10, Headache, 23.10, Lethargy, 23.10, Pain, 23.10,,
885547, Blood thyroid stimulating hormone, 23.10, C-reactive protein, 23.10, Computerised tomogram head, 23.10, Confusional state, 23.10, Differential white blood cell count, 23.10
885547, Dizziness, 23.10, Dreamy state, 23.10, Feeling abnormal, 23.10, Full blood count, 23.10, Metabolic function test, 23.10
885547, Thyroxine free, 23.10, Urine analysis, 23.10,,,,,
885548, Dizziness, 23.10, Headache, 23.10, Nausea, 23.10, Pallor, 23.10, Somnolence, 23.10
885549, Arthralgia, 23.10, Erythema, 23.10, Injection site discomfort, 23.10,,,,
885550, Erythema, 23.10,,,,,
885551, Lip swelling, 23.10,,,,,
885552, Cerebellar ataxia, 23.10, Computerised tomogram head normal, 23.10, Dysstasia, 23.10, Electroencephalogram normal, 23.10, Gait disturbance, 23.10
885552, Gait inability, 23.10, Magnetic resonance imaging brain normal, 23.10, Respiratory viral panel, 23.10, SARS-CoV-2 test negative, 23.10, Scan with contrast normal, 23.10
885552, Sitting disability, 23.10, Streptococcus test negative, 23.10, Urine analysis normal, 23.10, Viral test negative, 23.10, Vomiting, 23.10
885553, Erythema, 23.10, Skin warm, 23.10,,,,,

885554, Antinuclear antibody, 23.10, Autoimmune disorder, 23.10, Computerised tomogram head, 23.10, Full blood count, 23.10, Liver function test, 23.10
885554, Mouth haemorrhage, 23.10, Petechiae, 23.10, Platelet count decreased, 23.10, Red blood cell sedimentation rate, 23.10, Ultrasound scan, 23.10
885555, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Myalgia, 23.10, Pyrexia, 23.10
885556, Decreased appetite, 23.10, Dizziness, 23.10, Headache, 23.10, Nausea, 23.10,,
885557, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Influenza like illness, 23.10, Lethargy, 23.10
885557, Pyrexia, 23.10,,,,,
885558, Induration, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Skin warm, 23.10
885559, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Pain in extremity, 23.10
885559, Pyrexia, 23.10,,,,,
885560, Injection site bruising, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
885561, Axillary pain, 23.10, Oedema peripheral, 23.10,,,,,
885562, Crying, 23.10, Erythema, 23.10, Gait inability, 23.10, Joint swelling, 23.10, Pain, 23.10
885562, Pyrexia, 23.10,,,,,
885563, Dysgeusia, 23.10,,,,,
885564, Erythema, 23.10, Induration, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, Tenderness, 23.10
885575, Incorrect dose administered, 23.10, No adverse event, 23.10, Poor quality device used, 23.10,,,,
885576, Product storage error, 23.10,,,,,
885577, No adverse event, 23.10, Product storage error, 23.10,,,,,
885578, No adverse event, 23.10, Product storage error, 23.10,,,,,
885579, Product storage error, 23.10,,,,,
885580, Product storage error, 23.10,,,,,
885581, Incorrect route of product administration, 23.10,,,,,
885582, No adverse event, 23.10, Product storage error, 23.10,,,,,
885583, Herpes zoster, 23.10,,,,,
885584, Product storage error, 23.10,,,,,
885585, Illness, 23.10,,,,,
885586, Nausea, 23.10, Pain, 23.10,,,,,
885587, Near death experience, 23.10,,,,,
885588, Condition aggravated, 23.10, Corneal epithelium defect, 23.10, Corneal oedema, 23.10, Corneal thinning, 23.10, Eye ulcer, 23.10
885588, Fundoscopy normal, 23.10, Intraocular pressure test normal, 23.10, Keratitis, 23.10, Ophthalmic herpes zoster, 23.10, Pain, 23.10
885588, Photophobia, 23.10, Sensory loss, 23.10, Slit-lamp tests abnormal, 23.10, Visual acuity reduced, 23.10,,
885589, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10
885589, Pyrexia, 23.10,,,,,

885590,Anxiety,23.10,Condition aggravated,23.10,,,,,
885591,Fatigue,23.10,Flushing,23.10,Injection site pain,23.10,Poor
quality sleep,23.10,Pyrexia,23.10
885592,Deafness,23.10,,,,,
885593,Erythema,23.10,Induration,23.10,Injection site erythema,
23.10,Injection site induration,23.10,,
885594,Chills,23.10,Pruritus,23.10,Scratch,23.10,Skin discomfort,
23.10,Sleep disorder,23.10
885594,Wound,23.10,,,,,
885595,Inflammation,23.10,Injected limb mobility decreased,
23.10,Injection site pain,23.10,Laboratory test abnormal,
23.10,Mobility decreased,23.10
885595,Pain in extremity,23.10,,,,,
885596,Malaise,23.10,,,,,
885597,Injection site discharge,23.10,Injection site haemorrhage,
23.10,,,,,
885598,Fatigue,23.10,Headache,23.10,Injection site pain,23.10,Pain in
extremity,23.10,Sleep disorder,23.10
885599,Anaphylactic reaction,23.10,Dysphagia,23.10,Hypersensitivity,
23.10,Injection site erythema,23.10,Injection site pruritus,23.10
885599,Injection site swelling,23.10,Pharyngeal erythema,
23.10,Pharyngeal swelling,23.10,,,,
885600,Joint range of motion decreased,23.10,Product administered at
inappropriate site,23.10,,,,,
885601,Axillary pain,23.10,Injection site erythema,23.10,Injection
site induration,23.10,Injection site mass,23.10,Injection site
swelling,23.10
885601,Skin warm,23.10,,,,,
885602,Pruritus,23.10,Rash,23.10,,,,,
885603,Lymphadenopathy,23.10,Pyrexia,23.10,Stomatitis,23.10,Urticaria,
23.10,,
885604,Pruritus,23.10,Respiratory tract congestion,23.10,,,,,
885605,Herpes zoster,23.10,Pain,23.10,,,,,
885606,Chills,23.10,Pyrexia,23.10,Tremor,23.10,,,,
885607,Injection site pain,23.10,,,,,
885608,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
885609,Pruritus,23.10,Skin warm,23.10,Urticaria,23.10,,,,
885610,Blister,23.10,Herpes zoster,23.10,Pain,23.10,Sensitive skin,
23.10,,
885611,Body temperature abnormal,23.10,Chills,23.10,Eye pain,
23.10,Headache,23.10,Tremor,23.10
885612,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
885613,Mobility decreased,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,,,,
885614,Injection site nodule,23.10,Injection site rash,23.10,Pyrexia,
23.10,,,,
885615,Abdominal pain upper,23.10,Flatulence,23.10,Headache,
23.10,Pruritus,23.10,,

885616,Circumstance or information capable of leading to medication error,23.10,,,,,,,
885617,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,,,,
885618,Headache,23.10,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,Injection site warmth,23.10
885618,Pain,23.10,,,,,,,
885619,Peripheral swelling,23.10,Pruritus,23.10,Skin warm,23.10,,,,,
885620,Incorrect dose administered,23.10,,,,,,,
885621,Blood test,23.10,Pyrexia,23.10,SARS-CoV-2 test,23.10,Tremor,23.10,Urine analysis,23.10
885621,Vomiting,23.10,,,,,,,
885622,Bacterial test negative,23.10,Blood test,23.10,Chest X-ray abnormal,23.10,Decreased activity,23.10,Hypotonia,23.10
885622,Injection site swelling,23.10,Pneumonia,23.10,Procalcitonin normal,23.10,Pyrexia,23.10,Respiratory viral panel,23.10
885622,Rotavirus test negative,23.10,SARS-CoV-2 antibody test negative,23.10,SARS-CoV-2 test negative,23.10,Viral test negative,23.10,Vomiting,23.10
885622,White blood cell count increased,23.10,,,,,,,
885623,Injection site rash,23.10,Injection site swelling,23.10,Throat irritation,23.10,,,,,
885624,Chest discomfort,23.10,Dyspnoea,23.10,Electrocardiogram,23.10,Laboratory test,23.10,Lethargy,23.10
885624,Rash macular,23.10,SARS-CoV-2 test,23.10,,,,,,,
885625,Pyrexia,23.10,Rash macular,23.10,Retching,23.10,,,,,
885626,Headache,23.10,Myalgia,23.10,Nausea,23.10,Pain,23.10,,
885627,Pruritus,23.10,Rash,23.10,,,,,,,
885628,Hypoaesthesia,23.10,Limb discomfort,23.10,Pain in extremity,23.10,Paraesthesia,23.10,,
885629,Aggression,23.10,Enuresis,23.10,Headache,23.10,,,,,
885630,Injection site erythema,23.10,Injection site oedema,23.10,Injection site pain,23.10,,,,,
885631,Chills,23.10,Pyrexia,23.10,,,,,,,
885632,Mobility decreased,23.10,Pain,23.10,Paraesthesia,23.10,,,,,
885633,Pain,23.10,Pruritus,23.10,Urticaria,23.10,,,,,
885634,Dizziness,23.10,Extensive swelling of vaccinated limb,23.10,Headache,23.10,Injection site erythema,23.10,Injection site pain,23.10
885634,Injection site pruritus,23.10,Injection site swelling,23.10,Pain in extremity,23.10,,,,,
885635,Injection site erythema,23.10,Injection site induration,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
885636,Dizziness,23.10,Nausea,23.10,,,,,,,
885637,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,23.10,Pruritus,23.10,Skin warm,23.10
885638,Burning sensation,23.10,Injection site bruising,23.10,Mobility decreased,23.10,Product administered at inappropriate site,23.10,,
885639,Erythema,23.10,Injection site erythema,23.10,Pruritus,23.10,,,,,

885640, Arthralgia, 23.10, Blood test, 23.10, Chest X-ray, 23.10, Chest pain, 23.10, Feeling cold, 23.10
885640, Headache, 23.10, Heart rate increased, 23.10, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10
885640, Speech disorder, 23.10, Tremor, 23.10, Urine analysis, 23.10, , , , ,
885641, Arthralgia, 23.10, Dizziness, 23.10, Incoherent, 23.10, Moaning, 23.10, Pain in extremity, 23.10
885641, Pyrexia, 23.10, Syncope, 23.10, , , , , , ,
885642, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
885643, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , ,
885644, Injection site nodule, 23.10, Injection site rash, 23.10, , , , , , ,
885645, Injection site rash, 23.10, , , , , , , ,
885646, Diarrhoea, 23.10, SARS-CoV-2 test negative, 23.10, Vomiting, 23.10, , , , ,
885647, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,
885648, Blood pressure normal, 23.10, Heart rate normal, 23.10, Oxygen saturation normal, 23.10, Syncope, 23.10, , ,
885649, Dysphagia, 23.10, Pharyngeal erythema, 23.10, Rash erythematous, 23.10, Tongue eruption, 23.10, , ,
885650, Loss of consciousness, 23.10, , , , , , , , ,
885651, Injection site rash, 23.10, , , , , , , , ,
885652, Diarrhoea, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Pain, 23.10, Pyrexia, 23.10
885653, Dizziness, 23.10, Nausea, 23.10, Paraesthesia, 23.10, , , , ,
885654, Audiogram abnormal, 23.10, Magnetic resonance imaging brain, 23.10, Sudden hearing loss, 23.10, , , , ,
885655, Depressed level of consciousness, 23.10, Dizziness, 23.10, Fall, 23.10, Head injury, 23.10, , ,
885656, Chills, 23.10, Dizziness, 23.10, Hyperhidrosis, 23.10, Peripheral coldness, 23.10, , ,
885657, Diarrhoea, 23.10, SARS-CoV-2 test negative, 23.10, Vomiting, 23.10, , , , , ,
885658, Blood pressure decreased, 23.10, Pallor, 23.10, Syncope, 23.10, , , , , ,
885659, Pruritus, 23.10, , , , , , , , ,
885660, Pyrexia, 23.10, , , , , , , , ,
885661, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10, , ,
885662, Abdominal pain, 23.10, Body temperature increased, 23.10, Gait disturbance, 23.10, Headache, 23.10, Muscle spasms, 23.10
885663, Body temperature increased, 23.10, Chills, 23.10, Dyspnoea, 23.10, Wheezing, 23.10, , ,
885664, Erythema, 23.10, Limb discomfort, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, , ,
885665, Cellulitis, 23.10, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10
885666, Erythema, 23.10, Tenderness, 23.10, , , , , , ,
885667, Crying, 23.10, Dizziness, 23.10, Emotional distress, 23.10, Loss of consciousness, 23.10, Paraesthesia, 23.10
885667, Syncope, 23.10, , , , , , , , ,
885668, Expired product administered, 23.10, , , , , , , , ,
885669, Mobility decreased, 23.10, , , , , , , , ,

885670,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
885671,Dizziness,23.10,Hyperhidrosis,23.10,Nausea,23.10,,,,
885672,Asthenia,23.10,Flushing,23.10,Syncope,23.10,,,,
885673,Crying,23.10,Decreased activity,23.10,Dizziness,
23.10,Hyperventilation,23.10,Pyrexia,23.10
885673,Selective eating disorder,23.10,Vomiting,23.10,,,,,
885674,Contusion,23.10,Injection site bruising,23.10,,,,,
885675,Loss of consciousness,23.10,Pallor,23.10,Skin warm,23.10,,,,
885676,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
885677,Chills,23.10,Feeling hot,23.10,Headache,23.10,Pyrexia,
23.10,Urticaria,23.10
885678,Asthenia,23.10,Chills,23.10,Hyperhidrosis,23.10,Influenza like
illness,23.10,Injection site pain,23.10
885678,Injection site rash,23.10,Malaise,23.10,Pyrexia,23.10,,,,
885679,Chest discomfort,23.10,Dyspnoea,23.10,,,,,
885680,Injection site erythema,23.10,Injection site swelling,
23.10,Product administered at inappropriate site,23.10,,,,
885681,Hypoaesthesia,23.10,Immediate post-injection reaction,
23.10,Paraesthesia,23.10,,,,
885682,Contusion,23.10,Erythema,23.10,Pruritus,23.10,Pyrexia,
23.10,Swelling,23.10
885683,Bacterial test,23.10,Debridement,23.10,Joint fluid drainage,
23.10,Joint lock,23.10,Pain in extremity,23.10
885684,Erythema,23.10,Peripheral swelling,23.10,Pyrexia,23.10,Skin
warm,23.10,,
885685,Arthralgia,23.10,,,,,
885686,Injection site induration,23.10,Injection site mass,
23.10,Injection site warmth,23.10,,,,
885687,Erythema,23.10,Peripheral swelling,23.10,,,,,
885688,Injection site pruritus,23.10,Injection site swelling,
23.10,,,,,
885689,Pruritus,23.10,Skin discolouration,23.10,Urticaria,23.10,,,,
885690,Abdominal pain,23.10,Colonoscopy,23.10,Dizziness,
23.10,Dyspnoea,23.10,Electrocardiogram,23.10
885690,Irritable bowel syndrome,23.10,Narcolepsy,23.10,Presyncope,
23.10,Sleep study abnormal,23.10,Somnolence,23.10
885691,Unevaluable event,23.10,,,,,
885695,Product storage error,23.10,,,,,
885696,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
885697,Herpes zoster,23.10,,,,,
885698,Product storage error,23.10,,,,,
885699,No adverse event,23.10,Product storage error,23.10,,,,,
885701,No adverse event,23.10,Product storage error,23.10,,,,,
885702,No adverse event,23.10,Product storage error,23.10,,,,,
885703,Expired product administered,23.10,,,,,
885704,Product storage error,23.10,,,,,
885705,Extra dose administered,23.10,No adverse event,23.10,,,,,
885706,Extra dose administered,23.10,No adverse event,23.10,,,,,

885707,Expired product administered,23.10,,,,,
885708,Product storage error,23.10,,,,,
885709,Crohn's disease,23.10,,,,,
885710,Product storage error,23.10,,,,,
885711,Exposure via skin contact,23.10,No adverse event,
23.10,Underdose,23.10,Wrong technique in product usage process,23.10,,
885712,Headache,23.10,Vaccine positive rechallenge,23.10,,,,,
885713,Anaphylactic reaction,23.10,Anaphylactic shock,
23.10,Dysarthria,23.10,Dyspnoea,23.10,Electrocardiogram abnormal,23.10
885713,Myocardial necrosis marker normal,23.10,Tachycardia,
23.10,Vomiting,23.10,,,,,
885715,Peripheral swelling,23.10,,,,,
885716,Extra dose administered,23.10,,,,,
885717,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Shoulder injury related to vaccine administration,23.10,,,,,
885718,Ear discomfort,23.10,Ear swelling,23.10,Tinnitus,23.10,,,,,
885719,Injection site erythema,23.10,Injection site pain,
23.10,Injection site papule,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
885719,Injection site warmth,23.10,,,,,
885720,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
885721,Asthenia,23.10,Cellulitis,23.10,Fall,23.10,Pneumonia,
23.10,Sepsis,23.10
885731,Injection site haemorrhage,23.10,Off label use,23.10,Vaccine
positive rechallenge,23.10,,,,,
885732,Injection site pain,23.10,Product administered at inappropriate
site,23.10,,,,,
885733,Blister,23.10,Mass,23.10,Rash pruritic,23.10,,,,,
885734,Chills,23.10,Rash,23.10,,,,,
885736,Headache,23.10,Inappropriate schedule of product
administration,23.10,Pain,23.10,Pyrexia,23.10,,
885737,Incomplete course of vaccination,23.10,Rash,23.10,,,,,
885738,Rash pruritic,23.10,Rash vesicular,23.10,,,,,
885739,Insomnia,23.10,Rash erythematous,23.10,Rash pruritic,
23.10,Urticaria,23.10,,
885740,Fatigue,23.10,Feeling hot,23.10,Hyperhidrosis,23.10,Injection
site erythema,23.10,Injection site induration,23.10
885740,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Limb discomfort,23.10,Myalgia,
23.10
885740,Pyrexia,23.10,,,,,
885741,No adverse event,23.10,Wrong product administered,23.10,,,,,
885742,Incomplete course of vaccination,23.10,No adverse event,
23.10,,,,,
885743,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
885744,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
885745,No adverse event,23.10,Product preparation error,23.10,,,,,

885746, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
885747, No adverse event, 23.10, Product preparation issue, 23.10, , , , , , ,
885748, No adverse event, 23.10, Product preparation issue, 23.10, , , , , , ,
885749, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
885750, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
885751, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
885752, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
885753, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
885754, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
885755, Monoplegia, 23.10, , , , , , , ,
885757, Immediate post-injection reaction, 23.10, Loss of consciousness,
23.10, Presyncope, 23.10, , , , ,
885758, Asthenia, 23.10, Chest pain, 23.10, Dyspnoea,
23.10, Hypersensitivity, 23.10, Injection site warmth, 23.10
885758, Mobility decreased, 23.10, Peripheral swelling, 23.10, , , , , , ,
885759, Extensive swelling of vaccinated limb, 23.10, , , , , , , ,
885760, Decreased appetite, 23.10, Lethargy, 23.10, Pyrexia, 23.10, , , , ,
885761, Injection site erythema, 23.10, Injection site haemorrhage,
23.10, Injection site rash, 23.10, Injection site swelling, 23.10, , ,
885762, Dry skin, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Paraesthesia, 23.10, Scar, 23.10
885764, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
885765, Abdominal pain upper, 23.10, Decreased appetite, 23.10, Diarrhoea,
23.10, Dyspepsia, 23.10, Nausea, 23.10
885766, Abdominal discomfort, 23.10, Oropharyngeal pain, 23.10, , , , , , ,
885767, Illness, 23.10, , , , , , , ,
885768, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
885769, Contusion, 23.10, Erythema, 23.10, , , , , , ,
885770, Erythema, 23.10, Hypersensitivity, 23.10, Local reaction,
23.10, Peripheral swelling, 23.10, , ,
885771, Injection site pain, 23.10, Pain, 23.10, , , , , , ,
885772, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10, , ,
885773, Dizziness, 23.10, Hyperhidrosis, 23.10, Musculoskeletal stiffness,
23.10, Seizure like phenomena, 23.10, Staring, 23.10
885773, Tremor, 23.10, , , , , , , ,
885774, Dizziness, 23.10, Hyperhidrosis, 23.10, Pallor, 23.10, , , , ,
885775, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Skin exfoliation, 23.10, , ,
885776, Injection site cellulitis, 23.10, , , , , , , ,
885777, Back pain, 23.10, Chills, 23.10, Feeling hot, 23.10, Headache,
23.10, Micturition urgency, 23.10
885777, Muscle tightness, 23.10, Myalgia, 23.10, Neck pain, 23.10, Pain in
extremity, 23.10, Pollakiuria, 23.10
885777, Pyrexia, 23.10, Tremor, 23.10, , , , , , ,

885778,Use of accessory respiratory muscles,23.10,Wheezing,23.10,,,,,
885779,Arteriospasm coronary,23.10,Blood creatine phosphokinase MB
increased,23.10,Blood creatine phosphokinase increased,23.10,Chest
pain,23.10,Dyspnoea,23.10
885779,Laboratory test normal,23.10,Troponin I increased,
23.10,Troponin T normal,23.10,,,,,
885780,Rash,23.10,Rash macular,23.10,,,,,
885781,Chills,23.10,Decreased appetite,23.10,Diarrhoea,23.10,Fatigue,
23.10,Pyrexia,23.10
885786,Needle issue,23.10,No adverse event,23.10,,,,,
885787,Inappropriate schedule of product administration,23.10,,,,,
885788,Myalgia,23.10,Pruritus,23.10,,,,,
885789,Dizziness,23.10,,,,,
885790,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site swelling,23.10,Skin
reaction,23.10
885791,Rash,23.10,Skin warm,23.10,Swelling,23.10,,,,,
885793,Lymph node pain,23.10,Lymphadenopathy,23.10,,,,,
885795,Injection site erythema,23.10,Injection site rash,
23.10,Injection site warmth,23.10,,,,,
885796,Injection site pain,23.10,Joint range of motion decreased,
23.10,Mobility decreased,23.10,,,,,
885807,Influenza,23.10,,,,,
885808,Inappropriate schedule of product administration,23.10,,,,,
885809,Inappropriate schedule of product administration,23.10,,,,,
885810,Injection site pain,23.10,Pain in extremity,23.10,,,,,
885811,Influenza,23.10,Vaccination failure,23.10,,,,,
885812,Adverse reaction,23.10,,,,,
885813,Contusion,23.10,Mass,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
885814,Abdominal distension,23.10,Abdominal pain lower,23.10,Chills,
23.10,Frequent bowel movements,23.10,Nausea,23.10
885815,Chills,23.10,Fatigue,23.10,Headache,23.10,Injection site pain,
23.10,Pyrexia,23.10
885816,Diarrhoea,23.10,Illness,23.10,Injection site rash,23.10,Limb
discomfort,23.10,Oral herpes,23.10
885816,Pain in extremity,23.10,Peripheral swelling,23.10,Pruritus,
23.10,Rash,23.10,,
885817,Abdominal discomfort,23.10,Coordination abnormal,
23.10,Diarrhoea,23.10,Injection site erythema,23.10,Nausea,23.10
885818,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
885819,Rash,23.10,,,,,
885820,Abdominal pain,23.10,Cold sweat,23.10,Hyperhidrosis,
23.10,Hypotension,23.10,Pallor,23.10
885821,Injection site erythema,23.10,Injection site pain,
23.10,Injection site urticaria,23.10,Injection site warmth,
23.10,Nausea,23.10
885822,Biopsy skin abnormal,23.10,Rash,23.10,Rash papular,23.10,Rash
pruritic,23.10,Seborrhoeic keratosis,23.10
885823,Injection site erythema,23.10,Injection site pruritus,

23.10,,,,,
885824,Injury associated with device,23.10,,,,,
885825,Erythema multiforme,23.10,Pyrexia,23.10,Rash,23.10,,,
885826,Pain in extremity,23.10,Paraesthesia,23.10,,,,,
885827,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
885828,Pain in extremity,23.10,Urticaria,23.10,,,,,
885829,Heart rate increased,23.10,Pyrexia,23.10,Tremor,23.10,,,
885830,Diarrhoea,23.10,Injection site rash,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,,
885831,Erythema,23.10,Local reaction,23.10,Pain,23.10,Swelling,23.10,,
885832,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Injection site urticaria,
23.10,Injection site warmth,23.10
885833,Arthralgia,23.10,Back pain,23.10,,,,,
885834,Arthralgia,23.10,,,,,
885835,Facial paralysis,23.10,,,,,
885836,Fatigue,23.10,Pyrexia,23.10,,,,,
885837,Chills,23.10,Fatigue,23.10,Headache,23.10,Influenza like
illness,23.10,Injection site erythema,23.10
885837,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,
885838,Discomfort,23.10,Joint range of motion decreased,23.10,Pain in
extremity,23.10,,,
885839,Extra dose administered,23.10,No adverse event,23.10,,,,,
885840,Fatigue,23.10,Headache,23.10,Injection site pain,23.10,Rash,
23.10,,
885841,Extra dose administered,23.10,No adverse event,23.10,,,,,
885842,Lymphadenitis,23.10,,,,,
885843,Bradypnea,23.10,Chest discomfort,23.10,Discomfort,
23.10,Feeling abnormal,23.10,Headache,23.10
885844,Wrong product administered,23.10,,,,,
885845,Fatigue,23.10,Influenza like illness,23.10,Pain in extremity,
23.10,Pyrexia,23.10,,
885846,Pruritus,23.10,Rash,23.10,Skin warm,23.10,Swelling,23.10,,
885847,Injection site erythema,23.10,Injection site mass,
23.10,Injection site pain,23.10,Injection site warmth,23.10,,
885848,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,
885849,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
885850,Back injury,23.10,Chills,23.10,Dizziness,23.10,Face injury,
23.10,Feeling abnormal,23.10
885850,Loss of consciousness,23.10,Pain,23.10,Pyrexia,23.10,Tremor,
23.10,,
885851,Dyspnoea,23.10,Rash,23.10,Rash erythematous,23.10,Tachycardia,
23.10,Urticaria,23.10
885852,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
885853,Erythema,23.10,Fatigue,23.10,Headache,23.10,Swelling,
23.10,Vomiting,23.10

885855,Herpes zoster,23.10,,,,,,,,,
885856,Herpes zoster,23.10,,,,,,,,,
885857,Autism spectrum disorder,23.10,,,,,,,,,
885858,Malaise,23.10,,,,,,,,,
885859,Blood test,23.10,Complication of pregnancy,
23.10,Cytomegalovirus test negative,23.10,Exposure during pregnancy,
23.10,Foetal disorder,23.10
885859,Gastrooesophageal reflux disease,23.10,HIV test negative,
23.10,Herpes simplex,23.10,Herpes simplex test negative,
23.10,Laboratory test,23.10
885859,Premature delivery,23.10,Toxoplasma serology negative,
23.10,Ultrasound antenatal screen normal,23.10,Viral test negative,
23.10,,
885860,Incorrect dose administered,23.10,Vaccination site
extravasation,23.10,Wrong technique in product usage process,23.10,,,,,
885862,Asthenia,23.10,Fatigue,23.10,Pain,23.10,,,,,
885863,Injection site erythema,23.10,Vaccination site pain,
23.10,Vaccination site swelling,23.10,,,,,
885864,Road traffic accident,23.10,Syncope,23.10,,,,,
885865,Arthralgia,23.10,Back pain,23.10,Blood thyroid stimulating
hormone normal,23.10,Borrelia test negative,23.10,C-reactive protein
normal,23.10
885865,CSF glucose increased,23.10,CSF protein increased,23.10,CSF red
blood cell count positive,23.10,Computerised tomogram head normal,
23.10,Contusion,23.10
885865,Cough,23.10,Dysphagia,23.10,Dysstasia,23.10,Fall,
23.10,Guillain-Barre syndrome,23.10
885865,Headache,23.10,Hypertension,23.10,Hypoaesthesia,
23.10,Immunoglobulin therapy,23.10,Loss of control of legs,23.10
885865,Magnetic resonance imaging spinal normal,23.10,Muscular
weakness,23.10,Neck pain,23.10,Pain,23.10,Pain in extremity,23.10
885865,Plasmapheresis,23.10,Red blood cell sedimentation rate normal,
23.10,Vitamin B12 normal,23.10,Walking aid user,23.10,,
885866,Loss of consciousness,23.10,,,,,,,,,
885867,Dizziness,23.10,Feeling abnormal,23.10,Headache,23.10,Nausea,
23.10,Neck pain,23.10
885867,Pain in jaw,23.10,Palpitations,23.10,,,,,
885868,Pyrexia,23.10,,,,,,,,,
885869,Chills,23.10,Dizziness,23.10,Fatigue,23.10,Malaise,23.10,Pain,
23.10
885870,Asthenia,23.10,Disorientation,23.10,Disturbance in attention,
23.10,Erythema,23.10,Fatigue,23.10
885870,Feeling hot,23.10,Flushing,23.10,Hyperhidrosis,
23.10,Musculoskeletal stiffness,23.10,,
885871,Discomfort,23.10,Hypophagia,23.10,,,,,
885872,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
885873,Mobility decreased,23.10,Pain in extremity,23.10,Skin
discolouration,23.10,,,,,
885874,Arthralgia,23.10,Mass,23.10,Pain,23.10,Skin warm,23.10,,
885875,Injected limb mobility decreased,23.10,Injection site pain,

23.10,,,,,
885877,Expired product administered,23.10,,,,,
885878,Erythema,23.10,Pain,23.10,Pruritus,23.10,Urticaria,23.10,,
885879,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site warmth,23.10,,,,,
885880,Dizziness,23.10,Headache,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site pruritus,23.10
885880,Injection site warmth,23.10,Nausea,23.10,Rash papular,
23.10,Rash pruritic,23.10,,
885881,Aspiration,23.10,Dyspnoea,23.10,Headache,23.10,Nausea,
23.10,Pain,23.10
885881,Pyrexia,23.10,Vomiting,23.10,,,,,
885882,Anxiety,23.10,Laboratory test,23.10,Urticaria,23.10,,,,,
885883,Product administered to patient of inappropriate age,
23.10,,,,,
885884,Ageusia,23.10,Asthenia,23.10,Chills,23.10,Cough,
23.10,Diarrhoea,23.10
885884,Ear discomfort,23.10,Hypoaesthesia,23.10,Nausea,
23.10,Paraesthesia,23.10,,
885885,Abdominal pain upper,23.10,Nausea,23.10,,,,,
885886,Expired product administered,23.10,,,,,
885887,Arthralgia,23.10,,,,,
885888,Hypoaesthesia,23.10,Muscular weakness,23.10,,,,,
885889,Headache,23.10,Vertigo,23.10,,,,,
885890,Rash,23.10,Rash papular,23.10,,,,,
885891,Chills,23.10,Cough,23.10,Fatigue,23.10,Headache,23.10,Pain,
23.10
885891,Pyrexia,23.10,,,,,
885892,Erythema,23.10,Injection site pain,23.10,Local reaction,
23.10,Paraesthesia,23.10,Pruritus,23.10
885893,Asthenia,23.10,Chills,23.10,Pain in extremity,23.10,Pyrexia,
23.10,Somnolence,23.10
885893,Tinnitus,23.10,Tremor,23.10,,,,,
885894,Headache,23.10,Nausea,23.10,,,,,
885895,Injection site pain,23.10,,,,,
885896,Injection site erythema,23.10,Injection site swelling,
23.10,Urticaria,23.10,,,,,
885897,Chills,23.10,Deafness,23.10,Hyperhidrosis,23.10,Injection site
pain,23.10,Pyrexia,23.10
885897,Syncope,23.10,,,,,
885898,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,,,,,
885899,Back injury,23.10,Fatigue,23.10,Feeling abnormal,23.10,Feeling
hot,23.10,Head injury,23.10
885899,Laboratory test,23.10,Loss of consciousness,23.10,Pallor,
23.10,Syncope,23.10,Tremor,23.10
885899,Vomiting,23.10,,,,,
885900,Chills,23.10,Dizziness,23.10,Dysuria,23.10,Pyrexia,23.10,,
885901,Unevaluable event,23.10,,,,,
885902,Cardiac stress test normal,23.10,Chest discomfort,

23.10, Computerised tomogram thorax, 23.10, Dyspnoea, 23.10, Echocardiogram normal, 23.10
885902, Electrocardiogram, 23.10, Electrocardiogram ambulatory normal, 23.10, Electrocardiogram normal, 23.10, Erythema, 23.10, Extensive swelling of vaccinated limb, 23.10
885902, Fatigue, 23.10, Heart rate irregular, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
885902, Laboratory test normal, 23.10, Pain in extremity, 23.10, Pulmonary function test, 23.10, Pyrexia, 23.10, SARS-CoV-2 test, 23.10
885902, Tachycardia, 23.10, Tenderness, 23.10, , , , , ,
885903, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10, Paraesthesia, 23.10, Skin warm, 23.10, Tinnitus, 23.10
885904, Dizziness, 23.10, Electrocardiogram normal, 23.10, Fatigue, 23.10, Headache, 23.10, Hypotension, 23.10
885904, Nausea, 23.10, Pain, 23.10, Presyncope, 23.10, , , , ,
885905, Asthenia, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, ,
885906, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , ,
885907, Abdominal pain upper, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10
885907, Nausea, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
885908, Fatigue, 23.10, Malaise, 23.10, Nausea, 23.10, , , , ,
885909, Rash vesicular, 23.10, , , , , , , , ,
885910, Pain, 23.10, Pain in extremity, 23.10, Swelling, 23.10, , , , ,
885911, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
885912, Neck pain, 23.10, Pain in jaw, 23.10, Pyrexia, 23.10, Toothache, 23.10, ,
885913, Cellulitis, 23.10, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10
885914, Chills, 23.10, Erythema, 23.10, Pyrexia, 23.10, Skin warm, 23.10, , ,
885915, Erythema, 23.10, , , , , , , , ,
885916, Injection site haemorrhage, 23.10, , , , , , , , ,
885917, Hypersensitivity, 23.10, Influenza like illness, 23.10, Injection site erythema, 23.10, , , , ,
885918, Hypoaesthesia, 23.10, Paraesthesia, 23.10, Visual impairment, 23.10, , , , ,
885919, Body temperature increased, 23.10, Dizziness, 23.10, Fatigue, 23.10, , , , ,
885920, Dehydration, 23.10, Diarrhoea, 23.10, Extra dose administered, 23.10, Wrong product administered, 23.10, ,
885921, Blood pressure increased, 23.10, Dyspnoea, 23.10, Heart rate increased, 23.10, Hyperventilation, 23.10, Hypoaesthesia, 23.10
885921, Paraesthesia, 23.10, Sensory loss, 23.10, Speech disorder, 23.10, Vision blurred, 23.10, ,
885922, Abdominal pain upper, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10
885922, Rash, 23.10, , , , , , , , ,
885923, Injection site bruising, 23.10, , , , , , , , ,
885924, Injection site pain, 23.10, , , , , , , , ,
885925, Cytogenetic analysis normal, 23.10, Disturbance in social

behaviour,23.10,Language disorder,23.10,Metabolic function test normal,23.10,Nervous system disorder,23.10
885925,Pyrexia,23.10,Speech disorder developmental,23.10,Upper respiratory tract infection,23.10,,,,,
885926,Injection site erythema,23.10,Injection site swelling, 23.10,,,,,,
885927,Bedridden,23.10,Erythema,23.10,Injection site swelling, 23.10,Loss of personal independence in daily activities, 23.10,Peripheral swelling,23.10
885927,Tenderness,23.10,,,,,,
885928,Injection site pain,23.10,,,,,,
885929,Immediate post-injection reaction,23.10,Pain in extremity, 23.10,,,,,
885930,Fall,23.10,Loss of consciousness,23.10,,,,,
885931,Arthralgia,23.10,Hyperhidrosis,23.10,Injection site erythema, 23.10,Injection site pain,23.10,Injection site pruritus,23.10
885931,Injection site swelling,23.10,Injection site warmth,23.10,Pain in extremity,23.10,,,,,
885932,Eye pruritus,23.10,Oropharyngeal pain,23.10,Pain,23.10,Pyrexia, 23.10,Wheezing,23.10
885933,Asthenia,23.10,Back pain,23.10,Contusion,23.10,Fatigue, 23.10,Haemoglobin decreased,23.10
885933,Headache,23.10,Injection site haematoma,23.10,Injection site induration,23.10,Magnetic resonance imaging,23.10,Pain in extremity, 23.10
885933,Peripheral swelling,23.10,Skin discolouration,23.10,Sleep disorder,23.10,Surgical procedure repeated,23.10,Thoracic operation, 23.10
885934,Cold sweat,23.10,Dizziness,23.10,Feeling hot,23.10,Injection site haemorrhage,23.10,,
885935,Abdominal discomfort,23.10,Arthralgia,23.10,Chills, 23.10,Headache,23.10,Injection site pain,23.10
885935,Tremor,23.10,,,,,,
885936,Administration site swelling,23.10,Hypoaesthesia,23.10,,,,,
885937,Acute disseminated encephalomyelitis,23.10,Aphasia, 23.10,Arthropod bite,23.10,Blood culture,23.10,Bradycardia,23.10
885937,CSF culture,23.10,Computerised tomogram head abnormal, 23.10,Culture urine,23.10,Drug screen,23.10,Electrocardiogram abnormal,23.10
885937,Extrasystoles,23.10,Fatigue,23.10,Immunoglobulin therapy, 23.10,Laboratory test,23.10,Magnetic resonance imaging brain abnormal, 23.10
885937,Muscle rigidity,23.10,Parasitic test,23.10,Parkinsonism, 23.10,Pyrexia,23.10,Sinus arrhythmia,23.10
885938,Abdominal pain upper,23.10,Dizziness,23.10,Hyperhidrosis, 23.10,Malaise,23.10,Nausea,23.10
885938,Pallor,23.10,Vision blurred,23.10,Visual impairment,23.10,,,,,
885939,Pyrexia,23.10,Rash pruritic,23.10,,,,,,
885940,Injection site erythema,23.10,Injection site warmth,23.10,,,,,,
885941,Arthralgia,23.10,Chills,23.10,Pain,23.10,Pain in extremity,

23.10, Pyrexia, 23.10
885942, Influenza, 23.10, Urticaria, 23.10, , , , , ,
885943, Lymphoedema, 23.10, , , , , , ,
885944, Anxiety, 23.10, Blood pressure increased, 23.10, Cough,
23.10, Fatigue, 23.10, Heart rate increased, 23.10
885944, Hypoaesthesia, 23.10, Influenza like illness, 23.10, Muscle
rigidity, 23.10, Pain, 23.10, Pain in extremity, 23.10
885944, Panic attack, 23.10, SARS-CoV-2 test negative, 23.10, , , , , ,
885945, Loss of consciousness, 23.10, , , , , , ,
885946, Abdominal pain upper, 23.10, Chills, 23.10, Fatigue, 23.10, Headache,
23.10, Injection site pain, 23.10
885946, Injection site rash, 23.10, Nausea, 23.10, Pyrexia, 23.10, Rash,
23.10, Rash erythematous, 23.10
885946, Rash pruritic, 23.10, , , , , , ,
885947, Dizziness, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Swelling, 23.10, ,
885948, Diarrhoea, 23.10, Dizziness, 23.10, Headache, 23.10, Hyperhidrosis,
23.10, Lymphadenopathy, 23.10
885948, Pain in extremity, 23.10, Pyrexia, 23.10, Rash, 23.10, Syncope,
23.10, ,
885949, Chills, 23.10, Pyrexia, 23.10, , , , , ,
885950, Abdominal pain upper, 23.10, Chills, 23.10, Facial pain,
23.10, Fatigue, 23.10, Headache, 23.10
885950, Heart rate increased, 23.10, Hot flush, 23.10, Nasal congestion,
23.10, Nausea, 23.10, Pain, 23.10
885951, Injection site induration, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
885952, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10, ,
885953, Autopsy, 23.10, Sudden death, 23.10, , , , , ,
885954, Dizziness, 23.10, Immediate post-injection reaction, 23.10, Pallor,
23.10, , , , ,
885955, Lip swelling, 23.10, Swelling face, 23.10, , , , , ,
885956, Needle issue, 23.10, , , , , , ,
885957, Cyanosis, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Pyrexia,
23.10, Somnolence, 23.10
885958, Hyperhidrosis, 23.10, Syncope, 23.10, , , , , ,
885959, Blood glucose increased, 23.10, Blood pressure increased,
23.10, Chills, 23.10, Culture urine, 23.10, Differential white blood cell
count, 23.10
885959, Full blood count, 23.10, Headache, 23.10, Injection site warmth,
23.10, Metabolic function test, 23.10, Myalgia, 23.10
885959, Nausea, 23.10, Pyrexia, 23.10, SARS-CoV-2 test, 23.10, , , , ,
885960, Chills, 23.10, Dizziness, 23.10, Feeling cold, 23.10, Heart rate
increased, 23.10, Pain, 23.10
885960, Vomiting, 23.10, , , , , , ,
885961, Diarrhoea, 23.10, Headache, 23.10, Vomiting, 23.10, , , , ,
885962, Hypoaesthesia, 23.10, Pain in extremity, 23.10, , , , , ,
885963, Injection site haemorrhage, 23.10, , , , , , ,
885964, Loss of consciousness, 23.10, Pallor, 23.10, , , , , ,
885965, Lymphoedema, 23.10, , , , , , ,

885966, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
885967, Dizziness, 23.10, Immediate post-injection reaction, 23.10, Loss of
consciousness, 23.10, Seizure, 23.10, Vomiting, 23.10
885968, Erythema, 23.10, Lip swelling, 23.10, Peripheral swelling, 23.10, , , , ,
885969, Bursitis, 23.10, Injected limb mobility decreased, 23.10, Injection
site pain, 23.10, Injection site swelling, 23.10, Joint range of motion
decreased, 23.10
885970, Injection site rash, 23.10, Muscle spasms, 23.10, Pruritus,
23.10, , , , ,
885971, Burning sensation, 23.10, Oral mucosal eruption, 23.10, Rash
vesicular, 23.10, Skin exfoliation, 23.10, ,
885972, Injection site erythema, 23.10, Injection site mass,
23.10, Injection site swelling, 23.10, , , , ,
885973, Anaphylactic reaction, 23.10, Throat tightness, 23.10, , , , , ,
885974, Arthralgia, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Injection site warmth, 23.10, ,
885975, Myalgia, 23.10, , , , , , , ,
885976, Dysphagia, 23.10, Hyperhidrosis, 23.10, Palpitations, 23.10, , , , ,
885977, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , ,
885978, Cellulitis, 23.10, Erythema, 23.10, Peripheral swelling,
23.10, Swelling, 23.10, Ultrasound scan normal, 23.10
885979, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , ,
885980, Dyspnoea, 23.10, Pyrexia, 23.10, , , , , , ,
885981, Injected limb mobility decreased, 23.10, Injection site erythema,
23.10, Injection site rash, 23.10, Injection site swelling, 23.10, Rash
macular, 23.10
885982, Pain in extremity, 23.10, , , , , , , ,
885983, Arthralgia, 23.10, Contusion, 23.10, Inflammation, 23.10, Injection
site pain, 23.10, Pain in extremity, 23.10
885983, Skin warm, 23.10, , , , , , , ,
885984, Arthralgia, 23.10, Induration, 23.10, Peripheral swelling, 23.10, , , , ,
885985, Syncope, 23.10, Vomiting, 23.10, , , , , , ,
885986, Asthenia, 23.10, Body temperature increased, 23.10, Diarrhoea,
23.10, Fatigue, 23.10, Influenza like illness, 23.10
885986, Nausea, 23.10, , , , , , , ,
885987, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
885988, No adverse event, 23.10, , , , , , , ,
885989, Aphonia, 23.10, Arthralgia, 23.10, Dizziness, 23.10, Dysgeusia,
23.10, Oropharyngeal pain, 23.10
885989, Palpitations, 23.10, Pharyngeal swelling, 23.10, , , , , , ,
885990, Asthenia, 23.10, Body temperature increased, 23.10, Dizziness,
23.10, Pain, 23.10, ,
885991, Contusion, 23.10, , , , , , , ,
885992, Pain in extremity, 23.10, , , , , , , ,
885993, Rash erythematous, 23.10, Rash pruritic, 23.10, , , , , , ,
885994, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site swelling, 23.10, Pain, 23.10, ,
885995, Erythema, 23.10, Pruritus, 23.10, , , , , , ,

885996, No adverse event, 23.10, , , , , , , , ,
885997, Injection site pruritus, 23.10, , , , , , , , ,
885998, Dizziness, 23.10, Feeling cold, 23.10, Nausea, 23.10, , , , ,
885999, Dizziness, 23.10, Hyperhidrosis, 23.10, Loss of consciousness,
23.10, Muscle rigidity, 23.10, Muscle tightness, 23.10
885999, Syncope, 23.10, Tinnitus, 23.10, Visual impairment, 23.10, , , , ,
886000, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site urticaria, 23.10, , , , , ,
886001, Abdominal pain upper, 23.10, Muscle spasms, 23.10, Posture
abnormal, 23.10, Syncope, 23.10, ,
886002, Injection site bruising, 23.10, , , , , , , , ,
886003, Loss of consciousness, 23.10, Malaise, 23.10, Pallor, 23.10, Pyrexia,
23.10, Unresponsive to stimuli, 23.10
886003, Vomiting, 23.10, , , , , , , , ,
886004, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, , ,
886005, Syncope, 23.10, , , , , , , , ,
886006, Diarrhoea, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia,
23.10
886006, Sleep disorder, 23.10, , , , , , , , ,
886007, Erythema, 23.10, Swelling, 23.10, , , , , , , , ,
886008, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , ,
886009, Erythema, 23.10, Peripheral swelling, 23.10, Tenderness, 23.10, , , , ,
886010, Axillary pain, 23.10, Chills, 23.10, Erythema, 23.10, Pain,
23.10, Swelling, 23.10
886011, Syncope, 23.10, , , , , , , , ,
886012, Hypotension, 23.10, Injection site rash, 23.10, Injection site
swelling, 23.10, Vomiting, 23.10, , ,
886013, Body temperature increased, 23.10, Headache, 23.10, Pain, 23.10, , , , ,
886014, Pain in extremity, 23.10, , , , , , , , ,
886015, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth,
23.10, Nausea, 23.10
886015, Pyrexia, 23.10, Vomiting, 23.10, , , , , , , , ,
886016, Dysphonia, 23.10, Glossitis, 23.10, Injection site erythema,
23.10, Muscular weakness, 23.10, Pruritus, 23.10
886016, Skin warm, 23.10, Throat irritation, 23.10, Urticaria, 23.10, , , , ,
886017, Unevaluable event, 23.10, , , , , , , , ,
886018, Dyspnoea, 23.10, Loss of consciousness, 23.10, Muscular weakness,
23.10, Tremor, 23.10, , ,
886019, Burning sensation, 23.10, Headache, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
886019, Insomnia, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10, Skin
warm, 23.10, , ,
886020, Erythema, 23.10, Injection site bruising, 23.10, Peripheral
swelling, 23.10, Skin warm, 23.10, , ,
886021, Fatigue, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Injection site warmth, 23.10, Malaise, 23.10
886021, Paraesthesia, 23.10, , , , , , , , ,

886022, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Muscle spasms, 23.10,,
886023, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Vomiting, 23.10,,
886024, Arthralgia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Headache, 23.10
886024, Impaired work ability, 23.10, Influenza like illness, 23.10, Pain, 23.10, Tremor, 23.10,,
886025, Feeling cold, 23.10, Myalgia, 23.10, Pain, 23.10,,,,,
886026, Extensive swelling of vaccinated limb, 23.10,,,,,,
886027, Dizziness, 23.10, Syncope, 23.10,,,,,
886028, Chest discomfort, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10,,
886029, Dizziness, 23.10, Hypersensitivity, 23.10, Immediate post-injection reaction, 23.10, Jaw fracture, 23.10, Loss of consciousness, 23.10
886029, Orthognathic surgery, 23.10, Pruritus, 23.10, Skin laceration, 23.10, Suture insertion, 23.10, Swollen tongue, 23.10
886029, Urticaria, 23.10,,,,,,
886030, Fatigue, 23.10, Heart rate increased, 23.10,,,,,
886031, Pruritus, 23.10, Rash, 23.10,,,,,
886032, Injection site bruising, 23.10, Pain in extremity, 23.10,,,,,
886033, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Influenza like illness, 23.10, Pain in extremity, 23.10
886033, Pyrexia, 23.10,,,,,,
886034, Fall, 23.10, Oxygen saturation normal, 23.10,,,,,
886035, Dizziness, 23.10, Feeling cold, 23.10, Headache, 23.10, Injection site pain, 23.10, Nausea, 23.10
886035, Pyrexia, 23.10, Upper-airway cough syndrome, 23.10, Vomiting, 23.10,,,,
886036, Chills, 23.10, Gait disturbance, 23.10, Headache, 23.10, Malaise, 23.10, Pain, 23.10
886036, Tremor, 23.10,,,,,,
886037, Chills, 23.10, Contusion, 23.10, Haemorrhage, 23.10, Pain, 23.10, Pyrexia, 23.10
886037, Swelling, 23.10,,,,,,
886038, Amenorrhoea, 23.10, Blood follicle stimulating hormone increased, 23.10, Chromosome analysis normal, 23.10, Menstruation irregular, 23.10, Premature menopause, 23.10
886038, Ultrasound pelvis normal, 23.10,,,,,,
886039, Pain in extremity, 23.10, Pruritus, 23.10, Swelling, 23.10, Urticaria, 23.10,,
886040, Injected limb mobility decreased, 23.10,,,,,,
886041, Product administered to patient of inappropriate age, 23.10,,,,,,
886042, Blood pressure increased, 23.10, Malaise, 23.10, Serum sickness, 23.10,,,,
886043, Blood glucose decreased, 23.10, Dysphonia, 23.10, Dyspnoea, 23.10, Enlarged uvula, 23.10, Fatigue, 23.10
886043, Hyperhidrosis, 23.10, Injected limb mobility decreased, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site urticaria, 23.10

886043, Oropharyngeal pain, 23.10, Pain in extremity, 23.10, Rash erythematous, 23.10, Skin warm, 23.10, Somnolence, 23.10
886044, Insomnia, 23.10, Joint range of motion decreased, 23.10, Pain in extremity, 23.10, , , , ,
886045, Chills, 23.10, Injection site pain, 23.10, Pyrexia, 23.10, , , , ,
886046, Musculoskeletal stiffness, 23.10, Neck pain, 23.10, , , , , ,
886047, Pyrexia, 23.10, , , , , , , ,
886048, Nausea, 23.10, Pain in extremity, 23.10, , , , , ,
886049, Nausea, 23.10, Vomiting, 23.10, , , , , ,
886050, Injection site pain, 23.10, Joint range of motion decreased, 23.10, X-ray, 23.10, , , , ,
886051, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, , , , ,
886052, Axillary pain, 23.10, Lymphadenitis, 23.10, , , , , ,
886053, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
886054, Subdural haematoma, 23.10, , , , , , , ,
886055, Burning sensation, 23.10, Cardiac monitoring normal, 23.10, Dyspnoea, 23.10, Electrocardiogram normal, 23.10, Erythema, 23.10
886055, Hypersensitivity, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , ,
886056, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site inflammation, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
886056, Injection site warmth, 23.10, , , , , , , ,
886057, Chills, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Muscle spasms, 23.10, Productive cough, 23.10
886057, Pyrexia, 23.10, , , , , , , ,
886058, Dysgeusia, 23.10, Hypoaesthesia, 23.10, Hypoaesthesia oral, 23.10, Paraesthesia, 23.10, , ,
886059, Erythema, 23.10, Urticaria, 23.10, , , , , ,
886060, Syncope, 23.10, , , , , , , ,
886061, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,
886062, Abdominal discomfort, 23.10, Headache, 23.10, Myalgia, 23.10, , , , ,
886063, Immediate post-injection reaction, 23.10, Injection site swelling, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10, ,
886064, Diarrhoea, 23.10, Haematochezia, 23.10, , , , , ,
886065, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
886066, Injection site rash, 23.10, , , , , , , ,
886067, Asthenia, 23.10, Body temperature increased, 23.10, Chills, 23.10, Cough, 23.10, Fatigue, 23.10
886067, Headache, 23.10, Injection site pain, 23.10, Nausea, 23.10, Pain, 23.10, Photophobia, 23.10
886067, Vomiting, 23.10, , , , , , , ,
886068, Immobile, 23.10, Loss of personal independence in daily activities, 23.10, Pain in extremity, 23.10, , , , ,
886069, Pain, 23.10, Rash, 23.10, Tenderness, 23.10, Vaccination site erythema, 23.10, Vaccination site swelling, 23.10
886070, Pain, 23.10, Pyrexia, 23.10, , , , , ,

886071, Asthenia, 23.10, Diarrhoea, 23.10, Metabolic function test, 23.10, Nausea, 23.10, SARS-CoV-2 test, 23.10
886072, Abdominal pain upper, 23.10, Headache, 23.10, Pain, 23.10, Photophobia, 23.10, Vomiting, 23.10
886073, Injection site bruising, 23.10, Injection site pain, 23.10, , , , , ,
886074, Injection site swelling, 23.10, Limb discomfort, 23.10, Pruritus, 23.10, , , , ,
886075, Dizziness, 23.10, Fall, 23.10, Feeling hot, 23.10, Hyperhidrosis, 23.10, Syncope, 23.10
886076, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10
886076, Pyrexia, 23.10, , , , , , , ,
886077, Body temperature increased, 23.10, Injection site erythema, 23.10, Injection site warmth, 23.10, Pain, 23.10, ,
886078, Immediate post-injection reaction, 23.10, Peripheral swelling, 23.10, , , , , , ,
886079, Feeding disorder, 23.10, Vomiting, 23.10, Weight decreased, 23.10, , , , ,
886080, Fall, 23.10, Loss of consciousness, 23.10, , , , , , ,
886081, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, ,
886082, Hypersensitivity, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
886083, Asthenia, 23.10, Erythema, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Urticaria, 23.10
886084, Asthenia, 23.10, Chest discomfort, 23.10, Chills, 23.10, Dyspnoea, 23.10, Feeling abnormal, 23.10
886084, Rash, 23.10, , , , , , , ,
886085, Dizziness, 23.10, Erythema, 23.10, Headache, 23.10, Musculoskeletal stiffness, 23.10, Nausea, 23.10
886085, Pain, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, Tenderness, 23.10, ,
886086, Loss of consciousness, 23.10, Syncope, 23.10, , , , , , ,
886087, Blindness unilateral, 23.10, , , , , , , ,
886088, Urticaria, 23.10, , , , , , , ,
886089, Chest pain, 23.10, Cough, 23.10, Upper respiratory tract infection, 23.10, , , , ,
886090, Mobility decreased, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
886091, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10, , , , ,
886092, Asthenia, 23.10, Blood culture negative, 23.10, Cerebrovascular accident, 23.10, Chest X-ray normal, 23.10, Computerised tomogram head abnormal, 23.10
886092, Culture urine negative, 23.10, Echocardiogram normal, 23.10, Electroencephalogram abnormal, 23.10, Hypotension, 23.10, Intensive care, 23.10
886092, Lethargy, 23.10, Magnetic resonance imaging brain abnormal, 23.10, Mental status changes, 23.10, Secondary adrenocortical

insufficiency,23.10,Sepsis,23.10
886092,Ultrasound liver normal,23.10,Vomiting,23.10,,,,,
886093,Pain,23.10,Product administered at inappropriate site,
23.10,,,,,
886094,Body temperature decreased,23.10,Heart rate decreased,
23.10,Loss of consciousness,23.10,,,,,
886095,Contusion,23.10,Feeling cold,23.10,Feeling hot,
23.10,Hyperhidrosis,23.10,Mobility decreased,23.10
886095,Pain,23.10,Pain in extremity,23.10,Pain of skin,23.10,Rash
macular,23.10,Sleep disorder,23.10
886095,Swelling,23.10,,,,,
886096,Chills,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,,
886097,Chills,23.10,Fatigue,23.10,Pain,23.10,Pyrexia,23.10,Somnolence,
23.10
886098,Abdominal pain,23.10,Dyschezia,23.10,Irritability,
23.10,Physical examination,23.10,Poor feeding infant,23.10
886098,Rectal prolapse,23.10,X-ray,23.10,,,,,
886099,Cough,23.10,Fatigue,23.10,Feeling cold,23.10,Headache,
23.10,Heart rate increased,23.10
886099,Myalgia,23.10,Nasal congestion,23.10,Oropharyngeal pain,
23.10,Pyrexia,23.10,Rhinorrhoea,23.10
886099,SARS-CoV-2 test negative,23.10,Sneezing,23.10,,,,,
886100,Diarrhoea,23.10,Dizziness,23.10,Somnolence,23.10,,,,,
886114,Discomfort,23.10,Eye swelling,23.10,Lymphadenopathy,
23.10,Musculoskeletal discomfort,23.10,Pruritus,23.10
886114,Rash,23.10,Swelling,23.10,Throat tightness,23.10,,,,,
886115,No adverse event,23.10,Product storage error,23.10,,,,,
886116,Eye injury,23.10,Ophthalmic herpes zoster,23.10,,,,,
886117,Device malfunction,23.10,Embedded device,23.10,Needle issue,
23.10,,,,,
886118,Underdose,23.10,,,,,
886119,Expired product administered,23.10,,,,,
886120,Headache,23.10,Vomiting,23.10,,,,,
886121,Expired product administered,23.10,No adverse event,23.10,,,,,
886122,Human papilloma virus test positive,23.10,Papilloma viral
infection,23.10,,,,,
886123,Product storage error,23.10,,,,,
886124,Product storage error,23.10,,,,,
886125,Expired product administered,23.10,,,,,
886126,Expired product administered,23.10,,,,,
886127,No adverse event,23.10,Wrong product administered,23.10,,,,,
886128,Product storage error,23.10,,,,,
886129,Expired product administered,23.10,No adverse event,23.10,,,,,
886130,Product storage error,23.10,,,,,
886131,Product storage error,23.10,,,,,
886132,Product storage error,23.10,,,,,
886133,Product storage error,23.10,,,,,
886134,Product storage error,23.10,,,,,
886135,No adverse event,23.10,Product storage error,23.10,,,,,
886136,Incomplete course of vaccination,23.10,,,,,

886137, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
886138, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
886139, Allergy test positive, 23.10, Allergy to vaccine, 23.10, Blood
test, 23.10, Flushing, 23.10, Full blood count, 23.10
886139, Hypoaesthesia, 23.10, Paraesthesia, 23.10, , , , , ,
886140, Herpes zoster, 23.10, , , , , , ,
886141, Herpes zoster, 23.10, Varicella zoster pneumonia, 23.10, , , , , ,
886142, Herpes zoster, 23.10, , , , , , ,
886143, Aphasia, 23.10, Speech disorder, 23.10, , , , , ,
886144, Guillain-Barre syndrome, 23.10, , , , , , ,
886145, Injection site erythema, 23.10, , , , , , ,
886146, Stress fracture, 23.10, , , , , , ,
886147, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
886148, Product storage error, 23.10, , , , , , ,
886149, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
886150, Incorrect dose administered, 23.10, No adverse event,
23.10, Product administered to patient of inappropriate age, 23.10, , , , ,
886151, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pyrexia, 23.10, ,
886152, Pyrexia, 23.10, , , , , , ,
886153, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
886154, Rash, 23.10, , , , , , ,
886155, Arthralgia, 23.10, Chest discomfort, 23.10, Chills, 23.10, Cough,
23.10, Fatigue, 23.10
886155, Headache, 23.10, Myalgia, 23.10, Nasal congestion, 23.10, Nausea,
23.10, Oropharyngeal pain, 23.10
886155, Pyrexia, 23.10, Vomiting, 23.10, Wheezing, 23.10, , , , ,
886156, Hypotonia, 23.10, Unresponsive to stimuli, 23.10, , , , , , ,
886157, Fall, 23.10, Gaze palsy, 23.10, Head injury, 23.10, Muscle
contracture, 23.10, Seizure, 23.10
886157, Tremor, 23.10, , , , , , ,
886158, Erythema multiforme, 23.10, Rash erythematous, 23.10, , , , , , ,
886159, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
886161, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
886162, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
886164, COVID-19, 23.10, Coronavirus test positive, 23.10, , , , , , ,
886165, Erythema, 23.10, Mass, 23.10, Skin warm, 23.10, Swelling,
23.10, Tenderness, 23.10
886166, Chest pain, 23.10, Dyspnoea, 23.10, Influenza virus test negative,
23.10, Nausea, 23.10, Ocular hyperaemia, 23.10
886166, Peripheral swelling, 23.10, SARS-CoV-2 test negative,
23.10, Swelling face, 23.10, Vomiting, 23.10, ,
886167, Arthralgia, 23.10, Migraine, 23.10, Musculoskeletal stiffness,
23.10, Paranasal sinus inflammation, 23.10, ,
886168, Arthralgia, 23.10, Dizziness, 23.10, Headache, 23.10, Pain in
extremity, 23.10, Pyrexia, 23.10
886169, Vertigo, 23.10, , , , , , ,
886170, No adverse event, 23.10, Underdose, 23.10, , , , , , ,

886171, Erythema, 23.10, Ocular hyperaemia, 23.10, Oral pain, 23.10, Pain in extremity, 23.10,,
886172, Syncope, 23.10, Visual impairment, 23.10,,,,,
886173, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10,,,,,
886174, Erythema, 23.10, Swelling, 23.10,,,,,
886175, Neuralgia, 23.10,,,,,
886176, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10,,,,,
886177, Erythema, 23.10,,,,,
886178, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10,,,,,
886179, Injection site erythema, 23.10, Injection site swelling, 23.10, Pruritus, 23.10, Urticaria, 23.10,,
886180, Nerve injury, 23.10, Pain in extremity, 23.10,,,,,
886182, Discomfort, 23.10, Peripheral nerve paresis, 23.10, Swelling, 23.10,,,,,
886183, Injection site vesicles, 23.10,,,,,
886184, Dysstasia, 23.10, Movement disorder, 23.10, Musculoskeletal stiffness, 23.10, Pain, 23.10,,
886185, Activated partial thromboplastin time, 23.10, Blood culture, 23.10, Blood lactic acid, 23.10, Full blood count, 23.10, Injection site erythema, 23.10
886185, Injection site swelling, 23.10, Laboratory test, 23.10, Metabolic function test, 23.10, Prothrombin time, 23.10, Pyrexia, 23.10
886186, Flushing, 23.10, Pallor, 23.10, Rash macular, 23.10,,,,,
886187, Discomfort, 23.10, Injection site bruising, 23.10, Injection site pain, 23.10,,,,,
886188, Body temperature increased, 23.10, Culture urine, 23.10,,,,,
886189, CSF test normal, 23.10, Chest X-ray normal, 23.10, Disorientation, 23.10, Encephalitis, 23.10, Endotracheal intubation, 23.10
886189, Incoherent, 23.10, Intensive care, 23.10, Irritability, 23.10, Laboratory test, 23.10, Magnetic resonance imaging normal, 23.10
886189, Mechanical ventilation, 23.10, Personality change, 23.10, Seizure, 23.10,,,,,
886190, Allergy test positive, 23.10, Culture throat negative, 23.10, Erythema, 23.10, Local reaction, 23.10, Streptococcus test negative, 23.10
886190, Urticaria, 23.10,,,,,
886191, Arthralgia, 23.10, Back pain, 23.10, Myalgia, 23.10, Neck pain, 23.10, Pain in extremity, 23.10
886192, Anxiety, 23.10, Throat irritation, 23.10,,,,,
886193, Loss of personal independence in daily activities, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,
886194, Syncope, 23.10,,,,,
886195, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
886195, Musculoskeletal stiffness, 23.10,,,,,
886196, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pruritus, 23.10, Pyrexia, 23.10
886197, Injection site scab, 23.10, Pain, 23.10,,,,,

886198, Cough, 23.10, Headache, 23.10, Oropharyngeal pain, 23.10, Viral upper respiratory tract infection, 23.10,,
886199, Eye irritation, 23.10, Nodule, 23.10, Pruritus, 23.10, Rash, 23.10, Skin reaction, 23.10
886199, Urticaria, 23.10,,,,,,
886200, Immediate post-injection reaction, 23.10, Pallor, 23.10,,,,,
886201, Back pain, 23.10,,,,,,
886202, Erythema, 23.10, Peripheral swelling, 23.10, Rash, 23.10,,,,
886203, Eating disorder, 23.10, Muscle twitching, 23.10,,,,,
886204, Abdominal pain, 23.10, Diarrhoea, 23.10, Hyperhidrosis, 23.10, Movement disorder, 23.10, Nausea, 23.10
886204, Syncope, 23.10,,,,,,
886205, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
886213, Diarrhoea, 23.10, Interchange of vaccine products, 23.10,,,,,
886215, Herpes zoster, 23.10,,,,,,
886216, Abdominal discomfort, 23.10, Abdominal pain upper, 23.10, Anxiety, 23.10, Asthenia, 23.10, Back pain, 23.10
886216, Chest pain, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10, Dyspnoea, 23.10, Fatigue, 23.10
886216, Feeling drunk, 23.10, Injection site pain, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10
886216, Rash, 23.10,,,,,,
886217, Abdominal pain upper, 23.10, Asthenia, 23.10, Bedridden, 23.10, Chills, 23.10, Dehydration, 23.10
886217, Diarrhoea, 23.10, Dysphagia, 23.10, Dyspnoea, 23.10, Fall, 23.10, Feeling abnormal, 23.10
886217, Headache, 23.10, Influenza like illness, 23.10, Malaise, 23.10, Mobility decreased, 23.10, Muscular weakness, 23.10
886217, Nausea, 23.10, Tremor, 23.10,,,,,
886218, Fatigue, 23.10, Feeling abnormal, 23.10, Illness, 23.10, Pain in extremity, 23.10,,
886219, Cholecystectomy, 23.10, Escherichia infection, 23.10, Escherichia sepsis, 23.10, Organ failure, 23.10, Viral infection, 23.10
886220, Erythema, 23.10, Fatigue, 23.10, Skin ulcer, 23.10, Swelling, 23.10, Swelling face, 23.10
886221, Contusion, 23.10,,,,,,
886222, Chills, 23.10, Dizziness, 23.10, Ear discomfort, 23.10, Hyperhidrosis, 23.10, Insomnia, 23.10
886222, Migraine, 23.10, Nasal congestion, 23.10, Nausea, 23.10, Pain, 23.10, Sinus congestion, 23.10
886223, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Local reaction, 23.10
886224, Arthralgia, 23.10, Cough, 23.10, Diarrhoea, 23.10, Ear pain, 23.10, Headache, 23.10
886224, Pyrexia, 23.10, Rhinorrhoea, 23.10,,,,,
886225, Irritability, 23.10, Pyrexia, 23.10, Rash, 23.10, Skin warm, 23.10,,
886226, Injection site erythema, 23.10, Injection site pain, 23.10,,,,,
886227, Injection site reaction, 23.10, Injection site swelling, 23.10, Irritability, 23.10, Rash macular, 23.10, Screaming, 23.10

886228, Arthralgia, 23.10, Asthenia, 23.10, Body temperature increased, 23.10, Chills, 23.10, Feeling abnormal, 23.10
886228, Headache, 23.10, Initial insomnia, 23.10, Muscle strain, 23.10, Nausea, 23.10, Pain, 23.10
886229, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
886230, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , , ,
886231, Shock symptom, 23.10, , , , , , ,
886232, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site urticaria, 23.10, ,
886233, Syringe issue, 23.10, , , , , , ,
886236, Fatigue, 23.10, Insomnia, 23.10, Middle insomnia, 23.10, Mobility decreased, 23.10, Muscle spasms, 23.10
886236, Neuralgia, 23.10, Pain, 23.10, , , , , ,
886237, Erythema, 23.10, Pain, 23.10, Swelling, 23.10, , , ,
886238, Injection site erythema, 23.10, , , , , , ,
886239, Anxiety, 23.10, , , , , , ,
886240, Erythema, 23.10, Scab, 23.10, Skin disorder, 23.10, , , , ,
886241, Injection site erythema, 23.10, Injection site pain, 23.10, , , , , ,
886242, Dizziness, 23.10, , , , , , ,
886243, Seizure, 23.10, , , , , , ,
886244, Cellulitis, 23.10, Fatigue, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10
886244, Lymph node pain, 23.10, , , , , , ,
886245, Feeling of body temperature change, 23.10, Loss of consciousness, 23.10, , , , , ,
886246, Blood glucose increased, 23.10, Headache, 23.10, Nausea, 23.10, Syncope, 23.10, Vomiting, 23.10
886247, Erythema, 23.10, Laboratory test, 23.10, Muscular weakness, 23.10, Myalgia, 23.10, Pain in extremity, 23.10
886247, Pyrexia, 23.10, , , , , , ,
886248, Pain, 23.10, Pruritus, 23.10, Rash, 23.10, , , , ,
886249, Injected limb mobility decreased, 23.10, Injection site swelling, 23.10, Joint swelling, 23.10, Pain, 23.10, Pain in extremity, 23.10
886249, Peripheral swelling, 23.10, , , , , , ,
886253, Petit mal epilepsy, 23.10, , , , , , ,
886256, Product storage error, 23.10, , , , , , ,
886257, Product storage error, 23.10, , , , , , ,
886258, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
886259, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
886260, Swelling, 23.10, White blood cell count decreased, 23.10, , , , , ,
886261, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
886262, Product storage error, 23.10, , , , , , ,
886263, Arthralgia, 23.10, , , , , , ,
886264, Chills, 23.10, Fatigue, 23.10, Limb discomfort, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10
886265, Hepatitis B antibody negative, 23.10, Therapy non-responder, 23.10, , , , , ,
886266, Erythema, 23.10, Pain, 23.10, Swelling, 23.10, , , , ,
886267, Injection site erythema, 23.10, , , , , , ,
886268, Erythema, 23.10, Pain, 23.10, Swelling, 23.10, , , , ,

886269, Discomfort, 23.10, , , , , , , , ,
886270, Injection site haemorrhage, 23.10, Product complaint, 23.10, , , , , , ,
886272, Pain in extremity, 23.10, , , , , , , , ,
886273, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10, Rash macular, 23.10, ,
886275, Herpes zoster, 23.10, Incomplete course of vaccination, 23.10, Rash
erythematous, 23.10, Rash pruritic, 23.10, Skin warm, 23.10
886276, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
886277, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
886278, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
886279, Injection site erythema, 23.10, Injection site irritation,
23.10, Joint swelling, 23.10, Peripheral swelling, 23.10, Rash, 23.10
886279, Rash pruritic, 23.10, , , , , , , , ,
886280, Incorrect route of product administration, 23.10, No adverse
event, 23.10, Product administered at inappropriate site, 23.10, Wrong
product administered, 23.10, ,
886281, Injection site pain, 23.10, Joint range of motion decreased,
23.10, Movement disorder, 23.10, , , , ,
886282, Feeling abnormal, 23.10, Feeling of despair, 23.10, Suicidal
ideation, 23.10, , , , ,
886283, Facial paralysis, 23.10, , , , , , , , ,
886284, Injection site pain, 23.10, Neck pain, 23.10, , , , , , ,
886285, Injection site pain, 23.10, Joint stiffness, 23.10, Malaise,
23.10, Nausea, 23.10, Oropharyngeal pain, 23.10
886285, Pyrexia, 23.10, , , , , , , , ,
886286, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
886287, Exposure during pregnancy, 23.10, Injection site swelling,
23.10, Wrong product administered, 23.10, , , , ,
886288, Chest pain, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Erythema,
23.10, Injection site warmth, 23.10
886288, Myalgia, 23.10, Peripheral swelling, 23.10, Presyncope, 23.10, Rash,
23.10, ,
886289, Dizziness, 23.10, Electrocardiogram normal, 23.10, Heart rate
irregular, 23.10, Hyperhidrosis, 23.10, Laboratory test normal, 23.10
886289, Nausea, 23.10, Palpitations, 23.10, Vomiting, 23.10, , , , ,
886290, Neuralgia, 23.10, Pain in extremity, 23.10, , , , , , ,
886291, Abdominal pain, 23.10, Acute lymphocytic leukaemia, 23.10, Crying,
23.10, Ear infection, 23.10, Gastroenteritis, 23.10
886291, Irritability, 23.10, Pyrexia, 23.10, Viral infection,
23.10, Vomiting, 23.10, ,
886292, Blood pressure increased, 23.10, Electrocardiogram normal,
23.10, Heart rate normal, 23.10, Injection site erythema, 23.10, Injection
site swelling, 23.10
886292, Injection site warmth, 23.10, , , , , , , , ,
886293, Feeling abnormal, 23.10, Gaze palsy, 23.10, Syncope,
23.10, Unresponsive to stimuli, 23.10, , ,
886294, Insomnia, 23.10, Pain, 23.10, , , , , , ,
886295, Hypoxia, 23.10, Loss of consciousness, 23.10, Seizure, 23.10, Urinary
incontinence, 23.10, ,
886296, Erythema, 23.10, Mobility decreased, 23.10, Pain in extremity,

23.10,Peripheral swelling,23.10,Skin warm,23.10
886296,Sleep disorder,23.10,,,,,
886297,Joint range of motion decreased,23.10,Loss of personal
independence in daily activities,23.10,Pain,23.10,Sleep disorder,
23.10,X-ray limb normal,23.10
886298,Dizziness,23.10,Heart rate increased,23.10,Urticaria,23.10,,,,,
886299,Pruritus,23.10,,,,,
886301,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Pyrexia,23.10,,
886302,Pruritus,23.10,Rash,23.10,Rash erythematous,23.10,,,,,
886303,Exposure during pregnancy,23.10,Pruritus,23.10,Rash,23.10,Rash
erythematous,23.10,Ultrasound antenatal screen normal,23.10
886304,Endotracheal intubation,23.10,Gait disturbance,
23.10,Hypoaesthesia,23.10,Muscular weakness,23.10,Respiratory
disorder,23.10
886305,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
886306,Abdominal discomfort,23.10,Diplopia,23.10,Ear pain,
23.10,Fatigue,23.10,Rash,23.10
886306,Syncope,23.10,,,,,
886307,Vaccination site erythema,23.10,Vaccination site swelling,
23.10,,,,,
886308,Chest X-ray,23.10,Cough,23.10,Diarrhoea,23.10,Dyspnoea,
23.10,Nausea,23.10
886308,Pain,23.10,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,,,,,
886309,Syncope,23.10,,,,,
886310,Injection site rash,23.10,Rash,23.10,,,,,
886311,Dizziness,23.10,Headache,23.10,Nausea,23.10,,,,,
886312,Injection site discolouration,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,,,,,
886313,Chills,23.10,Headache,23.10,Influenza like illness,
23.10,Muscular weakness,23.10,Nausea,23.10
886313,Retching,23.10,Vomiting,23.10,,,,,
886314,Erythema,23.10,Ligament pain,23.10,Pain,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10
886314,Sleep disorder,23.10,,,,,
886315,Malaise,23.10,,,,,
886316,Contusion,23.10,Peripheral swelling,23.10,,,,,
886317,Cellulitis,23.10,Swelling,23.10,,,,,
886318,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
886319,Headache,23.10,Hypoaesthesia,23.10,Paraesthesia,23.10,,,,,
886320,Peripheral swelling,23.10,Swelling face,23.10,,,,,
886321,Abdominal discomfort,23.10,Feeding disorder,23.10,Flatulence,
23.10,Headache,23.10,Nausea,23.10
886321,Oropharyngeal pain,23.10,Pruritus,23.10,Rash,23.10,Urticaria,
23.10,,
886322,Chills,23.10,Diarrhoea,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,Pyrexia,23.10
886323,Injection site erythema,23.10,,,,,
886324,Injection site erythema,23.10,Injection site inflammation,

23.10,Injection site pain,23.10,Injection site swelling,23.10,Mobility decreased,23.10
886324,Pain in extremity,23.10,,,,,,,
886325,Fall,23.10,Syncope,23.10,,,,,
886326,Injection site rash,23.10,Product administered at inappropriate site,23.10,,,,,
886327,Dizziness,23.10,Hyperhidrosis,23.10,Malaise,23.10,Tinnitus,23.10,Vomiting,23.10
886328,Herpes zoster,23.10,Neuralgia,23.10,Rash,23.10,,,,
886329,Injection site erythema,23.10,Injection site swelling,23.10,,,,,
886330,Erythema,23.10,Swelling,23.10,,,,,
886331,Pyrexia,23.10,Rash,23.10,Rash erythematous,23.10,,,,
886332,Headache,23.10,Vertigo,23.10,,,,,
886333,Arthralgia,23.10,Tenderness,23.10,,,,,
886334,Deafness,23.10,,,,,,,
886335,Magnetic resonance imaging abnormal,23.10,Pain in extremity,23.10,Shoulder injury related to vaccine administration,23.10,,,,
886336,Influenza like illness,23.10,Injected limb mobility decreased,23.10,Pain in extremity,23.10,Peripheral swelling,23.10,Skin warm,23.10
886337,Urticaria,23.10,,,,,,,
886338,Erythema,23.10,Infection,23.10,Pruritus,23.10,Swelling,23.10,,
886339,Chills,23.10,Headache,23.10,Lethargy,23.10,Myalgia,23.10,Pyrexia,23.10
886339,SARS-CoV-2 test negative,23.10,,,,,,,
886340,Injection site erythema,23.10,Injection site pain,23.10,Injection site warmth,23.10,Pyrexia,23.10,,
886341,Pain,23.10,Pyrexia,23.10,,,,,
886342,Ear swelling,23.10,Injection site erythema,23.10,Injection site swelling,23.10,,,,
886343,Erythema,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,
886344,Discomfort,23.10,Dyspnoea,23.10,Feeling abnormal,23.10,Headache,23.10,Injection site pain,23.10
886344,Lymphadenopathy,23.10,Mobility decreased,23.10,Neck pain,23.10,Pain,23.10,Peripheral swelling,23.10
886344,Skin tightness,23.10,,,,,,,
886345,Back pain,23.10,Dyspnoea,23.10,Heart rate increased,23.10,,,,
886346,Burning sensation,23.10,Chest pain,23.10,Electrocardiogram,23.10,Hypoaesthesia,23.10,Swelling,23.10
886347,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
886348,Crying,23.10,Vision blurred,23.10,,,,,
886349,Anaphylactic reaction,23.10,Eye pruritus,23.10,Headache,23.10,Nasal congestion,23.10,Oropharyngeal pain,23.10
886350,Hypersensitivity,23.10,Urticaria,23.10,,,,,
886351,Erythema,23.10,Fatigue,23.10,Inflammation,23.10,Malaise,23.10,Myalgia,23.10
886351,Nausea,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,
886352,Erythema,23.10,Musculoskeletal stiffness,23.10,Pruritus,

23.10,Rash,23.10,Swelling,23.10
886353,Injection site pain,23.10,Insomnia,23.10,Product administered
at inappropriate site,23.10,,,,,
886354,Syncope,23.10,,,,,,
886355,Abnormal behaviour,23.10,Balance disorder,23.10,Discomfort,
23.10,Eye swelling,23.10,Eyelid rash,23.10
886355,Hypersomnia,23.10,Insomnia,23.10,Lethargy,23.10,Ocular
hyperaemia,23.10,Pyrexia,23.10
886355,Respiratory tract congestion,23.10,Urinary tract infection,
23.10,Urine analysis abnormal,23.10,,,,,
886356,Urticaria,23.10,,,,,,
886357,Discomfort,23.10,Fatigue,23.10,Headache,23.10,Pain,23.10,SARS-
CoV-2 test negative,23.10
886357,Wheezing,23.10,,,,,,
886358,Metamorphopsia,23.10,Visual impairment,23.10,,,,,,
886359,Angioedema,23.10,Cellulitis,23.10,Injection site reaction,
23.10,Skin warm,23.10,,
886370,No adverse event,23.10,Syringe issue,23.10,Underdose,23.10,,,,,
886371,Heart rate increased,23.10,Reaction to preservatives,
23.10,,,,,,
886372,Expired product administered,23.10,No adverse event,23.10,,,,,,
886373,Allergy test negative,23.10,Urticaria,23.10,,,,,,
886374,Product storage error,23.10,,,,,,
886375,Product storage error,23.10,,,,,,
886376,Product storage error,23.10,,,,,,
886377,Expired product administered,23.10,No adverse event,23.10,,,,,,
886378,Herpes zoster,23.10,,,,,,
886379,Herpes zoster,23.10,,,,,,
886380,Herpes zoster,23.10,,,,,,
886381,Somnolence,23.10,,,,,,
886382,Arthralgia,23.10,Myalgia,23.10,,,,,,
886383,Headache,23.10,,,,,,
886384,Headache,23.10,Pyrexia,23.10,,,,,,
886385,Dizziness,23.10,Loss of consciousness,23.10,,,,,,
886387,Lymphadenopathy,23.10,,,,,,
886388,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,
886389,Facial paralysis,23.10,Inappropriate schedule of product
administration,23.10,Oral herpes,23.10,Sunburn,23.10,,
886390,Incorrect route of product administration,23.10,Injection site
erythema,23.10,Injection site warmth,23.10,,,,,
886391,No adverse event,23.10,,,,,,
886392,Extra dose administered,23.10,No adverse event,23.10,,,,,,
886393,No adverse event,23.10,Product preparation issue,23.10,,,,,,
886394,Injection site erythema,23.10,Injection site pain,23.10,Wrong
product administered,23.10,,,,,
886395,Extra dose administered,23.10,No adverse event,23.10,,,,,,
886396,Expired product administered,23.10,No adverse event,23.10,,,,,,
886397,Extra dose administered,23.10,No adverse event,23.10,,,,,,
886398,No adverse event,23.10,Wrong product administered,23.10,,,,,,

886399,Headache,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,,
886400,Abdominal discomfort,23.10,Bone pain,23.10,Injected limb
mobility decreased,23.10,Injection site pain,23.10,Loss of personal
independence in daily activities,23.10
886400,Pain,23.10,Pain in extremity,23.10,Sleep disorder,23.10,,,,,
886402,Burning sensation,23.10,Hypoaesthesia,23.10,Paraesthesia,
23.10,,,,,
886403,No adverse event,23.10,Wrong product administered,23.10,,,,,,
886404,Back pain,23.10,Body temperature increased,23.10,Cough,
23.10,Eye irritation,23.10,Fatigue,23.10
886404,Headache,23.10,Lethargy,23.10,Malaise,23.10,SARS-CoV-2 test
negative,23.10,,
886405,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,,
886406,Loss of consciousness,23.10,,,,,,
886407,Joint range of motion decreased,23.10,Myalgia,23.10,Pain in
extremity,23.10,,,,,
886408,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,,
886409,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,,
886410,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
886411,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
886412,Injection site erythema,23.10,Pain,23.10,,,,,,
886413,Dizziness,23.10,Loss of consciousness,23.10,,,,,,
886414,Chills,23.10,Nausea,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,,
886415,Dizziness,23.10,,,,,,
886416,Neuropathy peripheral,23.10,Sensory disturbance,23.10,,,,,,
886417,Product administered to patient of inappropriate age,
23.10,,,,,,
886418,Pain in extremity,23.10,Pyrexia,23.10,,,,,,
886419,Product administered to patient of inappropriate age,
23.10,,,,,,
886420,Extra dose administered,23.10,,,,,,
886421,Injection site pain,23.10,,,,,,
886422,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,Urticaria,23.10
886423,Drainage,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Pruritus,23.10,,
886424,Erythema,23.10,Peripheral swelling,23.10,Pruritus,
23.10,Urticaria,23.10,,
886425,Injection site erythema,23.10,Injection site inflammation,
23.10,,,,,,
886426,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Peripheral swelling,23.10,Swelling,23.10
886429,Haemorrhage,23.10,Immediate post-injection reaction,
23.10,Swelling,23.10,,,,,
886430,Fatigue,23.10,Gastrointestinal disorder,23.10,Immediate post-
injection reaction,23.10,Injection site erythema,23.10,Injection site

pain,23.10
886430,Injection site swelling,23.10,,,,,
886431,Extensive swelling of vaccinated limb,23.10,Fatigue,
23.10,Headache,23.10,Myalgia,23.10,,
886432,Joint swelling,23.10,Peripheral swelling,23.10,Pruritus,
23.10,Rash,23.10,Urticaria,23.10
886433,Back pain,23.10,Discomfort,23.10,Gait inability,23.10,Pain in
extremity,23.10,Paraesthesia,23.10
886434,Blisters,23.10,Erythema,23.10,Pain,23.10,,,,
886435,Asthenia,23.10,Tremor,23.10,,,,,
886436,Injection site pain,23.10,Neck pain,23.10,Pain in extremity,
23.10,Vaccine positive rechallenge,23.10,,
886437,Urticaria,23.10,,,,,
886438,Anaphylactic shock,23.10,Rash,23.10,,,,,
886440,Burning sensation,23.10,,,,,
886441,Chills,23.10,Feeling cold,23.10,Headache,23.10,Injection site
erythema,23.10,Injection site induration,23.10
886441,Injection site pruritus,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Malaise,23.10,Nausea,23.10
886441,Oropharyngeal discomfort,23.10,Product administered at
inappropriate site,23.10,Sleep disorder,23.10,,,,
886443,Body temperature increased,23.10,Dizziness,23.10,Injection site
erythema,23.10,Injection site induration,23.10,Injection site
inflammation,23.10
886443,Injection site pain,23.10,,,,,
886444,Erythema,23.10,Swelling,23.10,,,,,
886445,Asthenia,23.10,Chills,23.10,Headache,23.10,Myalgia,
23.10,Nausea,23.10
886446,Asthenia,23.10,Dizziness,23.10,Headache,23.10,Palpitations,
23.10,,
886448,Asthenia,23.10,Myalgia,23.10,Nausea,23.10,Pain in extremity,
23.10,,
886449,Injection site urticaria,23.10,,,,,
886450,Injection site nodule,23.10,Injection site pain,23.10,,,,,
886451,Cough,23.10,Decreased appetite,23.10,Fear,23.10,Injection site
erythema,23.10,Injection site swelling,23.10
886451,Injection site warmth,23.10,Lethargy,23.10,Nasal discomfort,
23.10,Poor feeding infant,23.10,Product storage error,23.10
886451,Pyrexia,23.10,Rhinorrhoea,23.10,Weight decreased,23.10,,,,
886452,Condition aggravated,23.10,Febrile convulsion,23.10,,,,,
886453,Syringe issue,23.10,,,,,
886454,Hypoaesthesia,23.10,Laboratory test normal,23.10,Magnetic
resonance imaging brain,23.10,Paraesthesia,23.10,Paraesthesia oral,
23.10
886454,Ultrasound Doppler,23.10,,,,,
886458,No adverse event,23.10,Product storage error,23.10,,,,,
886459,No adverse event,23.10,Product storage error,23.10,,,,,
886460,Arrhythmia,23.10,Fatigue,23.10,Headache,23.10,Injection site
erythema,23.10,Pain in extremity,23.10
886460,Pyrexia,23.10,,,,,

886461,Abdominal discomfort,23.10,Feeling cold,23.10,Injection site pain,23.10,Pyrexia,23.10,,
886462,Influenza,23.10,,,,,,,,,
886463,Depression,23.10,Emotional distress,23.10,Injection site bruising,23.10,Injection site mass,23.10,Injection site swelling,23.10
886463,Lipoma,23.10,Ultrasound scan abnormal,23.10,,,,,,,,,
886464,Injection site swelling,23.10,Peripheral swelling,23.10,,,,,,,,,
886465,Eye swelling,23.10,,,,,,,,,
886466,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,,,,,
886467,Feeling cold,23.10,Influenza like illness,23.10,Pyrexia,23.10,,,,,
886468,Injected limb mobility decreased,23.10,Pain in extremity,23.10,Ultrasound scan,23.10,,,,,
886469,Peripheral swelling,23.10,,,,,,,,,
886470,Loss of consciousness,23.10,Tremor,23.10,,,,,,,,,
886471,Crying,23.10,Irritability,23.10,Lethargy,23.10,Pyrexia,23.10,Rash,23.10
886471,Rash erythematous,23.10,,,,,,,,,
886472,Facial discomfort,23.10,Fatigue,23.10,Influenza like illness,23.10,Periorbital swelling,23.10,Pruritus,23.10
886472,Swelling face,23.10,,,,,,,,,
886473,Urticaria,23.10,,,,,,,,,
886474,Rash,23.10,Rash erythematous,23.10,Rash macular,23.10,,,,,
886475,Immediate post-injection reaction,23.10,Lip swelling,23.10,Swelling face,23.10,,,,,
886476,Feeling hot,23.10,Peripheral swelling,23.10,,,,,,,,,
886477,Injected limb mobility decreased,23.10,Injection site swelling,23.10,Pain in extremity,23.10,,,,,
886478,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
886479,Injection site pruritus,23.10,Injection site urticaria,23.10,Urticaria,23.10,,,,,
886480,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
886482,Rash papular,23.10,Rash pruritic,23.10,,,,,,,,,
886483,Joint range of motion decreased,23.10,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
886484,C-reactive protein,23.10,Differential white blood cell count,23.10,Erythema,23.10,Eye swelling,23.10,Full blood count,23.10
886484,Irritability,23.10,Leukopenia,23.10,Metabolic function test,23.10,Peripheral swelling,23.10,Platelet count decreased,23.10
886484,Pyrexia,23.10,Rash,23.10,Swelling,23.10,Thrombocytopenia,23.10,White blood cell count decreased,23.10
886485,Fatigue,23.10,Headache,23.10,Pain in extremity,23.10,Pyrexia,23.10,,
886486,Erythema,23.10,Induration,23.10,Local reaction,23.10,Pain,23.10,Skin warm,23.10
886487,Erythema,23.10,Fatigue,23.10,Myalgia,23.10,Pain in extremity,23.10,Peripheral swelling,23.10

886487,Pyrexia,23.10,,,,,,,,,
886488,Immediate post-injection reaction,23.10,Injection site
induration,23.10,Injection site swelling,23.10,Injection site
vesicles,23.10,,
886489,Pain in extremity,23.10,Skin warm,23.10,Swelling,23.10,,,,,
886490,Erythema,23.10,Pain,23.10,Peripheral swelling,23.10,,,,,
886491,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,
886492,Injection site pain,23.10,Mobility decreased,23.10,Pain in
extremity,23.10,,,,,
886493,Pruritus,23.10,Urticaria,23.10,,,,,,
886500,Culture negative,23.10,Full blood count,23.10,Injected limb
mobility decreased,23.10,Joint range of motion decreased,23.10,Pain in
extremity,23.10
886500,Peripheral swelling,23.10,,,,,,
886510,Concussion,23.10,Head injury,23.10,Loss of consciousness,
23.10,,,,,
886511,Herpes zoster,23.10,,,,,,
886512,Herpes zoster,23.10,,,,,,
886513,Body temperature increased,23.10,Cerebellar ataxia,
23.10,Computerised tomogram normal,23.10,Dysstasia,23.10,Gait
disturbance,23.10
886513,Vomiting,23.10,,,,,,
886514,Illness,23.10,,,,,,
886515,Deafness unilateral,23.10,,,,,,
886516,Fatigue,23.10,Headache,23.10,Pain,23.10,,,,,
886517,Chills,23.10,Pyrexia,23.10,Tinnitus,23.10,Tremor,23.10,,
886518,Malaise,23.10,Pain in extremity,23.10,Product administered to
patient of inappropriate age,23.10,,,,,
886519,Expired product administered,23.10,,,,,,
886520,Loss of consciousness,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,Syncope,23.10,,
886521,Chills,23.10,Dyskinesia,23.10,Tremor,23.10,,,,,
886522,Expired product administered,23.10,,,,,,
886523,Chest discomfort,23.10,Cough,23.10,Eye swelling,
23.10,Lacrimation increased,23.10,Pruritus,23.10
886523,Swelling face,23.10,Throat tightness,23.10,Urticaria,
23.10,Wheezing,23.10,,
886524,Immediate post-injection reaction,23.10,Loss of consciousness,
23.10,Pallor,23.10,Seizure,23.10,,
886525,Asthenia,23.10,Chills,23.10,Dizziness,23.10,Fall,23.10,Loss of
consciousness,23.10
886525,Nausea,23.10,Vomiting,23.10,,,,,,
886526,Contusion,23.10,Haemorrhage,23.10,,,,,,
886527,Chills,23.10,Injection site rash,23.10,Palpitations,
23.10,Pyrexia,23.10,Rash,23.10
886528,Dizziness,23.10,Loss of consciousness,23.10,Syncope,23.10,,,,,
886529,Injection site pain,23.10,Injection site paraesthesia,
23.10,,,,,,
886530,Erythema,23.10,Infection,23.10,Pain in extremity,

23.10,Peripheral swelling,23.10,,
886531,Blood glucose normal,23.10,Immediate post-injection reaction,
23.10,Syncope,23.10,,,,,
886538,Adverse reaction,23.10,Near death experience,23.10,,,,,,
886539,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Skin warm,23.10,,
886540,Injection site erythema,23.10,Injection site haemorrhage,
23.10,Injection site irritation,23.10,,,,,
886541,Chills,23.10,Fatigue,23.10,Headache,23.10,Influenza like
illness,23.10,Myalgia,23.10
886542,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10,,,,,
886543,Syringe issue,23.10,,,,,,,
886544,Pyrexia,23.10,Rash vesicular,23.10,,,,,,
886545,Injection site bruising,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
886546,Injection site erythema,23.10,Injection site swelling,
23.10,Irritability,23.10,Lymphadenopathy,23.10,,
886547,Cardiac monitoring normal,23.10,Dyspnoea,23.10,Muscle spasms,
23.10,Oxygen saturation normal,23.10,Pain,23.10
886547,Staring,23.10,Unresponsive to stimuli,23.10,,,,,,
886549,Injection site rash,23.10,Rash,23.10,,,,,,
886550,Abdominal pain upper,23.10,Oropharyngeal pain,23.10,Pain in
extremity,23.10,Pyrexia,23.10,,
886551,Chills,23.10,Ear pain,23.10,Hyperhidrosis,23.10,Muscle spasms,
23.10,SARS-CoV-2 test negative,23.10
886552,Joint range of motion decreased,23.10,Mobility decreased,
23.10,Pain in extremity,23.10,,,,,
886553,Blood magnesium normal,23.10,Calcium ionised normal,23.10,Full
blood count normal,23.10,Metabolic function test normal,23.10,Posture
abnormal,23.10
886553,Pupil fixed,23.10,Seizure,23.10,Unresponsive to stimuli,
23.10,,,,,
886554,Erythema,23.10,Induration,23.10,Local reaction,23.10,Mass,
23.10,Pain,23.10
886554,Skin warm,23.10,,,,,,,
886555,Amnesia,23.10,Chest X-ray,23.10,Computerised tomogram head,
23.10,Echocardiogram,23.10,Electroencephalogram,23.10
886555,Fatigue,23.10,Headache,23.10,Magnetic resonance imaging,
23.10,SARS-CoV-2 test,23.10,Vomiting,23.10
886556,Burning sensation,23.10,Erythema,23.10,Immediate post-injection
reaction,23.10,Peripheral swelling,23.10,,
886557,No adverse event,23.10,,,,,,,
886558,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
886559,Peripheral swelling,23.10,Skin warm,23.10,,,,,,
886560,Body temperature fluctuation,23.10,Chills,23.10,Feeling of body
temperature change,23.10,Headache,23.10,Hyperaesthesia,23.10
886560,Nausea,23.10,Pain,23.10,Vomiting,23.10,,,,,
886561,Product administered to patient of inappropriate age,
23.10,,,,,,,

886562, Injection site pain, 23.10, , , , , , , , ,
886563, Burning sensation, 23.10, Hypoaesthesia, 23.10, Immediate post-
injection reaction, 23.10, Paraesthesia, 23.10, ,
886564, Arthralgia, 23.10, Bursitis, 23.10, Musculoskeletal discomfort,
23.10, Pain in extremity, 23.10, ,
886565, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
886566, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , , ,
886567, Headache, 23.10, Injection site pain, 23.10, Pain in extremity,
23.10, Pyrexia, 23.10, ,
886568, Dry eye, 23.10, Eye pruritus, 23.10, Injection site erythema,
23.10, Injection site induration, 23.10, Sneezing, 23.10
886568, Vaccination site warmth, 23.10, , , , , , , , ,
886569, Crying, 23.10, Fall, 23.10, Musculoskeletal stiffness,
23.10, Respiratory rate increased, 23.10, , ,
886570, Asthenia, 23.10, Pyrexia, 23.10, , , , , , ,
886571, Arthralgia, 23.10, Contusion, 23.10, Nausea, 23.10, Pain in
extremity, 23.10, , ,
886572, Cough, 23.10, Hypersensitivity, 23.10, Pruritus, 23.10, Rash,
23.10, Swelling of eyelid, 23.10
886572, Wheezing, 23.10, , , , , , , , ,
886573, Diarrhoea, 23.10, Myalgia, 23.10, Vomiting, 23.10, , , , ,
886574, Chills, 23.10, Tachycardia, 23.10, Tremor, 23.10, Vomiting, 23.10, , ,
886575, Asthenia, 23.10, Dyspnoea, 23.10, Fatigue, 23.10, Induration,
23.10, Influenza like illness, 23.10
886575, Injection site erythema, 23.10, Oxygen saturation decreased,
23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10
886575, Skin warm, 23.10, , , , , , , , ,
886576, Back pain, 23.10, Dizziness, 23.10, Feeling abnormal, 23.10, , , , ,
886577, Back pain, 23.10, Blood pressure decreased, 23.10, Diarrhoea,
23.10, Neck pain, 23.10, Syncope, 23.10
886578, Altered state of consciousness, 23.10, Dizziness, 23.10, , , , , , ,
886580, Contusion, 23.10, Pain in extremity, 23.10, , , , , , ,
886581, Arthralgia, 23.10, Pain in extremity, 23.10, , , , , , ,
886582, Dizziness, 23.10, Erythema, 23.10, Influenza like illness,
23.10, Nausea, 23.10, Pain, 23.10
886583, Abdominal pain, 23.10, Chills, 23.10, Hot flush, 23.10, Myalgia,
23.10, Nausea, 23.10
886583, Pyrexia, 23.10, , , , , , , , ,
886584, Immediate post-injection reaction, 23.10, Injection site
bruising, 23.10, Injection site erythema, 23.10, Injection site
induration, 23.10, Injection site warmth, 23.10
886584, Urticaria, 23.10, , , , , , , , ,
886585, Chills, 23.10, Oral herpes, 23.10, Pyrexia, 23.10, Rhinorrhoea,
23.10, , ,
886586, Erythema, 23.10, , , , , , , , ,
886587, Body temperature increased, 23.10, Chills, 23.10, Cold sweat,
23.10, Dyspnoea, 23.10, Injection site erythema, 23.10
886588, Discomfort, 23.10, Feeling abnormal, 23.10, Pain, 23.10, , , , ,
886589, Injection site rash, 23.10, Rash, 23.10, , , , , , ,
886590, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,

886591,Blood glucose normal,23.10,Syncope,23.10,,,,,
886592,Headache,23.10,Injection site pain,23.10,Nausea,23.10,Pyrexia,
23.10,Vomiting,23.10
886593,Blood glucose normal,23.10,Blood pressure decreased,23.10,Loss
of consciousness,23.10,Syncope,23.10,,
886594,Asthenia,23.10,Fatigue,23.10,Headache,23.10,Mobility decreased,
23.10,Musculoskeletal stiffness,23.10
886594,Nausea,23.10,Neck pain,23.10,Pain in extremity,23.10,Pyrexia,
23.10,,
886595,Condition aggravated,23.10,Dizziness,23.10,Fear of injection,
23.10,Loss of consciousness,23.10,Vomiting,23.10
886596,Contusion,23.10,Haematoma,23.10,,,,,
886597,Anhedonia,23.10,Anxiety,23.10,Depressed mood,23.10,Dizziness,
23.10,Fatigue,23.10
886597,Headache,23.10,Nausea,23.10,Pyrexia,23.10,Syncope,23.10,,
886598,Chills,23.10,Headache,23.10,Insomnia,23.10,Nausea,23.10,Pain,
23.10
886599,Abdominal pain upper,23.10,Chills,23.10,Headache,23.10,Myalgia,
23.10,Pyrexia,23.10
886606,No adverse event,23.10,Product storage error,23.10,,,,,
886607,Product storage error,23.10,,,,,
886609,Product storage error,23.10,,,,,
886610,Inappropriate schedule of product administration,23.10,,,,,
886612,Injection site pain,23.10,,,,,
886613,Underdose,23.10,,,,,
886614,Product storage error,23.10,,,,,
886615,Erythema,23.10,Pruritus,23.10,,,,,
886616,Loop electrosurgical excision procedure,23.10,Smear cervix
abnormal,23.10,,,,,
886617,Expired product administered,23.10,,,,,
886618,Headache,23.10,Hepatitis A,23.10,Liver function test abnormal,
23.10,,,,,
886619,Adverse reaction,23.10,Incorrect route of product
administration,23.10,,,,,
886620,Blister,23.10,Herpes zoster,23.10,,,,,
886621,Influenza like illness,23.10,Pain,23.10,Vomiting,23.10,,,,,
886622,Influenza like illness,23.10,Pain,23.10,Vomiting,23.10,,,,,
886623,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
886624,Heart rate increased,23.10,Vaccine positive rechallenge,
23.10,,,,,
886625,Back pain,23.10,Headache,23.10,Neck pain,23.10,Pain,23.10,Wrong
product administered,23.10
886626,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
886627,Expired product administered,23.10,No adverse event,23.10,,,,,
886628,No adverse event,23.10,Product storage error,23.10,,,,,
886629,Expired product administered,23.10,No adverse event,23.10,,,,,
886630,No adverse event,23.10,Product administered at inappropriate
site,23.10,Product administered to patient of inappropriate age,

23.10,,,,,
886631,Headache,23.10,Lethargy,23.10,Nausea,23.10,Pain in extremity,
23.10,Vomiting,23.10
886632,Erythema,23.10,,,,,,
886633,Syringe issue,23.10,,,,,,
886634,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
886635,Tremor,23.10,,,,,,
886636,Fatigue,23.10,Headache,23.10,Nausea,23.10,,,,,
886644,Illness,23.10,,,,,,
886645,Local reaction,23.10,Vaccination site reaction,23.10,,,,,
886646,Pneumonia,23.10,,,,,,
886647,No adverse event,23.10,Product storage error,23.10,,,,,
886648,Expired product administered,23.10,No adverse event,23.10,,,,,
886649,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
886651,Injection site swelling,23.10,,,,,,
886652,Dizziness,23.10,Immediate post-injection reaction,
23.10,Injection site bruising,23.10,Seizure,23.10,Vertigo,23.10
886653,Arthralgia,23.10,Pyrexia,23.10,,,,,
886654,Urticaria,23.10,,,,,,
886655,Anaemia,23.10,Colectomy,23.10,Decreased activity,23.10,Enema
administration,23.10,Haematochezia,23.10
886655,Hypophagia,23.10,Ileocaecal resection,23.10,Intensive care,
23.10,Intestinal anastomosis,23.10,Intussusception,23.10
886655,Laparoscopic surgery,23.10,Packed red blood cell transfusion,
23.10,Procedural failure,23.10,Ultrasound scan abnormal,23.10,Urinary
system X-ray,23.10
886655,Vomiting,23.10,X-ray gastrointestinal tract normal,23.10,,,,,
886656,Peripheral swelling,23.10,Rash,23.10,,,,,
886657,Joint range of motion decreased,23.10,Pain,23.10,Periarthritis,
23.10,,,,,
886658,Angioedema,23.10,,,,,,
886659,Back pain,23.10,Dyskinesia,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,,
886660,Chills,23.10,Pyrexia,23.10,Tremor,23.10,,,,,
886661,Blood test,23.10,Cardiac monitoring,23.10,Chest X-ray,
23.10,Syncope,23.10,,
886662,Abdominal pain upper,23.10,Nausea,23.10,Vomiting,23.10,,,,,
886663,Fatigue,23.10,Rash,23.10,,,,,
886664,Computerised tomogram normal,23.10,Dizziness,23.10,Laboratory
test normal,23.10,Loss of personal independence in daily activities,
23.10,Nausea,23.10
886664,SARS-CoV-2 test negative,23.10,Vertigo,23.10,Vomiting,23.10,,,,,
886665,Erythema,23.10,Oedema,23.10,Pain,23.10,Skin warm,23.10,,
886666,Burning sensation,23.10,Pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,,
886667,Chest discomfort,23.10,Dyspnoea,23.10,Pain,23.10,Swelling,
23.10,,
886668,Arthralgia,23.10,Injection site induration,23.10,Injection site
swelling,23.10,Neck pain,23.10,Pain,23.10

886668,Pain in extremity,23.10,,,,,
886673,Cyanosis,23.10,Foetal exposure during pregnancy,23.10,,,,,
886674,Asthenia,23.10,Illness,23.10,,,,,
886675,Antimicrobial susceptibility test,23.10,BK polyomavirus test
negative,23.10,Blood alkaline phosphatase increased,23.10,Blood
creatinine increased,23.10,Blood urea normal,23.10
886675,Chest X-ray normal,23.10,Cytomegalovirus test positive,
23.10,Cytomegalovirus viraemia,23.10,Diarrhoea,23.10,Haemoglobin
decreased,23.10
886675,Leukopenia,23.10,Lymphocyte count decreased,23.10,Neutrophil
count decreased,23.10,Parvovirus B19 test negative,23.10,Polymerase
chain reaction,23.10
886675,White blood cell count decreased,23.10,,,,,
886676,Cerebrovascular accident,23.10,Transient ischaemic attack,
23.10,,,,,
886677,Anaphylactic shock,23.10,Asthenia,23.10,Eye pain,
23.10,Headache,23.10,Joint swelling,23.10
886677,Rash,23.10,,,,,
886678,Herpes zoster,23.10,,,,,
886679,No adverse event,23.10,Wrong product administered,23.10,,,,,
886680,Rash,23.10,Rash erythematous,23.10,,,,,
886681,Headache,23.10,Sleep disorder,23.10,,,,,
886682,Chills,23.10,Fatigue,23.10,Headache,23.10,Myalgia,23.10,Pain in
extremity,23.10
886683,Fatigue,23.10,Feeling abnormal,23.10,Generalised tonic-clonic
seizure,23.10,Loss of consciousness,23.10,Postictal state,23.10
886683,Posturing,23.10,Seizure,23.10,,,,,
886684,Body temperature increased,23.10,Chills,23.10,Fatigue,
23.10,Injection site pain,23.10,Pain,23.10
886684,Pain of skin,23.10,,,,,
886685,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,,,,
886686,Extra dose administered,23.10,,,,,
886687,Erythema,23.10,Injection site erythema,23.10,Injection site
pruritus,23.10,Injection site urticaria,23.10,Peripheral swelling,
23.10
886688,Hypoaesthesia oral,23.10,Swollen tongue,23.10,Throat tightness,
23.10,,,,,
886689,Dizziness,23.10,Headache,23.10,Pyrexia,23.10,,,,,
886690,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,,
886691,Loss of consciousness,23.10,Presyncope,23.10,Skin laceration,
23.10,Suture insertion,23.10,Syncope,23.10
886692,Genital blister,23.10,Genital rash,23.10,Pain,23.10,Pruritus,
23.10,,
886693,Crying,23.10,Pain,23.10,,,,,
886694,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
886695,Chills,23.10,Erythema,23.10,Heart rate increased,
23.10,Insomnia,23.10,Lymphadenopathy,23.10
886695,Pyrexia,23.10,,,,,

886696, Syncope, 23.10, , , , , , , , ,
886697, Peripheral swelling, 23.10, Rash, 23.10, , , , , , , ,
886698, Abdominal discomfort, 23.10, Urticaria, 23.10, , , , , , , ,
886699, Pyrexia, 23.10, , , , , , , , ,
886700, Injection site erythema, 23.10, Injection site rash, 23.10, Injection site warmth, 23.10, , , , ,
886701, Fatigue, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Myalgia, 23.10
886701, Nausea, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
886706, Illness, 23.10, , , , , , , , ,
886707, Lymphadenopathy, 23.10, Pain in extremity, 23.10, Swelling face, 23.10, , , , ,
886708, Fatigue, 23.10, Influenza like illness, 23.10, Pyrexia, 23.10, , , , , ,
886709, Eye pain, 23.10, Eye pruritus, 23.10, Facial pain, 23.10, Headache, 23.10, Herpes zoster, 23.10
886709, Pain, 23.10, Pain of skin, 23.10, Pruritus, 23.10, , , , , ,
886710, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , , ,
886711, Asthenia, 23.10, Crying, 23.10, Fatigue, 23.10, Injection site bruising, 23.10, Injection site discolouration, 23.10
886711, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site swelling, 23.10, Irritability, 23.10, Product administered at inappropriate site, 23.10
886712, Cold sweat, 23.10, Fatigue, 23.10, Lethargy, 23.10, Loss of consciousness, 23.10, Pallor, 23.10
886713, Illness, 23.10, , , , , , , , ,
886714, Blood pressure fluctuation, 23.10, Chills, 23.10, Dyspnoea, 23.10, Electrocardiogram normal, 23.10, , ,
886715, Swelling, 23.10, Urticaria, 23.10, , , , , , , , ,
886716, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , ,
886717, Arthralgia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Injection site erythema, 23.10
886717, Injection site pain, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , , ,
886718, Abdominal pain upper, 23.10, Burning sensation, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10
886718, Hypoaesthesia, 23.10, Influenza, 23.10, Injection site erythema, 23.10, Injection site inflammation, 23.10, Injection site pain, 23.10
886718, Injection site swelling, 23.10, Lethargy, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10
886719, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , , ,
886720, Headache, 23.10, Joint range of motion decreased, 23.10, Mobility decreased, 23.10, Neck pain, 23.10, Pain in extremity, 23.10
886721, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , , , ,
886722, Abdominal pain upper, 23.10, Diarrhoea, 23.10, Influenza like illness, 23.10, Injection site pain, 23.10, Oropharyngeal pain, 23.10
886722, SARS-CoV-2 test negative, 23.10, , , , , , , , ,
886723, Malaise, 23.10, , , , , , , , ,
886724, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , , ,
886725, Arthralgia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Headache, 23.10, Myalgia, 23.10

886726,Injected limb mobility decreased,23.10,Injection site reaction,
23.10,Limb mass,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10
886726,Thrombosis,23.10,Ultrasound Doppler abnormal,23.10,,,,,
886727,Pallor,23.10,Rash,23.10,Rash macular,23.10,,,,,
886728,Dysphonia,23.10,Laboratory test normal,23.10,,,,,
886729,Erythema,23.10,Inflammation,23.10,Injection site cellulitis,
23.10,Injection site induration,23.10,Injection site warmth,23.10
886729,Product administered at inappropriate site,23.10,,,,,
886730,Expired product administered,23.10,No adverse event,23.10,,,,,
886731,Grip strength decreased,23.10,Injection site pain,23.10,Loss of
personal independence in daily activities,23.10,Sleep disorder,23.10,,
886732,Erythema,23.10,Pyrexia,23.10,Skin warm,23.10,Swelling,23.10,,
886733,Rash,23.10,,,,,
886734,Chills,23.10,Pyrexia,23.10,,,,,
886735,Injection site erythema,23.10,,,,,
886736,Pruritus,23.10,Rash,23.10,,,,,
886737,Injection site swelling,23.10,,,,,
886738,Limb immobilisation,23.10,Mobility decreased,23.10,Product
administered at inappropriate site,23.10,Tenderness,23.10,,
886739,Immediate post-injection reaction,23.10,Injection site
bruising,23.10,Injection site swelling,23.10,,,,
886740,Wrong technique in product usage process,23.10,,,,,
886741,Pyrexia,23.10,,,,,
886742,Chills,23.10,Injection site induration,23.10,Injection site
reaction,23.10,Injection site swelling,23.10,Muscle twitching,23.10
886742,Nausea,23.10,Pain,23.10,Pruritus,23.10,Sleep disorder,
23.10,Tremor,23.10
886742,Vomiting,23.10,,,,,
886743,Injection site erosion,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site reaction,
23.10,Injection site swelling,23.10
886743,Skin exfoliation,23.10,,,,,
886744,Chills,23.10,Pollakiuria,23.10,Pyrexia,23.10,,,,,
886745,Dizziness,23.10,Injection site swelling,23.10,Nausea,
23.10,Pain,23.10,Tachycardia,23.10
886746,Acoustic stimulation tests abnormal,23.10,Deafness
neurosensory,23.10,Deafness unilateral,23.10,,,,
886747,Decreased appetite,23.10,Erythema,23.10,Malaise,23.10,Pain,
23.10,Pain in extremity,23.10
886747,Peripheral swelling,23.10,Pruritus,23.10,Pyrexia,23.10,,,,
886748,Erythema,23.10,Pain,23.10,Peripheral swelling,23.10,Tenderness,
23.10,,
886749,Product storage error,23.10,,,,,
886750,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
886751,Rash,23.10,Rash vesicular,23.10,,,,,
886752,Erythema,23.10,Pruritus,23.10,Swelling,23.10,,,,
886753,Anxiety,23.10,Dizziness,23.10,Pain in extremity,
23.10,Paraesthesia oral,23.10,Somnolence,23.10

886754, Blister, 23.10, Body temperature increased, 23.10, Chills, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10
886754, Erythema, 23.10, Fatigue, 23.10, Feeling hot, 23.10, Herpes zoster, 23.10, Hyperhidrosis, 23.10
886754, Influenza like illness, 23.10, Nausea, 23.10, Pain, 23.10, SARS-CoV-2 test, 23.10, Tremor, 23.10
886754, Vomiting, 23.10, , , , , , , ,
886755, Ear pain, 23.10, Eye pain, 23.10, Oropharyngeal pain, 23.10, Rash, 23.10, Rash vesicular, 23.10
886756, Paraesthesia, 23.10, Pruritus, 23.10, Rash, 23.10, Urticaria, 23.10, ,
886757, Cold sweat, 23.10, Feeling cold, 23.10, Hyperhidrosis, 23.10, Pyrexia, 23.10, Tremor, 23.10
886758, Erythema, 23.10, Local reaction, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10, Skin warm, 23.10
886758, Tenderness, 23.10, Urticaria, 23.10, , , , , ,
886759, Blindness transient, 23.10, , , , , , ,
886760, Wrong product administered, 23.10, , , , , , ,
886761, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Injection site urticaria, 23.10, ,
886762, Ear swelling, 23.10, Lip swelling, 23.10, Rash, 23.10, , , ,
886763, Decreased appetite, 23.10, Fatigue, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
886763, Nausea, 23.10, Pyrexia, 23.10, , , , , ,
886764, Arthralgia, 23.10, Asthenia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Headache, 23.10
886764, Nausea, 23.10, Neck pain, 23.10, Pain in extremity, 23.10, Pain in jaw, 23.10, Pyrexia, 23.10
886764, Tremor, 23.10, , , , , , ,
886765, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, Pyrexia, 23.10
886765, Swelling, 23.10, , , , , , ,
886766, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10, ,
886767, Wrong product administered, 23.10, , , , , , ,
886768, Emotional distress, 23.10, Pyrexia, 23.10, , , , , ,
886769, Dizziness, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , , ,
886770, Erythema, 23.10, Pain in extremity, 23.10, , , , , ,
886771, Pain, 23.10, Peripheral swelling, 23.10, Rash, 23.10, , , , ,
886772, Arthralgia, 23.10, Chills, 23.10, Cold sweat, 23.10, Headache, 23.10, Myalgia, 23.10
886772, Nausea, 23.10, , , , , , ,
886773, Abdominal pain, 23.10, Chills, 23.10, Cough, 23.10, Diarrhoea, 23.10, Headache, 23.10
886773, Nausea, 23.10, Palpitations, 23.10, Pyrexia, 23.10, Tremor, 23.10, , ,
886775, Erythema, 23.10, Peripheral swelling, 23.10, Rash, 23.10, , , , ,
886776, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , ,
886777, Syncope, 23.10, , , , , , ,
886778, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
886779, Mobility decreased, 23.10, Pain, 23.10, Peripheral swelling,

23.10,,,,,
886780,Erythema,23.10,Feeling hot,23.10,Hyperaesthesia,
23.10,Hyperhidrosis,23.10,Injection site pain,23.10
886780,Muscular weakness,23.10,Pain,23.10,Swelling,23.10,,,,,
886781,Herpes zoster,23.10,Rash erythematous,23.10,Skin warm,23.10,,,,,
886782,Dizziness,23.10,Flushing,23.10,Vomiting,23.10,,,,,
886783,Wrong technique in product usage process,23.10,,,,,,
886784,Injection site bruising,23.10,Injection site paraesthesia,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
886785,Product origin unknown,23.10,,,,,,
886786,Injection site pain,23.10,Shoulder injury related to vaccine
administration,23.10,,,,,
886787,Chills,23.10,Decreased appetite,23.10,Diarrhoea,
23.10,Dizziness,23.10,Frequent bowel movements,23.10
886787,Gait disturbance,23.10,Hypersomnia,23.10,Mobility decreased,
23.10,Nausea,23.10,Pyrexia,23.10
886787,Vomiting,23.10,,,,,,
886788,Erythema,23.10,Pain,23.10,Skin warm,23.10,,,,,
886789,Syncope,23.10,,,,,,
886790,Pyrexia,23.10,Rash,23.10,SARS-CoV-2 test negative,23.10,,,,,
886791,Injection site discolouration,23.10,Injection site haemorrhage,
23.10,Injection site nodule,23.10,Injection site swelling,23.10,,
886792,Injection site swelling,23.10,Pruritus,23.10,Rash,23.10,,,,,
886793,Breast feeding,23.10,Diarrhoea,23.10,Diet refusal,23.10,Pain,
23.10,Screaming,23.10
886794,Dyspnoea,23.10,Malaise,23.10,Nausea,23.10,Pyrexia,23.10,,
886795,Erythema,23.10,Influenza like illness,23.10,Peripheral
swelling,23.10,Skin warm,23.10,,
886796,Erythema,23.10,Pain,23.10,Skin warm,23.10,,,,,
886797,Erythema,23.10,Pain in extremity,23.10,,,,,
886798,Abdominal pain,23.10,,,,,,
886799,Feeling abnormal,23.10,Headache,23.10,Hypoaesthesia,
23.10,Injection site hypoaesthesia,23.10,Injection site pain,23.10
886800,Erythema,23.10,Lymph node pain,23.10,Lymphadenopathy,23.10,,,,,
886801,Cough,23.10,Influenza like illness,23.10,Lymphadenopathy,
23.10,Rhinorrhoea,23.10,,
886802,Chills,23.10,Headache,23.10,,,,,
886803,Feeling cold,23.10,Night sweats,23.10,Pain,23.10,,,,,
886804,Asthenia,23.10,Chills,23.10,Headache,23.10,Nausea,
23.10,Neuralgia,23.10
886804,Oropharyngeal pain,23.10,Pain,23.10,Pyrexia,23.10,,,,,
886805,Cellulitis,23.10,Erythema,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Peripheral swelling,23.10
886806,Pruritus,23.10,Urticaria,23.10,,,,,
886807,Arthralgia,23.10,Neck pain,23.10,Pain,23.10,Shoulder injury
related to vaccine administration,23.10,,
886808,Arthralgia,23.10,Neck pain,23.10,,,,,
886814,Unevaluable event,23.10,,,,,,
886815,Extra dose administered,23.10,,,,,,
886816,Inappropriate schedule of product administration,23.10,,,,,,

886817, Inappropriate schedule of product administration, 23.10, , , , , , , ,
886818, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
886819, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
886820, No adverse event, 23.10, Product preparation issue, 23.10, , , , , , ,
886821, Product storage error, 23.10, , , , , , , ,
886822, Product storage error, 23.10, , , , , , , ,
886823, Product storage error, 23.10, , , , , , , ,
886824, Expired product administered, 23.10, , , , , , , ,
886825, Erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Localised infection, 23.10, Mobility decreased, 23.10
886825, Pain in extremity, 23.10, Peripheral swelling, 23.10, Vaccination complication, 23.10, , , , ,
886826, Rash, 23.10, , , , , , , ,
886827, Product administered to patient of inappropriate age, 23.10, Underdose, 23.10, , , , , , ,
886828, Herpes zoster, 23.10, Rash, 23.10, , , , , , , ,
886829, Product storage error, 23.10, , , , , , , ,
886830, Product storage error, 23.10, , , , , , , ,
886831, Product storage error, 23.10, , , , , , , ,
886832, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
886833, Herpes zoster, 23.10, , , , , , , ,
886835, No adverse event, 23.10, Refusal of vaccination, 23.10, , , , , , , ,
886836, Injection site scab, 23.10, Injection site vesicles, 23.10, Vaccination complication, 23.10, , , , ,
886837, Herpes zoster, 23.10, Incomplete course of vaccination, 23.10, , , , , , , ,
886838, Fatigue, 23.10, Pyrexia, 23.10, , , , , , , ,
886839, Injection site erythema, 23.10, Injection site swelling, 23.10, Product administered at inappropriate site, 23.10, , , , ,
886840, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
886841, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
886842, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
886843, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
886844, Loss of consciousness, 23.10, Syncope, 23.10, , , , , , , ,
886845, Arthralgia, 23.10, Cold sweat, 23.10, Discomfort, 23.10, Dizziness, 23.10, Loss of consciousness, 23.10
886845, Pain in extremity, 23.10, Restlessness, 23.10, Tinnitus, 23.10, Visual impairment, 23.10, , ,
886846, Injection site erythema, 23.10, Injection site swelling, 23.10, Pain, 23.10, Sleep disorder, 23.10, , ,
886847, Peripheral swelling, 23.10, , , , , , , , ,
886848, Abdominal pain upper, 23.10, Erythema, 23.10, Myalgia, 23.10, Nausea, 23.10, Peripheral swelling, 23.10
886848, Skin warm, 23.10, Somnolence, 23.10, , , , , , , ,
886849, Arthralgia, 23.10, Asthenia, 23.10, Decreased appetite, 23.10, Lethargy, 23.10, Myalgia, 23.10
886850, Fatigue, 23.10, Injection site erythema, 23.10, Injection site reaction, 23.10, Malaise, 23.10, Muscle tightness, 23.10
886851, Arthralgia, 23.10, Chills, 23.10, Insomnia, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10

886851, Somnolence, 23.10, , , , , , , , ,
886852, Crying, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Irritability, 23.10, Pain, 23.10
886853, Rash, 23.10, Rash vesicular, 23.10, , , , , , ,
886854, Pruritus, 23.10, Rash, 23.10, Urticaria, 23.10, , , , ,
886855, Erythema, 23.10, Skin irritation, 23.10, , , , , , ,
886856, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,
886858, Injection site bruising, 23.10, Pruritus, 23.10, , , , , , ,
886859, Rash, 23.10, Rash erythematous, 23.10, , , , , , ,
886860, Fatigue, 23.10, Headache, 23.10, Illness, 23.10, Rash, 23.10, Rash pruritic, 23.10
886861, Fatigue, 23.10, Feeling hot, 23.10, Headache, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10
886861, Insomnia, 23.10, Limb discomfort, 23.10, Muscle strain, 23.10, Pain in extremity, 23.10, ,
886862, Hypersensitivity, 23.10, , , , , , , , ,
886863, Anger, 23.10, Crying, 23.10, Emotional distress, 23.10, Feeling abnormal, 23.10, Insomnia, 23.10
886863, Pain, 23.10, Pain in extremity, 23.10, Skin burning sensation, 23.10, , , , ,
886864, Erythema, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pruritus, 23.10
886864, Urticaria, 23.10, , , , , , , , ,
886865, Eye swelling, 23.10, Headache, 23.10, Lacrimation increased, 23.10, Pruritus, 23.10, Rhinorrhoea, 23.10
886865, Urticaria, 23.10, , , , , , , , ,
886866, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site mass, 23.10, Injection site warmth, 23.10, ,
886867, Condition aggravated, 23.10, Herpes virus infection, 23.10, Migraine, 23.10, Nausea, 23.10, Vomiting, 23.10
886868, Pyrexia, 23.10, Rash, 23.10, , , , , , ,
886870, Dizziness, 23.10, Dyspnoea, 23.10, Erythema, 23.10, Immediate post-injection reaction, 23.10, Visual impairment, 23.10
886871, Chills, 23.10, Fatigue, 23.10, Tremor, 23.10, , , , , ,
886872, Chills, 23.10, Influenza like illness, 23.10, Injection site pain, 23.10, Malaise, 23.10, Mobility decreased, 23.10
886872, Pain, 23.10, Pyrexia, 23.10, Vomiting, 23.10, , , , , ,
886873, Pyrexia, 23.10, Rash vesicular, 23.10, , , , , , ,
886874, Feeling hot, 23.10, Hyporesponsive to stimuli, 23.10, Urine analysis normal, 23.10, , , , ,
886875, Hypoaesthesia, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
886875, Pain in extremity, 23.10, , , , , , , , ,
886876, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
886877, Headache, 23.10, Tremor, 23.10, , , , , , ,
886878, Blister, 23.10, Macule, 23.10, Papule, 23.10, Pruritus, 23.10, Rash, 23.10
886879, Autoimmune disorder, 23.10, Body temperature increased, 23.10, Bone pain, 23.10, C-reactive protein normal, 23.10, Disorientation, 23.10

886879,Dizziness,23.10,Dizziness postural,23.10,Fatigue,23.10,Full blood count normal,23.10,Hypersomnia,23.10
886879,Impaired work ability,23.10,Injection site swelling, 23.10,Injection site warmth,23.10,Myalgia,23.10,Oropharyngeal pain, 23.10
886879,Pain,23.10,SARS-CoV-2 test negative,23.10,Throat irritation, 23.10,Tremor,23.10,,
886880,Syncope,23.10,,,,,,,,,
886881,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,,,,,
886884,No adverse event,23.10,Off label use,23.10,,,,,,,,,
886885,Injection site vesicles,23.10,,,,,,,,,
886886,Fatigue,23.10,Nausea,23.10,Peripheral swelling,23.10,Pyrexia, 23.10,,
886887,Pyrexia,23.10,,,,,,,,,
886888,Dizziness,23.10,Inappropriate schedule of product administration,23.10,Injection site pain,23.10,Malaise,23.10,,
886889,Inappropriate schedule of product administration,23.10,No adverse event,23.10,,,,,,,,,
886890,Seizure,23.10,,,,,,,,,
886891,Angioedema,23.10,Dysphagia,23.10,,,,,,,,,
886892,Arthralgia,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
886893,Chills,23.10,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,,
886894,Chills,23.10,Fatigue,23.10,Headache,23.10,Pain in extremity, 23.10,,
886895,Chills,23.10,Condition aggravated,23.10,Dizziness, 23.10,Headache,23.10,Impaired driving ability,23.10
886895,Injected limb mobility decreased,23.10,Injection site pain, 23.10,Injection site swelling,23.10,Injection site warmth,23.10,Loss of personal independence in daily activities,23.10
886895,Lymph node pain,23.10,Nausea,23.10,Paraesthesia, 23.10,Paraesthesia oral,23.10,Vestibular disorder,23.10
886896,Chills,23.10,Fatigue,23.10,Headache,23.10,Influenza like illness,23.10,Injection site pain,23.10
886896,Mobility decreased,23.10,Pain,23.10,Pain in extremity, 23.10,Pyrexia,23.10,,
886897,Dysgeusia,23.10,Facial paralysis,23.10,Facial paresis, 23.10,Hypoaesthesia,23.10,Hypoaesthesia oral,23.10
886898,Erythema,23.10,Swelling,23.10,,,,,,,,,
886899,Wrong product administered,23.10,,,,,,,,,
886900,Fatigue,23.10,Injection site pain,23.10,Nausea,23.10,Urticaria, 23.10,,
886901,Fatigue,23.10,Injection site pain,23.10,Loss of personal independence in daily activities,23.10,Pain,23.10,,
886902,Injection site erythema,23.10,Injection site swelling, 23.10,Injection site warmth,23.10,,,,,
886903,Fatigue,23.10,Nausea,23.10,Pain,23.10,,,,,
886904,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,,,,,
886905,Cellulitis,23.10,Erythema,23.10,Inflammation,23.10,Laboratory

test normal,23.10,Skin warm,23.10
886906,Erythema,23.10,,,,,,,
886907,Syncope,23.10,,,,,,,
886908,Erythema,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,,
886909,Diarrhoea,23.10,Screaming,23.10,,,,,,,
886910,Body temperature increased,23.10,Dizziness,23.10,Erythema,
23.10,Fatigue,23.10,Peripheral swelling,23.10
886910,Rash macular,23.10,Tenderness,23.10,,,,,,,
886911,Back pain,23.10,Chest pain,23.10,Eye pain,23.10,Fatigue,
23.10,Headache,23.10
886911,Ocular discomfort,23.10,Ocular hyperaemia,23.10,Oropharyngeal
pain,23.10,Pain,23.10,Pyrexia,23.10
886911,Respiratory tract congestion,23.10,,,,,,,
886912,Decreased appetite,23.10,Fatigue,23.10,Migraine,23.10,Pyrexia,
23.10,,
886913,Contusion,23.10,Inflammation,23.10,,,,,,,
886914,Full blood count,23.10,Lumbar puncture,23.10,Seizure,23.10,Skin
warm,23.10,,
886915,Herpes virus infection,23.10,Rash,23.10,,,,,,,
886916,Arthralgia,23.10,Chills,23.10,Fatigue,23.10,Musculoskeletal
stiffness,23.10,Myalgia,23.10
886917,Injection site urticaria,23.10,Local reaction,23.10,,,,,,,
886918,Erythema,23.10,Pain in extremity,23.10,Swelling,23.10,,,,,
886919,Hypotonia,23.10,Pyrexia,23.10,Skin discolouration,23.10,,,,,
886920,Pyrexia,23.10,Vomiting,23.10,,,,,,,
886921,Papule,23.10,Vaccination site rash,23.10,,,,,,,
886922,Urticaria,23.10,,,,,,,
886923,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,,,
886931,Expired product administered,23.10,,,,,,,
886932,Herpes zoster,23.10,,,,,,,
886933,Injection site pain,23.10,,,,,,,
886934,Influenza,23.10,,,,,,,
886935,Blister,23.10,Erythema,23.10,Incomplete course of vaccination,
23.10,Rash,23.10,Rash erythematous,23.10
886936,Blindness unilateral,23.10,,,,,,,
886937,Illness,23.10,,,,,,,
886938,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site urticaria,23.10,Injection site warmth,23.10,,
886939,Pain in extremity,23.10,,,,,,,
886940,Pain in extremity,23.10,,,,,,,
886941,Pain in extremity,23.10,,,,,,,
886942,Fatigue,23.10,Headache,23.10,Influenza like illness,
23.10,Myalgia,23.10,,
886943,Herpes ophthalmic,23.10,Illness,23.10,,,,,,,
886944,Injection site hypoaesthesia,23.10,Injection site pain,
23.10,Limb discomfort,23.10,,,,,
886945,Induration,23.10,Swelling,23.10,,,,,,,
886946,Herpes zoster,23.10,,,,,,,
886947,Chills,23.10,Feeding disorder,23.10,Feeling abnormal,

23.10, Malaise, 23.10, Nausea, 23.10
886947, Pyrexia, 23.10, Vomiting, 23.10, , , , , ,
886948, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
886949, Impaired driving ability, 23.10, Mobility decreased, 23.10, Pain,
23.10, Posture abnormal, 23.10, Swelling, 23.10
886950, Chills, 23.10, Facial pain, 23.10, Headache, 23.10, Injection site
pain, 23.10, Periorbital pain, 23.10
886950, Periorbital swelling, 23.10, Skin warm, 23.10, Swelling face,
23.10, , , , ,
886951, Arthralgia, 23.10, Asthenia, 23.10, Back pain, 23.10, Musculoskeletal
pain, 23.10, , ,
886952, Audiogram, 23.10, Deafness neurosensory, 23.10, Dizziness,
23.10, Immediate post-injection reaction, 23.10, Malaise, 23.10
886952, Pyrexia, 23.10, Sudden hearing loss, 23.10, Vertigo, 23.10, , , , ,
886953, Blood test abnormal, 23.10, Burning sensation, 23.10, C-reactive
protein increased, 23.10, Dizziness, 23.10, Neuropathy peripheral, 23.10
886954, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10, Wrong technique in product usage process, 23.10, , , , ,
886955, Immediate post-injection reaction, 23.10, Syncope, 23.10, , , , , ,
886956, Chills, 23.10, Headache, 23.10, Injection site swelling,
23.10, Pyrexia, 23.10, , ,
886957, Productive cough, 23.10, , , , , , , , ,
886958, Arthralgia, 23.10, Hypoaesthesia, 23.10, Mobility decreased,
23.10, Pain in extremity, 23.10, , ,
886959, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
886961, Product packaging confusion, 23.10, , , , , , , , ,
886962, Abdominal discomfort, 23.10, Blood pressure increased,
23.10, Dermatitis allergic, 23.10, Insomnia, 23.10, Pain, 23.10
886962, Pruritus, 23.10, Pyrexia, 23.10, Rash, 23.10, Vaccine positive
rechallenge, 23.10, , ,
886963, Abscess limb, 23.10, Flank pain, 23.10, , , , , , ,
886964, Pyrexia, 23.10, , , , , , , , ,
886965, Arthralgia, 23.10, Asthenia, 23.10, Blood iron decreased,
23.10, Cataract, 23.10, Condition aggravated, 23.10
886965, Feeling abnormal, 23.10, Incorrect route of product
administration, 23.10, Loss of personal independence in daily
activities, 23.10, Malaise, 23.10, Pain in extremity, 23.10
886965, Visual impairment, 23.10, , , , , , , , ,
886966, Anaphylactic reaction, 23.10, Swelling face, 23.10, , , , , , ,
886967, Animal bite, 23.10, No adverse event, 23.10, Poor quality product
administered, 23.10, , , , ,
886968, Asthenia, 23.10, Chills, 23.10, Dysphonia, 23.10, Dyspnoea,
23.10, Erythema, 23.10
886968, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Palpitations,
23.10, Pyrexia, 23.10
886968, Rash papular, 23.10, SARS-CoV-2 test negative, 23.10, Skin warm,
23.10, Urticaria, 23.10, , ,
886969, Fatigue, 23.10, Lethargy, 23.10, Pyrexia, 23.10, , , , ,
886970, Abdominal pain, 23.10, Computerised tomogram abdomen,

23.10,Headache,23.10,Injection site pain,23.10,Injection site swelling,23.10
886970,Laboratory test,23.10,Muscle spasms,23.10,Myalgia,23.10,Nausea,23.10,Pain in extremity,23.10
886970,Peripheral swelling,23.10,Pyrexia,23.10,Ultrasound abdomen,23.10,Vomiting,23.10,,
886971,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,Injection site warmth,23.10,Irritability,23.10
886971,Pain,23.10,Pruritus,23.10,,,,,
886972,Hypersensitivity,23.10,Inflammation,23.10,Pruritus,23.10,Rash,23.10,Rash erythematous,23.10
886972,Skin warm,23.10,,,,,
886973,Erythema,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10,Pain,23.10
886973,Pruritus,23.10,Rash,23.10,Urticaria,23.10,,,,
886974,Injection site erythema,23.10,Injection site induration,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
886975,Mobility decreased,23.10,Myalgia,23.10,Pain,23.10,,,,
886976,Urticaria,23.10,,,,,
886977,Erythema,23.10,Pruritus,23.10,Skin warm,23.10,Urticaria,23.10,,
886978,Asthenia,23.10,Chills,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10
886979,Blood pressure increased,23.10,Chills,23.10,,,,,
886980,Injection site erythema,23.10,Injection site swelling,23.10,Limb discomfort,23.10,Peripheral swelling,23.10,Pruritus,23.10
886981,Contusion,23.10,,,,,
886982,Injected limb mobility decreased,23.10,,,,,
886983,Dizziness,23.10,Pain,23.10,,,,,
886984,Blood test,23.10,Computerised tomogram,23.10,Head discomfort,23.10,Injection site pain,23.10,Muscle strain,23.10
886984,Pain in extremity,23.10,,,,,
886986,Chills,23.10,Headache,23.10,Injection site swelling,23.10,Pain,23.10,Peripheral swelling,23.10
886986,Pyrexia,23.10,Skin warm,23.10,,,,,
886987,Injection site erythema,23.10,Injection site rash,23.10,Injection site swelling,23.10,Urticaria,23.10,,
886988,Injection site erythema,23.10,Swelling,23.10,,,,,
886989,Balance disorder,23.10,Chills,23.10,Dizziness,23.10,,,,,
886990,Chills,23.10,Dizziness,23.10,,,,,
886991,Nasal congestion,23.10,Rash,23.10,Rash pruritic,23.10,,,,,
886992,Injection site infection,23.10,,,,,
886993,Enema administration,23.10,Haematochezia,23.10,Intussusception,23.10,Lethargy,23.10,Occult blood positive,23.10
886993,SARS-CoV-2 test negative,23.10,Ultrasound abdomen abnormal,23.10,Urine analysis normal,23.10,Vomiting,23.10,,
886995,Pruritus,23.10,Rash,23.10,,,,,
886996,Extra dose administered,23.10,,,,,
886997,Rash,23.10,Rash pruritic,23.10,,,,,
886998,Injection site erythema,23.10,,,,,

886999,Joint range of motion decreased,23.10,Musculoskeletal stiffness,23.10,Pain,23.10,Rotator cuff syndrome,23.10,X-ray,23.10
887000,Bursitis,23.10,Mobility decreased,23.10,Pain,23.10,Product administered at inappropriate site,23.10,,
887001,Peripheral swelling,23.10,,,,,,,
887002,Dyspnoea,23.10,Throat tightness,23.10,,,,,,
887003,Abdominal discomfort,23.10,Myalgia,23.10,Pyrexia,23.10,,,,,
887004,Gait inability,23.10,Peripheral swelling,23.10,Pyrexia,23.10,,,,,
887005,Injection site bruising,23.10,,,,,,,
887006,Neck pain,23.10,Pain in extremity,23.10,,,,,,
887007,Injection site erythema,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,,,,
887008,Dizziness,23.10,,,,,,,
887009,Injection site pain,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
887010,Pain,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
887011,Hyperhidrosis,23.10,Loss of consciousness,23.10,Syncope,23.10,,,,,
887012,Blister,23.10,Injected limb mobility decreased,23.10,Pain in extremity,23.10,,,,,
887013,Chills,23.10,Fall,23.10,Muscular weakness,23.10,Pyrexia,23.10,,
887014,Abdominal pain,23.10,Back pain,23.10,Cough,23.10,Diarrhoea,23.10,Dry throat,23.10
887014,Headache,23.10,Injection site pain,23.10,Pruritus,23.10,Urticaria,23.10,,
887015,Back pain,23.10,Skin discolouration,23.10,,,,,,,
887017,Injection site discomfort,23.10,Injection site pain,23.10,Injection site pustule,23.10,Lymphadenopathy,23.10,,
887018,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
887019,Dizziness,23.10,Pallor,23.10,,,,,,,
887020,Injection site bruising,23.10,Injection site erythema,23.10,Injection site induration,23.10,Injection site pain,23.10,Injection site pruritus,23.10
887021,Urticaria,23.10,,,,,,,
887022,Erythema,23.10,Pallor,23.10,,,,,,,
887023,Body temperature increased,23.10,Fatigue,23.10,Feeling hot,23.10,Pain in extremity,23.10,,
887024,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
887025,Ageusia,23.10,,,,,,,
887026,Neck pain,23.10,Oropharyngeal pain,23.10,Pain in extremity,23.10,,,,,
887027,Asthenia,23.10,Dizziness,23.10,Feeling abnormal,23.10,Injected limb mobility decreased,23.10,Injection site pain,23.10
887027,Malaise,23.10,,,,,,,
887028,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,
887029,Injection site pain,23.10,Left-handedness,23.10,Pain,23.10,,,,,

887030, Hypoaesthesia, 23.10, Pain in extremity, 23.10, Vaccination site pain, 23.10, , , , ,
887031, Condition aggravated, 23.10, Hidradenitis, 23.10, Subcutaneous abscess, 23.10, , , , ,
887032, Injection site pain, 23.10, Injection site rash, 23.10, , , , , , ,
887033, Body temperature increased, 23.10, Injection site erythema, 23.10, Injection site warmth, 23.10, Irritability, 23.10, Pallor, 23.10
887034, Blood pressure decreased, 23.10, Computerised tomogram normal, 23.10, Electrocardiogram normal, 23.10, Fall, 23.10, Head injury, 23.10
887034, Headache, 23.10, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, Nausea, 23.10, Syncope, 23.10
887034, Vomiting, 23.10, , , , , , , ,
887035, Gait inability, 23.10, Tremor, 23.10, , , , , , ,
887036, Pruritus, 23.10, Rash macular, 23.10, Urticaria, 23.10, , , , ,
887037, Back pain, 23.10, Discomfort, 23.10, Headache, 23.10, Lethargy, 23.10, Nausea, 23.10
887037, Pain, 23.10, Somnolence, 23.10, , , , , , ,
887038, Injection site erythema, 23.10, Pain in extremity, 23.10, , , , , , ,
887039, Rash, 23.10, , , , , , , ,
887040, Electrocardiogram normal, 23.10, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, , , , ,
887041, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
887042, Injection site cellulitis, 23.10, Pain, 23.10, , , , , , ,
887043, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , ,
887044, Heart rate increased, 23.10, Injection site swelling, 23.10, Pruritus, 23.10, Rash, 23.10, ,
887045, Headache, 23.10, , , , , , , ,
887046, Erythema, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Skin warm, 23.10, ,
887047, Peripheral swelling, 23.10, Pyrexia, 23.10, Swelling face, 23.10, , , , ,
887048, Injection site pruritus, 23.10, Injection site rash, 23.10, Injection site urticaria, 23.10, Injection site vesicles, 23.10, ,
887049, Syncope, 23.10, , , , , , , ,
887050, Arthralgia, 23.10, Chills, 23.10, Fatigue, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10
887050, Restlessness, 23.10, Somnolence, 23.10, , , , , , ,
887051, Pain in extremity, 23.10, Product administered at inappropriate site, 23.10, , , , , , ,
887052, Herpes zoster, 23.10, , , , , , , ,
887053, Asthenia, 23.10, Cough, 23.10, Eye pain, 23.10, Pyrexia, 23.10, Throat tightness, 23.10
887054, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
887055, Dizziness, 23.10, Feeling abnormal, 23.10, Hyperhidrosis, 23.10, Immediate post-injection reaction, 23.10, ,
887056, Urticaria, 23.10, , , , , , , ,
887057, Blood pressure decreased, 23.10, Dizziness postural, 23.10, Fall, 23.10, Immediate post-injection reaction, 23.10, ,

887058, Arthralgia, 23.10, Dizziness, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
887058, Injection site swelling, 23.10, Musculoskeletal stiffness, 23.10, , , , , , ,
887059, Anaphylactic reaction, 23.10, , , , , , , ,
887061, Arthralgia, 23.10, Headache, 23.10, Injected limb mobility decreased, 23.10, Neck pain, 23.10, Pain in extremity, 23.10
887061, Sleep disorder, 23.10, , , , , , , ,
887062, Dizziness, 23.10, Fatigue, 23.10, Pain in extremity, 23.10, , , , ,
887063, Abnormal behaviour, 23.10, Aggression, 23.10, Anger, 23.10, Blood test normal, 23.10, Electroencephalogram normal, 23.10
887063, Lumbar puncture normal, 23.10, Magnetic resonance imaging normal, 23.10, Measles antibody, 23.10, Mumps antibody test, 23.10, Neurological symptom, 23.10
887063, Rubella antibody test, 23.10, Screaming, 23.10, , , , , , ,
887064, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pain, 23.10, ,
887071, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
887072, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
887073, Product storage error, 23.10, , , , , , , ,
887074, Expired product administered, 23.10, , , , , , , ,
887075, Adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , ,
887076, Tremor, 23.10, , , , , , , ,
887077, Extra dose administered, 23.10, , , , , , , ,
887078, Inappropriate schedule of product administration, 23.10, No adverse event, 23.10, , , , , , ,
887079, Incomplete course of vaccination, 23.10, No adverse event, 23.10, , , , , , ,
887080, Product storage error, 23.10, , , , , , , ,
887081, Product storage error, 23.10, , , , , , , ,
887082, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
887083, Circumstance or information capable of leading to medication error, 23.10, , , , , , , ,
887084, Inappropriate schedule of product administration, 23.10, Product storage error, 23.10, , , , , , ,
887085, Product storage error, 23.10, , , , , , , ,
887086, Pain, 23.10, , , , , , , ,
887087, Herpes zoster, 23.10, Pain, 23.10, Vaccination failure, 23.10, , , , ,
887088, Influenza, 23.10, Vaccination failure, 23.10, , , , , , ,
887089, Injection site erythema, 23.10, Injection site pain, 23.10, , , , , , ,
887090, Chills, 23.10, Inappropriate schedule of product administration, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Myalgia, 23.10
887090, Somnolence, 23.10, , , , , , , ,
887091, Headache, 23.10, Pyrexia, 23.10, , , , , , ,
887092, Rash, 23.10, , , , , , , ,
887093, Discomfort, 23.10, Herpes zoster, 23.10, Swelling, 23.10, Vaccination failure, 23.10, ,
887094, Documented hypersensitivity to administered product,

23.10,Dyspnoea,23.10,Swelling,23.10,,,,,
887095,Chills,23.10,Cough,23.10,Diarrhoea,23.10,Dizziness,
23.10,Fatigue,23.10
887095,Headache,23.10,Illness,23.10,Influenza like illness,
23.10,Pyrexia,23.10,Sneezing,23.10
887095,Vomiting,23.10,,,,,,
887096,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
887097,Discomfort,23.10,Herpes zoster,23.10,Rash,23.10,Vaccination
failure,23.10,Varicella virus test,23.10
887098,Pain in extremity,23.10,,,,,,
887099,Eye pain,23.10,Fatigue,23.10,Headache,23.10,Injection site
pain,23.10,Nausea,23.10
887099,Peripheral swelling,23.10,Pyrexia,23.10,,,,,
887100,Tremor,23.10,,,,,,
887101,Drooling,23.10,Oral discomfort,23.10,Respiratory tract
congestion,23.10,,,,,
887102,Injection site rash,23.10,,,,,,
887103,Nausea,23.10,Pyrexia,23.10,Vertigo,23.10,,,,,
887105,Incorrect dose administered,23.10,No adverse event,23.10,,,,,
887106,Incorrect dose administered,23.10,No adverse event,23.10,,,,,
887107,No adverse event,23.10,,,,,,
887108,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,
887109,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887110,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
887111,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887112,Incorrect product formulation administered,23.10,No adverse
event,23.10,,,,,
887113,No adverse event,23.10,Wrong product administered,23.10,,,,,
887114,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
887115,No adverse event,23.10,Syringe issue,23.10,Underdose,23.10,,,,,
887116,No adverse event,23.10,Wrong product administered,23.10,,,,,
887117,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887118,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
887119,Discomfort,23.10,Dizziness,23.10,,,,,
887121,No adverse event,23.10,Product storage error,23.10,,,,,
887122,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887123,Incorrect dose administered,23.10,No adverse event,23.10,,,,,
887124,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
887125,Expired product administered,23.10,No adverse event,23.10,,,,,
887126,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,

887127,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
887128,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
887129,No adverse event,23.10,Wrong product administered,23.10,,,,,,
887130,Expired product administered,23.10,No adverse event,23.10,,,,,,
887131,Extra dose administered,23.10,No adverse event,23.10,,,,,,
887132,Chills,23.10,Fatigue,23.10,Headache,23.10,Injection site pain,
23.10,Loss of personal independence in daily activities,23.10
887132,Myalgia,23.10,,,,,,
887133,Gait inability,23.10,Injection site erythema,23.10,Injection
site induration,23.10,Injection site pruritus,23.10,Injection site
swelling,23.10
887133,Pyrexia,23.10,Tremor,23.10,,,,,,
887134,Asthenia,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
887136,No adverse event,23.10,Product storage error,23.10,,,,,,
887137,Expired product administered,23.10,,,,,,
887138,Eye swelling,23.10,Herpes zoster,23.10,Ophthalmic herpes
zoster,23.10,,,,,
887139,Influenza like illness,23.10,Pain,23.10,Pyrexia,23.10,SARS-
CoV-2 test negative,23.10,,
887140,Arthralgia,23.10,Herpes zoster,23.10,Pain in extremity,
23.10,Rash,23.10,,
887141,Discomfort,23.10,Fatigue,23.10,Hypersomnia,23.10,Injection site
pain,23.10,Limb discomfort,23.10
887141,Mobility decreased,23.10,Nausea,23.10,Pyrexia,23.10,,,,,
887142,Injection site erythema,23.10,Injection site warmth,23.10,,,,,,
887143,Injected limb mobility decreased,23.10,Injection site mass,
23.10,Injection site pain,23.10,Pain,23.10,,
887144,Dizziness,23.10,Feeling hot,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10
887145,Chills,23.10,Dizziness,23.10,Dyspnoea,23.10,Headache,
23.10,Hypoaesthesia,23.10
887145,Pain,23.10,Pyrexia,23.10,Respiratory rate increased,
23.10,Vomiting,23.10,,
887146,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
887147,Rash,23.10,,,,,,
887148,Body temperature increased,23.10,Dizziness,23.10,Dyspnoea,
23.10,Feeling abnormal,23.10,Hypersensitivity,23.10
887148,Laboratory test,23.10,Malaise,23.10,Nausea,23.10,Syncope,
23.10,Vomiting,23.10
887149,Chills,23.10,Hypertension,23.10,Injection site pain,
23.10,Tachycardia,23.10,,
887150,Chills,23.10,Headache,23.10,Hyperhidrosis,23.10,Respiration
abnormal,23.10,,
887151,Dizziness,23.10,Immediate post-injection reaction,23.10,,,,,,
887152,Erythema,23.10,Pain,23.10,Pruritus,23.10,Skin warm,23.10,,
887153,Diarrhoea,23.10,Dizziness,23.10,Pyrexia,23.10,,,,,
887154,Petechiae,23.10,Rash,23.10,,,,,,

887155,Chest pain,23.10,Chills,23.10,Pain in extremity,23.10,Pain of skin,23.10,Pyrexia,23.10
887155,Tremor,23.10,Vomiting,23.10,,,,,
887156,Abdominal pain upper,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10
887157,Urticaria,23.10,,,,,
887158,Fatigue,23.10,Pain in extremity,23.10,,,,,
887159,Asthenia,23.10,Migraine,23.10,Pyrexia,23.10,,,,,
887160,Abdominal discomfort,23.10,Headache,23.10,Injection site erythema,23.10,Injection site pain,23.10,Myalgia,23.10
887160,Pyrexia,23.10,,,,,
887161,Asthenia,23.10,Chills,23.10,Headache,23.10,Pyrexia,23.10,,
887162,Allergy to vaccine,23.10,Blood potassium decreased,23.10,Erythema,23.10,Injected limb mobility decreased,23.10,Pain,23.10
887162,Rash macular,23.10,,,,,
887163,Injection site erythema,23.10,Injection site induration,23.10,Injection site swelling,23.10,,,,,
887167,Injection site urticaria,23.10,,,,,
887168,Product storage error,23.10,,,,,
887169,Herpes zoster,23.10,,,,,
887170,Post herpetic neuralgia,23.10,,,,,
887171,Pruritus,23.10,Urticaria,23.10,,,,,
887172,Injection site erythema,23.10,Injection site swelling,23.10,Product administered at inappropriate site,23.10,,,,,
887173,Injected limb mobility decreased,23.10,Mobility decreased,23.10,Pain,23.10,Pain in extremity,23.10,Tenderness,23.10
887174,Influenza,23.10,Vaccination failure,23.10,Vaccine positive rechallenge,23.10,,,,,
887175,Guillain-Barre syndrome,23.10,,,,,
887176,Death,23.10,Seizure,23.10,,,,,
887177,Injection site erythema,23.10,Injection site swelling,23.10,,,,,
887178,Injection site erythema,23.10,Injection site swelling,23.10,,,,,
887179,Injection site discomfort,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Wrong technique in product usage process,23.10,,
887180,Extensive swelling of vaccinated limb,23.10,Inappropriate schedule of product administration,23.10,Pain in extremity,23.10,Vaccination site erythema,23.10,,
887181,Pain in extremity,23.10,Product storage error,23.10,,,,,
887182,Acne,23.10,Hypoaesthesia,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site reaction,23.10
887182,Muscular weakness,23.10,Tenderness,23.10,,,,,
887184,Axillary pain,23.10,Bone pain,23.10,Chest pain,23.10,Pain,23.10,Pain in extremity,23.10
887184,Peripheral swelling,23.10,Swelling,23.10,,,,,
887185,Anxiety,23.10,Biopsy tongue,23.10,Condition aggravated,23.10,Dermatitis bullous,23.10,Erythema,23.10
887185,Pruritus,23.10,Rash,23.10,Tongue disorder,23.10,Urticaria,

23.10,Vaccination complication,23.10
887186,Chills,23.10,Erythema,23.10,Peripheral swelling,23.10,,,,,
887187,Pruritus,23.10,Urticaria,23.10,,,,,,
887188,Dizziness,23.10,Fatigue,23.10,Injection site urticaria,
23.10,,,,,
887189,Asthenia,23.10,Chills,23.10,Injection site mass,23.10,Injection
site pain,23.10,Paraesthesia,23.10
887190,Cellulitis,23.10,Pain in extremity,23.10,,,,,,
887191,Injection site pain,23.10,Pain,23.10,Pain in extremity,
23.10,,,,,
887192,Axillary pain,23.10,Back pain,23.10,Chest pain,23.10,Rash,
23.10,,
887193,Vaccination error,23.10,,,,,,,
887194,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
887195,Chills,23.10,Fatigue,23.10,Pain,23.10,,,,,
887196,Crying,23.10,Vaccine positive rechallenge,23.10,,,,,,
887197,Arthralgia,23.10,Chest discomfort,23.10,Chest pain,23.10,Muscle
twitching,23.10,Muscular weakness,23.10
887197,Musculoskeletal discomfort,23.10,Neck pain,23.10,,,,,,
887198,Pyrexia,23.10,Rash,23.10,Vomiting,23.10,,,,,
887199,Balance disorder,23.10,Dizziness,23.10,Dizziness postural,
23.10,,,,,
887200,Hypoaesthesia oral,23.10,Pharyngeal swelling,23.10,,,,,,
887201,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
887202,Injection site pain,23.10,,,,,,,
887203,Injection site haemorrhage,23.10,,,,,,,
887204,Pyrexia,23.10,Vomiting,23.10,,,,,,
887205,Limb discomfort,23.10,Mobility decreased,23.10,Paraesthesia,
23.10,Peripheral swelling,23.10,,
887206,Eye pain,23.10,Swelling,23.10,Swelling of eyelid,23.10,,,,,
887207,Chills,23.10,Myalgia,23.10,Nausea,23.10,Vomiting,23.10,,
887208,Myalgia,23.10,,,,,,,
887209,Nausea,23.10,,,,,,,
887219,Injected limb mobility decreased,23.10,Joint injection,
23.10,Joint range of motion decreased,23.10,Vaccination site pain,
23.10,,
887220,Herpes zoster,23.10,Rash,23.10,Scar,23.10,,,,,
887221,Ophthalmic herpes zoster,23.10,,,,,,,
887222,Pruritus genital,23.10,Rash,23.10,Rash papular,23.10,Rash
pruritic,23.10,Rash vesicular,23.10
887222,Skin discolouration,23.10,Urticaria,23.10,Wrong technique in
product usage process,23.10,,,,,
887223,Injection site swelling,23.10,,,,,,,
887224,Abdominal discomfort,23.10,,,,,,,
887225,Headache,23.10,Musculoskeletal stiffness,23.10,Pain,23.10,,,,,
887226,Pain in extremity,23.10,,,,,,,
887227,Condition aggravated,23.10,Heart rate increased,23.10,,,,,,
887228,Arthralgia,23.10,Burning sensation,23.10,Rash erythematous,

23.10,Rash papular,23.10,,
887229,Pyrexia,23.10,,,,,,
887230,Allergy to vaccine,23.10,,,,,,
887231,Influenza like illness,23.10,,,,,,
887232,Pyrexia,23.10,,,,,,
887233,Chills,23.10,Vomiting,23.10,,,,,
887234,Injection site hypoaesthesia,23.10,,,,,,
887235,Immediate post-injection reaction,23.10,Injected limb mobility
decreased,23.10,Injection site bruising,23.10,Injection site pain,
23.10,,
887236,Feeling abnormal,23.10,Malaise,23.10,Pain in extremity,
23.10,Rash macular,23.10,Rash pruritic,23.10
887237,Fatigue,23.10,Influenza like illness,23.10,Malaise,23.10,Pain
in extremity,23.10,,
887238,Arthralgia,23.10,Hypoaesthesia,23.10,Pain in extremity,
23.10,Paraesthesia,23.10,,
887239,Erythema,23.10,Nausea,23.10,Pain,23.10,Pain in extremity,
23.10,,
887240,Abdominal discomfort,23.10,Blood immunoglobulin G increased,
23.10,Blood immunoglobulin M increased,23.10,Blood pressure increased,
23.10,Dizziness,23.10
887240,Dyspnoea,23.10,Fatigue,23.10,Headache,23.10,Heart rate
increased,23.10,Malaise,23.10
887240,Myalgia,23.10,Tremor,23.10,,,,,
887241,Eye swelling,23.10,Ocular hyperaemia,23.10,,,,,
887243,Pain,23.10,Paraesthesia,23.10,Torticollis,23.10,,,,,
887244,Pain,23.10,,,,,,
887245,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887246,Syringe issue,23.10,Underdose,23.10,,,,,
887247,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
887248,Arthralgia,23.10,Flushing,23.10,Pain in extremity,23.10,Skin
discolouration,23.10,Temperature intolerance,23.10
887248,Yellow skin,23.10,,,,,,
887250,Burning sensation,23.10,Immediate post-injection reaction,
23.10,Pain,23.10,Shoulder injury related to vaccine administration,
23.10,,
887251,Headache,23.10,Nausea,23.10,Oedema peripheral,23.10,Peripheral
swelling,23.10,Tenderness,23.10
887252,Pain,23.10,,,,,,
887253,Irritability,23.10,Pruritus,23.10,Rash,23.10,Rash erythematous,
23.10,Rash vesicular,23.10
887253,Scratch,23.10,Urticaria,23.10,Varicella post vaccine,23.10,,,,,
887254,Expired product administered,23.10,,,,,,
887255,Injection site pruritus,23.10,Injection site rash,
23.10,Injection site warmth,23.10,,,,,
887256,Rash,23.10,,,,,,
887258,Asthenia,23.10,Chills,23.10,Heart rate increased,
23.10,Insomnia,23.10,Nasal congestion,23.10

887258,Pain,23.10,Pyrexia,23.10,Wheezing,23.10,,,,,
887259,Cold sweat,23.10,Pallor,23.10,Syncope,23.10,,,,,
887260,Joint range of motion decreased,23.10,Pain in extremity,
23.10,,,,,,
887261,Dizziness,23.10,Gait disturbance,23.10,Impaired driving
ability,23.10,Labyrinthitis,23.10,Nausea,23.10
887261,Vertigo,23.10,,,,,,
887262,Chest X-ray normal,23.10,Computerised tomogram normal,
23.10,Electroencephalogram abnormal,23.10,Intensive care,
23.10,Laboratory test,23.10
887262,Lumbar puncture normal,23.10,Magnetic resonance imaging normal,
23.10,SARS-CoV-2 test negative,23.10,Scan with contrast normal,23.10,,
887263,Vaccination site cellulitis,23.10,,,,,,
887264,Arthralgia,23.10,Joint range of motion decreased,
23.10,Paraesthesia,23.10,,,,,
887268,Chills,23.10,Condition aggravated,23.10,Feeling abnormal,
23.10,Headache,23.10,Hyperhidrosis,23.10
887268,Injection site erythema,23.10,Injection site induration,
23.10,Malaise,23.10,Migraine,23.10,Migraine with aura,23.10
887268,Nausea,23.10,Pain,23.10,Pain in extremity,23.10,Pruritus,
23.10,Sleep talking,23.10
887268,Tenderness,23.10,,,,,,
887269,Hyperpyrexia,23.10,Laboratory test normal,23.10,Pyrexia,
23.10,,,,,
887270,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887271,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887272,Expired product administered,23.10,No adverse event,23.10,,,,,
887273,Pruritus,23.10,,,,,,
887274,Arthralgia,23.10,Hyperhidrosis,23.10,Injected limb mobility
decreased,23.10,Injection site erythema,23.10,Injection site swelling,
23.10
887274,Injection site warmth,23.10,Myalgia,23.10,Pain,23.10,Pain in
extremity,23.10,,
887275,Chills,23.10,Cold sweat,23.10,Headache,23.10,Lethargy,
23.10,Nausea,23.10
887275,Pyrexia,23.10,Vomiting,23.10,,,,,
887276,Rash erythematous,23.10,Rash pruritic,23.10,,,,,
887277,Erythema,23.10,Furuncle,23.10,Pain,23.10,Swelling,23.10,,
887278,Cold sweat,23.10,Condition aggravated,23.10,Diarrhoea,
23.10,Erythema,23.10,Head discomfort,23.10
887278,Headache,23.10,Induration,23.10,Nausea,23.10,Pain in extremity,
23.10,Rash,23.10
887278,Rash erythematous,23.10,Swelling face,23.10,Systemic lupus
erythematosus rash,23.10,Vomiting,23.10,,
887279,Pruritus,23.10,Rash,23.10,Skin warm,23.10,,,,,
887280,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
887281,Mobility decreased,23.10,Pain in extremity,23.10,,,,,

887282, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , ,
887283, Wrong product administered, 23.10, , , , , , , ,
887284, Blood glucose increased, 23.10, Dyskinesia, 23.10, Hyporesponsive to stimuli, 23.10, Pyrexia, 23.10, Seizure like phenomena, 23.10
887284, Somnolence, 23.10, Staring, 23.10, , , , , , ,
887285, Asthenia, 23.10, Chills, 23.10, Fatigue, 23.10, Feeling cold, 23.10, ,
887286, Chills, 23.10, Fatigue, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
887287, Erythema, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , ,
887288, Product administered to patient of inappropriate age, 23.10, , , , , , , ,
887289, Syncope, 23.10, , , , , , , ,
887290, Dyspnoea, 23.10, Palpitations, 23.10, , , , , , ,
887291, Erythema, 23.10, Fatigue, 23.10, Headache, 23.10, Hypersomnia, 23.10, Impaired work ability, 23.10
887291, Nausea, 23.10, Pain, 23.10, Pain in extremity, 23.10, Rash, 23.10, Rash erythematous, 23.10
887291, Skin warm, 23.10, , , , , , , ,
887292, Dyspnoea, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10, , , , ,
887293, Syncope, 23.10, Unresponsive to stimuli, 23.10, , , , , , ,
887294, Chills, 23.10, Flushing, 23.10, Influenza A virus test negative, 23.10, Influenza B virus test, 23.10, Pyrexia, 23.10
887294, SARS-CoV-2 test negative, 23.10, Streptococcus test negative, 23.10, , , , , , ,
887295, Fatigue, 23.10, Hyperhidrosis, 23.10, Pain, 23.10, Paraesthesia, 23.10, Skin tightness, 23.10
887295, Throat tightness, 23.10, , , , , , , ,
887296, Hypoaesthesia, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10, ,
887297, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
887298, Asthenia, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, , ,
887299, Injection site erythema, 23.10, Injection site mass, 23.10, Injection site pain, 23.10, , , , ,
887300, Pain in extremity, 23.10, , , , , , , ,
887301, Injection site erythema, 23.10, Injection site infection, 23.10, Injection site nodule, 23.10, Injection site swelling, 23.10, Vaccination complication, 23.10
887302, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
887303, Arthralgia, 23.10, Musculoskeletal stiffness, 23.10, , , , , , ,
887304, Impaired driving ability, 23.10, Insomnia, 23.10, Lymphadenopathy, 23.10, Mobility decreased, 23.10, Musculoskeletal stiffness, 23.10
887304, Skin warm, 23.10, , , , , , , ,
887305, Abdominal discomfort, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Malaise, 23.10
887305, Muscular weakness, 23.10, Nausea, 23.10, Pruritus, 23.10, Swelling face, 23.10, , ,
887306, Injection site scar, 23.10, Injection site swelling, 23.10, , , , , , ,

887307,Magnetic resonance imaging abnormal,23.10,Mobility decreased,
23.10,Pain in extremity,23.10,Rotator cuff syndrome,23.10,Urticaria,
23.10
887308,Chills,23.10,Headache,23.10,Influenza,23.10,Malaise,
23.10,Myalgia,23.10
887308,Pain in extremity,23.10,Pyrexia,23.10,Skin warm,23.10,,,,,
887309,Dizziness,23.10,Fall,23.10,Heart rate decreased,
23.10,Hyperhidrosis,23.10,Loss of consciousness,23.10
887309,Pallor,23.10,Seizure,23.10,Syncope,23.10,,,,,
887310,Allergy to vaccine,23.10,Computerised tomogram head normal,
23.10,Haematoma,23.10,Headache,23.10,Loss of consciousness,23.10
887310,Mass,23.10,Pain,23.10,Syncope,23.10,Vomiting,23.10,,
887311,Acne,23.10,Rash,23.10,,,,,,
887312,Circumoral swelling,23.10,Pruritus,23.10,,,,,,
887313,Pain,23.10,Rash,23.10,Skin warm,23.10,Swelling,23.10,,
887314,Haematoma,23.10,,,,,,
887315,Erythema,23.10,Peripheral swelling,23.10,,,,,,
887316,Product administered to patient of inappropriate age,
23.10,,,,,,
887317,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
887318,Injection site vesicles,23.10,Pain in extremity,
23.10,Paraesthesia,23.10,Peripheral swelling,23.10,,
887319,Lip swelling,23.10,Mouth swelling,23.10,Peripheral swelling,
23.10,Pruritus,23.10,Speech disorder,23.10
887319,Swelling face,23.10,,,,,,
887320,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887321,Feeling abnormal,23.10,,,,,,
887322,Erythema,23.10,Induration,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,,
887323,Cellulitis,23.10,Injection site erythema,23.10,,,,,,
887324,Chills,23.10,Injected limb mobility decreased,23.10,Pain,
23.10,Pain in extremity,23.10,,
887325,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
887326,Erythema,23.10,Pain,23.10,Swelling,23.10,,,,,
887327,Erythema,23.10,Rash,23.10,,,,,,
887328,Injection site erythema,23.10,Injection site reaction,
23.10,Pain in extremity,23.10,Pruritus,23.10,Urticaria,23.10
887329,Product administered to patient of inappropriate age,
23.10,,,,,,
887330,Hypoaesthesia,23.10,Myelitis transverse,23.10,Paraesthesia,
23.10,,,,,
887331,Blindness transient,23.10,Dizziness,23.10,Presyncope,23.10,,,,,
887332,Injection site pain,23.10,,,,,,
887333,Rash,23.10,Swelling face,23.10,Vomiting,23.10,,,,,
887334,Cellulitis,23.10,,,,,,
887335,Erythema,23.10,Peripheral swelling,23.10,,,,,,
887336,Neuralgia,23.10,Pain in extremity,23.10,,,,,,

887337, Muscle spasms, 23.10, , , , , , , ,
887338, Cellulitis, 23.10, , , , , , , ,
887339, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
887340, Pain, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10, , , , ,
887341, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site rash, 23.10, , , , , , , ,
887342, Arthralgia, 23.10, Injection site pain, 23.10, Myalgia, 23.10, , , , , ,
887343, Herpes zoster, 23.10, , , , , , , ,
887344, Polymyalgia rheumatica, 23.10, , , , , , , ,
887345, Asthenia, 23.10, Dizziness, 23.10, Presyncope, 23.10, Pyrexia, 23.10, ,
887346, Pruritus, 23.10, Swelling, 23.10, , , , , , , ,
887347, Injection site pain, 23.10, , , , , , , ,
887348, Injection site erythema, 23.10, , , , , , , ,
887349, Injection site pain, 23.10, Product administered at inappropriate
site, 23.10, , , , , , , ,
887350, Loss of consciousness, 23.10, Syncope, 23.10, Vomiting, 23.10, , , , ,
887351, Back pain, 23.10, Mobility decreased, 23.10, , , , , , , ,
887352, Cyanosis, 23.10, Dizziness, 23.10, Emotional distress, 23.10, Pallor,
23.10, Vaccination site pain, 23.10
887353, Fall, 23.10, Haemorrhage, 23.10, Head injury, 23.10, Skin laceration,
23.10, Syncope, 23.10
887355, Bradycardia, 23.10, Breath sounds abnormal, 23.10, Malaise,
23.10, Syncope, 23.10, Unresponsive to stimuli, 23.10
887356, Asthenia, 23.10, Bedridden, 23.10, Diarrhoea, 23.10, Fatigue,
23.10, Pain in extremity, 23.10
887357, Arthralgia, 23.10, Blindness transient, 23.10, Gait inability,
23.10, Pyrexia, 23.10, Vomiting, 23.10
887358, Fatigue, 23.10, Lethargy, 23.10, Mobility decreased, 23.10, Pain,
23.10, Pain in extremity, 23.10
887358, Sleep disorder, 23.10, , , , , , , ,
887359, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, , , , , ,
887360, Arthralgia, 23.10, Chest pain, 23.10, Flushing, 23.10, Injection site
erythema, 23.10, Injection site swelling, 23.10
887360, Pain, 23.10, , , , , , , ,
887361, Injection site pain, 23.10, X-ray, 23.10, , , , , , , ,
887362, Urticaria, 23.10, , , , , , , ,
887363, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Myalgia,
23.10, Nausea, 23.10
887364, Immediate post-injection reaction, 23.10, Injection site
swelling, 23.10, , , , , , , ,
887365, Cough, 23.10, Dyspnoea, 23.10, Oropharyngeal pain, 23.10, , , , , ,
887366, Disorientation, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
887367, Chills, 23.10, Pyrexia, 23.10, , , , , , , ,
887368, Infection, 23.10, Peripheral swelling, 23.10, , , , , , , ,
887369, Fatigue, 23.10, Headache, 23.10, Influenza like illness,
23.10, Injection site pain, 23.10, Injection site swelling, 23.10
887369, Injection site warmth, 23.10, Mobility decreased, 23.10, Pain in
extremity, 23.10, Rash erythematous, 23.10, , ,
887370, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , , , ,

887371, Amnesia, 23.10, Concussion, 23.10, Fall, 23.10, Head injury, 23.10, Headache, 23.10
887371, Loss of consciousness, 23.10, Neck pain, 23.10, Pallor, 23.10, Syncope, 23.10,,
887372, Arthralgia, 23.10, Axillary mass, 23.10, Immediate post-injection reaction, 23.10, Oedema peripheral, 23.10, Pain, 23.10
887372, Pain in extremity, 23.10, Pain of skin, 23.10,,,,,,
887373, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Joint range of motion decreased, 23.10, Pain in extremity, 23.10
887374, Malaise, 23.10, Myalgia, 23.10, Pyrexia, 23.10,,,,
887375, Chills, 23.10, Fatigue, 23.10, Pain in extremity, 23.10,,,,
887376, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, Swelling, 23.10,,
887377, Tremor, 23.10,,,,,,,
887378, Chills, 23.10, Headache, 23.10, Pain, 23.10,,,,
887379, Chills, 23.10, Headache, 23.10, Influenza like illness, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
887379, Injection site swelling, 23.10, Myalgia, 23.10, Pyrexia, 23.10,,,,
887380, Asthenia, 23.10, Hypoaesthesia, 23.10, Pain, 23.10,,,,
887381, Dizziness, 23.10, Fall, 23.10, Nervousness, 23.10, Pallor, 23.10,,
887382, Injection site pain, 23.10, Joint range of motion decreased, 23.10, Malaise, 23.10, Neck pain, 23.10, Oropharyngeal pain, 23.10
887382, Pain, 23.10, Swelling, 23.10, Tympanic membrane disorder, 23.10, Upper respiratory tract infection, 23.10,,
887383, Chills, 23.10, Headache, 23.10, Influenza like illness, 23.10, Injection site inflammation, 23.10, Injection site pain, 23.10
887383, Injection site swelling, 23.10, Myalgia, 23.10, Pyrexia, 23.10, Vaccine positive rechallenge, 23.10,,
887384, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10,,
887385, Injection site erythema, 23.10, Injection site warmth, 23.10,,,,,,
887386, Axillary pain, 23.10, Lymph node pain, 23.10, Lymphadenopathy, 23.10, Swelling, 23.10,,
887387, Heart rate increased, 23.10,,,,,,,
887388, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10,,,,
887389, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site rash, 23.10
887389, Injection site warmth, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, Tremor, 23.10
887390, Eye pruritus, 23.10, Eye swelling, 23.10, Ocular hyperaemia, 23.10, Rash erythematous, 23.10, Rash macular, 23.10
887392, Injection site swelling, 23.10, Swelling face, 23.10,,,,,,
887393, Erythema, 23.10, Induration, 23.10, Injection site vesicles, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10
887395, Erythema, 23.10, Hypoaesthesia, 23.10, Injection site inflammation, 23.10, Injection site pain, 23.10, Nausea, 23.10
887395, Pain in extremity, 23.10, Paraesthesia, 23.10, Tenderness, 23.10,,,,
887396, Device malfunction, 23.10, Dyspnoea, 23.10, Urticaria, 23.10,,,,
887397, Diarrhoea, 23.10, Nausea, 23.10, Pain, 23.10,,,,

887398,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,,,,
887399,Erythema,23.10,Hyperaesthesia,23.10,Pruritus,23.10,Skin warm,
23.10,Swelling,23.10
887400,Injection site swelling,23.10,,,,,,
887401,Blood glucose decreased,23.10,Cold sweat,23.10,Lip swelling,
23.10,Pallor,23.10,Somnolence,23.10
887402,Inflammation,23.10,Pain in extremity,23.10,Rotator cuff
syndrome,23.10,,,,,
887403,Urticaria,23.10,,,,,,
887404,Back pain,23.10,,,,,,
887405,Erythema,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
887406,Fall,23.10,Head injury,23.10,Loss of consciousness,23.10,,,,,
887407,Dizziness,23.10,Somnolence,23.10,Syncope,23.10,,,,,
887408,Arthralgia,23.10,Back pain,23.10,Injection site pain,23.10,,,,,
887409,Blindness transient,23.10,Blood pressure decreased,23.10,Cold
sweat,23.10,Fall,23.10,Pallor,23.10
887409,Syncope,23.10,,,,,,
887410,Arthralgia,23.10,,,,,,
887411,Decreased appetite,23.10,Headache,23.10,Insomnia,23.10,Myalgia,
23.10,Nausea,23.10
887411,Pain,23.10,Pyrexia,23.10,Vaccine positive rechallenge,23.10,,,,,
887412,Bedridden,23.10,Pain in extremity,23.10,Pruritus,23.10,Pyrexia,
23.10,Skin warm,23.10
887413,Chills,23.10,Headache,23.10,,,,,,
887414,Arthralgia,23.10,Chills,23.10,Loss of personal independence in
daily activities,23.10,Myalgia,23.10,Nausea,23.10
887414,Pyrexia,23.10,,,,,,
887415,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site warmth,23.10,,
887416,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,,,,,,
887417,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,,
887418,Asthenia,23.10,Blood test,23.10,Dizziness,23.10,SARS-CoV-2 test
negative,23.10,,
887419,Erythema,23.10,Pain,23.10,Pain in extremity,23.10,Skin warm,
23.10,,
887420,Dyspnoea,23.10,Presyncope,23.10,Seizure,23.10,Unresponsive to
stimuli,23.10,,
887421,Needle issue,23.10,Syringe issue,23.10,,,,,,
887422,Allergy to vaccine,23.10,Peripheral swelling,23.10,Swelling
face,23.10,,,,,
887423,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site warmth,23.10,,,,,
887424,Urticaria,23.10,,,,,,
887425,Hypersensitivity,23.10,Injection site erythema,23.10,Injection
site swelling,23.10,Injection site warmth,23.10,,
887426,Immediate post-injection reaction,23.10,Insomnia,23.10,Mobility
decreased,23.10,Pain in extremity,23.10,,
887427,Chills,23.10,Fatigue,23.10,Feeling hot,23.10,Headache,

23.10,Hyperhidrosis,23.10
887427,Insomnia,23.10,,,,,
887428,Erythema,23.10,Myalgia,23.10,Peripheral swelling,23.10,,,,
887429,Dizziness,23.10,Dyspnoea,23.10,Nausea,23.10,,,,
887430,Contusion,23.10,Extensive swelling of vaccinated limb,
23.10,Immediate post-injection reaction,23.10,Injection site bruising,
23.10,Injection site pain,23.10
887431,Circumstance or information capable of leading to medication
error,23.10,Injection site laceration,23.10,Underdose,23.10,,,,
887432,Dizziness,23.10,Paraesthesia,23.10,,,,,
887433,Headache,23.10,Injection site erythema,23.10,Injection site
pruritus,23.10,Pain,23.10,,
887434,Erythema,23.10,Immediate post-injection reaction,
23.10,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10
887434,Peripheral swelling,23.10,,,,,
887435,Dizziness,23.10,Seizure,23.10,Syncope,23.10,,,,
887436,Seizure,23.10,Syncope,23.10,,,,,
887437,Burning sensation,23.10,Contusion,23.10,Injected limb mobility
decreased,23.10,Pain,23.10,,
887439,Laboratory test,23.10,Pyrexia,23.10,Seizure,23.10,,,,
887441,Herpes zoster,23.10,,,,,
887442,Cellulitis,23.10,Skin warm,23.10,Swelling,23.10,,,,
887444,Arthralgia,23.10,Balance disorder,23.10,Body temperature
decreased,23.10,Condition aggravated,23.10,Dizziness,23.10
887444,Fatigue,23.10,Heart rate increased,23.10,Hypotension,
23.10,Injected limb mobility decreased,23.10,Injection site pain,23.10
887444,Myalgia,23.10,Pain,23.10,Pyrexia,23.10,Somnolence,
23.10,Vertigo,23.10
887445,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887446,Chest discomfort,23.10,Dehydration,23.10,Dyspnoea,
23.10,Erythema,23.10,Fatigue,23.10
887446,Headache,23.10,Inflammation,23.10,Insomnia,23.10,Malaise,
23.10,Pain,23.10
887446,Pain in extremity,23.10,Pyrexia,23.10,,,,,
887447,Pruritus,23.10,,,,,
887448,Chills,23.10,Myalgia,23.10,Pyrexia,23.10,,,,
887449,Blood test,23.10,Computerised tomogram,23.10,Gait disturbance,
23.10,Guillain-Barre syndrome,23.10,Hypoaesthesia,23.10
887449,Lumbar puncture,23.10,Magnetic resonance imaging,23.10,Muscular
weakness,23.10,Paraesthesia,23.10,X-ray,23.10
887450,Injection site laceration,23.10,Underdose,23.10,,,,,
887451,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,
887452,Injected limb mobility decreased,23.10,Pain,23.10,,,,,
887453,Erythema,23.10,Induration,23.10,Mass,23.10,Nausea,23.10,Pain,
23.10
887453,Swelling,23.10,Tinnitus,23.10,,,,,
887454,Chills,23.10,Fatigue,23.10,Headache,23.10,Nausea,23.10,,
887455,Fatigue,23.10,Injection site erythema,23.10,Injection site

pain,23.10,Injection site swelling,23.10,Malaise,23.10
887456,Unevaluable event,23.10,,,,,,
887457,Arthralgia,23.10,Pain in extremity,23.10,Pruritus,
23.10,Urticaria,23.10,,
887458,Abdominal distension,23.10,Abdominal pain,23.10,C-reactive
protein increased,23.10,Computerised tomogram abnormal,23.10,Decreased
appetite,23.10
887458,Laboratory test abnormal,23.10,Lipase increased,23.10,Magnetic
resonance cholangiopancreatography,23.10,Pancreatitis acute,
23.10,Pulmonary oedema,23.10
887458,Splenomegaly,23.10,,,,,,
887459,Fatigue,23.10,Headache,23.10,Myalgia,23.10,Nausea,
23.10,Oropharyngeal pain,23.10
887459,Pyrexia,23.10,,,,,,
887460,Cellulitis,23.10,,,,,,
887461,Cold sweat,23.10,Erythema,23.10,Eye swelling,23.10,Fatigue,
23.10,Nausea,23.10
887461,Oropharyngeal pain,23.10,Pain,23.10,,,,,
887462,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
887463,Influenza like illness,23.10,Oropharyngeal pain,23.10,Pyrexia,
23.10,,,,,
887464,Abdominal discomfort,23.10,Dizziness,23.10,Headache,
23.10,Hyperhidrosis,23.10,,
887465,Arthralgia,23.10,Chills,23.10,Dizziness,23.10,Erythema,
23.10,Pyrexia,23.10
887466,Headache,23.10,Injected limb mobility decreased,23.10,Injection
site haemorrhage,23.10,Injection site pain,23.10,Pyrexia,23.10
887466,Rash erythematous,23.10,,,,,,
887467,Asthenia,23.10,Erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Muscular weakness,23.10
887467,Swelling,23.10,Urticaria,23.10,,,,,
887468,Injected limb mobility decreased,23.10,,,,,,
887469,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
887470,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
887471,Discomfort,23.10,Eye swelling,23.10,,,,,
887472,Headache,23.10,Laboratory test,23.10,Nausea,23.10,Seizure like
phenomena,23.10,,
887473,Blood test normal,23.10,Electrocardiogram normal,23.10,Oxygen
therapy,23.10,Syncope,23.10,,
887474,Chills,23.10,Contusion,23.10,Dyspnoea,23.10,Erythema,
23.10,Movement disorder,23.10
887475,Injection site pain,23.10,Injection site reaction,23.10,Neck
pain,23.10,Pain,23.10,Pain in extremity,23.10
887476,Dyspnoea,23.10,Fatigue,23.10,Immediate post-injection reaction,
23.10,,,,,
887477,Immediate post-injection reaction,23.10,Paranasal sinus
hyopsecretion,23.10,Rash erythematous,23.10,Rash papular,23.10,Rash
pruritic,23.10

887478, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10,,
887479, Arthralgia, 23.10, Fatigue, 23.10, Nausea, 23.10, Oropharyngeal pain, 23.10,,
887480, Pain, 23.10,,,,,,,
887481, Influenza like illness, 23.10, Oedema peripheral, 23.10, Peripheral swelling, 23.10, Petechiae, 23.10, Weight increased, 23.10
887482, Nausea, 23.10,,,,,,,
887483, Chest discomfort, 23.10, Dyspnoea, 23.10, Feeling hot, 23.10, Heart rate increased, 23.10, Paraesthesia, 23.10
887484, Injection site bruising, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10
887484, Skin discolouration, 23.10,,,,,,,
887485, Loss of consciousness, 23.10, Nausea, 23.10, Syncope, 23.10,,,,,
887486, Balance disorder, 23.10, Blood culture negative, 23.10, Blood fibrinogen normal, 23.10, Blood lactate dehydrogenase normal, 23.10, Blood test normal, 23.10
887486, C-reactive protein normal, 23.10, Chest X-ray normal, 23.10, Chills, 23.10, Computerised tomogram head normal, 23.10, Culture urine negative, 23.10
887486, Decreased appetite, 23.10, Diplopia, 23.10, Electrocardiogram normal, 23.10, Fatigue, 23.10, Full blood count normal, 23.10
887486, Glomerular filtration rate normal, 23.10, Headache, 23.10, Hypersomnia, 23.10, Lipase normal, 23.10, Metabolic function test normal, 23.10
887486, Myalgia, 23.10, Nausea, 23.10, Neck pain, 23.10, Procalcitonin normal, 23.10, Pyrexia, 23.10
887486, Red blood cell sedimentation rate normal, 23.10, Respiratory viral panel, 23.10, SARS-CoV-2 test negative, 23.10, Serum ferritin normal, 23.10, Tremor, 23.10
887486, Troponin normal, 23.10, Urine analysis normal, 23.10, Weight decreased, 23.10,,,,,
887487, Eye swelling, 23.10, Rash, 23.10,,,,,,,
887488, Erythema, 23.10, Pruritus, 23.10, Urticaria, 23.10,,,,,
887489, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Influenza like illness, 23.10, Injection site pain, 23.10
887489, Pyrexia, 23.10,,,,,,,
887490, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Rash, 23.10
887490, Rash pruritic, 23.10,,,,,,,
887491, Asthenia, 23.10, Chills, 23.10, Fatigue, 23.10, Gait disturbance, 23.10, Myalgia, 23.10
887491, Nausea, 23.10, Pyrexia, 23.10,,,,,,,
887492, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10,,
887493, Hypoaesthesia oral, 23.10, Injection site pain, 23.10, Lip swelling, 23.10, Skin warm, 23.10, Tongue coated, 23.10
887494, Erythema, 23.10, Pain, 23.10, Rash, 23.10,,,,,

887495, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pain in extremity, 23.10
887495, Peripheral swelling, 23.10, , , , , , , ,
887496, Chills, 23.10, Cough, 23.10, Headache, 23.10, Lip swelling, 23.10, Nausea, 23.10
887496, Oral pruritus, 23.10, Throat irritation, 23.10, , , , , , ,
887497, Asthenia, 23.10, Hypotension, 23.10, Syncope, 23.10, , , , ,
887498, Dizziness, 23.10, Loss of consciousness, 23.10, Seizure, 23.10, , , , ,
887499, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, ,
887500, Rash erythematous, 23.10, , , , , , , ,
887501, Erythema, 23.10, Injected limb mobility decreased, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Peripheral swelling, 23.10
887502, Headache, 23.10, Injection site rash, 23.10, Injection site swelling, 23.10, Nausea, 23.10, Peripheral swelling, 23.10
887503, Lymph node pain, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10, , , , ,
887505, Asthenia, 23.10, Blood pressure increased, 23.10, Dizziness, 23.10, Heart rate increased, 23.10, Pain in extremity, 23.10
887505, Pyrexia, 23.10, , , , , , , ,
887506, Hypoaesthesia, 23.10, Injection site hypoaesthesia, 23.10, Injection site paraesthesia, 23.10, Paraesthesia, 23.10, ,
887507, Condition aggravated, 23.10, Lymph node pain, 23.10, Lymphadenitis, 23.10, , , , ,
887508, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, Pallor, 23.10, , , , ,
887509, Injection site erythema, 23.10, Injection site rash, 23.10, , , , , , , ,
887510, Asthenia, 23.10, Dyspnoea, 23.10, , , , , , , ,
887511, Injection site inflammation, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site reaction, 23.10, Rash erythematous, 23.10
887512, Joint range of motion decreased, 23.10, Pain in extremity, 23.10, , , , , , , ,
887513, Erythema, 23.10, , , , , , , , ,
887514, Peripheral swelling, 23.10, Rash, 23.10, Rash erythematous, 23.10, , , , ,
887515, Asthenia, 23.10, Seizure like phenomena, 23.10, , , , , , , ,
887516, Headache, 23.10, Pain in extremity, 23.10, , , , , , , ,
887517, Injected limb mobility decreased, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Pain in extremity, 23.10, ,
887518, Injection site erythema, 23.10, Injection site pruritus, 23.10, Urticaria, 23.10, , , , ,
887519, Chills, 23.10, Decreased appetite, 23.10, Erythema, 23.10, Fatigue, 23.10, Pain, 23.10
887519, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Urticaria, 23.10, ,
887520, Crying, 23.10, Pain, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Rash, 23.10
887520, Rash erythematous, 23.10, Rash papular, 23.10, Skin disorder,

23.10,Sleep disorder,23.10,,
887533,Cervical dysplasia,23.10,Human papilloma virus test positive,
23.10,,,,,
887534,Human papilloma virus test positive,23.10,,,,,
887535,Product storage error,23.10,,,,,
887536,No adverse event,23.10,Wrong product administered,23.10,,,,,
887537,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,
887538,Incorrect route of product administration,23.10,,,,,
887539,Product storage error,23.10,,,,,
887540,Product storage error,23.10,,,,,
887541,Product storage error,23.10,,,,,
887542,Product storage error,23.10,,,,,
887543,Product storage error,23.10,,,,,
887544,Product storage error,23.10,,,,,
887545,Product storage error,23.10,,,,,
887546,Product storage error,23.10,,,,,
887547,Product storage error,23.10,,,,,
887548,Product storage error,23.10,,,,,
887549,Product storage error,23.10,,,,,
887550,Product storage error,23.10,,,,,
887551,Product storage error,23.10,,,,,
887552,Product storage error,23.10,,,,,
887553,Product storage error,23.10,,,,,
887554,Product storage error,23.10,,,,,
887555,Product storage error,23.10,,,,,
887556,Product storage error,23.10,,,,,
887557,Product storage error,23.10,,,,,
887558,Product storage error,23.10,,,,,
887559,Product storage error,23.10,,,,,
887560,Hepatitis B antibody negative,23.10,,,,,
887561,Hypersensitivity,23.10,Rash,23.10,Swelling,23.10,,,,
887562,Product storage error,23.10,,,,,
887563,Product storage error,23.10,,,,,
887564,Product storage error,23.10,,,,,
887565,Product storage error,23.10,,,,,
887566,Product storage error,23.10,,,,,
887567,Product storage error,23.10,,,,,
887568,Product storage error,23.10,,,,,
887569,Product storage error,23.10,,,,,
887570,Product storage error,23.10,,,,,
887571,Product storage error,23.10,,,,,
887572,Product storage error,23.10,,,,,
887573,Product storage error,23.10,,,,,
887574,Product storage error,23.10,,,,,
887575,Product storage error,23.10,,,,,
887576,Product storage error,23.10,,,,,
887577,Product storage error,23.10,,,,,
887578,Product storage error,23.10,,,,,
887579,Product storage error,23.10,,,,,

887580,Product storage error,23.10,,,,,,,,,
887581,Expired product administered,23.10,,,,,,,,,
887582,Product storage error,23.10,,,,,,,,,
887583,Product storage error,23.10,,,,,,,,,
887584,Product storage error,23.10,,,,,,,,,
887585,Product storage error,23.10,,,,,,,,,
887586,Product storage error,23.10,,,,,,,,,
887587,Product storage error,23.10,,,,,,,,,
887588,Product storage error,23.10,,,,,,,,,
887589,Product storage error,23.10,,,,,,,,,
887590,Product storage error,23.10,,,,,,,,,
887591,Product storage error,23.10,,,,,,,,,
887592,Product storage error,23.10,,,,,,,,,
887593,No adverse event,23.10,Product storage error,23.10,,,,,
887594,Product storage error,23.10,,,,,,,,,
887595,Product storage error,23.10,,,,,,,,,
887596,Product storage error,23.10,,,,,,,,,
887597,Product storage error,23.10,,,,,,,,,
887598,Product storage error,23.10,,,,,,,,,
887599,Product storage error,23.10,,,,,,,,,
887600,Product storage error,23.10,,,,,,,,,
887601,Product storage error,23.10,,,,,,,,,
887602,Product storage error,23.10,,,,,,,,,
887603,Product storage error,23.10,,,,,,,,,
887604,Product storage error,23.10,,,,,,,,,
887605,Product storage error,23.10,,,,,,,,,
887606,Product storage error,23.10,,,,,,,,,
887607,Product storage error,23.10,,,,,,,,,
887608,Product storage error,23.10,,,,,,,,,
887609,Product storage error,23.10,,,,,,,,,
887610,Product storage error,23.10,,,,,,,,,
887611,Product storage error,23.10,,,,,,,,,
887612,Product storage error,23.10,,,,,,,,,
887613,Product storage error,23.10,,,,,,,,,
887614,Product storage error,23.10,,,,,,,,,
887615,Product storage error,23.10,,,,,,,,,
887616,Product storage error,23.10,,,,,,,,,
887617,Product storage error,23.10,,,,,,,,,
887618,Product storage error,23.10,,,,,,,,,
887619,Product storage error,23.10,,,,,,,,,
887620,Product storage error,23.10,,,,,,,,,
887621,Product storage error,23.10,,,,,,,,,
887622,Product storage error,23.10,,,,,,,,,
887623,Product storage error,23.10,,,,,,,,,
887624,Product storage error,23.10,,,,,,,,,
887625,Product storage error,23.10,,,,,,,,,
887626,Product storage error,23.10,,,,,,,,,
887627,Product storage error,23.10,,,,,,,,,
887628,Product storage error,23.10,,,,,,,,,
887629,Product storage error,23.10,,,,,,,,,

887630,Product storage error,23.10,,,,,,,,,
887631,Product storage error,23.10,,,,,,,,,
887632,Product storage error,23.10,,,,,,,,,
887633,Product storage error,23.10,,,,,,,,,
887634,Product storage error,23.10,,,,,,,,,
887635,Product storage error,23.10,,,,,,,,,
887636,Product storage error,23.10,,,,,,,,,
887637,Product storage error,23.10,,,,,,,,,
887638,Product storage error,23.10,,,,,,,,,
887639,Product storage error,23.10,,,,,,,,,
887640,Product storage error,23.10,,,,,,,,,
887641,Product storage error,23.10,,,,,,,,,
887642,Product storage error,23.10,,,,,,,,,
887643,Product storage error,23.10,,,,,,,,,
887644,Product storage error,23.10,,,,,,,,,
887645,Product storage error,23.10,,,,,,,,,
887646,Product storage error,23.10,,,,,,,,,
887647,Product storage error,23.10,,,,,,,,,
887648,Product storage error,23.10,,,,,,,,,
887649,Product storage error,23.10,,,,,,,,,
887650,Product storage error,23.10,,,,,,,,,
887651,Product storage error,23.10,,,,,,,,,
887652,Product storage error,23.10,,,,,,,,,
887653,Product storage error,23.10,,,,,,,,,
887654,Product storage error,23.10,,,,,,,,,
887655,Erythema,23.10,Hypersensitivity,23.10,Rash,23.10,Rash
erythematous,23.10,,
887656,Injection site haemorrhage,23.10,,,,,,,,,
887657,Hypersensitivity,23.10,,,,,,,,,
887658,Pain in extremity,23.10,,,,,,,,,
887659,Asthenia,23.10,Malaise,23.10,Pyrexia,23.10,,,,,
887660,Depressed mood,23.10,Diarrhoea,23.10,Fatigue,23.10,Feelings of
worthlessness,23.10,Haematochezia,23.10
887660,Hangover,23.10,Headache,23.10,Motion sickness,23.10,,,,,
887661,Condition aggravated,23.10,Near death experience,
23.10,Pneumonia,23.10,,,,,
887662,Erythema,23.10,Pain,23.10,,,,,
887663,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
887664,Herpes zoster,23.10,,,,,,,,,
887665,Illness,23.10,Pneumonia,23.10,,,,,,,,,
887666,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,,,,,
887667,Arthralgia,23.10,Arthropathy,23.10,Muscular weakness,
23.10,Myalgia,23.10,,
887668,Influenza,23.10,Vaccination failure,23.10,,,,,,,,,
887669,Erythema,23.10,Eye pain,23.10,Hyperaesthesia,
23.10,Paraesthesia,23.10,Photopsia,23.10
887669,Rash,23.10,Rash erythematous,23.10,,,,,,,,,
887670,Lymphadenopathy,23.10,,,,,,,,,

887671, Immediate post-injection reaction, 23.10, Injection site
bruising, 23.10, Injection site pain, 23.10, , , ,
887672, Pain, 23.10, , , , , , , , ,
887673, Chills, 23.10, Headache, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10, ,
887674, Influenza like illness, 23.10, Malaise, 23.10, Pain, 23.10, , , , ,
887675, Pharyngeal inflammation, 23.10, Throat tightness, 23.10, Urticaria,
23.10, , , , ,
887676, Muscular weakness, 23.10, Tremor, 23.10, , , , , , , , ,
887677, Injection site pain, 23.10, Insomnia, 23.10, Pain, 23.10, Pain in
extremity, 23.10, ,
887678, Fatigue, 23.10, Heart rate increased, 23.10, Injection site
erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10
887679, Herpes zoster, 23.10, Herpes zoster oticus, 23.10, Rash, 23.10, , , , ,
887680, Chills, 23.10, Eye irritation, 23.10, Headache, 23.10, Injection site
pain, 23.10, Pyrexia, 23.10
887680, Tremor, 23.10, , , , , , , , ,
887681, Extra dose administered, 23.10, Feeling hot, 23.10, Headache,
23.10, Hyperhidrosis, 23.10, Myalgia, 23.10
887681, Nausea, 23.10, Pain in extremity, 23.10, Vomiting, 23.10, , , , ,
887682, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site rash, 23.10, Pain in extremity, 23.10, ,
887683, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Injection site pain,
23.10, Nausea, 23.10
887683, Pain, 23.10, Pyrexia, 23.10, , , , , , , , ,
887684, Culture stool positive, 23.10, Differential white blood cell
count abnormal, 23.10, Full blood count abnormal, 23.10, Haematochezia,
23.10, Occult blood negative, 23.10
887685, Chemotherapy, 23.10, Ovarian cancer stage IV, 23.10, Surgery,
23.10, , , , ,
887686, Ascites, 23.10, Blood lactic acid decreased, 23.10, Diarrhoea
haemorrhagic, 23.10, Gastrointestinal oedema, 23.10, Gastrointestinal wall
thickening, 23.10
887686, Intussusception, 23.10, Pyrexia, 23.10, Rotavirus test positive,
23.10, Ultrasound abdomen abnormal, 23.10, Vomiting, 23.10
887687, Blindness, 23.10, Condition aggravated, 23.10, Headache,
23.10, Visual impairment, 23.10, ,
887688, Arthralgia, 23.10, Incorrect route of product administration,
23.10, , , , , , , , ,
887689, Herpes zoster, 23.10, , , , , , , , ,
887690, Herpes zoster, 23.10, Incomplete course of vaccination,
23.10, , , , , , , , ,
887691, Ankylosing spondylitis, 23.10, , , , , , , , ,
887692, Illness, 23.10, Joint swelling, 23.10, Rash erythematous, 23.10, , , , ,
887693, Abdominal pain upper, 23.10, Arthritis, 23.10, Back pain,
23.10, Hepatic enzyme increased, 23.10, Pancreatitis, 23.10
887694, Herpes zoster, 23.10, , , , , , , , ,
887695, Chest discomfort, 23.10, Cough, 23.10, Eye irritation, 23.10, , , , ,
887696, Herpes zoster, 23.10, , , , , , , , ,
887697, Injection site urticaria, 23.10, , , , , , , , ,

887698,Injection site swelling,23.10,,,,,,,,,
887699,Extra dose administered,23.10,,,,,,,,,
887700,Pain in extremity,23.10,,,,,,,,,
887701,Wrong product administered,23.10,,,,,,,,,
887702,No adverse event,23.10,Wrong product administered,23.10,,,,,,,,,
887703,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
887704,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,,,
887705,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,
887706,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,,,,
887707,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,,,,
887708,Cellulitis,23.10,Inflammation,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,
887709,Asthenia,23.10,Cold sweat,23.10,Pallor,23.10,Respiratory rate
decreased,23.10,Syncope,23.10
887710,Blood creatinine increased,23.10,Blood culture negative,
23.10,Cellulitis,23.10,Culture urine positive,23.10,Erythema,23.10
887710,Induration,23.10,Leukocytosis,23.10,Pain,23.10,Peripheral
swelling,23.10,Pyrexia,23.10
887710,Skin warm,23.10,Tenderness,23.10,Vomiting,23.10,White blood
cell count increased,23.10,,
887715,No adverse event,23.10,Wrong product administered,23.10,,,,,,,,,
887716,Extra dose administered,23.10,,,,,,,,,
887717,Fatigue,23.10,Headache,23.10,Injection site erythema,
23.10,Myalgia,23.10,Pain,23.10
887717,Pyrexia,23.10,,,,,,,,,
887718,Chills,23.10,Inappropriate schedule of product administration,
23.10,Nausea,23.10,Pain in extremity,23.10,Pyrexia,23.10
887719,Incorrect route of product administration,23.10,Injection site
erythema,23.10,Injection site swelling,23.10,,,,,
887720,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,,,,
887721,No adverse event,23.10,Poor quality product administered,
23.10,,,,,,,,,
887722,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,,,,
887723,Abdominal pain upper,23.10,Anion gap increased,23.10,Antibody
test,23.10,Asthenia,23.10,Asthenopia,23.10
887723,Blood creatine phosphokinase abnormal,23.10,Blood glucose
normal,23.10,Burning sensation,23.10,Cardiac stress test,23.10,Chest
discomfort,23.10
887723,Chest pain,23.10,Computerised tomogram,23.10,Differential white
blood cell count abnormal,23.10,Dyspepsia,23.10,Electrocardiogram,
23.10
887723,Eye discharge,23.10,Eye pain,23.10,Eyelid margin crusting,
23.10,Foreign body sensation in eyes,23.10,Full blood count abnormal,
23.10

887723,Gastrointestinal pain,23.10,Glossodynia,23.10,Haematocrit abnormal,23.10,Headache,23.10,Helicobacter test positive,23.10
887723,Hepatitis A antibody positive,23.10,Hepatitis B antibody positive,23.10,Hyperkeratosis,23.10,Increased upper airway secretion, 23.10,Inflammation,23.10
887723,Laboratory test normal,23.10,Magnetic resonance imaging, 23.10,Metabolic function test abnormal,23.10,Musculoskeletal stiffness,23.10,Oral discomfort,23.10
887723,Oral pain,23.10,Oropharyngeal pain,23.10,Pain,23.10,Pathology test,23.10,Platelet count abnormal,23.10
887723,Positron emission tomogram,23.10,Pruritus,23.10,Sexually transmitted disease test,23.10,Skin discharge,23.10,Stool analysis abnormal,23.10
887723,Tension headache,23.10,Tongue discomfort,23.10,Urinary sediment present,23.10,Urine analysis abnormal,23.10,Vision blurred,23.10
887723,White blood cell count abnormal,23.10,X-ray,23.10,,,,,
887724,Rash,23.10,,,,,
887725,Tremor,23.10,,,,,
887726,Crying,23.10,Injection site erythema,23.10,Injection site movement impairment,23.10,Injection site pain,23.10,Injection site swelling,23.10
887726,Injection site warmth,23.10,Screaming,23.10,,,,,
887727,Arthralgia,23.10,Back pain,23.10,Burning sensation, 23.10,Injection site pain,23.10,Muscle spasms,23.10
887727,Myalgia,23.10,Pain in extremity,23.10,Tenderness,23.10,,,,
887728,Inflammation,23.10,Pruritus,23.10,Skin warm,23.10,,,,
887729,Erythema,23.10,Peripheral swelling,23.10,Tinnitus,23.10,,,,
887730,Injection site bruising,23.10,Injection site pain,23.10,,,,,
887731,Gait inability,23.10,Hypoaesthesia,23.10,Loss of personal independence in daily activities,23.10,Magnetic resonance imaging, 23.10,Muscular weakness,23.10
887731,Myelitis transverse,23.10,,,,,
887732,Injection site erythema,23.10,Injection site swelling, 23.10,Injection site warmth,23.10,Local reaction,23.10,,
887733,Contusion,23.10,Pain,23.10,,,,,
887734,Pain,23.10,Pyrexia,23.10,Swelling face,23.10,,,,
887735,Injected limb mobility decreased,23.10,Pain in extremity, 23.10,,,,,
887736,Joint swelling,23.10,,,,,
887737,Erythema,23.10,Limb discomfort,23.10,Muscle spasms,23.10,Pain in extremity,23.10,Peripheral swelling,23.10
887737,Skin warm,23.10,Tenderness,23.10,,,,,
887738,Measles,23.10,Rash erythematous,23.10,Rash papular,23.10,,,,
887739,Fall,23.10,Head injury,23.10,Syncope,23.10,,,,
887740,Lip swelling,23.10,Rash,23.10,Vomiting,23.10,,,,
887741,Injection site pain,23.10,Pain in extremity,23.10,,,,,
887742,Extra dose administered,23.10,Injection site mass,23.10,,,,,
887743,Injection site erythema,23.10,Injection site induration, 23.10,Pain,23.10,,,,
887744,Injection site pain,23.10,,,,,

887745, Bedridden, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10
887746, Erythema, 23.10, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Mass, 23.10, Pain, 23.10
887746, Pain in extremity, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10,,
887747, Chest discomfort, 23.10, Dyspnoea, 23.10, Eye swelling, 23.10, Headache, 23.10, Pain, 23.10
887747, Throat tightness, 23.10,,,,,,
887748, Expired product administered, 23.10,,,,,,
887754, Arthralgia, 23.10, High risk pregnancy, 23.10, Joint swelling, 23.10, Joint warmth, 23.10, Lymphadenopathy, 23.10
887754, Maternal exposure before pregnancy, 23.10, Meningitis viral, 23.10, Pyrexia, 23.10, Systemic lupus erythematosus, 23.10,,
887755, Burning sensation, 23.10, Erythema, 23.10, Fatigue, 23.10, Hypersensitivity, 23.10, Injection site pain, 23.10
887755, Nail discolouration, 23.10, Pruritus, 23.10, Skin discolouration, 23.10, Swelling face, 23.10, Swollen tongue, 23.10
887755, Throat irritation, 23.10, Throat tightness, 23.10, Urticaria, 23.10,,,,
887756, Feeling abnormal, 23.10, Flushing, 23.10, Influenza like illness, 23.10, Pain, 23.10, Pyrexia, 23.10
887757, C-reactive protein increased, 23.10, Dizziness, 23.10, Extra dose administered, 23.10, Malaise, 23.10,,
887758, Rash erythematous, 23.10, Rash papular, 23.10, Rash pruritic, 23.10,,,,
887759, Lymphadenopathy, 23.10, Mass, 23.10, Ultrasound scan abnormal, 23.10,,,,
887760, Injection site pain, 23.10, Injection site scab, 23.10, Mobility decreased, 23.10, Neuralgia, 23.10, Product administered at inappropriate site, 23.10
887760, Sleep disorder, 23.10, Ultrasound scan, 23.10, X-ray, 23.10,,,,
887761, Burning sensation, 23.10,,,,,,
887762, Herpes simplex, 23.10, Oral herpes, 23.10,,,,,
887763, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pain in extremity, 23.10
887763, Rhinorrhoea, 23.10,,,,,,
887764, Influenza, 23.10, Social problem, 23.10,,,,,
887765, Injected limb mobility decreased, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10,,
887766, Peripheral swelling, 23.10,,,,,,
887767, Nausea, 23.10, Pallor, 23.10, Syncope, 23.10, Tremor, 23.10,,
887768, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10
887768, Pyrexia, 23.10,,,,,,
887769, Herpes zoster, 23.10, Skin lesion, 23.10,,,,,
887770, Injection site erythema, 23.10, Injection site haemorrhage, 23.10, Injection site induration, 23.10, Injection site oedema, 23.10, Injection site pain, 23.10
887770, Injection site warmth, 23.10,,,,,,

887771, Oropharyngeal pain, 23.10, Pyrexia, 23.10, , , , , ,
887772, Influenza like illness, 23.10, Injected limb mobility decreased,
23.10, Injection site pain, 23.10, Pyrexia, 23.10, ,
887773, Injection site erythema, 23.10, Injection site warmth,
23.10, Peripheral swelling, 23.10, , , , ,
887774, Extensive swelling of vaccinated limb, 23.10, Injected limb
mobility decreased, 23.10, Injection site pain, 23.10, Pain in extremity,
23.10, ,
887775, Myalgia, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Skin discolouration, 23.10, ,
887776, Cellulitis, 23.10, , , , , , , ,
887777, Asthenia, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Tremor, 23.10, ,
887779, Pruritus, 23.10, , , , , , , ,
887780, Expired product administered, 23.10, , , , , , , ,
887781, Expired product administered, 23.10, , , , , , , ,
887782, Rash, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10, , , , ,
887783, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Pyrexia,
23.10
887784, Injection site bruising, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Product administered at
inappropriate site, 23.10, X-ray limb abnormal, 23.10
887785, Diarrhoea, 23.10, Dizziness, 23.10, Feeling cold, 23.10, Injection
site bruising, 23.10, Tremor, 23.10
887785, Vomiting, 23.10, , , , , , , ,
887786, Condition aggravated, 23.10, Loss of consciousness, 23.10, , , , , , , ,
887787, Asthenia, 23.10, Loss of consciousness, 23.10, Vomiting, 23.10, , , , , ,
887788, Fatigue, 23.10, Injection site erythema, 23.10, Peripheral
swelling, 23.10, Pyrexia, 23.10, ,
887789, Eye pruritus, 23.10, Headache, 23.10, Lacrimation increased,
23.10, Pruritus, 23.10, Rash, 23.10
887789, Sinus congestion, 23.10, , , , , , , ,
887790, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , , ,
887791, Chills, 23.10, Hypoaesthesia, 23.10, Nausea, 23.10, Paraesthesia,
23.10, ,
887792, Dyspnoea, 23.10, Flushing, 23.10, , , , , , , ,
887793, Flushing, 23.10, Hypotension, 23.10, Syncope, 23.10, Tremor, 23.10, ,
887798, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
887799, Atrial fibrillation, 23.10, Fatigue, 23.10, Giant cell arteritis,
23.10, Neuralgia, 23.10, Weight decreased, 23.10
887800, Cardiovascular disorder, 23.10, Gait disturbance, 23.10, Guillain-
Barre syndrome, 23.10, Nerve injury, 23.10, Paralysis, 23.10
887801, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
887802, Expired product administered, 23.10, , , , , , , ,
887803, Erythema, 23.10, Incorrect route of product administration,
23.10, Pruritus, 23.10, , , , ,
887804, Rosacea, 23.10, , , , , , , ,
887805, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Pain in extremity, 23.10, , ,
887806, Pruritus, 23.10, Rash, 23.10, Urticaria, 23.10, , , , ,
887807, Chills, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Headache,

23.10,Pyrexia,23.10
887807,Vomiting,23.10,,,,,
887808,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887810,Fatigue,23.10,Injection site pain,23.10,Myalgia,23.10,,,,,
887811,Benign rolandic epilepsy,23.10,Differential white blood cell
count normal,23.10,Electroencephalogram abnormal,23.10,Full blood
count,23.10,Generalised tonic-clonic seizure,23.10
887811,Magnetic resonance imaging brain normal,23.10,,,,,
887812,Urticaria,23.10,,,,,
887813,Unevaluable event,23.10,,,,,
887814,Headache,23.10,,,,,
887815,Wrong product administered,23.10,,,,,
887816,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Skin swelling,23.10,Swelling,23.10
887817,Contusion,23.10,Erythema,23.10,Mass,23.10,Pain in extremity,
23.10,,
887818,Abdominal pain upper,23.10,Arthralgia,23.10,Fatigue,
23.10,Headache,23.10,Injection site pain,23.10
887818,Loss of personal independence in daily activities,
23.10,Myalgia,23.10,Pain,23.10,Pyrexia,23.10,,
887819,Pyrexia,23.10,Rash,23.10,SARS-CoV-2 test negative,
23.10,Tachycardia,23.10,,
887820,Erythema,23.10,,,,,
887821,Herpes zoster,23.10,Injection site erythema,23.10,Injection
site pain,23.10,Injection site reaction,23.10,Injection site
urticaria,23.10
887821,Myalgia,23.10,,,,,
887823,Injected limb mobility decreased,23.10,Muscle tightness,
23.10,Pain in extremity,23.10,Product administered at inappropriate
site,23.10,,
887824,Diarrhoea,23.10,,,,,
887825,Chills,23.10,Headache,23.10,Loss of consciousness,
23.10,Oropharyngeal pain,23.10,Pyrexia,23.10
887825,Wheezing,23.10,,,,,
887826,Injection site erythema,23.10,Rash,23.10,Urticaria,23.10,,,,,
887828,Pain of skin,23.10,Paraesthesia,23.10,,,,,
887829,Chills,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,
887830,Induration,23.10,Pain,23.10,Skin reaction,23.10,Skin warm,
23.10,Swelling,23.10
887831,Arthralgia,23.10,Body temperature increased,23.10,Dizziness,
23.10,Headache,23.10,Malaise,23.10
887831,Mobility decreased,23.10,Nausea,23.10,Pain,23.10,Pyrexia,
23.10,SARS-CoV-2 test negative,23.10
887831,Vomiting,23.10,,,,,
887832,Injection site pain,23.10,Injection site reaction,23.10,Joint
range of motion decreased,23.10,Muscular weakness,23.10,Pain in
extremity,23.10
887833,Blister,23.10,Headache,23.10,Herpes zoster,23.10,Muscle spasms,
23.10,Pain,23.10

887833,Paraesthesia,23.10,,,,,,,,,
887834,Bronchospasm,23.10,Influenza like illness,23.10,Malaise,
23.10,Myalgia,23.10,Pain in extremity,23.10
887834,SARS-CoV-2 test negative,23.10,,,,,,,,,
887835,Pain in extremity,23.10,Peripheral swelling,23.10,Rash,
23.10,,,,,
887836,Erythema,23.10,Swelling,23.10,,,,,,,,,
887837,Bruxism,23.10,Decreased appetite,23.10,Hypoaesthesia,
23.10,Lethargy,23.10,Nausea,23.10
887837,Pain,23.10,Tremor,23.10,,,,,,,,,
887838,Back pain,23.10,Headache,23.10,Myalgia,23.10,Neck pain,
23.10,Vomiting,23.10
887839,Chills,23.10,Headache,23.10,Injected limb mobility decreased,
23.10,Injection site pain,23.10,Injection site swelling,23.10
887839,Nausea,23.10,,,,,,,,,
887840,Injection site erythema,23.10,,,,,,,,,
887841,Arthritis,23.10,Discomfort,23.10,Pain,23.10,X-ray limb,23.10,,
887842,Dizziness,23.10,Feeling hot,23.10,Hyperhidrosis,23.10,Immediate
post-injection reaction,23.10,Paraesthesia,23.10
887843,Dizziness,23.10,Hyperventilation,23.10,Vomiting,23.10,,,,,
887844,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
887845,Dysphonia,23.10,Vaccine positive rechallenge,23.10,,,,,
887846,Wrong product administered,23.10,,,,,,,,,
887847,Decreased appetite,23.10,Diarrhoea,23.10,Fall,23.10,Fatigue,
23.10,Febrile convulsion,23.10
887847,Gait inability,23.10,Lethargy,23.10,Muscular weakness,
23.10,Pyrexia,23.10,Vomiting,23.10
887848,Arthralgia,23.10,Asthenia,23.10,Chest pain,23.10,Dizziness,
23.10,Hypoaesthesia,23.10
887848,Throat irritation,23.10,,,,,,,,,
887849,Balance disorder,23.10,Dizziness,23.10,Retching,23.10,,,,,
887850,Burning sensation,23.10,Erythema,23.10,Limb discomfort,
23.10,Paraesthesia,23.10,Rash erythematous,23.10
887850,Skin warm,23.10,,,,,,,,,
887851,Fatigue,23.10,Headache,23.10,Malaise,23.10,Pain of skin,
23.10,Pyrexia,23.10
887851,Skin sensitisation,23.10,,,,,,,,,
887852,Dizziness,23.10,Erythema,23.10,Nausea,23.10,Pain,23.10,Pain in
extremity,23.10
887852,Peripheral swelling,23.10,Pruritus,23.10,Pyrexia,23.10,,,,,
887853,Extra dose administered,23.10,Wrong product administered,
23.10,,,,,
887854,Diarrhoea,23.10,Fatigue,23.10,Headache,23.10,Pyrexia,23.10,,
887855,Dizziness,23.10,Fatigue,23.10,Loss of consciousness,23.10,Pain,
23.10,Vaccine positive rechallenge,23.10
887856,Erythema,23.10,Rash erythematous,23.10,Rash maculo-papular,
23.10,,,,,
887857,Erythema,23.10,Oropharyngeal discomfort,23.10,Peripheral
swelling,23.10,Pruritus,23.10,,

887858, Chills, 23.10, Fatigue, 23.10, Malaise, 23.10, Pyrexia, 23.10, Wheezing, 23.10
887859, Fall, 23.10, Skin laceration, 23.10, Syncope, 23.10, , , , ,
887860, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
887861, Loss of consciousness, 23.10, Syncope, 23.10, , , , , ,
887862, Injection site bruising, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , ,
887863, Arthralgia, 23.10, Myalgia, 23.10, Vomiting, 23.10, , , , ,
887864, Biopsy skin, 23.10, Blood test, 23.10, Furuncle, 23.10, Rash, 23.10, ,
887865, Asthenia, 23.10, Decreased appetite, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
887865, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
887866, Fatigue, 23.10, Influenza like illness, 23.10, Injection site swelling, 23.10, Pain, 23.10, Pyrexia, 23.10
887867, Asthenia, 23.10, Discomfort, 23.10, Malaise, 23.10, Rash, 23.10, Vaccination complication, 23.10
887868, Accidental exposure to product, 23.10, No adverse event, 23.10, , , , , ,
887870, Injected limb mobility decreased, 23.10, Injection site bruising, 23.10, Injection site pain, 23.10, Pain, 23.10, ,
887871, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Pain, 23.10, Sleep disorder, 23.10, ,
887872, Diarrhoea, 23.10, Nausea, 23.10, , , , , ,
887873, Asthma, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10
887873, Swelling, 23.10, , , , , , ,
887874, Burning sensation, 23.10, Erythema, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
887875, Erythema, 23.10, Peripheral swelling, 23.10, Tenderness, 23.10, , , , ,
887876, Erythema, 23.10, Peripheral swelling, 23.10, , , , , ,
887877, Dizziness, 23.10, Fall, 23.10, , , , , ,
887878, Injection site swelling, 23.10, Pyrexia, 23.10, Urticaria, 23.10, Vomiting, 23.10, ,
887879, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, , , , ,
887880, Dizziness, 23.10, Nausea, 23.10, Vomiting, 23.10, , , , ,
887881, Cold sweat, 23.10, Dizziness, 23.10, , , , , ,
887882, Acoustic stimulation tests, 23.10, Blood test normal, 23.10, Deafness unilateral, 23.10, Ear discomfort, 23.10, Magnetic resonance imaging brain normal, 23.10
887882, Scan with contrast normal, 23.10, Tinnitus, 23.10, , , , , ,
887883, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Skin exfoliation, 23.10, ,
887884, Nausea, 23.10, Syncope, 23.10, , , , , ,
887885, Dizziness, 23.10, Fatigue, 23.10, Influenza like illness, 23.10, Injection site swelling, 23.10, Loss of personal independence in daily activities, 23.10
887885, Somnolence, 23.10, , , , , , , ,

887886, Erythema, 23.10, Injection site reaction, 23.10, Rash, 23.10, Skin discolouration, 23.10,,
887887, Bedridden, 23.10, Fatigue, 23.10, Influenza like illness, 23.10, Loss of personal independence in daily activities, 23.10,,
887888, Injection site erythema, 23.10, Injection site swelling, 23.10, Pruritus, 23.10, Rash, 23.10,,
887889, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
887890, Blister, 23.10, Erythema, 23.10, Injection site pustule, 23.10, Pain, 23.10, Skin exfoliation, 23.10
887890, Skin warm, 23.10,,,,,
887891, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10,,,,
887892, Chills, 23.10, Injection site pain, 23.10, Pain, 23.10,,,,
887893, Erythema, 23.10, Mobility decreased, 23.10, Pain, 23.10, Swelling, 23.10,,
887894, Abdominal discomfort, 23.10, Abdominal pain upper, 23.10, Blood test normal, 23.10, Computerised tomogram normal, 23.10, Dizziness, 23.10
887894, Gastritis, 23.10, Headache, 23.10, Immunology test normal, 23.10, Insomnia, 23.10, Magnetic resonance imaging brain normal, 23.10
887894, Magnetic resonance imaging spinal normal, 23.10, Magnetic resonance imaging thoracic normal, 23.10, Muscle spasms, 23.10, Muscular weakness, 23.10, Musculoskeletal chest pain, 23.10
887894, Myalgia, 23.10, Myelitis transverse, 23.10, Pollakiuria, 23.10, Posture abnormal, 23.10, Sleep disorder, 23.10
887894, Vertigo, 23.10,,,,,
887895, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site rash, 23.10,,,,
887897, Contusion, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10,,
887898, Injection site erythema, 23.10, Injection site inflammation, 23.10, Mobility decreased, 23.10,,,,
887899, Dizziness, 23.10, Syncope, 23.10,,,,,
887900, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, Urticaria, 23.10
887901, Pain, 23.10, Rash, 23.10, Swelling, 23.10,,,,
887902, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10,,,,
887903, Hypotension, 23.10, Loss of consciousness, 23.10, Syncope, 23.10,,,,
887904, Chills, 23.10, Headache, 23.10, Injection site pain, 23.10, Lethargy, 23.10, Micturition urgency, 23.10
887904, Muscular weakness, 23.10, Pain, 23.10, Pollakiuria, 23.10, Pyrexia, 23.10,,
887905, Arthralgia, 23.10, Asthenia, 23.10, Chills, 23.10, Malaise, 23.10, Myalgia, 23.10
887905, Pain, 23.10, Pyrexia, 23.10,,,,,
887906, Myalgia, 23.10, Product administered to patient of inappropriate age, 23.10, Swelling, 23.10,,,,
887907, Headache, 23.10, Herpes zoster, 23.10, Injection site pain, 23.10, Injection site rash, 23.10, Injection site reaction, 23.10
887907, Neck pain, 23.10, Pain, 23.10, Sensitive skin, 23.10,,,,

887908,Dizziness,23.10,Syncope,23.10,,,,,
887909,Loss of consciousness,23.10,,,,,
887910,Syncope,23.10,Tremor,23.10,,,,,
887919,Product storage error,23.10,,,,,
887920,Product storage error,23.10,,,,,
887921,Product storage error,23.10,,,,,
887922,Product storage error,23.10,,,,,
887923,Product storage error,23.10,,,,,
887924,Product storage error,23.10,,,,,
887925,Product storage error,23.10,,,,,
887926,Product storage error,23.10,,,,,
887927,Product storage error,23.10,,,,,
887928,Product storage error,23.10,,,,,
887929,Product storage error,23.10,,,,,
887930,Product storage error,23.10,,,,,
887931,Product storage error,23.10,,,,,
887932,Product storage error,23.10,,,,,
887933,Product storage error,23.10,,,,,
887934,Product storage error,23.10,,,,,
887935,Product storage error,23.10,,,,,
887936,Product storage error,23.10,,,,,
887937,Product storage error,23.10,,,,,
887938,Product storage error,23.10,,,,,
887939,Product storage error,23.10,,,,,
887940,Product storage error,23.10,,,,,
887941,Product storage error,23.10,,,,,
887942,Product storage error,23.10,,,,,
887943,Product storage error,23.10,,,,,
887944,Product storage error,23.10,,,,,
887945,Product storage error,23.10,,,,,
887946,Product storage error,23.10,,,,,
887947,Product storage error,23.10,,,,,
887948,Product storage error,23.10,,,,,
887949,Product storage error,23.10,,,,,
887950,Extra dose administered,23.10,,,,,
887951,Illness,23.10,Influenza like illness,23.10,,,,,
887952,Erythema,23.10,Extensive swelling of vaccinated limb,
23.10,Feeling hot,23.10,Injection site pain,23.10,,
887953,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,
887954,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887955,Rash,23.10,Rash pruritic,23.10,,,,,
887956,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,
887958,Dizziness,23.10,Loss of consciousness,23.10,Nausea,
23.10,Syncope,23.10,,
887959,Nerve conduction studies,23.10,Neuropathy peripheral,
23.10,Ultrasound Doppler,23.10,,,
887960,Neck mass,23.10,Urticaria,23.10,,,,,
887961,Chills,23.10,Dyspnoea,23.10,Hypersensitivity,23.10,Nasal

congestion,23.10,Pharyngeal swelling,23.10
887961,Swelling,23.10,Swelling face,23.10,,,,,
887962,Dizziness,23.10,Loss of consciousness,23.10,,,,,
887964,Abdominal pain,23.10,Cataract,23.10,Cataract operation,
23.10,Cholecystectomy,23.10,Cough,23.10
887964,Dysphagia,23.10,Gallbladder disorder,23.10,Herpes zoster,
23.10,Injection site rash,23.10,Ophthalmic herpes zoster,23.10
887964,Oropharyngeal discomfort,23.10,Vaccination failure,23.10,,,,,
887965,Illness,23.10,,,,,
887966,Injection site haemorrhage,23.10,,,,,
887967,Pain,23.10,Pyrexia,23.10,,,,,
887968,Blister,23.10,Fatigue,23.10,Headache,23.10,Injection site pain,
23.10,Injection site ulcer,23.10
887968,Myalgia,23.10,,,,,
887969,Insomnia,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
887970,Extra dose administered,23.10,No adverse event,23.10,,,,,
887971,Gait disturbance,23.10,Injection site induration,
23.10,Injection site swelling,23.10,,,,,
887972,No adverse event,23.10,Vaccination error,23.10,,,,,
887973,Chills,23.10,Pain,23.10,Pyrexia,23.10,,,,,
887974,Asthenia,23.10,Headache,23.10,Myalgia,23.10,Nausea,
23.10,Somnolence,23.10
887975,Rash,23.10,Rash erythematous,23.10,Rash pruritic,23.10,Rash
vesicular,23.10,,
887976,Dizziness,23.10,Hypotonia,23.10,Immediate post-injection
reaction,23.10,Loss of consciousness,23.10,Nausea,23.10
887976,Pallor,23.10,Tremor,23.10,Vomiting,23.10,,,,,
887977,Lethargy,23.10,Somnolence,23.10,,,,,
887978,Vaccination site swelling,23.10,,,,,
887979,Off label use,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
887980,Injection site bruising,23.10,Musculoskeletal stiffness,
23.10,Pain in extremity,23.10,,,,,
887981,Injection site bruising,23.10,,,,,
887982,Urticaria,23.10,,,,,
887983,Discomfort,23.10,Rash,23.10,Rash papular,23.10,,,,,
887984,Erythema,23.10,Haematoma,23.10,Immediate post-injection
reaction,23.10,Injection site erythema,23.10,Injection site swelling,
23.10
887984,Injection site warmth,23.10,Peripheral swelling,23.10,Skin
warm,23.10,Throat irritation,23.10,,
887985,Injection site pain,23.10,Injection site reaction,
23.10,Musculoskeletal stiffness,23.10,Pain,23.10,Pain in extremity,
23.10
887986,Abnormal behaviour,23.10,Confusional state,23.10,Feeling hot,
23.10,Pain,23.10,,
887987,Fatigue,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Pain in
extremity,23.10
887988,Chest discomfort,23.10,Chills,23.10,Cough,23.10,Headache,
23.10,Hyperhidrosis,23.10

887988, Nausea, 23.10, Oropharyngeal pain, 23.10, Pain, 23.10, Pruritus, 23.10, Wheezing, 23.10
887989, Incomplete course of vaccination, 23.10, Product preparation issue, 23.10, , , , , ,
887990, Peripheral swelling, 23.10, , , , , , ,
887992, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , ,
887993, Influenza, 23.10, Malaise, 23.10, Vaccination failure, 23.10, Vaccine positive rechallenge, 23.10, ,
887994, Loss of personal independence in daily activities, 23.10, Mobility decreased, 23.10, Seizure, 23.10, , , ,
887995, Death, 23.10, Underdose, 23.10, , , , , ,
887996, Arthralgia, 23.10, Groin pain, 23.10, Inappropriate schedule of product administration, 23.10, Injection site pain, 23.10, Musculoskeletal pain, 23.10
887996, Neck pain, 23.10, Pain in extremity, 23.10, Rheumatoid arthritis, 23.10, Wheelchair user, 23.10, ,
887997, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , ,
887998, Pyrexia, 23.10, Urinary incontinence, 23.10, , , , , ,
887999, Condition aggravated, 23.10, Neuromyelitis optica spectrum disorder, 23.10, , , , , ,
888000, Guillain-Barre syndrome, 23.10, Paralysis, 23.10, , , , , ,
888001, Asthenia, 23.10, Dizziness, 23.10, Pallor, 23.10, , , , ,
888002, Rash, 23.10, Swelling, 23.10, Urticaria, 23.10, , , , ,
888003, Rash, 23.10, , , , , , ,
888004, Pallor, 23.10, Paraesthesia, 23.10, , , , , ,
888005, Chills, 23.10, Fatigue, 23.10, Impaired work ability, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
888005, Loss of personal independence in daily activities, 23.10, Malaise, 23.10, Myalgia, 23.10, Tremor, 23.10, ,
888006, Anaphylactic reaction, 23.10, Lip swelling, 23.10, Paraesthesia oral, 23.10, Urticaria, 23.10, ,
888007, Injection site induration, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
888008, Asthenia, 23.10, Decreased appetite, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Headache, 23.10
888009, Injection site pruritus, 23.10, Injection site swelling, 23.10, Paraesthesia oral, 23.10, , , , ,
888010, Injection site erythema, 23.10, Injection site pain, 23.10, Pyrexia, 23.10, Skin warm, 23.10, ,
888011, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site urticaria, 23.10, , , , ,
888012, Rash, 23.10, Urticaria, 23.10, , , , , ,
888013, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
888014, Hypoaesthesia, 23.10, Injection site pain, 23.10, Paraesthesia, 23.10, , , , ,
888015, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , ,
888017, Swollen tongue, 23.10, , , , , , ,
888018, Nervousness, 23.10, Palpitations, 23.10, Paraesthesia, 23.10, Skin tightness, 23.10, ,

888019, Dyspnoea, 23.10, Erythema, 23.10, Feeling abnormal, 23.10, Immediate post-injection reaction, 23.10, Palpitations, 23.10
888019, Rash macular, 23.10, Speech disorder, 23.10, , , , , ,
888020, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , ,
888022, Swelling face, 23.10, , , , , , , ,
888023, Fatigue, 23.10, Myalgia, 23.10, , , , , , ,
888024, Chills, 23.10, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
888025, Chest discomfort, 23.10, Chills, 23.10, Cough, 23.10, Fatigue, 23.10, Myalgia, 23.10
888025, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, Tremor, 23.10, , , , ,
888026, Malaise, 23.10, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, Rash, 23.10
888026, Somnolence, 23.10, , , , , , , ,
888027, Dizziness, 23.10, Immediate post-injection reaction, 23.10, Mouth breathing, 23.10, Nausea, 23.10, Skin warm, 23.10
888028, Erythema, 23.10, Malaise, 23.10, Palpitations, 23.10, Pruritus, 23.10, Skin warm, 23.10
888029, Erythema, 23.10, Local reaction, 23.10, Pain, 23.10, Pruritus, 23.10, Skin tightness, 23.10
888030, Haematochezia, 23.10, Rotavirus infection, 23.10, Rotavirus test positive, 23.10, , , , ,
888034, Product storage error, 23.10, , , , , , , ,
888036, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
888038, Arthralgia, 23.10, Electromyogram abnormal, 23.10, Herpes zoster, 23.10, Injection site pain, 23.10, Myalgia, 23.10
888038, Neuralgia, 23.10, Neuropathy peripheral, 23.10, Pain in extremity, 23.10, Rheumatoid arthritis, 23.10, Swelling, 23.10
888038, Synovial cyst, 23.10, , , , , , , ,
888039, Arthralgia, 23.10, Groin pain, 23.10, Herpes zoster, 23.10, Hypoaesthesia, 23.10, Impaired gastric emptying, 23.10
888039, Musculoskeletal pain, 23.10, Nerve block, 23.10, Neuralgia, 23.10, Osteoarthritis, 23.10, Pain, 23.10
888039, Pain in extremity, 23.10, Pelvic pain, 23.10, Post herpetic neuralgia, 23.10, , , , ,
888040, Arthralgia, 23.10, Joint swelling, 23.10, Joint warmth, 23.10, Musculoskeletal stiffness, 23.10, Pain, 23.10
888040, Polyarthritis, 23.10, Rheumatoid arthritis, 23.10, Synovitis, 23.10, Tenderness, 23.10, ,
888041, Abdominal distension, 23.10, Abdominal pain, 23.10, Hypersensitivity, 23.10, Urticaria, 23.10, ,
888042, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Lymphadenopathy, 23.10, Neck pain, 23.10, Pain, 23.10
888042, Pain in extremity, 23.10, Swelling, 23.10, , , , , , ,
888043, Chills, 23.10, Injection site pain, 23.10, Lymphadenopathy, 23.10, Nausea, 23.10, Oral candidiasis, 23.10
888044, Condition aggravated, 23.10, Post herpetic neuralgia, 23.10, , , , , , ,
888045, Injection site discolouration, 23.10, Skin discolouration, 23.10, , , , , , ,
888046, Herpes zoster, 23.10, Incomplete course of vaccination,

23.10,,,,,
888047,Body temperature increased,23.10,Chills,23.10,Dizziness,
23.10,Muscular weakness,23.10,Rhinorrhoea,23.10
888047,SARS-CoV-2 test negative,23.10,Sinus congestion,23.10,Tremor,
23.10,,,,,
888048,Burning sensation,23.10,Erythema,23.10,Pain,23.10,Swelling,
23.10,,
888049,Hyperaesthesia,23.10,Pain,23.10,Rash,23.10,Rash erythematous,
23.10,Rash papular,23.10
888049,Rash vesicular,23.10,,,,,,
888050,Dizziness,23.10,Nausea,23.10,,,,,
888051,Chills,23.10,Fatigue,23.10,Headache,23.10,Injection site pain,
23.10,,
888052,Arthralgia,23.10,Condition aggravated,23.10,Contusion,
23.10,Gait disturbance,23.10,Monoplegia,23.10
888052,Musculoskeletal stiffness,23.10,,,,,,
888054,Herpes zoster,23.10,,,,,,
888055,Extensive swelling of vaccinated limb,23.10,Injection site
induration,23.10,,,,,
888057,Crying,23.10,Injection site erythema,23.10,,,,,
888058,Product administered to patient of inappropriate age,
23.10,,,,,,
888059,Cellulitis,23.10,Erythema,23.10,Infection,23.10,Pain,
23.10,Purulent discharge,23.10
888059,Skin warm,23.10,Swelling,23.10,,,,,
888060,Injection site induration,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Local reaction,23.10,,
888061,Injection site rash,23.10,Injection site swelling,23.10,Rash
erythematous,23.10,Skin warm,23.10,,
888062,Balanoposthitis,23.10,Pyrexia,23.10,Synovitis,23.10,Urticaria,
23.10,,
888063,Injection site bruising,23.10,Injection site swelling,
23.10,,,,,
888064,Product administered to patient of inappropriate age,
23.10,,,,,,
888065,Arthralgia,23.10,Pain in extremity,23.10,,,,,
888066,Immediate post-injection reaction,23.10,Injection site mass,
23.10,,,,,
888067,Dizziness,23.10,Loss of consciousness,23.10,Syncope,23.10,,,,,
888068,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
888069,Pruritus,23.10,Scar,23.10,,,,,
888070,Blood pressure orthostatic decreased,23.10,Dizziness,
23.10,Hyperhidrosis,23.10,Presyncope,23.10,,
888071,Injection site pain,23.10,Injection site swelling,23.10,Lip
swelling,23.10,,,,,
888072,Allergy to vaccine,23.10,Asthma,23.10,Incomplete course of
vaccination,23.10,Rash,23.10,Wheezing,23.10
888073,Decreased appetite,23.10,Screaming,23.10,,,,,

888074, Bursitis, 23.10, Injection site pain, 23.10, Joint range of motion decreased, 23.10, Product administered at inappropriate site, 23.10, X-ray limb abnormal, 23.10
888075, Hyperaesthesia, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Musculoskeletal stiffness, 23.10, Pain, 23.10
888075, Pruritus, 23.10, , , , , , , , ,
888076, Fatigue, 23.10, Headache, 23.10, Insomnia, 23.10, Pain, 23.10, Pyrexia, 23.10
888077, Chills, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Musculoskeletal stiffness, 23.10, Pain, 23.10
888077, Pyrexia, 23.10, Vomiting, 23.10, , , , , , , ,
888078, Extensive swelling of vaccinated limb, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, ,
888079, Chills, 23.10, Dizziness, 23.10, Dysphonia, 23.10, Ear discomfort, 23.10, Ear pain, 23.10
888079, Feeling cold, 23.10, Lower respiratory tract congestion, 23.10, Pain, 23.10, Throat irritation, 23.10, Tinnitus, 23.10
888079, Upper-airway cough syndrome, 23.10, , , , , , , , ,
888080, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, Vision blurred, 23.10, ,
888081, Dizziness, 23.10, Impaired driving ability, 23.10, Migraine, 23.10, Nausea, 23.10, Vomiting, 23.10
888081, Vomiting projectile, 23.10, , , , , , , , ,
888082, Urticaria, 23.10, , , , , , , , ,
888083, Chills, 23.10, Fatigue, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site swelling, 23.10
888083, Injection site warmth, 23.10, Malaise, 23.10, Nausea, 23.10, Pyrexia, 23.10, ,
888084, Extra dose administered, 23.10, Wrong product administered, 23.10, , , , , , , ,
888085, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, Sleep disorder, 23.10
888086, Arthralgia, 23.10, , , , , , , , ,
888087, Injection site discolouration, 23.10, Injection site pain, 23.10, , , , , , , ,
888088, Injection site erythema, 23.10, Injection site inflammation, 23.10, Injection site warmth, 23.10, , , , , , , ,
888089, Blood glucose increased, 23.10, Blood pressure normal, 23.10, Disorientation, 23.10, Heart rate increased, 23.10, Hypersensitivity, 23.10
888090, Headache, 23.10, Nausea, 23.10, Vomiting, 23.10, , , , , , , ,
888091, Heart rate increased, 23.10, , , , , , , , ,
888092, Lip swelling, 23.10, Palatal swelling, 23.10, , , , , , , , ,
888093, Chills, 23.10, Erythema, 23.10, Pain of skin, 23.10, Pruritus, 23.10, Pyrexia, 23.10
888093, Skin discolouration, 23.10, Skin disorder, 23.10, Urticaria, 23.10, , , , , , , ,
888094, Burning sensation, 23.10, Herpes zoster, 23.10, Pain, 23.10, Rash vesicular, 23.10, ,

888095,Rash,23.10,,,,,
888096,Herpes zoster,23.10,Pain,23.10,Rash,23.10,,,,,
888097,Feeling hot,23.10,Loss of consciousness,23.10,,,,,
888098,Chills,23.10,Fatigue,23.10,Nausea,23.10,Pyrexia,23.10,,
888099,Malaise,23.10,Nausea,23.10,Pain,23.10,Vomiting,23.10,White
blood cell count increased,23.10
888100,Cough,23.10,Dysphagia,23.10,Dyspnoea,23.10,Hypersensitivity,
23.10,Ocular hyperaemia,23.10
888100,Paraesthesia oral,23.10,,,,,
888101,Asthenia,23.10,Chills,23.10,Decreased appetite,23.10,Dizziness,
23.10,Headache,23.10
888101,Nausea,23.10,,,,,
888102,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
888103,Induration,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site swelling,23.10,Rash papular,23.10
888104,Pain in extremity,23.10,,,,,
888105,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,,,,,
888106,Pain,23.10,Pyrexia,23.10,,,,,
888107,Injection site erythema,23.10,Injection site pain,
23.10,Injection site rash,23.10,Injection site swelling,23.10,Pain in
extremity,23.10
888108,Injection site swelling,23.10,Rash erythematous,23.10,,,,,
888109,Injection site erythema,23.10,Injection site induration,
23.10,Pyrexia,23.10,,,,,
888110,Product administered to patient of inappropriate age,
23.10,,,,,
888111,Febrile convulsion,23.10,Lethargy,23.10,Respiratory arrest,
23.10,Seizure,23.10,Tremor,23.10
888112,Chills,23.10,Dizziness,23.10,Pain,23.10,Pyrexia,23.10,,
888113,Fatigue,23.10,Myalgia,23.10,,,,,
888114,Chills,23.10,Hyperhidrosis,23.10,Pyrexia,23.10,,,,,
888115,Vomiting,23.10,,,,,
888116,Chest discomfort,23.10,Chills,23.10,Hallucination,23.10,,,,,
888117,Influenza,23.10,Influenza virus test positive,23.10,Lethargy,
23.10,Pyrexia,23.10,Seizure like phenomena,23.10
888118,Dizziness,23.10,Ear pruritus,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Pruritus,23.10
888118,Throat irritation,23.10,Vision blurred,23.10,,,,,
888119,Chest discomfort,23.10,Lip pruritus,23.10,Lip swelling,
23.10,Pharyngeal swelling,23.10,SARS-CoV-2 test positive,23.10
888119,Swollen tongue,23.10,Throat irritation,23.10,Tongue pruritus,
23.10,,,,,
888120,Wrong product administered,23.10,,,,,
888121,Chills,23.10,Impaired work ability,23.10,Loss of personal
independence in daily activities,23.10,Muscular weakness,23.10,Pain,
23.10
888121,Pyrexia,23.10,,,,,
888122,Abdominal discomfort,23.10,Fatigue,23.10,Headache,
23.10,Injection site erythema,23.10,Injection site swelling,23.10

888122, Myalgia, 23.10, Pyrexia, 23.10, , , , , ,
888123, Breast pain, 23.10, , , , , , , ,
888124, Grip strength decreased, 23.10, Movement disorder,
23.10, Peripheral swelling, 23.10, Skin sensitisation, 23.10, ,
888125, Injection site rash, 23.10, Pruritus, 23.10, Rash, 23.10, , , , ,
888126, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
888127, Hypotension, 23.10, Pyrexia, 23.10, , , , , , ,
888128, Balance disorder, 23.10, Dizziness, 23.10, Fall, 23.10, Lip injury,
23.10, Loss of consciousness, 23.10
888128, Syncope, 23.10, , , , , , , ,
888129, Product preparation issue, 23.10, , , , , , , ,
888130, Consciousness fluctuating, 23.10, Dizziness, 23.10, Syncope,
23.10, , , , ,
888131, Lip swelling, 23.10, Swelling face, 23.10, Throat irritation,
23.10, , , , ,
888132, Syncope, 23.10, , , , , , , ,
888133, Injection site pruritus, 23.10, Injection site reaction,
23.10, Urticaria, 23.10, , , , ,
888134, Dizziness, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
888134, Muscular weakness, 23.10, , , , , , , ,
888135, Dizziness, 23.10, Loss of consciousness, 23.10, , , , , , ,
888136, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Nausea, 23.10, , ,
888137, Blood potassium abnormal, 23.10, Crying, 23.10, Echocardiogram
normal, 23.10, Electrocardiogram abnormal, 23.10, Full blood count normal,
23.10
888137, Haemolysis, 23.10, Heart rate increased, 23.10, Lethargy,
23.10, Supraventricular tachycardia, 23.10, Vomiting, 23.10
888138, Mass, 23.10, Tenderness, 23.10, , , , , , ,
888139, Abdominal discomfort, 23.10, Asthenia, 23.10, Dizziness, 23.10, , , , ,
888140, Cellulitis, 23.10, Erythema, 23.10, Skin warm, 23.10, , , , ,
888141, Chills, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
888142, Fall, 23.10, , , , , , , ,
888143, Herpes zoster, 23.10, Pain, 23.10, Rash, 23.10, , , , ,
888144, Injection site reaction, 23.10, Rash, 23.10, Rash erythematous,
23.10, , , , ,
888145, Injected limb mobility decreased, 23.10, Insomnia, 23.10, Pain in
extremity, 23.10, , , , ,
888146, Chills, 23.10, Rash, 23.10, Urticaria, 23.10, , , , ,
888150, Product storage error, 23.10, , , , , , , ,
888151, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
888152, Product storage error, 23.10, , , , , , , ,
888153, Herpes zoster, 23.10, , , , , , , ,
888154, Product storage error, 23.10, , , , , , , ,
888155, Product storage error, 23.10, , , , , , , ,
888156, Product storage error, 23.10, , , , , , , ,
888157, Product storage error, 23.10, , , , , , , ,
888158, Product storage error, 23.10, , , , , , , ,
888159, Product storage error, 23.10, , , , , , , ,

888160,Product storage error,23.10,,,,,,,,,
888161,Product storage error,23.10,,,,,,,,,
888162,Product storage error,23.10,,,,,,,,,
888163,Product storage error,23.10,,,,,,,,,
888164,Product storage error,23.10,,,,,,,,,
888165,Product storage error,23.10,,,,,,,,,
888166,Product storage error,23.10,,,,,,,,,
888167,Product storage error,23.10,,,,,,,,,
888168,Product storage error,23.10,,,,,,,,,
888169,Product storage error,23.10,,,,,,,,,
888170,Product storage error,23.10,,,,,,,,,
888171,Product storage error,23.10,,,,,,,,,
888172,Product storage error,23.10,,,,,,,,,
888173,Product storage error,23.10,,,,,,,,,
888174,Product storage error,23.10,,,,,,,,,
888175,Product storage error,23.10,,,,,,,,,
888176,Product storage error,23.10,,,,,,,,,
888177,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
888178,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
888179,No adverse event,23.10,Product storage error,23.10,,,,,,,,,
888180,Expired product administered,23.10,No adverse event,23.10,,,,,,,,,
888181,Herpes zoster,23.10,Pruritus,23.10,Rash,23.10,,,,,
888182,Illness,23.10,,,,,,,,,
888183,Alopecia,23.10,,,,,,,,,
888184,Pyrexia,23.10,,,,,,,,,
888185,Peripheral swelling,23.10,,,,,,,,,
888186,Chills,23.10,Pyrexia,23.10,,,,,,,,,
888187,Illness,23.10,,,,,,,,,
888188,Hypersensitivity,23.10,Illness,23.10,,,,,,,,,
888189,Injection site erythema,23.10,Injection site mass,
23.10,Injection site pruritus,23.10,Injection site swelling,
23.10,Mobility decreased,23.10
888189,Pain in extremity,23.10,,,,,,,,,
888190,Injection site erythema,23.10,,,,,,,,,
888192,Oral mucosal exfoliation,23.10,Oral pain,23.10,,,,,,,,,
888193,Blood pressure abnormal,23.10,Blood pressure increased,
23.10,Body temperature abnormal,23.10,Dizziness,23.10,Heart rate
increased,23.10
888193,Heart rate irregular,23.10,Injection site bruising,
23.10,Malaise,23.10,Pain in extremity,23.10,Palpitations,23.10
888193,Pyrexia,23.10,,,,,,,,,
888195,Alpha 1 foetoprotein normal,23.10,Caesarean section,
23.10,Endometriosis,23.10,Exposure during pregnancy,23.10,Postpartum
haemorrhage,23.10
888195,Ultrasound antenatal screen normal,23.10,Uterine leiomyoma,
23.10,,,,,,,,,
888196,Gait disturbance,23.10,Gait inability,23.10,Pain in extremity,
23.10,,,,,
888197,Neuralgia,23.10,,,,,,,,,
888198,Contusion,23.10,Injection site erythema,23.10,Injection site

swelling,23.10,Pruritus,23.10,,
888199,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
888200,Abdominal discomfort,23.10,Chills,23.10,Headache,23.10,Nausea,
23.10,Pain,23.10
888200,Pain in extremity,23.10,Pyrexia,23.10,Vomiting,23.10,,,,
888201,Chills,23.10,Fatigue,23.10,Pain in extremity,23.10,,,,
888202,Injection site erythema,23.10,Injection site pain,23.10,,,,,
888203,Arthralgia,23.10,Bursitis,23.10,Ultrasound scan abnormal,
23.10,,,,,
888204,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site rash,23.10,,
888205,Incontinence,23.10,Loss of consciousness,23.10,,,,,
888206,Febrile convulsion,23.10,Pyrexia,23.10,,,,,
888207,Arthralgia,23.10,Cold sweat,23.10,Cough,23.10,Dry throat,
23.10,Injection site pain,23.10
888207,Pain,23.10,Pyrexia,23.10,Rash vesicular,23.10,Throat
irritation,23.10,,
888208,No adverse event,23.10,Product storage error,23.10,,,,,
888209,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
888210,Inappropriate schedule of product administration,23.10,,,,,
888211,Incomplete course of vaccination,23.10,,,,,
888212,Body temperature increased,23.10,Nausea,23.10,Pain,
23.10,Peripheral swelling,23.10,,
888213,Pain in extremity,23.10,,,,,
888214,Asthenia,23.10,Injection site movement impairment,
23.10,Injection site pain,23.10,Pyrexia,23.10,X-ray abnormal,23.10
888215,Heart rate increased,23.10,,,,,
888216,Dizziness,23.10,Injection site pain,23.10,Mobility decreased,
23.10,Myalgia,23.10,Pain in extremity,23.10
888216,Tremor,23.10,,,,,
888217,Abdominal discomfort,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Mobility decreased,23.10
888217,Pyrexia,23.10,,,,,
888218,Herpes zoster,23.10,Incomplete course of vaccination,
23.10,Rash,23.10,,,,,
888219,Dizziness,23.10,Mobility decreased,23.10,Myalgia,23.10,Tremor,
23.10,Vaccine positive rechallenge,23.10
888220,Abdominal pain upper,23.10,Chills,23.10,Dizziness,
23.10,Headache,23.10,Vomiting,23.10
888221,Rash erythematous,23.10,Rash macular,23.10,Urticaria,23.10,,,,
888222,No adverse event,23.10,Product storage error,23.10,,,,,
888223,No adverse event,23.10,Syringe issue,23.10,Underdose,
23.10,Wrong technique in device usage process,23.10,,
888224,Cellulitis,23.10,Erythema,23.10,Pain,23.10,Product administered
at inappropriate site,23.10,Pruritus,23.10
888224,Swelling,23.10,,,,,
888225,Erythema,23.10,Injected limb mobility decreased,23.10,Pain,
23.10,,,,

888226,Blood thyroid stimulating hormone,23.10,Full blood count,
23.10,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Metabolic function test,23.10
888226,Pain in extremity,23.10,Paraesthesia,23.10,Spinal X-ray,
23.10,Vitamin B12,23.10,,
888227,Injection site pain,23.10,,,,,
888228,Tinnitus,23.10,,,,,
888229,Pyrexia,23.10,,,,,
888230,Chills,23.10,Headache,23.10,Malaise,23.10,Pain in extremity,
23.10,Pyrexia,23.10
888230,Vomiting,23.10,,,,,
888231,Inflammation,23.10,Pain of skin,23.10,Rash,23.10,Skin
discolouration,23.10,Skin swelling,23.10
888231,Skin warm,23.10,,,,,
888232,Erythema,23.10,Peripheral swelling,23.10,,,,,
888233,Pain in extremity,23.10,Paraesthesia,23.10,Peripheral swelling,
23.10,Skin disorder,23.10,,
888234,Fatigue,23.10,Injected limb mobility decreased,23.10,Injection
site erythema,23.10,Injection site pain,23.10,Injection site swelling,
23.10
888234,Injection site warmth,23.10,,,,,
888235,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,X-ray,23.10,,,,
888236,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Skin tightness,23.10,,
888237,Asthenia,23.10,Chills,23.10,Diarrhoea,23.10,Dizziness,
23.10,Headache,23.10
888237,Nausea,23.10,,,,,
888238,Confusional state,23.10,Dysgeusia,23.10,Feeling abnormal,
23.10,Headache,23.10,Loss of personal independence in daily
activities,23.10
888238,Memory impairment,23.10,Stress,23.10,,,,,
888239,Injection site pain,23.10,Product administered at inappropriate
site,23.10,,,,,
888240,Blood test,23.10,Chest discomfort,23.10,Chest pain,
23.10,Dizziness,23.10,Electrocardiogram,23.10
888240,Headache,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10,Syncope,
23.10
888240,Vomiting,23.10,X-ray,23.10,,,,,
888241,Headache,23.10,Lethargy,23.10,Pain in extremity,23.10,Pyrexia,
23.10,,
888242,Chills,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,
888243,Adenovirus test,23.10,Bacterial test negative,23.10,Bed
sharing,23.10,Brain injury,23.10,Cardiomyopathy,23.10
888243,Cerebral infarction,23.10,Computerised tomogram head abnormal,
23.10,Cytogenetic analysis,23.10,Cytomegalovirus test negative,
23.10,Echocardiogram abnormal,23.10
888243,Electroencephalogram abnormal,23.10,Endotracheal intubation,
23.10,Enterovirus test positive,23.10,Epstein-Barr virus test
negative,23.10,Human rhinovirus test positive,23.10

888243, Hypoglycaemia, 23.10, Hypotension, 23.10, Hypoxic-ischaemic encephalopathy, 23.10, Inborn error of metabolism, 23.10, Intensive care, 23.10
888243, Leukocytosis, 23.10, Magnetic resonance imaging brain abnormal, 23.10, Metabolic function test, 23.10, Myocarditis, 23.10, Parvovirus B19 test negative, 23.10
888243, Polymerase chain reaction positive, 23.10, Troponin increased, 23.10, Unresponsive to stimuli, 23.10, Viral test negative, 23.10,,
888244, Injection site erythema, 23.10, Injection site swelling, 23.10,,,,,
888245, Arthralgia, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10, Injection site reaction, 23.10, Myalgia, 23.10
888245, Pyrexia, 23.10, Rash, 23.10, Rash pruritic, 23.10, SARS-CoV-2 test negative, 23.10,,
888246, Blood culture, 23.10, C-reactive protein, 23.10, Erythema, 23.10, Full blood count, 23.10, Metabolic function test, 23.10
888246, Pain in extremity, 23.10, SARS-CoV-2 test, 23.10,,,,,
888249, No adverse event, 23.10, Product storage error, 23.10,,,,,
888250, Arthralgia, 23.10,,,,,
888251, Arthralgia, 23.10,,,,,
888252, Extra dose administered, 23.10, Inappropriate schedule of product administration, 23.10, Injection site warmth, 23.10,,,,
888253, Abdominal discomfort, 23.10, Malaise, 23.10,,,,,
888254, Malaise, 23.10,,,,,
888256, Dyspnoea, 23.10, Swollen tongue, 23.10, Syncope, 23.10,,,,
888257, Chills, 23.10, Erythema, 23.10, Injection site induration, 23.10, Injection site mass, 23.10, Injection site pain, 23.10
888257, Injection site swelling, 23.10, Joint range of motion decreased, 23.10, Nausea, 23.10, Oedema peripheral, 23.10, Pain in extremity, 23.10
888257, Pruritus, 23.10, Pyrexia, 23.10, Vomiting, 23.10,,,,
888258, Arthralgia, 23.10, Headache, 23.10, Impaired work ability, 23.10, Pain, 23.10, Pyrexia, 23.10
888259, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
888260, Dizziness, 23.10, Dyspnoea, 23.10, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site urticaria, 23.10
888260, Injection site warmth, 23.10, Nausea, 23.10, Pallor, 23.10,,,,
888261, Headache, 23.10, Influenza like illness, 23.10, Migraine, 23.10, Nausea, 23.10, Pain, 23.10
888261, Photophobia, 23.10, Vomiting, 23.10,,,,,
888262, Injection site reaction, 23.10, Limb discomfort, 23.10, Myalgia, 23.10, Pain, 23.10,,
888263, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Malaise, 23.10, Nausea, 23.10
888264, Dizziness, 23.10, Headache, 23.10, Injection site pain, 23.10, Nausea, 23.10, Neck pain, 23.10
888264, Pain in extremity, 23.10, Pyrexia, 23.10, Throat tightness, 23.10,,,,
888265, Dyspnoea, 23.10, Flushing, 23.10, Hypertension, 23.10, Swollen tongue, 23.10,,

888266, Borrelia test, 23.10, Full blood count, 23.10, Laboratory test, 23.10, Metabolic function test, 23.10, Streptococcus test, 23.10
888266, Urticaria, 23.10, , , , , , , , ,
888267, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, ,
888268, Neurological examination normal, 23.10, Paraesthesia, 23.10, , , , , , ,
888269, Dyspnoea, 23.10, Erythema, 23.10, Immediate post-injection reaction, 23.10, , , , ,
888270, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10, Seizure, 23.10, , , , ,
888271, Laboratory test, 23.10, Pyrexia, 23.10, Seizure like phenomena, 23.10, , , , ,
888272, Arthralgia, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , ,
888273, Asthenia, 23.10, Pyrexia, 23.10, Rash, 23.10, , , , ,
888274, Herpes zoster, 23.10, , , , , , , , ,
888275, Contusion, 23.10, Erythema, 23.10, Incorrect route of product administration, 23.10, Skin warm, 23.10, Swelling, 23.10
888276, Injection site reaction, 23.10, Skin reaction, 23.10, , , , , , ,
888277, Dizziness, 23.10, Headache, 23.10, Heart rate increased, 23.10, Nausea, 23.10, ,
888278, Injection site bruising, 23.10, Injection site erythema, 23.10, Pain in extremity, 23.10, , , , ,
888279, Appetite disorder, 23.10, Behaviour disorder, 23.10, Decreased eye contact, 23.10, Laboratory test, 23.10, Speech disorder developmental, 23.10
888284, Biopsy, 23.10, Papilloma viral infection, 23.10, Smear cervix, 23.10, , , , ,
888285, Expired product administered, 23.10, , , , , , , , ,
888286, Herpes zoster, 23.10, , , , , , , , ,
888287, Product storage error, 23.10, , , , , , , , ,
888288, Illness, 23.10, , , , , , , , ,
888289, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, ,
888290, Pain, 23.10, , , , , , , , ,
888291, Chills, 23.10, Feeling abnormal, 23.10, , , , , , ,
888292, Rash, 23.10, , , , , , , , ,
888294, Injection site urticaria, 23.10, , , , , , , , ,
888295, Influenza, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
888296, Ageusia, 23.10, Anxiety, 23.10, Arthralgia, 23.10, Arthropathy, 23.10, Chest pain, 23.10
888296, Chills, 23.10, Fatigue, 23.10, Formication, 23.10, Insomnia, 23.10, Myalgia, 23.10
888296, Nasal congestion, 23.10, Rash, 23.10, , , , , , ,
888297, Erythema, 23.10, Nodule, 23.10, Pain, 23.10, Skin warm, 23.10, ,
888298, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , ,
888299, Feeling abnormal, 23.10, , , , , , , , ,
888300, Decreased appetite, 23.10, Dry mouth, 23.10, Mucosal disorder, 23.10, Pyrexia, 23.10, ,
888301, Blood pressure increased, 23.10, Dizziness, 23.10, Dysphagia, 23.10, Heart rate increased, 23.10, Nervousness, 23.10

888301,Rash,23.10,Skin warm,23.10,,,,,
888302,Syncope,23.10,,,,,
888303,Nausea,23.10,Vomiting,23.10,,,,,
888304,Chest pain,23.10,Dizziness,23.10,,,,,
888305,Contusion,23.10,Erythema,23.10,Injection site erythema,
23.10,Skin warm,23.10,,
888306,No adverse event,23.10,Wrong product administered,23.10,,,,,
888307,Injection site rash,23.10,Rash,23.10,,,,,
888308,Injection site discolouration,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
888309,Dizziness,23.10,Erythema,23.10,Induration,23.10,Mass,
23.10,Pain,23.10
888310,Discomfort,23.10,Injection site swelling,23.10,Peripheral
swelling,23.10,Tenderness,23.10,,
888311,Rash,23.10,,,,,
888312,Rash erythematous,23.10,Rash papular,23.10,Rash vesicular,
23.10,,,,
888313,Aspiration joint,23.10,Culture negative,23.10,Injection site
joint effusion,23.10,,,,
888323,Product storage error,23.10,,,,,
888324,Dizziness,23.10,Electrocardiogram abnormal,23.10,Fatigue,
23.10,Heart rate increased,23.10,Heart rate irregular,23.10
888324,Hypersensitivity,23.10,Immediate post-injection reaction,
23.10,Palpitations,23.10,Tachycardia,23.10,,
888325,Dermatitis,23.10,Herpes zoster,23.10,Rash,23.10,,,,
888326,Herpes zoster,23.10,,,,,
888327,Herpes zoster,23.10,Rash,23.10,,,,,
888328,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site rash,23.10,Rash
macular,23.10
888329,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,,,,
888330,Body temperature increased,23.10,Chills,23.10,Feeling hot,
23.10,SARS-CoV-2 test negative,23.10,Somnolence,23.10
888331,Erythema,23.10,Injection site rash,23.10,Pruritus,23.10,,,,
888332,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
888333,Injection site rash,23.10,Rash,23.10,Rash erythematous,
23.10,,,,
888334,Injection site erythema,23.10,Injection site mass,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
888335,Injection site erythema,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Pyrexia,23.10,Urticaria,23.10
888336,Diarrhoea,23.10,Hot flush,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Nausea,23.10
888336,Peripheral swelling,23.10,Pharyngeal swelling,23.10,Pyrexia,
23.10,Swelling face,23.10,,
888337,Dyspnoea,23.10,Flushing,23.10,Rash,23.10,Urticaria,23.10,,
888338,Pruritus,23.10,Rash,23.10,Urticaria,23.10,,,,
888339,Erythema,23.10,Nausea,23.10,Pain in extremity,23.10,Peripheral

swelling,23.10,Pyrexia,23.10
888339,Skin burning sensation,23.10,,,,,
888340,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
888341,Dizziness,23.10,Headache,23.10,Impaired work ability,
23.10,Nausea,23.10,,
888342,Dyspnoea,23.10,Eye irritation,23.10,Lacrimation increased,
23.10,Stridor,23.10,Vomiting,23.10
888343,Facial pain,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Tenderness,23.10,,
888344,Chest X-ray normal,23.10,Full blood count normal,
23.10,Lymphadenopathy,23.10,Metabolic function test normal,23.10,,
888345,Erythema,23.10,Pain,23.10,Swelling,23.10,,,,,
888346,Chills,23.10,Pyrexia,23.10,Vomiting,23.10,,,,,
888347,Skin warm,23.10,Swelling,23.10,,,,,
888348,Chills,23.10,Laboratory test normal,23.10,Pain,23.10,Pyrexia,
23.10,SARS-CoV-2 test,23.10
888349,Injection site erythema,23.10,Injection site mass,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
888350,Neuropathy peripheral,23.10,Pyrexia,23.10,,,,,
888351,Chills,23.10,Discomfort,23.10,Feeling abnormal,23.10,Feeling
hot,23.10,Headache,23.10
888351,Influenza like illness,23.10,Pain of skin,23.10,Pyrexia,
23.10,Sensitive skin,23.10,,
888352,Urticaria,23.10,,,,,
888353,Pyrexia,23.10,,,,,
888354,Abscess drainage,23.10,Culture positive,23.10,Injection site
abscess,23.10,Injection site erythema,23.10,Injection site pain,23.10
888354,Injection site swelling,23.10,,,,,
888356,Extra dose administered,23.10,No adverse event,23.10,,,,,
888357,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Rash,23.10,,
888358,Injection site pain,23.10,Pain,23.10,,,,,
888359,Abdominal discomfort,23.10,Malaise,23.10,Pain in extremity,
23.10,Pyrexia,23.10,Vomiting,23.10
888360,Erythema,23.10,Skin warm,23.10,,,,,
888361,Tremor,23.10,,,,,
888362,Inflammation,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
888363,Arthralgia,23.10,Balance disorder,23.10,CSF protein normal,
23.10,Dysstasia,23.10,Loss of personal independence in daily
activities,23.10
888363,Lumbar puncture,23.10,Magnetic resonance imaging spinal
abnormal,23.10,Muscular weakness,23.10,Neck pain,23.10,Pain in
extremity,23.10
888363,Scan with contrast abnormal,23.10,White blood cell count
normal,23.10,,,,,
888364,Hypoaesthesia,23.10,Peripheral swelling,23.10,,,,,
888365,Pain in extremity,23.10,,,,,
888366,Headache,23.10,Pain in extremity,23.10,Peripheral swelling,

23.10, Pyrexia, 23.10,,
888367, Blood test, 23.10, Cellulitis, 23.10, Erythema, 23.10, Induration,
23.10, Influenza like illness, 23.10
888367, Malaise, 23.10, Mobility decreased, 23.10, Pain, 23.10, Ultrasound
scan, 23.10,,
888368, Injection site warmth, 23.10, Muscular weakness,
23.10, Paraesthesia, 23.10,,,,,
888369, Injection site vesicles, 23.10,,,,,,
888370, Expired product administered, 23.10, No adverse event, 23.10,,,,,,
888371, Arthralgia, 23.10, Injection site swelling, 23.10, Limb discomfort,
23.10, Pain in extremity, 23.10, Sleep disorder, 23.10
888372, Arthralgia, 23.10, Lymphadenopathy, 23.10,,,,,
888373, Chills, 23.10, Erythema, 23.10, Pain, 23.10, Peripheral swelling,
23.10, Restlessness, 23.10
888373, Skin burning sensation, 23.10, Skin warm, 23.10, Sleep disorder,
23.10,,,,,
888374, Pain, 23.10,,,,,,
888375, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Sleep disorder, 23.10,,,,,
888377, Arthralgia, 23.10, Back pain, 23.10, Injection site joint pain,
23.10, Muscular weakness, 23.10, Pain in extremity, 23.10
888378, Syncope, 23.10,,,,,,
888379, Rash, 23.10, Rash pruritic, 23.10,,,,,
888380, Throat irritation, 23.10,,,,,,
888381, Injection site discomfort, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10
888382, Back pain, 23.10, Pain, 23.10,,,,,
888383, Loss of consciousness, 23.10,,,,,,
888384, Pain, 23.10,,,,,,
888385, Bedridden, 23.10, Dyspnoea, 23.10, Fatigue, 23.10, Mobility
decreased, 23.10, Myalgia, 23.10
888385, Pyrexia, 23.10,,,,,,
888386, Headache, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Rash,
23.10,,
888387, Blood test, 23.10, Electrocardiogram, 23.10, Extrasystoles,
23.10, Fatigue, 23.10, Headache, 23.10
888387, Heart rate increased, 23.10, Neck pain, 23.10, Pain in extremity,
23.10, Palpitations, 23.10, X-ray, 23.10
888388, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Product administered at inappropriate site, 23.10,,,,,
888389, Injection site pain, 23.10, Joint range of motion decreased,
23.10, Product administered at inappropriate site, 23.10, X-ray, 23.10,,
888390, Arthralgia, 23.10, Injection site pain, 23.10, Muscle spasms,
23.10,,,,,
888391, Arthralgia, 23.10, Neck pain, 23.10, Pain in extremity, 23.10,,,,,
888392, Dyspnoea, 23.10,,,,,,
888393, Nausea, 23.10, Vomiting, 23.10,,,,,
888394, No adverse event, 23.10, Wrong product administered, 23.10,,,,,
888395, Limb injury, 23.10,,,,,,

888396, Erythema, 23.10, Inflammation, 23.10, Joint range of motion decreased, 23.10, Malaise, 23.10, Pain, 23.10
888396, Pain of skin, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
888397, Chills, 23.10, Cluster headache, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Immobile, 23.10
888397, Nausea, 23.10, Retching, 23.10, Vomiting, 23.10, , , , ,
888398, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Skin warm, 23.10
888399, Neuropathy peripheral, 23.10, , , , , , , , ,
888400, Aponia, 23.10, Cough, 23.10, Headache, 23.10, Nervousness, 23.10, Ocular hyperaemia, 23.10
888400, Throat tightness, 23.10, Wheezing, 23.10, , , , , , ,
888401, Dizziness, 23.10, Loss of personal independence in daily activities, 23.10, , , , , , ,
888402, Fall, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , , ,
888403, Needle issue, 23.10, , , , , , , , ,
888404, Eye swelling, 23.10, , , , , , , , ,
888405, Arthralgia, 23.10, , , , , , , , ,
888406, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , ,
888407, Abdominal pain, 23.10, Anxiety, 23.10, Diarrhoea, 23.10, Dizziness, 23.10, Nausea, 23.10
888407, Paraesthesia, 23.10, Paraesthesia oral, 23.10, , , , , , , ,
888408, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10, Tenderness, 23.10
888409, Anxiety, 23.10, Chest pain, 23.10, Neuropathy peripheral, 23.10, Vaccine positive rechallenge, 23.10, ,
888425, Product storage error, 23.10, , , , , , , , ,
888426, Wrong technique in product usage process, 23.10, , , , , , , , ,
888427, Product storage error, 23.10, , , , , , , , ,
888428, Product storage error, 23.10, , , , , , , , ,
888429, Herpes zoster, 23.10, , , , , , , , ,
888430, Herpes zoster, 23.10, , , , , , , , ,
888431, Herpes zoster, 23.10, , , , , , , , ,
888432, Injection site rash, 23.10, , , , , , , , ,
888433, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
888433, Neutrophil count increased, 23.10, , , , , , , , ,
888434, Chills, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
888434, Lethargy, 23.10, Pyrexia, 23.10, Tinnitus, 23.10, Tremor, 23.10, ,
888435, Cough, 23.10, Headache, 23.10, Influenza like illness, 23.10, Injection site pain, 23.10, Pain, 23.10
888435, Tremor, 23.10, , , , , , , , ,
888436, Urticaria, 23.10, , , , , , , , ,
888437, Feeling abnormal, 23.10, Hypoaesthesia, 23.10, Injection site reaction, 23.10, Limb discomfort, 23.10, ,
888438, No adverse event, 23.10, Overdose, 23.10, Product administered to

patient of inappropriate age,23.10,Wrong product administered,23.10,,
888439,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,
888440,Needle issue,23.10,No adverse event,23.10,Underdose,23.10,,,,
888441,Injection site bruising,23.10,,,,,,,
888442,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
888443,No adverse event,23.10,Product preparation issue,23.10,,,,,,
888444,Mobility decreased,23.10,,,,,,,
888446,Chills,23.10,Headache,23.10,Oropharyngeal pain,23.10,Pain,
23.10,,
888447,Asthenia,23.10,Diarrhoea,23.10,Headache,23.10,Myalgia,
23.10,Pyrexia,23.10
888448,Feeling abnormal,23.10,Headache,23.10,Pain,23.10,,,,
888449,Injection site erythema,23.10,Injection site swelling,
23.10,Local reaction,23.10,,,,,
888450,Allergy to vaccine,23.10,Paraesthesia,23.10,Rash,23.10,,,,
888451,Lethargy,23.10,Nausea,23.10,Vertigo,23.10,,,,
888452,Chills,23.10,Fatigue,23.10,Headache,23.10,Injection site pain,
23.10,Injection site pruritus,23.10
888452,Myalgia,23.10,Neck pain,23.10,,,,,,
888453,Abdominal pain,23.10,Peripheral swelling,23.10,Urticaria,
23.10,,,,,
888454,Injection site rash,23.10,,,,,,,
888455,Erythema,23.10,Pruritus,23.10,Urticaria,23.10,,,,,
888459,Inappropriate schedule of product administration,23.10,,,,,,,
888460,Influenza,23.10,Vaccination failure,23.10,,,,,,
888461,Illness,23.10,Infection,23.10,,,,,,
888462,Herpes zoster,23.10,Vaccination failure,23.10,Vaccine positive
rechallenge,23.10,,,,,
888463,Cellulitis,23.10,Pain,23.10,Rash,23.10,,,,,
888464,Back pain,23.10,Monoplegia,23.10,Muscular weakness,
23.10,Myelitis transverse,23.10,Myelopathy,23.10
888464,Nerve conduction studies abnormal,23.10,Neuropathy peripheral,
23.10,Pain,23.10,Pain in extremity,23.10,Sleep disorder,23.10
888465,Depressed mood,23.10,Diarrhoea,23.10,Fatigue,23.10,Feelings of
worthlessness,23.10,Hangover,23.10
888465,Headache,23.10,Inappropriate schedule of product
administration,23.10,Motion sickness,23.10,Vaccine positive
rechallenge,23.10,,
888466,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10
888466,Injection site warmth,23.10,Neck pain,23.10,Pain,
23.10,Paraesthesia,23.10,Tremor,23.10
888467,Herpes zoster,23.10,Vaccination failure,23.10,,,,,,
888468,Chills,23.10,Fatigue,23.10,,,,,,
888469,Lymph node pain,23.10,Lymphadenopathy,23.10,Swelling,23.10,,,,,
888470,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,,
888471,Injection site cellulitis,23.10,,,,,,,
888472,Oedema peripheral,23.10,,,,,,,

888473, Immediate post-injection reaction, 23.10, Joint range of motion decreased, 23.10, Mobility decreased, 23.10, Pain, 23.10,,
888474, Injection site pain, 23.10, Injection site reaction, 23.10, Muscle discomfort, 23.10, Pain, 23.10, Product administered at inappropriate site, 23.10
888474, Shoulder injury related to vaccine administration, 23.10, X-ray limb, 23.10,,,,,
888475, Injection site pain, 23.10, Loss of personal independence in daily activities, 23.10, Myalgia, 23.10,,,,,
888476, Wrong product administered, 23.10,,,,,
888477, Vertigo, 23.10,,,,,
888478, Injection site pain, 23.10,,,,,
888479, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10,,
888480, Injection site warmth, 23.10, Rash erythematous, 23.10, Swelling, 23.10,,,,,
888481, Angioedema, 23.10,,,,,
888482, Abdominal pain, 23.10, Diarrhoea, 23.10, Injection site pain, 23.10, Nausea, 23.10, Vomiting, 23.10
888483, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Sleep disorder, 23.10,,
888484, Injected limb mobility decreased, 23.10, Product administered at inappropriate site, 23.10,,,,,
888485, Injection site erythema, 23.10, Injection site pain, 23.10,,,,,
888486, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,,,,
888487, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,,,,
888488, Blister, 23.10, Breast pain, 23.10, Erythema, 23.10, Headache, 23.10, Injection site pain, 23.10
888488, Peripheral swelling, 23.10, Pruritus, 23.10, Rash erythematous, 23.10, Swelling of eyelid, 23.10, Swollen tongue, 23.10
888489, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,,,,
888490, Injection site erythema, 23.10, Injection site induration, 23.10,,,,,
888491, Feeling abnormal, 23.10, Headache, 23.10, Pain, 23.10, Pain in extremity, 23.10,,
888492, Complex regional pain syndrome, 23.10, Injection site pain, 23.10, Magnetic resonance imaging abnormal, 23.10, Pain in extremity, 23.10, Periarthritis, 23.10
888492, Sleep disorder, 23.10, X-ray, 23.10,,,,,
888493, Expired product administered, 23.10,,,,,
888494, Abdominal pain upper, 23.10, Injection site pain, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10
888495, Mobility decreased, 23.10, Pain, 23.10,,,,,
888496, Hallucination, 23.10, Headache, 23.10, Muscle twitching, 23.10,,,,,
888497, Lymphadenopathy, 23.10, Tenderness, 23.10,,,,,
888498, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
888499, Chest discomfort, 23.10, Dysphagia, 23.10, Pruritus, 23.10,,,,,

888500, Chills, 23.10, Night sweats, 23.10, Pyrexia, 23.10, , , ,
888501, Pallor, 23.10, Rash macular, 23.10, , , , , ,
888505, Product storage error, 23.10, , , , , , , ,
888506, Herpes zoster, 23.10, , , , , , , ,
888507, Deafness, 23.10, , , , , , , ,
888508, Underdose, 23.10, , , , , , , ,
888509, Herpes zoster, 23.10, , , , , , , ,
888510, Pain in extremity, 23.10, , , , , , , ,
888511, Influenza, 23.10, Vaccination failure, 23.10, , , , , ,
888512, Illness, 23.10, , , , , , , ,
888513, Pain in extremity, 23.10, , , , , , , ,
888514, Pruritus, 23.10, Rash, 23.10, , , , , ,
888515, Abdominal pain, 23.10, Burning sensation, 23.10, Fatigue,
23.10, Headache, 23.10, Herpes zoster, 23.10
888515, Influenza like illness, 23.10, Nausea, 23.10, Pain, 23.10, Pain in
extremity, 23.10, Pruritus, 23.10
888515, Rash, 23.10, Rash pruritic, 23.10, , , , , , ,
888516, Amnesia, 23.10, Arthralgia, 23.10, Headache, 23.10, Injected limb
mobility decreased, 23.10, Laboratory test, 23.10
888516, Nausea, 23.10, Neck pain, 23.10, Pain, 23.10, Pain in extremity,
23.10, Transient global amnesia, 23.10
888517, Asthenia, 23.10, Disorientation, 23.10, Dizziness, 23.10, Syncope,
23.10, ,
888518, Dizziness, 23.10, Feeling hot, 23.10, Loss of consciousness,
23.10, , , , ,
888519, Axillary pain, 23.10, Loss of consciousness, 23.10, Mobility
decreased, 23.10, Product administered to patient of inappropriate age,
23.10, Pyrexia, 23.10
888519, Swelling, 23.10, , , , , , , ,
888520, Inappropriate schedule of product administration, 23.10, Injected
limb mobility decreased, 23.10, Pain in extremity, 23.10, Product
administered at inappropriate site, 23.10, Product prescribing error,
23.10
888521, Blister, 23.10, , , , , , , ,
888522, Injected limb mobility decreased, 23.10, Middle insomnia,
23.10, Pain in extremity, 23.10, X-ray normal, 23.10, , ,
888523, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
888524, Fall, 23.10, Immediate post-injection reaction, 23.10, Loss of
consciousness, 23.10, Muscle tightness, 23.10, Unresponsive to stimuli,
23.10
888525, Contusion, 23.10, Haemorrhage, 23.10, Immediate post-injection
reaction, 23.10, Pain, 23.10, , ,
888526, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
888527, Fall, 23.10, Gait disturbance, 23.10, Loss of consciousness,
23.10, , , , ,
888528, Erythema, 23.10, Injection site swelling, 23.10, Injection site
warmth, 23.10, , , , , ,
888529, Blister, 23.10, Rash, 23.10, , , , , , ,
888531, Pain in extremity, 23.10, Peripheral swelling, 23.10, Tenderness,

23.10,,,,,
888532,Abdominal discomfort,23.10,Fatigue,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Malaise,23.10
888532,Pyrexia,23.10,Rash macular,23.10,,,,,
888533,Chills,23.10,Myalgia,23.10,Pyrexia,23.10,,,,,
888534,Back pain,23.10,Body temperature increased,23.10,Headache,23.10,SARS-CoV-2 test negative,23.10,Tenderness,23.10
888535,Chills,23.10,Discomfort,23.10,Erythema,23.10,Peripheral swelling,23.10,Pruritus,23.10
888535,Pyrexia,23.10,,,,,
888536,Injection site erythema,23.10,Injection site swelling,23.10,Pyrexia,23.10,,,,,
888537,Body temperature increased,23.10,Erythema,23.10,Pain in extremity,23.10,Skin warm,23.10,,
888538,Immediate post-injection reaction,23.10,Vomiting,23.10,,,,,
888539,Lethargy,23.10,Rash,23.10,,,,,
888540,Dizziness,23.10,Influenza like illness,23.10,Injection site erythema,23.10,Injection site pruritus,23.10,,
888541,Abnormal behaviour,23.10,Crying,23.10,Induration,23.10,Pyrexia,23.10,Screaming,23.10
888543,Body temperature increased,23.10,Chills,23.10,Dysstasia,23.10,Fall,23.10,Feeling hot,23.10
888543,Head injury,23.10,Headache,23.10,Influenza like illness,23.10,Nausea,23.10,Neck pain,23.10
888543,Restlessness,23.10,Sleep disorder,23.10,Spinal X-ray,23.10,,,,,
888544,Loss of consciousness,23.10,,,,,
888545,CSF test,23.10,Electroencephalogram,23.10,Febrile convulsion,23.10,Full blood count,23.10,Metabolic function test,23.10
888545,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,Urine analysis,23.10,,,,,
888546,Discomfort,23.10,Hypersomnia,23.10,Impaired work ability,23.10,Musculoskeletal chest pain,23.10,Myalgia,23.10
888546,Nausea,23.10,Pyrexia,23.10,Sleep disorder,23.10,Vomiting,23.10,,
888547,Asthenia,23.10,Body temperature decreased,23.10,Body temperature increased,23.10,Chest discomfort,23.10,Chills,23.10
888547,Cough,23.10,Dry eye,23.10,Eye pruritus,23.10,Eye swelling,23.10,Feeling abnormal,23.10
888547,Pain,23.10,Peripheral swelling,23.10,Productive cough,23.10,Rhinorrhoea,23.10,Secretion discharge,23.10
888548,Cellulitis,23.10,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
888549,Malaise,23.10,Nausea,23.10,Neck pain,23.10,Pain in extremity,23.10,,
888550,Presyncope,23.10,,,,,
888551,Hypoaesthesia,23.10,,,,,
888552,Pruritus,23.10,Urticaria,23.10,,,,,
888554,Syncope,23.10,,,,,
888556,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,Wrong product administered,23.10,,,,,

888557, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
888558, Back pain, 23.10, Flank pain, 23.10, Muscular weakness,
23.10, Myelitis transverse, 23.10, Peroneal nerve palsy, 23.10
888559, Expired product administered, 23.10, No adverse event, 23.10, , , , , ,
888560, Herpes zoster, 23.10, , , , , , ,
888561, Herpes zoster, 23.10, , , , , , ,
888562, Herpes zoster, 23.10, , , , , , ,
888563, Herpes zoster, 23.10, , , , , , ,
888564, Chills, 23.10, Fatigue, 23.10, Pyrexia, 23.10, Vaccination site pain,
23.10, ,
888565, Varicella, 23.10, , , , , , ,
888566, Heart rate increased, 23.10, , , , , , ,
888567, Pain in extremity, 23.10, , , , , , ,
888568, Pyrexia, 23.10, , , , , , ,
888569, Product administered to patient of inappropriate age,
23.10, , , , , , ,
888570, Erythema, 23.10, Rash, 23.10, , , , , ,
888571, Dizziness, 23.10, Electrocardiogram, 23.10, Feeling hot,
23.10, Pharyngeal paraesthesia, 23.10, Skin warm, 23.10
888571, Throat irritation, 23.10, , , , , , ,
888572, Blood glucose normal, 23.10, Dizziness, 23.10, Electrocardiogram
normal, 23.10, Fall, 23.10, Head injury, 23.10
888572, Joint contracture, 23.10, Joint stiffness, 23.10, Loss of
consciousness, 23.10, Musculoskeletal stiffness, 23.10, Neurological
examination normal, 23.10
888572, Syncope, 23.10, , , , , , ,
888573, Headache, 23.10, Vomiting, 23.10, , , , , ,
888574, Injection site pain, 23.10, Malaise, 23.10, Nausea, 23.10, Neck pain,
23.10, ,
888575, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
888576, Erythema, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
888577, Asthenia, 23.10, Muscular weakness, 23.10, Pain in extremity,
23.10, , , , ,
888578, Injected limb mobility decreased, 23.10, , , , , , ,
888579, Abdominal pain upper, 23.10, Injection site mass, 23.10, Injection
site pain, 23.10, Injection site urticaria, 23.10, Pain in extremity, 23.10
888580, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , ,
888581, Unevaluable event, 23.10, , , , , , ,
888582, Arthralgia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Headache,
23.10, Myalgia, 23.10
888582, Neck pain, 23.10, Pyrexia, 23.10, , , , , ,
888583, Abdominal discomfort, 23.10, Fatigue, 23.10, Headache, 23.10, Rash,
23.10, Rash pruritic, 23.10
888588, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , ,
888589, Arthralgia, 23.10, Burning sensation, 23.10, Myalgia, 23.10, Pain,
23.10, Polymyalgia rheumatica, 23.10
888590, Herpes zoster, 23.10, , , , , , ,
888591, Ophthalmic herpes zoster, 23.10, , , , , , ,

888592,Blindness,23.10,Herpes zoster,23.10,,,,,
888593,Herpes zoster,23.10,,,,,
888594,Herpes zoster,23.10,,,,,
888595,Blindness,23.10,Deafness,23.10,,,,,
888596,Herpes zoster,23.10,,,,,
888597,Pyrexia,23.10,,,,,
888598,Anti-ganglioside antibody negative,23.10,Areflexia,
23.10,Atrophy,23.10,CSF glucose normal,23.10,CSF lymphocyte count
increased,23.10
888598,CSF monocyte count decreased,23.10,CSF protein normal,23.10,CSF
red blood cell count positive,23.10,CSF test normal,23.10,CSF volume,
23.10
888598,CSF white blood cell count negative,23.10,Decreased vibratory
sense,23.10,Electromyogram abnormal,23.10,Immunoglobulin therapy,
23.10,Laboratory test normal,23.10
888598,Magnetic resonance imaging brain normal,23.10,Magnetic
resonance imaging normal,23.10,Magnetic resonance imaging spinal
normal,23.10,Muscular weakness,23.10,Nerve conduction studies normal,
23.10
888598,Neuralgic amyotrophy,23.10,Pain in extremity,23.10,Polymerase
chain reaction,23.10,Sensory loss,23.10,Somatic symptom disorder,23.10
888598,West Nile virus test negative,23.10,,,,,
888599,Product administered to patient of inappropriate age,
23.10,,,,,
888600,Dizziness,23.10,Feeling hot,23.10,Visual impairment,23.10,,,
888601,Asthenia,23.10,Magnetic resonance imaging abnormal,
23.10,Neuritis,23.10,Oedema,23.10,Radial nerve palsy,23.10
888602,Urticaria,23.10,,,,,
888603,Dizziness,23.10,Fatigue,23.10,Headache,23.10,Myalgia,
23.10,Pyrexia,23.10
888604,Blister rupture,23.10,Musculoskeletal pain,23.10,Scab,
23.10,Wound,23.10,,
888605,Injection site induration,23.10,Injection site oedema,
23.10,Injection site pain,23.10,Localised oedema,23.10,Neck pain,23.10
888606,Contusion,23.10,,,,,
888607,Pruritus,23.10,Urticaria,23.10,Vaccination site reaction,
23.10,,,
888608,Injection site erythema,23.10,Malaise,23.10,Myalgia,
23.10,Pyrexia,23.10,,
888609,Loss of consciousness,23.10,Nausea,23.10,,,,,
888610,Chest pain,23.10,Injection site mass,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10
888610,Nausea,23.10,,,,,
888611,Extra dose administered,23.10,,,,,
888612,Dizziness,23.10,Headache,23.10,Loss of consciousness,
23.10,Sensation of foreign body,23.10,,
888613,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,
888614,Dizziness,23.10,Hyperhidrosis,23.10,Loss of consciousness,
23.10,Syncope,23.10,,

888615,Amnesia,23.10,,,,,,,,,
888616,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
888617,Pyrexia,23.10,,,,,,,,,
888618,Chills,23.10,Fatigue,23.10,Injection site pain,23.10,Pyrexia,
23.10,,
888619,Neuralgia,23.10,Rash,23.10,,,,,,,,,
888620,Dyspnoea,23.10,Feeling cold,23.10,Immediate post-injection
reaction,23.10,Tremor,23.10,,
888621,Pyrexia,23.10,,,,,,,,,
888622,Dry skin,23.10,Injection site erythema,23.10,Injection site
reaction,23.10,Injection site swelling,23.10,Pain,23.10
888622,Skin warm,23.10,,,,,,,,,
888623,Nausea,23.10,Pallor,23.10,,,,,,,,,
888624,Urticaria,23.10,,,,,,,,,
888625,Erythema,23.10,Rash,23.10,Rash erythematous,23.10,Skin warm,
23.10,Swelling,23.10
888626,Injection site pain,23.10,Injection site swelling,23.10,,,,,
888627,Rash maculo-papular,23.10,,,,,,,,,
888628,Pain in extremity,23.10,Peripheral swelling,23.10,Skin
induration,23.10,,,,,
888629,Dizziness,23.10,Lip injury,23.10,Loss of consciousness,
23.10,Tooth fracture,23.10,,
888630,Injection site erythema,23.10,Injection site induration,
23.10,Injection site infection,23.10,Injection site swelling,23.10,,
888631,Injection site reaction,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
888632,Chest discomfort,23.10,Chest pain,23.10,Dyspnoea,23.10,Muscle
spasms,23.10,Pain in extremity,23.10
888633,Cyanosis,23.10,Dyspnoea,23.10,,,,,,,,,
888634,Erythema,23.10,Injection site erythema,23.10,Red man syndrome,
23.10,,,,,
888635,Urticaria,23.10,,,,,,,,,
888636,Chills,23.10,Cold sweat,23.10,Nausea,23.10,,,,,
888637,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
888638,Asthenia,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,Myalgia,23.10
888638,Pyrexia,23.10,,,,,,,,,
888639,Neck pain,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
888640,Injection site pain,23.10,,,,,,,,,
888641,Rash,23.10,,,,,,,,,
888642,Dizziness,23.10,Dysphonia,23.10,Dyspnoea,23.10,Ocular
hyperaemia,23.10,Oral discomfort,23.10
888642,Pain,23.10,Palatal swelling,23.10,Paranasal sinus discomfort,
23.10,Pharyngeal swelling,23.10,Throat tightness,23.10
888643,Injection site urticaria,23.10,Urticaria,23.10,,,,,
888644,Swelling,23.10,,,,,,,,,
888645,Erythema,23.10,Injection site haemorrhage,23.10,Injection site
urticaria,23.10,Pain,23.10,,

888646, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
888647, Chills, 23.10, Lethargy, 23.10, Pyrexia, 23.10, SARS-CoV-2 test
negative, 23.10, ,
888648, Pruritus, 23.10, Skin discolouration, 23.10, , , , , , ,
888649, Dizziness, 23.10, Hyperhidrosis, 23.10, Hypoacusis, 23.10, Rash
macular, 23.10, Vision blurred, 23.10
888650, Asthenia, 23.10, Cellulitis, 23.10, Mobility decreased, 23.10, Pain,
23.10, ,
888651, Injected limb mobility decreased, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Injection site warmth,
23.10, Insomnia, 23.10
888651, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , , ,
888652, Erythema, 23.10, Inflammation, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10, Pruritus, 23.10
888653, Dry skin, 23.10, Rash, 23.10, Rash maculo-papular, 23.10, , , , ,
888654, Diarrhoea, 23.10, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , ,
888655, Feeling abnormal, 23.10, Injection site haemorrhage,
23.10, Syncope, 23.10, , , , ,
888656, Axillary pain, 23.10, Discomfort, 23.10, Injection site discomfort,
23.10, Injection site pain, 23.10, Limb discomfort, 23.10
888656, Oedema peripheral, 23.10, Pain, 23.10, Pain in extremity,
23.10, Tenderness, 23.10, , ,
888657, Chills, 23.10, Fatigue, 23.10, Paraesthesia, 23.10, Polyarthrits,
23.10, Skin burning sensation, 23.10
888658, Headache, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Injection site warmth, 23.10, Pyrexia, 23.10
888658, Vomiting, 23.10, , , , , , , , ,
888659, Dyspnoea, 23.10, Fall, 23.10, Head injury, 23.10, Hyperhidrosis,
23.10, Loss of consciousness, 23.10
888659, Pallor, 23.10, Tremor, 23.10, , , , , , , ,
888660, Axillary pain, 23.10, Injection site pain, 23.10, , , , , , , ,
888661, Asthenia, 23.10, Chills, 23.10, Fatigue, 23.10, Feeling cold,
23.10, Influenza like illness, 23.10
888661, Peripheral coldness, 23.10, Pyrexia, 23.10, , , , , , , ,
888662, Immediate post-injection reaction, 23.10, Injection site
haemorrhage, 23.10, , , , , , , , ,
888663, Chills, 23.10, Night sweats, 23.10, Pyrexia, 23.10, Rash, 23.10, Rash
erythematous, 23.10
888664, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Pain, 23.10, , , , , ,
888665, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10, , ,
888666, Arthralgia, 23.10, Pain in extremity, 23.10, , , , , , , ,
888667, Wrong product administered, 23.10, , , , , , , , , ,
888668, Asthenia, 23.10, Back pain, 23.10, Bed rest, 23.10, Chest pain,
23.10, Dizziness, 23.10
888668, Dyspnoea, 23.10, Fatigue, 23.10, Inflammation, 23.10, Neck pain,
23.10, Syncope, 23.10
888668, Urticaria, 23.10, , , , , , , , , ,
888669, Injected limb mobility decreased, 23.10, Injection site
cellulitis, 23.10, Injection site erythema, 23.10, Injection site pain,

23.10,Injection site pruritus,23.10
888669,Injection site rash,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
888670,Headache,23.10,Syncope,23.10,,,,,,
888671,Body temperature increased,23.10,,,,,,,
888672,Injected limb mobility decreased,23.10,Muscle injury,23.10,Pain
in extremity,23.10,,,,,
888680,Extra dose administered,23.10,No adverse event,23.10,,,,,,
888681,Product storage error,23.10,,,,,,,
888683,Erythema,23.10,Swelling of eyelid,23.10,,,,,,
888684,Product storage error,23.10,,,,,,,
888685,Injection site erythema,23.10,Pain,23.10,Pain in extremity,
23.10,,,,,
888686,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,,
888687,Expired product administered,23.10,No adverse event,23.10,,,,,,
888688,Extra dose administered,23.10,Product administered to patient
of inappropriate age,23.10,Wrong product administered,23.10,,,,,
888689,Product storage error,23.10,,,,,,,
888690,Expired product administered,23.10,No adverse event,23.10,,,,,,
888691,Pain,23.10,,,,,,,
888692,Herpes zoster,23.10,Lymphadenopathy,23.10,Rash,23.10,,,,,
888693,Immediate post-injection reaction,23.10,Injection site
bruising,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Insomnia,23.10
888693,Pain in extremity,23.10,Peripheral swelling,23.10,Skin
exfoliation,23.10,,,,,
888694,Chills,23.10,Fatigue,23.10,Feeling cold,23.10,Headache,
23.10,Malaise,23.10
888694,Pyrexia,23.10,,,,,,,
888695,Diarrhoea,23.10,Fatigue,23.10,Injection site pain,
23.10,Oropharyngeal pain,23.10,,
888696,Cheilitis,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Lip pain,23.10,,
888697,Urticaria,23.10,,,,,,,
888698,Drug hypersensitivity,23.10,,,,,,,
888699,Exposure during pregnancy,23.10,,,,,,,
888700,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
888701,Vaccination site haemorrhage,23.10,,,,,,,
888702,Extra dose administered,23.10,No adverse event,23.10,Product
storage error,23.10,,,,,
888703,Arthralgia,23.10,Bursitis,23.10,Immediate post-injection
reaction,23.10,Injury,23.10,Pain,23.10
888703,Product administered at inappropriate site,23.10,Tendonitis,
23.10,,,,,,
888704,Product administered to patient of inappropriate age,
23.10,,,,,,,
888705,Herpes zoster,23.10,,,,,,,
888706,Chills,23.10,Headache,23.10,Myalgia,23.10,,,,,

888707, Myalgia, 23.10, Myosclerosis, 23.10, Pain, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10
888708, Injection site bruising, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
888709, Chills, 23.10, Fatigue, 23.10, Injection site reaction, 23.10, Pyrexia, 23.10, Somnolence, 23.10
888709, Urticaria, 23.10, , , , , , , , ,
888710, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Heart rate increased, 23.10
888710, SARS-CoV-2 test, 23.10, , , , , , , , ,
888711, Headache, 23.10, Nausea, 23.10, Pain in extremity, 23.10, , , , ,
888714, Pain in extremity, 23.10, , , , , , , , ,
888715, Unevaluable event, 23.10, , , , , , , , ,
888716, Death, 23.10, , , , , , , , ,
888717, Abdominal discomfort, 23.10, Back pain, 23.10, Chills, 23.10, Headache, 23.10, Pain, 23.10
888717, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , , , , ,
888718, Accidental exposure to product, 23.10, Exposure via skin contact, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, ,
888719, Malaise, 23.10, Pyrexia, 23.10, , , , , , , , ,
888720, Blister, 23.10, , , , , , , , ,
888721, No adverse event, 23.10, Product storage error, 23.10, , , , , , , , ,
888722, Fatigue, 23.10, Injected limb mobility decreased, 23.10, Injection site rash, 23.10, No reaction on previous exposure to drug, 23.10, Pyrexia, 23.10
888722, Rash erythematous, 23.10, , , , , , , , ,
888723, Rash, 23.10, , , , , , , , ,
888724, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , ,
888725, Discomfort, 23.10, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , ,
888726, Asthenia, 23.10, Injection site pain, 23.10, , , , , , , , ,
888727, Product administered to patient of inappropriate age, 23.10, , , , , , , , ,
888728, Abdominal discomfort, 23.10, Fatigue, 23.10, Injected limb mobility decreased, 23.10, Injection site erythema, 23.10, Injection site nodule, 23.10
888728, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10, Lymph node pain, 23.10, Malaise, 23.10
888729, Abdominal pain upper, 23.10, Diarrhoea, 23.10, Vomiting, 23.10, , , , , ,
888730, Erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, Swelling, 23.10, ,
888731, Erythema, 23.10, Peripheral swelling, 23.10, Skin discolouration, 23.10, Skin warm, 23.10, ,
888732, Urticaria, 23.10, , , , , , , , ,
888733, Unevaluable event, 23.10, , , , , , , , ,
888734, Fatigue, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pain, 23.10, Pyrexia, 23.10
888735, Injection site pain, 23.10, Pain in extremity, 23.10, Skin texture abnormal, 23.10, Urticaria, 23.10, ,
888736, Lip swelling, 23.10, Urticaria, 23.10, , , , , , , , ,

888737, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
888738, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
888742, Expired product administered, 23.10, , , , , , , ,
888743, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
888744, Product storage error, 23.10, , , , , , , ,
888746, Dyspnoea, 23.10, Feeling abnormal, 23.10, Viral infection, 23.10, , , , ,
888747, Herpes zoster, 23.10, Rash, 23.10, Vaccination failure, 23.10, , , , ,
888748, Cardiac flutter, 23.10, Dysgeusia, 23.10, , , , , , ,
888749, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , , ,
888750, Asthenia, 23.10, Malaise, 23.10, Pyrexia, 23.10, , , , , ,
888751, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Rash,
23.10
888752, Oral discomfort, 23.10, Oral herpes, 23.10, , , , , , ,
888753, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site warmth, 23.10, , , , , , ,
888754, Injection site erythema, 23.10, Injection site vesicles,
23.10, , , , , , , ,
888755, Hypersensitivity, 23.10, Induration, 23.10, Swelling, 23.10, , , , , ,
888756, Headache, 23.10, Hypoaesthesia, 23.10, Musculoskeletal disorder,
23.10, Paraesthesia, 23.10, , , , , , ,
888757, Erythema, 23.10, Phlebitis, 23.10, Rash macular, 23.10, Skin warm,
23.10, , , , , , , ,
888758, Pyrexia, 23.10, , , , , , , ,
888759, Chills, 23.10, Injection site pain, 23.10, Pain, 23.10, Pyrexia,
23.10, , , , , , , ,
888760, Back pain, 23.10, Chest pain, 23.10, Fatigue, 23.10, , , , , ,
888761, Induration, 23.10, , , , , , , ,
888762, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , , , ,
888763, Hypoaesthesia, 23.10, Paraesthesia, 23.10, , , , , , ,
888764, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , , , ,
888765, Injected limb mobility decreased, 23.10, Myalgia, 23.10, , , , , , ,
888766, Chest X-ray, 23.10, Cough, 23.10, Dyspnoea, 23.10, Full blood count,
23.10, Hyperhidrosis, 23.10
888766, Metabolic function test, 23.10, Wheezing, 23.10, , , , , , ,
888767, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , , ,
888768, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10, , ,
888769, Diarrhoea, 23.10, Fatigue, 23.10, Oropharyngeal pain, 23.10, Pain in
extremity, 23.10, Quarantine, 23.10
888769, Rhinorrhoea, 23.10, , , , , , , ,
888770, Hypoaesthesia, 23.10, Pain in extremity, 23.10, , , , , , ,
888771, Feeling abnormal, 23.10, Injection site erythema, 23.10, Injection
site rash, 23.10, Malaise, 23.10, Pain, 23.10
888771, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , , ,
888772, Fatigue, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, Pain, 23.10
888773, Heart rate decreased, 23.10, Nervousness, 23.10, Oxygen saturation

normal,23.10,,,,,
888774,Erythema,23.10,Injection site rash,23.10,Pyrexia,23.10,,,,,
888775,Injection site joint pain,23.10,Injection site pain,23.10,,,,,,
888776,Ankle fracture,23.10,Fall,23.10,Head injury,23.10,Loss of
consciousness,23.10,Syncope,23.10
888776,Tibia fracture,23.10,X-ray limb abnormal,23.10,,,,,,
888777,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,,
888778,Fatigue,23.10,Malaise,23.10,Pain in extremity,23.10,Rash,
23.10,,
888779,Loss of consciousness,23.10,,,,,,
888780,Fall,23.10,Gait disturbance,23.10,Loss of consciousness,
23.10,Presyncope,23.10,,
888781,Product administered to patient of inappropriate age,
23.10,,,,,,
888782,Rash,23.10,,,,,,
888790,Balance disorder,23.10,Mobility decreased,23.10,Pain,23.10,,,,,
888791,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,
888792,Blindness,23.10,Herpes zoster,23.10,,,,,
888793,Herpes zoster,23.10,,,,,,
888795,Syringe issue,23.10,Underdose,23.10,,,,,
888796,Expired product administered,23.10,,,,,,
888797,Expired product administered,23.10,,,,,,
888798,Myalgia,23.10,Pyrexia,23.10,,,,,
888799,Feeling hot,23.10,Rash,23.10,Rash pruritic,23.10,Urticaria,
23.10,,
888800,Arthralgia,23.10,Chills,23.10,Haematology test normal,
23.10,Inflammatory marker increased,23.10,Myalgia,23.10
888800,Night sweats,23.10,Pyrexia,23.10,Rheumatological examination,
23.10,White blood cell count decreased,23.10,,
888801,Illness,23.10,,,,,,
888802,Influenza like illness,23.10,,,,,,
888803,Injection site pruritus,23.10,,,,,,
888804,Malaise,23.10,,,,,,
888805,Injection site pain,23.10,,,,,,
888806,Axillary pain,23.10,Back pain,23.10,Blister,23.10,Breast pain,
23.10,Flank pain,23.10
888806,Herpes zoster,23.10,Oral herpes,23.10,Oral mucosal blistering,
23.10,Pain,23.10,Pain of skin,23.10
888807,Abdominal discomfort,23.10,Acne,23.10,Blister,23.10,Blister
rupture,23.10,Decreased appetite,23.10
888807,Erythema,23.10,Herpes zoster,23.10,Influenza like illness,
23.10,Malaise,23.10,Nausea,23.10
888807,Pain,23.10,,,,,,
888808,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Pruritus,23.10,Rash,23.10
888808,Rash erythematous,23.10,Urticaria,23.10,Varicella,23.10,,,,,
888809,Diarrhoea,23.10,Dizziness,23.10,Feeling of body temperature
change,23.10,Headache,23.10,Pain in extremity,23.10
888809,Vomiting,23.10,,,,,,

888810,Rash,23.10,Rash erythematous,23.10,,,,,
888812,Extra dose administered,23.10,No adverse event,23.10,Product
appearance confusion,23.10,Wrong product administered,23.10,,
888813,Eye swelling,23.10,Hemiparesis,23.10,,,,,
888814,Dizziness,23.10,Injection site erythema,23.10,Injection site
macule,23.10,Injection site pain,23.10,Joint range of motion
decreased,23.10
888815,Eye patch application,23.10,Illness,23.10,Magnetic resonance
imaging brain,23.10,Strabismus,23.10,Vomiting,23.10
888816,Asthenia,23.10,Dizziness,23.10,Headache,23.10,Influenza like
illness,23.10,Urinary incontinence,23.10
888817,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
888817,Pyrexia,23.10,,,,,
888818,Dyspnoea,23.10,Hypoaesthesia,23.10,,,,,
888819,Injection site pain,23.10,Pain,23.10,Pyrexia,23.10,,,,
888820,Hyperhidrosis,23.10,Immediate post-injection reaction,
23.10,Loss of consciousness,23.10,Malaise,23.10,Seizure,23.10
888821,Feeling abnormal,23.10,Injection site bruising,23.10,Injection
site erythema,23.10,Injection site inflammation,23.10,Injection site
oedema,23.10
888821,Injection site pain,23.10,,,,,
888822,Pain in extremity,23.10,Paraesthesia,23.10,,,,,
888823,Erythema,23.10,Injection site erythema,23.10,Injection site
induration,23.10,Injection site warmth,23.10,Peripheral swelling,23.10
888823,Pruritus,23.10,Rash,23.10,Skin warm,23.10,Throat irritation,
23.10,Urticaria,23.10
888824,Injection site inflammation,23.10,Injection site pain,
23.10,Sleep disorder,23.10,,,,
888825,Contusion,23.10,,,,,
888826,Pain in extremity,23.10,Skin warm,23.10,,,,,
888827,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
888828,Facial pain,23.10,Injection site pain,23.10,Neck pain,
23.10,Pain,23.10,,
888829,Injection site swelling,23.10,,,,,
888830,Pain,23.10,Pain in extremity,23.10,,,,,
888831,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
888832,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
888833,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
888834,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
888835,Oedema peripheral,23.10,Pruritus,23.10,Rash,23.10,Urticaria,
23.10,,
888836,Blood pressure increased,23.10,Dizziness,23.10,Vision blurred,
23.10,,,,

888837,Dizziness,23.10,Feeling abnormal,23.10,Loss of consciousness,
23.10,,,,,
888838,Injection site pain,23.10,,,,,,
888839,Musculoskeletal stiffness,23.10,Pain,23.10,,,,,
888840,Pyrexia,23.10,Seizure,23.10,,,,,
888846,No adverse event,23.10,Wrong product administered,23.10,,,,,
888847,Back pain,23.10,Chest pain,23.10,Herpes zoster,23.10,Lip
swelling,23.10,,
888848,Diarrhoea,23.10,,,,,,
888849,Malaise,23.10,,,,,,
888850,Injection site swelling,23.10,,,,,,
888851,Chest discomfort,23.10,Dyspnoea,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,,
888852,Product administered to patient of inappropriate age,
23.10,SARS-CoV-2 test,23.10,,,,,
888853,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
888853,Injection site warmth,23.10,,,,,,
888854,Herpes zoster,23.10,,,,,,
888855,Rash morbilliform,23.10,Rhinorrhoea,23.10,,,,,
888856,Axillary mass,23.10,Malaise,23.10,Pain,23.10,Tenderness,23.10,,
888857,Pyrexia,23.10,,,,,,
888858,Arthralgia,23.10,Mobility decreased,23.10,,,,,
888859,Apnoea,23.10,Disorientation,23.10,Eye movement disorder,
23.10,Hyperventilation,23.10,Loss of consciousness,23.10
888859,Pallor,23.10,Screaming,23.10,Seizure,23.10,Staring,23.10,,
888860,Injection site erythema,23.10,,,,,,
888861,Consciousness fluctuating,23.10,Hypotension,23.10,Pallor,
23.10,Syncope,23.10,,
888862,Chest X-ray normal,23.10,Condition aggravated,23.10,Cough,
23.10,Pyrexia,23.10,Quarantine,23.10
888862,Respiratory tract congestion,23.10,SARS-CoV-2 test,23.10,,,,,
888863,Arthralgia,23.10,Contusion,23.10,Mobility decreased,
23.10,Myalgia,23.10,,
888864,Decreased appetite,23.10,Dizziness,23.10,Feeling abnormal,
23.10,Fibromyalgia,23.10,Headache,23.10
888864,Nausea,23.10,Pain in extremity,23.10,,,,,
888865,Eye oedema,23.10,Urticaria,23.10,,,,,
888866,Body temperature increased,23.10,Chills,23.10,Erythema,
23.10,Feeling hot,23.10,Sluggishness,23.10
888866,Urticaria,23.10,,,,,,
888867,Chills,23.10,Headache,23.10,Musculoskeletal stiffness,
23.10,Oropharyngeal pain,23.10,Pain,23.10
888867,Pyrexia,23.10,,,,,,
888868,Cold sweat,23.10,Condition aggravated,23.10,Dizziness,
23.10,Erythema,23.10,Nausea,23.10
888868,Rash erythematous,23.10,Systemic lupus erythematosus,
23.10,Thrombosis,23.10,Vomiting,23.10,,
888869,Dizziness,23.10,Nausea,23.10,Pain in extremity,23.10,Pyrexia,

23.10,,
888870,Injection site swelling,23.10,Loss of consciousness,23.10,,,,,
888871,Injection site erythema,23.10,Injection site induration,
23.10,Injection site movement impairment,23.10,Injection site pain,
23.10,Injection site reaction,23.10
888871,Injection site swelling,23.10,Injection site warmth,
23.10,Muscle oedema,23.10,,,,
888872,Injection site pain,23.10,,,,,
888873,Extra dose administered,23.10,,,,,
888874,Injection site pain,23.10,,,,,
888875,Chills,23.10,,,,,
888876,Contusion,23.10,Joint range of motion decreased,23.10,Pain,
23.10,,,,
888877,Injection site rash,23.10,Malaise,23.10,Nausea,23.10,Pyrexia,
23.10,,
888878,Chills,23.10,Fatigue,23.10,Headache,23.10,Myalgia,
23.10,Pyrexia,23.10
888879,Erythema,23.10,Injection site erythema,23.10,Injection site
streaking,23.10,Injection site swelling,23.10,Injection site warmth,
23.10
888879,Pain,23.10,Pain in extremity,23.10,Swelling,23.10,,,,
888880,Cellulitis,23.10,Erythema,23.10,Pain,23.10,Pruritus,23.10,,
888881,Injection site pain,23.10,Pain,23.10,Product administered at
inappropriate site,23.10,,,,
888882,Injection site discolouration,23.10,Injection site vesicles,
23.10,,,,,
888883,Dizziness,23.10,Headache,23.10,Hypoaesthesia,23.10,Swelling
face,23.10,,
888884,Cellulitis,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,,
888885,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,
888886,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,
888887,Injection site swelling,23.10,,,,,
888888,Sciatica,23.10,,,,,
888889,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,
888890,Bursitis,23.10,Injection site pain,23.10,Joint range of motion
decreased,23.10,Ultrasound scan abnormal,23.10,X-ray normal,23.10
888891,Chills,23.10,Ocular hyperaemia,23.10,Pain,23.10,Pain in
extremity,23.10,,
888892,Cough,23.10,Dyspnoea,23.10,Hallucination,23.10,Nausea,
23.10,Pain,23.10
888892,Pyrexia,23.10,Vomiting,23.10,Wheezing,23.10,,,,
888893,Chills,23.10,Nausea,23.10,Pain,23.10,Poor quality sleep,23.10,,
888894,Chills,23.10,Incorrect route of product administration,
23.10,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
888894,Pain,23.10,Pyrexia,23.10,,,,,
888895,Chest discomfort,23.10,Dysphagia,23.10,Erythema,
23.10,Hypoaesthesia,23.10,,

888896,Injection site pain,23.10,Injection site swelling,23.10,Product administered at inappropriate site,23.10,,,,
888897,Chills,23.10,,,,,
888898,Allergy test positive,23.10,Alopecia,23.10,Anaphylactic reaction,23.10,Asthenia,23.10,Balance disorder,23.10
888898,Blood test abnormal,23.10,Central nervous system lesion,23.10,Depression,23.10,Dizziness,23.10,Food allergy,23.10
888898,Gait inability,23.10,Hypoaesthesia,23.10,Loss of personal independence in daily activities,23.10,Lumbar puncture abnormal,23.10,Magnetic resonance imaging,23.10
888898,Mental disorder,23.10,Mood swings,23.10,Multiple sclerosis,23.10,Paraesthesia,23.10,Swelling face,23.10
888898,Throat tightness,23.10,Thyroid function test normal,23.10,Urticaria,23.10,Vomiting,23.10,,
888899,Injection site discomfort,23.10,Injection site swelling,23.10,,,,,
888900,Erythema,23.10,Injected limb mobility decreased,23.10,Injection site pain,23.10,Injection site reaction,23.10,Injection site swelling,23.10
888900,Musculoskeletal stiffness,23.10,Neck pain,23.10,Swelling,23.10,Tenderness,23.10,,
888901,Injection site pain,23.10,Injection site swelling,23.10,Pain,23.10,,,,
888902,Injection site reaction,23.10,Rash,23.10,Rash papular,23.10,Urticaria,23.10,,
888903,Chills,23.10,Malaise,23.10,Pyrexia,23.10,,,,
888904,Chest X-ray,23.10,Computerised tomogram,23.10,Full blood count,23.10,Injection site pain,23.10,Metabolic function test,23.10
888904,X-ray limb,23.10,,,,,
888905,Pruritus,23.10,Rash,23.10,,,,,
888906,Dizziness,23.10,Headache,23.10,Myalgia,23.10,Nausea,23.10,Syncope,23.10
888908,Presyncope,23.10,,,,,
888909,Blood alkaline phosphatase,23.10,Burning sensation,23.10,Cellulitis,23.10,Cough,23.10,Injection site erythema,23.10
888909,Injection site swelling,23.10,Neutrophil count increased,23.10,Pain,23.10,Pyrexia,23.10,Rash,23.10
888909,Spinal pain,23.10,,,,,
888910,Chills,23.10,Diarrhoea,23.10,,,,,
888911,Erythema,23.10,Pruritus,23.10,Rash,23.10,Urticaria,23.10,,
888912,Dizziness,23.10,Feeling abnormal,23.10,Headache,23.10,Malaise,23.10,Vomiting,23.10
888913,Chest pain,23.10,Cough,23.10,Malaise,23.10,Sneezing,23.10,,
888914,Blister,23.10,Neuralgia,23.10,Pain,23.10,Paraesthesia,23.10,Pyrexia,23.10
888914,Rash,23.10,,,,,
888915,Abdominal pain,23.10,Abdominal pain upper,23.10,Asthenia,23.10,Decreased appetite,23.10,Dizziness,23.10
888915,Hypertension,23.10,Hyponatraemia,23.10,Lethargy,23.10,Myalgia,23.10,Pain,23.10

888915, Tinnitus, 23.10, , , , , , , , ,
888916, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, , , , ,
888917, Injection site pain, 23.10, Injection site swelling, 23.10, Sleep
disorder, 23.10, , , , ,
888918, Peripheral swelling, 23.10, Skin reaction, 23.10, Skin warm,
23.10, , , , ,
888919, Loss of consciousness, 23.10, Nervousness, 23.10, Syncope, 23.10, , , , ,
888920, Dyspnoea, 23.10, Pharyngeal swelling, 23.10, Tremor, 23.10, , , , ,
888921, Alanine aminotransferase, 23.10, Aspartate aminotransferase,
23.10, Balance disorder, 23.10, Daydreaming, 23.10, Diarrhoea, 23.10
888921, Dizziness, 23.10, Fall, 23.10, Hepatic enzyme increased,
23.10, Increased tendency to bruise, 23.10, Liver injury, 23.10
888921, Pyrexia, 23.10, Vomiting, 23.10, White blood cell count decreased,
23.10, , , , ,
888922, Erythema, 23.10, Induration, 23.10, Pruritus, 23.10, Tenderness,
23.10, , ,
888923, Arthralgia, 23.10, Mobility decreased, 23.10, Pain in extremity,
23.10, , , , ,
888924, Wrong product administered, 23.10, , , , , , , , , ,
888925, Diarrhoea, 23.10, Fatigue, 23.10, Influenza like illness,
23.10, Pain, 23.10, Pyrexia, 23.10
888925, Vomiting, 23.10, , , , , , , , , ,
888926, Asthenia, 23.10, Chest discomfort, 23.10, Chills, 23.10, Dyspnoea,
23.10, Headache, 23.10
888926, Nausea, 23.10, SARS-CoV-2 test negative, 23.10, Throat tightness,
23.10, , , , ,
888927, Injection site bruising, 23.10, , , , , , , , , ,
888928, Contusion, 23.10, Erythema, 23.10, Peripheral swelling, 23.10, Wrong
technique in product usage process, 23.10, , ,
888929, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site warmth, 23.10, , ,
888930, Product administered to patient of inappropriate age,
23.10, , , , , , , , , ,
888931, Feeling abnormal, 23.10, Headache, 23.10, Somnolence, 23.10, , , , ,
888932, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
888933, Diarrhoea, 23.10, Injection site pain, 23.10, Injection site
pruritus, 23.10, Injection site swelling, 23.10, Nausea, 23.10
888934, Rash, 23.10, , , , , , , , , ,
888935, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
888936, Anaphylactic reaction, 23.10, Anxiety, 23.10, Dyspnoea,
23.10, Pharyngeal swelling, 23.10, Wheezing, 23.10
888937, Injection site pain, 23.10, Pain in extremity, 23.10, , , , , , ,
888938, Arthralgia, 23.10, Injected limb mobility decreased,
23.10, Injection site pain, 23.10, Loss of personal independence in daily
activities, 23.10, Pain, 23.10
888939, Asthenia, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Extra dose
administered, 23.10, Hepatitis B antibody negative, 23.10
888939, Migraine, 23.10, Posture abnormal, 23.10, Somnolence, 23.10, , , , ,

888940, Dyspnoea, 23.10, , , , , , , , ,
888941, Limb discomfort, 23.10, Mobility decreased, 23.10, , , , , , ,
888942, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia,
23.10, Nasopharyngitis, 23.10
888942, Pain, 23.10, Sleep disorder, 23.10, , , , , , ,
888943, Erythema multiforme, 23.10, Rash, 23.10, Urticaria, 23.10, , , , ,
888944, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Nausea,
23.10, Pyrexia, 23.10
888946, Contusion, 23.10, Immediate post-injection reaction,
23.10, Urticaria, 23.10, , , , ,
888947, Anxiety, 23.10, Chills, 23.10, Decreased appetite, 23.10, Malaise,
23.10, Nausea, 23.10
888947, Pyrexia, 23.10, Tremor, 23.10, , , , , , ,
888948, Injection site infection, 23.10, , , , , , , , ,
888949, Arthralgia, 23.10, Pain in extremity, 23.10, Rash, 23.10, , , , ,
888950, Pain in extremity, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , ,
888951, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
888952, Injection site pruritus, 23.10, , , , , , , , ,
888953, Flank pain, 23.10, Neck pain, 23.10, Pain in extremity, 23.10, , , , ,
888954, Ageusia, 23.10, Anosmia, 23.10, Decreased appetite, 23.10, Fatigue,
23.10, Insomnia, 23.10
888954, Nausea, 23.10, Pain, 23.10, SARS-CoV-2 test negative,
23.10, Somnolence, 23.10, , ,
888955, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Influenza,
23.10, Insomnia, 23.10
888955, Myalgia, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
888956, Musculoskeletal stiffness, 23.10, , , , , , , , ,
888957, Headache, 23.10, Vision blurred, 23.10, , , , , , ,
888958, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pyrexia, 23.10, , ,
888959, Fatigue, 23.10, Injection site pain, 23.10, Pyrexia, 23.10, , , , ,
888960, Abdominal pain, 23.10, Diarrhoea, 23.10, Haematochezia, 23.10, , , , ,
888961, Hyperhidrosis, 23.10, Malaise, 23.10, Pallor, 23.10, , , , ,
888962, Condition aggravated, 23.10, Loss of consciousness, 23.10, Syncope,
23.10, , , , ,
888963, Fatigue, 23.10, Neck pain, 23.10, Pain, 23.10, Pyrexia, 23.10, , ,
888964, Headache, 23.10, Urticaria, 23.10, , , , , , ,
888965, Arthralgia, 23.10, Asthenia, 23.10, Headache, 23.10, Injection site
erythema, 23.10, Injection site pruritus, 23.10
888965, Injection site swelling, 23.10, Myalgia, 23.10, Nausea,
23.10, Pyrexia, 23.10, Syncope, 23.10
888966, Influenza like illness, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site warmth, 23.10, , ,
888967, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
888968, Erythema, 23.10, Pyrexia, 23.10, Swelling, 23.10, , , , ,
888969, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Pyrexia,
23.10, Vomiting, 23.10
888970, Presyncope, 23.10, , , , , , , , ,
888971, Incoherent, 23.10, Loss of consciousness, 23.10, Tremor, 23.10, , , , ,
888972, Unevaluable event, 23.10, , , , , , , , ,
888973, Local reaction, 23.10, , , , , , , , ,

888974,Product administered to patient of inappropriate age,
23.10,,,,,
888975,Pruritus,23.10,,,,,
888976,Chills,23.10,Eye discharge,23.10,Eye pruritus,23.10,Headache,
23.10,Injection site pruritus,23.10
888976,Ocular hyperaemia,23.10,Pyrexia,23.10,Sinus congestion,
23.10,,,,,
888977,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
888978,Arthralgia,23.10,Arthritis,23.10,Back pain,23.10,Body
temperature increased,23.10,Crystal arthropathy,23.10
888978,Gait inability,23.10,Pain in extremity,23.10,,,,,
888979,Dizziness,23.10,Erythema,23.10,Heart rate increased,
23.10,Hyperhidrosis,23.10,Muscle swelling,23.10
888979,Myosclerosis,23.10,,,,,
888980,Injection site erythema,23.10,,,,,
888981,Atrial fibrillation,23.10,Gait disturbance,23.10,Pyrexia,
23.10,,,,,
888982,Chills,23.10,Diarrhoea,23.10,Headache,23.10,Myalgia,
23.10,Nausea,23.10
888982,Thirst,23.10,Vomiting,23.10,,,,,
888983,Arthralgia,23.10,Contusion,23.10,Erythema,23.10,,,,,
888984,Blood glucose normal,23.10,Dizziness,23.10,Hyperhidrosis,
23.10,Loss of consciousness,23.10,Pallor,23.10
888984,Unresponsive to stimuli,23.10,Urinary incontinence,23.10,,,,,
888985,Urticaria,23.10,,,,,
888986,Eye pruritus,23.10,Pharyngeal swelling,23.10,Pruritus,
23.10,Urticaria,23.10,,
888987,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,,
888988,Injection site erythema,23.10,Injection site pain,
23.10,Peripheral swelling,23.10,,,,,
888989,Rash erythematous,23.10,Rash papular,23.10,Skin warm,23.10,,,,,
888990,Back pain,23.10,Chills,23.10,Diarrhoea,23.10,Pain in extremity,
23.10,,
888991,Chills,23.10,Diarrhoea,23.10,Fatigue,23.10,Gastrointestinal
disorder,23.10,Headache,23.10
888991,Muscle spasms,23.10,Nausea,23.10,Pain,23.10,,,,,
888992,Infection,23.10,Peripheral swelling,23.10,Pyrexia,23.10,,,,,
888993,Arthralgia,23.10,Asthenia,23.10,Chills,23.10,Headache,
23.10,Myalgia,23.10
888993,Nausea,23.10,Neck pain,23.10,,,,,
888994,Bacterial test negative,23.10,Cyanosis,23.10,Cytogenetic
analysis normal,23.10,Echocardiogram normal,23.10,Electrocardiogram
normal,23.10
888994,Electroencephalogram abnormal,23.10,Intensive care,
23.10,Magnetic resonance imaging normal,23.10,Metabolic function test
normal,23.10,Oxygen saturation decreased,23.10
888994,Seizure,23.10,Viral test negative,23.10,Vomiting,23.10,,,,,
888995,Asthenia,23.10,Body temperature increased,23.10,Chills,
23.10,Fatigue,23.10,Vaccine positive rechallenge,23.10

888997, Erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Joint swelling, 23.10, Pruritus, 23.10
888998, Dizziness, 23.10, Dry mouth, 23.10, Immediate post-injection reaction, 23.10, Injection site reaction, 23.10, Loss of consciousness, 23.10
888998, Muscle twitching, 23.10, Syncope, 23.10, Tension, 23.10, Tremor, 23.10,,
888999, Injection site pruritus, 23.10, Injection site swelling, 23.10,,,,,
889000, Arthralgia, 23.10, Burning sensation, 23.10, Chills, 23.10, Condition aggravated, 23.10, Fatigue, 23.10
889000, Feeling abnormal, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Pain, 23.10
889000, Pyrexia, 23.10, Sleep disorder, 23.10, Tinnitus, 23.10,,,,
889001, Arthralgia, 23.10, Headache, 23.10, Pain, 23.10,,,,
889002, Mass, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10,,
889003, Injection site pain, 23.10, Injection site swelling, 23.10, Joint range of motion decreased, 23.10,,,,
889004, Product administered to patient of inappropriate age, 23.10,,,,,
889005, Abdominal discomfort, 23.10, Asthenia, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10
889005, Myalgia, 23.10, Pyrexia, 23.10,,,,,
889007, Injection site erythema, 23.10, Injection site pain, 23.10,,,,,
889008, Erythema, 23.10, Rash, 23.10,,,,,
889009, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Joint range of motion decreased, 23.10, Tenderness, 23.10
889010, Body temperature increased, 23.10, Injection site pain, 23.10,,,,,
889011, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
889012, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10,,,,
889013, Arthralgia, 23.10, Bursitis, 23.10, Discomfort, 23.10, Product administered at inappropriate site, 23.10,,
889014, Pruritus, 23.10, Urticaria, 23.10,,,,,
889015, Herpes zoster, 23.10,,,,,
889016, Injection site erythema, 23.10, Injection site warmth, 23.10, Local reaction, 23.10,,,,
889018, Pruritus, 23.10, Rash, 23.10,,,,,
889019, Injection site pain, 23.10, Injection site rash, 23.10, Myalgia, 23.10, Pain, 23.10, Rash erythematous, 23.10
889019, Skin warm, 23.10,,,,,
889020, Fatigue, 23.10, Injection site erythema, 23.10, Injection site nodule, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10
889020, Injection site warmth, 23.10, Pain, 23.10, Pain in extremity, 23.10, Urticaria, 23.10,,
889021, Chills, 23.10, Cough, 23.10, Dehydration, 23.10, Diarrhoea, 23.10, Eye pruritus, 23.10
889021, Headache, 23.10, Pharyngeal swelling, 23.10, Pyrexia,

23.10,Vomiting,23.10,,
889022,Erythema,23.10,Mass,23.10,Peripheral swelling,23.10,,,,,
889023,Alopecia,23.10,Rash,23.10,,,,,,
889024,Dizziness,23.10,Injection site erythema,23.10,Injection site
rash,23.10,Injection site warmth,23.10,Rash,23.10
889025,Hypersensitivity,23.10,Injection site erythema,23.10,Injection
site pain,23.10,Injection site pruritus,23.10,Injection site swelling,
23.10
889025,Injection site warmth,23.10,,,,,,,
889026,Pyrexia,23.10,Rash,23.10,Vomiting,23.10,,,,,
889027,Dizziness,23.10,Hyperhidrosis,23.10,Lethargy,23.10,,,,,
889028,Bone pain,23.10,Chills,23.10,Diarrhoea,23.10,Dysphagia,
23.10,Dysphonia,23.10
889028,Fatigue,23.10,Lip swelling,23.10,Muscle contractions
involuntary,23.10,Nausea,23.10,Pain,23.10
889028,Pharyngeal swelling,23.10,Pyrexia,23.10,SARS-CoV-2 test,
23.10,Throat clearing,23.10,Vomiting,23.10
889029,Chills,23.10,Dizziness,23.10,Injection site pain,23.10,Nausea,
23.10,Neck pain,23.10
889030,Rash,23.10,,,,,,,
889031,Pain,23.10,Pain in extremity,23.10,,,,,,
889032,Peripheral swelling,23.10,,,,,,,
889033,Abdominal pain upper,23.10,Body temperature increased,
23.10,Fatigue,23.10,Pain,23.10,Peripheral swelling,23.10
889034,Injection site erythema,23.10,Injection site pain,23.10,,,,,,
889035,Erythema,23.10,Pyrexia,23.10,Tenderness,23.10,,,,,
889036,Dyspnoea,23.10,Fatigue,23.10,Palpitations,23.10,,,,,
889037,Peripheral swelling,23.10,Urticaria,23.10,,,,,,
889038,Abdominal discomfort,23.10,Headache,23.10,Immediate post-
injection reaction,23.10,Injection site pain,23.10,Pain,23.10
889038,Pyrexia,23.10,Sleep disorder,23.10,,,,,,
889039,Erythema,23.10,Peripheral swelling,23.10,,,,,,
889040,Abdominal discomfort,23.10,Condition aggravated,23.10,Fall,
23.10,Fatigue,23.10,Head injury,23.10
889040,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Injection site swelling,23.10,Pyrexia,
23.10
889040,Trigeminal neuralgia,23.10,,,,,,,
889041,Injection site pain,23.10,Injection site warmth,23.10,Malaise,
23.10,Pyrexia,23.10,,
889042,Arthralgia,23.10,Body temperature increased,23.10,Influenza
like illness,23.10,Malaise,23.10,,
889043,Loss of consciousness,23.10,,,,,,,
889044,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
889045,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Magnetic resonance imaging,23.10,Surgery,23.10,X-ray,23.10
889046,Rash,23.10,,,,,,,
889047,Injection site pain,23.10,Injection site swelling,23.10,,,,,,
889048,Injection site erythema,23.10,Injection site swelling,

23.10,,,,,
889049,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pain,23.10,,
889050,Injection site pruritus,23.10,Injection site reaction,
23.10,Injection site swelling,23.10,Pain,23.10,Rash erythematous,23.10
889051,Fatigue,23.10,Injection site rash,23.10,Myalgia,23.10,Pyrexia,
23.10,,
889052,Chills,23.10,Fatigue,23.10,Flushing,23.10,Headache,
23.10,Influenza like illness,23.10
889052,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Musculoskeletal stiffness,
23.10,Myalgia,23.10
889052,Pain,23.10,Pain in extremity,23.10,,,,,
889053,Immediate post-injection reaction,23.10,Injection site
discolouration,23.10,Injection site pain,23.10,Injection site rash,
23.10,,
889054,Death,23.10,Life support,23.10,,,,,
889055,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,
889056,Dry mouth,23.10,Gingival pain,23.10,Headache,23.10,Pain in
extremity,23.10,Taste disorder,23.10
889057,Dizziness,23.10,Dyspnoea,23.10,Loss of consciousness,23.10,,,,
889058,Dyspnoea,23.10,Fatigue,23.10,Heart rate increased,23.10,Oxygen
saturation decreased,23.10,Pain,23.10
889059,Ear pain,23.10,SARS-CoV-2 test,23.10,,,,,
889060,Arthralgia,23.10,Joint stiffness,23.10,Musculoskeletal
stiffness,23.10,Pain,23.10,,
889061,Rash,23.10,,,,,
889062,Asthenia,23.10,Burning sensation,23.10,Dizziness,23.10,Feeling
hot,23.10,Pain,23.10
889063,Feeling abnormal,23.10,Ocular discomfort,23.10,,,,,
889064,Injection site rash,23.10,Injection site urticaria,23.10,,,,,
889065,Loss of consciousness,23.10,,,,,
889066,Erythema,23.10,Peripheral swelling,23.10,,,,,
889067,Chills,23.10,Erythema,23.10,Fatigue,23.10,Flushing,
23.10,Impaired work ability,23.10
889067,Pruritus,23.10,Pyrexia,23.10,,,,,
889068,Gait disturbance,23.10,Hypoacusis,23.10,Paraesthesia,
23.10,Speech disorder,23.10,Visual impairment,23.10
889069,Dizziness,23.10,Headache,23.10,Oropharyngeal pain,23.10,,,,
889070,Dizziness,23.10,Hypotension,23.10,Loss of consciousness,
23.10,,,,
889071,Injection site reaction,23.10,Injection site vesicles,
23.10,Injection site warmth,23.10,Rash erythematous,23.10,,
889072,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong patient received product,23.10,,,,
889073,Hypoaesthesia,23.10,Injection site bruising,23.10,Injection
site hypoaesthesia,23.10,Injection site pain,23.10,Injection site
paraesthesia,23.10
889073,Injection site pruritus,23.10,Injection site swelling,

23.10,Injection site warmth,23.10,Insomnia,23.10,Pain in extremity,
23.10
889073,Paraesthesia,23.10,,,,,,,,,
889074,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
889075,Herpes zoster,23.10,Pain,23.10,Rash,23.10,,,,,
889076,Urticaria,23.10,,,,,,,,,
889077,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Joint noise,23.10,,
889078,Joint range of motion decreased,23.10,Pain,23.10,,,,,
889079,Chest pain,23.10,Fatigue,23.10,Herpes zoster,
23.10,Musculoskeletal stiffness,23.10,Pain in extremity,23.10
889079,Painful respiration,23.10,Rash,23.10,Rash erythematous,
23.10,Rash papular,23.10,,
889080,Limb discomfort,23.10,Paraesthesia,23.10,,,,,
889081,Paraesthesia,23.10,Pruritus,23.10,,,,,
889082,Nausea,23.10,Vomiting,23.10,,,,,
889083,Chills,23.10,Decreased appetite,23.10,Fatigue,23.10,Herpes
zoster,23.10,Malaise,23.10
889083,Pain,23.10,Painful respiration,23.10,Piloerection,23.10,Rash,
23.10,Rash vesicular,23.10
889084,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
889085,Heart rate increased,23.10,Injection site erythema,
23.10,Injection site induration,23.10,Injection site swelling,
23.10,Pyrexia,23.10
889094,Loss of personal independence in daily activities,
23.10,Mobility decreased,23.10,Pain,23.10,,,,,
889096,Frequent bowel movements,23.10,Haematochezia,
23.10,Irritability,23.10,Mucous stools,23.10,Vaccine positive
rechallenge,23.10
889097,Urticaria,23.10,,,,,,,,,
889098,Condition aggravated,23.10,Illness,23.10,Impaired work ability,
23.10,Injection site scar,23.10,Malaise,23.10
889098,Migraine,23.10,Near death experience,23.10,Peripheral swelling,
23.10,SARS-CoV-2 test,23.10,Vaccination complication,23.10
889099,Herpes zoster,23.10,Rash,23.10,Rash pruritic,23.10,,,,,
889100,Herpes zoster,23.10,,,,,,,,,
889101,Herpes zoster,23.10,,,,,,,,,
889102,Product administered to patient of inappropriate age,
23.10,Product appearance confusion,23.10,Product name confusion,
23.10,Wrong product administered,23.10,,
889103,Extra dose administered,23.10,No adverse event,23.10,,,,,
889104,Product preparation issue,23.10,,,,,,,,,
889105,Product storage error,23.10,,,,,,,,,
889106,Expired product administered,23.10,No adverse event,23.10,,,,,
889107,No adverse event,23.10,Product storage error,23.10,,,,,
889108,No adverse event,23.10,Product storage error,23.10,,,,,
889109,Expired product administered,23.10,,,,,,,,,
889110,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,

23.10,,,,,
889111,Pain in extremity,23.10,,,,,,
889112,Fatigue,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,
889113,Diarrhoea,23.10,Incomplete course of vaccination,23.10,Pain,
23.10,Pyrexia,23.10,,
889114,Hypoaesthesia,23.10,Insomnia,23.10,Mobility decreased,
23.10,Pain in extremity,23.10,Paraesthesia,23.10
889115,Malaise,23.10,,,,,,
889116,Injection site nerve damage,23.10,Mobility decreased,
23.10,,,,,
889117,No adverse event,23.10,Product storage error,23.10,,,,,
889118,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,
889119,Exposure via skin contact,23.10,Underdose,23.10,,,,,
889120,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,
889121,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
889122,No adverse event,23.10,Product preparation issue,23.10,,,,,
889123,Expired product administered,23.10,No adverse event,23.10,,,,,
889124,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
889126,Death,23.10,Device related infection,23.10,Paralysis,
23.10,Pyrexia,23.10,,
889127,Arthralgia,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Nausea,23.10
889127,Pain,23.10,Pyrexia,23.10,,,,,
889128,Rash,23.10,,,,,,
889129,Eye pain,23.10,Eye swelling,23.10,Feeling cold,23.10,Headache,
23.10,Nausea,23.10
889129,Pain,23.10,Pustule,23.10,Skin ulcer,23.10,,,,
889130,Injection site erythema,23.10,Injection site oedema,
23.10,Injection site reaction,23.10,Rash erythematous,23.10,Rash
macular,23.10
889130,Swelling,23.10,,,,,,
889131,Asthenia,23.10,Headache,23.10,Mobility decreased,23.10,Muscular
weakness,23.10,Nausea,23.10
889131,Pyrexia,23.10,Somnolence,23.10,Tremor,23.10,Vomiting,23.10,,
889132,C-reactive protein increased,23.10,Peripheral swelling,
23.10,Red blood cell sedimentation rate normal,23.10,Sensory
disturbance,23.10,Vaccination site swelling,23.10
889132,X-ray limb abnormal,23.10,,,,,,
889133,Blister,23.10,Burning sensation,23.10,Herpes zoster,23.10,Pain,
23.10,Pruritus,23.10
889133,Rash,23.10,,,,,,
889134,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
889135,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Joint range of motion decreased,23.10,Neck pain,23.10,Pyrexia,
23.10
889137,No adverse event,23.10,Product administered to patient of

inappropriate age,23.10,,,,,
889138,Chills,23.10,Injection site pain,23.10,Pain,23.10,Pyrexia,
23.10,,
889140,No adverse event,23.10,Wrong product administered,23.10,,,,,
889141,No adverse event,23.10,Product preparation issue,23.10,,,,,
889142,Pruritus,23.10,Rash,23.10,,,,,
889143,Hypoaesthesia,23.10,Myalgia,23.10,Paraesthesia,23.10,,,,,
889144,Arthralgia,23.10,Pain,23.10,,,,,
889145,Injected limb mobility decreased,23.10,Injection site warmth,
23.10,Monoplegia,23.10,,,,,
889146,Dizziness,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Pyrexia,
23.10
889147,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site warmth,23.10
889147,Peripheral swelling,23.10,,,,,
889148,Abdominal pain upper,23.10,Chills,23.10,Headache,23.10,Myalgia,
23.10,,
889149,Product administered to patient of inappropriate age,
23.10,,,,,
889150,Axillary pain,23.10,Induration,23.10,,,,,
889151,Asthenia,23.10,Chills,23.10,Decreased appetite,23.10,Headache,
23.10,Pain,23.10
889151,Pyrexia,23.10,,,,,
889152,Erythema,23.10,Injection site pruritus,23.10,Injection site
swelling,23.10,,,,,
889153,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
889154,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Pruritus,23.10,,
889155,Erythema,23.10,Pain,23.10,Pyrexia,23.10,Swelling,23.10,,
889156,Rash erythematous,23.10,Rash papular,23.10,Rash pruritic,
23.10,,,,,
889157,Guillain-Barre syndrome,23.10,,,,,
889158,Injection site erythema,23.10,Peripheral swelling,
23.10,Pyrexia,23.10,Vaccination site pain,23.10,Vaccination site
warmth,23.10
889159,Chills,23.10,Decreased appetite,23.10,Headache,
23.10,Hyperhidrosis,23.10,Vomiting,23.10
889160,Unevaluable event,23.10,,,,,
889161,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,,,,
889162,Arthralgia,23.10,Asthenia,23.10,Chills,23.10,Hyperhidrosis,
23.10,Injection site pain,23.10
889162,Pyrexia,23.10,,,,,
889163,Arthralgia,23.10,Pain in extremity,23.10,,,,,
889164,Fatigue,23.10,Feeling abnormal,23.10,Hyperhidrosis,
23.10,Insomnia,23.10,Pain,23.10
889164,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,Vomiting,23.10,,,,,
889170,Inappropriate schedule of product administration,23.10,,,,,
889171,Extra dose administered,23.10,Headache,23.10,Illness,

23.10,Nausea,23.10,,
889172,Incomplete course of vaccination,23.10,Rash,23.10,,,,,
889173,Flushing,23.10,Hot flush,23.10,Hyperhidrosis,23.10,Injection
site pain,23.10,Pyrexia,23.10
889174,Device connection issue,23.10,No adverse event,23.10,Syringe
issue,23.10,Underdose,23.10,,
889175,Rash erythematous,23.10,Skin warm,23.10,,,,,
889176,Urticaria,23.10,,,,,
889177,Pain,23.10,,,,,
889178,Chills,23.10,Malaise,23.10,Pyrexia,23.10,,,,
889179,Extra dose administered,23.10,No adverse event,23.10,,,,,
889180,Headache,23.10,Hypoaesthesia,23.10,Throat tightness,
23.10,Tonsillar hypertrophy,23.10,,
889181,Injection site pain,23.10,Injection site reaction,23.10,Joint
range of motion decreased,23.10,Musculoskeletal stiffness,23.10,Poor
quality sleep,23.10
889182,Erythema,23.10,Peripheral swelling,23.10,,,,,
889183,Malaise,23.10,,,,,
889184,Flushing,23.10,Headache,23.10,,,,,
889185,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,,,
889186,Computerised tomogram normal,23.10,Gait inability,
23.10,Magnetic resonance imaging normal,23.10,Muscle spasms,
23.10,Sensory loss,23.10
889186,Wheelchair user,23.10,,,,,
889187,Abdominal pain upper,23.10,Injection site erythema,
23.10,Injection site rash,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
889187,Local reaction,23.10,,,,,
889188,Eye movement disorder,23.10,Immediate post-injection reaction,
23.10,Loss of consciousness,23.10,Posture abnormal,23.10,Slow response
to stimuli,23.10
889189,Back pain,23.10,Gait disturbance,23.10,Muscular weakness,
23.10,Pain,23.10,Pain in extremity,23.10
889189,Paraesthesia,23.10,,,,,
889190,Injected limb mobility decreased,23.10,Vaccination site pain,
23.10,X-ray limb normal,23.10,,,,
889191,Injection site discharge,23.10,Injection site vesicles,
23.10,Local reaction,23.10,Skin abrasion,23.10,,
889192,Injection site streaking,23.10,,,,,
889193,Decreased appetite,23.10,Dysgeusia,23.10,Insomnia,23.10,Nausea,
23.10,Parosmia,23.10
889194,Feeling hot,23.10,Hypoaesthesia,23.10,Hypoaesthesia oral,
23.10,Muscle tightness,23.10,Pharyngeal swelling,23.10
889195,Pain of skin,23.10,Pruritus,23.10,,,,,
889196,Blister,23.10,Burning sensation,23.10,Erythema,23.10,Rash
erythematous,23.10,Rash macular,23.10
889196,Rash pruritic,23.10,,,,,
889198,Feeling cold,23.10,Injection site pain,23.10,Muscle twitching,
23.10,Neck pain,23.10,Pain in extremity,23.10
889198,Paraesthesia,23.10,,,,,

889199, Abdominal distension, 23.10, Abdominal pain, 23.10, Blood test abnormal, 23.10, Blood urine present, 23.10, Fatigue, 23.10
889199, Injection site pain, 23.10, Malaise, 23.10, Muscle spasms, 23.10, Skin irritation, 23.10,,
889200, Injection site pain, 23.10, Oropharyngeal discomfort, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10
889201, Injection site rash, 23.10, Injection site urticaria, 23.10,,,,,,
889202, Dizziness, 23.10, Muscle contractions involuntary, 23.10, Pain in extremity, 23.10, Paraesthesia oral, 23.10, Swollen tongue, 23.10
889202, Vision blurred, 23.10,,,,,,
889203, Injected limb mobility decreased, 23.10, Injection site pain, 23.10,,,,,,
889204, Induration, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Nodule, 23.10,,
889205, Dyspnoea, 23.10, Pain in extremity, 23.10, Throat tightness, 23.10,,,,
889206, Abnormal faeces, 23.10, Faeces discoloured, 23.10, Haematochezia, 23.10, Irritability, 23.10,,
889215, Product storage error, 23.10,,,,,,
889216, Extra dose administered, 23.10, Wrong product administered, 23.10,,,,,
889217, Product storage error, 23.10,,,,,,
889218, No adverse event, 23.10, Wrong product administered, 23.10,,,,,
889219, Deafness unilateral, 23.10, Tinnitus, 23.10,,,,,
889220, Balance disorder, 23.10, Fatigue, 23.10, Gait disturbance, 23.10, Hypoaesthesia, 23.10, Injected limb mobility decreased, 23.10
889220, Pain in extremity, 23.10, Somnolence, 23.10,,,,,
889221, Arthralgia, 23.10, Asthenia, 23.10, Inappropriate schedule of product administration, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10
889221, Myalgia, 23.10, Neck pain, 23.10, Pain, 23.10,,,,
889222, Malaise, 23.10,,,,,,
889223, Chills, 23.10, Dizziness, 23.10, Feeling abnormal, 23.10, Hyperhidrosis, 23.10, Myalgia, 23.10
889223, Pyrexia, 23.10,,,,,,
889224, Injected limb mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
889225, Dizziness, 23.10, Headache, 23.10, Injected limb mobility decreased, 23.10, Insomnia, 23.10, Nasopharyngitis, 23.10
889225, Pain, 23.10, Pyrexia, 23.10, Vaccination site pain, 23.10,,,,
889226, Abdominal pain upper, 23.10, Chills, 23.10, Feeling cold, 23.10, Headache, 23.10,,
889228, Abdominal pain upper, 23.10, Feeling cold, 23.10, Headache, 23.10,,,,
889229, Flank pain, 23.10, Pain in extremity, 23.10,,,,,
889230, Cough, 23.10, Exposure to communicable disease, 23.10, Injection site bruising, 23.10, Injection site nodule, 23.10, Respiratory tract congestion, 23.10
889230, Rhinorrhoea, 23.10, SARS-CoV-2 test, 23.10,,,,,
889231, Injection site rash, 23.10, Injection site swelling, 23.10,,,,,

889232,Extra dose administered,23.10,Fatigue,23.10,,,,,
889233,Skin discolouration,23.10,Skin exfoliation,23.10,,,,,
889234,Skin discolouration,23.10,Skin exfoliation,23.10,,,,,
889235,Burning sensation,23.10,,,,,
889236,Hypersensitivity,23.10,,,,,
889237,Cold sweat,23.10,Dizziness,23.10,Hypoaesthesia oral,
23.10,Nausea,23.10,Oxygen saturation normal,23.10
889237,Paraesthesia oral,23.10,,,,,
889238,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
889239,Erythema,23.10,Skin warm,23.10,Swelling,23.10,Tenderness,
23.10,,
889240,Lip swelling,23.10,Swelling face,23.10,,,,,
889241,Erythema,23.10,Injection site pain,23.10,Pain,23.10,Pruritus,
23.10,Swelling,23.10
889242,Pruritus,23.10,Rash,23.10,Swelling,23.10,,,,
889243,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,
889244,Injection site pain,23.10,Injection site warmth,23.10,,,,,
889245,Eye swelling,23.10,Pruritus,23.10,Urticaria,23.10,,,,
889246,Extra dose administered,23.10,No adverse event,23.10,,,,,
889247,Immediate post-injection reaction,23.10,Joint range of motion
decreased,23.10,,,,,
889248,Myalgia,23.10,Pyrexia,23.10,,,,,
889249,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Pain in extremity,23.10,Peripheral swelling,23.10
889250,Condition aggravated,23.10,Pain,23.10,Pyrexia,23.10,Rash
erythematous,23.10,,
889251,Body temperature increased,23.10,Fatigue,23.10,Injection site
pain,23.10,Pain,23.10,,
889252,Cough,23.10,Diarrhoea,23.10,Lethargy,23.10,Nausea,
23.10,Pyrexia,23.10
889252,SARS-CoV-2 test negative,23.10,Vomiting,23.10,,,,,
889253,Rash,23.10,,,,,
889254,Fatigue,23.10,Pain,23.10,Pain in extremity,23.10,,,,
889255,Scab,23.10,Varicella,23.10,Varicella post vaccine,23.10,,,,
889256,Contusion,23.10,Pain,23.10,,,,,
889257,Swelling,23.10,,,,,
889258,Decreased appetite,23.10,Erythema,23.10,Headache,23.10,Myalgia,
23.10,Nausea,23.10
889258,Pain in extremity,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,,,,
889259,Asthenia,23.10,Dyspepsia,23.10,Hypersomnia,23.10,,,,
889260,Agitation,23.10,Limb discomfort,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,,
889261,Erythema,23.10,Pruritus,23.10,Swelling,23.10,,,,
889262,Arthralgia,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,
889263,Pruritus,23.10,Rash,23.10,Rash pruritic,23.10,,,,
889264,Abnormal dreams,23.10,Aspiration,23.10,Axonal and demyelinating

polyneuropathy,23.10,Choking,23.10,Decubitus ulcer,23.10
889264,Electromyogram abnormal,23.10,Endotracheal intubation,
23.10,Fall,23.10,Gait disturbance,23.10,Gastrostomy,23.10
889264,Guillain–Barre syndrome,23.10,Hallucination,23.10,Hordeolum,
23.10,Hypersomnia,23.10,Immunoglobulin therapy,23.10
889264,Loss of personal independence in daily activities,
23.10,Mobility decreased,23.10,Nerve conduction studies abnormal,
23.10,Pain,23.10,Pain in extremity,23.10
889264,Peripheral motor neuropathy,23.10,Peripheral sensory
neuropathy,23.10,Quadripareisis,23.10,Quality of life decreased,
23.10,Sinusitis,23.10
889264,Sleep disorder,23.10,Walking aid user,23.10,,,,,,
889265,Asthenia,23.10,Balance disorder,23.10,Body temperature
decreased,23.10,Ear pain,23.10,Fatigue,23.10
889265,Impaired work ability,23.10,Injection site haemorrhage,
23.10,Injection site reaction,23.10,Mental impairment,
23.10,Musculoskeletal stiffness,23.10
889266,Injection site pain,23.10,Loss of personal independence in
daily activities,23.10,Pain,23.10,Paraesthesia,23.10,,
889267,Breast swelling,23.10,Injection site pain,23.10,Oedema
peripheral,23.10,Peripheral swelling,23.10,Pyrexia,23.10
889296,Lip swelling,23.10,Rash,23.10,Swelling face,23.10,Throat
tightness,23.10,,
889298,Abdominal discomfort,23.10,Headache,23.10,Injection site
erythema,23.10,Injection site swelling,23.10,Pain,23.10
889298,Pruritus,23.10,Skin warm,23.10,,,,,,
889299,Headache,23.10,Hyperhidrosis,23.10,Nausea,23.10,Scab,
23.10,Swelling face,23.10
889300,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,,
889301,Decreased appetite,23.10,Fatigue,23.10,Nausea,23.10,Pyrexia,
23.10,,
889302,Injection site erythema,23.10,Injection site induration,
23.10,Injection site inflammation,23.10,Injection site pain,23.10,,
889303,Injection site erythema,23.10,Injection site oedema,23.10,No
reaction on previous exposure to drug,23.10,,,,
889304,Arthralgia,23.10,Body temperature increased,23.10,Chills,
23.10,Cough,23.10,Fatigue,23.10
889304,Injection site pain,23.10,Injection site swelling,23.10,Night
sweats,23.10,Palatal disorder,23.10,Pulmonary pain,23.10
889304,Sinus disorder,23.10,Sinus headache,23.10,Toothache,23.10,,,,
889305,Chills,23.10,Pyrexia,23.10,Skin lesion,23.10,,,,
889306,Cough,23.10,Dyspnoea,23.10,Throat irritation,23.10,Wheezing,
23.10,,
889307,Erythema,23.10,Injection site reaction,23.10,Rash,23.10,Rash
erythematous,23.10,Urticaria,23.10
889308,Immediate post-injection reaction,23.10,Injection site
swelling,23.10,,,,,,
889309,Cellulitis,23.10,Erythema,23.10,Pain in extremity,23.10,Skin
warm,23.10,,

889310, Injection site erythema, 23.10, Injection site induration, 23.10, , , , , , ,
889311, Asthenia, 23.10, Back pain, 23.10, Erythema, 23.10, Eye irritation, 23.10, Feeling hot, 23.10
889311, Pain in extremity, 23.10, Skin hypertrophy, 23.10, , , , , , ,
889312, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
889313, Radiculitis brachial, 23.10, , , , , , , , ,
889314, Diplopia, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10
889314, Nausea, 23.10, Vomiting, 23.10, , , , , , ,
889315, Muscle spasms, 23.10, , , , , , , , ,
889316, Nausea, 23.10, Pyrexia, 23.10, , , , , , ,
889317, Arthralgia, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Inflammation, 23.10, Peripheral swelling, 23.10
889317, Pyrexia, 23.10, , , , , , , , ,
889318, Rash, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10, , , , , ,
889319, Asthenia, 23.10, Blood test normal, 23.10, Chest X-ray normal, 23.10, Chest discomfort, 23.10, Chills, 23.10
889319, Electrocardiogram normal, 23.10, Fluid intake reduced, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Hypoacusis, 23.10
889319, Pain in extremity, 23.10, Pregnancy test negative, 23.10, Pyrexia, 23.10, , , , , ,
889320, Asthenia, 23.10, Dizziness, 23.10, Dry mouth, 23.10, Hyperhidrosis, 23.10, Nervousness, 23.10
889320, Pallor, 23.10, Palpitations, 23.10, , , , , , , , ,
889321, Arthralgia, 23.10, Back pain, 23.10, Mobility decreased, 23.10, Neck pain, 23.10, , ,
889322, Contusion, 23.10, , , , , , , , ,
889323, Antibody test, 23.10, Blood thyroid stimulating hormone, 23.10, Full blood count, 23.10, Immediate post-injection reaction, 23.10, Injection site erythema, 23.10
889323, Metabolic function test, 23.10, Pruritus, 23.10, Thyroxine free, 23.10, , , , , ,
889324, Headache, 23.10, Syncope, 23.10, , , , , , , , ,
889325, Chills, 23.10, Dyspnoea, 23.10, Injection site erythema, 23.10, Injection site mass, 23.10, Injection site pain, 23.10
889325, Pain, 23.10, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, , , , , ,
889326, Diarrhoea, 23.10, Inflammation, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10
889326, Skin warm, 23.10, , , , , , , , ,
889327, Arthralgia, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10, Product administered at inappropriate site, 23.10, Shoulder injury related to vaccine administration, 23.10
889327, Ultrasound scan, 23.10, , , , , , , , ,
889328, Pain in extremity, 23.10, , , , , , , , ,
889329, Dizziness, 23.10, Fall, 23.10, Head injury, 23.10, Limb injury, 23.10, Syncope, 23.10
889330, Asthenia, 23.10, Chills, 23.10, Erythema, 23.10, Fatigue, 23.10, Headache, 23.10
889330, Injected limb mobility decreased, 23.10, Lethargy, 23.10, Pain in

extremity,23.10,Peripheral swelling,23.10,,
889331,Abdominal pain upper,23.10,Arthralgia,23.10,Chills,
23.10,Headache,23.10,Impaired driving ability,23.10
889331,Injection site erythema,23.10,Injection site pain,
23.10,Malaise,23.10,Myalgia,23.10,Pyrexia,23.10
889331,Rash,23.10,SARS-CoV-2 test negative,23.10,Throat irritation,
23.10,,,,,
889332,Cold sweat,23.10,Dizziness,23.10,Dyspnoea,23.10,Hyperhidrosis,
23.10,Malaise,23.10
889333,Erythema,23.10,Pruritus,23.10,Skin warm,23.10,Sleep disorder,
23.10,,
889334,Erythema,23.10,Peripheral swelling,23.10,Pruritus,23.10,Skin
warm,23.10,,
889335,Arthralgia,23.10,,,,,,,,
889336,Pain,23.10,Peripheral swelling,23.10,Skin warm,23.10,Tension,
23.10,Vaccine positive rechallenge,23.10
889337,Alopecia,23.10,Arthralgia,23.10,Asthenia,23.10,Fatigue,
23.10,Impaired work ability,23.10
889337,Injection site induration,23.10,Injection site pain,
23.10,Injection site rash,23.10,Injection site swelling,23.10,Malaise,
23.10
889337,Mobility decreased,23.10,Pain,23.10,Pyrexia,23.10,Sleep
disorder,23.10,Somnolence,23.10
889337,Stress,23.10,,,,,,,,
889338,Dyspnoea,23.10,Fatigue,23.10,Pyrexia,23.10,,,,,
889339,Arthralgia,23.10,Joint range of motion decreased,23.10,Pain,
23.10,Shoulder injury related to vaccine administration,23.10,,
889340,Asthenia,23.10,Fatigue,23.10,Headache,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10
889340,Rhinorrhoea,23.10,Vomiting,23.10,,,,,,
889341,Immediate post-injection reaction,23.10,Injection site
bruising,23.10,Injection site erythema,23.10,Injection site
haemorrhage,23.10,Injection site warmth,23.10
889341,Insomnia,23.10,Pain in extremity,23.10,,,,,,
889342,Pain in extremity,23.10,,,,,,,,
889343,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
889344,Erythema,23.10,Peripheral swelling,23.10,Pyrexia,23.10,,,,,
889345,Rash,23.10,,,,,,,,
889346,Erythema,23.10,Pruritus,23.10,,,,,,,
889347,Impaired work ability,23.10,Injection site pain,23.10,,,,,,
889348,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
889349,Rash,23.10,,,,,,,,
889350,Chills,23.10,Fatigue,23.10,Nausea,23.10,,,,,
889351,Syncope,23.10,,,,,,,,
889352,Injection site erythema,23.10,,,,,,,,
889353,Feeling abnormal,23.10,Headache,23.10,Movement disorder,
23.10,Peripheral swelling,23.10,Skin warm,23.10
889354,Immediate post-injection reaction,23.10,Injection site

haemorrhage,23.10,Injection site reaction,23.10,Injection site swelling,23.10,Urticaria,23.10
889356,Injection site rash,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
889357,Blood pressure increased,23.10,Heart rate increased,23.10,,,,,,
889358,Erythema,23.10,Headache,23.10,Inflammation,23.10,Rash,23.10,,
889359,Axillary pain,23.10,Injection site pain,23.10,Oedema peripheral,23.10,Pyrexia,23.10,,
889360,Erythema,23.10,Peripheral swelling,23.10,Tenderness,23.10,,,,,
889361,Dysphonia,23.10,Dyspnoea,23.10,Hyperhidrosis,23.10,Lacrimation increased,23.10,Lip swelling,23.10
889361,Pharyngeal swelling,23.10,Wheezing,23.10,,,,,,
889362,Abdominal discomfort,23.10,Cough,23.10,Dyspnoea,23.10,Oral pruritus,23.10,Oxygen saturation decreased,23.10
889362,Wheezing,23.10,,,,,,
889363,Cough,23.10,Fatigue,23.10,Headache,23.10,Influenza,23.10,Oropharyngeal pain,23.10
889363,Pain,23.10,Pyrexia,23.10,Respiratory tract congestion,23.10,,,,,
889364,Injection site pain,23.10,Pain,23.10,,,,,,
889365,Urticaria,23.10,,,,,,
889366,Burning sensation,23.10,Erythema multiforme,23.10,Pruritus,23.10,Sleep disorder,23.10,,
889368,Tongue spasm,23.10,,,,,,
889369,Injection site induration,23.10,Injection site nodule,23.10,Injection site pain,23.10,Injection site pruritus,23.10,Injection site warmth,23.10
889370,Blood magnesium normal,23.10,Cellulitis,23.10,Laboratory test normal,23.10,Pain in extremity,23.10,Skin warm,23.10
889370,Staphylococcus test,23.10,Ultrasound scan abnormal,23.10,,,,,,
889371,Erythema,23.10,Hypersensitivity,23.10,Swollen tongue,23.10,,,,,
889372,Headache,23.10,Influenza like illness,23.10,Injection site erythema,23.10,Injection site pain,23.10,Pain,23.10
889372,Pyrexia,23.10,,,,,,
889373,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
889384,Product storage error,23.10,,,,,,
889385,Rash macular,23.10,,,,,,
889386,Expired product administered,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Product storage error,23.10,,
889387,No adverse event,23.10,Product storage error,23.10,,,,,
889388,Product storage error,23.10,,,,,,
889389,Expired product administered,23.10,,,,,,
889390,Generalised onset non-motor seizure,23.10,,,,,,
889391,Generalised tonic-clonic seizure,23.10,,,,,,
889392,Partial seizures,23.10,,,,,,
889393,Seizure,23.10,,,,,,
889394,Loss of consciousness,23.10,Syncope,23.10,,,,,
889395,Headache,23.10,Mobility decreased,23.10,Pyrexia,23.10,,,,,
889396,Chemotherapy,23.10,Incomplete course of vaccination,23.10,Neoplasm malignant,23.10,Surgery,23.10,,
889397,Chills,23.10,Dyspnoea,23.10,Pyrexia,23.10,,,,,

889398, Injection site pain, 23.10, , , , , , , , ,
889399, Headache, 23.10, Neck pain, 23.10, Pyrexia, 23.10, , , , ,
889400, Malaise, 23.10, , , , , , , , ,
889401, Influenza, 23.10, , , , , , , , ,
889402, Malaise, 23.10, , , , , , , , ,
889403, Influenza, 23.10, , , , , , , , ,
889404, No adverse event, 23.10, Syringe issue, 23.10, Underdose, 23.10, , , , ,
889405, Product storage error, 23.10, , , , , , , , ,
889406, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , ,
889407, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
889408, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , , ,
889409, Asthenia, 23.10, Cough, 23.10, Dysarthria, 23.10, Eyelid rash,
23.10, Haematochezia, 23.10
889409, Lung disorder, 23.10, Malaise, 23.10, Mouth swelling, 23.10, Muscular
weakness, 23.10, Oral pain, 23.10
889410, Lymphadenopathy, 23.10, Sensitive skin, 23.10, , , , , , , , ,
889411, Exposure during pregnancy, 23.10, No adverse event, 23.10, , , , , , , , ,
889412, Chest discomfort, 23.10, Chills, 23.10, Hyperaesthesia, 23.10, Pain,
23.10, , ,
889413, Depression, 23.10, Erythema, 23.10, Headache, 23.10, Malaise,
23.10, Myalgia, 23.10
889413, Pruritus, 23.10, Swelling, 23.10, Urticaria, 23.10, , , , ,
889414, Facial paralysis, 23.10, , , , , , , , ,
889415, Asthma, 23.10, Cough, 23.10, Dyspnoea, 23.10, , , , ,
889416, Asthenia, 23.10, Heart rate increased, 23.10, Hypoaesthesia,
23.10, , , , ,
889417, Dyspnoea, 23.10, Lethargy, 23.10, Nausea, 23.10, Oxygen saturation
decreased, 23.10, Vomiting, 23.10
889418, Urticaria, 23.10, , , , , , , , ,
889426, Fatigue, 23.10, , , , , , , , ,
889427, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Influenza like
illness, 23.10, Injection site erythema, 23.10
889428, Erythema, 23.10, Fatigue, 23.10, Pain in extremity, 23.10, Peripheral
swelling, 23.10, , ,
889429, Feeling abnormal, 23.10, Injection site pain, 23.10, Pain in
extremity, 23.10, Paraesthesia, 23.10, , ,
889430, Blister, 23.10, , , , , , , , ,
889431, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia,
23.10
889432, Injection site urticaria, 23.10, , , , , , , , ,
889433, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site pain, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10
889434, Hypoaesthesia oral, 23.10, Peripheral swelling, 23.10, Swelling
face, 23.10, Urticaria, 23.10, , ,
889435, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , , , ,
889436, Rash, 23.10, , , , , , , , ,
889437, Diarrhoea, 23.10, Pruritus, 23.10, Swelling, 23.10, Urticaria, 23.10, , ,

889438,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
889439,Confusional state,23.10,Disorientation,23.10,Myalgia,
23.10,Nausea,23.10,Tremor,23.10
889439,Vomiting,23.10,,,,,
889440,Arthralgia,23.10,Dysstasia,23.10,,,,,
889445,Herpes zoster,23.10,,,,,
889446,Illness,23.10,,,,,
889447,Illness,23.10,,,,,
889448,Headache,23.10,Incomplete course of vaccination,23.10,Mobility
decreased,23.10,Pain in extremity,23.10,Pruritus,23.10
889448,Rash,23.10,Skin exfoliation,23.10,,,,,
889449,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
889450,Condition aggravated,23.10,Gait disturbance,23.10,Pain in
extremity,23.10,Paraesthesia,23.10,,
889451,Trigeminal nerve disorder,23.10,,,,,
889452,Injection site pain,23.10,Injection site rash,23.10,,,,,
889453,Atrial fibrillation,23.10,Palpitations,23.10,,,,,
889454,Cellulitis,23.10,Peripheral swelling,23.10,,,,,
889455,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,
889456,Exposure to vaccinated person,23.10,Varicella,23.10,,,,,
889457,Injection site erythema,23.10,Injection site nodule,
23.10,Injection site pruritus,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
889458,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
889459,Erythema,23.10,Localised infection,23.10,Peripheral swelling,
23.10,,,,,
889460,Cellulitis,23.10,Rash,23.10,,,,,
889461,Erythema,23.10,Pain,23.10,Pyrexia,23.10,Swelling,
23.10,Urticaria,23.10
889462,Flushing,23.10,Headache,23.10,Swelling face,23.10,Swelling of
eyelid,23.10,Throat tightness,23.10
889463,Injection site erythema,23.10,Injection site haematoma,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
889464,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
889473,Injection site erythema,23.10,Injection site nodule,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
889474,Expired product administered,23.10,No adverse event,
23.10,Product storage error,23.10,,,,,
889475,Blindness,23.10,Deafness,23.10,Herpes zoster,23.10,,,,,
889476,Insomnia,23.10,Meningitis,23.10,Pain,23.10,Pyrexia,23.10,,
889477,Chills,23.10,Fatigue,23.10,Headache,23.10,Influenza like
illness,23.10,,
889478,Pruritus,23.10,Rash,23.10,Rash vesicular,23.10,,,,,
889479,Biopsy skin abnormal,23.10,Drug interaction,23.10,Erythema,
23.10,Food interaction,23.10,Hypersensitivity,23.10
889479,Parapsoriasis,23.10,Rash,23.10,Rash erythematous,
23.10,Swelling,23.10,Urticaria,23.10

889480,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,
889481,Headache,23.10,Insomnia,23.10,Nausea,23.10,Pain,23.10,Pain in
extremity,23.10
889481,Poor quality sleep,23.10,Rhinorrhoea,23.10,Vomiting,23.10,,,,
889482,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
889483,Arthralgia,23.10,Product administered at inappropriate site,
23.10,,,,,
889484,Inappropriate schedule of product administration,
23.10,Lymphoma,23.10,,,,,
889485,Erythema,23.10,Pyrexia,23.10,Skin warm,23.10,,,,
889486,Injection site erythema,23.10,Injection site rash,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
889487,Rash,23.10,,,,,
889495,Expired product administered,23.10,,,,,
889496,Herpes zoster,23.10,,,,,
889497,Herpes zoster,23.10,,,,,
889498,Deafness,23.10,Herpes zoster oticus,23.10,,,,,
889499,Extra dose administered,23.10,,,,,
889502,Accidental exposure to product,23.10,Exposure via eye contact,
23.10,Exposure via skin contact,23.10,Syringe issue,23.10,Underdose,
23.10
889503,Chills,23.10,Cough,23.10,Headache,23.10,Pain,23.10,Pyrexia,
23.10
889504,Arthralgia,23.10,Joint range of motion decreased,23.10,Magnetic
resonance imaging,23.10,Mobility decreased,23.10,Pain,23.10
889505,Injection site erythema,23.10,Injection site mass,
23.10,Injection site swelling,23.10,,,,
889506,Chills,23.10,Pain in extremity,23.10,Pyrexia,23.10,Tremor,
23.10,,
889507,Chills,23.10,Headache,23.10,Immediate post-injection reaction,
23.10,Musculoskeletal stiffness,23.10,Pain,23.10
889507,Pain in extremity,23.10,Pyrexia,23.10,Tremor,23.10,,,,
889508,Chills,23.10,Vomiting,23.10,,,,,
889509,Blindness,23.10,Eye movement disorder,23.10,Moaning,
23.10,Syncope,23.10,Tremor,23.10
889510,Pruritus,23.10,Rash,23.10,Rash pruritic,23.10,Sensation of
foreign body,23.10,Urticaria,23.10
889511,Arthralgia,23.10,Diarrhoea,23.10,Fatigue,23.10,Headache,
23.10,Joint swelling,23.10
889511,Nausea,23.10,Pyrexia,23.10,,,,,
889512,Dizziness,23.10,Feeling abnormal,23.10,Flushing,
23.10,Hyperhidrosis,23.10,Pallor,23.10
889512,Vomiting,23.10,,,,,
889513,Urticaria,23.10,,,,,
889514,Arthralgia,23.10,Night sweats,23.10,Rash,23.10,,,,
889515,Asthenia,23.10,Hypoaesthesia,23.10,Impaired work ability,
23.10,Joint range of motion decreased,23.10,Loss of personal
independence in daily activities,23.10
889515,Myalgia,23.10,Neuralgia,23.10,Pain,23.10,,,,

889516, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
889517, Erythema, 23.10, Pallor, 23.10, Pruritus, 23.10, Skin warm,
23.10, Yellow skin, 23.10
889518, Pyrexia, 23.10, , , , , , , ,
889519, Erythema, 23.10, Hypoaesthesia, 23.10, Paraesthesia, 23.10, Skin
warm, 23.10, Swelling, 23.10
889520, Erythema, 23.10, Headache, 23.10, Injection site warmth, 23.10, Pain,
23.10, Pyrexia, 23.10
889520, Swelling, 23.10, , , , , , , ,
889521, Chills, 23.10, Erythema, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia,
23.10
889521, Swelling, 23.10, , , , , , , ,
889522, Discomfort, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, Rash,
23.10, ,
889523, Ear discomfort, 23.10, Headache, 23.10, Influenza like illness,
23.10, Lethargy, 23.10, Pain, 23.10
889523, Pain in extremity, 23.10, , , , , , , ,
889524, Anaphylactic reaction, 23.10, , , , , , , ,
889525, Injection site mass, 23.10, , , , , , , ,
889526, Injection site swelling, 23.10, Paraesthesia, 23.10, , , , , ,
889527, Influenza like illness, 23.10, Injection site mass, 23.10, , , , , ,
889528, Peripheral swelling, 23.10, , , , , , , ,
889529, Immobile, 23.10, Sensory loss, 23.10, , , , , , , ,
889530, Mass, 23.10, , , , , , , ,
889531, Body temperature increased, 23.10, Fatigue, 23.10, Headache,
23.10, Myalgia, 23.10, Nausea, 23.10
889532, Peripheral swelling, 23.10, , , , , , , ,
889533, Injection site mass, 23.10, , , , , , , ,
889534, Blood glucose normal, 23.10, Feeling abnormal, 23.10, Pallor,
23.10, Peripheral coldness, 23.10, ,
889535, Guillain-Barre syndrome, 23.10, Immobile, 23.10, Mobility
decreased, 23.10, Musculoskeletal disorder, 23.10, Pyrexia, 23.10
889535, SARS-CoV-2 test positive, 23.10, , , , , , , ,
889536, Burning sensation, 23.10, Fatigue, 23.10, Headache, 23.10, Pain,
23.10, Paraesthesia, 23.10
889536, Rash, 23.10, Rash erythematous, 23.10, Urticaria, 23.10, , , , ,
889537, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
889538, Chills, 23.10, Headache, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10, ,
889539, Palpitations, 23.10, Rash, 23.10, , , , , , , ,
889540, Blood test normal, 23.10, Chest pain, 23.10, Computerised tomogram
normal, 23.10, Culture urine negative, 23.10, Diarrhoea, 23.10
889540, Nausea, 23.10, Pain, 23.10, Vomiting, 23.10, , , , ,
889541, Pruritus, 23.10, Rash, 23.10, , , , , , , ,
889542, Erythema, 23.10, Pain in extremity, 23.10, Syncope, 23.10, , , , ,
889543, Cellulitis, 23.10, Erythema, 23.10, Pyrexia, 23.10, Skin warm, 23.10, ,
889544, Chills, 23.10, Decreased appetite, 23.10, Headache, 23.10, Malaise,
23.10, Mobility decreased, 23.10
889544, Pain in extremity, 23.10, , , , , , , ,

889545,Cellulitis,23.10,Erythema,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Product administered at inappropriate
site,23.10
889545,Skin warm,23.10,,,,,
889546,Rash,23.10,Rash erythematous,23.10,Rash pruritic,23.10,,,,,
889547,Arthralgia,23.10,Mobility decreased,23.10,,,,,
889548,Injection site pain,23.10,Joint range of motion decreased,
23.10,,,,,
889549,Chills,23.10,Headache,23.10,Nausea,23.10,Pain,23.10,Pain in
extremity,23.10
889550,Arthralgia,23.10,Injection site swelling,23.10,Pain,23.10,,,,,
889551,Erythema,23.10,Rash,23.10,,,,,
889552,Blood test,23.10,Chest X-ray,23.10,Culture,23.10,Pruritus,
23.10,Pyrexia,23.10
889552,Rash,23.10,,,,,
889553,Administration site inflammation,23.10,Administration site
pain,23.10,Injection site erythema,23.10,,,,,
889554,Dyspnoea,23.10,Headache,23.10,Loss of consciousness,
23.10,Mydriasis,23.10,Posture abnormal,23.10
889554,Respiratory arrest,23.10,Seizure,23.10,,,,,
889555,Arthralgia,23.10,Fatigue,23.10,Pyrexia,23.10,Tremor,
23.10,Urticaria,23.10
889556,Eating disorder,23.10,Headache,23.10,Injection site pain,
23.10,Pain,23.10,,
889557,Arthralgia,23.10,,,,,
889558,Burning sensation,23.10,Musculoskeletal discomfort,23.10,,,,,
889559,Erythema,23.10,Headache,23.10,Pain,23.10,Peripheral swelling,
23.10,Skin warm,23.10
889560,Peripheral swelling,23.10,,,,,
889561,Dizziness,23.10,Loss of consciousness,23.10,Nausea,23.10,Sleep
disorder,23.10,Vomiting,23.10
889562,Pain,23.10,Soft tissue swelling,23.10,,,,,
889563,Syncope,23.10,,,,,
889564,Injection site erythema,23.10,,,,,
889565,Injected limb mobility decreased,23.10,Injection site oedema,
23.10,Injection site pain,23.10,,,,,
889566,Eye movement disorder,23.10,Loss of consciousness,23.10,Pallor,
23.10,Presyncope,23.10,,
889567,Injection site swelling,23.10,,,,,
889568,Rash,23.10,Rash erythematous,23.10,Urticaria,23.10,,,,,
889569,Erythema,23.10,Peripheral swelling,23.10,Skin warm,
23.10,Tenderness,23.10,,
889570,Erythema,23.10,Limb discomfort,23.10,Peripheral swelling,
23.10,Pruritus,23.10,Skin warm,23.10
889571,Erythema,23.10,Hypoaesthesia,23.10,Urticaria,23.10,,,,,
889572,Chills,23.10,Dizziness,23.10,Fatigue,23.10,Pyrexia,23.10,,
889573,Blister,23.10,Erythema,23.10,Skin exfoliation,23.10,,,,,
889574,Injection site pain,23.10,,,,,
889575,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,

889576, Pruritus, 23.10, Rash erythematous, 23.10, Rash papular, 23.10, , , ,
889577, Bacterial infection, 23.10, Biopsy skin, 23.10, Blister,
23.10, Peripheral swelling, 23.10, Rash, 23.10
889577, Skin weeping, 23.10, , , , , , , ,
889578, Joint range of motion decreased, 23.10, Musculoskeletal
stiffness, 23.10, , , , , , ,
889579, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, , , , , , , ,
889580, Asthenia, 23.10, Feeling abnormal, 23.10, Lethargy, 23.10, , , , ,
889581, Headache, 23.10, Hypoaesthesia, 23.10, Neck pain, 23.10, Neuropathy
peripheral, 23.10, Paraesthesia, 23.10
889582, Expired product administered, 23.10, , , , , , , ,
889583, Nasal congestion, 23.10, Rhinalgia, 23.10, , , , , , , ,
889584, Headache, 23.10, Influenza like illness, 23.10, Pyrexia, 23.10, , , , ,
889585, Hypoaesthesia, 23.10, Muscle spasms, 23.10, Paraesthesia, 23.10, , , , ,
889586, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Myalgia,
23.10, Nausea, 23.10
889587, Facial paralysis, 23.10, Hypoaesthesia, 23.10, , , , , , , ,
889588, Arthralgia, 23.10, Back pain, 23.10, Fatigue, 23.10, Fear of falling,
23.10, Gait disturbance, 23.10
889588, Injection site pain, 23.10, Pain in extremity, 23.10, , , , , , , ,
889589, Blood potassium decreased, 23.10, Computerised tomogram head
normal, 23.10, Feeling hot, 23.10, Full blood count normal, 23.10, Metabolic
function test, 23.10
889589, Tonic convulsion, 23.10, , , , , , , , ,
889590, Body temperature increased, 23.10, Decreased appetite,
23.10, Erythema, 23.10, Headache, 23.10, Injection site pain, 23.10
889590, Nausea, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Swelling,
23.10, Vaccination complication, 23.10
889591, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site warmth, 23.10, , , , , , , ,
889592, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, , , , , , , ,
889593, Swelling of eyelid, 23.10, , , , , , , , , ,
889594, Product administered to patient of inappropriate age,
23.10, Wrong product administered, 23.10, , , , , , , , ,
889595, Dyspnoea, 23.10, Electrocardiogram normal, 23.10, Erythema,
23.10, Paraesthesia, 23.10, Pruritus, 23.10
889595, Tongue pruritus, 23.10, , , , , , , , , ,
889596, Abdominal pain upper, 23.10, Arthralgia, 23.10, Asthenia,
23.10, Balance disorder, 23.10, Chills, 23.10
889596, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia,
23.10, Pain, 23.10
889596, Photophobia, 23.10, Pyrexia, 23.10, , , , , , , , ,
889597, Lip swelling, 23.10, Mouth swelling, 23.10, Swelling face, 23.10, , , , ,
889598, Chills, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , , , , ,
889599, Fatigue, 23.10, Injection site pain, 23.10, Pain in extremity,
23.10, Pyrexia, 23.10, , , , , , , , ,
889600, Dizziness, 23.10, Nausea, 23.10, Vertigo, 23.10, , , , , , , , ,
889601, Injection site pain, 23.10, Injection site swelling,

23.10, Injection site warmth, 23.10, Pain, 23.10,,
889602, Abdominal discomfort, 23.10, Chills, 23.10, Fatigue, 23.10, Pain,
23.10, Pain in extremity, 23.10
889604, Expired product administered, 23.10,,,,,,
889605, Delirium, 23.10, Dizziness, 23.10, Feeling hot, 23.10, Incoherent,
23.10, Unresponsive to stimuli, 23.10
889606, Syncope, 23.10,,,,,,
889607, Nervousness, 23.10, Vomiting, 23.10,,,,,
889608, Chills, 23.10, Malaise, 23.10, Nodule, 23.10, Pyrexia, 23.10,,
889609, Arthralgia, 23.10, Chills, 23.10, Fatigue, 23.10, Headache,
23.10, Immediate post-injection reaction, 23.10
889609, Myalgia, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,,,
889610, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10,,,,,
889611, Cellulitis, 23.10, Inflammation, 23.10,,,,,
889612, Lymphadenopathy, 23.10, Peripheral swelling, 23.10, Swelling,
23.10,,,,
889613, Headache, 23.10,,,,,,
889614, Angular cheilitis, 23.10, Lymphadenopathy, 23.10, Oropharyngeal
pain, 23.10,,,,
889615, Erythema, 23.10, Hypoaesthesia, 23.10, Injection site erythema,
23.10, Injection site inflammation, 23.10, Injection site pain, 23.10
889615, Injection site pruritus, 23.10, Musculoskeletal stiffness,
23.10, Paraesthesia, 23.10, Peripheral swelling, 23.10, Swelling, 23.10
889616, Erythema, 23.10,,,,,,
889617, Chills, 23.10, Nausea, 23.10, Pain, 23.10,,,,
889618, Dizziness, 23.10, Gait inability, 23.10, Headache, 23.10, Lip
swelling, 23.10, Swelling, 23.10
889618, Swollen tongue, 23.10,,,,,,
889620, Erythema, 23.10, Peripheral swelling, 23.10, Rash, 23.10, Skin warm,
23.10,,
889621, Suicidal ideation, 23.10,,,,,,
889622, Asthenia, 23.10, Chills, 23.10, Dyspnoea, 23.10, Pain, 23.10, Pyrexia,
23.10
889622, Tremor, 23.10,,,,,,
889623, Chills, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Hyperhidrosis,
23.10, Induration, 23.10
889623, Pain, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Pyrexia, 23.10, SARS-CoV-2 test, 23.10
889624, Asthenia, 23.10, Chest discomfort, 23.10, Chills, 23.10, Dyspnoea,
23.10, Fatigue, 23.10
889624, Pyrexia, 23.10, Tremor, 23.10,,,,,
889625, Imaging procedure, 23.10, Seizure, 23.10,,,,,
889626, Mass, 23.10, Pain, 23.10,,,,,
889627, Unevaluable event, 23.10,,,,,,
889628, Erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10,,,,
889629, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10,,
889630, Inflammation, 23.10, Rash, 23.10, Rash erythematous, 23.10, Skin
warm, 23.10,,

889631, Asthenia, 23.10, Fatigue, 23.10, Feeling hot, 23.10, Headache, 23.10, Hyperhidrosis, 23.10
889632, Asthenia, 23.10, Lethargy, 23.10, Pain, 23.10, Pyrexia, 23.10,,
889633, Diarrhoea, 23.10, Fatigue, 23.10, Insomnia, 23.10, Pyrexia, 23.10,,
889634, Hyperhidrosis, 23.10, Influenza like illness, 23.10, Pyrexia, 23.10,,,,
889635, Pain, 23.10, Pain in extremity, 23.10,,,,,
889636, Pruritus, 23.10, Rash, 23.10,,,,,
889637, Injection site swelling, 23.10,,,,,
889638, Pain in extremity, 23.10, Peripheral swelling, 23.10,,,,,
889639, Injection site pruritus, 23.10,,,,,
889640, Erythema, 23.10, Injection site pruritus, 23.10, Injection site reaction, 23.10, Peripheral swelling, 23.10, Rash erythematous, 23.10
889641, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Paraesthesia, 23.10, X-ray limb, 23.10,,
889642, Chills, 23.10, Diarrhoea, 23.10, Nausea, 23.10,,,,
889643, Blood pressure decreased, 23.10,,,,,
889644, Hyperhidrosis, 23.10, Immediate post-injection reaction, 23.10, Inflammation, 23.10, Injection site reaction, 23.10, Nausea, 23.10
889644, Vomiting, 23.10,,,,,
889645, Erythema, 23.10, Injection site erythema, 23.10,,,,,
889646, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10,,
889647, Chills, 23.10, Hyperhidrosis, 23.10, Malaise, 23.10, Nausea, 23.10,,
889648, Nausea, 23.10, Pallor, 23.10, Syncope, 23.10,,,,
889649, Syncope, 23.10,,,,,
889650, Cellulitis, 23.10, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10
889650, Vaccine positive rechallenge, 23.10,,,,,
889651, Body temperature increased, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Myalgia, 23.10
889651, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10,,,,
889652, Asthenia, 23.10, Dyspnoea, 23.10, Eye swelling, 23.10, Feeling cold, 23.10, Lymphadenopathy, 23.10
889652, Oropharyngeal pain, 23.10, Pain, 23.10, Pallor, 23.10, Panic reaction, 23.10,,
889653, Induration, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10
889653, Injection site warmth, 23.10, Pyrexia, 23.10, Skin lesion, 23.10,,,,
889654, Injection site rash, 23.10, Injection site swelling, 23.10,,,,,
889655, Injection site reaction, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10, Radicular pain, 23.10,,
889656, Asthenia, 23.10, Culture urine, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10
889656, SARS-CoV-2 test, 23.10, Streptococcus test, 23.10, Urine analysis, 23.10, Vomiting, 23.10,,
889668, Product storage error, 23.10,,,,,
889670, Expired product administered, 23.10, No adverse event, 23.10,,,,,
889671, Product storage error, 23.10,,,,,

889672, Adverse drug reaction, 23.10, Illness, 23.10, , , , , , ,
889673, Eye movement disorder, 23.10, Infantile spasms, 23.10, , , , , , ,
889674, Injection site induration, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
889675, Seizure, 23.10, , , , , , , ,
889676, Abdominal pain upper, 23.10, Cyanosis, 23.10, Dyspnoea,
23.10, Fatigue, 23.10, Headache, 23.10
889676, Immediate post-injection reaction, 23.10, Nausea, 23.10, Oxygen
therapy, 23.10, Pallor, 23.10, Pyrexia, 23.10
889676, Rash, 23.10, Tremor, 23.10, , , , , , ,
889677, Pain in extremity, 23.10, , , , , , , ,
889678, Allergy to vaccine, 23.10, , , , , , , ,
889679, Herpes zoster, 23.10, , , , , , , ,
889680, Influenza, 23.10, , , , , , , ,
889681, Illness, 23.10, , , , , , , ,
889682, Influenza, 23.10, , , , , , , ,
889683, Illness, 23.10, , , , , , , ,
889685, No adverse event, 23.10, Wrong technique in product usage
process, 23.10, , , , , , , ,
889686, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
889687, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , ,
889688, Pain in extremity, 23.10, , , , , , , ,
889689, No adverse event, 23.10, Underdose, 23.10, , , , , , , ,
889691, Expired product administered, 23.10, Extra dose administered,
23.10, Myelitis, 23.10, , , , ,
889692, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
889693, Influenza, 23.10, , , , , , , ,
889694, Injection site pain, 23.10, Tinnitus, 23.10, , , , , , , ,
889695, Fatigue, 23.10, Grip strength decreased, 23.10, Hypersensitivity,
23.10, Rash, 23.10, Skin lesion, 23.10
889698, Dyskinesia, 23.10, Fatigue, 23.10, Headache, 23.10, Mood altered,
23.10, Muscle spasms, 23.10
889698, Muscular weakness, 23.10, Nausea, 23.10, Seizure like phenomena,
23.10, , , , ,
889699, Adverse event, 23.10, Chills, 23.10, Fatigue, 23.10, Influenza,
23.10, , ,
889700, Bursitis, 23.10, Injected limb mobility decreased, 23.10, Injection
site pain, 23.10, Injection site reaction, 23.10, , ,
889701, Chills, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Headache,
23.10, Injection site pain, 23.10
889701, Myalgia, 23.10, Nausea, 23.10, , , , , , , ,
889702, Arthralgia, 23.10, Fatigue, 23.10, Myalgia, 23.10, , , , ,
889703, Myalgia, 23.10, Pyrexia, 23.10, Tremor, 23.10, , , , , ,
889704, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Pain, 23.10, , , , , ,
889705, Erythema, 23.10, Urticaria, 23.10, , , , , , , ,
889706, Immediate post-injection reaction, 23.10, Injection site
swelling, 23.10, , , , , , , ,

889707,Peripheral swelling,23.10,Vomiting,23.10,,,,,
889715,Product administered to patient of inappropriate age,
23.10,,,,,
889716,Syncope,23.10,,,,,
889717,Blisters,23.10,Rash,23.10,Rash pustular,23.10,,,,,
889718,Overdose,23.10,Pain in extremity,23.10,,,,,
889719,Injection site pain,23.10,Injection site warmth,23.10,Pain in
extremity,23.10,Peripheral swelling,23.10,Pruritus,23.10
889719,Purulent discharge,23.10,,,,,
889720,Headache,23.10,Peripheral swelling,23.10,Pruritus,23.10,Skin
warm,23.10,,
889721,Contraindication to vaccination,23.10,,,,,
889722,Chills,23.10,Cough,23.10,Fatigue,23.10,Malaise,
23.10,Oropharyngeal pain,23.10
889722,Pain,23.10,Pyrexia,23.10,,,,,
889723,Arthralgia,23.10,Discomfort,23.10,Mobility decreased,23.10,Pain
in extremity,23.10,,
889724,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Insomnia,23.10,Pain in extremity,23.10,Product administered at
inappropriate site,23.10
889725,Chills,23.10,Diarrhoea,23.10,Fatigue,23.10,Malaise,
23.10,Nausea,23.10
889725,Pyrexia,23.10,Vomiting,23.10,,,,,
889726,Death,23.10,,,,,
889727,Arthralgia,23.10,Pain in extremity,23.10,,,,,
889728,Hypoesthesia,23.10,Pain in extremity,23.10,Rash,23.10,,,,,
889729,Injection site pain,23.10,Musculoskeletal stiffness,23.10,Pain,
23.10,,,,,
889730,Burning sensation,23.10,Dysgeusia,23.10,Musculoskeletal
stiffness,23.10,Pain in extremity,23.10,Pruritus,23.10
889731,Dizziness,23.10,Dysstasia,23.10,Nausea,23.10,,,,,
889732,Guillain-Barre syndrome,23.10,,,,,
889733,Visual impairment,23.10,,,,,
889734,Injection site erythema,23.10,Pruritus,23.10,Urticaria,
23.10,,,,,
889735,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Rash,23.10,,
889736,Injection site bruising,23.10,Injection site erythema,
23.10,,,,,
889737,Feeling hot,23.10,Nausea,23.10,Pyrexia,23.10,,,,,
889738,Flushing,23.10,Palpitations,23.10,,,,,
889739,Anxiety,23.10,Dizziness,23.10,Hyperhidrosis,23.10,Paraesthesia,
23.10,,
889742,Dyspnoea,23.10,Feeling abnormal,23.10,Lymph node pain,
23.10,Pain,23.10,Productive cough,23.10
889743,Headache,23.10,Pyrexia,23.10,,,,,
889744,Pain in extremity,23.10,,,,,
889745,Loss of personal independence in daily activities,23.10,Pain,
23.10,,,,,
889746,Anaphylactic reaction,23.10,Incomplete course of vaccination,

23.10,,,,,
889747,Pain,23.10,Pyrexia,23.10,,,,,
889748,Near death experience,23.10,,,,,
889749,Incorrect route of product administration,23.10,Injection site
erythema,23.10,,,,,
889750,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
889751,Erythema,23.10,,,,,
889752,Life support,23.10,,,,,
889754,Myelitis transverse,23.10,,,,,
889755,Dizziness,23.10,Eye movement disorder,23.10,Mydriasis,
23.10,Pallor,23.10,Tremor,23.10
889755,Unresponsive to stimuli,23.10,,,,,
889756,Anticoagulant therapy,23.10,Asthenia,23.10,Atrial fibrillation,
23.10,Cardiomegaly,23.10,Chest X-ray abnormal,23.10
889756,Chronic kidney disease,23.10,Cirrhosis alcoholic,
23.10,Condition aggravated,23.10,Cor pulmonale,23.10,Laboratory test,
23.10
889756,Lung disorder,23.10,Pulmonary fibrosis,23.10,Pulmonary oedema,
23.10,Pulmonary vascular disorder,23.10,Sepsis,23.10
889756,Systemic inflammatory response syndrome,23.10,Type 2 diabetes
mellitus,23.10,Vaccination complication,23.10,,,
889757,Grip strength decreased,23.10,Myalgia,23.10,,,,,
889758,Cellulitis,23.10,,,,,
889759,Immediate post-injection reaction,23.10,Joint range of motion
decreased,23.10,Muscle spasms,23.10,Pain,23.10,Pain in extremity,23.10
889759,Ultrasound scan,23.10,,,,,
889760,Expired product administered,23.10,,,,,
889761,Condition aggravated,23.10,Fall,23.10,Feeling abnormal,
23.10,Gaze palsy,23.10,Loss of consciousness,23.10
889761,Seizure,23.10,,,,,
889762,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,
889763,Arthralgia,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site swelling,23.10,Joint range of motion
decreased,23.10
889763,Myalgia,23.10,Neuralgia,23.10,Pain,23.10,Pain in extremity,
23.10,,
889764,Expired product administered,23.10,No adverse event,23.10,,,,,
889765,Cellulitis,23.10,Erythema,23.10,Mobility decreased,23.10,Pain
in extremity,23.10,Peripheral swelling,23.10
889765,Pyrexia,23.10,SARS-CoV-2 test,23.10,,,,,
889766,Injection site erythema,23.10,Injection site swelling,
23.10,Pyrexia,23.10,,,
889767,Blood glucose normal,23.10,Headache,23.10,Injection site pain,
23.10,Nausea,23.10,Vomiting,23.10
889768,Diarrhoea,23.10,Fatigue,23.10,Palpitations,23.10,,,
889769,Injection site erythema,23.10,,,,,
889770,Diarrhoea,23.10,,,,,
889771,Chills,23.10,Diarrhoea,23.10,Headache,23.10,Pain in extremity,
23.10,Sneezing,23.10

889772, Asthenia, 23.10, Blood pressure increased, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Headache, 23.10
889772, Heart rate increased, 23.10, Nausea, 23.10, Nervousness, 23.10, Pallor, 23.10, Rhinorrhoea, 23.10
889773, Back pain, 23.10, Fatigue, 23.10, Headache, 23.10, Impaired work ability, 23.10, Neck pain, 23.10
889773, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
889788, Blindness, 23.10, Deafness, 23.10, Pneumonia, 23.10, , , , ,
889789, Arthralgia, 23.10, Circulatory collapse, 23.10, Confusional state, 23.10, Fatigue, 23.10, Headache, 23.10
889789, Loss of consciousness, 23.10, , , , , , , ,
889790, Influenza, 23.10, Vaccination failure, 23.10, , , , , , ,
889791, Condition aggravated, 23.10, Herpes zoster, 23.10, Rash, 23.10, , , , ,
889792, Arthralgia, 23.10, Asthenia, 23.10, Cellulitis, 23.10, Cerebrovascular accident, 23.10, Facial paralysis, 23.10
889792, Peripheral swelling, 23.10, Product contamination, 23.10, Pyrexia, 23.10, Rash, 23.10, Weight decreased, 23.10
889793, Body temperature increased, 23.10, Cough, 23.10, Nasal congestion, 23.10, Pain, 23.10, , ,
889794, Allergy to vaccine, 23.10, , , , , , , ,
889796, Extra dose administered, 23.10, , , , , , , ,
889797, Dizziness, 23.10, Headache, 23.10, Injection site rash, 23.10, Myalgia, 23.10, Vertigo, 23.10
889798, Dizziness, 23.10, Swelling face, 23.10, , , , , , ,
889800, Chills, 23.10, Dizziness, 23.10, Hyperhidrosis, 23.10, Influenza like illness, 23.10, Injection site pain, 23.10
889800, Nausea, 23.10, Pyrexia, 23.10, Tremor, 23.10, , , , ,
889801, Pain in extremity, 23.10, , , , , , , ,
889802, Contusion, 23.10, Pain, 23.10, , , , , , ,
889803, Anxiety, 23.10, Dizziness, 23.10, Tachycardia, 23.10, , , , ,
889804, Dehydration, 23.10, Feeling abnormal, 23.10, Immediate post-injection reaction, 23.10, Oxygen saturation decreased, 23.10, Syncope, 23.10
889805, Contusion, 23.10, Loss of consciousness, 23.10, , , , , , ,
889808, Expired product administered, 23.10, , , , , , , ,
889809, Expired product administered, 23.10, No adverse event, 23.10, , , , , , ,
889810, Injection site pain, 23.10, Malaise, 23.10, Rash, 23.10, Rash macular, 23.10, , ,
889811, Dysphagia, 23.10, Fatigue, 23.10, Hypersensitivity, 23.10, Nausea, 23.10, , ,
889812, Fatigue, 23.10, Influenza like illness, 23.10, Pain, 23.10, , , , ,
889813, Optic neuritis, 23.10, , , , , , , ,
889814, Death, 23.10, , , , , , , ,
889815, Death, 23.10, Influenza, 23.10, , , , , , ,
889816, Guillain-Barre syndrome, 23.10, , , , , , , ,
889817, Injection site discolouration, 23.10, Pain, 23.10, , , , , , ,
889818, Underdose, 23.10, , , , , , , ,
889819, Erythema, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, , ,
889820, Arthralgia, 23.10, Bursitis, 23.10, Inflammation, 23.10, Pain, 23.10, , ,

889821, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
889822, Asthenia, 23.10, Back pain, 23.10, Chest pain, 23.10, Electrocardiogram normal, 23.10, Fatigue, 23.10
889822, Headache, 23.10, Nausea, 23.10, Pain in extremity, 23.10, , , ,
889824, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10, , , , ,
889825, Loss of consciousness, 23.10, Nausea, 23.10, Pallor, 23.10, Posture abnormal, 23.10, Syncope, 23.10
889825, Unresponsive to stimuli, 23.10, , , , , , , , ,
889826, Inflammation, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Musculoskeletal stiffness, 23.10
889826, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
889827, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , , ,
889828, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
889829, Erythema, 23.10, Local reaction, 23.10, Myalgia, 23.10, Skin warm, 23.10, Swelling, 23.10
889830, Epistaxis, 23.10, Immune thrombocytopenia, 23.10, Petechiae, 23.10, Platelet count decreased, 23.10, Platelet transfusion, 23.10
889830, Rash, 23.10, Vaccination complication, 23.10, , , , , , ,
889831, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
889832, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
889833, Haemorrhage, 23.10, Injection site haematoma, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Skin discolouration, 23.10
889833, Skin swelling, 23.10, , , , , , , , ,
889834, Body temperature increased, 23.10, Inflammation, 23.10, Pain in extremity, 23.10, , , , ,
889835, Abscess, 23.10, , , , , , , , ,
889836, Erythema, 23.10, Local reaction, 23.10, Pyrexia, 23.10, Swelling, 23.10, Tenderness, 23.10
889837, Injected limb mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, Product administered at inappropriate site, 23.10, , ,
889838, Syncope, 23.10, , , , , , , , ,
889839, Erythema, 23.10, Injection site discolouration, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site ulcer, 23.10
889839, Pain in extremity, 23.10, Peripheral swelling, 23.10, Vaccination site eschar, 23.10, , , , ,
889840, Dizziness, 23.10, Headache, 23.10, Nausea, 23.10, Vomiting, 23.10, , ,
889841, Mouth swelling, 23.10, Pharyngeal swelling, 23.10, Swollen tongue, 23.10, , , , ,
889842, Erythema, 23.10, Swelling, 23.10, , , , , , ,
889843, Dyspnoea, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Wheezing, 23.10
889844, Rash, 23.10, Rash pruritic, 23.10, , , , , , ,
889845, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
889846, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , ,

889847, Loss of consciousness, 23.10, , , , , , , , , ,
889848, Erythema, 23.10, Fibrin D dimer increased, 23.10, Peripheral swelling, 23.10, , , , ,
889849, Pyrexia, 23.10, , , , , , , , , ,
889850, Confusional state, 23.10, Dizziness, 23.10, , , , , , , , , ,
889851, Injection site pain, 23.10, Neuralgia, 23.10, , , , , , , , , ,
889852, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
889853, Malaise, 23.10, Pallor, 23.10, Syncope, 23.10, , , , , ,
889855, Head injury, 23.10, Skin laceration, 23.10, Suture insertion, 23.10, Syncope, 23.10, , ,
889856, Erythema, 23.10, Pain in extremity, 23.10, Tenderness, 23.10, , , , , , , , , ,
889857, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , , , , , , ,
889858, Chills, 23.10, Fatigue, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , , , , , , ,
889859, Injection site mass, 23.10, , , , , , , , , , ,
889860, Cough, 23.10, Loss of consciousness, 23.10, Pallor, 23.10, Syncope, 23.10, Vomiting, 23.10
889861, Chills, 23.10, Disorientation, 23.10, Erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
889861, Movement disorder, 23.10, Pain, 23.10, , , , , , , , , , ,
889862, Feeling abnormal, 23.10, Feeling cold, 23.10, Feeling hot, 23.10, Hypoaesthesia, 23.10, Tremor, 23.10
889863, Decreased appetite, 23.10, Dizziness, 23.10, Influenza like illness, 23.10, , , , , ,
889864, Injection site infection, 23.10, Product administered at inappropriate site, 23.10, , , , , , , , , , ,
889865, Urticaria, 23.10, , , , , , , , , , , ,
889866, Chest pain, 23.10, Dysgeusia, 23.10, Hypoaesthesia, 23.10, , , , , , , , , , ,
889867, Injected limb mobility decreased, 23.10, , , , , , , , , , , ,
889868, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , , , , , , , , ,
889869, Injection site reaction, 23.10, Local reaction, 23.10, , , , , , , , , , , ,
889870, Chills, 23.10, Oedema peripheral, 23.10, Pyrexia, 23.10, , , , , , , , , , , ,
889871, Incorrect dose administered, 23.10, , , , , , , , , , , ,
889872, Injection site pain, 23.10, Pain, 23.10, Product administered at inappropriate site, 23.10, Ultrasound scan abnormal, 23.10, , ,
889873, Discomfort, 23.10, Lymphadenopathy, 23.10, Pain in extremity, 23.10, , , , , ,
889874, Cold sweat, 23.10, Dyskinesia, 23.10, Laboratory test normal, 23.10, Nausea, 23.10, Posture abnormal, 23.10
889874, Retching, 23.10, Urinary tract infection, 23.10, Urine analysis abnormal, 23.10, , , , , ,
889875, Injection site rash, 23.10, Myalgia, 23.10, Rash, 23.10, Rash pruritic, 23.10, Urticaria, 23.10
889876, Arthralgia, 23.10, Blood test, 23.10, Immediate post-injection reaction, 23.10, Pain, 23.10, Pain in extremity, 23.10
889876, Pyrexia, 23.10, , , , , , , , , , , ,
889877, Burning sensation, 23.10, Hypoaesthesia, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pain, 23.10
889877, Pain in extremity, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, , , , , , , , , , ,
889878, Dizziness, 23.10, Hypertension, 23.10, Myalgia, 23.10, Syncope,

23.10,,
889879,Expired product administered,23.10,,,,,
889880,Dizziness,23.10,Fall,23.10,Head injury,23.10,Loss of
consciousness,23.10,Muscular weakness,23.10
889880,Wrist fracture,23.10,,,,,
889881,Lip swelling,23.10,Urticaria,23.10,,,,,
889882,Injection site rash,23.10,Pain,23.10,,,,,
889883,Chills,23.10,Cough,23.10,Erythema,23.10,Headache,
23.10,Pruritus,23.10
889883,Pyrexia,23.10,Skin warm,23.10,Swelling,23.10,,,,
889884,Dizziness,23.10,Injection site rash,23.10,Nausea,23.10,,,,
889885,Limb discomfort,23.10,Peripheral swelling,23.10,Skin warm,
23.10,,,,
889886,Asthenia,23.10,Back pain,23.10,Chills,23.10,Dizziness,
23.10,Fatigue,23.10
889886,Feeling cold,23.10,Sleep disorder,23.10,,,,,
889887,Pyrexia,23.10,,,,,
889888,Angiogram,23.10,Blood electrolytes normal,23.10,Blood glucose
increased,23.10,Blood pressure increased,23.10,Dizziness,23.10
889888,Fall,23.10,Gait disturbance,23.10,Laboratory test normal,
23.10,Magnetic resonance imaging normal,23.10,Nausea,23.10
889888,SARS-CoV-2 test negative,23.10,Vertigo,23.10,,,,,
889889,Mobility decreased,23.10,Pain in extremity,23.10,Peripheral
swelling,23.10,,,,
889890,Axillary pain,23.10,Injection site pain,23.10,,,,,
889891,Nodule,23.10,Pain in extremity,23.10,Skin tightness,23.10,,,,
889892,Injection site urticaria,23.10,Pruritus,23.10,Urticaria,
23.10,,,,
889893,Hypoaesthesia,23.10,,,,,
889894,Dizziness,23.10,Malaise,23.10,Oral pruritus,23.10,Throat
irritation,23.10,Vision blurred,23.10
889895,Injection site swelling,23.10,Joint swelling,23.10,Peripheral
swelling,23.10,Vaccination complication,23.10,,
889896,Muscular weakness,23.10,,,,,
889897,Chills,23.10,Nausea,23.10,Tinnitus,23.10,Vaccination
complication,23.10,Vomiting,23.10
889898,Asthenia,23.10,Dysphonia,23.10,Impaired work ability,
23.10,Oropharyngeal pain,23.10,Pain,23.10
889898,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,,,,,
889899,Fatigue,23.10,Headache,23.10,Irritability,23.10,Nausea,23.10,,
889900,Abdominal pain upper,23.10,Chills,23.10,Headache,
23.10,Hyperhidrosis,23.10,Impaired work ability,23.10
889900,Nausea,23.10,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,,
889901,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,
889902,Blister,23.10,Mass,23.10,Rash,23.10,,,,
889903,Injection site discolouration,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Injection site reaction,23.10,Livedo
reticularis,23.10
889903,Pain in extremity,23.10,,,,,

889904,Burning sensation,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Pyrexia,23.10,Rash,23.10
889904,Rash pruritic,23.10,,,,,
889905,Fatigue,23.10,Headache,23.10,Pain,23.10,Pyrexia,23.10,,
889906,Burning sensation,23.10,Incorrect route of product administration,23.10,Injected limb mobility decreased,23.10,Injection site erythema,23.10,Injection site pain,23.10
889906,Injection site swelling,23.10,,,,,
889907,Chills,23.10,Dizziness,23.10,Pain,23.10,Pyrexia,23.10,,
889908,Abdominal discomfort,23.10,Diarrhoea,23.10,Injection site pain,23.10,Injection site warmth,23.10,Pyrexia,23.10
889909,Pain in extremity,23.10,Peripheral swelling,23.10,Swelling face,23.10,,,,
889910,Eye pruritus,23.10,Pruritus,23.10,Swelling of eyelid,23.10,,,,
889918,Product storage error,23.10,,,,,
889919,Product storage error,23.10,,,,,
889921,Product storage error,23.10,,,,,
889922,Product storage error,23.10,,,,,
889923,Product storage error,23.10,,,,,
889924,Burning sensation,23.10,Injection site pain,23.10,Injection site swelling,23.10,Neck pain,23.10,Pain,23.10
889924,Pain in extremity,23.10,,,,,
889925,Expired product administered,23.10,No adverse event,23.10,,,,,
889926,Expired product administered,23.10,,,,,
889927,Myalgia,23.10,,,,,
889928,Memory impairment,23.10,,,,,
889929,Illness,23.10,Vertigo,23.10,,,,,
889930,Abdominal pain upper,23.10,Chills,23.10,Headache,23.10,Muscle spasms,23.10,,
889931,Pruritus,23.10,Rash,23.10,,,,,
889933,Herpes zoster,23.10,,,,,
889934,Injection site pain,23.10,Injection site rash,23.10,,,,,
889935,Injection site erythema,23.10,Injection site streaking,23.10,Local reaction,23.10,Pruritus,23.10,Tenderness,23.10
889936,Cough,23.10,Fatigue,23.10,Pain,23.10,Pain in extremity,23.10,Sluggishness,23.10
889937,Headache,23.10,,,,,
889938,Arthralgia,23.10,Headache,23.10,Myalgia,23.10,,,,
889939,Injection site erythema,23.10,Rash pruritic,23.10,,,,,
889940,Blister,23.10,Erythema,23.10,Herpes zoster,23.10,,,,
889941,Chills,23.10,Fatigue,23.10,Loss of personal independence in daily activities,23.10,Pain,23.10,Pain in extremity,23.10
889941,Social problem,23.10,,,,,
889942,Blindness unilateral,23.10,Headache,23.10,Madarosis,23.10,Rash,23.10,,
889943,Influenza,23.10,Malaise,23.10,,,,,
889944,Death,23.10,Influenza,23.10,,,,,
889945,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
889946,Computerised tomogram abnormal,23.10,Facial paralysis,

23.10,Magnetic resonance imaging abnormal,23.10,,,,,
889947,Fatigue,23.10,Headache,23.10,Syncope,23.10,Vomiting,23.10,,
889948,Blister rupture,23.10,Injection site pain,23.10,Injection site
vesicles,23.10,,,,,
889949,Product administered to patient of inappropriate age,
23.10,Product prescribing error,23.10,,,,,,
889950,Cough,23.10,Deafness unilateral,23.10,Ear congestion,
23.10,Headache,23.10,Lymph node pain,23.10
889950,Tinnitus,23.10,,,,,,
889951,Erythema,23.10,Joint range of motion decreased,23.10,Skin warm,
23.10,,,,,
889952,Arthralgia,23.10,Bursitis,23.10,Inflammation,23.10,Insomnia,
23.10,Joint range of motion decreased,23.10
889952,Loss of personal independence in daily activities,23.10,Product
administered at inappropriate site,23.10,,,,,,
889953,Erythema,23.10,Swelling,23.10,,,,,,
889954,Fatigue,23.10,Pyrexia,23.10,,,,,,
889955,Erythema,23.10,Feeling abnormal,23.10,Headache,23.10,Nausea,
23.10,Skin warm,23.10
889956,Chills,23.10,Frequent bowel movements,23.10,Nausea,
23.10,Tremor,23.10,Vertigo,23.10
889958,Expired product administered,23.10,No adverse event,23.10,,,,,,
889959,Herpes zoster,23.10,,,,,,
889960,Chills,23.10,Fatigue,23.10,Headache,23.10,Influenza like
illness,23.10,Injection site reaction,23.10
889960,Malaise,23.10,Pain,23.10,Paraesthesia,23.10,Rash vesicular,
23.10,Tenderness,23.10
889961,Arthralgia,23.10,Chills,23.10,Paraesthesia,23.10,Pyrexia,
23.10,Skin burning sensation,23.10
889962,Abdominal discomfort,23.10,Erythema,23.10,Headache,
23.10,Injection site erythema,23.10,Injection site warmth,23.10
889962,Pain,23.10,Pruritus,23.10,,,,,,
889963,Bedridden,23.10,Pain,23.10,,,,,,
889964,Injection site reaction,23.10,Rash erythematous,23.10,,,,,,
889965,Rash,23.10,Rash erythematous,23.10,,,,,,
889966,Fatigue,23.10,Headache,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10
889966,Pain,23.10,Pyrexia,23.10,,,,,,
889967,Asthenia,23.10,Gait disturbance,23.10,Syncope,23.10,,,,,
889968,Erythema,23.10,Neck pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Skin warm,23.10
889969,Asthenia,23.10,Fatigue,23.10,Hypersomnia,23.10,Injection site
reaction,23.10,Injection site swelling,23.10
889969,Rash macular,23.10,,,,,,
889970,Chest pain,23.10,Herpes zoster,23.10,Intensive care,23.10,,,,,
889971,Infection,23.10,,,,,,
889972,Dizziness,23.10,Feeling abnormal,23.10,,,,,,
889973,Activated partial thromboplastin time,23.10,Blood lactic acid,
23.10,C-reactive protein,23.10,Computerised tomogram head,
23.10,Dizziness,23.10

889973,Fibrin D dimer,23.10,Full blood count,23.10,Malaise,
23.10,Prothrombin time,23.10,Pyrexia,23.10
889973,Red blood cell sedimentation rate,23.10,Urine analysis,
23.10,,,,,
889974,Feeling hot,23.10,Loss of consciousness,23.10,Syncope,
23.10,Visual impairment,23.10,,
889975,Bursitis,23.10,Pain in extremity,23.10,,,,,
889976,Swelling,23.10,,,,,
889977,Erythema,23.10,Injection site urticaria,23.10,Pruritus,
23.10,Pyrexia,23.10,,
889978,Chills,23.10,Exposure during pregnancy,23.10,Hyperhidrosis,
23.10,Influenza virus test negative,23.10,Pancytopenia,23.10
889978,Parvovirus B19 test negative,23.10,SARS-CoV-2 test negative,
23.10,Tachycardia,23.10,,,,,
889979,Balance disorder,23.10,Muscular weakness,23.10,,,,,
889980,Pyrexia,23.10,,,,,
889981,Chills,23.10,Pain,23.10,Pyrexia,23.10,Syncope,23.10,Vomiting,
23.10
889982,Chills,23.10,Headache,23.10,Pain,23.10,,,,,
889983,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Product administered at inappropriate site,23.10,,,,,
889984,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Loss of personal independence in daily activities,23.10,Shoulder
injury related to vaccine administration,23.10,,
889989,Arthralgia,23.10,Fatigue,23.10,Hypersensitivity,
23.10,Inappropriate schedule of product administration,23.10,Injected
limb mobility decreased,23.10
889989,Injection site joint pain,23.10,Mobility decreased,23.10,Pain,
23.10,Pain in extremity,23.10,Paraesthesia oral,23.10
889989,Pruritus,23.10,Temporomandibular joint syndrome,
23.10,Tenderness,23.10,Urticaria,23.10,Vaccine positive rechallenge,
23.10
889990,Herpes zoster,23.10,,,,,
889991,Shoulder injury related to vaccine administration,23.10,,,,,
889992,Herpes zoster,23.10,,,,,
889993,Fatigue,23.10,Headache,23.10,Incorrect dose administered,
23.10,Product preparation issue,23.10,,
889994,Injection site pain,23.10,Injection site swelling,23.10,,,,,
889995,Pruritus,23.10,Rash,23.10,Rash papular,23.10,,,,,
889996,Erythema,23.10,Extensive swelling of vaccinated limb,
23.10,Injection site erythema,23.10,Injection site pain,
23.10,Injection site paraesthesia,23.10
889996,Injection site swelling,23.10,Pain in extremity,
23.10,Paraesthesia,23.10,,,,,
889997,Arthralgia,23.10,Back pain,23.10,Nausea,23.10,Pain in
extremity,23.10,Pruritus,23.10
889998,Glassy eyes,23.10,Musculoskeletal stiffness,23.10,Tremor,
23.10,Unresponsive to stimuli,23.10,,
889999,Exposure via skin contact,23.10,Syringe issue,23.10,Underdose,
23.10,,,,,

890000,Swelling face,23.10,Tachycardia,23.10,Throat irritation,
23.10,,,,,
890001,Burning sensation,23.10,Muscular weakness,23.10,Paraesthesia,
23.10,,,,,
890002,Dizziness,23.10,Fall,23.10,Loss of consciousness,23.10,Syncope,
23.10,,
890003,Balance disorder,23.10,Decreased appetite,23.10,Feeling
abnormal,23.10,Vertigo,23.10,Weight decreased,23.10
890004,Pyrexia,23.10,Rash,23.10,Rash erythematous,23.10,,,,,
890005,Fall,23.10,Gaze palsy,23.10,Headache,23.10,Hypoaesthesia,
23.10,Seizure,23.10
890005,Tremor,23.10,,,,,,
890006,Anaemia,23.10,Blood smear test abnormal,23.10,Cold type
haemolytic anaemia,23.10,Dyspnoea,23.10,Endotracheal intubation,23.10
890006,Fatigue,23.10,Fluid intake reduced,23.10,Haemoglobin decreased,
23.10,Haemolysis,23.10,Haemolytic anaemia,23.10
890006,High-pitched crying,23.10,Hypertonia,23.10,Hypothermia,
23.10,Intensive care,23.10,Irritability,23.10
890006,Lethargy,23.10,Metabolic acidosis,23.10,Pallor,
23.10,Respiratory failure,23.10,Septic screen,23.10
890006,Shock,23.10,Transfusion,23.10,,,,,
890007,Rash papular,23.10,Urticaria,23.10,Vaccination site reaction,
23.10,,,,,
890008,Death,23.10,Influenza virus test negative,23.10,SARS-CoV-2 test
negative,23.10,,,,,
890009,Expired product administered,23.10,No adverse event,23.10,,,,,
890010,Cough,23.10,Diarrhoea,23.10,Dyspnoea,23.10,Pyrexia,23.10,Sinus
disorder,23.10
890011,Loss of consciousness,23.10,Vaccine positive rechallenge,
23.10,,,,,
890012,Chills,23.10,Dizziness,23.10,Fatigue,23.10,Headache,
23.10,Injection site erythema,23.10
890012,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Pyrexia,23.10,,
890013,Erythema,23.10,Injection site inflammation,23.10,Injection site
swelling,23.10,Peripheral swelling,23.10,Swelling face,23.10
890014,Headache,23.10,Joint range of motion decreased,23.10,Muscle
strain,23.10,Neck pain,23.10,Pain,23.10
890014,Sleep disorder,23.10,,,,,,
890015,Asthenia,23.10,Dizziness,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10
890015,Nausea,23.10,Vomiting,23.10,,,,,
890016,Erythema,23.10,Hypersensitivity,23.10,Injection site erythema,
23.10,Pruritus,23.10,Urticaria,23.10
890017,Arthralgia,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Myalgia,23.10
890017,Spinal pain,23.10,,,,,,
890018,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
890019,Malaise,23.10,Pyrexia,23.10,Rash,23.10,Skin warm,23.10,,

890020, Dyspnoea, 23.10, Malaise, 23.10, Pruritus, 23.10, Rash, 23.10,,
890021, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10,,,,,
890022, Injection site haemorrhage, 23.10, Paraesthesia, 23.10,,,,,,
890023, Pyrexia, 23.10,,,,,,,
890024, Arthralgia, 23.10, Chills, 23.10, Illness, 23.10, Myalgia,
23.10, Pyrexia, 23.10
890030, Product storage error, 23.10,,,,,,,
890031, Expired product administered, 23.10, No adverse event, 23.10,,,,,,
890032, Rash, 23.10,,,,,,,
890033, Herpes zoster, 23.10,,,,,,,
890034, Sepsis, 23.10,,,,,,,
890035, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site mass, 23.10, Injection site pruritus, 23.10,,
890036, Induration, 23.10, Mass, 23.10, Pruritus, 23.10,,,,,
890037, Exposure during pregnancy, 23.10, Immunisation, 23.10, No adverse
event, 23.10, Product storage error, 23.10,,
890038, Expired product administered, 23.10, No adverse event, 23.10,,,,,,
890039, Guillain-Barre syndrome, 23.10,,,,,,,
890040, Injection site scab, 23.10, Neoplasm malignant, 23.10,,,,,,
890041, Injection site erythema, 23.10, Injection site swelling,
23.10,,,,,,
890042, Gait disturbance, 23.10, Heart rate increased, 23.10, Hypoaesthesia
oral, 23.10, Paraesthesia, 23.10, Paraesthesia oral, 23.10
890043, Arthropod sting, 23.10, Decreased appetite, 23.10, Erythema,
23.10, Fatigue, 23.10, Headache, 23.10
890043, Myalgia, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Peripheral
swelling, 23.10, Pyrexia, 23.10
890044, Erythema, 23.10, Pruritus, 23.10,,,,,,
890045, Blood pressure decreased, 23.10, Lethargy, 23.10, Loss of
consciousness, 23.10, Syncope, 23.10,,
890046, Injection site rash, 23.10, Injection site swelling, 23.10, Pain,
23.10, Paraesthesia, 23.10, Pyrexia, 23.10
890047, Injection site joint discomfort, 23.10, Joint stiffness,
23.10,,,,,,
890048, Eye swelling, 23.10, Lip swelling, 23.10,,,,,,
890049, Blood test, 23.10, Electrocardiogram, 23.10, Seizure, 23.10,,,,,
890050, Anaphylactic reaction, 23.10, Atopy, 23.10, Bradycardia, 23.10, Chest
pain, 23.10, Cough, 23.10
890050, Dizziness, 23.10, Electrocardiogram abnormal, 23.10, Myalgia,
23.10, Nausea, 23.10, No reaction on previous exposure to drug, 23.10
890050, Pain, 23.10, Physical examination, 23.10, Pruritus, 23.10, Swelling
of eyelid, 23.10, Throat tightness, 23.10
890050, Vomiting, 23.10,,,,,,,
890052, Fatigue, 23.10, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10,,
890054, Aphasia, 23.10, Cerebrovascular accident, 23.10, Injection site
erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
890054, Postictal paralysis, 23.10, Pyrexia, 23.10, Seizure, 23.10,,,,,
890055, Syringe issue, 23.10, Underdose, 23.10,,,,,,
890056, Loss of consciousness, 23.10, Syncope, 23.10,,,,,,

890057,Injection site erythema,23.10,,,,,,,,,
890058,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
890059,Myalgia,23.10,,,,,
890060,Cellulitis,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Local reaction,23.10,,
890061,Vaccination error,23.10,,,,,
890062,No adverse event,23.10,Product storage error,23.10,,,,,
890063,Incorrect dose administered,23.10,No adverse event,23.10,,,,,
890064,Incorrect route of product administration,23.10,No adverse event,23.10,,,,,
890065,Fatigue,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Injection site urticaria,23.10
890065,Nausea,23.10,,,,,
890066,Cough,23.10,Erythema,23.10,Face oedema,23.10,Injection site erythema,23.10,Muscle tightness,23.10
890066,Oedema peripheral,23.10,Regurgitation,23.10,Swelling,23.10,,,,
890067,Death,23.10,Mechanical ventilation,23.10,,,,,
890068,Injection site erythema,23.10,Joint swelling,23.10,Local reaction,23.10,Swelling,23.10,,
890069,Chills,23.10,Face oedema,23.10,Malaise,23.10,Myalgia,23.10,Pain,23.10
890069,Pyrexia,23.10,Respiratory rate increased,23.10,Urticaria,23.10,,,,
890070,Product administered to patient of inappropriate age,23.10,,,,,
890071,Deafness,23.10,Sudden hearing loss,23.10,Tinnitus,23.10,,,,
890072,Acute disseminated encephalomyelitis,23.10,Ataxia,23.10,Diplopia,23.10,Dizziness,23.10,Imaging procedure,23.10
890072,Intensive care,23.10,Laboratory test,23.10,,,,,
890073,Injection site pain,23.10,,,,,
890074,Diarrhoea,23.10,Fatigue,23.10,Headache,23.10,Hot flush,23.10,Pain,23.10
890075,Pruritus,23.10,Rash,23.10,,,,,
890077,Asthenia,23.10,Chills,23.10,Headache,23.10,Nausea,23.10,Nightmare,23.10
890077,Pain,23.10,Tinnitus,23.10,Tremor,23.10,,,,
890078,Injection site pain,23.10,Pain,23.10,,,,,
890079,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
890080,Coordination abnormal,23.10,Dizziness,23.10,Gait disturbance,23.10,,,,
890081,Injection site pruritus,23.10,Peripheral swelling,23.10,,,,,
890082,Crying,23.10,Diarrhoea,23.10,Emotional distress,23.10,Vomiting,23.10,,
890083,Chills,23.10,Dizziness,23.10,Headache,23.10,Nausea,23.10,Vomiting,23.10
890084,Asthenia,23.10,Chills,23.10,Cough,23.10,Dizziness,23.10,Dysphonia,23.10
890084,Dyspnoea,23.10,Oropharyngeal pain,23.10,SARS-CoV-2 test

negative,23.10,,,,,
890085,Decreased appetite,23.10,Fatigue,23.10,Feeling hot,
23.10,Headache,23.10,Injection site erythema,23.10
890085,Injection site pruritus,23.10,Injection site warmth,
23.10,Malaise,23.10,Nausea,23.10,,
890086,Injection site pain,23.10,Pain in extremity,23.10,,,,,,
890087,Erythema,23.10,Pain,23.10,Pruritus,23.10,Skin warm,
23.10,Urticaria,23.10
890088,Rash,23.10,Rash vesicular,23.10,Scab,23.10,,,,,
890089,Anxiety,23.10,Bronchial irritation,23.10,Diarrhoea,
23.10,Emotional distress,23.10,Fatigue,23.10
890089,Feeling abnormal,23.10,Headache,23.10,Heart rate irregular,
23.10,Nausea,23.10,,
890090,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
890091,Urticaria,23.10,,,,,,,
890092,Cellulitis,23.10,,,,,,,
890093,Headache,23.10,Heart rate increased,23.10,Pain,23.10,Pyrexia,
23.10,,
890094,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,
890095,Headache,23.10,Injection site rash,23.10,Nausea,23.10,Pyrexia,
23.10,Vomiting,23.10
890096,Extremity contracture,23.10,Injection site pain,23.10,Pain,
23.10,Pain in extremity,23.10,Pyrexia,23.10
890097,Eye swelling,23.10,Pharyngeal swelling,23.10,,,,,,
890098,Culture urine,23.10,Erythema,23.10,Headache,23.10,Influenza
like illness,23.10,Injected limb mobility decreased,23.10
890098,Musculoskeletal stiffness,23.10,Pain,23.10,Pain in extremity,
23.10,Pyrexia,23.10,Rash macular,23.10
890098,Skin warm,23.10,Streptococcus test negative,23.10,Swelling,
23.10,,,,,
890099,Abdominal discomfort,23.10,Nausea,23.10,,,,,,
890100,Injection site erythema,23.10,Injection site rash,23.10,,,,,,
890101,Burning sensation,23.10,Monoplegia,23.10,Nodule,23.10,Pain in
extremity,23.10,Skin tightness,23.10
890102,Headache,23.10,Pain,23.10,Tremor,23.10,,,,,
890103,Fatigue,23.10,Photophobia,23.10,,,,,,
890104,Injection site erythema,23.10,,,,,,
890105,Erythema,23.10,Peripheral swelling,23.10,,,,,,
890106,Oedema peripheral,23.10,Pain in extremity,23.10,,,,,,
890107,Injection site pain,23.10,Pain,23.10,,,,,,
890108,Injection site erythema,23.10,Pain in extremity,23.10,,,,,,
890109,Limb discomfort,23.10,Pain in extremity,23.10,,,,,,
890110,Cellulitis,23.10,Chest discomfort,23.10,Extensive swelling of
vaccinated limb,23.10,Headache,23.10,Induration,23.10
890110,Influenza like illness,23.10,Injected limb mobility decreased,
23.10,Injection site erythema,23.10,Injection site induration,
23.10,Neck pain,23.10
890110,Pain,23.10,Paraesthesia,23.10,Skin reaction,23.10,Vision
blurred,23.10,,

890111, Mobility decreased, 23.10, , , , , , , , ,
890112, Back pain, 23.10, Dysgeusia, 23.10, Herpes virus infection,
23.10, Malaise, 23.10, Night sweats, 23.10
890112, Salivary hypersecretion, 23.10, , , , , , , , ,
890113, Injection site pain, 23.10, Injection site pruritus,
23.10, Injection site rash, 23.10, , , , ,
890114, Dry skin, 23.10, Induration, 23.10, Pain, 23.10, Peripheral swelling,
23.10, ,
890115, Cellulitis, 23.10, , , , , , , , ,
890116, Diarrhoea, 23.10, Dizziness, 23.10, Feeling abnormal,
23.10, Headache, 23.10, Joint range of motion decreased, 23.10
890116, Nausea, 23.10, Pain in extremity, 23.10, Tenderness, 23.10, , , , ,
890117, Arthralgia, 23.10, Bone pain, 23.10, Chills, 23.10, Fatigue,
23.10, Headache, 23.10
890117, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
890118, Back pain, 23.10, , , , , , , , ,
890119, Cough, 23.10, Ear swelling, 23.10, Swelling, 23.10, , , , ,
890120, Rash, 23.10, , , , , , , , ,
890121, Injection site pain, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia,
23.10, ,
890122, Injection site vesicles, 23.10, , , , , , , , ,
890123, Rash, 23.10, , , , , , , , ,
890124, Dizziness, 23.10, Hypoaacusis, 23.10, Loss of consciousness,
23.10, Pallor, 23.10, Unresponsive to stimuli, 23.10
890125, Asthenia, 23.10, Dizziness, 23.10, Fatigue, 23.10, Nausea, 23.10, Pain,
23.10
890125, Pyrexia, 23.10, , , , , , , , ,
890126, Mobility decreased, 23.10, Myalgia, 23.10, Skin warm, 23.10, , , , ,
890127, Hypoaesthesia oral, 23.10, Paraesthesia oral, 23.10, , , , , ,
890128, Axillary pain, 23.10, Injection site erythema, 23.10, Injection
site pain, 23.10, Injection site swelling, 23.10, Injection site warmth,
23.10
890129, Loss of consciousness, 23.10, Posture abnormal, 23.10, , , , , , ,
890130, Injection site erythema, 23.10, Injection site pain, 23.10, , , , , , ,
890131, Loss of consciousness, 23.10, Vomiting, 23.10, , , , , , ,
890132, Injection site pain, 23.10, Injection site rash, 23.10, , , , , , ,
890133, Diarrhoea, 23.10, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10, ,
890134, Pain in extremity, 23.10, , , , , , , , ,
890135, Dizziness, 23.10, Fall, 23.10, Loss of consciousness, 23.10, Skin
laceration, 23.10, ,
890136, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, , , , , ,
890137, Asthenia, 23.10, Body temperature increased, 23.10, Poor quality
sleep, 23.10, Somnolence, 23.10, Vomiting, 23.10
890138, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , ,
890139, Discomfort, 23.10, Rash, 23.10, , , , , , ,
890140, Dizziness, 23.10, Fall, 23.10, Hypopnoea, 23.10, Peripheral coldness,
23.10, ,
890141, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , , ,

890142,Dysphonia,23.10,Eye irritation,23.10,Eye pain,23.10,Eye swelling,23.10,Ocular hyperaemia,23.10
890142,Oropharyngeal pain,23.10,Rhinorrhoea,23.10,Vision blurred, 23.10,Visual impairment,23.10,,
890143,Erythema,23.10,Injection site pain,23.10,Pain in extremity, 23.10,Sleep disorder,23.10,Swelling,23.10
890144,Loss of consciousness,23.10,Mobility decreased, 23.10,Musculoskeletal stiffness,23.10,,,,
890145,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling, 23.10,,,,
890146,Feeling abnormal,23.10,Impaired work ability,23.10,Malaise, 23.10,Pain in extremity,23.10,Sleep disorder,23.10
890147,Pain,23.10,Pyrexia,23.10,Rash morbilliform,23.10,Regurgitation, 23.10,,
890148,Chills,23.10,Fatigue,23.10,Pain,23.10,,,,
890160,Rash erythematous,23.10,,,,,,,
890161,Injection site pain,23.10,Pain in extremity,23.10,,,,,
890162,Syncope,23.10,,,,,,,
890164,Herpes zoster,23.10,,,,,,,
890165,Burning sensation,23.10,Condition aggravated,23.10,Decreased activity,23.10,Limb discomfort,23.10,Loss of personal independence in daily activities,23.10
890165,Sleep disorder,23.10,Tenderness,23.10,,,,,
890166,Carbohydrate antigen 125 increased,23.10,,,,,,,
890167,Inappropriate schedule of product administration, 23.10,Musculoskeletal stiffness,23.10,Product administered at inappropriate site,23.10,Sluggishness,23.10,,
890168,Abdominal pain,23.10,Herpes zoster,23.10,Product complaint, 23.10,Pyrexia,23.10,,
890169,Injection site erythema,23.10,Injection site urticaria, 23.10,,,,,
890170,Erythema,23.10,Incomplete course of vaccination,23.10,Pain, 23.10,,,,
890171,Arthralgia,23.10,Chills,23.10,Cough,23.10,Dizziness, 23.10,Fatigue,23.10
890171,Injection site erythema,23.10,Injection site inflammation, 23.10,Injection site pain,23.10,Injection site swelling,23.10,Myalgia, 23.10
890171,Pyrexia,23.10,,,,,,,
890172,Erythema,23.10,Eye swelling,23.10,Headache,23.10,Herpes zoster, 23.10,Rash,23.10
890172,Swelling,23.10,Vaccination failure,23.10,,,,,
890173,Limb discomfort,23.10,,,,,,,
890174,Cough,23.10,Oropharyngeal pain,23.10,Pain,23.10,Pyrexia, 23.10,Rhinorrhoea,23.10
890174,SARS-CoV-2 test negative,23.10,,,,,,,
890175,Headache,23.10,Pain,23.10,Product preparation issue,23.10,,,,
890176,Death,23.10,Paralysis,23.10,,,,,
890177,No adverse event,23.10,Product preparation issue,23.10,,,,,
890178,No adverse event,23.10,Wrong product administered,23.10,,,,,

890179, Fibromyalgia, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
890180, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , ,
890181, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , ,
890182, No adverse event, 23.10, Product preparation issue, 23.10, , , , , , ,
890183, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
890184, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , , ,
890185, Burning sensation, 23.10, Dermatitis, 23.10, Dizziness, 23.10, Fall, 23.10, Migraine, 23.10
890185, Neuralgia, 23.10, Pruritus, 23.10, Syncope, 23.10, , , , ,
890186, Contusion, 23.10, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, ,
890187, Unevaluable event, 23.10, , , , , , , , , ,
890188, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , ,
890189, Computerised tomogram, 23.10, Epilepsy, 23.10, Laboratory test, 23.10, Magnetic resonance imaging, 23.10, ,
890190, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
890191, Headache, 23.10, Injection site pain, 23.10, Lethargy, 23.10, , , , ,
890192, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10
890193, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Magnetic resonance imaging abnormal, 23.10, Product administered at inappropriate site, 23.10, ,
890194, Injected limb mobility decreased, 23.10, Myalgia, 23.10, , , , , , ,
890195, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , , ,
890196, Pain, 23.10, , , , , , , , , ,
890197, Injection site cellulitis, 23.10, Injection site erythema, 23.10, , , , , , ,
890198, Arthralgia, 23.10, Fatigue, 23.10, Myalgia, 23.10, , , , ,
890199, Injection site pain, 23.10, , , , , , , , , ,
890200, Condition aggravated, 23.10, Incomplete course of vaccination, 23.10, Pulmonary mycosis, 23.10, , , , ,
890201, Feeling abnormal, 23.10, , , , , , , , , ,
890203, Injection site erythema, 23.10, Injection site urticaria, 23.10, , , , , , ,
890204, Body temperature increased, 23.10, Nausea, 23.10, Tremor, 23.10, Vomiting, 23.10, ,
890205, Headache, 23.10, Nausea, 23.10, Pallor, 23.10, Syncope, 23.10, Vomiting, 23.10
890206, Nausea, 23.10, Pyrexia, 23.10, Tremor, 23.10, , , , ,
890207, Blister, 23.10, Injection site erythema, 23.10, Injection site oedema, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10
890207, Injection site vesicles, 23.10, Paraesthesia, 23.10, Purpura, 23.10, , , , ,
890208, Seizure, 23.10, , , , , , , , , ,
890209, Underdose, 23.10, , , , , , , , , ,

890210,Rash,23.10,,,,,,,,,
890211,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Rash erythematous,23.10,Rash pruritic,
23.10
890211,Skin warm,23.10,,,,,,,,,
890212,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
890213,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pain,23.10,Product administered at
inappropriate site,23.10
890214,Erythema,23.10,Fatigue,23.10,Malaise,23.10,Nausea,23.10,Pain in
extremity,23.10
890214,Peripheral swelling,23.10,,,,,,,,,
890215,Fatigue,23.10,Malaise,23.10,Muscular weakness,23.10,Oral
herpes,23.10,Pain in extremity,23.10
890215,Somnolence,23.10,,,,,,,,,
890216,Headache,23.10,Injection site pain,23.10,Malaise,23.10,Nausea,
23.10,Pain in extremity,23.10
890217,Eye movement disorder,23.10,Loss of consciousness,23.10,,,,,,,,,
890218,Dyskinesia,23.10,Muscle rigidity,23.10,,,,,,,,,
890219,Immediate post-injection reaction,23.10,Injection site pain,
23.10,Pain,23.10,,,,,
890220,Rash,23.10,Urticaria,23.10,,,,,,,,,
890221,Arthralgia,23.10,Headache,23.10,Injection site rash,23.10,,,,,
890222,Abdominal pain upper,23.10,Headache,23.10,Injection site pain,
23.10,Pyrexia,23.10,,
890230,Abdominal pain upper,23.10,Asthenia,23.10,Chills,23.10,Feeling
abnormal,23.10,Headache,23.10
890230,Illness,23.10,Malaise,23.10,Muscle spasms,23.10,,,,,
890231,Injection site vesicles,23.10,,,,,,,,,
890232,Feeling abnormal,23.10,,,,,,,,,
890233,Fatigue,23.10,Pyrexia,23.10,,,,,,,,,
890234,Dizziness,23.10,Fatigue,23.10,,,,,,,,,
890235,Arthralgia,23.10,Diarrhoea,23.10,Fatigue,23.10,Inappropriate
schedule of product administration,23.10,Injected limb mobility
decreased,23.10
890235,Injection site induration,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,Joint
swelling,23.10
890235,Mobility decreased,23.10,,,,,,,,,
890236,Fatigue,23.10,Pain in extremity,23.10,Tenderness,23.10,,,,,
890237,Feeling abnormal,23.10,Feeling hot,23.10,Migraine,23.10,Pain in
extremity,23.10,Pyrexia,23.10
890237,Vomiting,23.10,,,,,,,,,
890238,Pain in extremity,23.10,,,,,,,,,
890239,Transient global amnesia,23.10,,,,,,,,,
890240,Chills,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,,
890241,Malaise,23.10,,,,,,,,,
890242,Asthenia,23.10,Colitis microscopic,23.10,Defaecation urgency,

23.10,Diarrhoea,23.10,Feeding disorder,23.10
890242,Frequent bowel movements,23.10,Weight decreased,23.10,,,,,
890243,Dizziness,23.10,Fall,23.10,Influenza like illness,
23.10,Muscular weakness,23.10,,
890244,Injection site erythema,23.10,Injection site induration,
23.10,Pain,23.10,,,,,
890245,Injection site erythema,23.10,Injection site hypoaesthesia,
23.10,Injection site paraesthesia,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
890246,Wrong product administered,23.10,,,,,
890247,Injected limb mobility decreased,23.10,Pain,23.10,X-ray,
23.10,,,,,
890248,Erythema,23.10,Local reaction,23.10,Pruritus,23.10,Skin warm,
23.10,Swelling,23.10
890249,Injection site swelling,23.10,Wrong product administered,
23.10,,,,,
890250,Dizziness,23.10,Fatigue,23.10,Injected limb mobility decreased,
23.10,Myalgia,23.10,Nausea,23.10
890250,Vision blurred,23.10,,,,,
890251,Neuralgia,23.10,,,,,
890252,Dyskinesia,23.10,Immediate post-injection reaction,
23.10,Injection site pain,23.10,Insomnia,23.10,Pain in extremity,23.10
890252,Product administered at inappropriate site,23.10,,,,,
890253,Dizziness,23.10,Fatigue,23.10,Headache,23.10,Myalgia,
23.10,Tinnitus,23.10
890254,Erythema,23.10,Injection site bruising,23.10,Injection site
erythema,23.10,Pain in extremity,23.10,Peripheral swelling,23.10
890255,Pain,23.10,Pyrexia,23.10,,,,,
890256,Pain in extremity,23.10,Paraesthesia,23.10,Swelling,
23.10,Swelling face,23.10,,
890257,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
890258,Pruritus,23.10,Rash,23.10,,,,,
890259,Erythema,23.10,Injection site swelling,23.10,Pain in extremity,
23.10,Skin warm,23.10,,
890260,Chills,23.10,Night sweats,23.10,Pain,23.10,Pyrexia,23.10,,
890261,Chills,23.10,Insomnia,23.10,Pyrexia,23.10,,,,,
890262,No adverse event,23.10,Wrong product administered,23.10,,,,,
890263,Contusion,23.10,Erythema,23.10,,,,,
890264,Hypoaesthesia,23.10,Pain in extremity,23.10,Paraesthesia,
23.10,,,,,
890265,Wrong product administered,23.10,,,,,
890266,Injection site pain,23.10,Injection site reaction,
23.10,Urticaria,23.10,,,,,
890267,Balance disorder,23.10,Condition aggravated,23.10,Headache,
23.10,Hypoaesthesia,23.10,Mental impairment,23.10
890267,Multiple sclerosis,23.10,,,,,
890268,Erythema,23.10,Pruritus,23.10,Skin warm,23.10,Swelling,23.10,,
890269,Blister,23.10,Erythema,23.10,Herpes zoster,23.10,Pain,
23.10,Pain of skin,23.10
890269,Rash,23.10,Sensitive skin,23.10,Swelling,23.10,,,,,

890270,Axillary pain,23.10,Burning sensation,23.10,,,,,,
890280,No adverse event,23.10,Product storage error,23.10,,,,,,
890282,Extra dose administered,23.10,No adverse event,23.10,,,,,,
890283,Product storage error,23.10,,,,,,
890285,Syncope,23.10,,,,,,
890287,No adverse event,23.10,Product storage error,23.10,,,,,,
890288,No adverse event,23.10,Product storage error,23.10,,,,,,
890289,No adverse event,23.10,Product storage error,23.10,,,,,,
890290,No adverse event,23.10,Product storage error,23.10,,,,,,
890291,No adverse event,23.10,Product storage error,23.10,,,,,,
890292,No adverse event,23.10,Product storage error,23.10,,,,,,
890293,No adverse event,23.10,Product storage error,23.10,,,,,,
890294,No adverse event,23.10,Product storage error,23.10,,,,,,
890295,No adverse event,23.10,Product storage error,23.10,,,,,,
890299,Pain,23.10,Pyrexia,23.10,,,,,
890300,Illness,23.10,Influenza,23.10,Vaccination failure,23.10,,,,
890301,Influenza,23.10,Vaccination failure,23.10,,,,,
890302,Antibody test,23.10,Influenza like illness,23.10,Injection site
erythema,23.10,Injection site mass,23.10,Injection site swelling,23.10
890302,Injection site warmth,23.10,Pyrexia,23.10,,,,,
890303,Chills,23.10,Computerised tomogram thorax abnormal,23.10,Cough,
23.10,Death,23.10,Diarrhoea,23.10
890303,Fatigue,23.10,H1N1 influenza,23.10,Hypotension,23.10,Influenza
A virus test positive,23.10,Intensive care,23.10
890303,Legionella infection,23.10,Legionella test positive,
23.10,Pneumonia,23.10,Polymerase chain reaction positive,
23.10,Pyrexia,23.10
890303,Rhinorrhoea,23.10,Sepsis,23.10,Vaccination failure,23.10,,,,
890304,Chest X-ray normal,23.10,Cough,23.10,Dyspnoea,23.10,Dyspnoea
exertional,23.10,Enterovirus infection,23.10
890304,Enterovirus test positive,23.10,Fatigue,23.10,H1N1 influenza,
23.10,Human rhinovirus test positive,23.10,Influenza A virus test
positive,23.10
890304,Loss of personal independence in daily activities,
23.10,Pneumonia bacterial,23.10,Polymerase chain reaction positive,
23.10,Pulmonary congestion,23.10,Rhinovirus infection,23.10
890304,Sputum discoloured,23.10,Upper respiratory tract infection,
23.10,Vaccination failure,23.10,,,,
890305,Diarrhoea haemorrhagic,23.10,Gastrointestinal disorder,
23.10,,,,,
890306,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
890307,Vision blurred,23.10,,,,,,
890308,Atrial fibrillation,23.10,,,,,,
890310,Rash,23.10,,,,,,
890312,Gastroenteritis viral,23.10,Illness,23.10,Impaired work
ability,23.10,Pharyngitis streptococcal,23.10,,
890313,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
890314,Dyskinesia,23.10,Eye movement disorder,23.10,Immediate post-
injection reaction,23.10,Pallor,23.10,Syncope,23.10

890315,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
890316,Unevaluable event,23.10,,,,,,
890317,Erythema,23.10,Malaise,23.10,Skin warm,23.10,,,,,
890319,Rash,23.10,Rash erythematous,23.10,Urticaria,23.10,,,,,
890320,Chills,23.10,Fatigue,23.10,Influenza,23.10,Pain,23.10,Pyrexia,
23.10
890322,Facial paralysis,23.10,,,,,,
890323,Chills,23.10,Lethargy,23.10,Mobility decreased,23.10,Pain,
23.10,Pyrexia,23.10
890324,Cranial nerve paralysis,23.10,Eye movement disorder,23.10,,,,,
890325,Heart rate increased,23.10,Palpitations,23.10,,,,,
890326,Unevaluable event,23.10,,,,,,
890327,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
890328,Asthenia,23.10,Injection site pain,23.10,Injection site
swelling,23.10,Pain,23.10,,
890329,Arthralgia,23.10,,,,,,
890330,Dizziness,23.10,Loss of consciousness,23.10,,,,,
890331,Arthralgia,23.10,Feeling abnormal,23.10,Influenza like illness,
23.10,Pain,23.10,Pruritus,23.10
890331,Urticaria,23.10,,,,,,
890332,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
890333,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Limb injury,23.10,Magnetic resonance imaging abnormal,
23.10,Surgery,23.10
890333,Vaccination complication,23.10,,,,,,
890344,Injection site erythema,23.10,Injection site oedema,
23.10,Injection site reaction,23.10,Injection site urticaria,
23.10,Pallor,23.10
890344,Rash pruritic,23.10,,,,,,
890347,No adverse event,23.10,Product storage error,23.10,,,,,
890348,No adverse event,23.10,Product storage error,23.10,,,,,
890352,Hypersensitivity,23.10,Rash,23.10,Swelling,23.10,,,,,
890353,Deafness unilateral,23.10,Ear discomfort,23.10,,,,,
890354,Chills,23.10,Dyskinesia,23.10,Pain in extremity,23.10,,,,,
890355,Chills,23.10,Delirium,23.10,Fall,23.10,Nausea,23.10,Pyrexia,
23.10
890355,Vomiting,23.10,,,,,,
890356,Urticaria,23.10,,,,,,
890357,Unevaluable event,23.10,,,,,,
890358,Urticaria,23.10,,,,,,
890359,Headache,23.10,Injection site induration,23.10,Injection site
mass,23.10,Injection site warmth,23.10,,
890360,Asthenia,23.10,Dizziness,23.10,Eye movement disorder,
23.10,Feeling abnormal,23.10,Heart rate increased,23.10
890360,Loss of consciousness,23.10,Pallor,23.10,,,,,
890361,Myalgia,23.10,,,,,,
890362,Asthenia,23.10,Confusional state,23.10,Dysarthria,
23.10,Immediate post-injection reaction,23.10,Tremor,23.10

890363, Chills, 23.10, Condition aggravated, 23.10, Eye swelling, 23.10, Headache, 23.10, Lacrimation increased, 23.10
890363, Paranasal sinus hypersecretion, 23.10, Sinus disorder, 23.10, Swelling face, 23.10, Throat tightness, 23.10,,
890364, Chills, 23.10, Headache, 23.10, Oropharyngeal pain, 23.10, Pain, 23.10,,
890365, Erythema, 23.10, Skin warm, 23.10,,,,,
890366, Chest discomfort, 23.10, Chest pain, 23.10, Dyspnoea, 23.10, Electrocardiogram abnormal, 23.10, Hypersensitivity, 23.10
890366, Paraesthesia, 23.10, Sinus tachycardia, 23.10,,,,,
890368, Chills, 23.10, Fatigue, 23.10, Pain, 23.10,,,,
890369, Injection site urticaria, 23.10,,,,,
890370, Chills, 23.10, Cold sweat, 23.10, Headache, 23.10, Hyperhidrosis, 23.10,,
890371, Chills, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Myalgia, 23.10
890371, Nausea, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,
890372, Rash, 23.10,,,,,
890375, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
890376, Arthralgia, 23.10, Injection site swelling, 23.10, Pain in extremity, 23.10,,,,
890378, Contusion, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10,,,,
890379, Axillary pain, 23.10, Breast pain, 23.10, Chest pain, 23.10, Chills, 23.10, Injected limb mobility decreased, 23.10
890379, Injection site cellulitis, 23.10, Injection site erythema, 23.10, Injection site nodule, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
890379, Injection site warmth, 23.10, Nausea, 23.10, Pain, 23.10,,,,
890380, Cellulitis, 23.10, Injection site induration, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
890381, Barium enema, 23.10, Diarrhoea, 23.10, Haematochezia, 23.10, Intussusception, 23.10, Laparoscopic surgery, 23.10
890381, Procedural failure, 23.10, Small intestinal intussusception reduction, 23.10, Small intestinal obstruction, 23.10, Surgery, 23.10, Vomiting, 23.10
890382, Arthralgia, 23.10, Pain in extremity, 23.10, Painful respiration, 23.10,,,,
890384, Musculoskeletal stiffness, 23.10, Unresponsive to stimuli, 23.10, Vomiting, 23.10,,,,
890385, Arthralgia, 23.10, Asthenia, 23.10, Pain, 23.10,,,,
890386, Induration, 23.10, Swelling, 23.10,,,,,
890387, Erythema, 23.10, Musculoskeletal stiffness, 23.10, Pyrexia, 23.10,,,,
890388, Pain in extremity, 23.10, Weight bearing difficulty, 23.10,,,,,
890389, Injection site erythema, 23.10, Injection site pruritus, 23.10,,,,,
890390, Erythema, 23.10, Injection site reaction, 23.10, Lethargy, 23.10, Local reaction, 23.10,,
890391, Cough, 23.10, Dysphonia, 23.10, Dyspnoea, 23.10, Hypersensitivity,

23.10, Sensation of foreign body, 23.10
890391, Throat irritation, 23.10, Urticaria, 23.10, , , , , ,
890392, Erythema, 23.10, Injection site cellulitis, 23.10, Peripheral
swelling, 23.10, , , , ,
890393, Injection site pain, 23.10, Pain in extremity, 23.10, , , , , ,
890394, Blister, 23.10, Rash, 23.10, , , , , ,
890395, Vaccination site erythema, 23.10, Vaccination site swelling,
23.10, Vaccination site warmth, 23.10, , , , , ,
890396, Pruritus, 23.10, Urticaria, 23.10, , , , , ,
890397, Injection site discolouration, 23.10, Injection site irritation,
23.10, Pain, 23.10, Pruritus, 23.10, , ,
890398, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , ,
890400, Rash, 23.10, Swelling face, 23.10, Swelling of eyelid, 23.10, , , , ,
890401, Peripheral swelling, 23.10, , , , , , , ,
890402, Pain, 23.10, Pain in extremity, 23.10, , , , , ,
890404, Apnoea, 23.10, Asphyxia, 23.10, Cardio-respiratory arrest,
23.10, Cyanosis, 23.10, Death, 23.10
890404, Epistaxis, 23.10, Mouth haemorrhage, 23.10, Muscle rigidity,
23.10, Peripheral coldness, 23.10, Pulse absent, 23.10
890404, Pupil fixed, 23.10, Respiratory failure, 23.10, Unresponsive to
stimuli, 23.10, , , , ,
890406, Dizziness, 23.10, , , , , , , ,
890407, Chills, 23.10, Feeling cold, 23.10, , , , , , ,
890408, Loss of consciousness, 23.10, Syncope, 23.10, Tension, 23.10, Tremor,
23.10, , ,
890409, Asthenia, 23.10, Dreamy state, 23.10, Gaze palsy, 23.10, Loss of
consciousness, 23.10, Paranasal sinus hypersecretion, 23.10
890409, Sinus disorder, 23.10, Vomiting, 23.10, , , , , ,
890410, Asthenia, 23.10, Dizziness, 23.10, Nausea, 23.10, , , , ,
890411, Injection site erythema, 23.10, Injection site nodule,
23.10, Injection site warmth, 23.10, , , , , ,
890412, Disturbance in attention, 23.10, Dizziness, 23.10, Gait
disturbance, 23.10, , , , , ,
890413, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain,
23.10, Muscular weakness, 23.10
890413, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , ,
890415, Induration, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, , , , ,
890416, Pruritus, 23.10, Urticaria, 23.10, , , , , ,
890417, Abdominal pain upper, 23.10, Dizziness, 23.10, Nausea, 23.10, Pain,
23.10, Pain in extremity, 23.10
890417, Pyrexia, 23.10, , , , , , , ,
890418, Arthralgia, 23.10, Fatigue, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Nausea, 23.10
890418, Pyrexia, 23.10, Vomiting, 23.10, , , , , ,
890419, Injection site erythema, 23.10, Injection site pain, 23.10, , , , , ,
890420, Injection site pain, 23.10, Joint range of motion decreased,
23.10, Pain, 23.10, , , , , ,
890421, Injection site rash, 23.10, Rash erythematous, 23.10, Rash papular,
23.10, Rash pruritic, 23.10, , ,

890422, Cough, 23.10, Dysphonia, 23.10, Headache, 23.10, Lacrimation increased, 23.10, Ocular hyperaemia, 23.10
890422, Palpitations, 23.10, Pharyngeal swelling, 23.10, Sinus congestion, 23.10, , , , ,
890423, Erythema, 23.10, Headache, 23.10, , , , , , ,
890424, Blood test normal, 23.10, Chills, 23.10, Lymph node pain, 23.10, Lymphadenopathy, 23.10, Pain, 23.10
890424, Skin warm, 23.10, White blood cell count normal, 23.10, , , , , , ,
890425, Fatigue, 23.10, Lip swelling, 23.10, Paraesthesia, 23.10, Peripheral swelling, 23.10, ,
890426, Injection site bruising, 23.10, Injection site nodule, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10, ,
890427, Palpitations, 23.10, , , , , , , ,
890428, Dizziness, 23.10, Feeling hot, 23.10, Injection site haemorrhage, 23.10, , , , ,
890429, Hypoaesthesia, 23.10, Paraesthesia, 23.10, , , , , , ,
890431, Rash, 23.10, , , , , , , ,
890432, Injection site discharge, 23.10, , , , , , , ,
890433, Paraesthesia, 23.10, Paraesthesia oral, 23.10, , , , , , ,
890434, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
890435, Peripheral swelling, 23.10, Skin warm, 23.10, , , , , , ,
890436, Chills, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
890437, Chills, 23.10, Herpes zoster, 23.10, Pain, 23.10, Pyrexia, 23.10, Rash, 23.10
890438, Injection site erythema, 23.10, , , , , , , ,
890440, Lip swelling, 23.10, Swelling face, 23.10, Urticaria, 23.10, , , , ,
890443, Asthenia, 23.10, Nausea, 23.10, , , , , , ,
890444, Pain, 23.10, Pyrexia, 23.10, , , , , , ,
890445, Cerebrovascular accident, 23.10, Confusional state, 23.10, Device power source issue, 23.10, Disorientation, 23.10, Laboratory test, 23.10
890445, Mobility decreased, 23.10, , , , , , , ,
890446, Blister, 23.10, Rash, 23.10, , , , , , ,
890447, Dyspnoea, 23.10, , , , , , , ,
890448, Injection site inflammation, 23.10, Injection site warmth, 23.10, Rash erythematous, 23.10, , , , ,
890449, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Swelling, 23.10, ,
890450, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, ,
890453, Asthenia, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10, , ,
890454, Headache, 23.10, Insomnia, 23.10, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10
890455, Pain in extremity, 23.10, , , , , , , ,
890456, Fatigue, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, ,
890457, Chills, 23.10, Eye pain, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10
890457, Vaccine positive rechallenge, 23.10, , , , , , , ,
890459, Abdominal discomfort, 23.10, Chills, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10

890460, Incomplete course of vaccination, 23.10, Throat tightness, 23.10, , , , , , ,
890461, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
890462, Chest discomfort, 23.10, Dyspnoea, 23.10, Wheezing, 23.10, , , , ,
890463, Asthenia, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10
890463, Pain, 23.10, Pyrexia, 23.10, , , , , , ,
890464, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
890465, Headache, 23.10, Pyrexia, 23.10, , , , , , ,
890467, Injection site rash, 23.10, , , , , , , ,
890468, Erythema, 23.10, Urticaria, 23.10, , , , , , ,
890469, Ear pain, 23.10, Fatigue, 23.10, Induration, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
890469, Injection site pruritus, 23.10, Injection site swelling, 23.10, Lymphadenopathy, 23.10, Malaise, 23.10, Myalgia, 23.10
890469, Oropharyngeal pain, 23.10, Pyrexia, 23.10, , , , , , ,
890470, Contusion, 23.10, Erythema, 23.10, Pruritus, 23.10, Rash, 23.10, Skin warm, 23.10
890471, Arthralgia, 23.10, Asthenia, 23.10, Fatigue, 23.10, Migraine, 23.10, Pain, 23.10
890471, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , , ,
890472, Fatigue, 23.10, Mobility decreased, 23.10, Muscle fatigue, 23.10, Muscular weakness, 23.10, Myalgia, 23.10
890472, Pain in extremity, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, , , , , ,
890473, Oropharyngeal pain, 23.10, , , , , , , ,
890475, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
890476, Back pain, 23.10, Ear pain, 23.10, , , , , , ,
890477, Loss of consciousness, 23.10, Urinary incontinence, 23.10, , , , , , ,
890480, Syncope, 23.10, , , , , , , ,
890481, Injection site haemorrhage, 23.10, Injection site swelling, 23.10, , , , , , ,
890482, Arthralgia, 23.10, Burning sensation, 23.10, Contusion, 23.10, Fatigue, 23.10, Injection site pain, 23.10
890482, Nausea, 23.10, Tremor, 23.10, , , , , , ,
890483, Dizziness, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Tremor, 23.10, ,
890484, Swollen tongue, 23.10, , , , , , , ,
890485, Cough, 23.10, Feeling abnormal, 23.10, Injection site erythema, 23.10, Injection site papule, 23.10, Injection site rash, 23.10
890485, Rash erythematous, 23.10, Rash papular, 23.10, Retching, 23.10, , , , , ,
890486, Erythema, 23.10, Scab, 23.10, Skin lesion, 23.10, , , , , ,
890488, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , ,
890489, Chills, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , , ,
890491, Rash, 23.10, , , , , , , ,
890492, Cold sweat, 23.10, Loss of consciousness, 23.10, Pallor, 23.10, , , , , ,
890493, Product administered to patient of inappropriate age, 23.10, Underdose, 23.10, , , , , , ,
890494, Haematoma, 23.10, Pain in extremity, 23.10, , , , , , ,

890495,Pain in extremity,23.10,Ultrasound scan normal,23.10,,,,,
890496,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,,,,
890497,Injection site hypoaesthesia,23.10,,,,,,
890498,Dizziness,23.10,Fall,23.10,Feeling abnormal,23.10,Gait
disturbance,23.10,Headache,23.10
890498,Hypopnoea,23.10,Incoherent,23.10,Nausea,23.10,Ocular
hyperaemia,23.10,Syncope,23.10
890499,Administration site reaction,23.10,Administration site warmth,
23.10,Gastrointestinal disorder,23.10,Injection site erythema,
23.10,Nausea,23.10
890499,Pyrexia,23.10,Urticaria,23.10,Vomiting,23.10,,,,,
890500,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
890501,Injection site pain,23.10,Neck pain,23.10,Pain,23.10,,,,,
890502,Loss of consciousness,23.10,Syncope,23.10,,,,,
890503,Chills,23.10,Decreased appetite,23.10,Fatigue,23.10,Injection
site pain,23.10,Myalgia,23.10
890503,Pyrexia,23.10,Tremor,23.10,,,,,
890504,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
890505,Chest pain,23.10,Injected limb mobility decreased,
23.10,Injection site pain,23.10,Pain in extremity,23.10,,
890506,Syncope,23.10,,,,,,
890507,Pharyngeal swelling,23.10,Respiratory tract congestion,
23.10,,,,,
890508,Arthralgia,23.10,Chills,23.10,Disturbance in attention,
23.10,Fatigue,23.10,Headache,23.10
890508,Malaise,23.10,Myalgia,23.10,,,,,
890510,Injection site erythema,23.10,Injection site swelling,
23.10,Rash macular,23.10,,,,,
890512,Posture abnormal,23.10,Unresponsive to stimuli,23.10,,,,,
890513,Blood pressure normal,23.10,Syncope,23.10,,,,,
890514,Arthralgia,23.10,Pain in extremity,23.10,,,,,
890515,Fall,23.10,Headache,23.10,Hunger,23.10,Loss of consciousness,
23.10,Thirst,23.10
890516,Injection site nodule,23.10,,,,,,
890517,Blood pressure increased,23.10,Body temperature increased,
23.10,Tremor,23.10,,,,,
890518,Erythema,23.10,Hypoaesthesia,23.10,Peripheral swelling,
23.10,Pyrexia,23.10,Skin warm,23.10
890519,Malaise,23.10,Syncope,23.10,,,,,
890520,Chest discomfort,23.10,Dyspnoea,23.10,Pharyngeal disorder,
23.10,Pruritus,23.10,Swelling,23.10
890520,Throat tightness,23.10,,,,,,
890521,Flat affect,23.10,Myoclonus,23.10,Tonic convulsion,
23.10,Unresponsive to stimuli,23.10,,
890522,Musculoskeletal stiffness,23.10,Seizure,23.10,,,,,
890523,Dizziness,23.10,Head injury,23.10,Loss of consciousness,
23.10,Syncope,23.10,,
890524,Hyperhidrosis,23.10,Hypotension,23.10,Syncope,23.10,,,,,
890525,Injected limb mobility decreased,23.10,Injection site

discomfort,23.10,Injection site pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10
890526,Injection site erythema,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,Rash macular,23.10,,
890527,Nodule,23.10,Scab,23.10,,,,,
890528,Erythema,23.10,Feeling hot,23.10,Musculoskeletal stiffness,
23.10,,,,,
890529,Choking,23.10,Loss of consciousness,23.10,Nausea,
23.10,Retching,23.10,Throat tightness,23.10
890529,Vomiting,23.10,,,,,
890530,Injection site erythema,23.10,,,,,
890531,Chills,23.10,Tremor,23.10,,,,,
890533,Chills,23.10,Fatigue,23.10,Influenza like illness,23.10,Skin
warm,23.10,,
890534,No adverse event,23.10,Wrong product administered,23.10,,,,,
890535,Cellulitis,23.10,Peripheral swelling,23.10,,,,,
890537,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Musculoskeletal stiffness,23.10,,
890538,Blood pressure increased,23.10,Cellulitis,23.10,Chills,
23.10,Injection site erythema,23.10,Injection site pain,23.10
890538,Injection site swelling,23.10,Pyrexia,23.10,,,,,
890539,Pain,23.10,,,,,
890540,Erythema,23.10,Peripheral swelling,23.10,,,,,
890541,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
890543,Hypersomnia,23.10,Pain in extremity,23.10,Somnolence,23.10,,,,
890545,Chills,23.10,Diarrhoea,23.10,Headache,23.10,Pain,23.10,Tremor,
23.10
890546,Chills,23.10,Delirium,23.10,Headache,23.10,Injection site pain,
23.10,Pain,23.10
890546,Pyrexia,23.10,,,,,
890548,Fall,23.10,Loss of consciousness,23.10,Syncope,
23.10,Unresponsive to stimuli,23.10,,
890551,Aphasia,23.10,Condition aggravated,23.10,Fatigue,23.10,Feeling
abnormal,23.10,Headache,23.10
890551,Mental impairment,23.10,Migraine,23.10,,,,,
890552,Biopsy skin abnormal,23.10,Lichen planus,23.10,Pruritus,
23.10,Rash,23.10,,
890553,Pharyngeal swelling,23.10,Pruritus,23.10,,,,,
890554,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,
890555,Chills,23.10,Fatigue,23.10,Headache,23.10,Influenza like
illness,23.10,Pain,23.10
890556,Blood test,23.10,Computerised tomogram,23.10,Loss of
consciousness,23.10,Seizure,23.10,Tongue biting,23.10
890556,Tongue injury,23.10,Urine analysis,23.10,,,,,
890557,Blood test,23.10,Computerised tomogram,23.10,Guillain-Barre
syndrome,23.10,Lumbar puncture,23.10,Magnetic resonance imaging,23.10
890558,Diarrhoea,23.10,Eye swelling,23.10,Flatulence,23.10,Headache,
23.10,Lethargy,23.10

890558, Neck pain, 23.10, Pain, 23.10, Rhinorrhoea, 23.10, Urticaria, 23.10, Vertigo, 23.10
890559, Injection site bruising, 23.10, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , ,
890561, Malaise, 23.10, Pain, 23.10, , , , , ,
890562, Arthralgia, 23.10, Burning sensation, 23.10, Hypoaesthesia, 23.10, Pain in extremity, 23.10, Radiculitis brachial, 23.10
890565, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10, , , , ,
890566, Dyspnoea, 23.10, Feeling hot, 23.10, Pain, 23.10, Throat tightness, 23.10, ,
890568, Burning sensation, 23.10, Herpes zoster, 23.10, Rash, 23.10, , , , ,
890569, Injection site erythema, 23.10, Injection site oedema, 23.10, Injection site swelling, 23.10, Skin disorder, 23.10, ,
890570, Asthenia, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10
890570, Pyrexia, 23.10, , , , , , , ,
890571, Chills, 23.10, Discomfort, 23.10, Headache, 23.10, Herpes zoster, 23.10, Mobility decreased, 23.10
890571, Myalgia, 23.10, Pain, 23.10, , , , , ,
890572, Urticaria, 23.10, , , , , , , ,
890574, Axillary pain, 23.10, Swelling, 23.10, Tenderness, 23.10, , , , ,
890575, Arthralgia, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Nausea, 23.10, Pain, 23.10
890576, Chills, 23.10, Fatigue, 23.10, Injection site pain, 23.10, Micturition urgency, 23.10, Sleep disorder, 23.10
890577, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , ,
890578, Electromyogram normal, 23.10, Magnetic resonance imaging normal, 23.10, Pain, 23.10, Pain in extremity, 23.10, ,
890579, Injection site discomfort, 23.10, Injection site swelling, 23.10, , , , , , ,
890580, Pain, 23.10, Productive cough, 23.10, Pyrexia, 23.10, Throat irritation, 23.10, ,
890581, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Periarthritis, 23.10, Product administered at inappropriate site, 23.10, ,
890582, Dizziness, 23.10, Migraine, 23.10, , , , , , ,
890583, Dizziness, 23.10, Immediate post-injection reaction, 23.10, , , , , , ,
890585, Feeling hot, 23.10, Hypoaesthesia, 23.10, Inflammation, 23.10, , , , , ,
890586, Aphasia, 23.10, Chills, 23.10, Pyrexia, 23.10, Tremor, 23.10, , ,
890587, Aphasia, 23.10, Asthenia, 23.10, Blood creatinine normal, 23.10, Blood gases, 23.10, Cerebrovascular accident, 23.10
890587, Haematology test, 23.10, Laboratory test, 23.10, Microbiology test, 23.10, , , , ,
890588, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , ,
890590, Chills, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , ,
890591, Chills, 23.10, Dizziness, 23.10, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10
890592, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site rash, 23.10, Rash, 23.10, , ,
890593, Back pain, 23.10, Face oedema, 23.10, Hypoaesthesia, 23.10, Muscular

weakness,23.10,Oedema peripheral,23.10
890593,Pain in extremity,23.10,,,,,,,
890594,Intensive care,23.10,Seizure,23.10,,,,,
890595,Erythema,23.10,Pruritus,23.10,,,,,
890597,Chills,23.10,Decreased appetite,23.10,Headache,
23.10,Hyperhidrosis,23.10,Muscle spasms,23.10
890597,Nausea,23.10,,,,,,,
890599,Blister,23.10,Erythema,23.10,Pain,23.10,Swelling,23.10,,
890600,Chills,23.10,Dizziness,23.10,Headache,23.10,Malaise,23.10,Pain,
23.10
890600,Pyrexia,23.10,Somnolence,23.10,,,,,
890602,Pain in extremity,23.10,,,,,,,
890603,Injection site pain,23.10,Pain in extremity,23.10,Product
administered at inappropriate site,23.10,,,,
890604,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,Pain,
23.10
890605,Fatigue,23.10,Pain,23.10,Pyrexia,23.10,Skin warm,
23.10,Swelling,23.10
890606,Chest discomfort,23.10,Sensation of foreign body,23.10,Vision
blurred,23.10,,,,
890607,Chills,23.10,Fatigue,23.10,Pain in extremity,23.10,Pyrexia,
23.10,,
890608,Erythema,23.10,,,,,,,
890609,Erythema,23.10,Peripheral swelling,23.10,Pruritus,23.10,,,,
890614,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,,,
890617,Blood creatine phosphokinase normal,23.10,Chest X-ray normal,
23.10,Chest pain,23.10,Electrocardiogram normal,23.10,Fatigue,23.10
890617,Full blood count normal,23.10,Headache,23.10,Lipase normal,
23.10,Myalgia,23.10,Palpitations,23.10
890617,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,Troponin I normal,
23.10,,,,
890618,Hypoaesthesia,23.10,Paraesthesia,23.10,,,,,
890619,Burning mouth syndrome,23.10,,,,,,,
890620,Bronchial disorder,23.10,Dysphagia,23.10,Eye discharge,
23.10,Eye swelling,23.10,Glossodynia,23.10
890620,Headache,23.10,Heart rate increased,23.10,Lacrimation
increased,23.10,Respiratory tract congestion,23.10,Rhinalgia,23.10
890620,Rhinorrhoea,23.10,,,,,,,
890621,Decreased appetite,23.10,Injection site swelling,23.10,Nausea,
23.10,Pyrexia,23.10,Skin warm,23.10
890622,Mobility decreased,23.10,Pain in extremity,23.10,Rash,23.10,,,,
890623,Injection site pain,23.10,Injection site rash,23.10,Injection
site swelling,23.10,Pyrexia,23.10,,
890624,Syncope,23.10,,,,,,,
890625,Blood pressure decreased,23.10,Dizziness,23.10,Feeling
abnormal,23.10,Pallor,23.10,Visual impairment,23.10
890627,Arthralgia,23.10,Burning sensation,23.10,Injection site pain,
23.10,Injection site warmth,23.10,Sleep disorder,23.10
890628,Injection site haemorrhage,23.10,Pallor,23.10,Syncope,23.10,,,,

890629, Contusion, 23.10, Erythema, 23.10, Skin warm, 23.10, , , , ,
890630, Asthenia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Eye pruritus,
23.10, Fatigue, 23.10
890630, Lacrimation increased, 23.10, Nausea, 23.10, Pharyngeal swelling,
23.10, Tremor, 23.10, ,
890631, Cough, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Headache,
23.10, Nausea, 23.10
890631, Oropharyngeal pain, 23.10, Pain, 23.10, Pyrexia, 23.10, SARS-CoV-2
test, 23.10, ,
890632, Abnormal faeces, 23.10, Blood test abnormal, 23.10, Hepatic enzyme
abnormal, 23.10, Immediate post-injection reaction, 23.10, Immunoglobulins
decreased, 23.10
890632, Irritability, 23.10, Liver function test abnormal,
23.10, Neutropenia, 23.10, Neutrophil count decreased, 23.10, Pyrexia, 23.10
890632, Transient hypogammaglobulinaemia of infancy, 23.10, , , , , , , , ,
890633, Musculoskeletal stiffness, 23.10, Pain in extremity, 23.10, , , , , , ,
890634, Injection site pain, 23.10, , , , , , , , ,
890635, Hypersensitivity, 23.10, Injection site erythema, 23.10, Injection
site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling,
23.10
890635, Injection site warmth, 23.10, , , , , , , , ,
890637, Paraesthesia, 23.10, Pyrexia, 23.10, , , , , , , , ,
890638, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, Vomiting, 23.10, ,
890639, Blood culture negative, 23.10, Erythema, 23.10, Haemoglobin normal,
23.10, Neutrophil count decreased, 23.10, Neutrophil percentage
decreased, 23.10
890639, Pallor, 23.10, Papule, 23.10, Platelet count normal, 23.10, Pyrexia,
23.10, Rash, 23.10
890639, White blood cell count decreased, 23.10, , , , , , , , ,
890640, Lymphadenopathy, 23.10, Pyrexia, 23.10, , , , , , , , ,
890641, Asthenia, 23.10, Body temperature increased, 23.10, Cerebrovascular
accident, 23.10, Muscle spasms, 23.10, Musculoskeletal stiffness, 23.10
890641, Pain, 23.10, Thrombosis, 23.10, , , , , , , , ,
890642, Chills, 23.10, Pyrexia, 23.10, , , , , , , , ,
890662, Inappropriate schedule of product administration, 23.10, , , , , , , , ,
890667, Hodgkin's disease, 23.10, Product administered at inappropriate
site, 23.10, , , , , , , , ,
890668, Syncope, 23.10, , , , , , , , ,
890669, Syncope, 23.10, , , , , , , , ,
890670, COVID-19, 23.10, Chest discomfort, 23.10, Cough, 23.10, Dyspnoea,
23.10, Dysstasia, 23.10
890670, Epistaxis, 23.10, Influenza, 23.10, Malaise, 23.10, Nausea,
23.10, Pyrexia, 23.10
890670, Respiratory tract congestion, 23.10, SARS-CoV-2 test positive,
23.10, Sputum discoloured, 23.10, Vomiting, 23.10, Weight decreased, 23.10
890671, Swelling, 23.10, , , , , , , , ,
890672, Paraesthesia, 23.10, Throat tightness, 23.10, , , , , , , , ,
890673, Cerebrovascular accident, 23.10, , , , , , , , ,
890674, Urticaria, 23.10, , , , , , , , ,
890675, Acute respiratory distress syndrome, 23.10, Blood culture

negative,23.10,Chest X-ray abnormal,23.10,Computerised tomogram thorax abnormal,23.10,Coronavirus infection,23.10
890675,Coronavirus test positive,23.10,Cough,23.10,Death,23.10,Dyspnoea,23.10,Enterovirus infection,23.10
890675,Fatigue,23.10,Gene sequencing,23.10,Influenza,23.10,Influenza A virus test positive,23.10,Intensive care,23.10
890675,Pneumonia bacterial,23.10,Polymerase chain reaction positive,23.10,Productive cough,23.10,Pyrexia,23.10,Respiratory failure,23.10
890675,Rhinovirus infection,23.10,Vaccination failure,23.10,,,,,
890676,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
890677,Immediate post-injection reaction,23.10,Injection site haemorrhage,23.10,Underdose,23.10,,,,,
890678,Injection site erythema,23.10,Injection site pruritus,23.10,Mass,23.10,Myalgia,23.10,Nodule,23.10
890678,Pain,23.10,Rash papular,23.10,Skin ulcer,23.10,,,,,
890679,Herpes zoster,23.10,Incomplete course of vaccination,23.10,,,,,
890680,Anaphylactic reaction,23.10,Angioedema,23.10,Urticaria,23.10,,,,,
890681,Arthralgia,23.10,,,,,
890682,Dyspnoea,23.10,Extra dose administered,23.10,Sarcoidosis,23.10,,,,,
890683,Injection site pain,23.10,,,,,
890684,Injection site pain,23.10,,,,,
890685,Fatigue,23.10,Myalgia,23.10,Pain,23.10,,,,,
890687,Incorrect dose administered,23.10,No adverse event,23.10,,,,,
890688,Feeling abnormal,23.10,Malaise,23.10,Viral infection,23.10,Weight decreased,23.10,,
890689,Dyspnoea,23.10,Paralysis,23.10,Paraplegia,23.10,Poliomyelitis,23.10,Respiratory arrest,23.10
890690,Pneumonia,23.10,,,,,
890691,Malaise,23.10,Sudden death,23.10,,,,,
890692,Pneumonia,23.10,,,,,
890693,Seizure,23.10,,,,,
890694,Death,23.10,,,,,
890695,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
890696,No adverse event,23.10,Product storage error,23.10,,,,,
890697,Rash,23.10,,,,,
890698,Lymph node pain,23.10,,,,,
890699,Vaccination site bruising,23.10,,,,,
890700,Anxiety,23.10,Erythema,23.10,Peripheral swelling,23.10,Tenderness,23.10,,
890702,Injection site bruising,23.10,Injection site pain,23.10,,,,,
890703,Hyperhidrosis,23.10,Impaired work ability,23.10,Vomiting,23.10,,,,,
890704,Facial pain,23.10,Gingival pain,23.10,Joint stiffness,23.10,Pain in jaw,23.10,Paraesthesia oral,23.10
890704,Sinus pain,23.10,,,,,
890707,Axillary pain,23.10,Diaphragmalgia,23.10,Hypoaesthesia,

23.10, Inflammation, 23.10, Injection site pain, 23.10
890707, Insomnia, 23.10, Lymph node pain, 23.10, Lymphoedema,
23.10, Musculoskeletal chest pain, 23.10, Myalgia, 23.10
890707, Pain, 23.10, Painful respiration, 23.10, Tenderness, 23.10, , , ,
890709, Atrial fibrillation, 23.10, Condition aggravated, 23.10, Erythema,
23.10, Hypersensitivity, 23.10, Influenza like illness, 23.10
890709, Joint swelling, 23.10, Pain, 23.10, Pyrexia, 23.10, , , ,
890710, Pain in extremity, 23.10, , , , , , , ,
890711, Arthralgia, 23.10, Rheumatoid arthritis, 23.10, Swelling, 23.10, , , ,
890712, Diarrhoea haemorrhagic, 23.10, Laboratory test abnormal,
23.10, , , , , ,
890713, Fatigue, 23.10, Influenza like illness, 23.10, Vaccination failure,
23.10, , , ,
890714, Myalgia, 23.10, , , , , , , ,
890715, Confusional state, 23.10, Dizziness, 23.10, Incoherent, 23.10, Loss
of consciousness, 23.10, Nausea, 23.10
890715, Pallor, 23.10, Syncope, 23.10, Throat clearing, 23.10, , , ,
890716, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , ,
890717, Anaphylactic shock, 23.10, Axillary mass, 23.10, Chills,
23.10, Fatigue, 23.10, Influenza like illness, 23.10
890717, Neck pain, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Pyrexia, 23.10, Spinal pain, 23.10
890718, Malaise, 23.10, , , , , , , ,
890719, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10, , , , , , ,
890720, Arthralgia, 23.10, Chills, 23.10, Dizziness, 23.10, Fatigue,
23.10, Headache, 23.10
890720, Musculoskeletal stiffness, 23.10, Neck pain, 23.10, Pain, 23.10, Pain
in extremity, 23.10, Pyrexia, 23.10
890720, Tremor, 23.10, , , , , , , ,
890721, Rash, 23.10, Vomiting, 23.10, , , , , , ,
890723, Rash, 23.10, Rash pruritic, 23.10, , , , , , ,
890725, Hypoaesthesia, 23.10, Hypoaesthesia oral, 23.10, Injection site
erythema, 23.10, Injection site induration, 23.10, Injection site pain,
23.10
890725, Injection site swelling, 23.10, , , , , , , ,
890726, Injection site urticaria, 23.10, Urticaria, 23.10, , , , , , ,
890727, Food craving, 23.10, Gait disturbance, 23.10, Head discomfort,
23.10, Headache, 23.10, Nausea, 23.10
890727, Pyrexia, 23.10, Vertigo, 23.10, Visual impairment, 23.10, , , , ,
890729, Hypoaesthesia, 23.10, Pain, 23.10, Paraesthesia, 23.10, , , , ,
890730, Muscle tightness, 23.10, Skin tightness, 23.10, , , , , , ,
890731, Erythema, 23.10, Swelling, 23.10, Tenderness, 23.10, , , , ,
890732, Injection site reaction, 23.10, Pruritus, 23.10, Rash erythematous,
23.10, , , , ,
890734, Abdominal discomfort, 23.10, Arthralgia, 23.10, Decreased appetite,
23.10, Headache, 23.10, Pain, 23.10
890734, Peripheral swelling, 23.10, Pyrexia, 23.10, , , , , , ,
890735, Product administered at inappropriate site, 23.10, , , , , , , ,
890736, Arthralgia, 23.10, Back pain, 23.10, Erythema, 23.10, Grip strength

decreased,23.10,Infection,23.10
890736,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Muscular weakness,
23.10,Musculoskeletal chest pain,23.10
890736,Myalgia,23.10,Pain,23.10,Pain in extremity,23.10,Pain of skin,
23.10,Peripheral coldness,23.10
890736,Pyrexia,23.10,,,,,
890738,Adrenal disorder,23.10,Blood test,23.10,Cardiovascular
evaluation,23.10,Central nervous system function test,
23.10,Computerised tomogram,23.10
890738,Depressed level of consciousness,23.10,Laboratory test,
23.10,Loss of consciousness,23.10,Magnetic resonance imaging,23.10,,
890740,Immediate post-injection reaction,23.10,Pain,23.10,Pain in
extremity,23.10,,,,
890741,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,
890742,Syncope,23.10,,,,,
890743,Fall,23.10,Lip injury,23.10,Lip swelling,23.10,Syncope,23.10,,
890744,Pain in extremity,23.10,,,,,
890745,Injection site erythema,23.10,Injection site swelling,
23.10,Skin warm,23.10,,,,
890782,Illness,23.10,,,,,
890783,Fatigue,23.10,Influenza like illness,23.10,Vaccination failure,
23.10,,,,
890784,Fatigue,23.10,,,,,
890785,Swelling,23.10,,,,,
890786,Inappropriate schedule of product administration,23.10,,,,,
890787,Fatigue,23.10,Inappropriate schedule of product administration,
23.10,,,,,
890788,Diarrhoea,23.10,Lethargy,23.10,Nausea,23.10,Pain,23.10,Pyrexia,
23.10
890788,Retching,23.10,,,,,
890789,Herpes zoster,23.10,,,,,
890790,Feeling abnormal,23.10,Illness,23.10,Malaise,23.10,,,,
890791,Erythema,23.10,Injection site urticaria,23.10,,,,,
890792,Injection site reaction,23.10,Rash macular,23.10,,,,,
890793,Guillain-Barre syndrome,23.10,,,,,
890794,Lip swelling,23.10,Rash,23.10,Urticaria,23.10,,,,
890795,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,
890796,Chills,23.10,Hot flush,23.10,Myalgia,23.10,Pain,23.10,Sleep
disorder,23.10
890797,Diarrhoea,23.10,Dizziness,23.10,Full blood count,23.10,Malaise,
23.10,Metabolic function test,23.10
890797,Urticaria,23.10,Vomiting,23.10,,,,,
890799,Injection site hypoaesthesia,23.10,Injection site pain,
23.10,Pain,23.10,,,,
890800,Urticaria,23.10,,,,,
890801,Paraesthesia,23.10,Pruritus,23.10,Rash,23.10,Rash erythematous,
23.10,,

890802, Vaccination site bruising, 23.10, Vaccination site induration, 23.10, Vaccination site swelling, 23.10, , , , ,
890803, Injection site erythema, 23.10, Injection site inflammation, 23.10, Injection site swelling, 23.10, , , , ,
890804, Body temperature increased, 23.10, Headache, 23.10, Lymph node pain, 23.10, Lymphadenopathy, 23.10, Somnolence, 23.10
890805, Blood glucose increased, 23.10, Wrong product administered, 23.10, , , , , ,
890806, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , ,
890807, Anaphylactic reaction, 23.10, Cough, 23.10, Dysphonia, 23.10, Dyspnoea, 23.10, Electrocardiogram, 23.10
890807, Feeling abnormal, 23.10, Heart rate increased, 23.10, Paraesthesia oral, 23.10, Rash macular, 23.10, Skin warm, 23.10
890807, Throat tightness, 23.10, Urticaria, 23.10, , , , , ,
890808, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pyrexia, 23.10
890808, Rhinorrhoea, 23.10, , , , , , , ,
890809, Headache, 23.10, Hypoaesthesia, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Paraesthesia, 23.10
890810, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Nasal congestion, 23.10, Pyrexia, 23.10
890810, Rhinorrhoea, 23.10, , , , , , , ,
890811, Cough, 23.10, Nasal congestion, 23.10, Rhinorrhoea, 23.10, Sneezing, 23.10, , ,
890812, Cough, 23.10, Eye swelling, 23.10, Lip swelling, 23.10, Swollen tongue, 23.10, Wheezing, 23.10
890813, Suicidal ideation, 23.10, , , , , , , ,
890814, Back pain, 23.10, Musculoskeletal stiffness, 23.10, Pain, 23.10, , , , ,
890816, Muscle spasms, 23.10, Myalgia, 23.10, Tenderness, 23.10, , , , ,
890819, Hypoaesthesia, 23.10, Pain in extremity, 23.10, , , , , ,
890820, Eye irritation, 23.10, Ocular hyperaemia, 23.10, Throat irritation, 23.10, , , , ,
890821, Dizziness, 23.10, Hypoacusis, 23.10, Injection site haemorrhage, 23.10, Injection site swelling, 23.10, , ,
890837, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
890852, Incoherent, 23.10, Posture abnormal, 23.10, Somnolence, 23.10, , , , ,
890857, Visual impairment, 23.10, , , , , , , ,
890858, Feeling abnormal, 23.10, Malaise, 23.10, , , , , , ,
890859, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
890861, Discomfort, 23.10, Injection site erythema, 23.10, Injection site warmth, 23.10, Mobility decreased, 23.10, , ,
890862, Body temperature increased, 23.10, Feeling abnormal, 23.10, Headache, 23.10, Hypoaesthesia, 23.10, Influenza like illness, 23.10
890862, Pain, 23.10, , , , , , , ,
890863, Asthenia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Injection site swelling, 23.10
890863, Injection site warmth, 23.10, Malaise, 23.10, Nausea,

23.10,Peripheral swelling,23.10,Pyrexia,23.10
890863,Skin warm,23.10,Vomiting,23.10,,,,,
890864,Burning sensation,23.10,Paraesthesia,23.10,Pruritus,23.10,,,,,
890865,Injection site erythema,23.10,Vaccination site swelling,
23.10,,,,,
890866,Blood creatine phosphokinase increased,23.10,Death,
23.10,Rhabdomyolysis,23.10,,,,,
890869,Computerised tomogram,23.10,Dysarthria,23.10,Eyelid ptosis,
23.10,Facial paralysis,23.10,Headache,23.10
890869,Hypoaesthesia,23.10,Laboratory test,23.10,Loss of personal
independence in daily activities,23.10,Mastication disorder,
23.10,Vaccination complication,23.10
890870,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
890872,Dizziness,23.10,Fall,23.10,,,,,
890873,Electromyogram abnormal,23.10,Endotracheal intubation,
23.10,Gastrointestinal tube insertion,23.10,Guillain-Barre syndrome,
23.10,Muscular weakness,23.10
890873,Pain in extremity,23.10,Respiratory depression,23.10,SARS-CoV-2
test negative,23.10,,,,,
890874,Pneumonia,23.10,,,,,
890877,Exercise tolerance decreased,23.10,Postural orthostatic
tachycardia syndrome,23.10,,,,,
890878,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
890879,Incomplete course of vaccination,23.10,Product supply issue,
23.10,,,,,
890880,Hypersensitivity,23.10,,,,,
890881,Influenza,23.10,Influenza B virus test positive,
23.10,Vaccination failure,23.10,,,,,
890882,Exposure via skin contact,23.10,Needle issue,23.10,Underdose,
23.10,,,,,
890883,Eye discharge,23.10,Eye swelling,23.10,Eyelid ptosis,23.10,,,,,
890884,Peripheral swelling,23.10,Pyrexia,23.10,Skin warm,23.10,,,,,
890885,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,,,,,
890886,Immediate post-injection reaction,23.10,Injection site
erythema,23.10,Injection site swelling,23.10,Injection site warmth,
23.10,,
890887,Muscular weakness,23.10,Pain in extremity,23.10,Paraesthesia,
23.10,,,,,
890888,Abdominal discomfort,23.10,Cardiac disorder,23.10,Chills,
23.10,Fear,23.10,Muscle twitching,23.10
890888,Vision blurred,23.10,,,,,
890889,Abdominal discomfort,23.10,Blood pressure decreased,
23.10,Diarrhoea,23.10,,,,,
890891,Arthralgia,23.10,Loss of personal independence in daily
activities,23.10,,,,,
890892,Renal pain,23.10,Sleep disorder,23.10,,,,,
890893,Lip swelling,23.10,Swelling face,23.10,Swelling of eyelid,
23.10,,,,,

890894, Blood test, 23.10, Burning sensation, 23.10, Electrocardiogram normal, 23.10, Electroencephalogram abnormal, 23.10, Electromyogram abnormal, 23.10
890894, Guillain-Barre syndrome, 23.10, Hypoaesthesia, 23.10, Magnetic resonance imaging brain, 23.10, Nerve conduction studies abnormal, 23.10, Neuralgia, 23.10
890894, Neuropathy peripheral, 23.10, Paraesthesia, 23.10, Quantitative sudomotor axon reflex test, 23.10, , , , ,
890895, Injection site erythema, 23.10, Injection site irritation, 23.10, , , , , ,
890897, Urticaria, 23.10, , , , , , , ,
890898, Hypoaesthesia, 23.10, Injection site mass, 23.10, Paraesthesia, 23.10, , , , ,
890900, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Dysstasia, 23.10, Limb discomfort, 23.10
890900, Malaise, 23.10, Nausea, 23.10, Pain, 23.10, Pain in extremity, 23.10, Tremor, 23.10
890901, Rash, 23.10, Rash erythematous, 23.10, Skin warm, 23.10, Stevens-Johnson syndrome, 23.10, , ,
890902, Chills, 23.10, Gait disturbance, 23.10, Head injury, 23.10, Pollakiuria, 23.10, Syncope, 23.10
890903, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10
890904, Product administered to patient of inappropriate age, 23.10, , , , , , , ,
890905, Back pain, 23.10, Brachial plexus injury, 23.10, Discomfort, 23.10, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10
890905, Injected limb mobility decreased, 23.10, Muscular weakness, 23.10, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10
890906, Injection site induration, 23.10, Injection site pain, 23.10, , , , , , ,
890907, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
890908, Chills, 23.10, Injection site pain, 23.10, Pain, 23.10, Tremor, 23.10, , ,
890909, Blister, 23.10, Mass, 23.10, Tenderness, 23.10, , , , ,
890910, Chills, 23.10, Tremor, 23.10, Vomiting, 23.10, , , , ,
890911, Arthralgia, 23.10, Chest pain, 23.10, Joint range of motion decreased, 23.10, Myalgia, 23.10, Pain in extremity, 23.10
890911, Periarthritis, 23.10, , , , , , , ,
890913, Chest X-ray normal, 23.10, Chest pain, 23.10, Chills, 23.10, Dizziness, 23.10, Electrocardiogram normal, 23.10
890913, Pyrexia, 23.10, , , , , , , ,
890914, Decreased appetite, 23.10, Dizziness, 23.10, Headache, 23.10, Pain, 23.10, Rhinorrhoea, 23.10
890915, Decreased appetite, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10
890915, Pyrexia, 23.10, Vomiting, 23.10, , , , , , ,
890916, Pain in extremity, 23.10, , , , , , , ,
890917, Injection site pain, 23.10, , , , , , , ,
890918, Coordination abnormal, 23.10, Hypoaesthesia, 23.10, Injection site

hypoesthesia,23.10,Injection site pain,23.10,Injection site reaction,
23.10
890918,Musculoskeletal stiffness,23.10,Pain,23.10,Pain in extremity,
23.10,,,,,
890919,Body temperature increased,23.10,Chills,23.10,,,,,,
890920,Herpes zoster,23.10,,,,,,,
890921,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site reaction,23.10,Injection site swelling,23.10,Rash
erythematous,23.10
890921,Tenderness,23.10,,,,,,,
890922,Blister,23.10,Erythema,23.10,Induration,23.10,Peripheral
swelling,23.10,Pruritus,23.10
890922,Rash,23.10,,,,,,,
890923,Herpes zoster,23.10,,,,,,,
890924,Asthenia,23.10,Back pain,23.10,Chills,23.10,Fatigue,
23.10,Feeling cold,23.10
890924,Myalgia,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,,
890926,Injection site erythema,23.10,,,,,,,
890927,Body temperature increased,23.10,Chills,23.10,Headache,
23.10,SARS-CoV-2 test negative,23.10,,
890928,CSF protein increased,23.10,Guillain-Barre syndrome,
23.10,Immunoglobulin therapy,23.10,Muscular weakness,
23.10,Paraesthesia,23.10
890929,Chills,23.10,Dizziness,23.10,Fatigue,23.10,Pain,23.10,Pyrexia,
23.10
890930,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
890931,Injection site bruising,23.10,Injection site pain,23.10,,,,,,
890932,Head injury,23.10,Syncope,23.10,,,,,,
890934,Injected limb mobility decreased,23.10,Injection site bruising,
23.10,Injection site pain,23.10,Product administered at inappropriate
site,23.10,,
890935,Arthralgia,23.10,Injection site pain,23.10,Mobility decreased,
23.10,Pain,23.10,Pain in extremity,23.10
890936,Cellulitis,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,Pain in extremity,23.10
890937,Computerised tomogram,23.10,Electrocardiogram,23.10,Full blood
count,23.10,Metabolic function test,23.10,Seizure,23.10
890939,Papule,23.10,Pruritus,23.10,Pustule,23.10,Rash,23.10,Rash
papular,23.10
890941,Dyspnoea,23.10,,,,,,,
890942,Dehydration,23.10,Diarrhoea,23.10,Pyrexia,23.10,,,,,
890943,Chills,23.10,Diarrhoea,23.10,Erythema,23.10,Headache,
23.10,Hyperhidrosis,23.10
890943,Nausea,23.10,Peripheral swelling,23.10,,,,,,
890944,Mobility decreased,23.10,,,,,,,
890945,Back pain,23.10,Erythema,23.10,Induration,23.10,Pain,23.10,Pain
in extremity,23.10
890945,Pain of skin,23.10,Rash,23.10,Scar pain,23.10,Skin warm,
23.10,Tenderness,23.10

890946, Asthenia, 23.10, Extra dose administered, 23.10, Fatigue, 23.10, Malaise, 23.10, Pain in extremity, 23.10
890947, Cellulitis, 23.10, , , , , , , , ,
890948, Pain in extremity, 23.10, , , , , , , ,
890949, Injected limb mobility decreased, 23.10, Muscular weakness, 23.10, , , , , , , ,
890951, Injection site pain, 23.10, Pain in extremity, 23.10, , , , , , , ,
890952, Eyelid ptosis, 23.10, Facial paralysis, 23.10, , , , , , , ,
890953, Erythema, 23.10, Skin warm, 23.10, , , , , , , ,
890954, Adverse reaction, 23.10, Arthralgia, 23.10, Asthenia, 23.10, Dysstasia, 23.10, Gait disturbance, 23.10
890954, Pain, 23.10, , , , , , , ,
890956, Axillary pain, 23.10, Oedema peripheral, 23.10, Tenderness, 23.10, , , , ,
890959, Injected limb mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , , ,
890960, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, , ,
890961, Ageusia, 23.10, Anosmia, 23.10, Asthenia, 23.10, Decreased appetite, 23.10, Insomnia, 23.10
890961, SARS-CoV-2 test negative, 23.10, , , , , , , , , ,
890963, Chills, 23.10, Nausea, 23.10, Paraesthesia oral, 23.10, Pyrexia, 23.10, , ,
890966, Back pain, 23.10, Burning sensation, 23.10, Dyspnoea, 23.10, Erythema, 23.10, Paraesthesia, 23.10
890967, Blister, 23.10, Herpes zoster, 23.10, Rash, 23.10, , , , , ,
890968, Headache, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Pyrexia, 23.10, , ,
890970, Injection site erythema, 23.10, Injection site swelling, 23.10, Pain in extremity, 23.10, Pruritus, 23.10, , ,
890972, Injection site pruritus, 23.10, Injection site rash, 23.10, , , , , , , ,
890973, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , , ,
890974, Injected limb mobility decreased, 23.10, Injection site induration, 23.10, Injection site warmth, 23.10, Pain in extremity, 23.10, , ,
890976, Loss of consciousness, 23.10, , , , , , , , , ,
890977, Arthralgia, 23.10, Blood culture negative, 23.10, C-reactive protein increased, 23.10, Chills, 23.10, Influenza A virus test negative, 23.10
890977, Influenza B virus test, 23.10, Influenza virus test negative, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Malaise, 23.10
890977, Metabolic function test normal, 23.10, Pyrexia, 23.10, Rash, 23.10, Tachycardia, 23.10, White blood cell count increased, 23.10
890978, Dizziness, 23.10, Dyspnoea, 23.10, Immediate post-injection reaction, 23.10, Nausea, 23.10, Pain in extremity, 23.10
890979, Dizziness, 23.10, Immediate post-injection reaction, 23.10, Vomiting, 23.10, , , , , ,
890980, Arthralgia, 23.10, Fatigue, 23.10, Hypoaesthesia, 23.10, Limb discomfort, 23.10, Pain in extremity, 23.10
890980, Paraesthesia, 23.10, , , , , , , , , , ,

890981, Asthenia, 23.10, Feeling hot, 23.10, Hyperhidrosis, 23.10, , , , ,
890982, Chills, 23.10, Erythema, 23.10, Tenderness, 23.10, Vomiting, 23.10, ,
890983, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
890984, Eye inflammation, 23.10, Periorbital swelling, 23.10, Urticaria,
23.10, , , , ,
890986, Dry mouth, 23.10, Head discomfort, 23.10, Headache, 23.10, Pyrexia,
23.10, ,
890987, Product administered to patient of inappropriate age,
23.10, , , , , , , , ,
890988, Myoclonus, 23.10, Petit mal epilepsy, 23.10, , , , , , ,
890991, Chills, 23.10, Headache, 23.10, Increased bronchial secretion,
23.10, Injection site erythema, 23.10, Injection site swelling, 23.10
890991, Injection site warmth, 23.10, Lethargy, 23.10, Malaise,
23.10, Oropharyngeal pain, 23.10, Pain in extremity, 23.10
890991, Productive cough, 23.10, Respiratory tract congestion, 23.10, Sinus
pain, 23.10, Toothache, 23.10, Tremor, 23.10
890991, Upper-airway cough syndrome, 23.10, , , , , , , , ,
890992, Blindness transient, 23.10, , , , , , , , ,
890993, Arthralgia, 23.10, Pain in extremity, 23.10, , , , , , ,
890994, Loss of consciousness, 23.10, Syncope, 23.10, Tremor, 23.10, Urinary
incontinence, 23.10, Vomiting, 23.10
890995, Immediate post-injection reaction, 23.10, Loss of consciousness,
23.10, Syncope, 23.10, , , , ,
890996, Injection site rash, 23.10, Pallor, 23.10, Pruritus, 23.10, Rash,
23.10, , ,
890997, Bed rest, 23.10, Dizziness, 23.10, Feeling cold, 23.10, Feeling hot,
23.10, Nausea, 23.10
890997, Syncope, 23.10, , , , , , , , ,
890998, Dizziness, 23.10, , , , , , , , ,
890999, Chills, 23.10, Fatigue, 23.10, Injected limb mobility decreased,
23.10, Injection site swelling, 23.10, Insomnia, 23.10
890999, Pain in extremity, 23.10, Sleep disorder, 23.10, , , , , , ,
891000, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , ,
891001, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , ,
891002, Injection site rash, 23.10, Pain in extremity, 23.10, Paraesthesia,
23.10, , , , ,
891003, Injection site erythema, 23.10, Injection site swelling,
23.10, Product administered at inappropriate site, 23.10, , , , ,
891005, Anxiety, 23.10, Dizziness, 23.10, Tinnitus, 23.10, , , , ,
891006, Face injury, 23.10, Immediate post-injection reaction, 23.10, Loss
of consciousness, 23.10, Somnolence, 23.10, Syncope, 23.10
891006, Tooth loss, 23.10, , , , , , , , ,
891007, Electrocardiogram normal, 23.10, Febrile convulsion, 23.10, , , , , , ,
891008, Pain in extremity, 23.10, , , , , , , , ,
891009, Injection site swelling, 23.10, Rash, 23.10, Urticaria, 23.10, , , , ,
891034, Syringe issue, 23.10, Underdose, 23.10, , , , , , ,
891035, Syncope, 23.10, , , , , , , , ,
891036, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,

891037, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891038, Chest pain, 23.10, Heart rate decreased, 23.10, Hypotension,
23.10, Loss of consciousness, 23.10, ,
891039, No adverse event, 23.10, , , , , , , ,
891042, Pain, 23.10, Rotator cuff syndrome, 23.10, , , , , , ,
891043, Movement disorder, 23.10, Paralysis, 23.10, Urinary incontinence,
23.10, , , , ,
891044, Herpes zoster, 23.10, , , , , , , , ,
891045, Erythema, 23.10, Induration, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
891046, Headache, 23.10, Herpes zoster, 23.10, Myalgia, 23.10, , , , ,
891047, Herpes zoster, 23.10, , , , , , , , ,
891048, Herpes zoster, 23.10, Inappropriate schedule of product
administration, 23.10, , , , , , , , ,
891049, Local reaction, 23.10, Rash, 23.10, , , , , , , , ,
891050, Herpes zoster, 23.10, Rash, 23.10, , , , , , , , ,
891051, Angiotensin converting enzyme, 23.10, Antibody test positive,
23.10, Antinuclear antibody negative, 23.10, Back pain, 23.10, Blood folate
normal, 23.10
891051, Borrelia test negative, 23.10, Demyelination, 23.10, Hypoaesthesia,
23.10, Magnetic resonance imaging abnormal, 23.10, Magnetic resonance
imaging brain abnormal, 23.10
891051, Magnetic resonance imaging spinal abnormal, 23.10, Magnetic
resonance imaging thoracic abnormal, 23.10, Multiple sclerosis,
23.10, Neurological examination abnormal, 23.10, Serology negative, 23.10
891051, Treponema test negative, 23.10, Vitamin B12 normal, 23.10, White
matter lesion, 23.10, , , , , ,
891052, Influenza, 23.10, , , , , , , , , ,
891053, Guillain-Barre syndrome, 23.10, , , , , , , , , ,
891054, Cerebrovascular accident, 23.10, Injection site mass,
23.10, Intracranial mass, 23.10, , , , , ,
891055, Acute cardiac event, 23.10, , , , , , , , , ,
891056, Dysphonia, 23.10, Malaise, 23.10, Mouth ulceration,
23.10, Stomatitis, 23.10, Tenderness, 23.10
891058, Pain, 23.10, , , , , , , , , ,
891059, Erythema, 23.10, Pain, 23.10, Peripheral swelling, 23.10, , , , ,
891060, Sepsis, 23.10, , , , , , , , , ,
891061, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , , ,
891064, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10, ,
891065, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site rash, 23.10, Injection site warmth, 23.10, Nausea,
23.10
891066, Hypoaesthesia, 23.10, Injection site erythema, 23.10, Injection
site induration, 23.10, Injection site pain, 23.10, Injection site
swelling, 23.10
891066, Pain, 23.10, Paraesthesia, 23.10, Sensory disturbance, 23.10, , , , ,
891067, Body temperature increased, 23.10, Chills, 23.10, , , , , , , ,
891068, Diarrhoea, 23.10, Nausea, 23.10, , , , , , , , ,
891069, Injection site bruising, 23.10, Injection site haematoma,
23.10, Injection site haemorrhage, 23.10, , , , , ,

891072, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891073, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891074, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891075, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891076, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891077, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891078, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891079, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891080, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891081, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891082, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891083, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891084, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891085, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891086, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891087, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891088, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891089, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891090, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891091, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891092, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891093, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891094, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891095, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891096, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891097, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891099, Pain, 23.10, , , , , , ,
891100, Illness, 23.10, , , , , , ,
891101, Illness, 23.10, , , , , , ,
891102, Injection site pain, 23.10, Sleep disorder, 23.10, , , , , , ,
891103, Body temperature increased, 23.10, Erythema, 23.10, Limb
discomfort, 23.10, Peripheral swelling, 23.10, ,
891104, Chills, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Headache,
23.10, Nausea, 23.10
891104, Pain in extremity, 23.10, , , , , , ,
891105, Chills, 23.10, Injection site erythema, 23.10, Tremor, 23.10, , , ,
891106, Mobility decreased, 23.10, Pain, 23.10, , , , , ,
891107, Headache, 23.10, Injection site erythema, 23.10, Injection site
induration, 23.10, Injection site rash, 23.10, Pain in extremity, 23.10
891107, Pyrexia, 23.10, , , , , , ,
891108, Product administered to patient of inappropriate age,
23.10, , , , , , ,
891109, Extra dose administered, 23.10, , , , , , ,
891110, Arthralgia, 23.10, , , , , , ,
891111, Apheresis, 23.10, Burning sensation, 23.10, Intervertebral disc
protrusion, 23.10, Magnetic resonance imaging spinal abnormal,
23.10, Muscular weakness, 23.10
891111, Myalgia, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10, , , , ,
891112, Cold sweat, 23.10, Dizziness, 23.10, Feeling cold, 23.10, Loss of
consciousness, 23.10, ,

891113, Erythema, 23.10, Skin warm, 23.10, , , , , , ,
891118, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pain in extremity,
23.10, Pyrexia, 23.10
891119, Fall, 23.10, Head injury, 23.10, Loss of consciousness,
23.10, Syncope, 23.10, Tremor, 23.10
891126, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891127, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891128, Erythema, 23.10, Feeling hot, 23.10, Skin warm, 23.10, Swelling,
23.10, ,
891129, Rash, 23.10, , , , , , , ,
891130, Chills, 23.10, , , , , , , ,
891131, Oral administration complication, 23.10, Vomiting, 23.10, , , , , , ,
891132, Incorrect dose administered, 23.10, No adverse event, 23.10, , , , , , ,
891133, Arthralgia, 23.10, Back pain, 23.10, Oral herpes, 23.10, Pain in
extremity, 23.10, ,
891134, Pruritus, 23.10, Rash, 23.10, , , , , , ,
891135, Rash, 23.10, , , , , , , ,
891136, Gait disturbance, 23.10, Injection site erythema, 23.10, Injection
site induration, 23.10, Injection site pain, 23.10, Injection site warmth,
23.10
891137, Pain, 23.10, , , , , , , ,
891138, Nasal discomfort, 23.10, Nasal oedema, 23.10, , , , , , ,
891139, Arthralgia, 23.10, Chills, 23.10, Malaise, 23.10, Myalgia,
23.10, Nausea, 23.10
891140, Discomfort, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , ,
891141, Arthritis, 23.10, Body temperature increased, 23.10, Condition
aggravated, 23.10, Influenza, 23.10, Pain of skin, 23.10
891141, Pericarditis, 23.10, Tremor, 23.10, , , , , , ,
891143, Chills, 23.10, Influenza like illness, 23.10, Lymphadenopathy,
23.10, Pain, 23.10, ,
891144, Erythema, 23.10, Pain, 23.10, Swelling, 23.10, , , , , ,
891145, Pruritus, 23.10, Scab, 23.10, Skin wound, 23.10, , , , , ,
891146, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pyrexia, 23.10, SARS-
CoV-2 test negative, 23.10
891147, Asthenia, 23.10, Injection site discolouration, 23.10, Injection
site erythema, 23.10, Injection site induration, 23.10, Injection site
nodule, 23.10
891147, Injection site pain, 23.10, Injection site reaction,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Muscle
spasms, 23.10
891147, Pain, 23.10, , , , , , , ,
891149, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site urticaria, 23.10, , , , , , ,
891150, Diarrhoea, 23.10, Pain, 23.10, Pyrexia, 23.10, Vomiting, 23.10, ,
891151, Chills, 23.10, Heart rate increased, 23.10, Muscular weakness,
23.10, , , , , ,
891152, Urticaria, 23.10, , , , , , , ,
891153, Tinnitus, 23.10, , , , , , , ,
891154, Injection site cellulitis, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, , , , , , ,

891155, Loss of consciousness, 23.10, Syncope, 23.10, , , , , ,
891156, Injection site erythema, 23.10, Injection site swelling,
23.10, Pruritus, 23.10, Rash erythematous, 23.10, Rash papular, 23.10
891157, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
891159, Cellulitis, 23.10, Erythema, 23.10, Pruritus, 23.10, Swelling, 23.10, , ,
891160, Aldolase, 23.10, Antinuclear antibody, 23.10, Blood creatine
phosphokinase, 23.10, C-reactive protein, 23.10, Electromyogram, 23.10
891160, Full blood count, 23.10, Guillain-Barre syndrome, 23.10, Magnetic
resonance imaging spinal, 23.10, Metabolic function test, 23.10, Nerve
conduction studies, 23.10
891160, Urine analysis, 23.10, , , , , , , , ,
891161, Headache, 23.10, Nausea, 23.10, Vomiting, 23.10, , , , ,
891162, Chills, 23.10, Fatigue, 23.10, Head titubation, 23.10, Headache,
23.10, , ,
891163, Chills, 23.10, Dyspnoea, 23.10, Headache, 23.10, Pyrexia, 23.10, , ,
891164, Injection site bruising, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site warmth, 23.10, Rash
macular, 23.10
891165, Gait disturbance, 23.10, Injection site pain, 23.10, Myalgia,
23.10, Pain in extremity, 23.10, , ,
891167, Muscular weakness, 23.10, Pain in extremity, 23.10, , , , , , ,
891183, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
891185, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , , , ,
891186, Rash, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
891187, Chills, 23.10, Tremor, 23.10, , , , , , , ,
891188, Death, 23.10, Vaccination complication, 23.10, , , , , , , ,
891189, Dyspnoea, 23.10, Scratch, 23.10, Swelling, 23.10, , , , , ,
891190, Fatigue, 23.10, Pain, 23.10, , , , , , , ,
891191, Uveitis, 23.10, , , , , , , , ,
891193, Malaise, 23.10, Type 1 diabetes mellitus, 23.10, , , , , , , ,
891195, Chills, 23.10, Confusional state, 23.10, Cough, 23.10, Diarrhoea,
23.10, Headache, 23.10
891195, Pain, 23.10, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, , , , , ,
891197, Chest pain, 23.10, Neck pain, 23.10, Pain, 23.10, Pain in extremity,
23.10, , ,
891198, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, SARS-
CoV-2 test negative, 23.10
891199, Body temperature increased, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site warmth, 23.10, Livedo
reticularis, 23.10
891199, Peripheral coldness, 23.10, Skin discolouration, 23.10, , , , , , ,
891200, Pain in extremity, 23.10, , , , , , , , ,
891202, Chest X-ray, 23.10, Osmophobia, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10, Pneumonitis, 23.10
891202, Productive cough, 23.10, Pruritus, 23.10, Skin warm, 23.10, , , , ,
891203, Cold sweat, 23.10, Feeling cold, 23.10, Nausea, 23.10, , , , , ,
891204, Erythema, 23.10, Pruritus, 23.10, Swelling, 23.10, Urticaria, 23.10, , ,
891205, Muscle spasms, 23.10, Pain, 23.10, , , , , , , ,
891206, Impaired work ability, 23.10, Myalgia, 23.10, Presyncope,

23.10, Pyrexia, 23.10,,
891207, Syncope, 23.10,,,,,,
891208, Injection site discomfort, 23.10, Injection site erythema,
23.10, Injection site warmth, 23.10,,,,
891209, Loss of consciousness, 23.10, Syncope, 23.10,,,,,
891213, Hepatitis A antibody positive, 23.10, Hepatitis B antibody
negative, 23.10, Hepatitis B test negative, 23.10, Therapy non-responder,
23.10,,
891214, Immediate post-injection reaction, 23.10, Injection site
erythema, 23.10, Injection site pruritus, 23.10, Swelling face,
23.10, Throat irritation, 23.10
891214, Throat tightness, 23.10,,,,,,
891216, Injection site erythema, 23.10, Injection site irritation,
23.10, Injection site warmth, 23.10,,,,
891217, Injection site pruritus, 23.10, Injection site rash, 23.10,,,,,
891218, Fatigue, 23.10, Headache, 23.10, Injection site erythema,
23.10, Myalgia, 23.10, Pain, 23.10
891218, Pruritus, 23.10, Rash papular, 23.10, Skin warm, 23.10, Urticaria,
23.10,,
891219, Injection site pain, 23.10, Pain in extremity, 23.10,,,,,
891220, Blood glucose increased, 23.10, Electrocardiogram normal,
23.10, Lethargy, 23.10, Somnolence, 23.10,,
891221, Rash, 23.10,,,,,,
891222, Injection site vesicles, 23.10,,,,,,
891223, Influenza like illness, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Nausea, 23.10, Pain, 23.10
891225, Lacrimation increased, 23.10, Ocular hyperaemia, 23.10, Swelling
face, 23.10, Swollen tongue, 23.10,,
891226, Injected limb mobility decreased, 23.10,,,,,,
891228, Pain, 23.10,,,,,,
891229, Injection site haematoma, 23.10, Injection site swelling,
23.10,,,,,
891230, Altered state of consciousness, 23.10, Blood glucose normal,
23.10, Blood pressure decreased, 23.10, Loss of consciousness, 23.10,,
891231, Erythema, 23.10, Hyperaesthesia, 23.10, Injection site warmth,
23.10, Pain, 23.10, Swelling, 23.10
891232, Swollen tongue, 23.10,,,,,,
891233, Localised infection, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10,,,,
891235, Injection site pain, 23.10, Pain, 23.10,,,,,
891236, Vision blurred, 23.10,,,,,,
891237, Injection site erythema, 23.10, Injection site swelling,
23.10,,,,,
891238, Malaise, 23.10, Nasal discomfort, 23.10, Nausea, 23.10, Pain, 23.10,,
891239, Arthralgia, 23.10, Pain, 23.10,,,,,
891240, Arthralgia, 23.10,,,,,,
891241, Diarrhoea, 23.10, Headache, 23.10, Nausea, 23.10, Vomiting, 23.10,,
891242, Abdominal discomfort, 23.10, Body temperature increased,
23.10, Bone pain, 23.10, Decreased appetite, 23.10, Headache, 23.10
891242, Hyperhidrosis, 23.10, Inflammation, 23.10, Pain, 23.10, Pain in

extremity,23.10,SARS-CoV-2 test negative,23.10
891242,Tenderness,23.10,,,,,,,,,
891243,Chills,23.10,Pain,23.10,Pain of skin,23.10,Pyrexia,23.10,,
891244,Injection site pain,23.10,Pain in extremity,23.10,Pruritus,
23.10,Rash erythematous,23.10,Rash papular,23.10
891244,Tenderness,23.10,,,,,,,,,
891245,Depressed level of consciousness,23.10,Disorientation,
23.10,Dizziness,23.10,Pallor,23.10,Syncope,23.10
891245,Vision blurred,23.10,,,,,,,,,
891246,Pain,23.10,Pain in extremity,23.10,,,,,,,,,
891247,Hypoaesthesia,23.10,Pain in extremity,23.10,,,,,,,,,
891248,Feeling hot,23.10,Heart rate decreased,23.10,Hypotension,
23.10,Posture abnormal,23.10,Syncope,23.10
891250,C-reactive protein increased,23.10,Culture stool negative,
23.10,Decreased appetite,23.10,Full blood count normal,
23.10,Haemoglobin decreased,23.10
891250,Mood altered,23.10,Pain,23.10,Platelet count increased,
23.10,Pyrexia,23.10,Streptococcus test negative,23.10
891252,Musculoskeletal stiffness,23.10,Pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Skin warm,23.10
891253,Injection site erythema,23.10,Injection site swelling,
23.10,Paraesthesia oral,23.10,Rash,23.10,Rash pruritic,23.10
891253,Skin ulcer,23.10,,,,,,,,,
891254,Blister,23.10,Blister rupture,23.10,Erythema,23.10,Full blood
count normal,23.10,Metabolic function test normal,23.10
891254,Secretion discharge,23.10,Skin exfoliation,23.10,,,,,,,,,
891255,Genital rash,23.10,Periorbital swelling,23.10,Rash,23.10,,,,,
891256,Arthralgia,23.10,Mobility decreased,23.10,Pain,23.10,,,,,
891257,Dizziness,23.10,Loss of consciousness,23.10,Seizure,
23.10,Visual impairment,23.10,,
891258,Malaise,23.10,,,,,,,,,
891259,Injection site rash,23.10,,,,,,,,,
891260,Arthralgia,23.10,Injection site pain,23.10,,,,,,,,,
891261,Chills,23.10,Fatigue,23.10,,,,,,,,,
891263,Eye pruritus,23.10,Pharyngeal swelling,23.10,,,,,,,,,
891264,Febrile convulsion,23.10,,,,,,,,,
891265,Rash,23.10,,,,,,,,,
891267,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
891268,Injection site pain,23.10,,,,,,,,,
891270,Axillary mass,23.10,,,,,,,,,
891271,Chills,23.10,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,
891272,Pruritus,23.10,Rash,23.10,,,,,,,,,
891273,Anxiety,23.10,Hyperhidrosis,23.10,Immediate post-injection
reaction,23.10,Pain,23.10,Swelling,23.10
891274,Blood pressure increased,23.10,Dizziness,23.10,Ear discomfort,
23.10,Heart rate increased,23.10,Loss of consciousness,23.10
891274,Tremor,23.10,,,,,,,,,
891275,Feeling cold,23.10,Headache,23.10,Myalgia,23.10,Pain,
23.10,Pyrexia,23.10

891275, Tremor, 23.10, , , , , , , , ,
891276, Acute myocardial infarction, 23.10, Arthralgia, 23.10, Chills, 23.10, Dyspnoea, 23.10, SARS-CoV-2 test positive, 23.10
891276, Tremor, 23.10, Troponin increased, 23.10, , , , , , , , ,
891277, Arthralgia, 23.10, Back pain, 23.10, , , , , , , , ,
891278, Back pain, 23.10, Neck pain, 23.10, Neuralgia, 23.10, , , , ,
891281, Injection site rash, 23.10, Rash erythematous, 23.10, Rash papular, 23.10, , , , ,
891282, Pruritus, 23.10, Urticaria, 23.10, , , , , , , , ,
891283, Chills, 23.10, Extensive swelling of vaccinated limb, 23.10, Insomnia, 23.10, Pyrexia, 23.10, , ,
891284, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , , , ,
891285, Arthritis, 23.10, Bursa injury, 23.10, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10
891285, Magnetic resonance imaging abnormal, 23.10, Product administered at inappropriate site, 23.10, Rotator cuff syndrome, 23.10, Shoulder injury related to vaccine administration, 23.10, , ,
891286, Erythema, 23.10, , , , , , , , ,
891287, Injection site discomfort, 23.10, Injection site pain, 23.10, Wrong product administered, 23.10, , , , ,
891288, Fatigue, 23.10, Injection site urticaria, 23.10, Nausea, 23.10, Pain, 23.10, , ,
891290, Aphasia, 23.10, Blindness, 23.10, Disturbance in attention, 23.10, Hypoaesthesia, 23.10, , ,
891291, Pain, 23.10, , , , , , , , ,
891292, Asthenia, 23.10, Balance disorder, 23.10, Chills, 23.10, Dizziness, 23.10, Pyrexia, 23.10
891293, Sudden hearing loss, 23.10, , , , , , , , ,
891294, Chills, 23.10, Malaise, 23.10, Pyrexia, 23.10, Rash, 23.10, , ,
891295, Urticaria, 23.10, , , , , , , , ,
891296, Asthenia, 23.10, Dizziness, 23.10, Dysstasia, 23.10, Eye irritation, 23.10, Hypokinesia, 23.10
891296, Insomnia, 23.10, Nausea, 23.10, Oral herpes, 23.10, Pain, 23.10, , ,
891297, Arthralgia, 23.10, , , , , , , , ,
891299, Eye irritation, 23.10, Headache, 23.10, Influenza like illness, 23.10, Pain in extremity, 23.10, , ,
891300, Fall, 23.10, Immediate post-injection reaction, 23.10, Pallor, 23.10, Syncope, 23.10, , ,
891301, Influenza like illness, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
891302, Chills, 23.10, Hyperhidrosis, 23.10, Palpitations, 23.10, , , , ,
891303, Injection site erythema, 23.10, Injection site induration, 23.10, Pain, 23.10, , , , ,
891304, Rash, 23.10, Rash vesicular, 23.10, , , , , , , , ,
891305, Erythema, 23.10, Injection site mass, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, , ,
891306, Non-cardiac chest pain, 23.10, Pain in extremity, 23.10, , , , , , , , ,
891308, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10

891309, Consciousness fluctuating, 23.10, Gaze palsy, 23.10, Loss of consciousness, 23.10, , , ,
891310, Joint swelling, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Red blood cell sedimentation rate increased, 23.10
891310, Stress fracture, 23.10, X-ray limb abnormal, 23.10, , , , , ,
891311, Fall, 23.10, Malaise, 23.10, Muscle twitching, 23.10, Nausea, 23.10, ,
891312, Erythema, 23.10, Injection site pruritus, 23.10, Malaise, 23.10, Nausea, 23.10, Pain in extremity, 23.10
891313, Arthralgia, 23.10, Asthenia, 23.10, Back pain, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10
891313, Headache, 23.10, Heart rate increased, 23.10, Malaise, 23.10, Pain in extremity, 23.10, Visual impairment, 23.10
891314, Chills, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Pain, 23.10, ,
891315, Ear pain, 23.10, Influenza like illness, 23.10, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10
891315, Peripheral swelling, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Skin warm, 23.10, Spinal pain, 23.10
891316, Myalgia, 23.10, , , , , , , ,
891317, Nausea, 23.10, Pyrexia, 23.10, Rash erythematous, 23.10, Skin warm, 23.10, Vomiting, 23.10
891318, Lymphadenopathy, 23.10, Oral mucosal eruption, 23.10, Rash, 23.10, Streptococcus test negative, 23.10, Tonsillar hypertrophy, 23.10
891319, Dyspnoea, 23.10, Eye swelling, 23.10, Headache, 23.10, Lip swelling, 23.10, Oropharyngeal pain, 23.10
891319, Pharyngeal swelling, 23.10, Pruritus, 23.10, Tachycardia, 23.10, , , , ,
891320, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , ,
891322, Immediate post-injection reaction, 23.10, Syncope, 23.10, , , , , , ,
891323, Immediate post-injection reaction, 23.10, Syncope, 23.10, , , , , , ,
891340, Atrial fibrillation, 23.10, Pneumonia, 23.10, , , , , , ,
891343, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891344, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891345, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891351, Blindness, 23.10, Herpes zoster, 23.10, Visual impairment, 23.10, , , , ,
891353, Product administration error, 23.10, Rhinorrhoea, 23.10, , , , , , ,
891354, Pyrexia, 23.10, , , , , , , ,
891355, Injection site swelling, 23.10, , , , , , , ,
891356, Influenza, 23.10, , , , , , , ,
891357, Chills, 23.10, Decreased appetite, 23.10, Headache, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10
891358, Pain in extremity, 23.10, , , , , , , ,
891360, Influenza like illness, 23.10, Vaccine positive rechallenge, 23.10, Viral infection, 23.10, Vomiting, 23.10, ,
891364, Blood pressure increased, 23.10, Chest pain, 23.10, Electrocardiogram normal, 23.10, Headache, 23.10, Laboratory test normal, 23.10
891364, Pain in extremity, 23.10, Palpitations, 23.10, , , , , , ,
891365, Arthralgia, 23.10, Neck pain, 23.10, , , , , , ,
891367, Asthenia, 23.10, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Rash, 23.10

891367,Throat irritation,23.10,Urticaria,23.10,,,,,
891368,Alanine aminotransferase increased,23.10,Aspartate
aminotransferase increased,23.10,Bartonella test negative,
23.10,Borrelia test negative,23.10,C-reactive protein normal,23.10
891368,Chest X-ray normal,23.10,Chills,23.10,Fatigue,23.10,Full blood
count normal,23.10,Hepatic enzyme increased,23.10
891368,Hyperhidrosis,23.10,Lymph node pain,23.10,Myalgia,23.10,Night
sweats,23.10,Red blood cell sedimentation rate normal,23.10
891368,SARS-CoV-2 test negative,23.10,,,,,
891370,Immediate post-injection reaction,23.10,Injected limb mobility
decreased,23.10,Injection site pain,23.10,,,,
891376,Alopecia,23.10,Amenorrhoea,23.10,Autoimmune thyroiditis,
23.10,Dairy intolerance,23.10,Gluten sensitivity,23.10
891376,Hormone level abnormal,23.10,Ovarian failure,23.10,Thyroid
disorder,23.10,,,,
891377,Urticaria,23.10,,,,,
891378,Nausea,23.10,Retching,23.10,,,,,
891379,Injection site swelling,23.10,,,,,
891380,Back pain,23.10,Hyperaesthesia,23.10,Hypersensitivity,
23.10,Pain,23.10,Swelling,23.10
891381,Illness,23.10,Incomplete course of vaccination,23.10,Product
administered at inappropriate site,23.10,,,,
891382,Joint swelling,23.10,Peripheral swelling,23.10,,,,,
891383,Eye irritation,23.10,Laboratory test abnormal,23.10,Ophthalmic
herpes zoster,23.10,Rash,23.10,,
891384,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
891385,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
891386,Pruritus,23.10,,,,,
891387,Unevaluable event,23.10,,,,,
891389,Abdominal distension,23.10,Abdominal pain,23.10,Abdominal pain
upper,23.10,Asthenia,23.10,Headache,23.10
891389,Pyrexia,23.10,,,,,
891390,Dizziness,23.10,Headache,23.10,Nausea,23.10,Syncope,23.10,,
891391,Dysstasia,23.10,Gait disturbance,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Injection site warmth,23.10
891391,Posture abnormal,23.10,,,,,
891392,Hypoaesthesia,23.10,Pain in extremity,23.10,,,,,
891395,Activated partial thromboplastin time,23.10,Blood creatine
phosphokinase,23.10,Chest X-ray,23.10,Diarrhoea,23.10,Differential
white blood cell count,23.10
891395,Dysphagia,23.10,Dyspnoea,23.10,Electrocardiogram,23.10,Eye
discharge,23.10,Eye swelling,23.10
891395,Full blood count,23.10,International normalised ratio,
23.10,Liver function test,23.10,Metabolic function test,23.10,Ocular
hyperaemia,23.10
891395,Tachycardia,23.10,Troponin,23.10,Visual impairment,
23.10,Vomiting,23.10,,
891396,Arthralgia,23.10,Dyspnoea,23.10,Gaze palsy,23.10,Myalgia,
23.10,Nausea,23.10

891397, Hypoaesthesia, 23.10, Pain in extremity, 23.10, , , , , , ,
891398, Computerised tomogram, 23.10, Facial neuralgia, 23.10, Facial
paralysis, 23.10, Lethargy, 23.10, Oedema, 23.10
891398, Pyrexia, 23.10, , , , , , , ,
891399, Erythema, 23.10, Exfoliative rash, 23.10, Pyrexia, 23.10, Rash,
23.10, Rash pruritic, 23.10
891399, Skin tightness, 23.10, Skin warm, 23.10, Tenderness, 23.10, , , , ,
891400, Hypersomnia, 23.10, Malaise, 23.10, Pyrexia, 23.10, , , , ,
891403, Arthralgia, 23.10, Asthenia, 23.10, Chest pain, 23.10, Chills,
23.10, Dizziness, 23.10
891403, Dyspnoea, 23.10, Injection site bruising, 23.10, Injection site
pain, 23.10, Myalgia, 23.10, Palpitations, 23.10
891403, Pyrexia, 23.10, Rash, 23.10, Rash erythematous, 23.10, Urticaria,
23.10, ,
891404, Guillain-Barre syndrome, 23.10, Hypoaesthesia,
23.10, Immunoglobulin therapy, 23.10, Paraesthesia, 23.10, Paralysis, 23.10
891405, Injection site erythema, 23.10, Injection site rash,
23.10, Injection site swelling, 23.10, Rash, 23.10, Rash papular, 23.10
891406, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site
inflammation, 23.10, Injection site swelling, 23.10, Pain, 23.10
891407, Pain, 23.10, Rash, 23.10, , , , , , ,
891408, Erythema, 23.10, Peripheral swelling, 23.10, Urticaria, 23.10, , , , ,
891409, Fatigue, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, Rash,
23.10, ,
891410, Cheilitis, 23.10, Cough, 23.10, Pharyngeal swelling, 23.10, Rash,
23.10, ,
891411, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pain in
extremity, 23.10
891411, Pyrexia, 23.10, , , , , , , ,
891412, Blindness unilateral, 23.10, Gait inability, 23.10, Laboratory test
normal, 23.10, Muscular weakness, 23.10, ,
891419, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891420, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891421, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891422, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891423, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891438, Impaired work ability, 23.10, Injection site pain, 23.10, Malaise,
23.10, Pain, 23.10, Pyrexia, 23.10
891443, Herpes zoster, 23.10, , , , , , , , ,
891444, Loss of consciousness, 23.10, Snoring, 23.10, Vomiting, 23.10, , , , ,
891445, Musculoskeletal stiffness, 23.10, , , , , , , , ,
891446, Rash pruritic, 23.10, , , , , , , , ,
891449, Exposure during pregnancy, 23.10, Extra dose administered,
23.10, No adverse event, 23.10, , , , , ,
891450, Influenza like illness, 23.10, , , , , , , , ,
891451, Night sweats, 23.10, , , , , , , , ,
891452, Abortion spontaneous, 23.10, Exposure during pregnancy,
23.10, Influenza, 23.10, Malaise, 23.10, , ,
891453, Herpes zoster, 23.10, , , , , , , , ,
891454, Asthenia, 23.10, Bedridden, 23.10, Pain in extremity, 23.10, Rash,

23.10, Swelling, 23.10
891455, Injection site erythema, 23.10, Injection site swelling,
23.10, Skin warm, 23.10, Urticaria, 23.10,,
891456, Back pain, 23.10, Chest pain, 23.10, Injection site pain,
23.10, Mobility decreased, 23.10, Nausea, 23.10
891456, Neck pain, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10, Vaccination complication, 23.10,,
891457, Injection site discolouration, 23.10,,,,,
891458, Chills, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10,,
891459, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
891460, Cough, 23.10, Oropharyngeal pain, 23.10,,,,,
891461, Adverse event, 23.10, Vaccine positive rechallenge, 23.10,,,,,
891462, Erythema, 23.10, Product administered at inappropriate site,
23.10, Skin warm, 23.10, Swelling, 23.10,,
891463, Burning sensation, 23.10, Skin warm, 23.10,,,,,
891470, Erythema, 23.10, Skin warm, 23.10,,,,,
891472, Asthenia, 23.10, Blood pressure decreased, 23.10, Diarrhoea,
23.10, Dizziness, 23.10, Fatigue, 23.10
891472, Headache, 23.10, Hypoaesthesia, 23.10, Night sweats,
23.10, Orthostatic hypotension, 23.10, Pain in extremity, 23.10
891472, Peripheral swelling, 23.10, Pyrexia, 23.10, Rash macular,
23.10, Sleep disorder, 23.10, Visual impairment, 23.10
891474, Decreased appetite, 23.10, Lethargy, 23.10, Pyrexia, 23.10, Vomiting,
23.10,,
891475, Contusion, 23.10, Illness, 23.10, Pyrexia, 23.10,,,,
891476, Asthenia, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Headache,
23.10, Immediate post-injection reaction, 23.10
891476, Injection site pain, 23.10, Insomnia, 23.10, Malaise, 23.10, Myalgia,
23.10, Nausea, 23.10
891476, Pain, 23.10, Restlessness, 23.10,,,,,
891477, Magnetic resonance imaging brain normal, 23.10, Seizure,
23.10,,,,,
891478, Grip strength decreased, 23.10, Injected limb mobility decreased,
23.10, Injection site pain, 23.10,,,,
891479, Erythema, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site pruritus, 23.10, Injection site reaction, 23.10
891479, Injection site swelling, 23.10, Injection site warmth, 23.10, Nasal
congestion, 23.10, Rash macular, 23.10, Skin warm, 23.10
891480, Abdominal pain, 23.10, Headache, 23.10, Nausea, 23.10, Vomiting,
23.10,,
891482, Computerised tomogram normal, 23.10, Electroencephalogram normal,
23.10, Feeling abnormal, 23.10, Full blood count normal, 23.10, Metabolic
function test normal, 23.10
891482, Seizure, 23.10, Urine analysis normal, 23.10, Vomiting, 23.10,,,,
891483, Breast swelling, 23.10, Injected limb mobility decreased,
23.10, Injection site swelling, 23.10, Lymphadenopathy, 23.10, Oedema
peripheral, 23.10
891483, Pain, 23.10, Pain in extremity, 23.10, Swelling, 23.10,,,,
891486, Aspiration pleural cavity, 23.10, Computerised tomogram abnormal,

23.10, Cough, 23.10, Dyspnoea, 23.10, Laboratory test normal, 23.10
891486, Pulmonary oedema, 23.10, , , , , , , ,
891487, Arthralgia, 23.10, Chills, 23.10, Dizziness, 23.10, Headache,
23.10, Pyrexia, 23.10
891488, Asthenia, 23.10, Injection site pain, 23.10, Loss of personal
independence in daily activities, 23.10, Mobility decreased, 23.10, Pain,
23.10
891488, Pain in extremity, 23.10, Sleep disorder, 23.10, , , , , , ,
891489, Abdominal distension, 23.10, Abdominal pain upper, 23.10, Balance
disorder, 23.10, Dizziness, 23.10, Feeding disorder, 23.10
891489, Headache, 23.10, Insomnia, 23.10, Nausea, 23.10, Palpitations,
23.10, Rash, 23.10
891489, Rash macular, 23.10, Vomiting, 23.10, , , , , , ,
891490, Arthralgia, 23.10, Asthenia, 23.10, Electromyogram abnormal,
23.10, Magnetic resonance imaging abnormal, 23.10, Muscular weakness,
23.10
891490, Neuralgic amyotrophy, 23.10, Neuropathic muscular atrophy,
23.10, X-ray limb normal, 23.10, , , , ,
891491, Abdominal pain upper, 23.10, Fatigue, 23.10, Nausea, 23.10, , , , ,
891492, Chills, 23.10, Diarrhoea, 23.10, Headache, 23.10, Nausea, 23.10, , ,
891493, Chills, 23.10, Headache, 23.10, Nausea, 23.10, , , , ,
891494, Back pain, 23.10, Cough, 23.10, Diarrhoea, 23.10, Feeling abnormal,
23.10, Flank pain, 23.10
891494, Head discomfort, 23.10, Headache, 23.10, Musculoskeletal chest
pain, 23.10, Peripheral coldness, 23.10, Productive cough, 23.10
891495, Product barcode issue, 23.10, , , , , , , ,
891496, Rash, 23.10, , , , , , , ,
891497, Drug interaction, 23.10, , , , , , , ,
891498, Asthenia, 23.10, Dizziness, 23.10, , , , , , , ,
891499, Injection site pain, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , ,
891500, Guillain-Barre syndrome, 23.10, , , , , , , ,
891501, Pruritus, 23.10, Rash, 23.10, Rash erythematous, 23.10, , , , ,
891505, Injection site pain, 23.10, Myalgia, 23.10, Pain, 23.10, Pyrexia,
23.10, , ,
891507, Cold sweat, 23.10, Nasopharyngitis, 23.10, Pruritus, 23.10, Rash,
23.10, , ,
891508, Asthma, 23.10, Dyspnoea, 23.10, , , , , , , ,
891509, Abdominal pain upper, 23.10, Arthralgia, 23.10, Cold sweat,
23.10, Diarrhoea, 23.10, Feeling abnormal, 23.10
891509, Headache, 23.10, Insomnia, 23.10, Loss of consciousness,
23.10, Muscle twitching, 23.10, Myalgia, 23.10
891509, Nausea, 23.10, Pyrexia, 23.10, Syncope, 23.10, Tenderness, 23.10, , ,
891510, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, Nausea, 23.10, Pyrexia, 23.10
891511, Rash pruritic, 23.10, , , , , , , ,
891512, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
891513, Chills, 23.10, Cough, 23.10, Dry eye, 23.10, Eye discharge, 23.10, Eye
pain, 23.10
891513, Ocular hyperaemia, 23.10, Pyrexia, 23.10, Respiratory tract
congestion, 23.10, Swelling of eyelid, 23.10, , ,

891514, Immediate post-injection reaction, 23.10, Pain in extremity, 23.10, , , , , ,
891516, Scleritis, 23.10, , , , , , , ,
891517, Dizziness, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
891519, Erythema multiforme, 23.10, Pruritus, 23.10, , , , , ,
891520, Memory impairment, 23.10, , , , , , , ,
891521, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
891522, Pain, 23.10, Pyrexia, 23.10, , , , , ,
891523, Back pain, 23.10, , , , , , , ,
891541, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891542, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891543, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891544, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
891547, Fatigue, 23.10, Mobility decreased, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10
891548, Fatigue, 23.10, Headache, 23.10, Pyrexia, 23.10, , , , ,
891549, Chills, 23.10, Contusion, 23.10, , , , , , ,
891550, Injection site erythema, 23.10, Injection site warmth, 23.10, Vaccination site cellulitis, 23.10, Vaccination site pain, 23.10, ,
891552, Illness, 23.10, Influenza like illness, 23.10, , , , , , ,
891553, Blister, 23.10, Herpes zoster, 23.10, Hypoaesthesia, 23.10, Paraesthesia, 23.10, Pruritus, 23.10
891553, Rash papular, 23.10, , , , , , , ,
891555, Bronchitis, 23.10, Chest discomfort, 23.10, Chills, 23.10, Cough, 23.10, Dysphonia, 23.10
891555, Eye pruritus, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Nasal congestion, 23.10
891555, Oropharyngeal pain, 23.10, Pain, 23.10, Pruritus, 23.10, Pulmonary pain, 23.10, Upper-airway cough syndrome, 23.10
891555, Wheezing, 23.10, , , , , , , ,
891556, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
891557, Pain, 23.10, Pyrexia, 23.10, Swelling, 23.10, , , , ,
891558, Asthenia, 23.10, Eye discharge, 23.10, Eyelid ptosis, 23.10, , , , ,
891559, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10, Joint noise, 23.10
891559, Shoulder injury related to vaccine administration, 23.10, , , , , , , ,
891560, Body temperature increased, 23.10, , , , , , , ,
891561, Rash, 23.10, , , , , , , ,
891562, Feeling abnormal, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
891563, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
891565, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pain in extremity, 23.10
891566, Dysphagia, 23.10, Fear, 23.10, Sensation of foreign body, 23.10, Throat tightness, 23.10, ,
891568, Tuberculin test negative, 23.10, Unevaluable event, 23.10, , , , , , ,
891571, Mouth ulceration, 23.10, , , , , , , ,
891572, Asthenia, 23.10, , , , , , , ,
891573, Anxiety, 23.10, Appendicectomy, 23.10, Autoimmune disorder,

23.10,Connective tissue disorder,23.10,Eye disorder,23.10
891573,Fatigue,23.10,Gallbladder hypofunction,23.10,Gastric disorder,
23.10,Hepatobiliary scan abnormal,23.10,Laboratory test,23.10
891573,Megacolon,23.10,Obsessive-compulsive disorder,23.10,Thyroid
disorder,23.10,Visual impairment,23.10,,
891577,Varicella,23.10,,,,,,,,,
891578,COVID-19,23.10,Inappropriate schedule of product
administration,23.10,Influenza,23.10,Respiratory symptom,23.10,,
891579,Haemorrhage subcutaneous,23.10,Injection site bruising,
23.10,Injection site reaction,23.10,Injection site swelling,23.10,,
891580,Abdominal discomfort,23.10,Chills,23.10,Headache,23.10,Pain,
23.10,,
891581,Rash,23.10,,,,,,,,,
891582,Abdominal pain upper,23.10,Headache,23.10,Mononucleosis
heterophile test,23.10,Musculoskeletal stiffness,23.10,Nausea,23.10
891582,Oropharyngeal pain,23.10,Rash,23.10,Respiratory tract
congestion,23.10,SARS-CoV-2 test,23.10,Tenderness,23.10
891582,Vomiting,23.10,,,,,,,,,
891583,Haemorrhage,23.10,Loss of consciousness,23.10,Skin laceration,
23.10,Syncope,23.10,,
891584,Lip swelling,23.10,Pruritus,23.10,,,,,,,,,
891585,Rash,23.10,,,,,,,,,
891586,Arthralgia,23.10,Asthenia,23.10,Gait disturbance,
23.10,Hypersomnia,23.10,Hypoaesthesia,23.10
891586,Injection site bruising,23.10,Injection site haemorrhage,
23.10,Paraesthesia,23.10,,,,,
891587,Computerised tomogram head normal,23.10,Cranial nerve disorder,
23.10,,,,,,
891588,Injection site erythema,23.10,Injection site irritation,
23.10,,,,,,
891589,Rash,23.10,,,,,,,,,
891590,Dizziness,23.10,Fatigue,23.10,Loss of consciousness,
23.10,Nausea,23.10,Syncope,23.10
891591,Dizziness,23.10,Mobility decreased,23.10,Nausea,23.10,Pain in
extremity,23.10,Vertigo,23.10
891591,Vomiting,23.10,,,,,,,,,
891592,Erythema,23.10,Pain in extremity,23.10,,,,,,
891593,Arthralgia,23.10,Pain in extremity,23.10,,,,,,
891594,Asthenia,23.10,Chest X-ray normal,23.10,Computerised tomogram
head normal,23.10,Gait disturbance,23.10,Laboratory test normal,23.10
891594,Myalgia,23.10,Urine analysis normal,23.10,,,,,,
891595,Deafness,23.10,Tinnitus,23.10,,,,,,
891596,Dyspnoea,23.10,Oral pruritus,23.10,Tongue disorder,23.10,,,,,
891597,Rash,23.10,,,,,,,,,
891599,Urticaria,23.10,,,,,,,,,
891600,Pain in extremity,23.10,,,,,,,,,
891601,Erythema,23.10,Feeling hot,23.10,Tenderness,23.10,,,,,
891602,Blood test,23.10,Chills,23.10,Inflammation,23.10,Injection site
erythema,23.10,Injection site swelling,23.10
891602,Injection site warmth,23.10,Pain,23.10,Pain in extremity,

23.10, Pyrexia, 23.10, Rash, 23.10
891603, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Musculoskeletal stiffness, 23.10, Paraesthesia, 23.10
891603, Product administered at inappropriate site, 23.10, , , , , , , ,
891604, Erythema, 23.10, Rash vesicular, 23.10, , , , , , ,
891605, Headache, 23.10, Injection site rash, 23.10, Pyrexia, 23.10, Rash, 23.10, Throat irritation, 23.10
891605, Throat tightness, 23.10, , , , , , , ,
891606, Cellulitis, 23.10, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, ,
891607, Erythema, 23.10, , , , , , , ,
891608, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10, , , , , , , ,
891609, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
891610, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site urticaria, 23.10, Injection site warmth, 23.10, , ,
891611, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10, , , , ,
891612, Urticaria, 23.10, , , , , , , ,
891613, Feeling hot, 23.10, Gaze palsy, 23.10, Posture abnormal, 23.10, , , , , ,
891614, Erythema, 23.10, Fall, 23.10, Lip haemorrhage, 23.10, Syncope, 23.10, Thirst, 23.10
891615, Skin reaction, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , , ,
891616, No adverse event, 23.10, Vaccination error, 23.10, , , , , , , ,
891618, Chills, 23.10, Erythema, 23.10, Local reaction, 23.10, Nasopharyngitis, 23.10, Pain in extremity, 23.10
891618, Pyrexia, 23.10, , , , , , , ,
891619, Discomfort, 23.10, Injection site swelling, 23.10, Myalgia, 23.10, Pain, 23.10, , ,
891620, Back pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
891621, Hypoaesthesia, 23.10, Injection site hypoaesthesia, 23.10, Injection site pain, 23.10, , , , ,
891623, Dizziness, 23.10, Hyperhidrosis, 23.10, , , , , , , ,
891624, Back pain, 23.10, Headache, 23.10, Lethargy, 23.10, Musculoskeletal stiffness, 23.10, Pyrexia, 23.10
891625, Dizziness, 23.10, Hyperhidrosis, 23.10, Hypotonia, 23.10, Loss of consciousness, 23.10, Pallor, 23.10
891626, Blood test normal, 23.10, Fatigue, 23.10, Headache, 23.10, Induration, 23.10, Injection site infection, 23.10
891626, Mass, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, , ,
891627, Feeling abnormal, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Skin burning sensation, 23.10, Urticaria, 23.10
891628, Infection, 23.10, Injection site cellulitis, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Skin irritation, 23.10
891629, Chills, 23.10, Dizziness, 23.10, Eructation, 23.10, Gastric dilatation, 23.10, Headache, 23.10
891629, Injection site pain, 23.10, Injection site swelling, 23.10, Myalgia, 23.10, Nausea, 23.10, Rash, 23.10

891630,Humerus fracture,23.10,Injection site inflammation,23.10,X-ray limb abnormal,23.10,,,,,
891631,Pruritus,23.10,,,,,,
891632,Feeling abnormal,23.10,,,,,,
891633,Injected limb mobility decreased,23.10,Injection site inflammation,23.10,Injection site swelling,23.10,Pain in extremity,23.10,,
891634,Bacterial infection,23.10,Injection site erythema,23.10,Injection site pain,23.10,Pyrexia,23.10,,
891636,Cyanosis,23.10,Dizziness,23.10,Pallor,23.10,Presyncope,23.10,,
891637,Cyanosis,23.10,Febrile convulsion,23.10,Foaming at mouth,23.10,Influenza virus test negative,23.10,Lethargy,23.10
891637,Pyrexia,23.10,Respiratory syncytial virus test,23.10,SARS-CoV-2 test,23.10,Seizure,23.10,,
891640,Pallor,23.10,Syncope,23.10,,,,,
891641,Asthenia,23.10,Blood test,23.10,Confusional state,23.10,Cough,23.10,Dizziness,23.10
891641,Dysstasia,23.10,Fatigue,23.10,Gait disturbance,23.10,Headache,23.10,Nausea,23.10
891642,Feeling hot,23.10,Injection site erythema,23.10,Injection site mass,23.10,Injection site swelling,23.10,Neck pain,23.10
891642,Pain in extremity,23.10,Sleep disorder,23.10,,,,,
891643,Chills,23.10,Decreased appetite,23.10,Injection site pain,23.10,Migraine,23.10,Nausea,23.10
891643,Pyrexia,23.10,Tremor,23.10,,,,,
891646,Erythema,23.10,Lip erythema,23.10,Paraesthesia oral,23.10,Swollen tongue,23.10,,
891648,Dizziness,23.10,Loss of consciousness,23.10,Syncope,23.10,,,,
891649,Headache,23.10,Myalgia,23.10,Pyrexia,23.10,,,,
891653,Ear swelling,23.10,Nausea,23.10,Pyrexia,23.10,Vomiting,23.10,,
891654,Chills,23.10,Cough,23.10,Feeling abnormal,23.10,Hyperhidrosis,23.10,Lacrimation increased,23.10
891654,Nausea,23.10,,,,,,
891655,Syncope,23.10,,,,,,
891656,Rash,23.10,Urticaria,23.10,,,,,
891657,Contusion,23.10,Pain in extremity,23.10,,,,,
891658,Dizziness,23.10,Feeling abnormal,23.10,Loss of consciousness,23.10,,,,
891659,Chills,23.10,Fatigue,23.10,Headache,23.10,Myalgia,23.10,,
891660,Tinnitus,23.10,,,,,,
891661,Body temperature increased,23.10,Dizziness,23.10,Musculoskeletal stiffness,23.10,Nausea,23.10,Pain,23.10
891661,Pain in extremity,23.10,Vomiting,23.10,,,,,
891662,Hypersensitivity,23.10,Pyrexia,23.10,Rash,23.10,,,,
891663,Fall,23.10,Syncope,23.10,,,,,
891664,Computerised tomogram normal,23.10,Magnetic resonance imaging normal,23.10,Seizure,23.10,,,,
891665,Urticaria,23.10,,,,,,
891666,Injection site pain,23.10,Joint range of motion decreased,23.10,Muscular weakness,23.10,,,,

891667, Erythema, 23.10, Extensive swelling of vaccinated limb, 23.10, Localised infection, 23.10, , , , ,
891669, Back pain, 23.10, Headache, 23.10, Injection site pain, 23.10, Pain, 23.10, , ,
891670, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
891671, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site urticaria, 23.10, Injection site warmth, 23.10, , ,
891672, Headache, 23.10, Influenza like illness, 23.10, Pain, 23.10, Pruritus, 23.10, Pyrexia, 23.10
891672, SARS-CoV-2 test negative, 23.10, , , , , , , , , ,
891673, Injection site erythema, 23.10, Injection site pruritus, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, Throat irritation, 23.10
891674, Inflammation, 23.10, Irritability, 23.10, Pruritus, 23.10, Rash, 23.10, , ,
891675, Cough, 23.10, Eye pain, 23.10, Oropharyngeal pain, 23.10, Pharyngeal swelling, 23.10, Pyrexia, 23.10
891675, Respiratory tract congestion, 23.10, Rhinorrhoea, 23.10, , , , , , , ,
891677, Blood culture negative, 23.10, Inflammation, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10, Laboratory test, 23.10
891677, Lymphadenopathy, 23.10, Neck pain, 23.10, Pain, 23.10, , , , ,
891678, Blood pressure increased, 23.10, Body temperature increased, 23.10, Dyspnoea, 23.10, Pain, 23.10, , ,
891685, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
891691, Autoimmune blistering disease, 23.10, Bacterial test negative, 23.10, Biopsy skin normal, 23.10, Blister, 23.10, Burning sensation, 23.10
891691, Erythema, 23.10, Fungal test, 23.10, Herpes zoster, 23.10, Histology abnormal, 23.10, Pemphigoid, 23.10
891691, Pemphigus, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash papular, 23.10, Rash pustular, 23.10
891691, Skin plaque, 23.10, Skin weeping, 23.10, Transient acantholytic dermatosis, 23.10, Vaccine positive rechallenge, 23.10, , ,
891692, Influenza, 23.10, , , , , , , , , ,
891693, Myalgia, 23.10, , , , , , , , , ,
891694, Dizziness, 23.10, Nausea, 23.10, Pain in extremity, 23.10, , , , ,
891698, Myalgia, 23.10, Pain, 23.10, , , , , , , ,
891700, Chills, 23.10, Dyskinesia, 23.10, Swelling face, 23.10, , , , ,
891702, No adverse event, 23.10, , , , , , , , , ,
891703, Erythema, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , ,
891705, Blood pressure decreased, 23.10, Dizziness, 23.10, Vertigo, 23.10, , , , ,
891706, Mobility decreased, 23.10, Pain, 23.10, , , , , , , ,
891708, Pyrexia, 23.10, , , , , , , , , ,
891709, Product label confusion, 23.10, Product label issue, 23.10, Product packaging confusion, 23.10, Wrong product administered, 23.10, , ,
891710, Chills, 23.10, Pyrexia, 23.10, , , , , , , ,
891711, Body temperature increased, 23.10, Disorientation, 23.10, Erythema, 23.10, Joint range of motion decreased, 23.10, Musculoskeletal stiffness, 23.10

891711,Pain,23.10,Rash,23.10,Swelling,23.10,Swollen tongue,23.10,,
891712,Computerised tomogram head normal,23.10,Facial paralysis,
23.10,Full blood count normal,23.10,Magnetic resonance imaging brain
normal,23.10,Metabolic function test normal,23.10
891712,SARS-CoV-2 test negative,23.10,Troponin normal,23.10,,,,,
891714,CSF test,23.10,Electromyogram,23.10,Guillain-Barre syndrome,
23.10,Muscular weakness,23.10,,
891715,Chills,23.10,Fatigue,23.10,Nausea,23.10,Ocular hyperaemia,
23.10,Oropharyngeal pain,23.10
891716,Fatigue,23.10,Pharyngeal swelling,23.10,Swollen tongue,
23.10,,,,,
891717,Injection site erythema,23.10,Injection site nodule,
23.10,Injection site pain,23.10,Injection site warmth,23.10,,
891718,Immediate post-injection reaction,23.10,Injection site
haemorrhage,23.10,Injection site pain,23.10,Pain,23.10,Shoulder injury
related to vaccine administration,23.10
891719,Blood glucose,23.10,CSF protein,23.10,Full blood count,
23.10,Laboratory test,23.10,Metabolic function test,23.10
891719,Myalgia,23.10,Neck pain,23.10,SARS-CoV-2 test,23.10,,,,,
891721,Erythema,23.10,Pain,23.10,Peripheral swelling,23.10,Skin warm,
23.10,,
891722,Product administered to patient of inappropriate age,
23.10,,,,,,
891725,Migraine,23.10,,,,,,
891726,Chills,23.10,Pyrexia,23.10,,,,,
891727,Feeding disorder,23.10,Nausea,23.10,Vomiting,23.10,,,,,
891728,Blood pressure increased,23.10,Heart rate increased,23.10,,,,,
891729,Vertigo,23.10,,,,,,
891730,Chills,23.10,Fatigue,23.10,Feeling abnormal,23.10,Headache,
23.10,Pyrexia,23.10
891730,SARS-CoV-2 test negative,23.10,,,,,,
891731,Urticaria,23.10,,,,,,
891732,Visual impairment,23.10,,,,,,
891733,Loss of consciousness,23.10,,,,,,
891734,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain in extremity,23.10,,,,,
891735,Diarrhoea,23.10,Herpes zoster,23.10,Injection site pain,
23.10,Nausea,23.10,Pain,23.10
891735,Pyrexia,23.10,Rash,23.10,Rash pruritic,23.10,,,,,
891736,Hypoaesthesia,23.10,Limb discomfort,23.10,Pain,
23.10,Paraesthesia,23.10,,
891737,Maternal exposure before pregnancy,23.10,Menstruation delayed,
23.10,,,,,
891738,Activated partial thromboplastin time,23.10,Blood lactic acid,
23.10,Chest X-ray,23.10,Chills,23.10,Culture urine,23.10
891738,Differential white blood cell count,23.10,Fatigue,23.10,Full
blood count,23.10,Metabolic function test,23.10,Platelet count,23.10
891738,Prothrombin time,23.10,SARS-CoV-2 test negative,
23.10,Somnolence,23.10,Speech disorder,23.10,Tremor,23.10
891738,Urine analysis,23.10,,,,,,

891739, Chest pain, 23.10, Echocardiogram, 23.10, Electrocardiogram, 23.10, Myocardial oedema, 23.10, Myocarditis, 23.10
891739, Pericardial effusion, 23.10, Troponin, 23.10, , , , , ,
891740, Injection site erythema, 23.10, Injection site pain, 23.10, Lethargy, 23.10, Somnolence, 23.10, ,
891741, Adverse reaction, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10, Vomiting, 23.10
891744, Erythema, 23.10, Injection site discolouration, 23.10, Injection site vesicles, 23.10, Pyrexia, 23.10, Swelling, 23.10
891745, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Lethargy, 23.10
891745, Myalgia, 23.10, , , , , , , ,
891747, Arthralgia, 23.10, Lymphadenopathy, 23.10, Nausea, 23.10, Oropharyngeal pain, 23.10, ,
891748, Headache, 23.10, SARS-CoV-2 test, 23.10, Vaccination site pruritus, 23.10, Vaccination site rash, 23.10, Vaccination site swelling, 23.10
891751, Eye swelling, 23.10, Ocular hyperaemia, 23.10, Urticaria, 23.10, , , , ,
891752, Malaise, 23.10, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10, ,
891753, Injection site bruising, 23.10, Paraesthesia, 23.10, Rash erythematous, 23.10, Rash papular, 23.10, ,
891754, Chills, 23.10, Headache, 23.10, Limb discomfort, 23.10, Pyrexia, 23.10, ,
891755, Anxiety, 23.10, Blood pressure decreased, 23.10, Blood pressure increased, 23.10, Condition aggravated, 23.10, Dizziness, 23.10
891755, Headache, 23.10, Hypertension, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
891755, Lethargy, 23.10, Pain in extremity, 23.10, Retching, 23.10, Sleep disorder, 23.10, Vomiting, 23.10
891756, Syringe issue, 23.10, Underdose, 23.10, , , , , , ,
891757, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
891758, Chills, 23.10, Dry throat, 23.10, Dyspnoea, 23.10, Eye discharge, 23.10, Eye swelling, 23.10
891758, Ocular hyperaemia, 23.10, Oropharyngeal pain, 23.10, Pain, 23.10, Swelling face, 23.10, ,
891759, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
891760, Chest X-ray, 23.10, Electrocardiogram, 23.10, Laboratory test, 23.10, Syncope, 23.10, ,
891761, Expired product administered, 23.10, , , , , , , ,
891762, Dizziness, 23.10, Dysstasia, 23.10, Hyperhidrosis, 23.10, Immediate post-injection reaction, 23.10, Injection site pain, 23.10
891762, Product administered at inappropriate site, 23.10, Syncope, 23.10, , , , , , ,
891764, Asthenia, 23.10, Blood pressure increased, 23.10, Chills, 23.10, Nausea, 23.10, Tremor, 23.10
891764, Vomiting, 23.10, , , , , , , ,
891765, Exposure during pregnancy, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10, , , , ,
891769, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Injection site rash, 23.10, Injection site reaction,

23.10, Injection site swelling, 23.10
891769, Injection site warmth, 23.10, Joint stiffness, 23.10, Malaise,
23.10, , , ,
891770, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , ,
891771, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
891774, Erythema, 23.10, Injection site bruising, 23.10, Injection site
swelling, 23.10, Peripheral swelling, 23.10, ,
891777, Rash, 23.10, , , , , , , ,
891778, Arthralgia, 23.10, Erythema, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10, ,
891782, Magnetic resonance imaging abnormal, 23.10, Optic neuritis,
23.10, Relapsing-remitting multiple sclerosis, 23.10, , , , ,
891783, Cough, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
891784, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , , ,
891785, Myalgia, 23.10, , , , , , , ,
891788, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis, 23.10, Mobility
decreased, 23.10, Pain in extremity, 23.10
891788, Sleep disorder, 23.10, , , , , , , ,
891789, Neuralgia, 23.10, Urticaria, 23.10, , , , , , ,
891790, Unevaluable event, 23.10, , , , , , , ,
891791, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
891792, Pain, 23.10, Pyrexia, 23.10, , , , , , ,
891794, Asthenia, 23.10, , , , , , , ,
891795, Cellulitis, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
891797, Arthralgia, 23.10, , , , , , , ,
891798, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
891799, Blister, 23.10, Erythema, 23.10, Peripheral swelling, 23.10, Rash,
23.10, , ,
891800, Abdominal pain upper, 23.10, Chills, 23.10, Fatigue, 23.10, Feeling
abnormal, 23.10, Headache, 23.10
891800, Myalgia, 23.10, Nausea, 23.10, Pain, 23.10, , , , ,
891801, Herpes zoster, 23.10, Papule, 23.10, Pruritus, 23.10, Scab, 23.10, , ,
891803, Balance disorder, 23.10, Confusional state, 23.10, Disorientation,
23.10, Dizziness, 23.10, Dysstasia, 23.10
891803, Dysuria, 23.10, Gait inability, 23.10, Myalgia, 23.10, Pyrexia,
23.10, Rash, 23.10
891804, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, , , , ,
891805, Syncope, 23.10, , , , , , , ,
891807, Malaise, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Sleep
disorder, 23.10, Tinnitus, 23.10
891807, Vertigo, 23.10, , , , , , , ,
891808, Chills, 23.10, Fear, 23.10, Hyperhidrosis, 23.10, Migraine,
23.10, Musculoskeletal stiffness, 23.10
891808, Pain, 23.10, Pain in extremity, 23.10, Pollakiuria, 23.10, , , , ,
891810, Fatigue, 23.10, Headache, 23.10, Influenza like illness,
23.10, Injection site pain, 23.10, Insomnia, 23.10
891810, Myalgia, 23.10, Neck pain, 23.10, Pain, 23.10, Somnolence, 23.10, , ,

891811, Chills, 23.10, Cough, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10
891811, Nausea, 23.10, Sensitive skin, 23.10, , , , , ,
891812, Asthenia, 23.10, Malaise, 23.10, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10
891813, Chest pain, 23.10, Electrocardiogram, 23.10, Eye swelling, 23.10, Lip swelling, 23.10, Tachycardia, 23.10
891813, Tongue pruritus, 23.10, Tremor, 23.10, Wheezing, 23.10, , , , ,
891814, Axillary pain, 23.10, Lymph node pain, 23.10, Lymphadenitis, 23.10, Tenderness, 23.10, Testicular pain, 23.10
891814, Testicular swelling, 23.10, , , , , , , ,
891815, Dizziness, 23.10, , , , , , , ,
891816, Injection site erythema, 23.10, Injection site pruritus, 23.10, , , , , , ,
891818, Arthralgia, 23.10, Lymphadenopathy, 23.10, Musculoskeletal stiffness, 23.10, Pain in extremity, 23.10, , ,
891819, Dyspnoea, 23.10, Fatigue, 23.10, Pain in extremity, 23.10, Pruritus, 23.10, , ,
891820, Hallucination, 23.10, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Irritability, 23.10, Pain, 23.10
891820, Pyrexia, 23.10, Skin warm, 23.10, , , , , , ,
891821, Injection site discomfort, 23.10, , , , , , , ,
891822, Erythema, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Oedema, 23.10, Pain, 23.10
891822, Skin warm, 23.10, Tenderness, 23.10, , , , , , , ,
891823, Headache, 23.10, Impaired work ability, 23.10, Pyrexia, 23.10, , , , , ,
891830, Arthralgia, 23.10, Erythema multiforme, 23.10, Injection site pain, 23.10, Insomnia, 23.10, Myalgia, 23.10
891830, Rash, 23.10, , , , , , , ,
891834, Hypoaesthesia, 23.10, Injection site swelling, 23.10, Muscle spasms, 23.10, Paraesthesia, 23.10, Pyrexia, 23.10
891835, Erythema, 23.10, Pruritus, 23.10, Swelling, 23.10, , , , , ,
891839, Abdominal pain upper, 23.10, Chills, 23.10, Decreased appetite, 23.10, Dizziness, 23.10, Eye pain, 23.10
891839, Fatigue, 23.10, Headache, 23.10, Muscular weakness, 23.10, Nausea, 23.10, Pain, 23.10
891839, Pyrexia, 23.10, , , , , , , ,
891841, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891842, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891843, No adverse event, 23.10, Product storage error, 23.10, , , , , , ,
891849, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , ,
891853, Herpes zoster, 23.10, , , , , , , ,
891854, Herpes zoster, 23.10, , , , , , , ,
891856, Influenza like illness, 23.10, Local reaction, 23.10, Pyrexia, 23.10, , , , ,
891857, Pneumonia, 23.10, , , , , , , ,
891858, Diarrhoea, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , ,
891859, Illness, 23.10, Pain in extremity, 23.10, Tenderness, 23.10, , , , , ,
891860, Axillary pain, 23.10, Heart rate increased, 23.10, Hypertension, 23.10, Oedema peripheral, 23.10, Pain, 23.10

891860, Swelling, 23.10, , , , , , , , ,
891861, Nasal discomfort, 23.10, Oral mucosal blistering, 23.10, Oral pruritus, 23.10, Throat irritation, 23.10, Urticaria, 23.10
891862, Fatigue, 23.10, Malaise, 23.10, Myalgia, 23.10, Pyrexia, 23.10, ,
891863, Autoimmune disorder, 23.10, , , , , , , , ,
891865, Extensive swelling of vaccinated limb, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site warmth, 23.10, ,
891866, Erythema, 23.10, Injection site rash, 23.10, Rash, 23.10, , , , ,
891867, Alanine aminotransferase increased, 23.10, Aspartate aminotransferase increased, 23.10, Blood glucose increased, 23.10, Blood lactate dehydrogenase increased, 23.10, , ,
891868, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Pyrexia, 23.10, , , , ,
891869, Muscular weakness, 23.10, Pain in extremity, 23.10, , , , , , ,
891870, Arthralgia, 23.10, Myalgia, 23.10, , , , , , ,
891871, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,
891872, Urticaria, 23.10, , , , , , , , ,
891873, Dizziness, 23.10, Fatigue, 23.10, Vertigo, 23.10, , , , ,
891874, Cough, 23.10, Eye pain, 23.10, Headache, 23.10, Intraocular pressure increased, 23.10, Keratitis, 23.10
891874, Oropharyngeal pain, 23.10, Pain, 23.10, , , , , , ,
891875, Mouth swelling, 23.10, , , , , , , , ,
891876, Swelling, 23.10, , , , , , , , ,
891877, Asthenia, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
891878, Injection site erythema, 23.10, Injection site nodule, 23.10, Injection site pruritus, 23.10, , , , , ,
891879, Asthenia, 23.10, Hypoaesthesia, 23.10, Injected limb mobility decreased, 23.10, Injection site discomfort, 23.10, , ,
891882, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , , ,
891883, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , , ,
891884, Arthralgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , ,
891885, Injection site pain, 23.10, , , , , , , , ,
891886, Injection site extravasation, 23.10, No adverse event, 23.10, , , , , , , ,
891887, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Product administered at inappropriate site, 23.10, , , , ,
891888, Incorrect dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
891889, Pain in extremity, 23.10, , , , , , , , ,
891890, Asthenia, 23.10, Balance disorder, 23.10, Blister, 23.10, Disorientation, 23.10, Feeling abnormal, 23.10
891890, Feeling cold, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
891890, Lethargy, 23.10, Mental impairment, 23.10, Nausea, 23.10, Poor quality sleep, 23.10, Pruritus, 23.10
891890, Pyrexia, 23.10, Tenderness, 23.10, Vision blurred, 23.10, , , , , ,
891891, Haemorrhage, 23.10, Rash erythematous, 23.10, Rash pruritic,

23.10,Rash pustular,23.10,,
891892,Swelling face,23.10,Swollen tongue,23.10,,,,,
891894,Pain,23.10,Pain in extremity,23.10,,,,,
891906,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
891915,Herpes zoster,23.10,,,,,
891916,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
891918,Head discomfort,23.10,Muscle strain,23.10,Neck pain,23.10,,,
891919,Erythema,23.10,Pain in extremity,23.10,Tenderness,
23.10,Tension,23.10,,
891920,Pyrexia,23.10,,,,,
891921,Erythema,23.10,Injection site erythema,23.10,Injection site
induration,23.10,Injection site warmth,23.10,,
891922,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Peripheral swelling,23.10,,
891923,Heart rate increased,23.10,,,,,
891924,Blood lactate dehydrogenase increased,23.10,Hepatic enzyme
increased,23.10,,,,,
891925,Fatigue,23.10,Nasal oedema,23.10,Pain,23.10,Rhinalgia,23.10,,
891926,Ophthalmic herpes zoster,23.10,,,,,
891927,Injection site cellulitis,23.10,Injection site swelling,
23.10,,,,,
891928,Chills,23.10,Headache,23.10,Paraesthesia,23.10,Pyrexia,
23.10,Rash,23.10
891928,Tremor,23.10,,,,,
891929,Discomfort,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site swelling,23.10,,
891930,Neuralgia,23.10,Post herpetic neuralgia,23.10,,,,,
891931,No adverse event,23.10,Wrong product administered,23.10,,,,,
891932,Asthenia,23.10,Hypoaesthesia,23.10,Loss of personal
independence in daily activities,23.10,Paralysis,23.10,,
891935,Pruritus,23.10,Rash,23.10,Rash erythematous,23.10,,,
891936,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,
891939,Asthenia,23.10,Fatigue,23.10,Headache,23.10,Myalgia,
23.10,Swelling,23.10
891940,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,
891941,Injected limb mobility decreased,23.10,Injection site erythema,
23.10,Injection site infection,23.10,Injection site warmth,23.10,Pain
in extremity,23.10
891941,Sleep disorder,23.10,,,,,
891942,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
891944,Blood pressure increased,23.10,Pruritus,23.10,Throat
irritation,23.10,Tongue pruritus,23.10,,
891945,Fatigue,23.10,Feeling abnormal,23.10,Injection site pain,
23.10,Myalgia,23.10,Pyrexia,23.10
891946,Amnesia,23.10,Dizziness,23.10,Headache,23.10,Injection site
pain,23.10,Muscle contractions involuntary,23.10

891946, Musculoskeletal stiffness, 23.10, Neck pain, 23.10, , , , , ,
891947, Injection site pain, 23.10, , , , , , , ,
891948, Joint range of motion decreased, 23.10, Muscular weakness,
23.10, Pain, 23.10, , , , ,
891950, Pain, 23.10, Pain in extremity, 23.10, , , , , ,
891951, Body temperature increased, 23.10, Fatigue, 23.10, Myalgia,
23.10, , , , ,
891952, Immediate post-injection reaction, 23.10, Injection site
haemorrhage, 23.10, Injection site induration, 23.10, Injection site mass,
23.10, Injection site swelling, 23.10
891953, Blood test, 23.10, Chest X-ray, 23.10, Dizziness, 23.10, Dyspnoea,
23.10, Injected limb mobility decreased, 23.10
891953, Nausea, 23.10, Tremor, 23.10, , , , , ,
891954, Asthenia, 23.10, Hiccups, 23.10, Syncope, 23.10, Vomiting, 23.10, ,
891955, Erythema, 23.10, Extensive swelling of vaccinated limb,
23.10, Induration, 23.10, Injection site erythema, 23.10, Injection site
induration, 23.10
891955, Injection site pain, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Skin
warm, 23.10
891956, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , ,
891957, Erythema, 23.10, Swelling, 23.10, , , , , ,
891958, Pyrexia, 23.10, , , , , , , ,
891959, Back pain, 23.10, Inflammation, 23.10, Muscle tightness, 23.10, Pain,
23.10, , ,
891960, Erythema, 23.10, Local reaction, 23.10, Swelling, 23.10, , , , ,
891961, Arthralgia, 23.10, Fatigue, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , ,
891962, Injected limb mobility decreased, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Pain in extremity, 23.10, , ,
891963, Blood pressure abnormal, 23.10, Head injury, 23.10, Lethargy,
23.10, Loss of consciousness, 23.10, , ,
891964, Product administered to patient of inappropriate age,
23.10, , , , , , , ,
891966, Crying, 23.10, Injection site erythema, 23.10, Irritability,
23.10, Pyrexia, 23.10, , ,
891968, Immediate post-injection reaction, 23.10, Injection site
induration, 23.10, Injection site mass, 23.10, , , , ,
891969, Condition aggravated, 23.10, Dizziness, 23.10, Posture abnormal,
23.10, Urinary incontinence, 23.10, , ,
891970, Cellulitis, 23.10, Peripheral swelling, 23.10, Skin reaction,
23.10, , , , , ,
891971, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
891972, Fall, 23.10, Head injury, 23.10, Headache, 23.10, Loss of
consciousness, 23.10, Pain, 23.10
891973, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , ,
891974, Chills, 23.10, Heart rate increased, 23.10, Pain, 23.10, , , , ,
891975, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
891976, Back pain, 23.10, Gait disturbance, 23.10, Headache, 23.10, Injection

site pain,23.10,Mobility decreased,23.10
891976,Pain,23.10,Rash,23.10,Rash macular,23.10,Rash papular,
23.10,Rash pruritic,23.10
891977,Head injury,23.10,Hypotension,23.10,Loss of consciousness,
23.10,,,,,
891979,Erythema,23.10,Peripheral swelling,23.10,,,,,,
891980,Chills,23.10,Headache,23.10,Pain,23.10,,,,,
891981,Cold sweat,23.10,Dysphagia,23.10,Eye irritation,23.10,Glassy
eyes,23.10,Nausea,23.10
891981,Pruritus,23.10,Tremor,23.10,,,,,,
891982,Dysphagia,23.10,Throat tightness,23.10,,,,,,
891985,Chest pain,23.10,Confusional state,23.10,Nausea,
23.10,Photopsia,23.10,Tremor,23.10
891985,Vomiting,23.10,,,,,,
891986,Erythema,23.10,Peripheral swelling,23.10,,,,,,
891987,Vaccination complication,23.10,,,,,,
891988,Headache,23.10,Injection site erythema,23.10,Injection site
mass,23.10,Injection site swelling,23.10,Injection site warmth,23.10
891988,Pain,23.10,,,,,,
891989,Blister,23.10,Musculoskeletal stiffness,23.10,,,,,,
891990,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site rash,23.10,,
891991,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
891993,Pruritus,23.10,Rash,23.10,Urticaria,23.10,,,,,
891994,Bacterial test negative,23.10,Blood creatinine increased,
23.10,Body temperature increased,23.10,Chills,23.10,Dehydration,23.10
891994,Mobility decreased,23.10,Pyrexia,23.10,SARS-CoV-2 test
negative,23.10,Swelling,23.10,Vomiting,23.10
891995,Body temperature increased,23.10,Chills,23.10,Dizziness,
23.10,Headache,23.10,Tremor,23.10
891998,Rash,23.10,Rash erythematous,23.10,Rash papular,23.10,Rash
pruritic,23.10,,
891999,Cellulitis,23.10,,,,,,
892000,Dysphagia,23.10,Influenza like illness,23.10,Insomnia,
23.10,Vision blurred,23.10,,
892001,Blood pressure increased,23.10,Condition aggravated,
23.10,Diplegia,23.10,Laboratory test normal,23.10,Lip swelling,23.10
892001,Vaccination complication,23.10,,,,,,
892002,Ageusia,23.10,Dry eye,23.10,Eye pruritus,23.10,Eyelid function
disorder,23.10,Facial paralysis,23.10
892002,Hypoaesthesia oral,23.10,Neurological examination,23.10,,,,,
892003,Cellulitis,23.10,Erythema,23.10,Injected limb mobility
decreased,23.10,Tenderness,23.10,,
892004,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
892005,Abdominal pain upper,23.10,Dizziness,23.10,Fall,23.10,,,,,
892006,Dyspnoea,23.10,Flushing,23.10,Rash,23.10,Urticaria,23.10,,
892007,Urticaria,23.10,,,,,,

892012, Syncope, 23.10, , , , , , , , ,
892015, Urticaria, 23.10, , , , , , , , ,
892016, Discomfort, 23.10, Injection site erythema, 23.10, Lymphadenitis,
23.10, , , , ,
892020, Asthenia, 23.10, Blood glucose increased, 23.10, Breath odour,
23.10, Confusional state, 23.10, Diabetic ketoacidosis, 23.10
892020, Dyspnoea, 23.10, Fatigue, 23.10, Hyperglycaemia, 23.10, Nausea,
23.10, Pollakiuria, 23.10
892020, Thirst, 23.10, Type 1 diabetes mellitus, 23.10, , , , , , ,
892021, Headache, 23.10, Hot flush, 23.10, Impaired work ability,
23.10, Nausea, 23.10, Pain, 23.10
892021, Retching, 23.10, , , , , , , , ,
892038, Incomplete course of vaccination, 23.10, No adverse event,
23.10, , , , , , ,
892041, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Nausea,
23.10, Pyrexia, 23.10
892042, Bedridden, 23.10, Chills, 23.10, Headache, 23.10, Pyrexia, 23.10, ,
892043, Pyrexia, 23.10, , , , , , , , ,
892044, Chills, 23.10, Genital rash, 23.10, Herpes zoster, 23.10, Insomnia,
23.10, Rash, 23.10
892044, Vaccination failure, 23.10, , , , , , , , ,
892045, Feeling cold, 23.10, Inappropriate schedule of product
administration, 23.10, Influenza like illness, 23.10, Pyrexia, 23.10, ,
892046, Exposure during pregnancy, 23.10, Syringe issue, 23.10, Underdose,
23.10, , , , ,
892047, Mobility decreased, 23.10, Nerve injury, 23.10, Neuralgia, 23.10, , , , ,
892050, Burning sensation, 23.10, Injection site pain, 23.10, Nausea,
23.10, Vomiting, 23.10, ,
892052, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , ,
892053, Injection site haematoma, 23.10, Injection site haemorrhage,
23.10, Injection site swelling, 23.10, , , , ,
892054, Hypersensitivity, 23.10, Mobility decreased, 23.10, , , , , , ,
892055, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pyrexia,
23.10, Vomiting, 23.10
892056, Culture urine, 23.10, Dehydration, 23.10, Enema administration,
23.10, Full blood count, 23.10, Intussusception, 23.10
892056, Irritability, 23.10, Lethargy, 23.10, Metabolic function test,
23.10, Ultrasound abdomen, 23.10, Urinary system X-ray, 23.10
892056, Urine analysis, 23.10, Vomiting, 23.10, , , , , , ,
892057, Dizziness, 23.10, Seizure, 23.10, , , , , , , , ,
892058, Malaise, 23.10, Syncope, 23.10, , , , , , , , ,
892059, Injection site erythema, 23.10, Injection site rash, 23.10, Local
reaction, 23.10, , , , , ,
892060, Erythema, 23.10, Peripheral swelling, 23.10, Rash macular,
23.10, Skin warm, 23.10, ,
892061, Angioedema, 23.10, , , , , , , , ,
892070, Herpes zoster, 23.10, , , , , , , , ,
892071, Deafness, 23.10, , , , , , , , ,
892072, Illness, 23.10, , , , , , , , ,
892073, Febrile convulsion, 23.10, Pyrexia, 23.10, , , , , , , , ,

892074, Asthenia, 23.10, , , , , , , , , ,
892075, Pain in extremity, 23.10, , , , , , , , , ,
892077, Erythema, 23.10, Lymphadenopathy, 23.10, Pain, 23.10, Pain in
extremity, 23.10, Skin discolouration, 23.10
892077, X-ray abnormal, 23.10, , , , , , , , , ,
892079, Paraesthesia, 23.10, , , , , , , , , ,
892080, Unevaluable event, 23.10, , , , , , , , , ,
892081, Pain, 23.10, Pyrexia, 23.10, , , , , , , , , ,
892082, Chills, 23.10, Decreased appetite, 23.10, Dizziness, 23.10, Nausea,
23.10, Pyrexia, 23.10
892085, Burning sensation, 23.10, Fatigue, 23.10, Headache, 23.10, Influenza
like illness, 23.10, ,
892086, Hypoaesthesia, 23.10, Oropharyngeal discomfort, 23.10, Productive
cough, 23.10, , , , ,
892087, Back pain, 23.10, Pain in extremity, 23.10, , , , , , , , , ,
892088, Urticaria, 23.10, , , , , , , , , ,
892089, Blood pressure decreased, 23.10, Pyrexia, 23.10, Tremor,
23.10, Vision blurred, 23.10, ,
892090, Pain in extremity, 23.10, , , , , , , , , ,
892092, Injection site erythema, 23.10, Injection site swelling,
23.10, Joint range of motion decreased, 23.10, Pain, 23.10, ,
892093, Rash, 23.10, , , , , , , , , ,
892094, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, , , , ,
892096, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site rash, 23.10, Injection site warmth, 23.10, ,
892099, Urticaria, 23.10, , , , , , , , , ,
892102, Injection site erythema, 23.10, Injection site infection,
23.10, Injection site pain, 23.10, Injection site warmth, 23.10, ,
892103, Injection site erythema, 23.10, , , , , , , , , ,
892112, Allergic reaction to excipient, 23.10, Arthralgia,
23.10, Contraindicated product administered, 23.10, Fatigue, 23.10, Feeling
hot, 23.10
892112, Inappropriate schedule of product administration, 23.10, Myalgia,
23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, ,
892113, Arthralgia, 23.10, Chest discomfort, 23.10, Discomfort,
23.10, Fatigue, 23.10, Headache, 23.10
892113, Influenza like illness, 23.10, Myalgia, 23.10, Pyrexia, 23.10, SARS-
CoV-2 test negative, 23.10, ,
892114, Discomfort, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, ,
892115, Discomfort, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, ,
892116, Discomfort, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, ,
892117, Discomfort, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, ,
892118, Discomfort, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, ,
892119, Discomfort, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, ,

892120,Discomfort,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
892121,Discomfort,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
892122,Discomfort,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
892123,Discomfort,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
892124,Illness,23.10,Inappropriate schedule of product administration,23.10,Product administered at inappropriate site,23.10,,,,,
892125,Incomplete course of vaccination,23.10,Influenza,23.10,Respiratory disorder,23.10,Suspected COVID-19,23.10,,
892126,Erythema,23.10,Pain in extremity,23.10,Pruritus,23.10,Swelling,23.10,,
892127,Pain in extremity,23.10,Tenderness,23.10,,,,,,
892128,Hepatitis B antibody negative,23.10,Therapy non-responder,23.10,,,,,,
892129,Influenza,23.10,,,,,,
892130,Gait inability,23.10,Guillain-Barre syndrome,23.10,Neuralgia,23.10,Paralysis,23.10,,
892131,Death,23.10,,,,,,
892132,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
892135,Balance disorder,23.10,Loss of consciousness,23.10,Vomiting,23.10,,,,,
892136,Dizziness,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10,Rash,23.10
892137,Asthenia,23.10,Decreased appetite,23.10,Dizziness,23.10,Faeces soft,23.10,Nausea,23.10
892137,Vomiting,23.10,,,,,,
892138,Headache,23.10,Malaise,23.10,Mobility decreased,23.10,Myalgia,23.10,,
892139,Dysarthria,23.10,Hypoaesthesia,23.10,Limb discomfort,23.10,Paraesthesia,23.10,Paraesthesia oral,23.10
892139,Speech disorder,23.10,,,,,,
892141,Chills,23.10,Pain,23.10,,,,,
892143,Burning sensation,23.10,Immediate post-injection reaction,23.10,Mobility decreased,23.10,Pain,23.10,Paraesthesia,23.10
892143,Sleep disorder,23.10,,,,,,
892144,Injection site pain,23.10,Mobility decreased,23.10,Nodule,23.10,Pain in extremity,23.10,,
892146,Abdominal discomfort,23.10,Chills,23.10,Diarrhoea,23.10,Dysphagia,23.10,Dyspnoea,23.10
892146,Hyperhidrosis,23.10,Nausea,23.10,Pharyngeal oedema,23.10,Wheezing,23.10,,
892147,Chills,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10,,
892158,Ophthalmic herpes zoster,23.10,,,,,,
892159,Rash,23.10,Rash pruritic,23.10,Rash vesicular,23.10,,,,,
892160,Headache,23.10,Pain,23.10,Product preparation issue,23.10,,,,,
892161,Pneumonia,23.10,,,,,,

892163, Injection site pain, 23.10, Pain in extremity, 23.10, , , , , ,
892164, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Pain, 23.10, , , , ,
892165, Erythema, 23.10, Induration, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
892166, Pyrexia, 23.10, Rash, 23.10, , , , , ,
892167, Burning sensation, 23.10, Erythema, 23.10, Herpes zoster,
23.10, Pain, 23.10, Tenderness, 23.10
892170, Asthenia, 23.10, Decreased appetite, 23.10, Diarrhoea,
23.10, Dizziness, 23.10, Vomiting projectile, 23.10
892171, Blood potassium increased, 23.10, Crying, 23.10, Electrocardiogram
normal, 23.10, Electroencephalogram normal, 23.10, Eye movement disorder,
23.10
892171, Hypotonia, 23.10, Oxygen saturation decreased, 23.10, Skin
discolouration, 23.10, White blood cell count normal, 23.10, ,
892172, Erythema, 23.10, Peripheral swelling, 23.10, , , , , ,
892173, Injection site pain, 23.10, Pain, 23.10, Pain in extremity,
23.10, , , , ,
892174, Injection site scab, 23.10, , , , , , ,
892175, Syncope, 23.10, , , , , , ,
892190, Chronic inflammatory demyelinating polyradiculoneuropathy,
23.10, Condition aggravated, 23.10, Dysphonia, 23.10, Dyspnoea,
23.10, Headache, 23.10
892190, Infusion site extravasation, 23.10, Malaise, 23.10, Pyrexia,
23.10, , , , ,
892191, Asthenia, 23.10, Crying, 23.10, Disability, 23.10, Fear, 23.10, Gait
inability, 23.10
892191, Headache, 23.10, Hypophagia, 23.10, Influenza like illness,
23.10, Malaise, 23.10, Nausea, 23.10
892191, Pain, 23.10, , , , , , ,
892193, Arthralgia, 23.10, Neck pain, 23.10, Pain in extremity, 23.10, , , , ,
892194, Amnesia, 23.10, Concussion, 23.10, Electrocardiogram normal,
23.10, Migraine, 23.10, Neurological examination normal, 23.10
892194, Syncope, 23.10, Tonic clonic movements, 23.10, , , , , ,
892195, Dizziness, 23.10, Nausea, 23.10, , , , , ,
892196, Pain, 23.10, , , , , , ,
892197, Anal incontinence, 23.10, Dehydration, 23.10, Dizziness,
23.10, Fatigue, 23.10, Headache, 23.10
892197, Mobility decreased, 23.10, Myalgia, 23.10, Syncope, 23.10, , , , ,
892198, Fatigue, 23.10, Lymphadenopathy, 23.10, Tenderness, 23.10, , , , ,
892199, Vaccination site erythema, 23.10, Vaccination site swelling,
23.10, Vaccination site warmth, 23.10, , , , ,
892201, Dizziness, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , , ,
892202, Product administered to patient of inappropriate age,
23.10, , , , , , ,
892203, Chills, 23.10, Dizziness, 23.10, Heart rate increased, 23.10, Nausea,
23.10, Pyrexia, 23.10
892203, Tremor, 23.10, , , , , , ,
892204, Loss of consciousness, 23.10, Syncope, 23.10, , , , , ,
892205, Erythema, 23.10, Mass, 23.10, Skin warm, 23.10, , , , ,
892206, Injected limb mobility decreased, 23.10, Injection site

haematoma,23.10,Injection site pain,23.10,,,,
892207,Erythema,23.10,Musculoskeletal stiffness,23.10,Swelling,
23.10,,,,
892208,Cold sweat,23.10,Dizziness,23.10,Malaise,23.10,Pallor,23.10,,
892209,Hypoaesthesia,23.10,Paraesthesia,23.10,,,,,
892211,Peripheral swelling,23.10,Rash,23.10,Rash erythematous,
23.10,,,,
892213,Immediate post-injection reaction,23.10,Injection site pain,
23.10,Injection site warmth,23.10,Pain,23.10,Sleep disorder,23.10
892214,Neck pain,23.10,Pain,23.10,Pain in extremity,23.10,,,,
892215,Anaesthesia,23.10,CSF protein,23.10,CSF white blood cell count,
23.10,Central nervous system lesion,23.10,Hypoaesthesia,23.10
892215,Immunoglobulin therapy,23.10,Laboratory test,23.10,Lhermitte's
sign,23.10,Magnetic resonance imaging brain normal,23.10,Magnetic
resonance imaging spinal abnormal,23.10
892215,Muscular weakness,23.10,Myelitis transverse,
23.10,Plasmapheresis,23.10,,,,
892216,Injection site reaction,23.10,Rash erythematous,23.10,Rash
papular,23.10,,,,
892217,Erythema,23.10,Peripheral swelling,23.10,Pruritus,23.10,Skin
warm,23.10,,
892218,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Joint noise,23.10,Musculoskeletal discomfort,23.10,Pain,23.10
892218,Product administered at inappropriate site,23.10,Sleep
disorder,23.10,,,,,
892219,Asthenia,23.10,Blood glucose normal,23.10,Dizziness,23.10,,,,
892221,Rash morbilliform,23.10,,,,,
892222,Pain in extremity,23.10,Peripheral embolism,23.10,Thrombosis,
23.10,,,,
892223,Borrelia test negative,23.10,C-reactive protein normal,
23.10,Differential white blood cell count normal,23.10,Dizziness,
23.10,Full blood count normal,23.10
892223,Human herpes virus 6 serology negative,23.10,Hypoaesthesia,
23.10,Magnetic resonance imaging brain normal,23.10,Magnetic resonance
imaging neck,23.10,Magnetic resonance imaging normal,23.10
892223,Magnetic resonance imaging thoracic normal,23.10,Pain in
extremity,23.10,Paraesthesia,23.10,Red blood cell sedimentation rate
normal,23.10,Visual impairment,23.10
892224,Hypoaesthesia,23.10,Pain in extremity,23.10,,,,,
892225,Erythema,23.10,Pruritus,23.10,Skin warm,23.10,Swelling,23.10,,
892227,Loss of consciousness,23.10,Nausea,23.10,Pallor,23.10,Syncope,
23.10,,
892228,Erythema,23.10,Peripheral swelling,23.10,,,,,
892230,Pruritus,23.10,Rash,23.10,,,,,
892232,Dizziness,23.10,Feeling hot,23.10,Syncope,23.10,,,,
892233,Chills,23.10,Erythema,23.10,Swelling,23.10,,,,
892234,Dizziness,23.10,Injection site pain,23.10,Injection site
swelling,23.10,Pain,23.10,Pyrexia,23.10
892235,Injection site swelling,23.10,,,,,
892236,Rash,23.10,,,,,

892237, Injection site erythema, 23.10, Injection site swelling,
23.10, Pain in extremity, 23.10, , , ,
892238, Urticaria, 23.10, , , , , , , ,
892240, Asthenia, 23.10, Confusional state, 23.10, Fall, 23.10, Pallor,
23.10, ,
892241, Feeling hot, 23.10, Loss of consciousness, 23.10, Pallor,
23.10, Paraesthesia, 23.10, Visual impairment, 23.10
892242, Body temperature increased, 23.10, Erythema, 23.10, Peripheral
swelling, 23.10, , , , ,
892243, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
892244, Blood pressure increased, 23.10, Heart rate increased, 23.10, , , , , , ,
892245, Pain in extremity, 23.10, X-ray normal, 23.10, , , , , , ,
892246, Contusion, 23.10, , , , , , , ,
892249, Dizziness, 23.10, Loss of consciousness, 23.10, Vomiting, 23.10, , , , ,
892250, Injection site pain, 23.10, Injection site rash, 23.10, Injection
site reaction, 23.10, Injection site warmth, 23.10, ,
892251, Urticaria, 23.10, , , , , , , ,
892252, Seizure, 23.10, , , , , , , ,
892253, Injection site reaction, 23.10, Sleep disorder, 23.10, , , , , , ,
892254, Injection site pain, 23.10, Pain, 23.10, , , , , , ,
892255, Erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, , , , ,
892256, Hypoaesthesia, 23.10, Injection site erythema, 23.10, Injection
site swelling, 23.10, Injection site warmth, 23.10, Ultrasound scan, 23.10
892257, Injection site discomfort, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, Rash papular, 23.10, ,
892258, Hypoaesthesia, 23.10, Paraesthesia, 23.10, , , , , , ,
892259, Erythema, 23.10, Injected limb mobility decreased, 23.10, Injection
site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus,
23.10
892259, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , , , ,
892260, Abdominal discomfort, 23.10, Chills, 23.10, Headache,
23.10, Injection site erythema, 23.10, Myalgia, 23.10
892261, Hypotension, 23.10, Loss of consciousness, 23.10, Nausea,
23.10, Nervousness, 23.10, Pallor, 23.10
892262, Injection site cellulitis, 23.10, Injection site erythema,
23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, ,
892263, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, Vaccination complication, 23.10, ,
892265, Paraesthesia, 23.10, Rash erythematous, 23.10, Vaccination site
pain, 23.10, , , , ,
892266, Pain in extremity, 23.10, Tenderness, 23.10, , , , , , ,
892267, Dizziness, 23.10, Dyspnoea, 23.10, Hypertension, 23.10, Malaise,
23.10, ,
892268, Chills, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
892269, Diarrhoea, 23.10, Fatigue, 23.10, Pruritus, 23.10, Rash, 23.10, ,
892270, Diplopia, 23.10, Extraocular muscle paresis, 23.10, Optic
neuropathy, 23.10, , , , ,
892272, Arthralgia, 23.10, Arthropathy, 23.10, Asthenia,
23.10, Hypoaesthesia, 23.10, Injection site rash, 23.10
892272, Injection site swelling, 23.10, Injection site warmth, 23.10, Limb

discomfort,23.10,Pain in extremity,23.10,,
892273,Abdominal discomfort,23.10,Agitation,23.10,Anxiety,23.10,Back
pain,23.10,Depression,23.10
892273,Diarrhoea,23.10,Dizziness,23.10,Headache,23.10,Malaise,
23.10,Muscle fatigue,23.10
892273,Musculoskeletal stiffness,23.10,Myalgia,23.10,,,,,
892274,Product dispensing error,23.10,Wrong product administered,
23.10,,,,,
892276,Crying,23.10,Decreased appetite,23.10,Dyspnoea,23.10,Fatigue,
23.10,Headache,23.10
892276,Incorrect dose administered,23.10,Injection site pain,
23.10,Pain,23.10,Palpitations,23.10,Wheezing,23.10
892276,Wrong technique in product usage process,23.10,,,,,
892277,Injection site bruising,23.10,,,,,
892278,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Muscle tightness,23.10,,,,,
892280,Blister,23.10,Erythema,23.10,Pain,23.10,Secretion discharge,
23.10,,
892282,Disorientation,23.10,Fatigue,23.10,Retching,23.10,Swelling,
23.10,,
892283,Inappropriate schedule of product administration,23.10,,,,,
892284,Nausea,23.10,Pain in extremity,23.10,,,,,
892285,Breath holding,23.10,Dizziness,23.10,Injected limb mobility
decreased,23.10,Joint range of motion decreased,23.10,Nausea,23.10
892285,Pain in extremity,23.10,Sleep disorder,23.10,Tension,23.10,,,,,
892286,Chills,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Myalgia,23.10,Nausea,23.10
892286,Pain,23.10,,,,,
892287,Chills,23.10,Injection site pain,23.10,Myalgia,23.10,Nausea,
23.10,Pyrexia,23.10
892288,Chest discomfort,23.10,Discomfort,23.10,Dizziness,
23.10,Headache,23.10,,
892290,Chills,23.10,Cough,23.10,Headache,23.10,Insomnia,
23.10,Lethargy,23.10
892290,Myalgia,23.10,Pyrexia,23.10,,,,,
892292,Injection site reaction,23.10,Neuralgia,23.10,Pain,23.10,Sleep
disorder,23.10,,
892293,Mobility decreased,23.10,Musculoskeletal pain,23.10,Pain in
extremity,23.10,,,,,
892295,Arthralgia,23.10,Cough,23.10,Fatigue,23.10,Headache,
23.10,Injection site erythema,23.10
892295,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10,Pulmonary pain,23.10,Pyrexia,23.10
892295,Sleep disorder,23.10,,,,,
892296,Haemorrhage,23.10,Pain in extremity,23.10,Product administered
at inappropriate site,23.10,,,,,
892297,Asthenia,23.10,Chills,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,Skin warm,23.10
892297,Tenderness,23.10,Urticaria,23.10,,,,,
892298,Dizziness,23.10,Eye movement disorder,23.10,Syncope,

23.10,Tremor,23.10,,
892299,Injection site nodule,23.10,Injection site pain,23.10,Pain,
23.10,,,,,
892300,Arthralgia,23.10,Asthenia,23.10,Discomfort,23.10,Joint range of
motion decreased,23.10,Musculoskeletal stiffness,23.10
892300,Pain,23.10,Pain in extremity,23.10,Sleep disorder,23.10,,,,,
892302,Asthenia,23.10,Delusion,23.10,Dizziness,23.10,Nausea,23.10,,
892303,Confusional state,23.10,Depressed level of consciousness,
23.10,Fall,23.10,Pallor,23.10,Syncope,23.10
892304,Peripheral swelling,23.10,,,,,,
892305,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
892306,Injection site inflammation,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pain,23.10,Pain in extremity,23.10
892306,Product administered at inappropriate site,23.10,,,,,,
892307,Feeling hot,23.10,Loss of consciousness,23.10,Pallor,23.10,,,,,
892308,Pain in extremity,23.10,Paraesthesia,23.10,,,,,
892309,Erythema,23.10,Peripheral swelling,23.10,Rash,23.10,,,,,
892310,Urticaria,23.10,,,,,,
892311,Asthenia,23.10,Chills,23.10,Dizziness,23.10,Headache,
23.10,Hyperhidrosis,23.10
892314,Sepsis,23.10,Vaccination complication,23.10,,,,,
892316,Hypoaesthesia,23.10,Mobility decreased,23.10,Paraesthesia,
23.10,,,,,
892317,Back pain,23.10,Chest pain,23.10,Dyspnoea,23.10,Flushing,
23.10,Tinnitus,23.10
892318,Abdominal pain upper,23.10,Diarrhoea,23.10,Nausea,
23.10,Somnolence,23.10,Urticaria,23.10
892319,Chills,23.10,Erythema,23.10,Headache,23.10,Nausea,
23.10,Peripheral swelling,23.10
892319,Pyrexia,23.10,,,,,,
892320,Pyrexia,23.10,,,,,,
892321,Injection site streaking,23.10,Rash,23.10,Rash erythematous,
23.10,,,,,
892322,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
892323,Hypoaesthesia,23.10,Injection site swelling,23.10,Pyrexia,
23.10,,,,,
892324,Arthralgia,23.10,,,,,,
892325,Body temperature increased,23.10,Chills,23.10,Headache,
23.10,,,,,
892326,Dizziness,23.10,Nausea,23.10,Syncope,23.10,,,,,
892328,Injection site erythema,23.10,Injection site inflammation,
23.10,Injection site paraesthesia,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
892328,Swelling of eyelid,23.10,,,,,,
892329,Contusion,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
892331,Contusion,23.10,Injection site pain,23.10,Swelling,23.10,,,,,
892332,Pain in extremity,23.10,Rash macular,23.10,Skin warm,
23.10,Swelling,23.10,,
892333,Dizziness,23.10,Dyspnoea,23.10,Malaise,23.10,Urticaria,23.10,,

892334, Loss of consciousness, 23.10, Seizure, 23.10, Syncope, 23.10, , , , ,
892335, Abdominal pain, 23.10, Chills, 23.10, Fatigue, 23.10, Hyperhidrosis,
23.10, Injection site erythema, 23.10
892335, Injection site pain, 23.10, Injection site swelling, 23.10, Pain,
23.10, Pyrexia, 23.10, Sleep disorder, 23.10
892336, Fatigue, 23.10, Heart rate abnormal, 23.10, Hyperhidrosis,
23.10, Pallor, 23.10, Presyncope, 23.10
892337, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10, , , , , , ,
892338, Cough, 23.10, Malaise, 23.10, Pyrexia, 23.10, SARS-CoV-2 test
negative, 23.10, Urticaria, 23.10
892339, Dizziness, 23.10, Vertigo, 23.10, Vertigo positional, 23.10, , , , ,
892340, Syncope, 23.10, , , , , , , ,
892344, Headache, 23.10, Nausea, 23.10, Paraesthesia, 23.10, , , , ,
892345, Dizziness, 23.10, Posture abnormal, 23.10, Vision blurred, 23.10, , , , ,
892347, Asthenia, 23.10, Brain natriuretic peptide normal, 23.10, Chest
discomfort, 23.10, Dizziness, 23.10, Feeling abnormal, 23.10
892347, Full blood count normal, 23.10, Lip swelling, 23.10, Paraesthesia
oral, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10
892347, Swelling of eyelid, 23.10, Urticaria, 23.10, , , , , , ,
892348, Balance disorder, 23.10, Gait disturbance, 23.10, Lumbar puncture,
23.10, Muscle spasms, 23.10, Nerve conduction studies, 23.10
892348, Pain in extremity, 23.10, Paraesthesia, 23.10, Weight bearing
difficulty, 23.10, , , , ,
892349, Asthenia, 23.10, Discomfort, 23.10, Fatigue, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10
892349, Insomnia, 23.10, , , , , , , ,
892350, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,
892351, Abdominal pain upper, 23.10, Chills, 23.10, Fatigue, 23.10, Headache,
23.10, Injection site swelling, 23.10
892351, Myalgia, 23.10, Nausea, 23.10, Rash, 23.10, , , , ,
892352, Arthralgia, 23.10, Chest X-ray, 23.10, Chest discomfort, 23.10, Chest
pain, 23.10, Joint stiffness, 23.10
892352, Pain in extremity, 23.10, Pleurisy, 23.10, , , , , , ,
892353, Diarrhoea, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache,
23.10, Nausea, 23.10
892353, Oropharyngeal pain, 23.10, Pain, 23.10, , , , , , ,
892354, Chills, 23.10, Influenza like illness, 23.10, Injection site
induration, 23.10, Injection site pain, 23.10, Malaise, 23.10
892354, Pain, 23.10, , , , , , , ,
892355, Cough, 23.10, Malaise, 23.10, , , , , , ,
892356, Decreased appetite, 23.10, Fatigue, 23.10, Pyrexia, 23.10, Rash
vesicular, 23.10, , ,
892357, Chills, 23.10, Fatigue, 23.10, Influenza like illness,
23.10, Injection site pain, 23.10, , ,
892358, Blood glucose normal, 23.10, Blood pressure normal,
23.10, Dizziness, 23.10, , , , ,
892359, Arthralgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia,
23.10, Rash, 23.10
892359, Urine odour abnormal, 23.10, , , , , , , ,

892361,Heart rate increased,23.10,Pyrexia,23.10,,,,,
892363,Abdominal pain upper,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Injection site pain,23.10
892363,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10,,,,,
892364,Injection site erythema,23.10,Injection site induration,
23.10,Injection site warmth,23.10,,,,,
892369,Tic,23.10,,,,,
892370,Arthralgia,23.10,Headache,23.10,Malaise,23.10,Pyrexia,23.10,,
892371,Abdominal pain,23.10,Fatigue,23.10,Headache,23.10,Injection
site erythema,23.10,Injection site pain,23.10
892371,Injection site swelling,23.10,Malaise,23.10,Nausea,23.10,,,,,
892372,Erythema,23.10,Pruritus,23.10,,,,,
892373,Dizziness,23.10,Injection site erythema,23.10,Injection site
hypersensitivity,23.10,Injection site irritation,23.10,Injection site
pain,23.10
892373,Injection site swelling,23.10,Nausea,23.10,,,,,
892374,Chills,23.10,Eye swelling,23.10,Lip swelling,
23.10,Oropharyngeal pain,23.10,Swollen tongue,23.10
892374,Tremor,23.10,,,,,
892376,Chills,23.10,,,,,
892377,Eye swelling,23.10,Hypersensitivity,23.10,Malaise,
23.10,Pruritus,23.10,Throat tightness,23.10
892378,Impaired work ability,23.10,Injection site pain,23.10,Product
administered at inappropriate site,23.10,,,,,
892379,Rash,23.10,Rash erythematous,23.10,,,,,
892381,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,,
892382,Exposure via skin contact,23.10,Underdose,23.10,,,,,
892383,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
892384,Fall,23.10,Seizure,23.10,Vaccine positive rechallenge,23.10,,,,,
892385,Blood test,23.10,Computerised tomogram,23.10,Eye pain,
23.10,Facial paralysis,23.10,Hypoaesthesia,23.10
892385,Hypoaesthesia oral,23.10,Ocular hyperaemia,23.10,Urine
analysis,23.10,,,,,
892386,Fatigue,23.10,Headache,23.10,Pain,23.10,Pain in extremity,
23.10,Pyrexia,23.10
892387,Gouty arthritis,23.10,,,,,
892388,Erythema,23.10,Injection site pain,23.10,Injection site
swelling,23.10,Pruritus,23.10,Urticaria,23.10
892390,Cyanosis,23.10,Dizziness,23.10,Muscle twitching,23.10,Nausea,
23.10,Pallor,23.10
892390,Syncope,23.10,,,,,
892391,Dizziness,23.10,Pallor,23.10,,,,,
892392,Injection site pain,23.10,,,,,
892393,Pyrexia,23.10,Rash erythematous,23.10,Rash papular,23.10,Skin
warm,23.10,,
892394,Rash,23.10,Rash erythematous,23.10,,,,,
892395,Contusion,23.10,Immediate post-injection reaction,23.10,Nerve
injury,23.10,Pain in extremity,23.10,,

892396, Anaphylactic reaction, 23.10, Chest X-ray, 23.10, Cough, 23.10, Dyspnoea, 23.10, Injection site reaction, 23.10
892396, Injection site vesicles, 23.10, Urticaria, 23.10, , , , , ,
892397, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
892399, Pruritus, 23.10, Rash, 23.10, , , , , ,
892400, Pruritus, 23.10, Rash, 23.10, , , , , ,
892402, Nodule, 23.10, Peripheral swelling, 23.10, , , , , ,
892403, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
892404, Hypoaesthesia, 23.10, Nerve injury, 23.10, , , , , ,
892405, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
892406, Erythema, 23.10, Rash, 23.10, Urticaria, 23.10, , , , ,
892407, Flushing, 23.10, Pain in extremity, 23.10, Yawning, 23.10, , , , ,
892408, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
892409, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site streaking, 23.10, Rash, 23.10, Rash erythematous, 23.10
892409, Rash papular, 23.10, , , , , , , ,
892410, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , , ,
892411, Injection site erythema, 23.10, Injection site inflammation, 23.10, Injection site pruritus, 23.10, Injection site rash, 23.10, ,
892412, Neck pain, 23.10, Pruritus, 23.10, , , , , , ,
892413, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Limb discomfort, 23.10, Magnetic resonance imaging abnormal, 23.10
892413, Muscular weakness, 23.10, Pain in extremity, 23.10, Periarthritis, 23.10, Product administered at inappropriate site, 23.10, Tendon injury, 23.10
892414, Lymph node pain, 23.10, Lymphadenitis, 23.10, , , , , , ,
892415, Blood test, 23.10, Death, 23.10, Decreased appetite, 23.10, Intensive care, 23.10, Lethargy, 23.10
892415, Malaise, 23.10, Vomiting, 23.10, , , , , , ,
892417, Computerised tomogram, 23.10, Hypoaesthesia, 23.10, Injection site hypoaesthesia, 23.10, Injection site warmth, 23.10, ,
892418, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin reaction, 23.10, , , , , ,
892419, Dysphagia, 23.10, Heart rate increased, 23.10, Pharyngeal swelling, 23.10, Vomiting, 23.10, ,
892420, Urticaria, 23.10, , , , , , , ,
892421, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, Muscle spasms, 23.10, Syncope, 23.10, ,
892424, Bed rest, 23.10, Bedridden, 23.10, Chills, 23.10, Dehydration, 23.10, Fatigue, 23.10
892424, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10
892425, Eyelid ptosis, 23.10, Neck pain, 23.10, Pain in extremity, 23.10, , , , ,
892441, Blister, 23.10, Herpes zoster, 23.10, , , , , , ,
892442, Herpes zoster, 23.10, , , , , , , ,

892443, Seizure, 23.10, , , , , , , , ,
892444, Coccidioidomycosis, 23.10, , , , , , , , ,
892445, Hyperaesthesia, 23.10, Hypoaesthesia, 23.10, Mobility decreased,
23.10, Pain in extremity, 23.10, Paraesthesia, 23.10
892445, Tenderness, 23.10, , , , , , , , ,
892446, Chills, 23.10, Dysgeusia, 23.10, Erythema, 23.10, Feeling abnormal,
23.10, Feeling hot, 23.10
892446, Pain, 23.10, Pyrexia, 23.10, , , , , , , , ,
892447, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Pain, 23.10, ,
892448, Pyrexia, 23.10, , , , , , , , ,
892449, Injection site pain, 23.10, , , , , , , , ,
892450, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site
vesicles, 23.10, , , , , , , , ,
892451, Abdominal discomfort, 23.10, Nausea, 23.10, , , , , , , , ,
892452, Pain, 23.10, Pyrexia, 23.10, , , , , , , , ,
892453, Neuralgia, 23.10, Rash, 23.10, , , , , , , , ,
892454, Pyrexia, 23.10, , , , , , , , ,
892455, Injection site discolouration, 23.10, , , , , , , , ,
892456, Chills, 23.10, Headache, 23.10, Illness, 23.10, Pyrexia, 23.10, ,
892457, Influenza like illness, 23.10, Muscle spasms, 23.10, , , , , , , , ,
892458, Inappropriate schedule of product administration, 23.10, Pain in
extremity, 23.10, Pyrexia, 23.10, , , , , , , , ,
892459, Loss of consciousness, 23.10, , , , , , , , ,
892460, Injection site pain, 23.10, , , , , , , , ,
892461, Urticaria, 23.10, , , , , , , , ,
892462, Asthenia, 23.10, Fatigue, 23.10, , , , , , , , ,
892463, Computerised tomogram normal, 23.10, Headache, 23.10, SARS-CoV-2
test negative, 23.10, Tremor, 23.10, ,
892464, Guillain-Barre syndrome, 23.10, , , , , , , , ,
892465, Cellulitis, 23.10, , , , , , , , ,
892466, Herpes zoster, 23.10, Rash, 23.10, Skin ulcer, 23.10, , , , , , , , ,
892467, Myalgia, 23.10, Pyrexia, 23.10, Skin reaction, 23.10, , , , , , , , ,
892468, Mobility decreased, 23.10, , , , , , , , ,
892469, Urticaria, 23.10, , , , , , , , ,
892470, Death, 23.10, , , , , , , , ,
892472, Injection site pain, 23.10, Pain, 23.10, Rotator cuff syndrome,
23.10, , , , , , , , ,
892473, Adverse reaction, 23.10, Asthenia, 23.10, Blood test normal,
23.10, Dysstasia, 23.10, ,
892474, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , , , , ,
892475, Malaise, 23.10, Pyrexia, 23.10, , , , , , , , ,
892476, Fatigue, 23.10, Nausea, 23.10, Seizure, 23.10, Syncope, 23.10, ,
892477, No adverse event, 23.10, , , , , , , , ,
892478, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , , , , , ,
892479, Flank pain, 23.10, Headache, 23.10, Injection site pain, 23.10, Pain,
23.10, Pain in extremity, 23.10
892479, Paraesthesia oral, 23.10, , , , , , , , ,
892480, Peripheral swelling, 23.10, , , , , , , , ,

892482, Chest pain, 23.10, Palpitations, 23.10, Ventricular extrasystoles, 23.10, , , , ,
892483, Pain, 23.10, Urticaria, 23.10, , , , , , , ,
892484, Fatigue, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Pyrexia, 23.10
892485, Erythema, 23.10, Localised infection, 23.10, Peripheral swelling, 23.10, , , , ,
892486, Fatigue, 23.10, Paraesthesia, 23.10, , , , , , , ,
892490, Deafness, 23.10, , , , , , , , , ,
892493, Necrotising fasciitis, 23.10, , , , , , , , , ,
892494, Ageusia, 23.10, Anosmia, 23.10, Fatigue, 23.10, Nausea, 23.10, SARS-CoV-2 test negative, 23.10
892494, Urticaria, 23.10, , , , , , , , , ,
892495, Pain, 23.10, , , , , , , , , ,
892496, Pain in extremity, 23.10, , , , , , , , , ,
892497, Exposure via skin contact, 23.10, Injection site extravasation, 23.10, Tenderness, 23.10, Underdose, 23.10, ,
892498, Pain in extremity, 23.10, , , , , , , , , ,
892499, Erythema, 23.10, Night sweats, 23.10, Pruritus, 23.10, Urticaria, 23.10, ,
892500, Herpes zoster, 23.10, Incomplete course of vaccination, 23.10, , , , , , , ,
892501, Guillain-Barre syndrome, 23.10, , , , , , , , , ,
892502, Pneumonia, 23.10, Vaccine positive rechallenge, 23.10, , , , , , , , , ,
892503, Death, 23.10, Immediate post-injection reaction, 23.10, , , , , , , , , ,
892504, Asthenia, 23.10, Chills, 23.10, , , , , , , , , ,
892505, Pyrexia, 23.10, , , , , , , , , ,
892506, Anaphylactic reaction, 23.10, Dyspepsia, 23.10, Loss of consciousness, 23.10, Swelling, 23.10, Urticaria, 23.10
892507, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Local reaction, 23.10
892508, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , , , , ,
892509, Aphasia, 23.10, Dyspnoea, 23.10, Swollen tongue, 23.10, Urticaria, 23.10, ,
892510, Lip swelling, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , , , , , , ,
892511, Asthenia, 23.10, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, , ,
892512, Swelling face, 23.10, , , , , , , , , , ,
892513, Cerebrovascular accident, 23.10, Computerised tomogram, 23.10, Dizziness, 23.10, Dysstasia, 23.10, Fall, 23.10
892513, Magnetic resonance imaging, 23.10, Scan with contrast, 23.10, Vomiting, 23.10, , , , , ,
892514, Headache, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Myalgia, 23.10, Pyrexia, 23.10
892515, Pallor, 23.10, Posture abnormal, 23.10, Visual impairment, 23.10, , , , , , , , , ,
892516, Blood test, 23.10, Body temperature increased, 23.10, Pyrexia, 23.10, Rash, 23.10, , ,
892517, Immune thrombocytopenia, 23.10, Immunoglobulin therapy, 23.10, Platelet count decreased, 23.10, , , , , ,
892518, Chills, 23.10, Nausea, 23.10, Pyrexia, 23.10, , , , , ,

892520, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , ,
892521, Bursitis, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10
892521, Tendon disorder, 23.10, Tendon injury, 23.10, , , , , , ,
892522, Erythema, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
892524, Pruritus, 23.10, , , , , , , ,
892525, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,
892528, Facial paralysis, 23.10, , , , , , , ,
892529, Allergy test, 23.10, Chills, 23.10, Ear pruritus, 23.10, Lip swelling, 23.10, Nasal pruritus, 23.10
892530, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10, ,
892538, Erythema, 23.10, Inappropriate schedule of product administration, 23.10, Injection site pain, 23.10, Muscle swelling, 23.10, ,
892539, Influenza, 23.10, , , , , , , ,
892540, Arthralgia, 23.10, Cold sweat, 23.10, Fall, 23.10, Joint injury, 23.10, Magnetic resonance imaging normal, 23.10
892540, Pallor, 23.10, Skin laceration, 23.10, Whole body scan, 23.10, , , , ,
892542, Injection site bruising, 23.10, Skin discolouration, 23.10, Skin warm, 23.10, , , , ,
892543, Intrusive thoughts, 23.10, Psychotic disorder, 23.10, , , , , , ,
892544, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , ,
892545, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
892547, Bursitis, 23.10, Product administered at inappropriate site, 23.10, , , , , , ,
892548, Erythema, 23.10, Headache, 23.10, Swelling, 23.10, , , , , ,
892549, Injection site pain, 23.10, Injection site warmth, 23.10, , , , , , ,
892551, Shoulder injury related to vaccine administration, 23.10, X-ray, 23.10, , , , , , ,
892552, Shoulder injury related to vaccine administration, 23.10, X-ray, 23.10, , , , , , ,
892553, Chills, 23.10, Erythema, 23.10, Hyperhidrosis, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10
892553, Pyrexia, 23.10, Swelling, 23.10, , , , , , ,
892554, Erythema, 23.10, Mobility decreased, 23.10, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10
892556, Dermatitis atopic, 23.10, Rash, 23.10, , , , , , ,
892558, Chills, 23.10, Disorientation, 23.10, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10
892558, Illness, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pain in jaw, 23.10, Pyrexia, 23.10
892558, Sleep disorder, 23.10, Swelling, 23.10, , , , , , ,
892559, Abnormal sleep-related event, 23.10, Altered state of consciousness, 23.10, Balance disorder, 23.10, Cold sweat, 23.10, Dizziness, 23.10
892559, Feeling abnormal, 23.10, Feeling hot, 23.10, Nausea, 23.10, Pallor, 23.10, Vertigo, 23.10
892560, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
892561, Erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, , , , ,

892562, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site discomfort, 23.10, Pain, 23.10, Wrong technique in product usage process, 23.10
892563, Dizziness, 23.10, , , , , , , , , , ,
892564, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
892565, Injection site reaction, 23.10, Injection site vesicles, 23.10, Pain, 23.10, , , , ,
892566, Decreased appetite, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10
892566, Injection site swelling, 23.10, Pain, 23.10, , , , , , , , , , ,
892567, Arthralgia, 23.10, Injection site pain, 23.10, Joint noise, 23.10, Mobility decreased, 23.10, Muscular weakness, 23.10
892567, Pain, 23.10, , , , , , , , , , ,
892568, Dizziness, 23.10, Ear congestion, 23.10, Electrocardiogram, 23.10, Head discomfort, 23.10, Increased upper airway secretion, 23.10
892568, Injection site erythema, 23.10, Laboratory test, 23.10, Local reaction, 23.10, , , , , , ,
892569, Lymphadenopathy, 23.10, Musculoskeletal stiffness, 23.10, Neck pain, 23.10, Pain in extremity, 23.10, , ,
892570, Malaise, 23.10, Mobility decreased, 23.10, Pyrexia, 23.10, Retching, 23.10, SARS-CoV-2 test negative, 23.10
892571, Blood culture, 23.10, Chest X-ray, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10, Fluid intake reduced, 23.10
892571, Full blood count, 23.10, Lethargy, 23.10, Metabolic function test, 23.10, Opisthotonus, 23.10, Pyrexia, 23.10
892571, Restlessness, 23.10, Screaming, 23.10, Vomiting, 23.10, , , , , ,
892598, Injection site pain, 23.10, , , , , , , , , , , ,
892599, Headache, 23.10, , , , , , , , , , , , ,
892600, Expired product administered, 23.10, , , , , , , , , , , , ,
892601, Injection site pain, 23.10, , , , , , , , , , , , ,
892602, Abdominal discomfort, 23.10, Arthralgia, 23.10, Axillary mass, 23.10, Cerebrovascular accident, 23.10, Discomfort, 23.10
892602, Haemorrhoids, 23.10, Immediate post-injection reaction, 23.10, Lipoma, 23.10, Muscle discomfort, 23.10, Product administered at inappropriate site, 23.10
892602, Ulcer, 23.10, Ultrasound scan abnormal, 23.10, X-ray normal, 23.10, , , , , ,
892603, Asthenia, 23.10, Body temperature decreased, 23.10, Chills, 23.10, Dizziness, 23.10, Injection site pain, 23.10
892603, Joint stiffness, 23.10, Musculoskeletal stiffness, 23.10, Neuropathy peripheral, 23.10, Pain, 23.10, Paraesthesia, 23.10
892604, Arrhythmia, 23.10, Bundle branch block right, 23.10, Chills, 23.10, Electrocardiogram abnormal, 23.10, Endometrial thickening, 23.10
892604, Fatigue, 23.10, Hysterectomy, 23.10, Injection site discomfort, 23.10, Injection site warmth, 23.10, Malaise, 23.10
892604, Palpitations, 23.10, Sinus arrhythmia, 23.10, Uterine dilation and curettage, 23.10, , , , , ,
892606, Asthenia, 23.10, Discomfort, 23.10, Herpes zoster, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10
892606, Joint range of motion decreased, 23.10, Mass, 23.10, Mobility

decreased,23.10,Neck pain,23.10,Pain in extremity,23.10
892606,Ultrasound scan abnormal,23.10,,,,,,,
892610,Dysphagia,23.10,Lymph node pain,23.10,Lymphadenopathy,23.10,,,,,
892611,Injection site pain,23.10,Myalgia,23.10,Pain,23.10,Pain in
extremity,23.10,,
892612,Pain,23.10,Swelling,23.10,,,,,,
892613,Exposure via eye contact,23.10,Ocular hyperaemia,23.10,Syringe
issue,23.10,Underdose,23.10,,
892614,Swollen tongue,23.10,,,,,,,
892615,Body temperature increased,23.10,Headache,23.10,Mobility
decreased,23.10,Myalgia,23.10,Pain,23.10
892616,Anxiety,23.10,Exposure via skin contact,23.10,Occupational
exposure to product,23.10,Syringe issue,23.10,,
892617,Anxiety,23.10,Erythema,23.10,Pain in extremity,23.10,Product
administered at inappropriate site,23.10,,
892618,Discomfort,23.10,Peripheral swelling,23.10,,,,,,
892619,Asthenia,23.10,Fatigue,23.10,Feeling hot,23.10,Hyperhidrosis,
23.10,Pyrexia,23.10
892620,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site warmth,23.10,,
892621,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
892622,Erythema,23.10,Limb mass,23.10,Rash,23.10,,,,,
892623,Pain,23.10,Swelling,23.10,,,,,,
892624,Arthralgia,23.10,Back pain,23.10,Bursitis,23.10,Chest pain,
23.10,,
892625,Erythema,23.10,Pruritus,23.10,Rash,23.10,Rash erythematous,
23.10,Skin warm,23.10
892626,Contusion,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
892627,Chills,23.10,Fatigue,23.10,Pain,23.10,Pyrexia,23.10,,
892628,Diarrhoea,23.10,Flatulence,23.10,Influenza like illness,
23.10,,,,,
892630,Depressed level of consciousness,23.10,Hypotension,
23.10,Immediate post-injection reaction,23.10,Syncope,23.10,Visual
impairment,23.10
892632,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
892633,Unevaluable event,23.10,,,,,,,
892634,Arthralgia,23.10,Asthenia,23.10,Dyspnoea,23.10,Injection site
erythema,23.10,Injection site irritation,23.10
892634,Injection site swelling,23.10,Peripheral swelling,
23.10,Wheezing,23.10,,,,,
892635,Pain in extremity,23.10,Tenderness,23.10,,,,,,
892636,Chills,23.10,Fatigue,23.10,Headache,23.10,Injection site pain,
23.10,Injection site swelling,23.10
892636,Lethargy,23.10,Pain,23.10,,,,,,
892637,Confusional state,23.10,Dizziness,23.10,Electrocardiogram
normal,23.10,Eye movement disorder,23.10,Hyperhidrosis,23.10
892637,Loss of consciousness,23.10,Pallor,23.10,Vision blurred,
23.10,,,,,
892638,Hallucination,23.10,Influenza like illness,23.10,Injection site

erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10
892638,Pyrexia,23.10,,,,,,,
892639,Chills,23.10,Headache,23.10,Pain,23.10,Pyrexia,23.10,Rash,23.10
892639,Urticaria,23.10,,,,,,,
892640,Anxiety,23.10,Decreased appetite,23.10,Tachycardia,23.10,,,,,
892641,Erythema,23.10,Swelling face,23.10,Urticaria,23.10,,,,,
892642,Injection site discomfort,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site reaction,
23.10,Injection site warmth,23.10
892642,Rash macular,23.10,Tenderness,23.10,,,,,
892645,Chills,23.10,Influenza like illness,23.10,Nausea,23.10,Pain,
23.10,Pain in extremity,23.10
892645,Pyrexia,23.10,,,,,,,
892646,Angiogram,23.10,Computerised tomogram,23.10,Electrocardiogram,
23.10,External ear pain,23.10,Facial paralysis,23.10
892646,Headache,23.10,Magnetic resonance imaging,23.10,,,,,
892648,Abdominal discomfort,23.10,Blood test,23.10,Diarrhoea,
23.10,Malaise,23.10,Stool analysis,23.10
892649,Flank pain,23.10,Pain in extremity,23.10,,,,,
892650,Asthenia,23.10,Body temperature increased,23.10,Chills,
23.10,Headache,23.10,Hyperhidrosis,23.10
892650,Pain,23.10,,,,,,,
892651,Injection site pruritus,23.10,Injection site rash,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,Rash
erythematous,23.10
892658,Labelled drug-drug interaction medication error,23.10,Pyrexia,
23.10,Rash,23.10,,,,,
892659,Injection site pain,23.10,Mobility decreased,23.10,,,,,
892660,Autoimmune disorder,23.10,Extra dose administered,23.10,,,,,
892661,Cheilitis,23.10,Eye pain,23.10,Facial pain,23.10,Herpes zoster,
23.10,Scab,23.10
892663,Rash,23.10,,,,,,,
892664,Injection site pain,23.10,,,,,,,
892665,Injection site erythema,23.10,Injection site pain,23.10,Pain,
23.10,,,,,
892666,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
892667,Dizziness,23.10,Eye pain,23.10,Headache,23.10,Myalgia,
23.10,Nausea,23.10
892667,Pain,23.10,Pyrexia,23.10,,,,,
892668,Chest discomfort,23.10,Dyspnoea,23.10,Injection site erythema,
23.10,Sinusitis,23.10,Swelling of eyelid,23.10
892669,Injection site joint pain,23.10,Pain,23.10,,,,,
892670,Cold sweat,23.10,Dizziness,23.10,Loss of consciousness,
23.10,Pallor,23.10,Syncope,23.10
892671,Mobility decreased,23.10,Myalgia,23.10,Pain,23.10,Tenderness,
23.10,,
892673,Hyperhidrosis,23.10,Loss of consciousness,23.10,Moaning,
23.10,,,,,
892674,Herpes zoster,23.10,Rash,23.10,Rash vesicular,23.10,,,,,

892675, Syncope, 23.10, , , , , , , ,
 892676, Blood test, 23.10, Guillain-Barre syndrome, 23.10, Hypoaesthesia, 23.10, Immunoglobulin therapy, 23.10, Lumbar puncture, 23.10
 892676, Magnetic resonance imaging brain, 23.10, Magnetic resonance imaging spinal, 23.10, Vomiting, 23.10, , , , ,
 892678, Immediate post-injection reaction, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
 892679, Chills, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site nodule, 23.10
 892679, Injection site swelling, 23.10, Muscle spasms, 23.10, Pyrexia, 23.10, , , , ,
 892680, Guillain-Barre syndrome, 23.10, , , , , , , ,
 892681, Immediate post-injection reaction, 23.10, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Local reaction, 23.10
 892681, Paraesthesia, 23.10, Paraesthesia oral, 23.10, Presyncope, 23.10, , , , ,
 892682, Lip swelling, 23.10, Oral discomfort, 23.10, Skin tightness, 23.10, , , , ,
 892683, Dyspnoea, 23.10, , , , , , , ,
 892684, Blindness transient, 23.10, Hypoaesthesia, 23.10, Magnetic resonance imaging brain normal, 23.10, , , , ,
 892685, Contusion, 23.10, Erythema, 23.10, Neck pain, 23.10, Pain, 23.10, , ,
 892686, Injection site pruritus, 23.10, Injection site rash, 23.10, Injection site vesicles, 23.10, Pruritus, 23.10, Rash, 23.10
 892687, Varicella, 23.10, , , , , , , ,
 892688, Arthralgia, 23.10, Pain in extremity, 23.10, , , , , , , ,
 892689, Induration, 23.10, Needle issue, 23.10, Pain in extremity, 23.10, Syringe issue, 23.10, , ,
 892690, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, , , , , , , ,
 892692, Foreign body sensation in eyes, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, Rash, 23.10, , ,
 892693, Asthenia, 23.10, Condition aggravated, 23.10, Electromyogram abnormal, 23.10, Endotracheal intubation, 23.10, Guillain-Barre syndrome, 23.10
 892693, Lumbar puncture abnormal, 23.10, Plasmapheresis, 23.10, Respiratory failure, 23.10, , , , , ,
 892695, Chills, 23.10, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10, , ,
 892697, Ear pain, 23.10, Pain in jaw, 23.10, , , , , , , ,
 892698, Rash, 23.10, , , , , , , ,
 892699, Injection site erythema, 23.10, Injection site pruritus, 23.10, , , , , , , ,
 892701, Heart rate increased, 23.10, Urticaria, 23.10, , , , , , , ,
 892704, Injection site erythema, 23.10, Injection site swelling, 23.10, Urticaria, 23.10, , , , , ,
 892709, Back pain, 23.10, Diarrhoea, 23.10, Dyspnoea, 23.10, Headache, 23.10, Muscular weakness, 23.10
 892709, Nausea, 23.10, , , , , , , ,
 892710, Injected limb mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , , ,

892712, Injection site cellulitis, 23.10, Injection site erythema, 23.10, Injection site oedema, 23.10, , , , ,
892713, Abdominal discomfort, 23.10, Exposure during pregnancy, 23.10, Injection site erythema, 23.10, Injection site mass, 23.10, Intentional underdose, 23.10
892713, Local reaction, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Skin discolouration, 23.10, ,
892714, Back pain, 23.10, Body temperature increased, 23.10, Fatigue, 23.10, Impaired work ability, 23.10, Muscle spasms, 23.10
892714, Myalgia, 23.10, Odynophagia, 23.10, SARS-CoV-2 test negative, 23.10, , , , ,
892715, Grip strength decreased, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Pain, 23.10, Pain in extremity, 23.10
892715, Sleep disorder, 23.10, , , , , , , , , ,
892717, Pain in extremity, 23.10, Peripheral swelling, 23.10, Rash, 23.10, Skin warm, 23.10, ,
892718, Rash, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10, , , , ,
892721, No adverse event, 23.10, , , , , , , , , ,
892723, Injection site pain, 23.10, , , , , , , , , ,
892724, Blood glucose normal, 23.10, Loss of consciousness, 23.10, Nausea, 23.10, Pallor, 23.10, Syncope, 23.10
892725, Injected limb mobility decreased, 23.10, Injection site joint pain, 23.10, Injection site pain, 23.10, Pain, 23.10, Pyrexia, 23.10
892728, Wrong product administered, 23.10, , , , , , , , , ,
892729, Hypertension, 23.10, Pruritus, 23.10, Tinnitus, 23.10, Urticaria, 23.10, ,
892730, Blood glucose normal, 23.10, Loss of consciousness, 23.10, Nausea, 23.10, Pallor, 23.10, Syncope, 23.10
892732, Syncope, 23.10, , , , , , , , , ,
892735, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
892737, Arthralgia, 23.10, Immediate post-injection reaction, 23.10, Mobility decreased, 23.10, , , , ,
892742, Excessive eye blinking, 23.10, Presyncope, 23.10, , , , , , , , , ,
892745, Hypotonia, 23.10, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10, Malaise, 23.10, Nausea, 23.10
892745, Syncope, 23.10, Vomiting, 23.10, , , , , , , , , ,
892746, Dizziness, 23.10, Urticaria, 23.10, Vomiting, 23.10, , , , ,
892748, Arthralgia, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Neck pain, 23.10, Pain, 23.10
892748, Sleep disorder, 23.10, , , , , , , , , ,
892750, Asthenia, 23.10, Communication disorder, 23.10, Lethargy, 23.10, Pallor, 23.10, Vomiting, 23.10
892755, Pain in extremity, 23.10, Rash erythematous, 23.10, Skin warm, 23.10, Swelling, 23.10, ,
892756, Injection site warmth, 23.10, Pruritus, 23.10, Rash, 23.10, , , , ,
892760, Abdominal discomfort, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10
892760, Malaise, 23.10, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10
892767, Condition aggravated, 23.10, Herpes virus infection, 23.10, Herpes

zoster,23.10,,,,,
892769,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site warmth,23.10,,,,,
892770,Injection site pain,23.10,Mobility decreased,23.10,Pain in
extremity,23.10,,,,,
892771,Dizziness,23.10,Dyspnoea,23.10,,,,,,
892772,Chills,23.10,Decreased appetite,23.10,Fatigue,23.10,Headache,
23.10,Influenza like illness,23.10
892772,Injection site rash,23.10,Injection site swelling,
23.10,Myalgia,23.10,Sleep disorder,23.10,,
892773,Injection site discomfort,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,No reaction on previous exposure
to drug,23.10,,
892774,Chills,23.10,Vomiting,23.10,,,,,,
892775,Blister,23.10,Contusion,23.10,Erythema,23.10,Peripheral
swelling,23.10,Skin warm,23.10
892776,Loss of consciousness,23.10,Presyncope,23.10,Syncope,23.10,,,,,
892777,Arthralgia,23.10,Chills,23.10,Fatigue,23.10,Headache,
23.10,Musculoskeletal stiffness,23.10
892777,Nausea,23.10,Pain of skin,23.10,,,,,,
892778,Dizziness,23.10,Hyperhidrosis,23.10,Loss of consciousness,
23.10,Nausea,23.10,Vomiting,23.10
892779,Rash,23.10,Rash erythematous,23.10,Throat irritation,23.10,,,,,
892780,Asthenia,23.10,Fatigue,23.10,Headache,23.10,Migraine,
23.10,Mobility decreased,23.10
892780,Respiratory rate decreased,23.10,,,,,,
892781,Hypoaesthesia,23.10,Skin tightness,23.10,,,,,,
892783,Wrong product administered,23.10,,,,,,
892784,Asthenia,23.10,Injection site pain,23.10,Joint range of motion
decreased,23.10,,,,,
892785,Lymphadenopathy,23.10,Lymphangitis,23.10,Pain,23.10,Skin warm,
23.10,,
892801,Product storage error,23.10,,,,,,
892803,Product storage error,23.10,,,,,,
892805,No adverse event,23.10,Product storage error,23.10,,,,,
892806,Skin papilloma,23.10,,,,,,
892807,Malaise,23.10,Musculoskeletal stiffness,23.10,Pain in
extremity,23.10,,,,,
892808,Chills,23.10,Headache,23.10,Loss of personal independence in
daily activities,23.10,Pyrexia,23.10,,
892809,Asthma,23.10,Herpes zoster,23.10,Pneumonia,23.10,Vaccination
failure,23.10,,
892810,Malaise,23.10,,,,,,
892812,Injection site pain,23.10,Injection site swelling,23.10,,,,,,
892813,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,,
892815,Atrial fibrillation,23.10,Cardiovascular disorder,
23.10,Dysphonia,23.10,Electrocardiogram,23.10,Feeling hot,23.10
892815,Glassy eyes,23.10,,,,,,
892816,Erythema,23.10,Infection,23.10,Skin necrosis,23.10,Swelling,

23.10,,
892817,Back pain,23.10,Chills,23.10,Oropharyngeal pain,23.10,Pain,
23.10,,
892818,Dizziness,23.10,Feeling hot,23.10,Tinnitus,23.10,,,
892819,Arthralgia,23.10,Asthenia,23.10,Chills,23.10,Headache,
23.10,Pain,23.10
892820,Induration,23.10,Peripheral swelling,23.10,Pruritus,
23.10,Urticaria,23.10,,
892822,Cyst,23.10,Injection site bruising,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Local reaction,23.10
892827,Chills,23.10,Cold sweat,23.10,Dizziness,23.10,Impaired work
ability,23.10,Malaise,23.10
892827,Pain,23.10,Pyrexia,23.10,,,,,
892829,Blindness transient,23.10,Body temperature decreased,
23.10,Dizziness,23.10,Dyspnoea,23.10,Loss of consciousness,23.10
892829,Nausea,23.10,,,,,
892830,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
892831,Arthralgia,23.10,Joint range of motion decreased,23.10,Pain,
23.10,,,,
892832,Arthralgia,23.10,Mobility decreased,23.10,Pain,23.10,Shoulder
injury related to vaccine administration,23.10,Sleep disorder,23.10
892833,Herpes virus infection,23.10,Pain,23.10,,,,,
892834,Chills,23.10,Eye discharge,23.10,Eye irritation,23.10,Fatigue,
23.10,Oropharyngeal pain,23.10
892834,Pharyngeal swelling,23.10,Respiratory tract congestion,
23.10,Somnolence,23.10,Tremor,23.10,Vomiting,23.10
892835,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,
892836,Chills,23.10,Fatigue,23.10,Insomnia,23.10,Myalgia,
23.10,Pyrexia,23.10
892837,Pain in extremity,23.10,Paraesthesia oral,23.10,,,,,
892838,Injection site erythema,23.10,Injection site swelling,
23.10,Rash,23.10,Rash pruritic,23.10,,
892839,Musculoskeletal stiffness,23.10,Myalgia,23.10,Pain,23.10,Pain
in extremity,23.10,,
892840,Urticaria,23.10,,,,,
892841,Asthenia,23.10,Chills,23.10,Cough,23.10,Dizziness,
23.10,Headache,23.10
892841,Limb discomfort,23.10,Palpitations,23.10,Paraesthesia,
23.10,Paraesthesia oral,23.10,,
892842,No adverse event,23.10,,,,,
892843,Injection site erythema,23.10,Injection site induration,
23.10,Injection site oedema,23.10,Joint range of motion decreased,
23.10,Pain,23.10
892843,Pain in extremity,23.10,Tenderness,23.10,,,,,
892845,Injection site reaction,23.10,Scab,23.10,,,,,
892855,Inappropriate schedule of product administration,23.10,,,,,
892860,Blister,23.10,Headache,23.10,Pyrexia,23.10,,,,
892861,Chills,23.10,Headache,23.10,Pyrexia,23.10,,,,
892862,Urticaria,23.10,,,,,

892863,Urticaria,23.10,,,,,,,,,
892864,Feeling abnormal,23.10,Incomplete course of vaccination,
23.10,Malaise,23.10,Social problem,23.10,,
892865,Arthralgia,23.10,Headache,23.10,Myalgia,23.10,Nausea,
23.10,Nodule,23.10
892865,Papule,23.10,Peripheral swelling,23.10,Rash,23.10,,,,
892866,Eye swelling,23.10,Pruritus,23.10,Rash,23.10,Swelling face,
23.10,,
892867,Injection site erythema,23.10,Injection site pain,
23.10,Injection site warmth,23.10,,,,
892868,Asthenia,23.10,Disorientation,23.10,Mental status changes,
23.10,Myalgia,23.10,Nausea,23.10
892868,Pyrexia,23.10,Vaccine positive rechallenge,23.10,,,,,
892870,Chills,23.10,Fatigue,23.10,Headache,23.10,Pain,23.10,Pyrexia,
23.10
892871,Dry skin,23.10,Erythema,23.10,Injection site swelling,
23.10,Pruritus,23.10,Rash,23.10
892871,Rash vesicular,23.10,,,,,,,,,
892872,Myalgia,23.10,Pain in extremity,23.10,Skin warm,23.10,Swelling,
23.10,X-ray,23.10
892873,Condition aggravated,23.10,Headache,23.10,Injection site pain,
23.10,Mobility decreased,23.10,Myalgia,23.10
892873,Nausea,23.10,Pain,23.10,Pain in extremity,23.10,,,,
892874,Injection site erythema,23.10,Injection site swelling,
23.10,Vaccine positive rechallenge,23.10,,,,
892875,Body temperature increased,23.10,Urticaria,23.10,,,,,
892876,Immediate post-injection reaction,23.10,Injection site pain,
23.10,Pain,23.10,,,,
892877,Syncope,23.10,,,,,,,,,
892879,Cough,23.10,Fatigue,23.10,Flank pain,23.10,Rash,23.10,,
892880,Oedema peripheral,23.10,,,,,,,,,
892882,Arthralgia,23.10,Axillary pain,23.10,Bursitis,23.10,Mobility
decreased,23.10,Product administered at inappropriate site,23.10
892883,Chills,23.10,Gastric disorder,23.10,Hypoaesthesia,23.10,,,,
892884,Pallor,23.10,Rash,23.10,Rash erythematous,23.10,Rash macular,
23.10,,
892885,Pain,23.10,Pain in extremity,23.10,SARS-CoV-2 test negative,
23.10,,,,
892886,Chills,23.10,Malaise,23.10,Pyrexia,23.10,,,,
892887,Dysphagia,23.10,Ear swelling,23.10,,,,,,,,,
892888,Asthenia,23.10,Chills,23.10,Nausea,23.10,Pyrexia,23.10,,
892889,Abdominal discomfort,23.10,Abdominal pain upper,23.10,Chills,
23.10,Headache,23.10,Hyperhidrosis,23.10
892889,Nausea,23.10,,,,,,,,,
892891,Erythema,23.10,Induration,23.10,Peripheral swelling,23.10,Skin
warm,23.10,,
892893,Vaccination site erythema,23.10,Vaccination site swelling,
23.10,Vaccination site warmth,23.10,,,,
892897,Product administered at inappropriate site,23.10,,,,,,,,,
892899,Inappropriate schedule of product administration,23.10,,,,,,,,,

892902, Asthenia, 23.10, Chest discomfort, 23.10, Feeling abnormal, 23.10, Paraesthesia, 23.10, Tremor, 23.10
892903, Feeling abnormal, 23.10, Pain in extremity, 23.10, , , , , ,
892904, Rash, 23.10, Rash erythematous, 23.10, Skin warm, 23.10, , , , ,
892905, Erythema, 23.10, Extensive swelling of vaccinated limb, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
892906, Erythema, 23.10, , , , , , , ,
892907, Fatigue, 23.10, Feeling abnormal, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Malaise, 23.10
892907, Pyrexia, 23.10, , , , , , , ,
892908, Confusional state, 23.10, Dizziness, 23.10, Fatigue, 23.10, Injection site erythema, 23.10, ,
892910, Pain in extremity, 23.10, , , , , , , ,
892911, Vaccination complication, 23.10, , , , , , , ,
892913, Blister, 23.10, Erythema, 23.10, Injection site rash, 23.10, , , , ,
892914, Loss of consciousness, 23.10, , , , , , , ,
892915, Erythema, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , ,
892917, Burning sensation, 23.10, Limb discomfort, 23.10, Paraesthesia, 23.10, , , , ,
892918, Chest X-ray, 23.10, Electrocardiogram, 23.10, Full blood count, 23.10, Headache, 23.10, Laboratory test, 23.10
892918, Limb discomfort, 23.10, Muscular weakness, 23.10, SARS-CoV-2 test negative, 23.10, Tremor, 23.10, ,
892919, Oral discomfort, 23.10, Pain, 23.10, Pruritus, 23.10, , , , ,
892920, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , , , ,
892921, Body temperature decreased, 23.10, Disturbance in attention, 23.10, Erythema, 23.10, Headache, 23.10, Tremor, 23.10
892922, Arthralgia, 23.10, Sleep disorder, 23.10, , , , , , , ,
892923, Eye swelling, 23.10, Lip swelling, 23.10, Urticaria, 23.10, , , , , ,
892924, Condition aggravated, 23.10, Familial tremor, 23.10, Muscle spasms, 23.10, Muscle twitching, 23.10, Poor quality sleep, 23.10
892924, Tremor, 23.10, , , , , , , ,
892934, Type 2 diabetes mellitus, 23.10, , , , , , , ,
892936, Gastrointestinal disorder, 23.10, Loss of personal independence in daily activities, 23.10, Pain, 23.10, , , , ,
892937, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
892938, Arthralgia, 23.10, Insomnia, 23.10, Pain, 23.10, Pain in extremity, 23.10, ,
892939, Syncope, 23.10, , , , , , , ,
892941, Arthralgia, 23.10, Fatigue, 23.10, Myalgia, 23.10, Pain, 23.10, Vomiting, 23.10
892943, Dyskinesia, 23.10, Feeling abnormal, 23.10, , , , , , , ,
892944, Abdominal pain upper, 23.10, Asthenia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Dyspepsia, 23.10
892944, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Nausea, 23.10
892945, Influenza like illness, 23.10, Pain, 23.10, Pyrexia, 23.10, Rash erythematous, 23.10, Rash papular, 23.10

892945, Vaccination site reaction, 23.10, , , , , , , , , , ,
892946, Areflexia, 23.10, Borrelia test negative, 23.10, Endotracheal
intubation, 23.10, Guillain-Barre syndrome, 23.10, Immunoglobulin therapy,
23.10
892946, Lumbar puncture abnormal, 23.10, Quadriparesis, 23.10, Sensory
loss, 23.10, West Nile virus test negative, 23.10, ,
892947, Mobility decreased, 23.10, Myalgia, 23.10, Pain, 23.10, Pain in
extremity, 23.10, Peripheral swelling, 23.10
892947, Skin warm, 23.10, , , , , , , , , , ,
892948, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site rash, 23.10, Injection site swelling,
23.10, Injection site vesicles, 23.10
892949, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , , , ,
892950, Lymph node pain, 23.10, Lymphadenopathy, 23.10, , , , , , , , , , ,
892951, Dyspnoea, 23.10, Echocardiogram normal, 23.10, Electrocardiogram ST
segment abnormal, 23.10, Electrocardiogram abnormal, 23.10, Fatigue, 23.10
892951, Malaise, 23.10, Pyrexia, 23.10, Troponin normal, 23.10, , , , , ,
892952, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , , , , , , , ,
892953, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , , , ,
892954, Erythema, 23.10, Induration, 23.10, Swelling, 23.10, , , , , , , , , , ,
892956, Body temperature increased, 23.10, Chills, 23.10, Dizziness,
23.10, Fatigue, 23.10, Headache, 23.10
892956, Hypersomnia, 23.10, Musculoskeletal stiffness, 23.10, Myalgia,
23.10, Oral herpes, 23.10, Tremor, 23.10
892957, Arthralgia, 23.10, Joint range of motion decreased, 23.10, Mobility
decreased, 23.10, Pain, 23.10, , ,
892958, Dizziness, 23.10, Immediate post-injection reaction, 23.10, Loss of
consciousness, 23.10, Pallor, 23.10, Visual impairment, 23.10
892961, Cough, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Pyrexia,
23.10, , ,
892962, Visual field defect, 23.10, Visual impairment, 23.10, , , , , , , , , , ,
892963, Abdominal pain, 23.10, Anaphylactic reaction, 23.10, Dizziness,
23.10, Fatigue, 23.10, Injection site pain, 23.10
892963, Injection site pruritus, 23.10, Nausea, 23.10, , , , , , , , , , ,
892968, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Peripheral
swelling, 23.10, , ,
892969, Blister, 23.10, Pruritus, 23.10, , , , , , , , , , ,
892970, Abdominal pain, 23.10, Balance disorder, 23.10, Cold sweat,
23.10, Injection site pain, 23.10, Malaise, 23.10
892970, Musculoskeletal stiffness, 23.10, Nausea, 23.10, Night sweats,
23.10, , , , , ,
892972, Deafness, 23.10, , , , , , , , , , , ,
892973, Injection site erythema, 23.10, , , , , , , , , , , ,
892974, Arthralgia, 23.10, Joint range of motion decreased, 23.10, Mobility
decreased, 23.10, Myalgia, 23.10, Pain, 23.10
892975, Dizziness, 23.10, , , , , , , , , , , ,
892976, Headache, 23.10, Influenza like illness, 23.10, Injection site

reaction,23.10,Injection site warmth,23.10,Pain,23.10
892976,Pyrexia,23.10,Rash erythematous,23.10,,,,,
892977,Injection site erythema,23.10,Injection site hypertrophy,
23.10,Injection site pain,23.10,,,,,
892978,Agitation,23.10,Logorrhoea,23.10,Psychomotor hyperactivity,
23.10,,,,,
892979,Chills,23.10,Headache,23.10,Myalgia,23.10,Pain in extremity,
23.10,Pyrexia,23.10
892980,Pain in extremity,23.10,,,,,,
892981,Pyrexia,23.10,Vomiting,23.10,,,,,
892982,Pruritus,23.10,Rash,23.10,,,,,
892984,Cellulitis,23.10,Erythema,23.10,Swelling,23.10,,,,,
892985,Arthralgia,23.10,Joint range of motion decreased,23.10,,,,,
892986,Cellulitis,23.10,,,,,,
892988,Chills,23.10,Injection site rash,23.10,Pyrexia,23.10,Rash,
23.10,,
892989,Arthralgia,23.10,Chills,23.10,Frequent bowel movements,
23.10,Wheezing,23.10,,
892990,Syringe issue,23.10,,,,,,
892991,Blister,23.10,Chills,23.10,Feeling abnormal,23.10,Nausea,
23.10,Pyrexia,23.10
892991,Rash,23.10,Rash erythematous,23.10,Skin warm,23.10,Vaccination
complication,23.10,,
892992,Headache,23.10,SARS-CoV-2 test,23.10,,,,,
892994,Fatigue,23.10,Feeling of body temperature change,
23.10,Hyperhidrosis,23.10,Malaise,23.10,Pain,23.10
892995,Depressed level of consciousness,23.10,Head injury,23.10,Loss
of consciousness,23.10,Seizure,23.10,Syncope,23.10
892996,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Skin warm,23.10,Sleep disorder,23.10
892997,Cough,23.10,Dyspnoea,23.10,Eye swelling,23.10,Lacrimation
increased,23.10,Throat tightness,23.10
892998,Arthralgia,23.10,Injection site bruising,23.10,Injection site
erythema,23.10,Injection site pain,23.10,Injection site vesicles,23.10
892998,Injection site warmth,23.10,,,,,,
892999,Discomfort,23.10,Peripheral swelling,23.10,,,,,
893000,Skin reaction,23.10,,,,,,
893001,Arthralgia,23.10,Impaired driving ability,23.10,Pain,
23.10,Product administered at inappropriate site,23.10,Shoulder injury
related to vaccine administration,23.10
893002,Injection site reaction,23.10,Myalgia,23.10,,,,,
893003,Injection site pain,23.10,Product administered at inappropriate
site,23.10,Shoulder injury related to vaccine administration,23.10,,,,,
893004,Computerised tomogram normal,23.10,Laboratory test normal,
23.10,Seizure,23.10,Speech disorder developmental,23.10,,
893005,Pruritus,23.10,,,,,,
893006,Chest discomfort,23.10,Injection site pain,23.10,Mobility
decreased,23.10,Nausea,23.10,Pain,23.10
893008,Angiogram,23.10,Catheterisation cardiac,23.10,Chest X-ray,
23.10,Chest pain,23.10,Chills,23.10

893008, Echocardiogram, 23.10, Electrocardiogram, 23.10, Pericarditis, 23.10, Pyrexia, 23.10, Ultrasound Doppler, 23.10
893009, Blood magnesium, 23.10, Chest X-ray, 23.10, Computerised tomogram head, 23.10, Dizziness, 23.10, Electrocardiogram, 23.10
893009, Full blood count, 23.10, Hypoaesthesia, 23.10, Hypoaesthesia oral, 23.10, Injection site hypoaesthesia, 23.10, Injection site paraesthesia, 23.10
893009, Injection site swelling, 23.10, Paraesthesia, 23.10, Paraesthesia oral, 23.10, Rash, 23.10, Tinnitus, 23.10
893009, Troponin, 23.10, , , , , , , , ,
893010, Bursitis, 23.10, Injection site pain, 23.10, Injection site reaction, 23.10, , , , ,
893012, Chills, 23.10, Diarrhoea, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10
893014, Dizziness, 23.10, Fall, 23.10, Head injury, 23.10, Loss of consciousness, 23.10, Syncope, 23.10
893018, Extra dose administered, 23.10, No adverse event, 23.10, Wrong product administered, 23.10, , , , ,
893029, Pallor, 23.10, Posture abnormal, 23.10, Unresponsive to stimuli, 23.10, , , , ,
893031, Erythema, 23.10, Fatigue, 23.10, Infusion site pain, 23.10, Rash, 23.10, Rash macular, 23.10
893037, Inappropriate schedule of product administration, 23.10, , , , , , , , ,
893038, Rash, 23.10, Rash pruritic, 23.10, , , , , , , , ,
893040, Product administered at inappropriate site, 23.10, , , , , , , , ,
893041, Syringe issue, 23.10, Underdose, 23.10, , , , , , , , ,
893042, Inappropriate schedule of product administration, 23.10, No adverse event, 23.10, , , , , , , , ,
893044, Peripheral swelling, 23.10, , , , , , , , , ,
893045, Rash, 23.10, , , , , , , , , ,
893046, Eye pain, 23.10, , , , , , , , , ,
893047, Gastrointestinal disorder, 23.10, Loss of personal independence in daily activities, 23.10, Pain, 23.10, , , , , ,
893048, Abdominal discomfort, 23.10, Fatigue, 23.10, Headache, 23.10, Hypersomnia, 23.10, Injection site pain, 23.10
893048, Injection site warmth, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , ,
893049, Immediate post-injection reaction, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10
893049, Pyrexia, 23.10, , , , , , , , , ,
893051, Injection site pain, 23.10, , , , , , , , , ,
893052, Back pain, 23.10, Chest discomfort, 23.10, Chills, 23.10, Headache, 23.10, Lymphadenopathy, 23.10
893052, Mobility decreased, 23.10, Muscle spasms, 23.10, Pyrexia, 23.10, Skin lesion, 23.10, Wound complication, 23.10
893053, Hypersensitivity, 23.10, Pharyngeal swelling, 23.10, , , , , , , , ,
893054, Cellulitis, 23.10, Incorrect route of product administration, 23.10, , , , , , , , , ,
893055, Pain, 23.10, Pain in extremity, 23.10, , , , , , , , , ,
893056, Rash, 23.10, , , , , , , , , ,

893057, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , ,
893058, Chills, 23.10, Influenza, 23.10, Influenza like illness,
23.10, Malaise, 23.10, Pain, 23.10
893058, Pyrexia, 23.10, , , , , , , ,
893059, Malaise, 23.10, , , , , , , ,
893060, Influenza, 23.10, , , , , , , ,
893062, Injected limb mobility decreased, 23.10, Musculoskeletal
stiffness, 23.10, Pain in extremity, 23.10, , , , ,
893063, Arthralgia, 23.10, Burning sensation, 23.10, Pain, 23.10, Pain of
skin, 23.10, Paraesthesia, 23.10
893064, Arthralgia, 23.10, Chills, 23.10, Ear pain, 23.10, Headache,
23.10, Myalgia, 23.10
893064, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
893065, Chills, 23.10, Night sweats, 23.10, Pain, 23.10, , , , ,
893067, Arthralgia, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Injection site
pain, 23.10, Pain in extremity, 23.10
893067, Vision blurred, 23.10, Vomiting, 23.10, , , , , , ,
893068, Back pain, 23.10, Fatigue, 23.10, Pain in extremity, 23.10, Pruritus,
23.10, Sensitive skin, 23.10
893068, Sleep disorder, 23.10, , , , , , , ,
893069, Abdominal pain, 23.10, Condition aggravated, 23.10, Crying,
23.10, Decreased eye contact, 23.10, Dermatitis diaper, 23.10
893069, Developmental delay, 23.10, Developmental regression,
23.10, Diarrhoea, 23.10, Head banging, 23.10, Illness, 23.10
893069, Immune system disorder, 23.10, Sensory overload, 23.10, Speech
disorder developmental, 23.10, Stereotypy, 23.10, Unresponsive to stimuli,
23.10
893070, Abdominal pain, 23.10, Abnormal behaviour, 23.10, Aphasia,
23.10, Condition aggravated, 23.10, Crying, 23.10
893070, Decreased eye contact, 23.10, Dermatitis diaper,
23.10, Developmental delay, 23.10, Developmental regression,
23.10, Diarrhoea, 23.10
893070, Dyskinesia, 23.10, Head banging, 23.10, Hyperacusis, 23.10, Immune
system disorder, 23.10, Injection site mass, 23.10
893070, Injection site swelling, 23.10, Malaise, 23.10, Pyrexia,
23.10, Sensory disturbance, 23.10, Unresponsive to stimuli, 23.10
893077, Peripheral coldness, 23.10, , , , , , , ,
893078, Muscle spasms, 23.10, Musculoskeletal stiffness, 23.10, Neuralgia,
23.10, , , , ,
893079, Back pain, 23.10, Bedridden, 23.10, Chills, 23.10, Fatigue,
23.10, Feeling abnormal, 23.10
893079, Headache, 23.10, Injection site pain, 23.10, Insomnia,
23.10, Lethargy, 23.10, Pain, 23.10
893079, Pain in extremity, 23.10, , , , , , , ,
893080, Chills, 23.10, Fatigue, 23.10, Injection site rash, 23.10, Injection
site swelling, 23.10, Injection site warmth, 23.10
893080, Pain, 23.10, Pyrexia, 23.10, Skin warm, 23.10, Swelling, 23.10, , ,
893081, Chills, 23.10, Inappropriate schedule of product administration,
23.10, Pain, 23.10, Pyrexia, 23.10, Rash, 23.10
893081, Swelling, 23.10, , , , , , , ,

893082, Injection site bruising, 23.10, Pain in extremity, 23.10, , , , , ,
893083, Mobility decreased, 23.10, Pain, 23.10, , , , , ,
893084, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm,
23.10, Vaccine positive rechallenge, 23.10, ,
893085, Injection site pruritus, 23.10, Injection site reaction,
23.10, Injection site swelling, 23.10, Rash, 23.10, ,
893086, Culture urine, 23.10, Full blood count, 23.10, Pyrexia, 23.10, Urine
analysis, 23.10, White blood cell count, 23.10
893087, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pain in extremity,
23.10, ,
893088, Pruritus, 23.10, Rash, 23.10, , , , , ,
893089, Dyskinesia, 23.10, Dyspnoea, 23.10, Feeling abnormal, 23.10, Movement
disorder, 23.10, Pallor, 23.10
893089, Unresponsive to stimuli, 23.10, , , , , , , ,
893090, Erythema, 23.10, Pruritus, 23.10, Rash macular, 23.10, , , ,
893092, Hypothermia, 23.10, , , , , , , ,
893093, Dizziness, 23.10, Head injury, 23.10, Syncope, 23.10, Urinary
incontinence, 23.10, ,
893095, Bacterial infection, 23.10, Cellulitis, 23.10, Feeling hot,
23.10, Malaise, 23.10, Pain, 23.10
893096, Dizziness, 23.10, Lip discolouration, 23.10, , , , , ,
893097, Rash pruritic, 23.10, Urticaria, 23.10, , , , , ,
893098, Feeling abnormal, 23.10, Headache, 23.10, Nausea, 23.10, Pain,
23.10, Pyrexia, 23.10
893098, SARS-CoV-2 test, 23.10, SARS-CoV-2 test negative, 23.10, , , , , ,
893099, Dyspnoea, 23.10, Exposure during pregnancy, 23.10, Feeling
abnormal, 23.10, Heart rate increased, 23.10, Influenza like illness, 23.10
893099, Swelling face, 23.10, Throat irritation, 23.10, Vaccination
complication, 23.10, , , , ,
893100, Injection site erythema, 23.10, Injection site inflammation,
23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10, ,
893102, Fall, 23.10, Head injury, 23.10, Hyperhidrosis, 23.10, Syncope,
23.10, ,
893103, Cardiac arrest, 23.10, Respiratory arrest, 23.10, Resuscitation,
23.10, Seizure like phenomena, 23.10, Syncope, 23.10
893104, Diarrhoea, 23.10, Headache, 23.10, Vomiting, 23.10, , , , ,
893105, Angioedema, 23.10, Urticaria, 23.10, , , , , ,
893106, Arthralgia, 23.10, Back pain, 23.10, Injection site pain,
23.10, Myalgia, 23.10, Neck pain, 23.10
893106, Pain, 23.10, Sleep disorder, 23.10, , , , , ,
893109, Chills, 23.10, Vaccination site warmth, 23.10, , , , , ,
893110, Urticaria, 23.10, , , , , , , ,
893111, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , ,
893112, Eczema, 23.10, Enterocolitis, 23.10, Food allergy, 23.10, Infantile
spitting up, 23.10, Lethargy, 23.10
893112, Vaccination complication, 23.10, Vomiting, 23.10, , , , , ,
893113, Angioedema, 23.10, Urticaria, 23.10, , , , , ,
893115, Injection site pain, 23.10, Pain, 23.10, , , , , ,
893117, Herpes zoster, 23.10, Post herpetic neuralgia, 23.10, Rash

vesicular,23.10,,,,,
893118,Rash,23.10,,,,,,
893119,Headache,23.10,,,,,,
893120,Myalgia,23.10,,,,,,
893121,Cellulitis,23.10,Discomfort,23.10,Erythema,23.10,Extensive
swelling of vaccinated limb,23.10,Injection site discomfort,23.10
893121,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
893122,Inappropriate schedule of product administration,23.10,Product
supply issue,23.10,Pyrexia,23.10,,,,,
893123,Bursitis,23.10,Product administered at inappropriate site,
23.10,,,,,
893124,Fall,23.10,Syncope,23.10,,,,,
893125,Hair growth abnormal,23.10,Vaccination site irritation,
23.10,Vaccination site reaction,23.10,Vaccination site swelling,
23.10,,
893126,Arthralgia,23.10,C-reactive protein increased,23.10,Eosinophil
count increased,23.10,Fatigue,23.10,Joint swelling,23.10
893126,Myalgia,23.10,Peripheral swelling,23.10,White blood cell count
increased,23.10,,,,,
893128,Pyrexia,23.10,,,,,,
893129,Chills,23.10,Nasal congestion,23.10,Pain,23.10,Vision blurred,
23.10,,
893130,Injection site reaction,23.10,Skin burning sensation,
23.10,,,,,
893131,Erythema,23.10,Irritability,23.10,Swelling face,23.10,,,,,
893132,Body temperature increased,23.10,Chills,23.10,Diarrhoea,
23.10,Fatigue,23.10,Headache,23.10
893132,Hyperhidrosis,23.10,Myalgia,23.10,Pain,23.10,,,,,
893133,Chills,23.10,Injection site pain,23.10,Malaise,23.10,Mobility
decreased,23.10,Myalgia,23.10
893133,Pain in extremity,23.10,Pyrexia,23.10,Sleep disorder,23.10,,,,,
893134,Immediate post-injection reaction,23.10,Injection site
swelling,23.10,,,,,
893136,Chest pain,23.10,,,,,,
893146,Pain,23.10,,,,,,
893147,Pyrexia,23.10,,,,,,
893148,Blister,23.10,Lip blister,23.10,,,,,
893149,Headache,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,Pain,23.10
893150,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
893151,Injection site pruritus,23.10,,,,,,
893152,Influenza like illness,23.10,,,,,,
893153,Erythema,23.10,Induration,23.10,Mass,23.10,Nodule,23.10,,
893154,Malaise,23.10,,,,,,
893155,Asthenia,23.10,Dizziness,23.10,Emotional disorder,
23.10,Fatigue,23.10,Feeling abnormal,23.10
893155,Malaise,23.10,,,,,,
893156,Erythema,23.10,Pruritus,23.10,,,,,

893157,Alanine aminotransferase normal,23.10,Albumin globulin ratio normal,23.10,Anion gap,23.10,Aspartate aminotransferase normal,23.10,Basophil count normal,23.10
893157,Basophil percentage,23.10,Blood albumin increased,23.10,Blood alkaline phosphatase normal,23.10,Blood bilirubin decreased,23.10,Blood calcium normal,23.10
893157,Blood chloride normal,23.10,Blood creatinine normal,23.10,Blood glucose normal,23.10,Blood osmolarity decreased,23.10,Blood potassium normal,23.10
893157,Blood sodium normal,23.10,Blood urea normal,23.10,Carbon dioxide normal,23.10,Differential white blood cell count,23.10,Eosinophil count normal,23.10
893157,Eosinophil percentage decreased,23.10,Glomerular filtration rate,23.10,Haematocrit normal,23.10,Haemoglobin normal,23.10,Lymphocyte count normal,23.10
893157,Lymphocyte percentage,23.10,Mean cell haemoglobin concentration normal,23.10,Mean cell haemoglobin normal,23.10,Mean cell volume normal,23.10,Mean platelet volume normal,23.10
893157,Metabolic function test abnormal,23.10,Monocyte count normal,23.10,Monocyte percentage,23.10,Neutrophil count normal,23.10,Neutrophil percentage,23.10
893157,Pericarditis,23.10,Platelet count normal,23.10,Protein total normal,23.10,Red blood cell count normal,23.10,Red cell distribution width normal,23.10
893157,Troponin T normal,23.10,White blood cell count normal,23.10,,,,,
893158,Erythema,23.10,Pruritus,23.10,Urticaria,23.10,,,,,
893159,Exercise tolerance decreased,23.10,Injection site pain,23.10,Injection site swelling,23.10,,,,,
893160,Rash,23.10,,,,,,
893161,Injection site erythema,23.10,Injection site pain,23.10,,,,,
893162,Body temperature increased,23.10,Nasal congestion,23.10,Vomiting,23.10,,,,,
893163,Contusion,23.10,,,,,,
893164,Chills,23.10,Fatigue,23.10,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10
893165,Bursitis,23.10,Injection site pain,23.10,Injection site reaction,23.10,Muscle strain,23.10,,
893166,Asthenopia,23.10,Erythema of eyelid,23.10,Eyelid pain,23.10,Headache,23.10,Swelling of eyelid,23.10
893167,Arthralgia,23.10,Swelling,23.10,,,,,
893175,No adverse event,23.10,,,,,,
893178,Arthralgia,23.10,Disturbance in attention,23.10,Drug ineffective,23.10,Pain in extremity,23.10,Sleep disorder,23.10
893178,Thinking abnormal,23.10,,,,,,
893179,Injection site erythema,23.10,Injection site pain,23.10,,,,,
893180,Arthralgia,23.10,Injection site erythema,23.10,Injection site pain,23.10,Pain in extremity,23.10,,
893182,Chills,23.10,Erythema,23.10,Induration,23.10,Limb mass,23.10,Pain,23.10

893182,Pain in extremity,23.10,Pyrexia,23.10,Skin warm,
23.10,Tenderness,23.10,,
893183,CSF culture negative,23.10,CSF glucose normal,23.10,CSF protein
increased,23.10,CSF red blood cell count,23.10,Demyelinating
polyneuropathy,23.10
893183,Guillain-Barre syndrome,23.10,Immunoglobulin therapy,
23.10,Influenza virus test negative,23.10,Leukocytosis,23.10,Motor
dysfunction,23.10
893183,Muscle strength abnormal,23.10,Muscular weakness,23.10,Nerve
conduction studies abnormal,23.10,Paraesthesia,23.10,Peripheral
sensorimotor neuropathy,23.10
893183,Respiratory viral panel,23.10,Sensory disturbance,23.10,White
blood cell count increased,23.10,,,,,
893185,Headache,23.10,Injection site pain,23.10,,,,,,
893186,Death,23.10,Influenza,23.10,Pneumonia,23.10,Sepsis,23.10,,
893189,Chills,23.10,Gait disturbance,23.10,Pyrexia,23.10,,,,,
893190,Injection site rash,23.10,Injection site streaking,23.10,,,,,,
893192,Rash,23.10,,,,,,
893193,Paraesthesia,23.10,Swelling face,23.10,,,,,
893194,Myalgia,23.10,Pain in extremity,23.10,,,,,
893195,Asthenia,23.10,Back pain,23.10,Chest pain,23.10,Chills,
23.10,Myalgia,23.10
893195,Pain,23.10,Painful respiration,23.10,Productive cough,
23.10,Pyrexia,23.10,Sleep disorder,23.10
893196,Mobility decreased,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
893197,Dizziness,23.10,Fatigue,23.10,Syncope,23.10,,,,,
893198,Full blood count,23.10,Laboratory test,23.10,Petechiae,
23.10,Purpura,23.10,,
893199,Nasopharyngitis,23.10,Pyrexia,23.10,Tremor,23.10,,,,,
893203,No reaction on previous exposure to drug,23.10,Pruritus,
23.10,Rash,23.10,Rash macular,23.10,Skin warm,23.10
893206,Feeling hot,23.10,Hypoaesthesia oral,23.10,Mouth swelling,
23.10,Paraesthesia,23.10,Swelling,23.10
893206,Swelling face,23.10,,,,,,
893207,Dizziness,23.10,Headache,23.10,,,,,
893209,Rash,23.10,,,,,,
893210,Skin infection,23.10,,,,,,
893211,Blood test abnormal,23.10,Chills,23.10,Headache,23.10,Pyrexia,
23.10,SARS-CoV-2 test negative,23.10
893211,Tremor,23.10,Vomiting,23.10,,,,,
893213,Erythema,23.10,Immediate post-injection reaction,
23.10,Swelling,23.10,,,,,
893218,Herpes zoster,23.10,,,,,,
893219,Chills,23.10,Influenza like illness,23.10,Muscular weakness,
23.10,Pain,23.10,Pain in extremity,23.10
893220,Exposure via skin contact,23.10,Injection site extravasation,
23.10,No adverse event,23.10,Underdose,23.10,,
893222,Dizziness postural,23.10,,,,,,
893224,Dyspnoea,23.10,Erythema,23.10,,,,,
893225,Injection site pain,23.10,,,,,,

893227, Contusion, 23.10, , , , , , , , ,
893228, Hunger, 23.10, Nervousness, 23.10, Pallor, 23.10, Pulse abnormal, 23.10, Syncope, 23.10
893229, Injection site nerve damage, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10, Skin burning sensation, 23.10, ,
893230, Dyspnoea, 23.10, Immediate post-injection reaction, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
893230, Injection site warmth, 23.10, Pruritus, 23.10, Pyrexia, 23.10, Sensation of foreign body, 23.10, Throat clearing, 23.10
893231, Asthenia, 23.10, Balance disorder, 23.10, Dizziness, 23.10, Eye movement disorder, 23.10, Syncope, 23.10
893232, Fungal infection, 23.10, Rash, 23.10, Rash pruritic, 23.10, Vaccination complication, 23.10, ,
893233, Erythema, 23.10, Pain, 23.10, , , , , , ,
893234, Pyrexia, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash maculo-papular, 23.10, Rash pruritic, 23.10
893234, Wheezing, 23.10, , , , , , , , ,
893235, Injection site pruritus, 23.10, Injection site rash, 23.10, , , , , , , ,
893236, Asthenia, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Nausea, 23.10, Pharyngeal swelling, 23.10
893238, Tachycardia, 23.10, , , , , , , , ,
893239, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Loss of personal independence in daily activities, 23.10, Muscular weakness, 23.10
893239, Pain, 23.10, Sleep disorder, 23.10, , , , , , , ,
893241, Dyspnoea, 23.10, Loss of consciousness, 23.10, Pallor, 23.10, Wheezing, 23.10, ,
893242, Blood magnesium normal, 23.10, Blood phosphorus normal, 23.10, Blood thyroid stimulating hormone, 23.10, Headache, 23.10, Metabolic function test normal, 23.10
893242, Muscle twitching, 23.10, , , , , , , , ,
893243, Injection site pain, 23.10, Injection site swelling, 23.10, Neck pain, 23.10, Swelling, 23.10, ,
893245, Blister, 23.10, Diarrhoea, 23.10, Erythema, 23.10, Lip swelling, 23.10, Rash, 23.10
893245, Urticaria, 23.10, , , , , , , , ,
893246, Breast pain, 23.10, Dizziness, 23.10, Injection site pain, 23.10, Nausea, 23.10, Skin warm, 23.10
893247, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
893248, Dizziness, 23.10, Fall, 23.10, Fatigue, 23.10, Nausea, 23.10, Vomiting, 23.10
893249, Balance disorder, 23.10, Blood creatine phosphokinase, 23.10, Brain natriuretic peptide, 23.10, Fall, 23.10, Full blood count, 23.10
893249, Metabolic function test, 23.10, Muscular weakness, 23.10, Urine analysis, 23.10, Vitamin B12, 23.10, ,
893250, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site vesicles, 23.10, Injection site warmth, 23.10, ,
893251, Erythema, 23.10, Pain, 23.10, Swelling, 23.10, , , , ,

893255,Complex regional pain syndrome,23.10,Intervertebral disc protrusion,23.10,Magnetic resonance imaging,23.10,Pain in extremity,23.10,Paraesthesia,23.10
893256,Deafness neurosensory,23.10,Sudden hearing loss,23.10,,,,,
893257,Urticaria,23.10,,,,,
893258,Product administered to patient of inappropriate age,23.10,,,,,
893259,Syncope,23.10,,,,,
893260,Axillary pain,23.10,Injection site pain,23.10,Pain,23.10,,,,
893261,Syncope,23.10,,,,,
893263,Pain in extremity,23.10,Sleep disorder,23.10,,,,,
893264,Axillary pain,23.10,Breast pain,23.10,Cellulitis,23.10,Hypoaesthesia,23.10,Injection site pain,23.10
893264,Injection site swelling,23.10,Lymphadenopathy,23.10,Muscular weakness,23.10,Paraesthesia,23.10,Sleep disorder,23.10
893264,Tenderness,23.10,,,,,
893265,Chills,23.10,Fatigue,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10
893266,Body temperature increased,23.10,Chills,23.10,Injection site erythema,23.10,Injection site swelling,23.10,Tremor,23.10
893268,Pain,23.10,Pain in extremity,23.10,,,,,
893270,Chills,23.10,Fatigue,23.10,Headache,23.10,Pain,23.10,Pain in extremity,23.10
893270,Pyrexia,23.10,,,,,
893271,Burning sensation,23.10,Chills,23.10,Headache,23.10,Paraesthesia,23.10,Pyrexia,23.10
893273,Inflammation,23.10,Mobility decreased,23.10,Pain,23.10,,,,
893275,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
893276,Dyskinesia,23.10,Muscle rigidity,23.10,Seizure like phenomena,23.10,Syncope,23.10,Urinary incontinence,23.10
893277,Pain in extremity,23.10,Pruritus,23.10,Urticaria,23.10,,,,
893278,Urticaria,23.10,,,,,
893281,Erythema,23.10,Pain,23.10,Skin warm,23.10,Swelling,23.10,Tenderness,23.10
893282,Blindness transient,23.10,Deafness,23.10,Mydriasis,23.10,Pallor,23.10,,
893284,Pain in extremity,23.10,,,,,
893285,Vomiting,23.10,,,,,
893287,Asthenia,23.10,Consciousness fluctuating,23.10,Eye movement disorder,23.10,Hypoaacusis,23.10,Immediate post-injection reaction,23.10
893287,Incoherent,23.10,Nausea,23.10,Vision blurred,23.10,,,,
893288,Hypoaacusis,23.10,,,,,
893289,Abdominal discomfort,23.10,Chills,23.10,Headache,23.10,Myalgia,23.10,,
893290,Dental paraesthesia,23.10,Dry mouth,23.10,Dysphagia,23.10,Dyspnoea,23.10,Flushing,23.10
893290,Hypoaesthesia oral,23.10,Influenza like illness,23.10,Injection site pain,23.10,Paraesthesia oral,23.10,Sensation of foreign body,23.10

893307, Arthralgia, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Headache, 23.10, Neck pain, 23.10
893307, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , ,
893308, Arthralgia, 23.10, Cough, 23.10, Fatigue, 23.10, Headache, 23.10, Hypersomnia, 23.10
893308, Nasal congestion, 23.10, Nausea, 23.10, Oropharyngeal pain, 23.10, Pyrexia, 23.10, ,
893309, Adverse event, 23.10, Feeling abnormal, 23.10, , , , , ,
893310, Feeling hot, 23.10, Pain, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash pruritic, 23.10
893310, Tenderness, 23.10, , , , , , ,
893311, Fatigue, 23.10, Pyrexia, 23.10, , , , , ,
893312, Rash, 23.10, , , , , , ,
893313, Abdominal pain upper, 23.10, Cough, 23.10, Fatigue, 23.10, Headache, 23.10, Influenza like illness, 23.10
893313, Laboratory test, 23.10, SARS-CoV-2 antibody test negative, 23.10, , , , , ,
893314, Headache, 23.10, Photophobia, 23.10, , , , , ,
893315, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10
893316, Blister, 23.10, Dry skin, 23.10, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10
893316, Rash, 23.10, Rash erythematous, 23.10, Skin irritation, 23.10, Urticaria, 23.10, ,
893317, Herpes zoster, 23.10, , , , , , ,
893318, Pain in extremity, 23.10, , , , , , ,
893319, Chills, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Malaise, 23.10, ,
893320, Chills, 23.10, Pyrexia, 23.10, , , , , ,
893321, Palpitations, 23.10, , , , , , ,
893323, Injection site pain, 23.10, , , , , , ,
893324, Influenza like illness, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Pain, 23.10, ,
893325, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Erythema, 23.10, Fatigue, 23.10
893325, Headache, 23.10, Impaired work ability, 23.10, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10
893327, Blood test, 23.10, Computerised tomogram, 23.10, Memory impairment, 23.10, Neurological symptom, 23.10, Urine analysis, 23.10
893329, Biopsy, 23.10, C-reactive protein normal, 23.10, Chest pain, 23.10, Complement factor C3, 23.10, Complement factor C4, 23.10
893329, Dermatitis, 23.10, Diarrhoea, 23.10, Dizziness, 23.10, Dysphagia, 23.10, Dyspnoea, 23.10
893329, Electrocardiogram normal, 23.10, Full blood count normal, 23.10, Fungal test negative, 23.10, Haematochezia, 23.10, Headache, 23.10
893329, Immediate post-injection reaction, 23.10, Laboratory test, 23.10, Nausea, 23.10, Pathology test, 23.10, Rash macular, 23.10
893329, Rash papular, 23.10, Red blood cell sedimentation rate normal, 23.10, Total complement activity test, 23.10, Vision blurred, 23.10, ,
893330, Tinnitus, 23.10, , , , , , ,
893331, Chills, 23.10, Pain, 23.10, Vomiting, 23.10, , , ,

893332, Unevaluable event, 23.10, , , , , , , , ,
893337, Dizziness, 23.10, Erythema, 23.10, Fatigue, 23.10, Feeling hot,
23.10, Headache, 23.10
893337, Nausea, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, Swelling,
23.10, Tenderness, 23.10
893338, Fatigue, 23.10, Headache, 23.10, Influenza like illness,
23.10, Myalgia, 23.10, Pain in extremity, 23.10
893339, Feeling hot, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
893339, Pyrexia, 23.10, , , , , , , , ,
893340, Injected limb mobility decreased, 23.10, Pain, 23.10, Pain in
extremity, 23.10, , , , ,
893341, Chills, 23.10, Headache, 23.10, , , , , , , ,
893345, Guillain-Barre syndrome, 23.10, , , , , , , , , ,
893347, Rash, 23.10, Rash erythematous, 23.10, , , , , , , ,
893348, Arthralgia, 23.10, Arthritis, 23.10, Blood creatine phosphokinase,
23.10, Blood thyroid stimulating hormone, 23.10, Bradycardia, 23.10
893348, C-reactive protein abnormal, 23.10, Chest pain,
23.10, Constipation, 23.10, Differential white blood cell count abnormal,
23.10, Essential hypertension, 23.10
893348, Faeces discoloured, 23.10, Fatigue, 23.10, Full blood count
abnormal, 23.10, Gait inability, 23.10, Joint range of motion decreased,
23.10
893348, Joint stiffness, 23.10, Loss of personal independence in daily
activities, 23.10, Malaise, 23.10, Metabolic function test abnormal,
23.10, Myalgia, 23.10
893348, Pain, 23.10, Rheumatoid factor, 23.10, , , , , , , ,
893350, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
893351, Arthralgia, 23.10, Contusion, 23.10, Differential white blood cell
count, 23.10, Full blood count, 23.10, Metabolic function test, 23.10
893351, Pain in extremity, 23.10, Peripheral swelling, 23.10, Ultrasound
Doppler, 23.10, X-ray limb, 23.10, , ,
893352, Gait inability, 23.10, Headache, 23.10, Movement disorder,
23.10, Muscular weakness, 23.10, Urinary incontinence, 23.10
893352, Walking aid user, 23.10, , , , , , , , , ,
893353, Asthenia, 23.10, Musculoskeletal disorder, 23.10, , , , , , , ,
893354, Injection site erythema, 23.10, Injection site mass,
23.10, Injection site swelling, 23.10, Tenderness, 23.10, , ,
893356, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
893357, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10
893358, Rash, 23.10, , , , , , , , , ,
893359, Confusional state, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Gait
disturbance, 23.10, Laboratory test, 23.10
893359, Pallor, 23.10, SARS-CoV-2 test negative, 23.10, Tremor, 23.10, , , , ,
893360, Injection site pain, 23.10, Muscle spasms, 23.10, Musculoskeletal
stiffness, 23.10, , , , ,
893361, Injection site bruising, 23.10, Injection site erythema,
23.10, , , , , , , , , ,

893362, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, , , , ,
893363, Unevaluable event, 23.10, , , , , , , , ,
893364, Heart rate increased, 23.10, Hyperhidrosis, 23.10, Tunnel vision,
23.10, , , , ,
893365, Injection site bruising, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
893366, Headache, 23.10, Injection site pain, 23.10, Nausea, 23.10, Pain,
23.10, Pyrexia, 23.10
893367, Arthralgia, 23.10, , , , , , , , ,
893368, Erythema, 23.10, Inflammation, 23.10, Swelling, 23.10, , , , ,
893369, Erythema, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, , , , ,
893370, Immediate post-injection reaction, 23.10, Injection site
erythema, 23.10, Injection site swelling, 23.10, Injection site urticaria,
23.10, Swelling, 23.10
893370, Weight bearing difficulty, 23.10, , , , , , , , ,
893371, Malaise, 23.10, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10, ,
893373, Injection site discomfort, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, Rash, 23.10, ,
893374, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , ,
893375, Urticaria, 23.10, , , , , , , , ,
893376, Injection site pain, 23.10, Limb discomfort, 23.10, Pain,
23.10, Paraesthesia, 23.10, Sleep disorder, 23.10
893376, Tenderness, 23.10, , , , , , , , ,
893378, Headache, 23.10, Irritability, 23.10, Pruritus, 23.10, Rash,
23.10, Rash erythematous, 23.10
893379, Syncope, 23.10, , , , , , , , ,
893380, Dizziness, 23.10, Headache, 23.10, Impaired work ability,
23.10, Nausea, 23.10, Pain, 23.10
893380, Pain in extremity, 23.10, Somnolence, 23.10, , , , , , ,
893382, Arthralgia, 23.10, Gait disturbance, 23.10, Injection site
erythema, 23.10, Injection site pruritus, 23.10, Pain in extremity, 23.10
893382, Peripheral swelling, 23.10, Walking aid user, 23.10, , , , , , ,
893383, Injection site discomfort, 23.10, Pain in extremity, 23.10, , , , , , ,
893384, Influenza like illness, 23.10, , , , , , , , ,
893385, Burning sensation, 23.10, Herpes zoster, 23.10, Rash,
23.10, Vaccination failure, 23.10, ,
893386, Blood pressure increased, 23.10, Blood pressure systolic
increased, 23.10, Migraine, 23.10, Pain in extremity, 23.10, ,
893387, Hypertension, 23.10, Pain in extremity, 23.10, Tachycardia,
23.10, , , , ,
893388, Pain, 23.10, Swelling, 23.10, , , , , , ,
893390, Product administered to patient of inappropriate age,
23.10, , , , , , , , ,
893391, Blood pressure decreased, 23.10, Dizziness, 23.10, Hyperhidrosis,
23.10, Immediate post-injection reaction, 23.10, ,
893393, Dizziness, 23.10, Loss of consciousness, 23.10, , , , , , ,
893394, Asthenia, 23.10, Burning sensation, 23.10, Injected limb mobility
decreased, 23.10, Pain, 23.10, ,
893395, Chills, 23.10, Dyspnoea, 23.10, Immediate post-injection reaction,

23.10,Lymphangitis,23.10,Myalgia,23.10
893395,Pain in extremity,23.10,Pyrexia,23.10,,,,,
893396,Pain in extremity,23.10,Pyrexia,23.10,,,,,
893397,Headache,23.10,Syncope,23.10,Vomiting,23.10,,,,
893399,Cellulitis,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site pruritus,23.10,Injection site swelling,23.10
893399,Pyrexia,23.10,,,,,,,
893400,Headache,23.10,Lethargy,23.10,Pyrexia,23.10,,,,
893402,Injection site inflammation,23.10,,,,,,,
893403,Abdominal discomfort,23.10,Asthenia,23.10,Fatigue,
23.10,Injection site erythema,23.10,Injection site pain,23.10
893403,Injection site swelling,23.10,Somnolence,23.10,,,,,
893406,Immediate post-injection reaction,23.10,Pain in extremity,
23.10,,,,,
893407,Rash papular,23.10,Rash pruritic,23.10,Urticaria,23.10,,,,
893408,Chills,23.10,Tremor,23.10,,,,,
893409,Eye movement disorder,23.10,Musculoskeletal stiffness,
23.10,Somnolence,23.10,Tremor,23.10,,
893411,Injection site rash,23.10,Rash erythematous,23.10,,,,,
893412,Asthenia,23.10,Diarrhoea,23.10,Dizziness,23.10,Fatigue,
23.10,Gait inability,23.10
893412,Impaired driving ability,23.10,Pyrexia,23.10,,,,,
893413,Dyskinesia,23.10,Fall,23.10,,,,,
893414,Conjunctival haemorrhage,23.10,,,,,,,
893415,Asthenia,23.10,Dizziness,23.10,Dyspnoea,23.10,Heart rate
increased,23.10,Pyrexia,23.10
893419,Dyspnoea,23.10,Pruritus,23.10,Skin irritation,23.10,,,,
893420,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Product administered at inappropriate site,23.10,,,,
893421,Arthralgia,23.10,Back pain,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Injection site warmth,23.10
893421,Neck pain,23.10,Pain in extremity,23.10,,,,,
893425,Dry eye,23.10,Excessive eye blinking,23.10,Tic,23.10,,,,
893440,Herpes zoster,23.10,Rash,23.10,,,,,
893441,Herpes zoster,23.10,Herpes zoster oticus,23.10,,,,,
893442,Anxiety,23.10,Injection site pain,23.10,Nausea,23.10,Pregnancy
test negative,23.10,Pyrexia,23.10
893443,Injection site pain,23.10,Pain in extremity,23.10,,,,,
893444,Chills,23.10,Confusional state,23.10,Depressed mood,
23.10,Feeling abnormal,23.10,Feeling cold,23.10
893444,Headache,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10
893444,Nausea,23.10,Somnolence,23.10,Tremor,23.10,,,,
893445,Feeling abnormal,23.10,,,,,,,
893446,Herpes zoster,23.10,,,,,,,
893447,Abdominal discomfort,23.10,Arthralgia,23.10,Asthenia,
23.10,Bedridden,23.10,Chills,23.10
893447,Fatigue,23.10,Feeding disorder,23.10,Headache,23.10,Influenza
like illness,23.10,Injected limb mobility decreased,23.10
893447,Injection site pain,23.10,Injection site swelling,

23.10, Insomnia, 23.10, Malaise, 23.10, Neck pain, 23.10
893447, Pain, 23.10, Paraesthesia, 23.10, Pyrexia, 23.10, Rash vesicular,
23.10,,
893448, Abdominal pain upper, 23.10, Fatigue, 23.10, Feeling cold,
23.10, Influenza like illness, 23.10, Insomnia, 23.10
893448, Loss of personal independence in daily activities, 23.10, Nausea,
23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,
893449, Injection site pruritus, 23.10, Injection site rash, 23.10,,,,,,
893450, Injection site pain, 23.10, Pain, 23.10, Sleep disorder, 23.10,,,,
893451, Injection site pain, 23.10, Injection site swelling, 23.10,,,,,,
893452, Facial paralysis, 23.10,,,,,,
893453, Cellulitis, 23.10, Erythema, 23.10, Hypersensitivity, 23.10, Pain in
extremity, 23.10, Peripheral swelling, 23.10
893454, Influenza, 23.10,,,,,,
893455, Malaise, 23.10,,,,,,
893457, Incorrect dose administered, 23.10, No adverse event, 23.10,,,,,
893459, Injection site cellulitis, 23.10, Injection site erythema,
23.10, Injection site pain, 23.10, Injection site swelling, 23.10,,
893460, Adverse reaction, 23.10, Erythema, 23.10, Pruritus, 23.10, Swelling,
23.10,,
893461, Beta haemolytic streptococcal infection, 23.10, Cervical
dysplasia, 23.10, Chromosome analysis normal, 23.10, Cytogenetic analysis
normal, 23.10, DNA test for fragile X, 23.10
893461, Exposure during pregnancy, 23.10, Papilloma viral infection,
23.10, Ultrasound antenatal screen normal, 23.10,,,,
893463, Asthenia, 23.10, Disturbance in attention, 23.10, Feeling abnormal,
23.10, Headache, 23.10,,
893464, Death, 23.10, Unresponsive to stimuli, 23.10,,,,,
893465, Cellulitis, 23.10,,,,,,
893467, Chills, 23.10, Heart rate increased, 23.10, Nausea, 23.10, Vomiting,
23.10,,
893469, Hypoaesthesia, 23.10, Loss of personal independence in daily
activities, 23.10, Paraesthesia, 23.10, X-ray, 23.10,,
893470, Erythema, 23.10, Headache, 23.10, Peripheral swelling, 23.10, Rash
macular, 23.10, Skin warm, 23.10
893471, Haematoma, 23.10,,,,,,
893472, Injection site dysaesthesia, 23.10, Injection site pain,
23.10,,,,,
893473, Hypoaesthesia, 23.10, Paraesthesia, 23.10,,,,,
893474, Migraine, 23.10,,,,,,
893475, Abdominal pain upper, 23.10, Condition aggravated, 23.10, Malaise,
23.10, Sensation of foreign body, 23.10, Tachycardia, 23.10
893475, Throat tightness, 23.10,,,,,,
893476, Chills, 23.10, Cough, 23.10, Oropharyngeal pain, 23.10, Pain,
23.10, Tremor, 23.10
893478, Blood pressure increased, 23.10, Blood test normal, 23.10, Body
temperature increased, 23.10, Chest X-ray normal, 23.10, Chills, 23.10
893478, Electrocardiogram normal, 23.10, Nausea, 23.10, Pyrexia,
23.10, Tremor, 23.10, Urine analysis normal, 23.10
893479, Erythema, 23.10, Pain in extremity, 23.10,,,,,

893481,Dizziness,23.10,Dyspnoea,23.10,Erythema,23.10,Loss of
consciousness,23.10,,
893483,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
893484,Dizziness,23.10,Feeling abnormal,23.10,Pain,23.10,Visual
impairment,23.10,,
893485,Chills,23.10,Dizziness,23.10,Injection site pain,
23.10,Paraesthesia,23.10,Pyrexia,23.10
893485,SARS-CoV-2 test negative,23.10,,,,,
893486,Erythema,23.10,Induration,23.10,Nodule,23.10,Pain,23.10,Skin
warm,23.10
893486,Swelling,23.10,,,,,
893490,Fibromyalgia,23.10,Herpes zoster,23.10,Post herpetic neuralgia,
23.10,,,,,
893491,Deafness,23.10,,,,,
893492,Herpes zoster,23.10,,,,,
893493,Vision blurred,23.10,,,,,
893494,Injection site pain,23.10,,,,,
893497,Chills,23.10,Injection site pain,23.10,Pain in extremity,
23.10,,,,,
893498,Death,23.10,,,,,
893501,Urticaria,23.10,,,,,
893502,Oropharyngeal discomfort,23.10,Pharyngeal swelling,23.10,,,,,
893503,Burning sensation,23.10,Erythema,23.10,Immediate post-injection
reaction,23.10,Nodule,23.10,Pain,23.10
893503,Skin warm,23.10,Swelling,23.10,,,,,
893504,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
893505,Electromyogram,23.10,Pain in extremity,23.10,Paraesthesia,
23.10,,,,,
893506,Erythema,23.10,Injection site streaking,23.10,Peripheral
swelling,23.10,,,,,
893507,Nausea,23.10,Syncope,23.10,,,,,
893508,Agitation,23.10,Electroencephalogram normal,23.10,Lethargy,
23.10,Magnetic resonance imaging normal,23.10,Muscle twitching,23.10
893508,Pruritus,23.10,Pyrexia,23.10,Rash,23.10,Seizure like phenomena,
23.10,,
893509,Injected limb mobility decreased,23.10,Vaccination site pain,
23.10,,,,,
893511,Ear swelling,23.10,Lip swelling,23.10,Pruritus,23.10,Urticaria,
23.10,,
893512,Pain in extremity,23.10,,,,,
893513,Blood pressure increased,23.10,Presyncope,23.10,Syncope,
23.10,,,,,
893514,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
893516,Arthralgia,23.10,Asthenia,23.10,Decreased appetite,
23.10,Dizziness,23.10,Fatigue,23.10
893516,Headache,23.10,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10,,
893517,Extra dose administered,23.10,,,,,

893519,Cellulitis,23.10,,,,,,,,,
893520,Vaccination site bruising,23.10,Vaccination site erythema,
23.10,Vaccination site haemorrhage,23.10,Vaccination site induration,
23.10,Vaccination site pain,23.10
893520,Vaccination site warmth,23.10,,,,,,,,,
893522,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,,,,,
893524,Injection site rash,23.10,Rash,23.10,,,,,,,,,
893525,Chills,23.10,Diarrhoea,23.10,Nausea,23.10,,,,,
893526,Migraine,23.10,,,,,,,,,
893527,Injection site haemorrhage,23.10,Injection site swelling,
23.10,,,,,,,,,
893528,Injection site pain,23.10,Pain,23.10,,,,,,,,,
893532,Abscess drainage,23.10,Culture negative,23.10,Gram stain
negative,23.10,Injection site abscess sterile,23.10,,
893533,Headache,23.10,Injection site swelling,23.10,Pain,23.10,,,,,
893534,Hypoaesthesia,23.10,Pain in extremity,23.10,,,,,,,,,
893535,Pain,23.10,Pain in extremity,23.10,,,,,,,,,
893536,Dysgeusia,23.10,Injection site pain,23.10,Injection site
swelling,23.10,Paraesthesia oral,23.10,Swollen tongue,23.10
893536,Vaccine positive rechallenge,23.10,,,,,,,,,
893537,Extra dose administered,23.10,,,,,,,,,
893538,Influenza like illness,23.10,Pain,23.10,Pruritus,23.10,Pyrexia,
23.10,Rash pustular,23.10
893539,Injection site erythema,23.10,,,,,,,,,
893540,Skin warm,23.10,Swelling,23.10,,,,,,,,,
893541,Discomfort,23.10,Dry mouth,23.10,Ear swelling,23.10,Erythema,
23.10,Eye swelling,23.10
893541,Hypersensitivity,23.10,Lip swelling,23.10,Pruritus,
23.10,Swelling,23.10,Swelling face,23.10
893542,Energy increased,23.10,Pain,23.10,Palpitations,23.10,Panic
reaction,23.10,,
893544,Coordination abnormal,23.10,Gait inability,23.10,Guillain-Barre
syndrome,23.10,Vaccination complication,23.10,,
893545,Rash,23.10,Rash pruritic,23.10,,,,,,,,,
893546,Pain in extremity,23.10,,,,,,,,,
893549,Endotracheal intubation,23.10,Loss of consciousness,
23.10,Malaise,23.10,Resuscitation,23.10,Sudden death,23.10
893550,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
893551,Injection site pain,23.10,Loss of personal independence in
daily activities,23.10,Mobility decreased,23.10,Myalgia,23.10,,
893552,Pyrexia,23.10,Rash,23.10,SARS-CoV-2 test negative,23.10,Skin
warm,23.10,Streptococcus test negative,23.10
893553,Chills,23.10,Erythema,23.10,Inflammation,23.10,Injection site
pain,23.10,Nausea,23.10
893553,Oedema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
893554,Nausea,23.10,Vertigo,23.10,Vomiting,23.10,,,,,
893555,Pain in extremity,23.10,Peripheral swelling,23.10,Pruritus,
23.10,Skin warm,23.10,,
893556,Administration related reaction,23.10,Bursitis,23.10,Pain in

extremity,23.10,,,,,
893557,Lip swelling,23.10,,,,,,
893558,Pain,23.10,Skin burning sensation,23.10,,,,,
893560,Discomfort,23.10,Immobile,23.10,Injection site pain,
23.10,Product administered at inappropriate site,23.10,,
893561,Arthralgia,23.10,Musculoskeletal stiffness,23.10,X-ray,
23.10,,,,,
893562,Vaccination site injury,23.10,,,,,,
893563,Pain,23.10,Pain in extremity,23.10,,,,,
893564,Arthralgia,23.10,,,,,,
893565,Dyspepsia,23.10,Flatulence,23.10,Malaise,23.10,Nausea,
23.10,Vomiting,23.10
893566,Erythema,23.10,Peripheral swelling,23.10,Rash,23.10,Skin warm,
23.10,,
893567,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
893568,Arthralgia,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
893569,Blood pressure measurement,23.10,Syncope,23.10,,,,,
893570,Limb injury,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
893571,Erythema,23.10,Injection site pain,23.10,Injection site
reaction,23.10,Injection site swelling,23.10,Urticaria,23.10
893572,Dizziness,23.10,Nausea,23.10,Swelling face,23.10,,,,,
893574,Cellulitis,23.10,,,,,,
893575,Wrong product administered,23.10,,,,,,
893576,Pain,23.10,Tenderness,23.10,,,,,
893577,Cellulitis,23.10,,,,,,
893578,Mobility decreased,23.10,Muscular weakness,23.10,Pain in
extremity,23.10,,,,,
893579,Injection site reaction,23.10,Rash erythematous,23.10,Rash
papular,23.10,Rash pruritic,23.10,,
893580,Arthralgia,23.10,Feeling abnormal,23.10,Joint range of motion
decreased,23.10,Limb discomfort,23.10,Loss of personal independence in
daily activities,23.10
893580,Mobility decreased,23.10,Neck pain,23.10,Pain,23.10,Poor
quality sleep,23.10,Product administered at inappropriate site,23.10
893581,Arthralgia,23.10,Headache,23.10,Mobility decreased,
23.10,Pyrexia,23.10,,
893582,Dysphagia,23.10,,,,,,
893583,Chest discomfort,23.10,Fatigue,23.10,Oropharyngeal pain,
23.10,Pain,23.10,Pain in extremity,23.10
893583,Pyrexia,23.10,,,,,,
893584,Chills,23.10,Loss of personal independence in daily activities,
23.10,Myalgia,23.10,Neuralgia,23.10,Pyrexia,23.10
893584,SARS-CoV-2 test,23.10,,,,,,
893585,Injection site pustule,23.10,,,,,,
893586,Burning sensation,23.10,Dyspnoea,23.10,Dysstasia,23.10,Gait
disturbance,23.10,Headache,23.10
893586,Hypoaesthesia,23.10,Neuralgia,23.10,Pain,23.10,Pain in
extremity,23.10,Tachycardia,23.10

893587, Loss of consciousness, 23.10, , , , , , , , , ,
893589, Myalgia, 23.10, Pyrexia, 23.10, Rash, 23.10, , , , ,
893590, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, , , , , ,
893593, Groin pain, 23.10, Injection site pain, 23.10, Lymph node pain,
23.10, Lymphadenopathy, 23.10, Mass, 23.10
893593, Pain, 23.10, Tenderness, 23.10, , , , , , , , ,
893594, Asthenia, 23.10, Dizziness, 23.10, Fatigue, 23.10, Influenza like
illness, 23.10, Nausea, 23.10
893595, Musculoskeletal stiffness, 23.10, Syncope, 23.10, Unresponsive to
stimuli, 23.10, , , , , ,
893597, Discomfort, 23.10, Hyperhidrosis, 23.10, Influenza like illness,
23.10, Myalgia, 23.10, , ,
893598, Fatigue, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Malaise, 23.10, Pain, 23.10
893614, Dyskinesia, 23.10, Fall, 23.10, Immediate post-injection reaction,
23.10, Loss of consciousness, 23.10, Seizure, 23.10
893614, Seizure like phenomena, 23.10, , , , , , , , , ,
893616, Abscess drainage, 23.10, Arthritis, 23.10, Arthritis bacterial,
23.10, Aspiration joint abnormal, 23.10, Bacterial test negative, 23.10
893616, C-reactive protein increased, 23.10, Culture negative, 23.10, Drain
placement, 23.10, Erythema, 23.10, Immune system disorder, 23.10
893616, Incisional drainage, 23.10, Infection susceptibility increased,
23.10, Inflammation, 23.10, Injected limb mobility decreased,
23.10, Injection site discomfort, 23.10
893616, Injection site erythema, 23.10, Injection site injury,
23.10, Injection site joint pain, 23.10, Injection site oedema,
23.10, Injection site pain, 23.10
893616, Injection site swelling, 23.10, Joint debridement, 23.10, Joint
irrigation, 23.10, Limb injury, 23.10, Magnetic resonance imaging
abnormal, 23.10
893616, Musculoskeletal disorder, 23.10, Musculoskeletal injury,
23.10, Nerve injury, 23.10, Nervous system injury, 23.10, Pain in
extremity, 23.10
893616, Peripheral swelling, 23.10, Product administered at inappropriate
site, 23.10, Purulence, 23.10, Red blood cell sedimentation rate
increased, 23.10, Rotator cuff syndrome, 23.10
893616, Scan with contrast abnormal, 23.10, Shoulder injury related to
vaccine administration, 23.10, Shoulder operation, 23.10, Surgery,
23.10, Synovial fluid analysis abnormal, 23.10
893616, Synovial fluid white blood cells positive, 23.10, Vaccination
complication, 23.10, Vaccination failure, 23.10, , , , , ,
893622, Post herpetic neuralgia, 23.10, , , , , , , , , ,
893623, Pain in extremity, 23.10, , , , , , , , , ,
893624, Dizziness, 23.10, Headache, 23.10, Photophobia, 23.10, , , , ,
893625, Injection site pain, 23.10, Injection site swelling, 23.10, Vaccine
positive rechallenge, 23.10, , , , , ,
893626, Injection site rash, 23.10, , , , , , , , , ,
893627, Rash erythematous, 23.10, Rash pruritic, 23.10, , , , , , , , , ,
893628, Chills, 23.10, Headache, 23.10, Intracranial pressure increased,

23.10,Nausea,23.10,Pyrexia,23.10
893629,Erythema,23.10,Feeling cold,23.10,Headache,23.10,Nausea,
23.10,Peripheral swelling,23.10
893629,Pyrexia,23.10,Skin warm,23.10,Social problem,23.10,,,,
893630,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
893631,Arthralgia,23.10,Dyspnoea,23.10,Gait disturbance,
23.10,Injection site erythema,23.10,Pain in extremity,23.10
893631,Peripheral swelling,23.10,,,,,,
893632,Erythema,23.10,Feeling abnormal,23.10,Headache,23.10,Pain,
23.10,Pain in extremity,23.10
893632,Pyrexia,23.10,Tremor,23.10,,,,,
893633,Muscle spasms,23.10,Musculoskeletal stiffness,23.10,,,,,
893634,Pruritus,23.10,,,,,,
893635,Herpes zoster,23.10,Inappropriate schedule of product
administration,23.10,,,,,
893636,Chills,23.10,Headache,23.10,Injection site erythema,
23.10,Injection site pruritus,23.10,Injection site rash,23.10
893636,Injection site swelling,23.10,Malaise,23.10,Pain in extremity,
23.10,Rash erythematous,23.10,Rash pruritic,23.10
893637,Rash,23.10,Rash vesicular,23.10,,,,,
893638,Herpes zoster,23.10,Influenza like illness,23.10,Injection site
erythema,23.10,Injection site swelling,23.10,Rash,23.10
893639,Arthralgia,23.10,Arthritis,23.10,Condition aggravated,23.10,,,,
893641,C-reactive protein increased,23.10,,,,,,
893642,Adverse reaction,23.10,Erythema,23.10,Peripheral swelling,
23.10,Pruritus,23.10,,
893643,Cough,23.10,Dyspnoea,23.10,Loss of personal independence in
daily activities,23.10,Nasal congestion,23.10,Pain,23.10
893643,Pyrexia,23.10,,,,,,
893644,Asthenia,23.10,Chills,23.10,Decreased appetite,23.10,Dizziness,
23.10,Headache,23.10
893644,Myalgia,23.10,Nausea,23.10,Pyrexia,23.10,,,,
893646,Neuralgia,23.10,Oral mucosal blistering,23.10,Oral pain,
23.10,Palatal swelling,23.10,,
893647,Product administered to patient of inappropriate age,
23.10,,,,,,
893648,Erythema,23.10,Induration,23.10,Pain,23.10,Swelling,23.10,,
893649,Dizziness,23.10,Headache,23.10,Myalgia,23.10,Nausea,23.10,,
893655,Laryngeal oedema,23.10,Lip swelling,23.10,,,,,
893656,Blister,23.10,Rash,23.10,Rash erythematous,23.10,Rash pruritic,
23.10,Varicella,23.10
893657,Asthma,23.10,Condition aggravated,23.10,Dyspnoea,
23.10,Inappropriate schedule of product administration,23.10,Injection
site erythema,23.10
893657,Injection site pruritus,23.10,Injection site swelling,
23.10,,,,,
893658,Expired product administered,23.10,,,,,,
893659,Guillain-Barre syndrome,23.10,Malaise,23.10,Mobility decreased,
23.10,Muscular weakness,23.10,,

893660,Expired product administered,23.10,No adverse event,23.10,,,,,
893662,Crying,23.10,Hypertonia,23.10,Hypotonia,23.10,Infantile apnoea,
23.10,Syncope,23.10
893663,Mobility decreased,23.10,,,,,
893664,Arthralgia,23.10,Chest pain,23.10,Haematoma,23.10,Injection
site mass,23.10,Injection site pain,23.10
893664,Pain,23.10,Ultrasound scan,23.10,,,,,
893666,Hypoaesthesia,23.10,Laboratory test,23.10,Paraesthesia,
23.10,Wrong technique in product usage process,23.10,X-ray,23.10
893667,Dizziness,23.10,Ear discomfort,23.10,Erythema,23.10,Influenza
like illness,23.10,Joint range of motion decreased,23.10
893667,Pain,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Tinnitus,23.10,,
893669,Blood pressure increased,23.10,Condition aggravated,
23.10,Decreased appetite,23.10,Heart rate increased,23.10,Injection
site reaction,23.10
893669,Injection site swelling,23.10,Musculoskeletal stiffness,
23.10,Pyrexia,23.10,,,,
893670,Injection site rash,23.10,Injection site swelling,23.10,,,,,
893671,Arthralgia,23.10,Chills,23.10,Decreased appetite,23.10,Fatigue,
23.10,Immediate post-injection reaction,23.10
893671,Injection site reaction,23.10,Injection site swelling,
23.10,Malaise,23.10,Musculoskeletal stiffness,23.10,Myalgia,23.10
893672,Contusion,23.10,Pain in extremity,23.10,,,,,
893673,Induration,23.10,Pain in extremity,23.10,Pruritus,23.10,Skin
warm,23.10,,
893674,Erythema,23.10,Hypersensitivity,23.10,Swelling,23.10,,,,
893675,Arthralgia,23.10,,,,,
893676,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,
893678,Blood thyroid stimulating hormone,23.10,Laboratory test,
23.10,Muscular weakness,23.10,Radial nerve palsy,23.10,Red blood cell
sedimentation rate increased,23.10
893679,Chills,23.10,Fatigue,23.10,Injection site pain,23.10,Injection
site pruritus,23.10,Injection site rash,23.10
893679,Pain,23.10,Rash,23.10,,,,,
893680,Chills,23.10,Decreased appetite,23.10,Hyperhidrosis,
23.10,Nausea,23.10,Vomiting,23.10
893681,Feeling abnormal,23.10,Gait inability,23.10,Muscular weakness,
23.10,,,,
893686,Asthenia,23.10,Injected limb mobility decreased,23.10,Injection
site pain,23.10,Shoulder injury related to vaccine administration,
23.10,,
893688,Asthenia,23.10,Cough,23.10,Diarrhoea,23.10,Feeling abnormal,
23.10,Pyrexia,23.10
893689,C-reactive protein increased,23.10,Chromaturia,
23.10,Inappropriate schedule of product administration,23.10,,,,
893690,Erythema,23.10,,,,,
893691,Skin reaction,23.10,,,,,
893692,Influenza,23.10,,,,,

893693, Asthenia, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Herpes zoster, 23.10, Hyperhidrosis, 23.10
893693, Malaise, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pruritus, 23.10, Pyrexia, 23.10
893694, Immediate post-injection reaction, 23.10, Myalgia, 23.10, , , , , ,
893695, Malaise, 23.10, , , , , , ,
893696, Diplopia, 23.10, Eye irritation, 23.10, Eye pain, 23.10, Lacrimation increased, 23.10, Ocular hyperaemia, 23.10
893696, Pain, 23.10, , , , , , ,
893697, Injection site pain, 23.10, Rash, 23.10, Vaccine positive rechallenge, 23.10, , , , ,
893698, Migraine, 23.10, , , , , , ,
893699, Muscle spasms, 23.10, Tendonitis, 23.10, , , , , ,
893704, Incorrect dose administered, 23.10, Wrong product administered, 23.10, , , , , ,
893706, Muscular weakness, 23.10, Nodule, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10, Peripheral swelling, 23.10
893707, Malaise, 23.10, Nausea, 23.10, Pallor, 23.10, Syncope, 23.10, ,
893708, Discomfort, 23.10, Injection site nodule, 23.10, Injection site swelling, 23.10, Neck pain, 23.10, ,
893710, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10, , , , ,
893711, Arthralgia, 23.10, Chest pain, 23.10, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10, Injection site pain, 23.10
893711, Mobility decreased, 23.10, Neuralgia, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10, Tenderness, 23.10
893712, Chills, 23.10, Feeling abnormal, 23.10, Headache, 23.10, Injection site pain, 23.10, Pyrexia, 23.10
893713, Injection site erythema, 23.10, Injection site induration, 23.10, Rash, 23.10, , , , ,
893714, Angiotensin converting enzyme, 23.10, Anti-aquaporin-4 antibody, 23.10, Anti-muscle specific kinase antibody, 23.10, Anti-thyroid antibody, 23.10, Antiacetylcholine receptor antibody, 23.10
893714, Antibody test, 23.10, Blood magnesium, 23.10, Blood thyroid stimulating hormone, 23.10, Body temperature increased, 23.10, Borrelia test, 23.10
893714, Chills, 23.10, Diplopia, 23.10, Electrocardiogram, 23.10, Eyelid ptosis, 23.10, Fatigue, 23.10
893714, Full blood count, 23.10, Gait disturbance, 23.10, Head discomfort, 23.10, Headache, 23.10, Impaired driving ability, 23.10
893714, International normalised ratio, 23.10, Lipids, 23.10, Loss of personal independence in daily activities, 23.10, Metabolic function test, 23.10, Ocular discomfort, 23.10
893714, Pain, 23.10, Pain in extremity, 23.10, Prothrombin time, 23.10, Red blood cell count, 23.10, Thyroid function test, 23.10
893714, Thyroxine free, 23.10, Tolosa-Hunt syndrome, 23.10, Tri-iodothyronine free, 23.10, Ultrasound thyroid, 23.10, Visual field tests, 23.10
893714, Visual impairment, 23.10, , , , , , , ,
893715, Injection site erythema, 23.10, Injection site swelling,

23.10,,,,,
893716,Injection site erythema,23.10,Injection site irritation,
23.10,,,,,
893717,Arthralgia,23.10,Hypoaesthesia,23.10,Injection site nodule,
23.10,Swelling,23.10,,
893718,Decreased appetite,23.10,Mobility decreased,23.10,Weight
decreased,23.10,,,,,
893719,Asthenia,23.10,Fatigue,23.10,Pyrexia,23.10,Urticaria,23.10,,
893720,Nausea,23.10,Syncope,23.10,Vomiting,23.10,,,,,
893721,Injection site erythema,23.10,Injection site pustule,
23.10,,,,,
893722,Headache,23.10,Nausea,23.10,Urticaria,23.10,,,,,
893724,Erythema,23.10,Pruritus,23.10,Skin mass,23.10,Swelling,23.10,,
893725,Syncope,23.10,,,,,,
893726,Decreased appetite,23.10,Eye pain,23.10,Headache,23.10,Nausea,
23.10,Neck pain,23.10
893727,Arthralgia,23.10,Bursitis,23.10,Musculoskeletal discomfort,
23.10,Tenderness,23.10,,
893728,Axillary mass,23.10,Tenderness,23.10,,,,,
893729,Arthralgia,23.10,Asthenia,23.10,Bone pain,23.10,Chills,
23.10,Fatigue,23.10
893729,Nausea,23.10,Vomiting,23.10,,,,,
893730,Back pain,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
893731,Vaccination site erythema,23.10,Vaccination site swelling,
23.10,,,,,
893732,Immediate post-injection reaction,23.10,Injected limb mobility
decreased,23.10,Injection site pain,23.10,Product administered at
inappropriate site,23.10,,
893733,Injection site erythema,23.10,Injection site pruritus,
23.10,,,,,
893746,No adverse event,23.10,Product storage error,23.10,,,,,
893749,Product preparation error,23.10,,,,,,
893757,Pain,23.10,Pain in extremity,23.10,,,,,
893758,Exposure via skin contact,23.10,Injection site extravasation,
23.10,Underdose,23.10,,,,,
893759,Burning sensation,23.10,Erythema,23.10,Rash papular,23.10,,,,,
893760,Abdominal discomfort,23.10,Erythema,23.10,Fatigue,23.10,Feeling
cold,23.10,Headache,23.10
893760,Injection site pain,23.10,Pain in extremity,23.10,,,,,
893761,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
893762,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
893763,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
893764,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
893767,Injection site swelling,23.10,Injection site warmth,23.10,,,,,
893768,Cough,23.10,Dyspnoea,23.10,Injection site erythema,
23.10,Injection site warmth,23.10,Pain,23.10

893768, Pyrexia, 23.10, , , , , , , , ,
893769, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
893770, Diplopia, 23.10, Headache, 23.10, Migraine, 23.10, Nausea, 23.10, Neck
pain, 23.10
893770, Pain, 23.10, , , , , , , , ,
893772, Injected limb mobility decreased, 23.10, Injection site
haemorrhage, 23.10, Injection site pain, 23.10, Injection site reaction,
23.10, Loss of personal independence in daily activities, 23.10
893772, Musculoskeletal stiffness, 23.10, Pain, 23.10, , , , , , , , ,
893773, Arthralgia, 23.10, Paraesthesia, 23.10, Sleep disorder, 23.10, , , , ,
893775, Body temperature increased, 23.10, Chills, 23.10, Feeling hot,
23.10, Pain, 23.10, , ,
893776, Injection site swelling, 23.10, Injection site urticaria,
23.10, , , , , , , , ,
893777, Arthralgia, 23.10, Gait disturbance, 23.10, Joint swelling,
23.10, , , , , ,
893778, Blood pressure increased, 23.10, Syncope, 23.10, , , , , , , , ,
893779, Chills, 23.10, Migraine, 23.10, Pain in extremity, 23.10, , , , ,
893780, Back pain, 23.10, Decreased appetite, 23.10, Dyspnoea, 23.10, Eye
swelling, 23.10, Headache, 23.10
893780, Nausea, 23.10, Pyrexia, 23.10, , , , , , , , ,
893787, Bronchitis, 23.10, Herpes zoster, 23.10, Pain, 23.10, Post herpetic
neuralgia, 23.10, , ,
893788, Chills, 23.10, Headache, 23.10, Injection site pain, 23.10, Loss of
personal independence in daily activities, 23.10, Nausea, 23.10
893788, Pain, 23.10, , , , , , , , ,
893789, Rash, 23.10, , , , , , , , ,
893790, Angiotensin converting enzyme, 23.10, Antineutrophil cytoplasmic
antibody negative, 23.10, Antinuclear antibody negative, 23.10, Blood
immunoglobulin G normal, 23.10, C-reactive protein increased, 23.10
893790, Chills, 23.10, Computerised tomogram abnormal, 23.10, Computerised
tomogram head normal, 23.10, Conjunctival hyperaemia, 23.10, Conjunctival
oedema, 23.10
893790, Diplopia, 23.10, Discomfort, 23.10, Erythema of eyelid,
23.10, Exophthalmos, 23.10, Eye movement disorder, 23.10
893790, Eye pain, 23.10, Eye swelling, 23.10, Eyelid oedema, 23.10, Eyelid
ptosis, 23.10, Fatigue, 23.10
893790, Gastrointestinal disorder, 23.10, Headache, 23.10, Hyperhidrosis,
23.10, Intraocular pressure test normal, 23.10, Laboratory test normal,
23.10
893790, Lacrimation increased, 23.10, Muscle discomfort, 23.10, Muscle
swelling, 23.10, Ophthalmological examination normal, 23.10, Orbital
myositis, 23.10
893790, Paraesthesia, 23.10, Periorbital swelling, 23.10, Plastic surgery
to the face, 23.10, Pupillary light reflex tests normal, 23.10, Pyrexia,
23.10
893790, Red blood cell sedimentation rate increased, 23.10, Rheumatoid
factor positive, 23.10, Sinusitis, 23.10, Thyroid stimulating
immunoglobulin, 23.10, Visual acuity tests normal, 23.10

893790, Visual field tests abnormal, 23.10, White blood cell count increased, 23.10, , , , , , ,
893791, Headache, 23.10, Hypoaesthesia, 23.10, Injection site pruritus, 23.10, Injection site reaction, 23.10, Malaise, 23.10
893791, Muscular weakness, 23.10, Myalgia, 23.10, Polymerase chain reaction, 23.10, Rash, 23.10, Rash erythematous, 23.10
893791, Rash macular, 23.10, Rash maculo-papular, 23.10, Rash pruritic, 23.10, Skin lesion, 23.10, Varicella virus test negative, 23.10
893792, Herpes zoster, 23.10, Incomplete course of vaccination, 23.10, Limb discomfort, 23.10, Neuralgia, 23.10, Ophthalmic herpes zoster, 23.10
893793, Blister, 23.10, Erythema, 23.10, Herpes zoster cutaneous disseminated, 23.10, Rash, 23.10, Rash vesicular, 23.10
893793, Tenderness, 23.10, Viral test, 23.10, , , , , , ,
893795, Pain, 23.10, Pain in extremity, 23.10, Product administered at inappropriate site, 23.10, Tenderness, 23.10, ,
893796, Injection site discomfort, 23.10, Injection site rash, 23.10, Injection site warmth, 23.10, , , , ,
893798, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10, ,
893799, Injection site swelling, 23.10, , , , , , , ,
893800, Fatigue, 23.10, Pain, 23.10, Rash, 23.10, , , , ,
893802, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10
893803, Chills, 23.10, Dizziness, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10
893804, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, Vomiting, 23.10
893805, Arthralgia, 23.10, Magnetic resonance imaging, 23.10, Movement disorder, 23.10, Product administered at inappropriate site, 23.10, ,
893806, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, ,
893807, Ear swelling, 23.10, Fatigue, 23.10, , , , , , , ,
893808, Diarrhoea, 23.10, Headache, 23.10, Myalgia, 23.10, Vomiting, 23.10, ,
893809, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
893810, Injection site swelling, 23.10, Rash, 23.10, , , , , , , ,
893813, Arthralgia, 23.10, Erythema, 23.10, Erythema of eyelid, 23.10, Eye pain, 23.10, Eye swelling, 23.10
893813, Ocular hyperaemia, 23.10, Skin warm, 23.10, Swelling face, 23.10, Swelling of eyelid, 23.10, Tenderness, 23.10
893815, Dizziness, 23.10, Immediate post-injection reaction, 23.10, Nausea, 23.10, Vision blurred, 23.10, ,
893816, Induration, 23.10, Urticaria, 23.10, , , , , , , ,
893817, Pain in extremity, 23.10, Tenderness, 23.10, , , , , , , ,
893818, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
893819, Cardiac monitoring, 23.10, Dyspnoea, 23.10, Peripheral coldness, 23.10, , , , ,
893820, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pyrexia, 23.10, ,
893821, Injected limb mobility decreased, 23.10, Loss of personal

independence in daily activities,23.10,Pain in extremity,23.10,,,,,
893822,Fall,23.10,Unresponsive to stimuli,23.10,,,,,,
893825,Chills,23.10,Nausea,23.10,Pain,23.10,Sleep disorder,23.10,,
893826,Headache,23.10,Herpes zoster,23.10,Pain,23.10,,,,,
893827,Pain in extremity,23.10,Rash,23.10,Skin warm,23.10,,,,,
893828,Body temperature increased,23.10,Fatigue,23.10,Impaired work
ability,23.10,Pain,23.10,SARS-CoV-2 test negative,23.10
893829,Injection site rash,23.10,,,,,,
893830,Erythema,23.10,Induration,23.10,Injected limb mobility
decreased,23.10,Injection site erythema,23.10,Injection site
induration,23.10
893830,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Peripheral swelling,23.10,Skin warm,
23.10
893831,Erythema,23.10,Injection site urticaria,23.10,Pruritus,
23.10,Swelling,23.10,,
893833,Erythema,23.10,Peripheral swelling,23.10,,,,,,
893835,Injection site pain,23.10,Pain,23.10,,,,,,
893837,Blood urine present,23.10,Dysmenorrhoea,23.10,Full blood count,
23.10,Pain,23.10,Pregnancy test,23.10
893837,Somnolence,23.10,Syncope,23.10,Thyroid function test,
23.10,Urinary tract infection,23.10,Urine analysis abnormal,23.10
893838,Mobility decreased,23.10,Pain in extremity,23.10,Poor quality
sleep,23.10,,,,,
893839,Extra dose administered,23.10,No adverse event,23.10,,,,,,
893841,Loss of consciousness,23.10,Syncope,23.10,,,,,,
893842,Acoustic stimulation tests,23.10,Auditory disorder,
23.10,Nausea,23.10,Tinnitus,23.10,Vertigo,23.10
893842,Vomiting,23.10,,,,,,
893843,Alanine aminotransferase increased,23.10,Aspartate
aminotransferase increased,23.10,Blood albumin normal,23.10,Blood
alkaline phosphatase normal,23.10,Blood bilirubin normal,23.10
893843,Blood calcium normal,23.10,Blood chloride normal,23.10,Blood
creatinine phosphokinase MB increased,23.10,Blood creatine phosphokinase
increased,23.10,Blood creatinine normal,23.10
893843,Blood glucose normal,23.10,Blood potassium normal,23.10,Blood
sodium normal,23.10,Blood urea normal,23.10,Carbon dioxide increased,
23.10
893843,Chest pain,23.10,Condition aggravated,23.10,Dyspnoea
exertional,23.10,Echocardiogram,23.10,Electrocardiogram PR segment
depression,23.10
893843,Electrocardiogram ST segment elevation,23.10,Electrocardiogram
T wave peaked,23.10,Electrocardiogram abnormal,23.10,Fibrin D dimer
increased,23.10,Haematocrit normal,23.10
893843,Haemoglobin normal,23.10,Heart rate increased,23.10,Loss of
consciousness,23.10,Mean cell haemoglobin concentration normal,
23.10,Mean cell haemoglobin decreased,23.10
893843,Mean cell volume decreased,23.10,Metabolic function test
normal,23.10,Neutrophil count increased,23.10,Neutrophil percentage
increased,23.10,Pain,23.10

893843,Painful respiration,23.10,Pericarditis,23.10,Platelet count normal,23.10,Productive cough,23.10,Protein total increased,23.10
893843,Red blood cell sedimentation rate normal,23.10,Red cell distribution width normal,23.10,Syncope,23.10,Troponin I increased, 23.10,White blood cell count increased,23.10
893844,Injection site erythema,23.10,Injection site warmth,23.10,Local reaction,23.10,,,,,
893845,Blister,23.10,Lip erythema,23.10,Lip swelling,23.10,Myalgia, 23.10,Nausea,23.10
893845,Pyrexia,23.10,,,,,,
893848,Asthenia,23.10,Body temperature increased,23.10,Chills, 23.10,Fatigue,23.10,Nausea,23.10
893848,Pain,23.10,Vomiting,23.10,,,,,
893849,Extra dose administered,23.10,,,,,,
893850,Mobility decreased,23.10,Paraesthesia,23.10,,,,,
893851,Pain in extremity,23.10,,,,,,
893852,Abdominal discomfort,23.10,Chills,23.10,Discomfort, 23.10,Injection site pain,23.10,Insomnia,23.10
893852,Pain,23.10,,,,,,
893853,Injection site erythema,23.10,Injection site inflammation, 23.10,,,,,
893854,Immediate post-injection reaction,23.10,Syncope,23.10,,,,,
893857,Dizziness,23.10,Pyrexia,23.10,,,,,
893858,Immediate post-injection reaction,23.10,Syncope,23.10,,,,,
893859,Arthralgia,23.10,Mobility decreased,23.10,,,,,
893860,Erythema,23.10,Peripheral swelling,23.10,,,,,
893861,Erythema,23.10,Fatigue,23.10,Mobility decreased,23.10,Nodule, 23.10,Pain in extremity,23.10
893861,Pyrexia,23.10,Skin warm,23.10,,,,,
893862,Rotator cuff syndrome,23.10,,,,,,
893863,Erythema,23.10,Pain,23.10,Peripheral swelling,23.10,,,,,
893864,Joint range of motion decreased,23.10,Pain,23.10,,,,,
893865,Injection site pain,23.10,Pain,23.10,Pain in extremity, 23.10,Rash,23.10,Tenderness,23.10
893866,Pruritus,23.10,Rash,23.10,,,,,
893868,Arthralgia,23.10,Mobility decreased,23.10,,,,,
893869,Blood pressure increased,23.10,Bruxism,23.10,Chills, 23.10,Headache,23.10,Heart rate increased,23.10
893869,Muscle rigidity,23.10,Myalgia,23.10,Nausea,23.10,Pain in extremity,23.10,Pyrexia,23.10
893869,Tenderness,23.10,Tremor,23.10,Vomiting,23.10,,,,,
893870,Burning sensation,23.10,Headache,23.10,Hypoaesthesia, 23.10,Paraesthesia,23.10,,
893871,Bradypnea,23.10,Dysstasia,23.10,Feeling abnormal,23.10,Fine motor skill dysfunction,23.10,Gait disturbance,23.10
893871,Head discomfort,23.10,Limb discomfort,23.10,Muscular weakness, 23.10,Ocular discomfort,23.10,,
893872,Presyncope,23.10,,,,,,
893873,Dizziness,23.10,Nausea,23.10,Vertigo,23.10,Vestibular neuronitis,23.10,Vomiting,23.10

893874, Arthralgia, 23.10, Erythema, 23.10, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Pain, 23.10
893874, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, , , , ,
893875, Asthenia, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
893876, Cough, 23.10, Death, 23.10, Feeling abnormal, 23.10, Neoplasm malignant, 23.10, Pain, 23.10
893876, Pain in extremity, 23.10, Pyrexia, 23.10, Rib fracture, 23.10, Thinking abnormal, 23.10, ,
893878, Fatigue, 23.10, Paranasal sinus discomfort, 23.10, Rhinorrhoea, 23.10, , , , ,
893880, Dry mouth, 23.10, Headache, 23.10, Lymphadenopathy, 23.10, Night sweats, 23.10, Pyrexia, 23.10
893880, SARS-CoV-2 test, 23.10, , , , , , , , ,
893881, Injection site rash, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pain, 23.10, ,
893882, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10, , , , ,
893884, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, ,
893886, Rash, 23.10, , , , , , , , ,
893887, Sensation of foreign body, 23.10, , , , , , , , ,
893888, Haemorrhage, 23.10, , , , , , , , ,
893889, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
893890, Chills, 23.10, Dyspnoea, 23.10, Eye discharge, 23.10, Eye swelling, 23.10, Headache, 23.10
893890, Lip swelling, 23.10, Rhinorrhoea, 23.10, , , , , , ,
893891, Chills, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
893892, Underdose, 23.10, , , , , , , , ,
893893, Underdose, 23.10, , , , , , , , ,
893894, Chills, 23.10, Impaired work ability, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
893894, Joint range of motion decreased, 23.10, Pyrexia, 23.10, , , , , ,
893895, Urticaria, 23.10, , , , , , , , ,
893897, Injection site erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, , , , ,
893898, Abdominal discomfort, 23.10, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pyrexia, 23.10
893899, Headache, 23.10, Insomnia, 23.10, Neuralgia, 23.10, Pain, 23.10, Pyrexia, 23.10
893901, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , ,
893902, Injection site erythema, 23.10, Injection site inflammation, 23.10, , , , , , ,
893903, Syncope, 23.10, , , , , , , , ,
893904, Chills, 23.10, Cough, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Fatigue, 23.10
893904, Headache, 23.10, Injection site pain, 23.10, Pain, 23.10, , , , ,
893905, Diarrhoea, 23.10, Headache, 23.10, Retching, 23.10, Somnolence, 23.10, Vomiting, 23.10
893906, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10, ,

893907, Erythema, 23.10, Injection site pruritus, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10,,
893908, Unevaluable event, 23.10,,,,,,
893909, Extra dose administered, 23.10,,,,,,
893910, Paraesthesia, 23.10,,,,,,
893912, Contusion, 23.10, Erythema, 23.10, Injection site erythema, 23.10, Skin warm, 23.10,,
893913, Injection site pain, 23.10, Injection site reaction, 23.10, Injection site scab, 23.10, Skin lesion, 23.10,,
893914, Neuralgia, 23.10,,,,,,
893915, Fall, 23.10, Nasopharyngitis, 23.10, Nausea, 23.10, Tremor, 23.10, Vomiting, 23.10
893916, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10, Seizure like phenomena, 23.10, Syncope, 23.10,,
893917, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10,,
893918, Abdominal pain upper, 23.10, Chills, 23.10, Erythema, 23.10, Influenza like illness, 23.10, Nodule, 23.10
893918, Peripheral swelling, 23.10, Pyrexia, 23.10,,,,,
893919, Pain, 23.10,,,,,,
893922, Arthralgia, 23.10, Chest pain, 23.10, Hyperhidrosis, 23.10, Neck pain, 23.10,,
893923, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,,,
893924, Urticaria, 23.10,,,,,,
893925, Injection site mass, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10,,,,
893927, Abdominal pain, 23.10, Arthralgia, 23.10, Back pain, 23.10, Chills, 23.10, Diarrhoea, 23.10
893927, Fatigue, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10,,
893929, Abdominal pain upper, 23.10, Diarrhoea, 23.10, Eye irritation, 23.10, Feeling hot, 23.10, Nausea, 23.10
893930, Lymphadenopathy, 23.10,,,,,,
893933, Injection site erythema, 23.10,,,,,,
893934, Influenza like illness, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,
893935, Chills, 23.10, Discomfort, 23.10, Hyperhidrosis, 23.10, Nausea, 23.10, Pyrexia, 23.10
893935, Retching, 23.10, Sleep disorder, 23.10, Vaccination site pain, 23.10,,,,
893936, Dizziness, 23.10, Fall, 23.10, Head injury, 23.10, Pallor, 23.10, Skin warm, 23.10
893936, Vision blurred, 23.10,,,,,,
893937, Abdominal pain upper, 23.10, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Headache, 23.10
893937, Pain, 23.10, Pyrexia, 23.10,,,,,
893938, Chills, 23.10, Fatigue, 23.10, Influenza, 23.10, Pain, 23.10, Pain in extremity, 23.10
893938, Pyrexia, 23.10,,,,,,
893939, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Influenza like illness, 23.10

893939, Pain, 23.10, Pyrexia, 23.10, , , , , , ,
893940, Exposure during pregnancy, 23.10, Foetal death, 23.10, , , , , , ,
893941, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10
893942, Discomfort, 23.10, Headache, 23.10, Heart rate increased, 23.10, Pain in extremity, 23.10, Restlessness, 23.10
893943, Abdominal pain upper, 23.10, Fatigue, 23.10, Injection site bruising, 23.10, Injection site induration, 23.10, Injection site pain, 23.10
893943, Injection site swelling, 23.10, Injection site warmth, 23.10, Musculoskeletal stiffness, 23.10, Nausea, 23.10, Pain, 23.10
893944, Erythema, 23.10, Swelling, 23.10, , , , , , ,
893945, Cough, 23.10, Wheezing, 23.10, , , , , , ,
893946, Chills, 23.10, Dyspnoea, 23.10, Nausea, 23.10, Pain, 23.10, ,
893947, Rash, 23.10, , , , , , , ,
893948, Arthralgia, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , ,
893949, Asthenia, 23.10, Decreased appetite, 23.10, Dry mouth, 23.10, Influenza like illness, 23.10, Pain, 23.10
893950, Asthenia, 23.10, Chills, 23.10, Dizziness, 23.10, Headache, 23.10, Myalgia, 23.10
893950, Nausea, 23.10, Tremor, 23.10, , , , , , ,
893951, Dizziness, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
893952, Injection site erythema, 23.10, Injection site pruritus, 23.10, Local reaction, 23.10, , , , ,
893953, Influenza like illness, 23.10, Injection site erythema, 23.10, Injection site warmth, 23.10, Pyrexia, 23.10, Throat tightness, 23.10
893954, Headache, 23.10, Pyrexia, 23.10, , , , , , ,
893955, Diarrhoea, 23.10, Headache, 23.10, Injection site pain, 23.10, Injection site rash, 23.10, Myalgia, 23.10
893955, Pruritus, 23.10, Wound, 23.10, , , , , , ,
893956, Unevaluable event, 23.10, , , , , , , ,
893957, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10
893958, Chills, 23.10, Fatigue, 23.10, Mobility decreased, 23.10, Myalgia, 23.10, Pyrexia, 23.10
893959, Contusion, 23.10, Erythema, 23.10, Inflammation, 23.10, Pain, 23.10, Peripheral swelling, 23.10
893960, Contusion, 23.10, Pain, 23.10, Peripheral swelling, 23.10, Pruritus, 23.10, ,
893961, Flushing, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, ,
893962, Injection site swelling, 23.10, Pain in extremity, 23.10, , , , , , ,
893964, Contusion, 23.10, Hypoaesthesia, 23.10, Injection site vesicles, 23.10, Pain in extremity, 23.10, ,
893965, Vaccination site pain, 23.10, Vaccination site swelling, 23.10, , , , , , ,
893966, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,

893967, Pain, 23.10, , , , , , , , ,
893968, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10
893968, Pyrexia, 23.10, Sleep disorder, 23.10, Tremor, 23.10, , , , ,
893969, Urticaria, 23.10, , , , , , , , ,
893970, Arthralgia, 23.10, Joint range of motion decreased, 23.10, Myalgia, 23.10, Neck pain, 23.10, ,
893971, Urticaria, 23.10, , , , , , , , ,
893972, Burning sensation, 23.10, Eye disorder, 23.10, Eye swelling, 23.10, Hypersensitivity, 23.10, Myalgia, 23.10
893972, Nausea, 23.10, Ocular hyperaemia, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, ,
893973, Chills, 23.10, Delirium, 23.10, Headache, 23.10, Injected limb mobility decreased, 23.10, Injection site erythema, 23.10
893973, Injection site pain, 23.10, Injection site swelling, 23.10, Night sweats, 23.10, Pain, 23.10, Pain in extremity, 23.10
893973, Pyrexia, 23.10, Sinus pain, 23.10, Vision blurred, 23.10, , , , ,
893975, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Malaise, 23.10, Pain, 23.10
893975, Pyrexia, 23.10, Vomiting, 23.10, , , , , , ,
893976, Arthralgia, 23.10, Loss of personal independence in daily activities, 23.10, Magnetic resonance imaging, 23.10, Mobility decreased, 23.10, X-ray limb, 23.10
893977, Dysarthria, 23.10, , , , , , , , ,
893978, Erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Pruritus, 23.10
893982, Injection site pain, 23.10, , , , , , , , ,
893983, Chills, 23.10, Influenza like illness, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Pain, 23.10
893984, Pain, 23.10, , , , , , , , ,
893985, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
893986, Decreased appetite, 23.10, Oropharyngeal pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, Tongue disorder, 23.10
893987, Anxiety, 23.10, Fall, 23.10, Fear of injection, 23.10, Loss of consciousness, 23.10, Nervousness, 23.10
893987, Pain in jaw, 23.10, Syncope, 23.10, , , , , , ,
893988, Erythema, 23.10, Inflammation, 23.10, Pruritus, 23.10, Tenderness, 23.10, ,
893990, Dyspnoea, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , , ,
893991, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, ,
893992, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
893993, Cellulitis, 23.10, , , , , , , , ,
893994, Arthralgia, 23.10, Immediate post-injection reaction, 23.10, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10
893995, Injection site erythema, 23.10, , , , , , , , ,
893996, Asthenia, 23.10, Blood test, 23.10, Chest X-ray, 23.10, Dizziness, 23.10, Dyspnoea, 23.10

893996, Fatigue, 23.10, Magnetic resonance imaging spinal, 23.10, Myalgia, 23.10, Paraesthesia, 23.10, Paraesthesia oral, 23.10
893996, SARS-CoV-2 test, 23.10, Spinal X-ray, 23.10, Tremor, 23.10, , , ,
893997, Erythema, 23.10, Headache, 23.10, Injection site inflammation, 23.10, Nausea, 23.10, Pruritus, 23.10
893997, Pyrexia, 23.10, , , , , , , ,
893998, Asthenia, 23.10, Blood pressure abnormal, 23.10, Nausea, 23.10, , , ,
893999, Injection site reaction, 23.10, Injection site swelling, 23.10, Rash pruritic, 23.10, , , ,
894000, CSF protein increased, 23.10, Diplopia, 23.10, Gait disturbance, 23.10, Hand-eye coordination impaired, 23.10, Immunoglobulin therapy, 23.10
894000, Miller Fisher syndrome, 23.10, Paraesthesia, 23.10, , , , , ,
894002, Loss of consciousness, 23.10, Muscle spasms, 23.10, Pallor, 23.10, Tension, 23.10, Tremor, 23.10
894003, Eye movement disorder, 23.10, Feeling abnormal, 23.10, Hypoaesthesia oral, 23.10, Loss of consciousness, 23.10, Nervousness, 23.10
894003, Tremor, 23.10, , , , , , , ,
894004, Headache, 23.10, , , , , , , ,
894005, Abdominal pain upper, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site rash, 23.10, Pain in extremity, 23.10
894006, Cellulitis, 23.10, Pain, 23.10, , , , , , ,
894007, Arthralgia, 23.10, Headache, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Nausea, 23.10
894008, Fatigue, 23.10, Headache, 23.10, Influenza, 23.10, Injection site pain, 23.10, Malaise, 23.10
894008, Myalgia, 23.10, Pyrexia, 23.10, , , , , , ,
894009, Erythema, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Pain, 23.10, Pruritus, 23.10
894009, Skin warm, 23.10, , , , , , , ,
894010, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
894011, Hallucination, 23.10, Hemiplegia, 23.10, Transient ischaemic attack, 23.10, Vaccine positive rechallenge, 23.10, ,
894012, Haemorrhage, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Scab, 23.10, ,
894013, Anxiety, 23.10, Pallor, 23.10, Syncope, 23.10, , , ,
894014, Unevaluable event, 23.10, , , , , , , ,
894015, Cold sweat, 23.10, Influenza, 23.10, Lethargy, 23.10, Malaise, 23.10, Nasopharyngitis, 23.10
894036, Altered state of consciousness, 23.10, Deafness, 23.10, Electrocardiogram abnormal, 23.10, Hypotension, 23.10, Nausea, 23.10
894036, Orthostatic hypotension, 23.10, Pallor, 23.10, Seizure, 23.10, Sinus bradycardia, 23.10, Syncope, 23.10
894039, Pneumonia, 23.10, , , , , , , ,
894043, Deafness, 23.10, , , , , , , ,
894044, Herpes zoster, 23.10, , , , , , , ,
894045, Herpes zoster, 23.10, , , , , , , ,

894046, Facial paralysis, 23.10, , , , , , , , , , ,
894052, Blood test, 23.10, Clostridium difficile colitis, 23.10, Crying,
23.10, Differential white blood cell count, 23.10, Dyspnoea, 23.10
894052, Fatigue, 23.10, Feeling abnormal, 23.10, Immune system disorder,
23.10, Impaired work ability, 23.10, Infectious mononucleosis, 23.10
894052, Influenza like illness, 23.10, Nasopharyngitis, 23.10, Nerve
injury, 23.10, Palpitations, 23.10, Pneumonia, 23.10
894052, Postural orthostatic tachycardia syndrome, 23.10, Tremor,
23.10, Upper respiratory tract infection, 23.10, , , , ,
894053, Asthenia, 23.10, Chills, 23.10, Condition aggravated,
23.10, Dysstasia, 23.10, Fatigue, 23.10
894053, Herpes zoster, 23.10, Injury, 23.10, Mobility decreased,
23.10, Myalgia, 23.10, Nausea, 23.10
894053, Neuralgia, 23.10, Pain, 23.10, Rash, 23.10, , , , ,
894054, Discomfort, 23.10, Fatigue, 23.10, Herpes zoster, 23.10, Myalgia,
23.10, Nausea, 23.10
894054, Pain, 23.10, Stress, 23.10, , , , , , , , , , ,
894055, Injection site rash, 23.10, , , , , , , , , , , ,
894056, Influenza like illness, 23.10, Vaccination failure, 23.10, , , , , , , , , , , ,
894057, Adverse event, 23.10, Injection site pain, 23.10, Pain in
extremity, 23.10, , , , , , , , , , , ,
894058, Dysphagia, 23.10, Oropharyngeal pain, 23.10, , , , , , , , , , , ,
894059, Malaise, 23.10, , , , , , , , , , , , , , , , ,
894060, Chills, 23.10, Fall, 23.10, Feeling cold, 23.10, Head injury,
23.10, Loss of consciousness, 23.10
894060, Musculoskeletal stiffness, 23.10, Myalgia, 23.10, , , , , , , , , , , ,
894061, Headache, 23.10, Malaise, 23.10, Pain, 23.10, , , , , , , , , , , ,
894062, Blister, 23.10, Injection site erythema, 23.10, Pruritus, 23.10, Rash
macular, 23.10, , , , , , , , , , , , , , , , ,
894063, Movement disorder, 23.10, Pain in extremity, 23.10, , , , , , , , , , , ,
894064, Dehydration, 23.10, Diarrhoea, 23.10, Dizziness, 23.10, Dyspnoea,
23.10, Headache, 23.10
894064, Hyperhidrosis, 23.10, Joint stiffness, 23.10, Pain, 23.10, , , , , , , , , , , ,
894066, Erythema, 23.10, Herpes zoster, 23.10, Pain, 23.10, , , , , , , , , , , ,
894067, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , , , , , , , ,
894068, Dizziness, 23.10, Feeling abnormal, 23.10, Heart rate increased,
23.10, Myalgia, 23.10, Nausea, 23.10
894068, Pyrexia, 23.10, Tremor, 23.10, , , , , , , , , , , ,
894069, Myalgia, 23.10, Pain, 23.10, , , , , , , , , , , ,
894070, Incomplete course of vaccination, 23.10, Injection site reaction,
23.10, , , , , , , , , , , , , , , , ,
894071, Rash, 23.10, , , , , , , , , , , , , , , , ,
894072, Injection site erythema, 23.10, Injection site swelling,
23.10, Loss of personal independence in daily activities, 23.10, Pain,
23.10, Skin warm, 23.10
894073, Limb mass, 23.10, Mass, 23.10, Neck mass, 23.10, Rash, 23.10, , , , , , , , , , , ,
894074, Migraine, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , , , , , , , ,
894075, Angioedema, 23.10, Lip swelling, 23.10, Pharyngeal swelling,
23.10, Pyrexia, 23.10, Swelling face, 23.10
894075, Swollen tongue, 23.10, , , , , , , , , , , , , , , , ,

894076, Fatigue, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Malaise, 23.10,,
894077, Herpes zoster, 23.10, Rash, 23.10,,,,,
894078, Heart rate increased, 23.10, Malaise, 23.10, Palpitations, 23.10,,,,,
894079, Back pain, 23.10, Herpes zoster, 23.10, Rash vesicular, 23.10, Skin reaction, 23.10,,
894080, Diarrhoea, 23.10, Dizziness, 23.10, Vertigo, 23.10,,,,,
894081, Chills, 23.10, Injection site pain, 23.10,,,,,
894082, Pityriasis rosea, 23.10, Pruritus, 23.10, Rash, 23.10,,,,,
894083, Malaise, 23.10, Pneumonia, 23.10,,,,,
894084, Myocardial infarction, 23.10, Pneumonia, 23.10,,,,,
894085, Chills, 23.10, Heart rate increased, 23.10, Vaccination complication, 23.10,,,,,
894086, Death, 23.10,,,,,
894087, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10,,,,,
894088, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
894090, Pain in extremity, 23.10, Wrong technique in product usage process, 23.10,,,,,
894091, Erythema, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10
894091, Injection site warmth, 23.10,,,,,
894092, Arthralgia, 23.10, Pain in extremity, 23.10, Vaccination site movement impairment, 23.10,,,,,
894093, Anaphylactic reaction, 23.10, Milk allergy, 23.10,,,,,
894094, Facial paralysis, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Neck pain, 23.10, Pain, 23.10
894094, Pain in extremity, 23.10,,,,,
894096, Abdominal pain upper, 23.10, Chills, 23.10, Cold sweat, 23.10, Headache, 23.10, Muscle spasms, 23.10
894096, Musculoskeletal stiffness, 23.10, Pain, 23.10, Pyrexia, 23.10,,,,,
894097, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
894103, Deafness unilateral, 23.10,,,,,
894104, Chills, 23.10, Headache, 23.10, Myalgia, 23.10,,,,,
894105, Pyrexia, 23.10,,,,,
894106, Erythema, 23.10, Influenza like illness, 23.10, Nodule, 23.10, Pain in extremity, 23.10, Swelling, 23.10
894107, Headache, 23.10, Pyrexia, 23.10,,,,,
894108, Dyspnoea, 23.10, Oropharyngeal pain, 23.10,,,,,
894109, Dyspnoea, 23.10, Lip swelling, 23.10, Pruritus, 23.10, Rash, 23.10, Throat tightness, 23.10
894110, Ageusia, 23.10, Facial paralysis, 23.10, Hypoaesthesia, 23.10,,,,,
894111, Illness, 23.10,,,,,
894112, No adverse event, 23.10, Product storage error, 23.10,,,,,
894113, No adverse event, 23.10, Product storage error, 23.10,,,,,
894114, No adverse event, 23.10, Product storage error, 23.10,,,,,
894115, No adverse event, 23.10, Product storage error, 23.10,,,,,
894116, Malaise, 23.10,,,,,

894117, Influenza, 23.10, Renal failure, 23.10, , , , , ,
894118, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
894119, No adverse event, 23.10, Underdose, 23.10, , , , , ,
894120, Incorrect dose administered, 23.10, No adverse event,
23.10, Product administered to patient of inappropriate age, 23.10, , , , ,
894122, Extra dose administered, 23.10, Incorrect dose administered,
23.10, No adverse event, 23.10, , , , ,
894123, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
894124, Nausea, 23.10, Vomiting, 23.10, , , , , ,
894125, Erythema, 23.10, Skin warm, 23.10, , , , , ,
894128, Injection site pain, 23.10, Pain, 23.10, , , , , ,
894129, Body temperature increased, 23.10, Chills, 23.10, Injection site
rash, 23.10, Injection site warmth, 23.10, Pain, 23.10
894131, Diarrhoea, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
894132, Contusion, 23.10, Erythema, 23.10, Nodule, 23.10, Paraesthesia,
23.10, Skin exfoliation, 23.10
894132, Urticaria, 23.10, , , , , , , ,
894133, Chills, 23.10, Headache, 23.10, Pyrexia, 23.10, , , , ,
894135, Skin lesion, 23.10, , , , , , , ,
894136, Decreased appetite, 23.10, Feeling cold, 23.10, Hypersomnia,
23.10, Myalgia, 23.10, Pyrexia, 23.10
894136, Tremor, 23.10, , , , , , , ,
894137, Body temperature increased, 23.10, Chills, 23.10, Discomfort,
23.10, Heart rate increased, 23.10, Laboratory test, 23.10
894137, Malaise, 23.10, , , , , , , ,
894151, Adverse reaction, 23.10, Urticaria, 23.10, , , , , ,
894152, Paralysis, 23.10, , , , , , , ,
894153, Back pain, 23.10, Erythema, 23.10, Fear, 23.10, Groin pain,
23.10, Hypoaesthesia, 23.10
894153, Incorrect route of product administration, 23.10, Injection site
pain, 23.10, Injection site swelling, 23.10, Limb discomfort,
23.10, Malaise, 23.10
894153, Product administered at inappropriate site, 23.10, Pyrexia,
23.10, Swelling, 23.10, , , , , ,
894154, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , ,
894155, Joint range of motion decreased, 23.10, Mobility decreased,
23.10, Paraesthesia, 23.10, , , , , ,
894156, Migraine, 23.10, Pain, 23.10, , , , , ,
894157, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
894158, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
894161, Fatigue, 23.10, Injection site urticaria, 23.10, Nasal congestion,
23.10, Nausea, 23.10, ,
894162, Syncope, 23.10, , , , , , , ,
894166, Fatigue, 23.10, Pyrexia, 23.10, , , , , ,
894167, Syncope, 23.10, , , , , , , ,
894168, Chills, 23.10, Cough, 23.10, Diarrhoea, 23.10, Fatigue,

23.10,Hyperhidrosis,23.10
894168,Nausea,23.10,Pyrexia,23.10,Retching,23.10,SARS-CoV-2 test
negative,23.10,,
894169,Lymphadenopathy,23.10,,,,,
894170,Chest pain,23.10,Chills,23.10,Dizziness,23.10,Headache,
23.10,Injection site erythema,23.10
894170,Injection site pain,23.10,Injection site pruritus,23.10,Nausea,
23.10,,,,,
894179,Herpes zoster,23.10,,,,,
894180,Burning sensation,23.10,Injection site erythema,23.10,Injection
site mass,23.10,Injection site pain,23.10,Injection site warmth,23.10
894180,Pyrexia,23.10,Rash,23.10,,,,,
894181,Adverse event,23.10,Injected limb mobility decreased,
23.10,Injection site pain,23.10,,,,,
894182,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
894183,Incorrect route of product administration,23.10,Injection site
erythema,23.10,Injection site mass,23.10,Injection site warmth,23.10,,
894184,Feeling hot,23.10,,,,,
894185,Chills,23.10,Injection site pain,23.10,Pain,23.10,Rash,23.10,,
894186,Pneumonia,23.10,,,,,
894187,Dizziness,23.10,Wrong product administered,23.10,,,,,
894190,Influenza,23.10,Malaise,23.10,,,,,
894193,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894195,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
894197,Erythema,23.10,Pain in extremity,23.10,Skin warm,
23.10,Tenderness,23.10,,
894198,Arthralgia,23.10,Headache,23.10,Nausea,23.10,Pain,
23.10,Pyrexia,23.10
894198,Vomiting,23.10,,,,,
894200,Blood glucose increased,23.10,Laboratory test normal,
23.10,Syncope,23.10,,,,,
894201,Injection site pain,23.10,Injection site scar,23.10,,,,,
894202,Hyperhidrosis,23.10,Influenza like illness,23.10,Pain,23.10,,,,,
894203,Immediate post-injection reaction,23.10,Injected limb mobility
decreased,23.10,Injection site pain,23.10,,,,,
894204,Arthralgia,23.10,Chills,23.10,Headache,23.10,Influenza like
illness,23.10,Pyrexia,23.10
894204,Thirst,23.10,,,,,
894207,Asthenia,23.10,Feeling hot,23.10,Headache,23.10,Pain,
23.10,Throat irritation,23.10
894208,Headache,23.10,Hyperhidrosis,23.10,Influenza like illness,
23.10,Injection site erythema,23.10,Injection site swelling,23.10
894208,Pain,23.10,,,,,
894212,Skin reaction,23.10,,,,,
894213,Injection site reaction,23.10,,,,,
894214,Diarrhoea,23.10,Nausea,23.10,Pyrexia,23.10,Rash,23.10,Vomiting,
23.10
894216,Erythema,23.10,Pain in extremity,23.10,Pulmonary congestion,

23.10, Pyrexia, 23.10, Sinus congestion, 23.10
894218, Erythema, 23.10, Pruritus, 23.10, Skin discolouration,
23.10, Swelling, 23.10,,
894219, Erythema, 23.10, Peripheral swelling, 23.10,,,,,
894220, Decreased appetite, 23.10, Developmental delay, 23.10, Eczema,
23.10, Erythema, 23.10, Pyrexia, 23.10
894220, Rash, 23.10, Rash maculo-papular, 23.10,,,,,
894221, Vaccination site cellulitis, 23.10, Vaccination site vesicles,
23.10,,,,,
894222, Vaccination error, 23.10,,,,,
894223, Eye pain, 23.10, Immediate post-injection reaction,
23.10, Periorbital swelling, 23.10,,,,
894224, Injection site pain, 23.10, Limb discomfort, 23.10, Neuralgia,
23.10,,,,
894226, Hypoaesthesia, 23.10, Immediate post-injection reaction,
23.10, Palpitations, 23.10, Rash, 23.10,,
894227, Vomiting, 23.10,,,,,
894228, Swelling of eyelid, 23.10,,,,,
894229, Chills, 23.10, Extra dose administered, 23.10, Fatigue,
23.10, Malaise, 23.10, Wrong product administered, 23.10
894233, Deafness unilateral, 23.10,,,,,
894234, Syncope, 23.10,,,,,
894235, Rash maculo-papular, 23.10, Scab, 23.10,,,,,
894236, Limb discomfort, 23.10, Pain in extremity, 23.10, Peripheral
swelling, 23.10, Skin warm, 23.10,,
894238, Chills, 23.10, Feeling abnormal, 23.10, Hyperhidrosis, 23.10, Pain in
extremity, 23.10, Pyrexia, 23.10
894241, Abdominal pain upper, 23.10, Chills, 23.10, Ear swelling,
23.10, Erythema, 23.10, Feeling hot, 23.10
894241, Musculoskeletal stiffness, 23.10, Pain of skin, 23.10, Pruritus,
23.10, Pyrexia, 23.10, Skin exfoliation, 23.10
894241, Skin warm, 23.10, Swelling face, 23.10, Swelling of eyelid,
23.10,,,,
894242, Pain of skin, 23.10, Pruritus, 23.10, Rash, 23.10,,,,
894243, Abdominal pain upper, 23.10, Asthenia, 23.10, Decreased appetite,
23.10, Diarrhoea, 23.10, Fatigue, 23.10
894243, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Rash, 23.10,,
894244, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
894245, Erythema, 23.10, Peripheral swelling, 23.10, Skin burning
sensation, 23.10, Swelling, 23.10, Tenderness, 23.10
894247, Culture stool negative, 23.10, Haematochezia, 23.10, Rotavirus test
positive, 23.10, Salmonella test positive, 23.10,,
894248, Arthralgia, 23.10, Back pain, 23.10, Pain in extremity, 23.10,,,,
894249, Dizziness, 23.10, Fall, 23.10, Head injury, 23.10, Loss of
consciousness, 23.10, Unresponsive to stimuli, 23.10
894250, Oral herpes, 23.10,,,,,
894251, Back pain, 23.10, Flank pain, 23.10, Herpes zoster, 23.10, Rash,
23.10, Sleep disorder, 23.10
894253, Syncope, 23.10,,,,,

894254, Fatigue, 23.10, Hordeolum, 23.10, Oral herpes, 23.10, Palpitations, 23.10, Pyrexia, 23.10
894254, Urinary tract infection, 23.10, Vaccination complication, 23.10, , , , , ,
894255, Hypersensitivity, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , ,
894257, Cellulitis, 23.10, Erythema, 23.10, Peripheral swelling, 23.10, Secretion discharge, 23.10, ,
894258, Administration site pain, 23.10, Pain, 23.10, , , , , ,
894259, Immediate post-injection reaction, 23.10, Urticaria, 23.10, , , , , ,
894260, Injection site pain, 23.10, Pain, 23.10, , , , , ,
894261, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site swelling, 23.10, , , , ,
894262, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, , , , ,
894264, Hyperhidrosis, 23.10, Pallor, 23.10, Syncope, 23.10, , , , ,
894266, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, , , , ,
894267, Blood test, 23.10, Computerised tomogram, 23.10, Dyspnoea, 23.10, X-ray, 23.10, ,
894269, Urticaria, 23.10, , , , , , , ,
894271, Mobility decreased, 23.10, , , , , , , ,
894272, Injection site pain, 23.10, , , , , , , ,
894273, Erythema, 23.10, Eye swelling, 23.10, Lip swelling, 23.10, Rash, 23.10, Swelling face, 23.10
894273, Urticaria, 23.10, , , , , , , ,
894274, Nerve injury, 23.10, Neuralgia, 23.10, Product administered at inappropriate site, 23.10, , , , ,
894275, Dizziness, 23.10, Malaise, 23.10, Nausea, 23.10, Peripheral coldness, 23.10, Pruritus, 23.10
894275, Throat irritation, 23.10, Tremor, 23.10, , , , , ,
894276, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10, ,
894277, Asthenia, 23.10, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10
894277, Sinus congestion, 23.10, , , , , , , ,
894279, Rash macular, 23.10, Skin warm, 23.10, , , , , ,
894280, Injection site erythema, 23.10, Injection site warmth, 23.10, , , , , ,
894281, Pallor, 23.10, Syncope, 23.10, , , , , ,
894282, Erythema, 23.10, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10, Swelling, 23.10, ,
894283, Pruritus, 23.10, Rash macular, 23.10, , , , , ,
894284, Arthralgia, 23.10, Erythema, 23.10, Myalgia, 23.10, Pruritus, 23.10, Swelling, 23.10
894284, Urticaria, 23.10, , , , , , , ,
894285, Dizziness, 23.10, Nausea, 23.10, Pyrexia, 23.10, Vomiting, 23.10, ,
894286, Asthenia, 23.10, C-reactive protein normal, 23.10, Electromyogram, 23.10, Full blood count normal, 23.10, Metabolic function test normal, 23.10
894286, Nerve conduction studies, 23.10, Paraesthesia, 23.10, Paraesthesia oral, 23.10, Red blood cell sedimentation rate normal, 23.10, Tremor, 23.10

894286,Ultrasound scan,23.10,Urine analysis normal,23.10,,,,,
894287,Cellulitis,23.10,,,,,
894289,Injection site mass,23.10,Injection site pain,23.10,Injection
site warmth,23.10,Pain,23.10,Peripheral swelling,23.10
894290,CSF culture negative,23.10,CSF test normal,23.10,Cerebral
hypoperfusion,23.10,Computerised tomogram head normal,23.10,Death,
23.10
894290,Echocardiogram abnormal,23.10,Electroencephalogram abnormal,
23.10,Hypoxia,23.10,Ischaemia,23.10,Magnetic resonance imaging brain
abnormal,23.10
894290,Polymerase chain reaction,23.10,Seizure,23.10,Seizure like
phenomena,23.10,Skeletal survey normal,23.10,Status epilepticus,23.10
894290,Tremor,23.10,Unresponsive to stimuli,23.10,,,,,
894291,Rash,23.10,,,,,
894292,Chest discomfort,23.10,Feeling abnormal,23.10,,,,,
894293,Asthenia,23.10,Chills,23.10,Heart rate increased,
23.10,Hyperhidrosis,23.10,Hypopnoea,23.10
894293,Injection site erythema,23.10,Injection site induration,
23.10,Injection site swelling,23.10,Myalgia,23.10,Pain,23.10
894293,Pyrexia,23.10,Trismus,23.10,,,,,
894294,Unevaluable event,23.10,,,,,
894295,Insomnia,23.10,Pain in extremity,23.10,,,,,
894307,Dyspnoea,23.10,Pneumonia,23.10,Respiratory symptom,23.10,,,,,
894309,Product storage error,23.10,,,,,
894311,Herpes zoster,23.10,Rash,23.10,,,,,
894312,Hepatitis acute,23.10,,,,,
894313,Injection site pain,23.10,Mobility decreased,
23.10,Musculoskeletal stiffness,23.10,,,,,
894314,Facial paralysis,23.10,,,,,
894316,Angioedema,23.10,Urticaria,23.10,,,,,
894317,Erythema,23.10,Injection site pain,23.10,Pruritus,23.10,Rash,
23.10,,
894319,Anxiety,23.10,Extra dose administered,23.10,No adverse event,
23.10,,,,,
894320,Injection site erythema,23.10,Injection site swelling,
23.10,Local reaction,23.10,,,,,
894322,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
894324,Adverse reaction,23.10,,,,,
894325,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain in extremity,23.10,,,,,
894326,Asthenia,23.10,Chills,23.10,Dizziness,23.10,,,,,
894327,Mobility decreased,23.10,Pain,23.10,,,,,
894328,Dizziness,23.10,,,,,
894329,Dizziness,23.10,,,,,
894330,Asthenia,23.10,Burning sensation,23.10,Gait disturbance,
23.10,Injection site erythema,23.10,Injection site pain,23.10
894330,Pain,23.10,,,,,
894332,C-reactive protein increased,23.10,Herpes zoster,
23.10,Incomplete course of vaccination,23.10,Laboratory test,

23.10,Magnetic resonance imaging,23.10
894332,Mobility decreased,23.10,Muscular weakness,23.10,Myalgia,
23.10,Polymyalgia rheumatica,23.10,Red blood cell sedimentation rate
increased,23.10
894332,Weight decreased,23.10,X-ray,23.10,,,,,
894333,Bursitis,23.10,Injection site pain,23.10,Pain,23.10,Product
administered at inappropriate site,23.10,Tendonitis,23.10
894334,Confusional state,23.10,Diarrhoea,23.10,Urticaria,23.10,,,,
894335,Vision blurred,23.10,,,,,
894338,Immediate post-injection reaction,23.10,Syncope,23.10,,,,,
894339,Asthenia,23.10,Blister,23.10,Feeling hot,23.10,Influenza like
illness,23.10,Oral herpes,23.10
894339,Pain,23.10,Sleep disorder,23.10,Vomiting,23.10,,,,
894340,Injection site urticaria,23.10,Vaccination site erythema,
23.10,,,,,
894341,No adverse event,23.10,Wrong product administered,23.10,,,,,
894342,No adverse event,23.10,Wrong product administered,23.10,,,,,
894343,Expired product administered,23.10,Pain in extremity,
23.10,,,,,
894344,No adverse event,23.10,Product storage error,23.10,,,,,
894346,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,,,,
894347,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894349,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
894351,Antibody test positive,23.10,Erythema of eyelid,23.10,Injection
site erythema,23.10,Injection site mass,23.10,Irritability,23.10
894351,Local reaction,23.10,Measles antibody positive,23.10,Mumps
antibody test positive,23.10,Pain,23.10,Pyrexia,23.10
894351,Rash macular,23.10,Restlessness,23.10,Rubella antibody
positive,23.10,Swelling face,23.10,Swelling of eyelid,23.10
894352,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
894353,Injection site pain,23.10,Injection site rash,23.10,Injection
site warmth,23.10,,,,
894354,Altered state of consciousness,23.10,Anaphylactic reaction,
23.10,Dyspnoea,23.10,Injection site hypoaesthesia,23.10,Injection site
paraesthesia,23.10
894354,Nausea,23.10,Throat tightness,23.10,Vomiting,23.10,,,,
894360,Pain in extremity,23.10,,,,,
894362,Dissociation,23.10,Disturbance in attention,23.10,Memory
impairment,23.10,,,,
894363,Mobility decreased,23.10,Pain,23.10,Pain in extremity,23.10,,,,
894365,Guillain-Barre syndrome,23.10,Laboratory test,23.10,,,,,
894366,Abdominal distension,23.10,Haemoptysis,23.10,Nausea,
23.10,Vomiting,23.10,,
894367,Pain in extremity,23.10,,,,,
894368,Chest pain,23.10,Diarrhoea,23.10,Malaise,23.10,Pyrexia,
23.10,Respiratory rate increased,23.10

894368,SARS-CoV-2 test negative,23.10,Vomiting,23.10,,,,,
894369,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,
23.10,Pyrexia,23.10
894370,Pain in extremity,23.10,,,,,
894371,Injection site pain,23.10,,,,,
894372,Erythema,23.10,Feeling abnormal,23.10,Headache,23.10,Nausea,
23.10,Pain in extremity,23.10
894372,Peripheral swelling,23.10,,,,,
894381,Injection site pain,23.10,,,,,
894382,Nasopharyngitis,23.10,Product administered to patient of
inappropriate age,23.10,Pyrexia,23.10,Rhinorrhoea,23.10,,
894383,Abdominal discomfort,23.10,Chills,23.10,Feeling cold,
23.10,Headache,23.10,Inappropriate schedule of product administration,
23.10
894383,Injection site erythema,23.10,Injection site pain,
23.10,Injection site rash,23.10,Myalgia,23.10,Pyrexia,23.10
894384,Herpes zoster,23.10,Incomplete course of vaccination,
23.10,,,,,
894385,Chest pain,23.10,Insomnia,23.10,Pain in extremity,23.10,,,,,
894386,Dizziness,23.10,Incomplete course of vaccination,23.10,,,,,
894387,Fatigue,23.10,,,,,
894388,Asthenia,23.10,Muscular weakness,23.10,,,,,
894389,Injection site pain,23.10,Injection site swelling,23.10,,,,,
894390,Arthralgia,23.10,Headache,23.10,Pain,23.10,Pyrexia,23.10,SARS-
CoV-2 test,23.10
894390,Vomiting,23.10,,,,,
894393,Injection site rash,23.10,Rash,23.10,Rash erythematous,
23.10,Rash pruritic,23.10,,
894394,Chills,23.10,Diarrhoea,23.10,Nausea,23.10,Pruritus,
23.10,Urticaria,23.10
894394,Vertigo,23.10,Vomiting,23.10,,,,,
894395,Limb discomfort,23.10,Mobility decreased,23.10,Pain,23.10,Pain
in extremity,23.10,,
894396,Aldolase normal,23.10,Arthralgia,23.10,Asthenia,23.10,Blood
creatine phosphokinase normal,23.10,C-reactive protein increased,23.10
894396,Full blood count normal,23.10,Gait disturbance,23.10,Headache,
23.10,Immune complex assay,23.10,Inflammatory marker increased,23.10
894396,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Joint swelling,23.10,Loss of
personal independence in daily activities,23.10
894396,Malaise,23.10,Metabolic function test normal,23.10,Mobility
decreased,23.10,Musculoskeletal stiffness,23.10,Myoglobin urine
absent,23.10
894396,Pain,23.10,Pain in extremity,23.10,Pelvic girdle pain,
23.10,Peripheral swelling,23.10,Pyrexia,23.10
894396,Red blood cell sedimentation rate increased,23.10,SARS-CoV-2
test negative,23.10,Wheelchair user,23.10,,,,,
894397,Chills,23.10,Cough,23.10,Injection site erythema,23.10,Pyrexia,
23.10,Ventricular extrasystoles,23.10

894399,Anxiety,23.10,Electrocardiogram normal,23.10,Headache,
23.10,Musculoskeletal stiffness,23.10,Pain,23.10
894399,Palpitations,23.10,,,,,
894400,Allergy test,23.10,Allergy to vaccine,23.10,Hypersensitivity,
23.10,Obstructive airways disorder,23.10,,
894401,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,,
894413,Back pain,23.10,,,,,
894414,Incomplete course of vaccination,23.10,Social problem,
23.10,,,,,
894415,Chills,23.10,Lethargy,23.10,Pain,23.10,Pyrexia,23.10,,
894416,Adenovirus test positive,23.10,Arthralgia,23.10,C-reactive
protein increased,23.10,Complement factor C3,23.10,Complement factor
C4,23.10
894416,Complement factor normal,23.10,Joint swelling,
23.10,Procalcitonin increased,23.10,Pyrexia,23.10,Red blood cell
sedimentation rate increased,23.10
894416,Respiratory viral panel,23.10,Serum sickness-like reaction,
23.10,Urticaria,23.10,,,,,
894418,Eye irritation,23.10,Fatigue,23.10,Headache,23.10,Hypersomnia,
23.10,Muscle fatigue,23.10
894418,Nausea,23.10,Pain,23.10,,,,,
894420,Chills,23.10,Diarrhoea,23.10,Seizure,23.10,Tremor,
23.10,Vomiting,23.10
894421,Chills,23.10,Fatigue,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10
894421,Myalgia,23.10,Sleep disorder,23.10,,,,,
894422,Injection site pain,23.10,,,,,
894424,Arthralgia,23.10,Joint noise,23.10,Pain in extremity,23.10,,,,,
894425,Magnetic resonance imaging abnormal,23.10,Oedema,23.10,Pain in
extremity,23.10,Periarthritis,23.10,,
894426,Cellulitis,23.10,,,,,
894427,Pyrexia,23.10,,,,,
894428,Abdominal pain upper,23.10,Chills,23.10,Diarrhoea,
23.10,Fatigue,23.10,Hypersomnia,23.10
894428,Immediate post-injection reaction,23.10,Nausea,23.10,Pain,
23.10,Pain in extremity,23.10,Pruritus,23.10
894428,Pyrexia,23.10,Rash,23.10,Vomiting,23.10,,,,,
894429,Chills,23.10,Injection site swelling,23.10,Pain,23.10,,,,,
894430,Erythema,23.10,Furuncle,23.10,Localised infection,
23.10,Peripheral swelling,23.10,Pustule,23.10
894430,Secretion discharge,23.10,Skin exfoliation,23.10,Skin
haemorrhage,23.10,,,,,
894431,Injection site erythema,23.10,Injection site rash,23.10,Local
reaction,23.10,,,,,
894432,Body temperature fluctuation,23.10,Chills,23.10,Fatigue,
23.10,Influenza like illness,23.10,Injection site erythema,23.10
894432,Injection site rash,23.10,Injection site swelling,23.10,Pain in
extremity,23.10,,,,,
894433,Cold sweat,23.10,Diarrhoea,23.10,Dizziness,23.10,Feeling hot,
23.10,Loss of consciousness,23.10

894433, Myalgia, 23.10, Pain, 23.10, Pyrexia, 23.10, Sleep disorder, 23.10,,
894434, Cardiac arrest, 23.10, Death, 23.10, Decreased appetite,
23.10, Fatigue, 23.10, Myalgia, 23.10
894436, Rash maculo-papular, 23.10, Rash pruritic, 23.10, Urticaria,
23.10,,,,,
894441, Injection site rash, 23.10, Rash, 23.10,,,,,,
894442, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10,,,,,,
894443, Expired product administered, 23.10, No adverse event, 23.10,,,,,,
894444, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10,,,,,,
894445, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10,,,,,
894446, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10,,,,,
894449, Computerised tomogram, 23.10, Gait disturbance,
23.10, Hypoaesthesia, 23.10, Magnetic resonance imaging, 23.10, Muscular
weakness, 23.10
894449, Paraesthesia, 23.10,,,,,,
894451, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Tremor, 23.10,,
894454, Body temperature increased, 23.10, Fall, 23.10, Syncope,
23.10, Tremor, 23.10,,
894456, Syncope, 23.10,,,,,,
894457, Pyrexia, 23.10,,,,,,
894458, Arthralgia, 23.10, Arthritis, 23.10, Blood test normal, 23.10, Ear
pain, 23.10, Fatigue, 23.10
894458, Neck pain, 23.10, Pain in extremity, 23.10, Spinal pain,
23.10, Temporomandibular joint syndrome, 23.10,,
894459, Abdominal discomfort, 23.10, Chills, 23.10, Fatigue, 23.10, Influenza
like illness, 23.10, Myalgia, 23.10
894459, Pyrexia, 23.10,,,,,,
894462, Erythema, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10,,,,,
894463, Erythema, 23.10, Pain in extremity, 23.10,,,,,
894464, Pyrexia, 23.10,,,,,,
894465, Swelling, 23.10,,,,,,
894466, Blood test, 23.10, Chest X-ray, 23.10, Echocardiogram, 23.10, Pain in
extremity, 23.10, Skin tightness, 23.10
894466, Swelling, 23.10, Urine output increased, 23.10,,,,,,
894467, Herpes zoster, 23.10,,,,,,
894468, Pruritus, 23.10, Skin warm, 23.10, Somnolence, 23.10,,,,,
894469, Chills, 23.10, Headache, 23.10, Listless, 23.10, Pain, 23.10,,
894470, Sensation of foreign body, 23.10, Throat irritation, 23.10, Throat
tightness, 23.10,,,,,
894471, Injection site erythema, 23.10, Injection site rash, 23.10, Rash
erythematous, 23.10,,,,,
894473, Dizziness, 23.10, Gait disturbance, 23.10, Hypotension,
23.10, Nausea, 23.10,,
894475, Erythema, 23.10, Feeling hot, 23.10, Urticaria, 23.10,,,,,
894476, Peripheral swelling, 23.10,,,,,,

894477, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10
894478, Arthralgia, 23.10, Paraesthesia, 23.10, , , , , ,
894479, Feeling cold, 23.10, Pyrexia, 23.10, Tremor, 23.10, Urinary tract infection, 23.10, Urine analysis normal, 23.10
894480, Pain, 23.10, Pallor, 23.10, Somnolence, 23.10, Thirst, 23.10, ,
894482, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10, Urticaria, 23.10, ,
894483, Abdominal discomfort, 23.10, Chills, 23.10, Myalgia, 23.10, Pyrexia, 23.10, ,
894484, Erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Myalgia, 23.10, ,
894485, Chills, 23.10, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10, ,
894486, Confusional state, 23.10, Erythema, 23.10, Flushing, 23.10, Immediate post-injection reaction, 23.10, Pruritus, 23.10
894486, Urticaria, 23.10, , , , , , , ,
894487, Erythema, 23.10, Mobility decreased, 23.10, Skin warm, 23.10, Swelling, 23.10, ,
894488, Fat necrosis, 23.10, , , , , , , ,
894490, Injection site erythema, 23.10, Injection site pustule, 23.10, Injection site warmth, 23.10, , , , ,
894492, Abdominal discomfort, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, , , , ,
894494, Wrong product administered, 23.10, , , , , , , ,
894495, Dizziness, 23.10, Fall, 23.10, , , , , , , ,
894496, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Mobility decreased, 23.10, Nausea, 23.10
894496, Pyrexia, 23.10, Tremor, 23.10, , , , , , , ,
894497, Injection site bruising, 23.10, Injection site haemorrhage, 23.10, Injection site pain, 23.10, , , , ,
894498, Mass, 23.10, Skin warm, 23.10, Tenderness, 23.10, , , , , ,
894499, Chest discomfort, 23.10, Dyspnoea, 23.10, Immunisation reaction, 23.10, Impaired work ability, 23.10, Laryngitis, 23.10
894499, Paranasal sinus discomfort, 23.10, Productive cough, 23.10, , , , , , , ,
894500, Erythema, 23.10, Pruritus, 23.10, Swelling, 23.10, , , , , , , ,
894501, Pyrexia, 23.10, Wrong product administered, 23.10, , , , , , , ,
894503, Abdominal discomfort, 23.10, Chest discomfort, 23.10, Dizziness, 23.10, Gastroesophageal reflux disease, 23.10, Paraesthesia oral, 23.10
894504, Injection site haematoma, 23.10, Periorbital swelling, 23.10, Urticaria, 23.10, , , , , ,
894506, Cheilitis, 23.10, Environmental exposure, 23.10, Rash, 23.10, Rash papular, 23.10, Rash pruritic, 23.10
894507, Feeling abnormal, 23.10, Hyperhidrosis, 23.10, Posture abnormal, 23.10, , , , , ,
894509, Dizziness, 23.10, Syncope, 23.10, , , , , , , ,
894511, Incorrect route of product administration, 23.10, , , , , , , ,
894512, Arthralgia, 23.10, Joint range of motion decreased, 23.10, Pain in extremity, 23.10, , , , , ,
894513, Arthralgia, 23.10, Myalgia, 23.10, Soft tissue swelling, 23.10, Weight bearing difficulty, 23.10, , ,
894535, Influenza A virus test positive, 23.10, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, , , , ,

894536,Migraine,23.10,,,,,,,,,
894537,Chronic obstructive pulmonary disease,23.10,Near death
experience,23.10,,,,,
894538,Feeling abnormal,23.10,Malaise,23.10,,,,,
894539,Malaise,23.10,,,,,
894540,Genital herpes,23.10,Injection site pain,23.10,Injection site
pruritus,23.10,Injection site reaction,23.10,,
894541,Fatigue,23.10,Hypersomnia,23.10,Lethargy,23.10,Myalgia,
23.10,Peripheral swelling,23.10
894541,Pyrexia,23.10,Vomiting,23.10,,,,,
894542,Back pain,23.10,Malaise,23.10,Musculoskeletal stiffness,
23.10,Myalgia,23.10,,
894543,Chills,23.10,Fatigue,23.10,Malaise,23.10,Myalgia,23.10,Pyrexia,
23.10
894544,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
894545,Aphasia,23.10,Cerebrovascular accident,23.10,,,,,
894546,Pulmonary fibrosis,23.10,,,,,
894547,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,
894548,Death,23.10,Influenza,23.10,,,,,
894549,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894550,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894551,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894552,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894553,No adverse event,23.10,Product storage error,23.10,,,,,
894554,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,
894555,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894556,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894557,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894558,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894559,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894560,Injection site pain,23.10,Pain,23.10,,,,,
894561,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894562,Injection site erythema,23.10,Injection site pain,23.10,Product
administered to patient of inappropriate age,23.10,,,,,
894563,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894564,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,

894565, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Product packaging confusion, 23.10, Wrong product administered, 23.10,,
894566, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
894567, Urticaria, 23.10,,,,,
894568, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10,,,
894569, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
894570, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10,,,
894571, Product administered to patient of inappropriate age, 23.10,,,,,
894572, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
894574, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
894575, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10,,,
894576, Erythema, 23.10, Local reaction, 23.10, Pruritus, 23.10, Swelling, 23.10,,
894577, Abdominal discomfort, 23.10, Angiogram abnormal, 23.10, Atrial fibrillation, 23.10, Blood bilirubin normal, 23.10, Blood chloride normal, 23.10
894577, Blood creatinine increased, 23.10, Blood culture, 23.10, Blood glucose normal, 23.10, Blood lactic acid decreased, 23.10, Blood potassium normal, 23.10
894577, Blood sodium normal, 23.10, Blood urea normal, 23.10, Brain oedema, 23.10, Carotid artery occlusion, 23.10, Central venous catheterisation, 23.10
894577, Cerebrovascular accident, 23.10, Chest X-ray abnormal, 23.10, Chills, 23.10, Coagulation test normal, 23.10, Computerised tomogram head abnormal, 23.10
894577, Diarrhoea, 23.10, Electrocardiogram normal, 23.10, Haemoglobin normal, 23.10, Haemorrhagic transformation stroke, 23.10, Hypotension, 23.10
894577, Intensive care, 23.10, Ischaemic stroke, 23.10, Liver function test normal, 23.10, Magnetic resonance imaging brain abnormal, 23.10, Poor quality sleep, 23.10
894577, Resuscitation, 23.10, Troponin increased, 23.10, Vomiting projectile, 23.10, White blood cell count increased, 23.10, White blood cells urine positive, 23.10
894578, Dizziness, 23.10, Tinnitus, 23.10, Tunnel vision, 23.10,,,
894579, Asthenia, 23.10, Fatigue, 23.10, Hypoaesthesia, 23.10, Paraesthesia, 23.10, Vibration test normal, 23.10
894587, Atrial fibrillation, 23.10, Bronchitis, 23.10, Cardiac disorder, 23.10, Dyspnoea, 23.10, Pertussis, 23.10
894587, Pneumonia, 23.10, Upper respiratory tract infection, 23.10,,,,,
894588, Hepatitis B antibody negative, 23.10, Therapy non-responder,

23.10,,,,,
894589,Injection site rash,23.10,,,,,
894590,Injection site urticaria,23.10,,,,,
894591,Headache,23.10,Rash,23.10,Rash erythematous,23.10,Skin warm,
23.10,,
894592,Feeling cold,23.10,Malaise,23.10,Migraine,23.10,Vertigo,23.10,,
894593,Chills,23.10,Headache,23.10,Injection site pain,23.10,Rash,
23.10,Rash erythematous,23.10
894593,Rash papular,23.10,Rash pruritic,23.10,Skin burning sensation,
23.10,Skin exfoliation,23.10,,
894594,Chills,23.10,Headache,23.10,Injected limb mobility decreased,
23.10,Injection site pain,23.10,Limb discomfort,23.10
894594,Malaise,23.10,Myalgia,23.10,Nausea,23.10,Pain,23.10,,
894595,Neuropathy peripheral,23.10,,,,,
894596,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,
894598,Malaise,23.10,Nausea,23.10,Pain,23.10,,,
894599,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894600,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894601,Injection site pain,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894603,Asthenia,23.10,Fatigue,23.10,Malaise,23.10,,,
894604,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Pain,23.10,,
894606,Product administered to patient of inappropriate age,
23.10,Wrong product administered,23.10,,,,,
894607,Blood pressure increased,23.10,Ear pruritus,23.10,Headache,
23.10,Heart rate increased,23.10,Injection site erythema,23.10
894607,Injection site swelling,23.10,Somnolence,23.10,Urticaria,
23.10,,,
894608,Chest discomfort,23.10,Cough,23.10,Dysgeusia,
23.10,Hypoaesthesia oral,23.10,Swelling face,23.10
894608,Urticaria,23.10,,,,,
894609,Wrong product administered,23.10,,,,,
894610,Headache,23.10,Mobility decreased,23.10,Muscular weakness,
23.10,Pyrexia,23.10,,
894611,Dizziness,23.10,Loss of consciousness,23.10,Nausea,23.10,,,
894612,Palpitations,23.10,,,,,
894614,Hypoaesthesia,23.10,Hypoaesthesia oral,23.10,,,,,
894615,Asthenia,23.10,Nausea,23.10,Vomiting,23.10,,,
894616,Arthralgia,23.10,Asthenia,23.10,Back pain,23.10,Chills,
23.10,Diarrhoea,23.10
894616,Dizziness,23.10,Gastroenteritis viral,23.10,Headache,
23.10,Hypoaesthesia,23.10,Influenza virus test,23.10
894616,Injection site erythema,23.10,Injection site pain,
23.10,Injection site reaction,23.10,Injection site swelling,
23.10,Nausea,23.10
894616,Pain,23.10,Paraesthesia,23.10,SARS-CoV-2 test negative,

23.10,Streptococcus test,23.10,Urticaria,23.10
894616,Viral test,23.10,Vomiting,23.10,,,,,
894617,Herpes zoster,23.10,Rash,23.10,,,,,
894618,Pruritus,23.10,Swelling,23.10,,,,,
894619,Erythema,23.10,Hypoaesthesia,23.10,Hypoaesthesia oral,23.10,Lip
swelling,23.10,Swelling face,23.10
894619,Toothache,23.10,,,,,
894620,Pain in extremity,23.10,,,,,
894621,Chest discomfort,23.10,Chills,23.10,Cough,23.10,Dysphonia,
23.10,Eye swelling,23.10
894621,Headache,23.10,Lip swelling,23.10,Wheezing,23.10,,,
894622,Abdominal discomfort,23.10,Anxiety,23.10,Faecaloma,23.10,Heart
rate increased,23.10,Throat tightness,23.10
894622,Tremor,23.10,X-ray gastrointestinal tract abnormal,23.10,,,,,
894623,Arthralgia,23.10,Injection site pain,23.10,Injection site scar,
23.10,Neck pain,23.10,Pain,23.10
894623,Pain in extremity,23.10,,,,,
894624,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,,,
894627,No adverse event,23.10,Product storage error,23.10,,,,,
894628,Biopsy skin abnormal,23.10,Hypertrophic scar,
23.10,Immunohistochemistry,23.10,Injection site discolouration,
23.10,Injection site granuloma,23.10
894628,Injection site nodule,23.10,Injection site pruritus,
23.10,Injection site reaction,23.10,Langerhans' cell histiocytosis,
23.10,Mass excision,23.10
894628,Microscopy,23.10,Pseudolymphoma,23.10,Skin lesion,23.10,Skin
mass,23.10,,
894629,Pain,23.10,,,,,
894630,Pain,23.10,,,,,
894631,Erythema,23.10,Eye pruritus,23.10,Lip pruritus,23.10,Pruritus,
23.10,Urticaria,23.10
894631,Vaccination site erythema,23.10,,,,,
894632,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894633,Arthralgia,23.10,,,,,
894634,Chills,23.10,Pain,23.10,Peripheral swelling,23.10,Vaccination
site erythema,23.10,Vaccination site swelling,23.10
894634,Vaccination site warmth,23.10,,,,,
894635,Pruritus,23.10,,,,,
894636,Malaise,23.10,Pneumonia,23.10,Pyrexia,23.10,,,
894637,Blood glucose normal,23.10,Nausea,23.10,Presyncope,
23.10,Pyrexia,23.10,Vomiting,23.10
894638,Injection site pain,23.10,Joint range of motion decreased,
23.10,,,,,
894639,Dizziness,23.10,Pyrexia,23.10,,,,,
894642,Audiogram abnormal,23.10,Deafness neurosensory,23.10,Deafness
unilateral,23.10,Magnetic resonance imaging brain normal,
23.10,Tinnitus,23.10
894642,Tympanometry abnormal,23.10,,,,,

894643, Grimacing, 23.10, Immediate post-injection reaction, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
894643, Injection site warmth, 23.10, Loss of personal independence in daily activities, 23.10, Muscle fatigue, 23.10, Muscle spasms, 23.10, Pain, 23.10
894643, Pain in extremity, 23.10, Paraesthesia, 23.10, Phlebitis, 23.10, Sensory loss, 23.10, Sleep disorder, 23.10
894644, Mobility decreased, 23.10, Nodule, 23.10, Pain, 23.10, Pain in extremity, 23.10,,
894646, Bradycardia, 23.10, Dizziness, 23.10, Pallor, 23.10, Syncope, 23.10, Tachypnoea, 23.10
894648, Loss of consciousness, 23.10, Pallor, 23.10,,,,,
894649, Contusion, 23.10, Mobility decreased, 23.10, Pain, 23.10, Swelling, 23.10,,
894650, Cellulitis, 23.10, Nausea, 23.10,,,,,
894651, Diarrhoea, 23.10, Fibrin D dimer, 23.10, Haematocrit normal, 23.10, Haemoglobin normal, 23.10, Headache, 23.10
894651, Hypoaesthesia, 23.10, Injection site pain, 23.10, Limb discomfort, 23.10, Mean cell haemoglobin concentration normal, 23.10, Mean cell haemoglobin normal, 23.10
894651, Mean cell volume normal, 23.10, Muscular weakness, 23.10, Neck pain, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10
894651, Platelet count normal, 23.10, Red blood cell count normal, 23.10, Red cell distribution width decreased, 23.10, White blood cell count normal, 23.10,,
894653, Injected limb mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
894654, Hypoaesthesia, 23.10, Injection site pain, 23.10, Joint range of motion decreased, 23.10, Paraesthesia, 23.10,,
894655, Dyskinesia, 23.10, Eye movement disorder, 23.10, Sensory disturbance, 23.10, Unresponsive to stimuli, 23.10,,
894656, Blister, 23.10, Hypersensitivity, 23.10, Pruritus, 23.10,,,,
894657, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10,,,,
894662, Erythema, 23.10, Injection site reaction, 23.10,,,,,
894664, Injection site pruritus, 23.10, Injection site warmth, 23.10,,,,,
894666, Chills, 23.10, Pyrexia, 23.10,,,,,
894668, Erythema, 23.10, Pain in extremity, 23.10,,,,,
894669, Injection site pain, 23.10, Injection site swelling, 23.10, Musculoskeletal stiffness, 23.10,,,,
894684, Inappropriate schedule of product administration, 23.10,,,,,
894685, Urticaria, 23.10,,,,,
894686, Scab, 23.10,,,,,
894687, Illness, 23.10,,,,,
894688, Arthralgia, 23.10, Dehydration, 23.10, Dizziness, 23.10, Headache, 23.10, Hyperhidrosis, 23.10
894688, Joint stiffness, 23.10, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, Product administered at inappropriate site, 23.10
894688, SARS-CoV-2 test positive, 23.10,,,,,
894689, Stem cell transplant, 23.10,,,,,

894690, Hypersensitivity, 23.10, Lip swelling, 23.10, Swollen tongue, 23.10, , , , ,
894691, Chills, 23.10, Incomplete course of vaccination, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, ,
894692, Injection site pain, 23.10, Loss of personal independence in daily activities, 23.10, Screaming, 23.10, Wrong technique in product usage process, 23.10, ,
894694, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
894695, Exposure via skin contact, 23.10, No adverse event, 23.10, Syringe issue, 23.10, Underdose, 23.10, ,
894696, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
894697, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
894698, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
894699, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
894700, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
894701, Incorrect route of product administration, 23.10, No adverse event, 23.10, , , , , ,
894702, Arthralgia, 23.10, Arthritis, 23.10, Gait disturbance, 23.10, Lymph node pain, 23.10, Lymphadenopathy, 23.10
894702, Mobility decreased, 23.10, Musculoskeletal chest pain, 23.10, Neck pain, 23.10, Pain, 23.10, Spinal pain, 23.10
894703, Exposure during pregnancy, 23.10, Migraine, 23.10, Subchorionic haematoma, 23.10, , , , ,
894704, Pain, 23.10, Pain in extremity, 23.10, , , , , ,
894705, Pain in extremity, 23.10, , , , , , , ,
894706, Fatigue, 23.10, Gait disturbance, 23.10, , , , , , ,
894707, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , ,
894708, Mobility decreased, 23.10, Pain, 23.10, , , , , , ,
894709, Injection site pain, 23.10, , , , , , , ,
894711, Confusional state, 23.10, Dizziness, 23.10, Fatigue, 23.10, Impaired work ability, 23.10, Meningoencephalitis viral, 23.10
894711, Mental impairment, 23.10, Muscular weakness, 23.10, , , , , , ,
894714, Injection site erythema, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10, , , , ,
894715, Blood test, 23.10, Chest discomfort, 23.10, Electrocardiogram, 23.10, Fatigue, 23.10, Hypoaesthesia, 23.10
894715, Inflammation, 23.10, Oropharyngeal discomfort, 23.10, Oropharyngeal pain, 23.10, Paraesthesia, 23.10, Spirometry, 23.10
894715, Swelling, 23.10, , , , , , , ,
894716, Bruxism, 23.10, Induration, 23.10, Injection site discomfort, 23.10, Muscle spasms, 23.10, Muscular weakness, 23.10
894716, Musculoskeletal discomfort, 23.10, , , , , , , ,
894717, Asthenia, 23.10, Back pain, 23.10, CSF protein increased, 23.10, CSF

test normal,23.10,Guillain-Barre syndrome,23.10
894717,Hypoaesthesia,23.10,Magnetic resonance imaging brain normal,
23.10,Magnetic resonance imaging spinal normal,23.10,Pain in
extremity,23.10,Paraesthesia,23.10
894718,Localised infection,23.10,Peripheral swelling,23.10,Pustule,
23.10,Secretion discharge,23.10,,
894720,Sneezing,23.10,,,,,,,,,
894721,Arthralgia,23.10,Blood pressure abnormal,23.10,Bone pain,
23.10,Chest pain,23.10,Myalgia,23.10
894722,Pyrexia,23.10,,,,,,,,,
894723,Injection site urticaria,23.10,,,,,,,,,
894724,Pyrexia,23.10,,,,,,,,,
894725,Allergy to metals,23.10,Dermatitis contact,23.10,Type IV
hypersensitivity reaction,23.10,,,,,
894726,Injection site erythema,23.10,Injection site inflammation,
23.10,Injection site mass,23.10,Injection site pain,23.10,Injection
site rash,23.10
894726,Injection site warmth,23.10,Pyrexia,23.10,Rash,
23.10,Tracheitis,23.10,,
894727,Loss of personal independence in daily activities,
23.10,Mobility decreased,23.10,Pain,23.10,Shoulder injury related to
vaccine administration,23.10,,
894728,Abdominal discomfort,23.10,Chills,23.10,Erythema,23.10,Fatigue,
23.10,Feeling hot,23.10
894728,Headache,23.10,Injection site pain,23.10,Muscle swelling,
23.10,Muscular weakness,23.10,Myalgia,23.10
894728,Pain of skin,23.10,Pyrexia,23.10,Skin burning sensation,
23.10,,,,,
894729,Local reaction,23.10,,,,,,,,,
894730,Axillary pain,23.10,Erythema,23.10,Lymphadenitis,23.10,Pain in
extremity,23.10,,
894731,Erythema,23.10,Feeling hot,23.10,Mobility decreased,23.10,Pain
in extremity,23.10,Swelling,23.10
894732,Urticaria,23.10,,,,,,,,,
894733,Fear,23.10,Rash,23.10,,,,,
894734,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894735,Extra dose administered,23.10,No adverse event,23.10,,,,,
894736,Rash,23.10,Rash erythematous,23.10,Rash pruritic,23.10,Scar,
23.10,Skin discolouration,23.10
894736,Skin irritation,23.10,,,,,,,,,
894737,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
894741,Treponema test positive,23.10,,,,,,,,,
894742,Altered state of consciousness,23.10,Blindness,23.10,Loss of
consciousness,23.10,,,,,
894743,Syncope,23.10,,,,,,,,,
894744,Computerised tomogram abnormal,23.10,Jaw fracture,23.10,Skin
laceration,23.10,Syncope,23.10,Wound closure,23.10
894744,X-ray abnormal,23.10,,,,,,,,,

894746, Erythema, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Skin warm, 23.10,,
894747, Fall, 23.10,,,,,
894749, Dyspepsia, 23.10, Headache, 23.10, Pain, 23.10,,,,
894750, Immediate post-injection reaction, 23.10, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10
894751, Asthenia, 23.10, Mobility decreased, 23.10, Myalgia, 23.10,,,,
894752, Pain in extremity, 23.10, Periarthritis, 23.10,,,,,
894753, Asthenia, 23.10, Mobility decreased, 23.10, Pain, 23.10,,,,
894754, Pain, 23.10,,,,,
894755, Alopecia, 23.10, Erythema, 23.10, Rash, 23.10, Skin exfoliation, 23.10,,
894757, Pain, 23.10, Pain in extremity, 23.10, Rotator cuff syndrome, 23.10,,,,
894760, Back pain, 23.10, Discomfort, 23.10, Joint range of motion decreased, 23.10, Musculoskeletal stiffness, 23.10, Neck pain, 23.10
894761, Arthralgia, 23.10, Pain, 23.10, Pain in extremity, 23.10,,,,
894762, Injection site erythema, 23.10, Pallor, 23.10,,,,,
894763, Pain, 23.10, Pain in extremity, 23.10, Rash vesicular, 23.10,,,,,
894764, Anaphylactic reaction, 23.10, Conjunctival hyperaemia, 23.10, Dyspnoea, 23.10, Urticaria, 23.10,,
894765, Body temperature increased, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10,,
894766, Erythema, 23.10, Pain in extremity, 23.10, Skin warm, 23.10,,,,
894767, Injection site erythema, 23.10, Nausea, 23.10, Pain, 23.10,,,,
894768, Hypopnoea, 23.10, Hypotonia, 23.10, Immediate post-injection reaction, 23.10, Syncope, 23.10, Unresponsive to stimuli, 23.10
894768, Vision blurred, 23.10,,,,,
894769, Chills, 23.10, Dysstasia, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Pain in extremity, 23.10
894769, Peripheral swelling, 23.10, Rash, 23.10, Skin warm, 23.10,,,,
894771, Incorrect dose administered, 23.10, Product administered to patient of inappropriate age, 23.10,,,,,
894772, Headache, 23.10, Injection site erythema, 23.10, Nausea, 23.10, Pain, 23.10,,
894773, Arthralgia, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pruritus, 23.10, Urticaria, 23.10
894774, Pain, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Skin warm, 23.10,,
894777, Pain, 23.10, Paraesthesia, 23.10,,,,,
894778, Grip strength decreased, 23.10, Injected limb mobility decreased, 23.10, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pain, 23.10
894778, Injection site swelling, 23.10, Pain in extremity, 23.10,,,,,
894779, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10,,,,
894780, Injection site bruising, 23.10, Muscle tightness, 23.10,,,,,
894782, Rash macular, 23.10,,,,,
894783, Hyperhidrosis, 23.10, Pallor, 23.10, Syncope, 23.10,,,,
894784, Guillain-Barre syndrome, 23.10, Hypoaesthesia, 23.10, Monoplegia, 23.10,,,,

894787, Injection site erythema, 23.10, Injection site pain, 23.10, Malaise, 23.10, , , ,
894789, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , ,
894793, Infection, 23.10, Near death experience, 23.10, Pain in extremity, 23.10, , , , ,
894794, Contusion, 23.10, Peripheral swelling, 23.10, , , , , , ,
894795, Injection site reaction, 23.10, Skin lesion, 23.10, , , , , , ,
894796, Injection site pain, 23.10, Pain, 23.10, , , , , , ,
894798, Arthralgia, 23.10, , , , , , , ,
894799, Erythema, 23.10, Pruritus, 23.10, Swelling, 23.10, , , , ,
894800, Injection site urticaria, 23.10, , , , , , , ,
894801, Loss of consciousness, 23.10, , , , , , , ,
894803, Chills, 23.10, Hyperhidrosis, 23.10, , , , , , , ,
894804, Contusion, 23.10, Hypoaesthesia, 23.10, Neuralgia, 23.10, Pain, 23.10, Swelling, 23.10
894805, Myalgia, 23.10, , , , , , , ,
894806, Arthralgia, 23.10, Headache, 23.10, Pain in extremity, 23.10, , , , ,
894808, Pain, 23.10, , , , , , , ,
894809, Injection site pain, 23.10, Pruritus, 23.10, , , , , , , ,
894811, Abdominal pain, 23.10, Asthenia, 23.10, Hyperhidrosis, 23.10, Impaired work ability, 23.10, Myalgia, 23.10
894811, Nausea, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , , ,
894826, Incorrect route of product administration, 23.10, , , , , , , , ,
894828, Dyspnoea, 23.10, Pneumonia, 23.10, , , , , , , ,
894830, Pruritus, 23.10, Rash, 23.10, Urticaria, 23.10, , , , , ,
894831, Cerebrovascular accident, 23.10, Diplopia, 23.10, Dysarthria, 23.10, Hemiparesis, 23.10, Nausea, 23.10
894831, Vomiting, 23.10, , , , , , , , ,
894832, Amyotrophic lateral sclerosis, 23.10, Death, 23.10, , , , , , , ,
894833, Inappropriate schedule of product administration, 23.10, No adverse event, 23.10, , , , , , ,
894841, Chills, 23.10, Headache, 23.10, Injection site pain, 23.10, Loss of personal independence in daily activities, 23.10, Nausea, 23.10
894841, Pain, 23.10, , , , , , , , ,
894842, Death, 23.10, , , , , , , , ,
894843, Blister, 23.10, Burning sensation, 23.10, Erythema, 23.10, Fatigue, 23.10, Herpes zoster, 23.10
894843, Pain, 23.10, Scab, 23.10, Skin lesion, 23.10, , , , , ,
894844, Asthenia, 23.10, Chills, 23.10, Hypokinesia, 23.10, Illness, 23.10, Induration, 23.10
894844, Injection site pain, 23.10, Insomnia, 23.10, Nervous system disorder, 23.10, Pain, 23.10, Pain in extremity, 23.10
894844, Pruritus, 23.10, Pyrexia, 23.10, Sleep disorder, 23.10, Tenderness, 23.10, , ,
894846, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Influenza like illness, 23.10, Mobility decreased, 23.10
894846, Pain, 23.10, Pyrexia, 23.10, , , , , , ,
894847, Feeling hot, 23.10, Head discomfort, 23.10, Injection site erythema, 23.10, Rash macular, 23.10, , ,

894848, Abdominal discomfort, 23.10, Alopecia, 23.10, Blood test, 23.10, Chills, 23.10, Fatigue, 23.10
894848, Feeling hot, 23.10, Headache, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Pruritus, 23.10
894848, Pyrexia, 23.10, Swelling, 23.10, , , , , ,
894849, Injection site erythema, 23.10, Injection site mass, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10
894849, Injection site warmth, 23.10, , , , , , ,
894850, Arthralgia, 23.10, Dizziness, 23.10, Injection site pain, 23.10, Nausea, 23.10, Neck pain, 23.10
894851, Abdominal discomfort, 23.10, Chills, 23.10, Erythema, 23.10, Fatigue, 23.10, Headache, 23.10
894851, Hyperhidrosis, 23.10, Myalgia, 23.10, Night sweats, 23.10, Pain, 23.10, Swelling, 23.10
894852, Malaise, 23.10, , , , , , ,
894853, Influenza, 23.10, , , , , , ,
894855, Illness, 23.10, , , , , , ,
894856, No adverse event, 23.10, Product administered at inappropriate site, 23.10, , , , , , ,
894857, Pain in extremity, 23.10, , , , , , ,
894858, Exposure during pregnancy, 23.10, , , , , , ,
894859, Blood creatine phosphokinase increased, 23.10, Chest pain, 23.10, Chills, 23.10, Dizziness, 23.10, Malaise, 23.10
894859, Palpitations, 23.10, Syncope, 23.10, Troponin T increased, 23.10, , , , ,
894861, Asthenia, 23.10, Erythema, 23.10, Injection site pain, 23.10, Pain in extremity, 23.10, Swelling, 23.10
894862, Presyncope, 23.10, , , , , , ,
894866, Erythema, 23.10, Rash, 23.10, Rash macular, 23.10, Skin exfoliation, 23.10, , ,
894867, Arthralgia, 23.10, Chills, 23.10, Tremor, 23.10, , , , ,
894869, Pain in extremity, 23.10, , , , , , ,
894870, Arthralgia, 23.10, Chills, 23.10, Pain, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10
894870, Vomiting, 23.10, , , , , , ,
894873, Herpes zoster, 23.10, Miliaria, 23.10, , , , , ,
894874, Influenza, 23.10, , , , , , ,
894875, COVID-19, 23.10, SARS-CoV-2 test positive, 23.10, , , , , , ,
894876, Angioedema, 23.10, Urticaria, 23.10, , , , , , ,
894877, Facial paralysis, 23.10, , , , , , ,
894878, Injection site pain, 23.10, Myalgia, 23.10, Pain, 23.10, , , , ,
894880, Injection site cellulitis, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , ,
894881, Immediate post-injection reaction, 23.10, Injection site warmth, 23.10, Pain, 23.10, Puncture site induration, 23.10, Swelling, 23.10
894883, Mobility decreased, 23.10, Pain, 23.10, , , , , ,
894884, Aldolase normal, 23.10, Anti-cyclic citrullinated peptide antibody negative, 23.10, Antineutrophil cytoplasmic antibody, 23.10, Antinuclear antibody, 23.10, Antinuclear antibody negative, 23.10
894884, Antinuclear antibody positive, 23.10, Asthenia, 23.10, Blood

calcium normal,23.10,Blood creatine phosphokinase normal,23.10,Blood fibrinogen normal,23.10
894884,Blood folate normal,23.10,Borrelia test,23.10,C-reactive protein increased,23.10,CSF glucose normal,23.10,CSF protein increased,23.10
894884,CSF red blood cell count,23.10,CSF white blood cell count negative,23.10,Complement factor C3,23.10,Complement factor C4,23.10,Double stranded DNA antibody,23.10
894884,Fall,23.10,Gait disturbance,23.10,Gram stain,23.10,Guillain-Barre syndrome,23.10,Hepatitis viral test negative,23.10
894884,Histone antibody,23.10,Hypoaesthesia,23.10,Immunoglobulin therapy,23.10,Muscular weakness,23.10,Pain,23.10
894884,Paraesthesia,23.10,Paraesthesia oral,23.10,Red blood cell sedimentation rate increased,23.10>Total complement activity decreased,23.10,Vitamin B12 normal,23.10
894885,Cellulitis,23.10,Injection site haemorrhage,23.10,Injection site swelling,23.10,Malaise,23.10,Product administered at inappropriate site,23.10
894885,Pyrexia,23.10,,,,,
894886,Exposure during pregnancy,23.10,Joint range of motion decreased,23.10,Pain,23.10,,,,,
894887,Herpes zoster,23.10,,,,,
894888,Chills,23.10,Influenza like illness,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10
894888,Vomiting,23.10,,,,,
894890,Erythema,23.10,Injection site swelling,23.10,,,,,
894891,Balance disorder,23.10,Chills,23.10,Disorientation,23.10,Dizziness,23.10,Dysstasia,23.10
894891,Fall,23.10,Gait inability,23.10,Hyperhidrosis,23.10,Nausea,23.10,Pyrexia,23.10
894893,Contusion,23.10,Erythema,23.10,Pain in extremity,23.10,,,,,
894894,Injection site erythema,23.10,Injection site pain,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,Injection site warmth,23.10
894898,Blood test,23.10,Central nervous system inflammation,23.10,Magnetic resonance imaging spinal abnormal,23.10,Movement disorder,23.10,,
894899,Fatigue,23.10,Headache,23.10,Injection site swelling,23.10,Myalgia,23.10,Pyrexia,23.10
894899,Vaccine positive rechallenge,23.10,,,,,
894902,Induration,23.10,Peripheral swelling,23.10,Pyrexia,23.10,,,,,
894903,Erythema,23.10,Pain,23.10,Pruritus,23.10,Swelling,23.10,,
894904,Fall,23.10,Syncope,23.10,,,,,
894905,Asthenia,23.10,Cold sweat,23.10,Myalgia,23.10,,,,,
894906,Cellulitis,23.10,Injection site pain,23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
894907,Arthralgia,23.10,Blood test abnormal,23.10,Inflammation,23.10,Injected limb mobility decreased,23.10,Injection site pain,23.10
894907,Mobility decreased,23.10,Vaccination complication,23.10,,,,,
894908,Fatigue,23.10,Influenza like illness,23.10,Lip swelling,

23.10,Mouth ulceration,23.10,Myalgia,23.10
894908,Oral mucosal erythema,23.10,Oral pain,23.10,Pain,
23.10,Vaccination complication,23.10,,
894909,Product administered to patient of inappropriate age,
23.10,,,,,,,
894910,Abdominal pain upper,23.10,Chills,23.10,Headache,23.10,Myalgia,
23.10,,
894911,Body temperature increased,23.10,Flushing,23.10,Headache,
23.10,Ocular hyperaemia,23.10,Rash,23.10
894912,Back pain,23.10,Computerised tomogram,23.10,Full blood count,
23.10,Hypoaesthesia,23.10,Muscle twitching,23.10
894912,Paraesthesia,23.10,Red blood cell sedimentation rate,
23.10,,,,,,
894913,Eye pruritus,23.10,Eye swelling,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,
894914,Asthenia,23.10,Cough,23.10,Fatigue,23.10,Pyrexia,23.10,,
894915,Cold sweat,23.10,Dizziness,23.10,,,,,,
894919,Rash,23.10,,,,,,,
894920,Erythema,23.10,Headache,23.10,Muscle tightness,23.10,Nausea,
23.10,Pyrexia,23.10
894921,Erythema,23.10,Rash,23.10,,,,,,
894922,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10
894923,Unevaluable event,23.10,,,,,,,
894924,Arthralgia,23.10,Injection site pain,23.10,Injection site
swelling,23.10,Injection site warmth,23.10,Nausea,23.10
894924,Pain,23.10,Pyrexia,23.10,,,,,,
894930,Angioedema,23.10,Injection site pain,23.10,Lip swelling,
23.10,Pruritus,23.10,Swelling face,23.10
894930,Urticaria,23.10,,,,,,,
894931,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
894932,Pneumonia legionella,23.10,,,,,,,
894933,Injection site swelling,23.10,Vaccine positive rechallenge,
23.10,,,,,,
894934,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
894935,Adverse reaction,23.10,,,,,,,
894936,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,
894938,No adverse event,23.10,Wrong product administered,23.10,,,,,,
894939,Blister,23.10,Rash,23.10,,,,,,
894940,Pain,23.10,Pain in extremity,23.10,,,,,,
894941,Chills,23.10,Hyperhidrosis,23.10,Hypotension,23.10,Injection
site bruising,23.10,Injection site pain,23.10
894941,Injection site warmth,23.10,Pain,23.10,Presyncope,
23.10,Pyrexia,23.10,,
894942,Injection site pain,23.10,Injection site warmth,23.10,Pain,
23.10,Pyrexia,23.10,,

894944, Erythema, 23.10, Influenza like illness, 23.10, Mobility decreased, 23.10, Pain, 23.10, Swelling, 23.10
894945, Feeling hot, 23.10, Flushing, 23.10, Headache, 23.10, Nausea, 23.10, Pain in extremity, 23.10
894946, Abdominal pain upper, 23.10, Chills, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Pain, 23.10
894948, Erythema, 23.10, Myalgia, 23.10, Swelling, 23.10, Tenderness, 23.10,,
894952, Joint range of motion decreased, 23.10, Magnetic resonance imaging, 23.10, Pain in extremity, 23.10, Shoulder injury related to vaccine administration, 23.10,,
894953, Cellulitis, 23.10, Pyrexia, 23.10,,,,,
894954, Dizziness, 23.10, Eye movement disorder, 23.10, Fall, 23.10, Loss of consciousness, 23.10, Urinary incontinence, 23.10
894955, Erythema, 23.10, Feeling hot, 23.10, Lip swelling, 23.10, Mouth swelling, 23.10, Pruritus, 23.10
894955, Throat tightness, 23.10, Urticaria, 23.10,,,,,
894956, Injection site pain, 23.10,,,,,
894957, Chills, 23.10, Headache, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10,,
894958, Erythema, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10,,
894959, Blood test, 23.10, Chills, 23.10, Electrocardiogram, 23.10, Laboratory test, 23.10, Nausea, 23.10
894959, Tremor, 23.10, Vomiting, 23.10, White blood cell disorder, 23.10, X-ray, 23.10,,
894960, Suspected product contamination, 23.10,,,,,
894961, Unevaluable event, 23.10,,,,,
894962, Dry skin, 23.10, Skin irritation, 23.10, Urticaria, 23.10,,,,
894963, Anxiety, 23.10, Hyperhidrosis, 23.10, Magnetic resonance imaging brain normal, 23.10, Magnetic resonance imaging spinal normal, 23.10, Paraesthesia, 23.10
894963, Tremor, 23.10,,,,,
894965, Hyperhidrosis, 23.10, Pallor, 23.10, Vision blurred, 23.10, Visual impairment, 23.10,,
894967, Mobility decreased, 23.10, Pain, 23.10, Skin warm, 23.10, Swelling, 23.10,,
894968, Injection site erythema, 23.10, Injection site swelling, 23.10,,,,,
894969, Arthralgia, 23.10, Diarrhoea, 23.10, Mobility decreased, 23.10, Myalgia, 23.10, Pyrexia, 23.10
894970, Chills, 23.10, Erythema, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10
894970, Swelling, 23.10,,,,,
894971, Muscle spasms, 23.10, Muscle tightness, 23.10, Pyrexia, 23.10,,,,
894972, Pain, 23.10, Pyrexia, 23.10, Swelling, 23.10,,,,
894973, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site warmth, 23.10,,,,
894974, Dizziness, 23.10, Heart rate increased, 23.10, Paraesthesia, 23.10,,,,
894975, Anaphylactic reaction, 23.10, Idiopathic angioedema, 23.10,,,,,
894977, Dizziness, 23.10, Hyperhidrosis, 23.10, Loss of consciousness,

23.10,,,,,
894978,Arthralgia,23.10,Dysaesthesia,23.10,No reaction on previous exposure to drug,23.10,Pain,23.10,Pain in extremity,23.10
894978,Paraesthesia,23.10,,,,,,
894979,Cranial nerve disorder,23.10,Diplopia,23.10,Magnetic resonance imaging brain normal,23.10,Neurological examination abnormal,23.10,,
894980,No adverse event,23.10,Wrong product administered,23.10,,,,,,
894981,Dizziness,23.10,Fall,23.10,Loss of consciousness,23.10,Skin laceration,23.10,,
894982,Injection site pain,23.10,,,,,,
894983,Arthralgia,23.10,Chills,23.10,Gastrointestinal pain,23.10,Headache,23.10,Injection site pain,23.10
894983,Nausea,23.10,Pain,23.10,Pyrexia,23.10,,,,
894984,Rash,23.10,Urticaria,23.10,,,,,,
894985,Decreased appetite,23.10,Disorientation,23.10,Dizziness,23.10,Illness,23.10,Malaise,23.10
894986,Underdose,23.10,,,,,,
894988,Blister,23.10,Eyelid rash,23.10,Herpes zoster,23.10,Oral mucosal blistering,23.10,Oral mucosal eruption,23.10
894988,Rash,23.10,,,,,,
894989,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10,Pain,23.10,,
894990,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,23.10,Rash,23.10,Skin warm,23.10
894991,Injection site erythema,23.10,Injection site swelling,23.10,Injection site warmth,23.10,,,,
894992,Injection site pain,23.10,Injection site swelling,23.10,,,,,
894993,Chills,23.10,Headache,23.10,Pyrexia,23.10,,,,
894994,Urticaria,23.10,,,,,,
894995,Fatigue,23.10,Headache,23.10,Injection site pain,23.10,Nasopharyngitis,23.10,,
894996,Extra dose administered,23.10,Wrong product administered,23.10,,,,,
894997,Rash,23.10,,,,,,
894998,Headache,23.10,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,
894999,Injection site rash,23.10,Rash,23.10,Swelling,23.10,Urticaria,23.10,,
895002,Product administered to patient of inappropriate age,23.10,Wrong product administered,23.10,,,,,
895003,Chills,23.10,Fatigue,23.10,Head discomfort,23.10,Hyperhidrosis,23.10,Influenza virus test negative,23.10
895003,Pain,23.10,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,Sleep disorder,23.10,,
895005,Hypoesthesia,23.10,Laboratory test,23.10,Paraesthesia,23.10,Vaccination complication,23.10,,
895006,Cold sweat,23.10,Disorientation,23.10,Dizziness,23.10,Electrocardiogram abnormal,23.10,Eye movement disorder,23.10
895006,Loss of consciousness,23.10,Pallor,23.10,Pulse abnormal,23.10,Unresponsive to stimuli,23.10,Ventricular extrasystoles,23.10

895006, Vomiting, 23.10, , , , , , , , , , ,
895007, Injection site cellulitis, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, ,
895008, Myalgia, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
895009, Arthralgia, 23.10, Blood creatine phosphokinase normal,
23.10, Chromaturia, 23.10, Full blood count normal, 23.10, Headache, 23.10
895009, Liver function test normal, 23.10, Myalgia, 23.10, SARS-CoV-2 test,
23.10, Urinary retention, 23.10, , ,
895010, Erythema, 23.10, Limb injury, 23.10, Skin warm, 23.10, Swelling,
23.10, Tenderness, 23.10
895011, Vaccination site erythema, 23.10, Vaccination site induration,
23.10, Vaccination site pain, 23.10, Vaccination site swelling,
23.10, Vaccination site warmth, 23.10
895012, Chills, 23.10, Fatigue, 23.10, Malaise, 23.10, Mobility decreased,
23.10, Pain, 23.10
895012, Pain in extremity, 23.10, Pyrexia, 23.10, Skin warm, 23.10, Sleep
disorder, 23.10, , ,
895013, Flushing, 23.10, Headache, 23.10, Hypertension, 23.10, Pyrexia,
23.10, , ,
895015, Blood test normal, 23.10, Febrile convulsion, 23.10, Pyrexia,
23.10, Urine analysis normal, 23.10, , ,
895067, Asthenia, 23.10, Inflammation, 23.10, Pain in extremity,
23.10, Pyrexia, 23.10, , ,
895070, Herpes zoster, 23.10, , , , , , , , , , ,
895071, Blister, 23.10, Rash, 23.10, Rash erythematous, 23.10, Rash papular,
23.10, Rash pustular, 23.10
895071, Skin abrasion, 23.10, , , , , , , , , , ,
895072, Headache, 23.10, Inflammation, 23.10, Inflammatory marker
increased, 23.10, Laboratory test, 23.10, Leukocytosis, 23.10
895072, Malaise, 23.10, Neutrophil count increased, 23.10, Neutrophilia,
23.10, Pyrexia, 23.10, Rash, 23.10
895072, Rash erythematous, 23.10, White blood cell count increased,
23.10, , , , , , , , , , ,
895075, Herpes zoster, 23.10, , , , , , , , , , ,
895079, Herpes virus infection, 23.10, , , , , , , , , , ,
895080, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , , , , ,
895081, Cough, 23.10, Dislocation of vertebra, 23.10, Influenza,
23.10, Intervertebral disc protrusion, 23.10, , ,
895082, Guillain-Barre syndrome, 23.10, Paralysis, 23.10, , , , , , , , , , ,
895084, Product complaint, 23.10, Skin laceration, 23.10, Syringe issue,
23.10, , , , , , , , , , ,
895087, Neck pain, 23.10, , , , , , , , , , ,
895088, Injection site erythema, 23.10, Injection site swelling,
23.10, Injection site warmth, 23.10, Local reaction, 23.10, , ,
895091, Diarrhoea, 23.10, Dizziness, 23.10, , , , , , , , , , ,
895092, Erythema, 23.10, Injection site pain, 23.10, Skin warm,
23.10, Swelling, 23.10, , ,
895103, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , , , , , , ,
895104, Bedridden, 23.10, Malaise, 23.10, , , , , , , , , , ,
895105, Pain in extremity, 23.10, , , , , , , , , , ,

895106,Extra dose administered,23.10,,,,,,,,,
895107,Erythema,23.10,Injection site erythema,23.10,Injection site
rash,23.10,Paraesthesia,23.10,Pruritus,23.10
895107,Rash,23.10,Skin warm,23.10,Urticaria,23.10,,,,,
895108,Asthenia,23.10,Dizziness,23.10,Dyspnoea,23.10,Hypersensitivity,
23.10,Hypoaesthesia,23.10
895108,Immediate post-injection reaction,23.10,Palpitations,
23.10,Throat tightness,23.10,,,,,
895109,Hypoaesthesia,23.10,Mobility decreased,23.10,,,,,,
895110,Injection site pain,23.10,Injection site swelling,23.10,,,,,,
895111,Hypoaesthesia,23.10,Muscular weakness,23.10,Pain,
23.10,Paraesthesia,23.10,,
895112,Wrong product administered,23.10,,,,,,
895114,Insomnia,23.10,Pain,23.10,,,,,
895116,Glycosylated haemoglobin normal,23.10,Injection site muscle
weakness,23.10,Pain,23.10,,,,,
895117,Dry eye,23.10,Visual acuity reduced,23.10,,,,,,
895118,Dizziness,23.10,Dyspnoea,23.10,Muscle tightness,23.10,,,,,
895120,Vaccination site pain,23.10,X-ray,23.10,,,,,,
895125,Injection site pain,23.10,Loss of personal independence in
daily activities,23.10,Mobility decreased,23.10,Muscular weakness,
23.10,,
895127,Cellulitis,23.10,Injection site erythema,23.10,Injection site
pain,23.10,,,,,
895137,Eye swelling,23.10,Lip swelling,23.10,Swelling face,23.10,,,,,
895138,Chills,23.10,Incorrect dose administered,23.10,Injection site
pain,23.10,Injection site pruritus,23.10,Nausea,23.10
895138,Product preparation issue,23.10,Pyrexia,23.10,,,,,,
895139,Herpes zoster,23.10,Rash,23.10,,,,,,
895141,Expired product administered,23.10,No adverse event,23.10,,,,,,
895142,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
895143,Chills,23.10,,,,,,
895144,Injection site hypoaesthesia,23.10,Injection site paraesthesia,
23.10,,,,,,
895147,Balance disorder,23.10,Dizziness,23.10,Pain in extremity,
23.10,,,,,
895148,Injection site pain,23.10,Pain in extremity,23.10,,,,,,
895151,Erythema,23.10,Induration,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,,
895152,Injection site pain,23.10,Pain,23.10,Pain in extremity,
23.10,,,,,
895153,Asthenia,23.10,Blood glucose normal,23.10,Dizziness,
23.10,Dyskinesia,23.10,Eye movement disorder,23.10
895153,Hyperhidrosis,23.10,Moaning,23.10,Nausea,23.10,Pallor,
23.10,Vomiting,23.10
895154,Arthralgia,23.10,Injection site urticaria,23.10,Mobility
decreased,23.10,Pain in extremity,23.10,,
895156,Guillain-Barre syndrome,23.10,Immunoglobulin therapy,
23.10,Muscular weakness,23.10,Paralysis,23.10,,

895160, Headache, 23.10, Pyrexia, 23.10, Vomiting, 23.10, , , , ,
895161, Arthralgia, 23.10, Grip strength decreased, 23.10, Hypoaesthesia,
23.10, Iontophoresis, 23.10, Magnetic resonance imaging abnormal, 23.10
895161, Muscular weakness, 23.10, Nerve conduction studies normal,
23.10, Pain, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10
895161, Rotator cuff syndrome, 23.10, X-ray normal, 23.10, , , , , , ,
895162, Arthralgia, 23.10, C-reactive protein abnormal, 23.10, Hepatic
enzyme abnormal, 23.10, Joint stiffness, 23.10, Musculoskeletal stiffness,
23.10
895162, Pyrexia, 23.10, Red blood cell sedimentation rate abnormal,
23.10, , , , , , ,
895163, Injection site erythema, 23.10, Injection site urticaria,
23.10, Pharyngeal swelling, 23.10, , , , ,
895166, Arthralgia, 23.10, Injection site pain, 23.10, Mobility decreased,
23.10, Pain, 23.10, Pain in extremity, 23.10
895167, Decreased appetite, 23.10, Injection site pain, 23.10, Weight
decreased, 23.10, , , , ,
895185, Injection site pain, 23.10, Malaise, 23.10, Pyrexia, 23.10, , , , ,
895187, Blindness unilateral, 23.10, Deafness, 23.10, Hepatic failure,
23.10, Herpes zoster, 23.10, Pneumonia, 23.10
895187, Seizure, 23.10, , , , , , , ,
895188, Pyrexia, 23.10, Rash, 23.10, Rash maculo-papular, 23.10, , , , ,
895189, Asthenia, 23.10, Dizziness, 23.10, Erythema, 23.10, Feeling abnormal,
23.10, Headache, 23.10
895189, Hyperaesthesia, 23.10, Pain, 23.10, Pyrexia, 23.10, Tenderness,
23.10, Vomiting, 23.10
895192, Injection site nodule, 23.10, Injection site swelling, 23.10, , , , , , ,
895193, Unevaluable event, 23.10, , , , , , , ,
895194, Injection site warmth, 23.10, Lymphadenopathy, 23.10, Rash
erythematous, 23.10, Rash pruritic, 23.10, , ,
895196, Injection site erythema, 23.10, Injection site oedema,
23.10, Injection site warmth, 23.10, , , , ,
895197, Erythema, 23.10, Pain, 23.10, Rash papular, 23.10, Skin warm, 23.10, , ,
895201, Myalgia, 23.10, Pyrexia, 23.10, , , , , , ,
895203, Unevaluable event, 23.10, , , , , , , ,
895204, Cold sweat, 23.10, Dizziness, 23.10, Pallor, 23.10, , , , ,
895205, Dizziness, 23.10, Vomiting, 23.10, , , , , , ,
895218, Arthralgia, 23.10, Herpes zoster, 23.10, Neck pain,
23.10, Polymyalgia rheumatica, 23.10, , ,
895220, Abdominal discomfort, 23.10, Abdominal pain upper, 23.10, Decreased
appetite, 23.10, Dyspepsia, 23.10, Facial pain, 23.10
895220, Nasal congestion, 23.10, Nausea, 23.10, Paranasal sinus discomfort,
23.10, Rhinorrhoea, 23.10, Secretion discharge, 23.10
895220, Sneezing, 23.10, Tenderness, 23.10, , , , , , ,
895222, Blister, 23.10, Chills, 23.10, Headache, 23.10, Pain, 23.10, Peripheral
swelling, 23.10
895223, Computerised tomogram, 23.10, Feeling abnormal, 23.10, Loss of
personal independence in daily activities, 23.10, Mobility decreased,
23.10, Pain, 23.10
895223, Peripheral swelling, 23.10, Pyrexia, 23.10, Sleep disorder,

23.10,,,,,
895225,Flushing,23.10,Syncope,23.10,,,,,,
895226,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
895227,Pain,23.10,Tenderness,23.10,,,,,,
895228,Blood pressure increased,23.10,Dizziness,
23.10,Electrocardiogram,23.10,Flushing,23.10,Hyperhidrosis,23.10
895228,Pallor,23.10,,,,,,
895229,Dizziness,23.10,Hypotension,23.10,Immediate post-injection
reaction,23.10,Nausea,23.10,,
895230,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,,,,,
895234,Injection site erythema,23.10,Injection site warmth,23.10,,,,,,
895235,Injection site muscle weakness,23.10,Injection site pain,
23.10,,,,,,
895236,Injection site pruritus,23.10,,,,,,
895237,Injection site erythema,23.10,Injection site warmth,23.10,,,,,,
895238,Fatigue,23.10,Hypersomnia,23.10,Mobility decreased,
23.10,Pruritus,23.10,Pyrexia,23.10
895238,Urticaria,23.10,,,,,,
895239,Movement disorder,23.10,Product administered at inappropriate
site,23.10,,,,,
895240,Fall,23.10,Injection site pain,23.10,Limb injury,23.10,Loss of
consciousness,23.10,Syncope,23.10
895241,Arthralgia,23.10,,,,,,
895242,Cellulitis,23.10,Chills,23.10,Dyspnoea,23.10,Nervousness,
23.10,Peripheral swelling,23.10
895242,Pyrexia,23.10,Sepsis,23.10,,,,,
895243,Fatigue,23.10,Injection site pain,23.10,Rash,23.10,,,,,
895244,Nausea,23.10,Oxygen saturation decreased,23.10,Pyrexia,
23.10,,,,,
895245,Dizziness,23.10,Fall,23.10,,,,,,
895248,Blood culture negative,23.10,Chronic lymphocytic leukaemia,
23.10,Computerised tomogram thorax abnormal,23.10,Fatigue,
23.10,Influenza virus test negative,23.10
895248,Magnetic resonance imaging normal,23.10,Magnetic resonance
imaging whole body,23.10,Pulmonary embolism,23.10,Pyrexia,23.10,SARS-
CoV-2 test negative,23.10
895248,White blood cell count increased,23.10,,,,,,
895249,Injection site erythema,23.10,Injection site rash,23.10,,,,,,
895251,Injection site swelling,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Skin warm,23.10,,
895254,Chills,23.10,Dizziness,23.10,Myalgia,23.10,Neck pain,
23.10,Pyrexia,23.10
895255,Lip swelling,23.10,Nodule,23.10,Paraesthesia oral,
23.10,Peripheral swelling,23.10,,
895256,Disorientation,23.10,Dizziness,23.10,Headache,23.10,Nausea,
23.10,Night sweats,23.10
895256,Postmenopausal haemorrhage,23.10,Pyrexia,23.10,,,,,,
895259,Vaccine positive rechallenge,23.10,Vomiting,23.10,,,,,,
895263,Pain in extremity,23.10,,,,,,

895265, Discomfort, 23.10, Injection site pain, 23.10, Joint noise, 23.10, , , , ,
895266, Asthenia, 23.10, Cardiac disorder, 23.10, Computerised tomogram, 23.10, Echocardiogram, 23.10, Electrocardiogram ambulatory, 23.10
895266, Endometriosis, 23.10, Fatigue, 23.10, Gallbladder rupture, 23.10, Headache, 23.10, Ovarian cyst, 23.10
895266, Supraventricular tachycardia, 23.10, Surgery, 23.10, Ultrasound ovary, 23.10, Uterine operation, 23.10, ,
895267, Arthralgia, 23.10, , , , , , , , ,
895268, Dizziness, 23.10, Flushing, 23.10, Hyperhidrosis, 23.10, Syncope, 23.10, Unresponsive to stimuli, 23.10
895270, Arthralgia, 23.10, Flank pain, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10, ,
895271, Syncope, 23.10, , , , , , , , ,
895272, Infection, 23.10, , , , , , , , ,
895274, Dizziness, 23.10, Feeling hot, 23.10, Heart rate decreased, 23.10, Hyperhidrosis, 23.10, Immediate post-injection reaction, 23.10
895274, Loss of consciousness, 23.10, Nausea, 23.10, Syncope, 23.10, , , , ,
895276, Blood glucose normal, 23.10, Chest X-ray normal, 23.10, Cyanosis, 23.10, Electrocardiogram normal, 23.10, Electroencephalogram normal, 23.10
895276, Eye movement disorder, 23.10, Fall, 23.10, Loss of consciousness, 23.10, Muscle twitching, 23.10, Pallor, 23.10
895276, Presyncope, 23.10, Tremor, 23.10, Unresponsive to stimuli, 23.10, , , , ,
895278, Herpes zoster, 23.10, , , , , , , , ,
895279, Anaphylactic reaction, 23.10, Dysphonia, 23.10, Dyspnoea, 23.10, Erythema, 23.10, Injection site erythema, 23.10
895279, Injection site pruritus, 23.10, Lip erythema, 23.10, Lip pruritus, 23.10, Pruritus, 23.10, Wheezing, 23.10
895284, Peripheral swelling, 23.10, , , , , , , , ,
895287, Chills, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10
895287, Rash, 23.10, , , , , , , , ,
895288, Dyspnoea, 23.10, Hypotension, 23.10, Loss of personal independence in daily activities, 23.10, Sleep disorder, 23.10, ,
895289, Eye movement disorder, 23.10, Loss of consciousness, 23.10, , , , , , ,
895296, Unevaluable event, 23.10, , , , , , , , ,
895297, Fall, 23.10, Immediate post-injection reaction, 23.10, Loss of consciousness, 23.10, , , , ,
895300, Limb injury, 23.10, , , , , , , , ,
895303, Arthralgia, 23.10, Fatigue, 23.10, Nasopharyngitis, 23.10, Pyrexia, 23.10, ,
895304, Back pain, 23.10, Breast pain, 23.10, Cellulitis, 23.10, Discomfort, 23.10, Dyspnoea, 23.10
895304, Infection, 23.10, Limb discomfort, 23.10, Mobility decreased, 23.10, Musculoskeletal discomfort, 23.10, ,
895306, Electroencephalogram abnormal, 23.10, Lumbar puncture normal, 23.10, Magnetic resonance imaging normal, 23.10, Seizure, 23.10, ,
895307, Confusional state, 23.10, Syncope, 23.10, , , , , , ,
895309, Exercise tolerance decreased, 23.10, Mobility decreased, 23.10, Pain, 23.10, Pruritus, 23.10, Sleep disorder, 23.10

895310,Administration site rash,23.10,Administration site warmth,
23.10,Diarrhoea,23.10,Rash,23.10,Rash erythematous,23.10
895310,Rash pruritic,23.10,,,,,,
895315,Dyspnoea,23.10,Injection site pruritus,23.10,Injection site
urticaria,23.10,,,,,
895316,Pain,23.10,Pain in extremity,23.10,,,,,
895318,Fall,23.10,,,,,,
895321,Herpes zoster,23.10,,,,,,
895323,Immediate post-injection reaction,23.10,Injection site pain,
23.10,Injection site reaction,23.10,Muscle spasms,23.10,Muscle
twitching,23.10
895326,Hypoaesthesia,23.10,Paraesthesia,23.10,Rash,23.10,,,,,
895329,Chills,23.10,Dizziness postural,23.10,Gait disturbance,
23.10,Headache,23.10,Muscular weakness,23.10
895329,Nausea,23.10,Vomiting,23.10,,,,,
895330,Impaired driving ability,23.10,Injected limb mobility
decreased,23.10,Pain in extremity,23.10,Sleep disorder,23.10,Weight
bearing difficulty,23.10
895331,Atelectasis neonatal,23.10,Blood glucose decreased,23.10,Chest
X-ray abnormal,23.10,Hypoglycaemia neonatal,23.10,Neonatal hypoxia,
23.10
895331,Respiratory disorder neonatal,23.10>Total lung capacity
decreased,23.10,,,,,
895332,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
895334,Erythema,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,,
895336,Circumstance or information capable of leading to medication
error,23.10,Dizziness,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
895337,Arthralgia,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
895338,Chills,23.10,Headache,23.10,Pain,23.10,Pyrexia,23.10,,
895339,Dizziness,23.10,Dyspnoea,23.10,Feeling jittery,23.10,Headache,
23.10,Injection site erythema,23.10
895339,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Oedema peripheral,
23.10,Palpitations,23.10
895340,Erythema,23.10,Fatigue,23.10,Pyrexia,23.10,,,,,
895342,Arthralgia,23.10,Joint range of motion decreased,23.10,Pain,
23.10,,,,,
895343,Fall,23.10,Hypoaesthesia,23.10,Presyncope,23.10,Syncope,
23.10,Unresponsive to stimuli,23.10
895347,Chills,23.10,Headache,23.10,Injection site erythema,
23.10,Nausea,23.10,Pyrexia,23.10
895347,SARS-CoV-2 test,23.10,,,,,,
895351,Injection site cellulitis,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
895353,Blood pressure increased,23.10,Nausea,23.10,Vomiting,23.10,,,,,
895354,Headache,23.10,Pain,23.10,,,,,
895356,No adverse event,23.10,Product administered to patient of

inappropriate age,23.10,,,,,
895360,Fall,23.10,Immediate post-injection reaction,23.10,Malaise,
23.10,Postictal state,23.10,Seizure like phenomena,23.10
895361,Arthralgia,23.10,Injection site bruising,23.10,Neck pain,
23.10,,,,,
895363,Dizziness,23.10,Syncope,23.10,,,,,
895365,Antibody test,23.10,Cerebral haemorrhage,23.10,Cerebrovascular
accident,23.10,Encephalitis autoimmune,23.10,Immunoglobulin therapy,
23.10
895365,Intensive care,23.10,Laboratory test,23.10,Memory impairment,
23.10,Personality change,23.10,Thrombosis,23.10
895366,Injection site pain,23.10,Joint range of motion decreased,
23.10,Nodule,23.10,Pain,23.10,Pain in extremity,23.10
895366,Tenderness,23.10,,,,,
895367,Pain,23.10,,,,,
895369,Contusion,23.10,Pain in extremity,23.10,,,,,
895370,Arthralgia,23.10,Injection site pruritus,23.10,Injection site
swelling,23.10,Myalgia,23.10,Neck pain,23.10
895370,Pain,23.10,Tenderness,23.10,,,,,
895372,Injection site rash,23.10,Rash,23.10,,,,,
895374,Contusion,23.10,Injection site bruising,23.10,,,,,
895377,Dehydration,23.10,Dizziness,23.10,Erythema,23.10,Feeling
abnormal,23.10,Headache,23.10
895377,Hot flush,23.10,Nasal congestion,23.10,Swelling face,23.10,,,,,
895424,Amnesia,23.10,,,,,
895425,Death,23.10,,,,,
895426,Influenza,23.10,,,,,
895427,Malaise,23.10,,,,,
895428,Ill-defined disorder,23.10,,,,,
895429,No adverse event,23.10,Wrong product administered,23.10,,,,,
895430,Condition aggravated,23.10,Eye disorder,23.10,Gingival
erythema,23.10,Lichen planus,23.10,,
895432,Expired product administered,23.10,,,,,
895433,Exposure via skin contact,23.10,No adverse event,
23.10,Underdose,23.10,Wrong technique in product usage process,23.10,,
895434,No adverse event,23.10,Wrong product administered,23.10,,,,,
895436,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
895437,Expired product administered,23.10,No adverse event,23.10,,,,,
895438,No adverse event,23.10,Wrong product administered,23.10,,,,,
895440,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site pruritus,23.10,Injection site swelling,23.10,,
895441,No adverse event,23.10,Underdose,23.10,,,,,
895443,Expired product administered,23.10,No adverse event,23.10,,,,,
895444,Extra dose administered,23.10,No adverse event,23.10,,,,,
895445,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
895446,No adverse event,23.10,Product distribution issue,23.10,,,,,
895447,Hypersensitivity,23.10,,,,,
895448,No adverse event,23.10,Product administered to patient of

inappropriate age,23.10,,,,,
895449,Arthralgia,23.10,Injection site reaction,23.10,Loss of personal independence in daily activities,23.10,Mobility decreased,23.10,Pain,23.10
895449,Pain in extremity,23.10,,,,,
895450,Facial paralysis,23.10,,,,,
895451,Joint range of motion decreased,23.10,Mobility decreased,23.10,Pain,23.10,Pain in extremity,23.10,,
895452,Muscle discomfort,23.10,Musculoskeletal stiffness,23.10,Pain in extremity,23.10,,,,
895454,Accident,23.10,Arthralgia,23.10,Chills,23.10,Condition aggravated,23.10,Fatigue,23.10
895454,Gait disturbance,23.10,No reaction on previous exposure to drug,23.10,Pain,23.10,,,,
895455,Insomnia,23.10,Pain,23.10,,,,,
895457,Erythema,23.10,Pyrexia,23.10,Skin warm,23.10,Swelling,23.10,,
895459,Erythema,23.10,Pain,23.10,Skin warm,23.10,,,,
895463,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
895464,Erythema,23.10,Pruritus,23.10,Swelling,23.10,,,,
895472,Injection site pain,23.10,,,,,
895474,Injected limb mobility decreased,23.10,Injection site reaction,23.10,Pain,23.10,Pain in extremity,23.10,,
895475,Dyspnoea,23.10,Urticaria,23.10,,,,,
895476,Injection site induration,23.10,Rash erythematous,23.10,Swelling,23.10,,,,
895477,Injection site discolouration,23.10,,,,,
895478,Product administered to patient of inappropriate age,23.10,,,,,
895481,Incorrect dose administered,23.10,,,,,
895483,Chills,23.10,Injection site pain,23.10,Injection site rash,23.10,Injection site swelling,23.10,,
895486,Erythema,23.10,Injection site vesicles,23.10,,,,,
895488,Urticaria,23.10,,,,,
895490,Eye pruritus,23.10,Joint swelling,23.10,,,,,
895491,Injection site erythema,23.10,Injection site pain,23.10,Injection site pruritus,23.10,,,,
895505,Asthenia,23.10,Myalgia,23.10,,,,,
895506,Muscle spasms,23.10,Muscle tightness,23.10,Myalgia,23.10,,,,
895508,Urticaria,23.10,,,,,
895511,Asthenia,23.10,Dry skin,23.10,Eye pruritus,23.10,Pruritus,23.10,Skin discolouration,23.10
895513,Incorrect dose administered,23.10,,,,,
895514,Extra dose administered,23.10,Nervousness,23.10,,,,,
895515,Exposure during pregnancy,23.10,Pruritus,23.10,Rash,23.10,,,,
895516,Eye swelling,23.10,Heart rate increased,23.10,Peripheral swelling,23.10,Pyrexia,23.10,,
895517,Arthralgia,23.10,Immediate post-injection reaction,23.10,Pain,23.10,,,,
895518,Hallucination,23.10,Insomnia,23.10,Restlessness,23.10,,,,
895533,Chills,23.10,Headache,23.10,Musculoskeletal stiffness,

23.10,Pain,23.10,Peripheral swelling,23.10
895538,Headache,23.10,Musculoskeletal stiffness,23.10,Peripheral
swelling,23.10,,,,
895539,Injection site cellulitis,23.10,Injection site erythema,
23.10,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
895539,Injection site warmth,23.10,,,,,,,
895541,Impaired work ability,23.10,Injected limb mobility decreased,
23.10,Pain in extremity,23.10,Ultrasound scan abnormal,23.10,,
895543,Burning sensation,23.10,Culture negative,23.10,Epistaxis,
23.10,Herpes simplex test negative,23.10,Inflammation,23.10
895543,Lip blister,23.10,Lip ulceration,23.10,Mouth ulceration,
23.10,Oral herpes,23.10,Scar,23.10
895543,Skin exfoliation,23.10,Skin weeping,23.10,Staphylococcus test
negative,23.10,Ulcer haemorrhage,23.10,,
895547,Immediate post-injection reaction,23.10,Injection site pain,
23.10,Mobility decreased,23.10,Pain,23.10,,
895548,Chills,23.10,Deafness unilateral,23.10,Headache,23.10,Pyrexia,
23.10,Sudden hearing loss,23.10
895550,Arthritis,23.10,Mobility decreased,23.10,Pain,23.10,,,,
895551,Injection site pain,23.10,Mobility decreased,23.10,Pain,
23.10,,,,
895553,Adverse reaction,23.10,Erythema,23.10,Skin warm,23.10,,,,,
895554,Dizziness,23.10,Heart rate increased,23.10,Paraesthesia,
23.10,Respiratory rate increased,23.10,,
895555,Injection site cellulitis,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,,,,
895556,Arthralgia,23.10,Injection site pain,23.10,Neck pain,
23.10,Pain,23.10,Pain in extremity,23.10
895557,Arthralgia,23.10,Back pain,23.10,Injection site bruising,
23.10,Injection site pain,23.10,Pain in extremity,23.10
895557,Paraesthesia,23.10,,,,,,,
895558,Mouth breathing,23.10,Nasal congestion,23.10,Throat tightness,
23.10,,,,,
895559,Acne,23.10,Oral herpes,23.10,,,,,,,
895560,Abdominal discomfort,23.10,Chills,23.10,Headache,23.10,Loss of
personal independence in daily activities,23.10,Pyrexia,23.10
895560,Vomiting,23.10,,,,,,,
895561,Injection site mass,23.10,Lymphadenopathy,23.10,,,,,,,
895562,Chills,23.10,Dyskinesia,23.10,Gait inability,23.10,Hot flush,
23.10,Tremor,23.10
895562,Vomiting,23.10,,,,,,,
895613,Herpes zoster,23.10,,,,,,,
895614,Vasculitis,23.10,,,,,,,
895616,Extra dose administered,23.10,No adverse event,23.10,Wrong
product administered,23.10,,,,,
895617,No adverse event,23.10,Wrong product administered,23.10,,,,,,,
895618,Extra dose administered,23.10,No adverse event,23.10,Wrong
product administered,23.10,,,,,
895619,Extra dose administered,23.10,No adverse event,23.10,,,,,,

895621,Extra dose administered,23.10,No adverse event,23.10,,,,,
895622,Extra dose administered,23.10,No adverse event,23.10,,,,,
895623,Dehydration,23.10,Influenza,23.10,Malaise,23.10,,,,,
895624,Influenza,23.10,,,,,
895625,Influenza,23.10,,,,,
895626,Hyperhidrosis,23.10,Nausea,23.10,Vomiting,23.10,,,,,
895627,Rash,23.10,,,,,
895629,Eczema,23.10,,,,,
895630,Guillain-Barre syndrome,23.10,,,,,
895631,Injection site pain,23.10,Pain in extremity,23.10,,,,,
895634,Asthenia,23.10,Body temperature increased,23.10,Irritability,
23.10,Nausea,23.10,Vomiting,23.10
895640,Pruritus,23.10,Rash,23.10,Rash macular,23.10,Urticaria,23.10,,
895643,Asthenia,23.10,Condition aggravated,23.10,Dyspnoea,
23.10,Fatigue,23.10,Musculoskeletal chest pain,23.10
895643,Musculoskeletal pain,23.10,Oropharyngeal pain,
23.10,Rhinorrhoea,23.10,SARS-CoV-2 test negative,23.10,,
895644,Dizziness,23.10,Erythema,23.10,Eye swelling,23.10,Injection
site pain,23.10,Injection site urticaria,23.10
895644,Swelling face,23.10,,,,,
895646,Pain,23.10,,,,,
895647,Abdominal discomfort,23.10,Chills,23.10,Diarrhoea,
23.10,Dyspepsia,23.10,Headache,23.10
895647,Pyrexia,23.10,Tremor,23.10,Vomiting,23.10,,,,,
895649,Injection site pain,23.10,Lymphadenopathy,23.10,Musculoskeletal
chest pain,23.10,Neck pain,23.10,Pain in extremity,23.10
895650,Discomfort,23.10,Injection site muscle weakness,23.10,Injection
site pain,23.10,,,,,
895652,Syncope,23.10,Vomiting,23.10,,,,,
895655,Pruritus,23.10,Rash,23.10,,,,,
895656,Decreased appetite,23.10,Petechiae,23.10,Pyrexia,23.10,Rash,
23.10,Rhinorrhoea,23.10
895660,Arthralgia,23.10,C-reactive protein increased,23.10,Pyrexia,
23.10,Rash,23.10,,
895662,Balance disorder,23.10,Fall,23.10,,,,,
895663,Adverse reaction,23.10,,,,,
895665,Arthralgia,23.10,Asthenia,23.10,Eye infection,23.10,Flushing,
23.10,Guillain-Barre syndrome,23.10
895665,Headache,23.10,Ocular hyperaemia,23.10,Pain,23.10,Pain in
extremity,23.10,Swelling of eyelid,23.10
895665,Vision blurred,23.10,,,,,
895667,Pain,23.10,,,,,
895668,Injection site paraesthesia,23.10,Paraesthesia,23.10,,,,,
895670,CSF protein increased,23.10,Immunoglobulin therapy,
23.10,Muscular weakness,23.10,,,,,
895672,Facial paralysis,23.10,,,,,
895673,Chest discomfort,23.10,Headache,23.10,Pyrexia,23.10,Urticaria,
23.10,,
895674,Fatigue,23.10,Immobile,23.10,Nausea,23.10,Pain,23.10,Pain in
extremity,23.10

895675,Balance disorder,23.10,Blood test normal,23.10,Computerised tomogram normal,23.10,Dizziness,23.10,Ear infection viral,23.10
895675,Labyrinthitis,23.10,Loss of personal independence in daily activities,23.10,Magnetic resonance imaging normal,23.10,,,,
895678,Malaise,23.10,Muscle spasms,23.10,Pulmonary congestion, 23.10,Skin mass,23.10,,
895679,Pain,23.10,Pain in extremity,23.10,Paraesthesia,23.10,,,,
895680,Fatigue,23.10,Injection site reaction,23.10,Pain in extremity, 23.10,Peripheral swelling,23.10,Somnolence,23.10
895681,Pain,23.10,Pain in extremity,23.10,,,,,
895682,Crying,23.10,Diarrhoea,23.10,Injection site swelling, 23.10,Pyrexia,23.10,Screaming,23.10
895685,Rash,23.10,,,,,
895686,Intussusception,23.10,Metabolic function test,23.10,Ultrasound abdomen,23.10,,,,
895687,Injection site pain,23.10,Limb discomfort,23.10,,,,,
895688,Nodule,23.10,Pain,23.10,,,,,
895689,Injection site rash,23.10,,,,,
895690,Localised infection,23.10,,,,,
895693,Asthenia,23.10,Diarrhoea,23.10,Dizziness,23.10,Headache, 23.10,Influenza,23.10
895693,Myalgia,23.10,,,,,
895695,Erythema,23.10,Rash,23.10,Urticaria,23.10,,,,
895696,Chills,23.10,Feeling cold,23.10,Headache,23.10,Hyperhidrosis, 23.10,,
895697,Fatigue,23.10,Oropharyngeal pain,23.10,Pruritus,23.10,Skin discolouration,23.10,Throat irritation,23.10
895699,Chills,23.10,Discomfort,23.10,Dizziness,23.10,Feeling hot, 23.10,Genital herpes,23.10
895699,Headache,23.10,Nausea,23.10,Pain,23.10,Paraesthesia,23.10,,
895702,Headache,23.10,Injection site discolouration,23.10,Injection site irritation,23.10,,,,
895713,Facial paralysis,23.10,,,,,
895716,Chills,23.10,Dizziness,23.10,Hyperhidrosis,23.10,Injection site erythema,23.10,Injection site pain,23.10
895716,Pyrexia,23.10,Syncope,23.10,,,,,
895717,Syncope,23.10,,,,,
895719,Epistaxis,23.10,Malaise,23.10,,,,,
895724,Malaise,23.10,,,,,
895725,Influenza,23.10,,,,,
895726,Malaise,23.10,,,,,
895728,No adverse event,23.10,Wrong product administered,23.10,,,,,
895730,Abdominal pain upper,23.10,Chills,23.10,Eye pruritus, 23.10,Headache,23.10,Injection site erythema,23.10
895730,Injection site pruritus,23.10,Injection site swelling, 23.10,Myalgia,23.10,Pain,23.10,,
895732,Injection site pain,23.10,Mobility decreased,23.10,,,,,
895737,Influenza,23.10,,,,,
895738,Allergy to vaccine,23.10,Asthenia,23.10,Dizziness, 23.10,Headache,23.10,Influenza,23.10

895738, Malaise, 23.10, Mood altered, 23.10, Pain, 23.10, Presyncope, 23.10, Vomiting, 23.10
895739, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
895740, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
895741, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
895742, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
895743, Erythema, 23.10, Induration, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, ,
895748, Disorientation, 23.10, Hypoaesthesia, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, Skin warm, 23.10
895748, Urticaria, 23.10, , , , , , , ,
895749, Abdominal pain upper, 23.10, Arthralgia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Dyspnoea, 23.10
895749, Hyperhidrosis, 23.10, Vomiting, 23.10, , , , , , ,
895756, Asthenia, 23.10, Mobility decreased, 23.10, Myalgia, 23.10, , , , ,
895758, Dyspnoea, 23.10, Fatigue, 23.10, Headache, 23.10, Panic attack, 23.10, Pyrexia, 23.10
895761, Dizziness, 23.10, Fall, 23.10, Head injury, 23.10, Syncope, 23.10, , ,
895762, Full blood count normal, 23.10, Lymphocyte count decreased, 23.10, Neutrophil count increased, 23.10, Peripheral swelling, 23.10, Rash, 23.10
895762, Swelling face, 23.10, Swelling of eyelid, 23.10, Urticaria, 23.10, , , , ,
895763, Mobility decreased, 23.10, Nerve compression, 23.10, Neuritis, 23.10, Sleep disorder, 23.10, ,
895764, Dry mouth, 23.10, Nausea, 23.10, Tremor, 23.10, Vertigo, 23.10, , ,
895766, Nausea, 23.10, Vomiting, 23.10, , , , , , ,
895767, Erythema, 23.10, Paraesthesia, 23.10, Pruritus, 23.10, Skin warm, 23.10, Urticaria, 23.10
895768, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10, , ,
895769, Injection site swelling, 23.10, Rash, 23.10, , , , , , ,
895770, Presyncope, 23.10, Vomiting, 23.10, , , , , , ,
895776, Headache, 23.10, , , , , , , ,
895777, No adverse event, 23.10, Product distribution issue, 23.10, Product storage error, 23.10, , , , ,
895779, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , ,
895780, Central nervous system lesion, 23.10, Hypoaesthesia, 23.10, Laboratory test abnormal, 23.10, Paraesthesia, 23.10, ,
895781, Immediate post-injection reaction, 23.10, Vomiting, 23.10, , , , , , ,
895785, Injection site cellulitis, 23.10, , , , , , , ,
895786, Pruritus, 23.10, Rash, 23.10, Urticaria, 23.10, , , , , ,
895789, Cold sweat, 23.10, Dizziness, 23.10, Nausea, 23.10, , , , , ,
895792, Injection site pain, 23.10, , , , , , , ,
895794, Pain in extremity, 23.10, , , , , , , ,
895795, Pain in extremity, 23.10, , , , , , , ,
895824, Alopecia, 23.10, Blindness, 23.10, Deafness, 23.10, Decreased appetite, 23.10, Depression, 23.10
895824, Disorientation, 23.10, Fatigue, 23.10, Incontinence,

23.10, Madarosis, 23.10, Thirst, 23.10
895824, Thyroid cancer, 23.10, Thyrotoxic crisis, 23.10, Tongue disorder,
23.10, Weight increased, 23.10,,
895825, No adverse event, 23.10, Product distribution issue, 23.10, Product
storage error, 23.10,,,,
895826, No adverse event, 23.10, Product distribution issue, 23.10, Product
storage error, 23.10,,,,
895827, No adverse event, 23.10, Product distribution issue, 23.10, Product
storage error, 23.10,,,,
895828, No adverse event, 23.10, Product distribution issue, 23.10, Product
storage error, 23.10,,,,
895829, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10,,,,,
895830, Extra dose administered, 23.10, No adverse event, 23.10, Product
administered to patient of inappropriate age, 23.10,,,,
895831, Extra dose administered, 23.10, No adverse event, 23.10, Product
administered to patient of inappropriate age, 23.10,,,,
895832, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site warmth, 23.10,,,,
895837, Malaise, 23.10, Urticaria, 23.10, Vomiting, 23.10,,,,
895838, Chills, 23.10, Confusional state, 23.10, Fear, 23.10, Gait
disturbance, 23.10, Headache, 23.10
895838, Irritability, 23.10, Myalgia, 23.10,,,,,
895844, Erythema, 23.10, Pruritus, 23.10, Swelling, 23.10,,,,
895846, Erythema, 23.10, Paraesthesia, 23.10, Peripheral swelling, 23.10,,,,
895847, Injection site pain, 23.10, Injection site swelling, 23.10, Sleep
disorder, 23.10,,,,
895848, Computerised tomogram, 23.10, Demyelination, 23.10, Magnetic
resonance imaging, 23.10, Multiple sclerosis, 23.10, Optic neuritis, 23.10
895848, Papilloedema, 23.10, Vision blurred, 23.10,,,,,
895849, Dyspnoea, 23.10, Injection site swelling, 23.10, Urticaria,
23.10,,,,
895850, Arthralgia, 23.10, Balance disorder, 23.10, Decreased appetite,
23.10, Dizziness, 23.10, Headache, 23.10
895850, Neck pain, 23.10, Pain, 23.10, Sleep disorder, 23.10, Torticollis,
23.10,,
895851, Dermatitis acneiform, 23.10, Rash erythematous, 23.10, Rash
pruritic, 23.10,,,,
895852, Dizziness, 23.10, Fall, 23.10,,,,,
895861, Anti-aquaporin-4 antibody positive, 23.10, Antinuclear antibody
positive, 23.10, CSF test abnormal, 23.10, Condition aggravated,
23.10, Double stranded DNA antibody positive, 23.10
895861, Hemiparesis, 23.10, Hyperreflexia, 23.10, Hypoaesthesia,
23.10, Magnetic resonance imaging brain abnormal, 23.10, Magnetic
resonance imaging spinal abnormal, 23.10
895861, Muscular weakness, 23.10, Neurological examination abnormal,
23.10, Neuromyelitis optica spectrum disorder, 23.10, Paraesthesia,
23.10, Peroneal nerve palsy, 23.10
895861, Plasmapheresis, 23.10, Scan with contrast abnormal, 23.10, Sensory
disturbance, 23.10, Serology abnormal, 23.10, Vertebral lesion, 23.10

swelling,23.10,Oropharyngeal pain,23.10
895926,Injected limb mobility decreased,23.10,Pain,23.10,Pain in
extremity,23.10,,,,,
895928,Pyrexia,23.10,,,,,,,
895931,Loss of consciousness,23.10,,,,,,,
895950,Anterior chamber cell,23.10,Cytomegalovirus test negative,
23.10,Disseminated varicella zoster virus infection,23.10,Fundoscopy
abnormal,23.10,Gene sequencing,23.10
895950,Herpes simplex test negative,23.10,Intraocular pressure test
normal,23.10,Necrotising retinitis,23.10,Ophthalmological examination
normal,23.10,Paracentesis eye,23.10
895950,Pneumonia viral,23.10,Polymerase chain reaction,23.10,Pupillary
reflex impaired,23.10,Rash vesicular,23.10,Respiratory failure,23.10
895950,Retinal degeneration,23.10,Retinal exudates,23.10,Retinal
perivascular sheathing,23.10,Retinitis viral,23.10,Slit-lamp tests
abnormal,23.10
895950,Toxoplasma serology negative,23.10,Varicella virus test
positive,23.10,Vision blurred,23.10,Visual acuity reduced,23.10,Visual
acuity tests abnormal,23.10
895950,Vitreous cells,23.10,Vitreous floaters,23.10,Vitreous haze,
23.10,,,,,
895952,Back pain,23.10,Herpes zoster,23.10,Rash,23.10,Sensitive skin,
23.10,Vaccination failure,23.10
895954,Bedridden,23.10,Vaccine positive rechallenge,23.10,,,,,,
895955,Influenza,23.10,Respiratory tract infection viral,23.10,,,,,,
895956,Illness,23.10,,,,,,
895958,Immediate post-injection reaction,23.10,Pain in extremity,
23.10,,,,,,
895961,Dyspnoea,23.10,Rash,23.10,,,,,,
895962,Allergy test positive,23.10,Anaphylactic reaction,
23.10,Antibody test negative,23.10,Flushing,23.10,Pharyngeal swelling,
23.10
895962,Pruritus,23.10,Skin test positive,23.10,Urticaria,23.10,,,,,
895966,Angina pectoris,23.10,Chills,23.10,Injection site pain,
23.10,Injection site swelling,23.10,Injection site warmth,23.10
895966,Lethargy,23.10,Myocardial infarction,23.10,Nausea,
23.10,Peripheral swelling,23.10,Pyrexia,23.10
895968,Injection site pain,23.10,Pain,23.10,,,,,,
895969,Pain,23.10,Pain in extremity,23.10,,,,,,
895971,Pyrexia,23.10,,,,,,
895974,Irritability,23.10,Pyrexia,23.10,,,,,,
895975,Dizziness,23.10,Nausea,23.10,,,,,,
895978,Abdominal pain upper,23.10,Ageusia,23.10,Angiogram cerebral
normal,23.10,Arteriogram carotid abnormal,23.10,Asthenia,23.10
895978,Chest X-ray normal,23.10,Decreased gait velocity,
23.10,Disorientation,23.10,Dizziness,23.10,Dizziness postural,23.10
895978,Echocardiogram,23.10,Gait disturbance,23.10,Grip strength
decreased,23.10,Headache,23.10,Herpes simplex encephalitis,23.10
895978,Impaired reasoning,23.10,Magnetic resonance imaging brain
abnormal,23.10,Malaise,23.10,Meningitis aseptic,23.10,Muscular

weakness,23.10
895978,Myalgia,23.10,Nausea,23.10,Vasculitis,23.10,Venogram normal,
23.10,Venous thrombosis,23.10
895978,White blood cell count increased,23.10,,,,,,,
895981,Pyrexia,23.10,,,,,,,
895982,Magnetic resonance imaging abnormal,23.10,Pain,23.10,Shoulder
injury related to vaccine administration,23.10,,,,
895984,Pain,23.10,Pyrexia,23.10,Swelling,23.10,,,,
895986,Chills,23.10,Headache,23.10,Pyrexia,23.10,,,,
896005,Fall,23.10,Loss of consciousness,23.10,Skin abrasion,23.10,,,,
896006,Myalgia,23.10,,,,,,,
896009,Erythema,23.10,Inflammation,23.10,Tenderness,23.10,,,,
896012,Meralgia paraesthetica,23.10,Ulnar nerve injury,23.10,X-ray,
23.10,,,,
896013,Injection site bruising,23.10,Injection site haemorrhage,
23.10,Injection site induration,23.10,Injection site pain,23.10,,
896014,Chest X-ray,23.10,Chills,23.10,Electrocardiogram,
23.10,Headache,23.10,Hypovolaemia,23.10
896014,Injection site pain,23.10,Injection site swelling,23.10,Nausea,
23.10,Pain,23.10,Pyrexia,23.10
896014,Syncope,23.10,Vomiting,23.10,,,,,,
896015,Blood pressure increased,23.10,Paraesthesia,23.10,Pharyngeal
paraesthesia,23.10,Swollen tongue,23.10,,
896016,Lip swelling,23.10,Peripheral swelling,23.10,Swelling,23.10,,,,
896017,Injection site pain,23.10,Pain,23.10,X-ray,23.10,,,,
896030,Herpes zoster,23.10,,,,,,,
896032,Exposure during pregnancy,23.10,,,,,,,
896042,No adverse event,23.10,Underdose,23.10,,,,,,
896043,Myalgia,23.10,,,,,,,
896044,Contusion,23.10,Haemorrhage,23.10,Pain,23.10,,,,
896045,Injection site haemorrhage,23.10,Injection site paraesthesia,
23.10,Injection site swelling,23.10,,,,
896046,Eye movement disorder,23.10,Hyperhidrosis,23.10,Injection site
pain,23.10,Nausea,23.10,Pallor,23.10
896046,Retching,23.10,,,,,,,
896047,Erythema,23.10,Peripheral swelling,23.10,Skin warm,
23.10,Thrombotic thrombocytopenic purpura,23.10,,
896048,Asthenia,23.10,Confusional state,23.10,Diarrhoea,23.10,Fall,
23.10,Gait disturbance,23.10
896048,Limb discomfort,23.10,Pain in extremity,23.10,Pyrexia,
23.10,Weight decreased,23.10,,
896049,Injected limb mobility decreased,23.10,,,,,,,
896051,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,
896052,Blood test,23.10,Dizziness,23.10,Magnetic resonance imaging,
23.10,Pain in extremity,23.10,Paraesthesia,23.10
896052,X-ray,23.10,,,,,,,
896054,Dyspnoea,23.10,Eye movement disorder,23.10,Head injury,
23.10,Muscle rigidity,23.10,Opisthotonus,23.10
896054,Unresponsive to stimuli,23.10,Urinary incontinence,23.10,Visual

impairment,23.10,,,,,
896057,Erythema,23.10,Headache,23.10,Peripheral swelling,23.10,Rash,
23.10,Urticaria,23.10
896057,Vomiting,23.10,,,,,,
896060,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
896061,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
896062,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
896063,Extra dose administered,23.10,No adverse event,23.10,,,,,
896065,Abdominal pain upper,23.10,Condition aggravated,
23.10,Diarrhoea,23.10,Gastric disorder,23.10,Gastrointestinal
bacterial overgrowth,23.10
896065,Myalgia,23.10,Pyrexia,23.10,,,,,
896067,Dizziness,23.10,,,,,,
896068,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,,,,,
896069,Rash,23.10,,,,,,
896073,Encephalitis,23.10,Pyrexia,23.10,Seizure,23.10,,,,,
896076,Injection site erythema,23.10,Injection site swelling,
23.10,,,,,
896077,Abdominal pain upper,23.10,Arthralgia,23.10,Back pain,
23.10,Limb mass,23.10,Pain in extremity,23.10
896077,White blood cell count increased,23.10,,,,,,
896079,Dizziness,23.10,Fall,23.10,Head injury,23.10,,,,,
896081,Pallor,23.10,Syncope,23.10,,,,,
896082,Headache,23.10,Pain in extremity,23.10,Pyrexia,23.10,Rash,
23.10,Vomiting,23.10
896084,Arthralgia,23.10,Hypoaesthesia,23.10,Neck pain,23.10,Pain,
23.10,Pain in extremity,23.10
896087,Erythema,23.10,,,,,,
896088,Hypoaesthesia,23.10,Impaired work ability,23.10,Pain,
23.10,Paraesthesia,23.10,,
896089,Burning sensation,23.10,Injection site erythema,23.10,Injection
site reaction,23.10,Injection site swelling,23.10,Paraesthesia,23.10
896089,Rash,23.10,Urticaria,23.10,,,,,
896090,Injection site erythema,23.10,Injection site inflammation,
23.10,,,,,
896091,Dyspnoea,23.10,Endotracheal intubation,23.10,Fall,
23.10,Guillain-Barre syndrome,23.10,Immunoglobulin therapy,23.10
896091,Magnetic resonance imaging abnormal,23.10,Muscular weakness,
23.10,,,,,
896092,Injection site pain,23.10,Pain,23.10,Paraesthesia,23.10,,,,,
896093,Abdominal pain upper,23.10,Dizziness,23.10,Heart rate
decreased,23.10,Hypotension,23.10,Pallor,23.10
896093,Pulse abnormal,23.10,,,,,,
896094,Arthralgia,23.10,Hypoaesthesia,23.10,Neck pain,23.10,Pain,
23.10,Paraesthesia,23.10
896094,Skin warm,23.10,Tenderness,23.10,,,,,

896096,Dysstasia,23.10,Tension,23.10,,,,,
896097,Pain in extremity,23.10,,,,,
896099,Myalgia,23.10,Pain in extremity,23.10,,,,,
896102,Injection site bruising,23.10,Injection site discolouration,
23.10,,,,,
896104,Vertigo,23.10,,,,,
896105,Blister,23.10,Herpes zoster,23.10,Pain,23.10,,,,,
896106,Pyrexia,23.10,,,,,
896107,Inflammation,23.10,Laboratory test abnormal,23.10,Polymyalgia
rheumatica,23.10,,,,,
896112,Dizziness,23.10,Dyspnoea,23.10,Hyperhidrosis,23.10,Pallor,
23.10,Skin warm,23.10
896115,Asthenia,23.10,Fatigue,23.10,Pain,23.10,Peripheral swelling,
23.10,,
896120,Infection,23.10,Pain,23.10,Pyrexia,23.10,Renal failure,23.10,,
896121,Fall,23.10,Feeling abnormal,23.10,Headache,23.10,,,,,
896123,Crying,23.10,Feeling cold,23.10,Head injury,23.10,Headache,
23.10,Loss of consciousness,23.10
896123,Neck pain,23.10,Syncope,23.10,,,,,
896124,Injection site pain,23.10,Pain,23.10,,,,,
896125,Pruritus,23.10,Urticaria,23.10,,,,,
896126,Blood test,23.10,Burning sensation,23.10,Feeling abnormal,
23.10,Heart rate increased,23.10,Hypoaesthesia,23.10
896126,Inflammation,23.10,Loss of personal independence in daily
activities,23.10,Lumbar puncture,23.10,Magnetic resonance imaging
brain,23.10,Magnetic resonance imaging neck,23.10
896126,Mobility decreased,23.10,Muscular weakness,23.10,Paraesthesia,
23.10,,,,,
896127,Erythema,23.10,Feeling hot,23.10,Foreign body in
gastrointestinal tract,23.10,Hypersomnia,23.10,Oesophageal oedema,
23.10
896127,Pain,23.10,Peripheral swelling,23.10,Skin warm,
23.10,Somnolence,23.10,Vomiting,23.10
896128,Pain in extremity,23.10,,,,,
896130,Hypersomnia,23.10,Injection site bruising,23.10,Injection site
erythema,23.10,Injection site induration,23.10,Injection site oedema,
23.10
896130,Injection site warmth,23.10,Irritability,23.10,Vomiting,
23.10,,,,,
896140,Loss of consciousness,23.10,Seizure,23.10,,,,,
896143,Seizure,23.10,,,,,
896148,Influenza,23.10,Influenza like illness,23.10,,,,,
896149,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
896152,Axillary pain,23.10,Injection site discomfort,23.10,Injection
site pain,23.10,Myositis,23.10,Pain,23.10
896152,Pain in extremity,23.10,Radiculopathy,23.10,,,,,
896153,Erythema,23.10,Local reaction,23.10,,,,,
896161,Irritability,23.10,Otorrhoea,23.10,Pyrexia,23.10,Rash
vesicular,23.10,Scab,23.10

896161, Skin lesion, 23.10, , , , , , , ,
896163, Illness, 23.10, , , , , , , ,
896165, Death, 23.10, Influenza, 23.10, , , , , , ,
896166, Chest pain, 23.10, Haematoma, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, Musculoskeletal chest pain, 23.10
896166, Nodule, 23.10, Pain, 23.10, Skin discolouration, 23.10, , , , ,
896168, Abdominal distension, 23.10, Abdominal pain, 23.10, Constipation,
23.10, Death, 23.10, Faecal volume increased, 23.10
896168, Gastric dilatation, 23.10, Intra-abdominal fluid collection,
23.10, Ultrasound abdomen abnormal, 23.10, Urinary system X-ray,
23.10, Vomiting, 23.10
896169, Wrong product administered, 23.10, , , , , , , ,
896170, Exposure during pregnancy, 23.10, Syncope, 23.10, , , , , , ,
896171, Pain, 23.10, Product administered at inappropriate site,
23.10, Rash, 23.10, Swelling, 23.10, , ,
896172, Chills, 23.10, Dyskinesia, 23.10, Feeling cold, 23.10, Pyrexia,
23.10, Tremor, 23.10
896173, Body temperature increased, 23.10, Urticaria, 23.10, , , , , , ,
896176, Abnormal dreams, 23.10, Body temperature increased, 23.10, Cold
sweat, 23.10, Headache, 23.10, Influenza like illness, 23.10
896176, Injection site bruising, 23.10, Injection site induration,
23.10, Injection site warmth, 23.10, Nausea, 23.10, Photophobia, 23.10
896176, Restlessness, 23.10, , , , , , , ,
896177, Injection site erythema, 23.10, Injection site inflammation,
23.10, , , , , , , ,
896178, Peripheral swelling, 23.10, Skin warm, 23.10, , , , , , ,
896179, Arthralgia, 23.10, Chills, 23.10, Magnetic resonance imaging
normal, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10
896182, Injection site swelling, 23.10, Joint range of motion decreased,
23.10, Pain, 23.10, Pyrexia, 23.10, Rash, 23.10
896182, Rash erythematous, 23.10, , , , , , , ,
896183, Erythema, 23.10, Pain, 23.10, Skin swelling, 23.10, Swelling,
23.10, Tenderness, 23.10
896190, Condition aggravated, 23.10, Herpes zoster, 23.10, Rash vesicular,
23.10, Vaccination failure, 23.10, , ,
896191, Illness, 23.10, , , , , , , ,
896193, Death, 23.10, Guillain-Barre syndrome, 23.10, , , , , , ,
896194, Dyskinesia, 23.10, , , , , , , ,
896199, Wrong product administered, 23.10, , , , , , , ,
896200, Biopsy, 23.10, Lichenoid keratosis, 23.10, Pruritus, 23.10, , , , ,
896201, Headache, 23.10, Impaired work ability, 23.10, Injection site
swelling, 23.10, Mobility decreased, 23.10, Pain, 23.10
896201, Pain in extremity, 23.10, Sleep disorder, 23.10, , , , , , ,
896202, Dizziness, 23.10, Hallucination, 23.10, Malaise, 23.10, Pyrexia,
23.10, Swelling face, 23.10
896203, Cheilitis, 23.10, Herpes simplex test negative, 23.10, Lip blister,
23.10, Lip pain, 23.10, Oral pain, 23.10
896204, Burning sensation, 23.10, Chills, 23.10, Fatigue, 23.10, Headache,
23.10, Hyperhidrosis, 23.10
896204, Injection site pain, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,

896210, Diplegia, 23.10, Hypoaesthesia, 23.10, , , , , , ,
896211, Arthralgia, 23.10, Hypoaesthesia, 23.10, Injection site pain,
23.10, Mobility decreased, 23.10, Pain, 23.10
896211, Pain in extremity, 23.10, Paraesthesia, 23.10, Sleep disorder,
23.10, X-ray normal, 23.10, ,
896212, Abdominal pain upper, 23.10, Balance disorder, 23.10, Headache,
23.10, Vision blurred, 23.10, ,
896215, Urticaria, 23.10, , , , , , , ,
896216, Abdominal X-ray, 23.10, Adenovirus test, 23.10, Alanine
aminotransferase increased, 23.10, Alpha 1 globulin increased,
23.10, Alpha 2 globulin normal, 23.10
896216, Angiogram, 23.10, Anion gap, 23.10, Arteriogram carotid normal,
23.10, Arthralgia, 23.10, Aspartate aminotransferase increased, 23.10
896216, Asthenia, 23.10, Bacterial test negative, 23.10, Basophil count
normal, 23.10, Basophil percentage, 23.10, Beta 2 globulin, 23.10
896216, Blood albumin decreased, 23.10, Blood alkaline phosphatase
normal, 23.10, Blood bicarbonate normal, 23.10, Blood calcium decreased,
23.10, Blood chloride increased, 23.10
896216, Blood cholesterol normal, 23.10, Blood creatinine normal,
23.10, Blood culture, 23.10, Blood folate increased, 23.10, Blood glucose
normal, 23.10
896216, Blood magnesium normal, 23.10, Blood pH normal, 23.10, Blood
phosphorus normal, 23.10, Blood potassium normal, 23.10, Blood sodium
normal, 23.10
896216, Blood thyroid stimulating hormone normal, 23.10, Blood
triglycerides decreased, 23.10, Blood urea normal, 23.10, Blood urine
present, 23.10, Bordetella test negative, 23.10
896216, Borrelia test negative, 23.10, CSF culture, 23.10, CSF glucose
normal, 23.10, CSF lymphocyte count increased, 23.10, CSF protein
increased, 23.10
896216, CSF red blood cell count positive, 23.10, CSF test, 23.10, CSF
white blood cell count negative, 23.10, Carbon dioxide normal,
23.10, Chest X-ray, 23.10
896216, Chills, 23.10, Chlamydia test negative, 23.10, Coma,
23.10, Computerised tomogram head, 23.10, Confusional state, 23.10
896216, Coronavirus test negative, 23.10, Cryptococcus test, 23.10, Culture
urine, 23.10, Encephalopathy, 23.10, Endotracheal intubation, 23.10
896216, Eosinophil count normal, 23.10, Eosinophil percentage,
23.10, Glomerular filtration rate, 23.10, Glucose urine absent, 23.10, Gram
stain, 23.10
896216, Haematocrit decreased, 23.10, Haemoglobin decreased,
23.10, Hepatobiliary scan, 23.10, Herpes simplex test negative, 23.10, High
density lipoprotein decreased, 23.10
896216, Human metapneumovirus test, 23.10, Human rhinovirus test,
23.10, Immunoglobulins, 23.10, Influenza A virus test negative,
23.10, Influenza B virus test, 23.10
896216, Influenza virus test negative, 23.10, Intensive care,
23.10, International normalised ratio normal, 23.10, Liver function test
increased, 23.10, Lymphocyte count normal, 23.10
896216, Lymphocyte percentage, 23.10, Magnetic resonance imaging brain

normal,23.10,Mean cell haemoglobin concentration normal,23.10,Mean cell haemoglobin normal,23.10,Mean cell volume normal,23.10
896216,Mean platelet volume increased,23.10,Memory impairment, 23.10,Monocyte count increased,23.10,Monocyte percentage increased, 23.10,Neutrophil count normal,23.10
896216,Neutrophil percentage,23.10,PCO2 normal,23.10,Platelet count normal,23.10,Polymerase chain reaction,23.10,Poor quality sleep,23.10
896216,Protein total decreased,23.10,Protein urine absent, 23.10,Prothrombin time prolonged,23.10,Pyrexia,23.10,Red blood cell count decreased,23.10
896216,Red blood cell nucleated morphology,23.10,Red blood cells urine,23.10,Red cell distribution width normal,23.10,Respiratory syncytial virus test negative,23.10,Scan with contrast,23.10
896216,Scan with contrast normal,23.10,Seizure,23.10,Specific gravity urine normal,23.10,Staphylococcus test negative, 23.10,Thrombocytopenia,23.10
896216,Troponin normal,23.10,Ultrasound abdomen,23.10,Unresponsive to stimuli,23.10,Urinary casts,23.10,Urine ketone body absent,23.10
896216,Urobilinogen urine,23.10,Very low density lipoprotein normal, 23.10,Viral test negative,23.10,Vitamin B12 normal,23.10,White blood cell count increased,23.10
896216,White blood cells urine positive,23.10,pH urine normal, 23.10,,,,,,
896251,Illness,23.10,,,,,,
896252,Illness,23.10,,,,,,
896253,Asthenia,23.10,Fatigue,23.10,Oropharyngeal pain,23.10,Sinus disorder,23.10,Viral infection,23.10
896255,Dehydration,23.10,Dizziness,23.10,Fall,23.10,Fatigue, 23.10,Hypotension,23.10
896255,Injection site pain,23.10,Syncope,23.10,,,,,,
896258,Adverse reaction,23.10,Aortic aneurysm,23.10,Aortic aneurysm repair,23.10,Aortic dissection,23.10,Aortic stent insertion,23.10
896258,Back pain,23.10,Blood pressure abnormal,23.10,Computerised tomogram abnormal,23.10,Lumbosacral plexopathy,23.10,Mobility decreased,23.10
896258,Muscle atrophy,23.10,Musculoskeletal stiffness,23.10,Pain in extremity,23.10,Paraesthesia,23.10,Peripheral swelling,23.10
896258,Walking aid user,23.10,Weight decreased,23.10,,,,,,
896261,Myalgia,23.10,Pain,23.10,,,,,,
896262,Rash,23.10,Rash erythematous,23.10,Rash papular,23.10,Rash pruritic,23.10,,
896263,Product administered to patient of inappropriate age, 23.10,,,,,,
896264,Balance disorder,23.10,Gait inability,23.10,Hypoaesthesia, 23.10,Injected limb mobility decreased,23.10,Injection site erythema, 23.10
896264,Injection site pain,23.10,Injection site swelling, 23.10,Mobility decreased,23.10,Pain,23.10,Paraesthesia,23.10
896264,Urinary tract infection,23.10,,,,,,
896267,Electrocardiogram normal,23.10,Laboratory test normal,

23.10, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, Syncope, 23.10
896276, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
896278, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Limb discomfort, 23.10, Pain, 23.10, ,
896285, Injection site pain, 23.10, Mobility decreased, 23.10, Muscle
spasms, 23.10, , , , ,
896287, Electrocardiogram, 23.10, Syncope, 23.10, Unresponsive to stimuli,
23.10, , , , ,
896288, Back pain, 23.10, Fatigue, 23.10, , , , , ,
896292, Erythema, 23.10, Local reaction, 23.10, Skin warm, 23.10, Swelling,
23.10, ,
896293, Immediate post-injection reaction, 23.10, Injection site pain,
23.10, , , , , ,
896294, Asthenia, 23.10, Chest discomfort, 23.10, Chills, 23.10, Decreased
appetite, 23.10, Hyperhidrosis, 23.10
896294, Lethargy, 23.10, Malaise, 23.10, Myalgia, 23.10, Pyrexia, 23.10, ,
896295, Arthralgia, 23.10, Loss of personal independence in daily
activities, 23.10, Mobility decreased, 23.10, , , , ,
896296, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
896297, Arthralgia, 23.10, Pain in extremity, 23.10, , , , , ,
896298, Immediate post-injection reaction, 23.10, Injection site
bruising, 23.10, Injection site pain, 23.10, Paraesthesia, 23.10, ,
896299, Syncope, 23.10, , , , , , , ,
896300, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Vaccine
positive rechallenge, 23.10
896303, Injection site discomfort, 23.10, Loss of personal independence
in daily activities, 23.10, Sleep disorder, 23.10, , , , ,
896305, Erythema, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling face,
23.10, ,
896306, Nausea, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10, Pruritus, 23.10, Skin warm, 23.10
896306, Urticaria, 23.10, , , , , , , ,
896309, Pain in extremity, 23.10, , , , , , , ,
896311, Injection site erythema, 23.10, , , , , , , ,
896312, Cough, 23.10, Dyspnoea, 23.10, Palpitations, 23.10, Wheezing, 23.10, ,
896313, Blood test, 23.10, Herpes zoster, 23.10, Nerve injury, 23.10, Pain,
23.10, Paraesthesia, 23.10
896313, Pruritus, 23.10, Vaccination complication, 23.10, , , , , , ,
896314, Decreased appetite, 23.10, Erythema, 23.10, Fatigue, 23.10, Pyrexia,
23.10, Rash, 23.10
896316, Alopecia, 23.10, Muscular weakness, 23.10, Pain, 23.10, Pyrexia,
23.10, Sensory loss, 23.10
896316, Urogenital disorder, 23.10, , , , , , , ,
896319, Injection site rash, 23.10, Rash, 23.10, , , , , ,
896322, Haematoma, 23.10, Haemorrhage, 23.10, , , , , ,
896323, Asthenia, 23.10, Injection site pain, 23.10, Loss of personal
independence in daily activities, 23.10, Pain, 23.10, Sleep disorder, 23.10
896326, Erythema, 23.10, Injection site irritation, 23.10, Pain,

23.10, Swelling, 23.10,,
896331, Chest pain, 23.10, Ear pain, 23.10, Eye pain, 23.10, Headache,
23.10, Myocardial infarction, 23.10
896331, Palpitations, 23.10, Toothache, 23.10, Troponin increased, 23.10,,,,,
896334, Hypoaesthesia, 23.10, Injection site bruising, 23.10, Pain in
extremity, 23.10,,,,,
896335, Feeling hot, 23.10, Malaise, 23.10,,,,,,
896336, Hypoaesthesia, 23.10, Hypoaesthesia eye, 23.10, Hypoaesthesia oral,
23.10, Paraesthesia, 23.10,,
896337, Pain in extremity, 23.10,,,,,,
896343, Injection site pain, 23.10,,,,,,
896346, Pain in extremity, 23.10, Paraesthesia, 23.10,,,,,,
896347, Angioedema, 23.10, Eye swelling, 23.10, Intensive care, 23.10, Lip
swelling, 23.10,,
896349, Pyrexia, 23.10, Urticaria, 23.10,,,,,,
896350, Immediate post-injection reaction, 23.10, Injection site
reaction, 23.10, Musculoskeletal stiffness, 23.10, Myalgia, 23.10, Pain,
23.10
896350, Pain in extremity, 23.10,,,,,,
896352, Asthenia, 23.10, Balance disorder, 23.10, Nausea, 23.10, Orthostatic
hypotension, 23.10, Paraesthesia, 23.10
896353, Erythema, 23.10, Pain in extremity, 23.10, Peripheral swelling,
23.10,,,,,
896355, Injected limb mobility decreased, 23.10, Pain, 23.10, Pain in
extremity, 23.10,,,,,
896356, Syncope, 23.10,,,,,,
896357, Cellulitis, 23.10, Injection site erythema, 23.10, Injection site
pain, 23.10, Injection site reaction, 23.10, Injection site warmth, 23.10
896357, Neck pain, 23.10, Pain in extremity, 23.10, Product administered at
inappropriate site, 23.10, Urticaria, 23.10,,
896384, Asthenia, 23.10,,,,,,
896386, Guillain-Barre syndrome, 23.10,,,,,,
896387, Altered state of consciousness, 23.10, Asthenia, 23.10, Dysgeusia,
23.10, Fatigue, 23.10, Heart rate increased, 23.10
896387, Mental impairment, 23.10, Mobility decreased, 23.10, Pyrexia,
23.10, SARS-CoV-2 test, 23.10, Suspected COVID-19, 23.10
896388, Injection site rash, 23.10, Rash, 23.10,,,,,
896390, Malaise, 23.10,,,,,,
896392, Arthralgia, 23.10,,,,,,
896394, Pain, 23.10,,,,,,
896395, Anxiety, 23.10, Balance disorder, 23.10, Chest X-ray,
23.10, Computerised tomogram, 23.10, Depression, 23.10
896395, Muscle disorder, 23.10, Tremor, 23.10,,,,,
896397, Injection site pain, 23.10, Injection site swelling, 23.10, X-ray,
23.10,,,,,
896398, Loss of consciousness, 23.10,,,,,,
896399, Blood test, 23.10, Electroencephalogram, 23.10, Laboratory test,
23.10, Magnetic resonance imaging, 23.10, Seizure, 23.10
896418, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site nodule, 23.10,,,,,

896422, Arthralgia, 23.10, Blood pressure increased, 23.10, Body temperature increased, 23.10, Chills, 23.10, Diarrhoea, 23.10
896422, Headache, 23.10, Insomnia, 23.10, Nausea, 23.10, Pollakiuria, 23.10, Renal pain, 23.10
896423, Injection site pain, 23.10, Pain, 23.10, , , , , ,
896424, Immediate post-injection reaction, 23.10, Pain, 23.10, X-ray, 23.10, , , , ,
896426, Balance disorder, 23.10, Burning sensation, 23.10, Dizziness, 23.10, Flushing, 23.10, Pallor, 23.10
896426, Rash, 23.10, , , , , , , ,
896431, Electrocardiogram, 23.10, Feeling abnormal, 23.10, Feeling hot, 23.10, Full blood count, 23.10, Palpitations, 23.10
896431, Paraesthesia oral, 23.10, Troponin, 23.10, , , , , ,
896432, Facial paralysis, 23.10, , , , , , , ,
896436, Pain, 23.10, Presyncope, 23.10, Pyrexia, 23.10, Tinnitus, 23.10, Urticaria, 23.10
896440, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , ,
896443, Pain in extremity, 23.10, , , , , , , ,
896446, Pain in extremity, 23.10, Swelling, 23.10, , , , , , ,
896448, Immediate post-injection reaction, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
896449, Blood bicarbonate decreased, 23.10, Blood chloride increased, 23.10, Blood creatinine normal, 23.10, Blood glucose increased, 23.10, Blood pH decreased, 23.10
896449, Blood potassium decreased, 23.10, Blood sodium normal, 23.10, Blood urea increased, 23.10, Brain midline shift, 23.10, Brain oedema, 23.10
896449, Cerebral ischaemia, 23.10, Continuous positive airway pressure, 23.10, Cyanosis, 23.10, Electroencephalogram abnormal, 23.10, Endotracheal intubation, 23.10
896449, Haemoglobin normal, 23.10, Intensive care, 23.10, Irregular breathing, 23.10, Magnetic resonance imaging brain abnormal, 23.10, Mechanical ventilation, 23.10
896449, Oxygen saturation abnormal, 23.10, PCO2 increased, 23.10, Platelet count normal, 23.10, Respiratory arrest, 23.10, Resuscitation, 23.10
896449, Seizure, 23.10, Status epilepticus, 23.10, White blood cell count, 23.10, , , , ,
896469, Influenza, 23.10, Laboratory test abnormal, 23.10, , , , , , ,
896471, Dyspnoea, 23.10, Eye discharge, 23.10, Eye irritation, 23.10, Eye pruritus, 23.10, Ocular hyperaemia, 23.10
896475, Rash, 23.10, Urticaria, 23.10, , , , , , ,
896478, Abdominal discomfort, 23.10, Asthenia, 23.10, Chills, 23.10, Ear pain, 23.10, Fatigue, 23.10
896478, Headache, 23.10, Hot flush, 23.10, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10
896481, Gait disturbance, 23.10, Guillain-Barre syndrome, 23.10, Immunoglobulin therapy, 23.10, Muscular weakness, 23.10, Nervous system disorder, 23.10
896491, Pain in extremity, 23.10, , , , , , , ,
896493, Fatigue, 23.10, Injection site pain, 23.10, Urticaria, 23.10, , , , , ,

896494, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , ,
896509, COVID-19, 23.10, , , , , , , , , , ,
896510, Immediate post-injection reaction, 23.10, Injection site swelling, 23.10, , , , , , ,
896512, Balance disorder, 23.10, Dizziness, 23.10, Retching, 23.10, , , , ,
896513, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
896514, Eye swelling, 23.10, Rash, 23.10, Rash erythematous, 23.10, Swelling, 23.10, , ,
896515, Feeling abnormal, 23.10, Injection site nodule, 23.10, Muscle tightness, 23.10, Pain, 23.10, Pyrexia, 23.10
896515, Swelling face, 23.10, Trismus, 23.10, , , , , , ,
896516, Dizziness, 23.10, Fatigue, 23.10, Headache, 23.10, Immediate post-injection reaction, 23.10, Mobility decreased, 23.10
896516, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, Vomiting, 23.10, , ,
896517, Erythema, 23.10, Fall, 23.10, Syncope, 23.10, , , , , ,
896518, Abnormal behaviour, 23.10, Agitation, 23.10, Blood glucose increased, 23.10, Lethargy, 23.10, Type 1 diabetes mellitus, 23.10
896518, Urine output increased, 23.10, , , , , , , , , , ,
896519, Swollen tongue, 23.10, , , , , , , , , , ,
896520, Asthenia, 23.10, Chills, 23.10, Headache, 23.10, Pyrexia, 23.10, Tremor, 23.10
896520, Vomiting, 23.10, , , , , , , , , , ,
896529, COVID-19, 23.10, , , , , , , , , , ,
896531, Dyskinesia, 23.10, Myoclonus, 23.10, , , , , , , , , , ,
896532, Pruritus, 23.10, Rash macular, 23.10, , , , , , , , , , ,
896533, Injection site pain, 23.10, Injection site reaction, 23.10, Injection site swelling, 23.10, Pallor, 23.10, Rash, 23.10
896533, Rash erythematous, 23.10, , , , , , , , , , ,
896536, Erythema, 23.10, Extensive swelling of vaccinated limb, 23.10, Pruritus, 23.10, , , , , ,
896537, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Muscular weakness, 23.10, Pain, 23.10
896537, Pain in extremity, 23.10, , , , , , , , , , ,
896538, Alanine aminotransferase increased, 23.10, Aspartate aminotransferase increased, 23.10, Blood albumin decreased, 23.10, Blood calcium normal, 23.10, Blood glucose normal, 23.10
896538, Blood sodium decreased, 23.10, Blood urea decreased, 23.10, Blood urea nitrogen/creatinine ratio increased, 23.10, C-reactive protein increased, 23.10, Chromaturia, 23.10
896538, Eosinophil percentage, 23.10, Haematocrit increased, 23.10, Haemoglobin normal, 23.10, Lymphocyte count decreased, 23.10, Lymphocyte percentage decreased, 23.10
896538, Mean platelet volume normal, 23.10, Monocyte percentage decreased, 23.10, Neutrophil count increased, 23.10, Neutrophil percentage increased, 23.10, Platelet count decreased, 23.10
896538, Protein total increased, 23.10, Pyrexia, 23.10, Rash, 23.10, White blood cell count decreased, 23.10, White blood cell count increased, 23.10
896539, Ataxia, 23.10, Gait disturbance, 23.10, Guillain-Barre syndrome,

23.10,Headache,23.10,Lumbar puncture abnormal,23.10
896539,Magnetic resonance imaging brain abnormal,23.10,Magnetic
resonance imaging spinal abnormal,23.10,Scan with contrast abnormal,
23.10,,,,,
896541,Cerebrovascular accident,23.10,Computerised tomogram,
23.10,Cytogenetic analysis,23.10,Lumbar puncture,23.10,Magnetic
resonance imaging,23.10
896541,Seizure,23.10,Ultrasound Doppler,23.10,,,,,,
896543,Peripheral swelling,23.10,Tenderness,23.10,,,,,,
896546,Blood culture,23.10,Blood glucose,23.10,CSF culture,
23.10,Computerised tomogram head,23.10,Electroencephalogram,23.10
896546,Full blood count,23.10,Gaze palsy,23.10,Generalised tonic-
clonic seizure,23.10,Liver function test,23.10,Metabolic function
test,23.10
896546,Postictal state,23.10,,,,,,
896549,Injection site reaction,23.10,Pain,23.10,Pyrexia,23.10,Rash
pruritic,23.10,,
896551,Pain in extremity,23.10,,,,,,
896553,Urticaria contact,23.10,,,,,,
896559,Product administered to patient of inappropriate age,
23.10,,,,,,
896560,Dizziness,23.10,Syncope,23.10,,,,,,
896561,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Pain,23.10,Skin reaction,23.10
896561,Swelling,23.10,,,,,,
896563,Erythema,23.10,Induration,23.10,Pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10
896563,Skin warm,23.10,Sleep disorder,23.10,Tenderness,23.10,,,,
896564,Dizziness,23.10,Dyspnoea,23.10,Hyperhidrosis,23.10,Injected
limb mobility decreased,23.10,Injection site pain,23.10
896564,Neck pain,23.10,Pallor,23.10,Syncope,23.10,Tachycardia,23.10,,
896572,Injection site erythema,23.10,,,,,,
896573,Pain in extremity,23.10,,,,,,
896574,Abdominal discomfort,23.10,Influenza like illness,
23.10,Myalgia,23.10,,,,
896575,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,
896580,Injection site vesicles,23.10,,,,,,
896581,Fatigue,23.10,Monoplegia,23.10,Pyrexia,23.10,,,,
896582,Eye pain,23.10,Headache,23.10,,,,,
896584,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
896585,Chest pain,23.10,Headache,23.10,Oropharyngeal pain,23.10,Pain,
23.10,,
896588,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain,23.10,Sleep disorder,23.10,X-ray limb,23.10
896589,Joint range of motion decreased,23.10,Pain in extremity,
23.10,,,,,
896591,Dizziness,23.10,Dyspnoea,23.10,Heart rate increased,
23.10,Nausea,23.10,Wheezing,23.10
896594,Mobility decreased,23.10,Pain,23.10,,,,,

896595,Rash macular,23.10,,,,,,,,,
896598,Amnesia,23.10,Feeling abnormal,23.10,Headache,23.10,Myalgia,
23.10,,
896599,Abdominal distension,23.10,Antibody test positive,
23.10,Arthralgia,23.10,Asthenia,23.10,Back pain,23.10
896599,Balance disorder,23.10,Blood test,23.10,Bowel movement
irregularity,23.10,COVID-19,23.10,CSF test normal,23.10
896599,Chest X-ray normal,23.10,Colonoscopy normal,23.10,Computerised
tomogram abdomen abnormal,23.10,Computerised tomogram normal,
23.10,Computerised tomogram pelvis,23.10
896599,Constipation,23.10,Diarrhoea,23.10,Discomfort,
23.10,Electromyogram abnormal,23.10,Fatigue,23.10
896599,Gait disturbance,23.10,Gait inability,23.10,General physical
health deterioration,23.10,Hypoaesthesia,23.10,Inflammation,23.10
896599,Lumbar spinal stenosis,23.10,Magnetic resonance imaging brain
normal,23.10,Magnetic resonance imaging spinal abnormal,23.10,Myelitis
transverse,23.10,Myelopathy,23.10
896599,Pain in extremity,23.10,Paraesthesia,23.10,Peripheral coldness,
23.10,Prostatomegaly,23.10,Scan with contrast abnormal,23.10
896599,Scar,23.10,Tremor,23.10,Walking aid user,23.10,Wheelchair user,
23.10,X-ray limb abnormal,23.10
896599,X-ray of pelvis and hip abnormal,23.10,,,,,,,,,
896600,Anxiety,23.10,Confusional state,23.10,Disturbance in attention,
23.10,Emotional disorder,23.10,Muscular weakness,23.10
896600,Nervousness,23.10,,,,,,,,,
896602,Dysgeusia,23.10,Immediate post-injection reaction,
23.10,Tinnitus,23.10,,,,,
896603,Asthenia,23.10,Lethargy,23.10,Pyrexia,23.10,Sleep disorder,
23.10,,
896605,Discomfort,23.10,Swelling,23.10,,,,,,
896615,Extra dose administered,23.10,,,,,,
896616,Cough,23.10,Influenza like illness,23.10,Nasal congestion,
23.10,Oropharyngeal pain,23.10,Rhinorrhoea,23.10
896619,Dizziness,23.10,Vomiting,23.10,,,,,
896623,Atrial fibrillation,23.10,Cardiac ablation,23.10,Cardiac
monitoring,23.10,Cardiac stress test,23.10,Cardioversion,23.10
896623,Echocardiogram,23.10,Electrocardiogram,23.10,Laboratory test,
23.10,Loss of consciousness,23.10,,
896626,Fatigue,23.10,Headache,23.10,Impaired work ability,
23.10,Influenza like illness,23.10,Injection site erythema,23.10
896626,Injection site pain,23.10,Injection site swelling,23.10,Pain,
23.10,Pyrexia,23.10,,
896627,Injection site erythema,23.10,Nodule,23.10,Pruritus,23.10,,,,,
896628,Urticaria,23.10,,,,,,
896629,Mobility decreased,23.10,Myalgia,23.10,,,,,
896632,Injection site erythema,23.10,Injection site pruritus,
23.10,Pruritus,23.10,,,,,
896633,Dizziness,23.10,Hyperhidrosis,23.10,Nausea,23.10,,,,,
896634,Pain in extremity,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,,,,,

896638, Erythema, 23.10, Skin warm, 23.10, Swelling, 23.10, , , , ,
896639, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
896640, Dizziness, 23.10, Syncope, 23.10, , , , , , ,
896643, Injection site erythema, 23.10, Injection site pain, 23.10, , , , , , ,
896646, Cold sweat, 23.10, Disorientation, 23.10, Nausea, 23.10, Skin warm,
23.10, Syncope, 23.10
896647, Confusional state, 23.10, Feeling abnormal, 23.10, , , , , , ,
896648, Injection site pain, 23.10, Mobility decreased, 23.10, Pain in
extremity, 23.10, , , , ,
896652, Malaise, 23.10, Muscular weakness, 23.10, Myalgia, 23.10, , , , ,
896654, Injection site pain, 23.10, Mobility decreased, 23.10, Pain,
23.10, , , , ,
896655, Cardiac disorder, 23.10, Dizziness, 23.10, Visual impairment,
23.10, , , , ,
896659, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , ,
896661, Injection site pain, 23.10, Mobility decreased, 23.10, Muscular
weakness, 23.10, , , , ,
896664, Swelling face, 23.10, , , , , , , , ,
896665, Dysstasia, 23.10, Gait disturbance, 23.10, Muscular weakness,
23.10, , , , ,
896666, Balance disorder, 23.10, Gait disturbance, 23.10, Muscular
weakness, 23.10, , , , ,
896670, Asthenia, 23.10, Chills, 23.10, Fatigue, 23.10, Nausea,
23.10, Vomiting, 23.10
896672, Insomnia, 23.10, Mobility decreased, 23.10, Pain in extremity,
23.10, , , , ,
896674, Fatigue, 23.10, Rash maculo-papular, 23.10, Stomatitis,
23.10, Tinnitus, 23.10, , ,
896675, Ageusia, 23.10, Anosmia, 23.10, Fatigue, 23.10, Feeling abnormal,
23.10, Headache, 23.10
896675, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, , , , , , ,
896676, Burning sensation, 23.10, Cervical radiculopathy,
23.10, Hypoaesthesia, 23.10, Injection site pain, 23.10, Magnetic resonance
imaging abnormal, 23.10
896676, Muscular weakness, 23.10, Pain, 23.10, , , , , , ,
896679, Arthralgia, 23.10, , , , , , , , ,
896680, Amnesia, 23.10, Loss of consciousness, 23.10, Syncope, 23.10, , , , ,
896681, Blood pressure abnormal, 23.10, Loss of consciousness, 23.10, Pulse
abnormal, 23.10, Syncope, 23.10, , ,
896683, Peripheral swelling, 23.10, , , , , , , , ,
896685, Limb discomfort, 23.10, Neuralgia, 23.10, , , , , , ,
896688, Pruritus, 23.10, Rash, 23.10, , , , , , ,
896691, Arthralgia, 23.10, Erythema, 23.10, Joint swelling,
23.10, Musculoskeletal stiffness, 23.10, Swelling, 23.10
896692, Blindness unilateral, 23.10, Blood test, 23.10, Magnetic resonance
imaging brain, 23.10, Magnetic resonance imaging spinal,
23.10, Musculoskeletal stiffness, 23.10
896692, Paraesthesia, 23.10, Relapsing-remitting multiple sclerosis,
23.10, , , , , , ,

896693, Unevaluable event, 23.10, , , , , , , , ,
896696, Breath sounds abnormal, 23.10, Cyanosis, 23.10, Dizziness,
23.10, Loss of consciousness, 23.10, Mydriasis, 23.10
896696, Opisthotonus, 23.10, Pallor, 23.10, , , , , , , , ,
896697, Erythema, 23.10, Inflammation, 23.10, Skin discolouration, 23.10, , , , ,
896698, Burning sensation, 23.10, Mobility decreased, 23.10, , , , , , , , ,
896699, Chills, 23.10, Erythema, 23.10, Feeling abnormal, 23.10, Injection
site erythema, 23.10, Injection site swelling, 23.10
896699, Lip blister, 23.10, Peripheral swelling, 23.10, , , , , , , , ,
896700, Balance disorder, 23.10, Gait disturbance, 23.10, Loss of personal
independence in daily activities, 23.10, Vertigo, 23.10, , ,
896701, Arthralgia, 23.10, Joint swelling, 23.10, Pain in extremity,
23.10, Peripheral swelling, 23.10, , ,
896703, Abdominal pain upper, 23.10, Anxiety, 23.10, Asthenia, 23.10, Body
temperature increased, 23.10, Condition aggravated, 23.10
896703, Diarrhoea, 23.10, Erythema, 23.10, Feeling abnormal, 23.10, Feeling
hot, 23.10, Headache, 23.10
896703, Panic reaction, 23.10, Pruritus, 23.10, , , , , , , , ,
896705, Injection site pain, 23.10, , , , , , , , , , , , , , ,
896706, Arthralgia, 23.10, Chills, 23.10, Diarrhoea, 23.10, Headache,
23.10, Injection site erythema, 23.10
896706, Nausea, 23.10, Pyrexia, 23.10, , , , , , , , , , ,
896707, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site rash, 23.10, , , , , , , , , , ,
896708, Immediate post-injection reaction, 23.10, Injection site nodule,
23.10, , , , , , , , , , , , , , , ,
896711, Erythema, 23.10, Feeling hot, 23.10, Flushing, 23.10, Rash macular,
23.10, , ,
896734, Herpes zoster, 23.10, , , , , , , , , , , , , , , ,
896736, Blister, 23.10, Herpes zoster, 23.10, Pain, 23.10, , , , , , , , , , ,
896737, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , , , , , , ,
896738, Mouth swelling, 23.10, Pharyngeal swelling, 23.10, , , , , , , , , , ,
896743, Illness, 23.10, Pain in extremity, 23.10, , , , , , , , , , ,
896744, Disability, 23.10, Terminal state, 23.10, , , , , , , , , , ,
896745, No adverse event, 23.10, Product storage error, 23.10, , , , , , , , , , ,
896746, No adverse event, 23.10, Product distribution issue, 23.10, , , , , , , , , , ,
896747, Abdominal pain upper, 23.10, Ear pruritus, 23.10, Pharyngeal
swelling, 23.10, Pruritus, 23.10, , ,
896748, Pain in extremity, 23.10, , , , , , , , , , , , , , , ,
896754, Lymphadenitis, 23.10, Pain, 23.10, , , , , , , , , , , , , , , ,
896755, Alopecia, 23.10, Blood test, 23.10, Chapped lips, 23.10, Corrective
lens user, 23.10, Dandruff, 23.10
896755, Rash, 23.10, Seborrhoeic dermatitis, 23.10, Tooth loss,
23.10, Urticaria, 23.10, , ,
896758, Chest pain, 23.10, Dyspnoea, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , ,
896764, Erythema, 23.10, Peripheral swelling, 23.10, Skin warm, 23.10, , , , , ,
896765, Unevaluable event, 23.10, , , , , , , , , , , , , , , ,
896766, Injected limb mobility decreased, 23.10, Pain in extremity,
23.10, Product administered at inappropriate site, 23.10, X-ray, 23.10, , ,

896767, Erythema, 23.10, Induration, 23.10, Skin warm, 23.10, , , ,
896770, Injection site pain, 23.10, , , , , , , ,
896782, Pancreatitis acute, 23.10, , , , , , , ,
896787, Malaise, 23.10, , , , , , , ,
896788, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , ,
896789, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , ,
896790, Injection site pain, 23.10, , , , , , , ,
896791, Arthralgia, 23.10, Pain, 23.10, Product administered at
inappropriate site, 23.10, , , , ,
896792, Injection site pain, 23.10, , , , , , , ,
896794, Injection site erythema, 23.10, Injection site swelling,
23.10, , , , , , , ,
896795, Asthenia, 23.10, Chills, 23.10, Discomfort, 23.10, Feeling hot,
23.10, Loss of personal independence in daily activities, 23.10
896795, Malaise, 23.10, Muscle twitching, 23.10, Nausea, 23.10, Pyrexia,
23.10, Skin warm, 23.10
896796, Diarrhoea, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10, Rash,
23.10, , ,
896797, Formication, 23.10, Sleep disorder, 23.10, , , , , , , ,
896798, Hypoaesthesia, 23.10, Mobility decreased, 23.10, Pain,
23.10, Swelling, 23.10, , ,
896800, Contusion, 23.10, Erythema, 23.10, , , , , , , ,
896802, Muscle tightness, 23.10, , , , , , , , , ,
896804, Enema administration, 23.10, Gastrointestinal necrosis,
23.10, Haematochezia, 23.10, Intestinal anastomosis,
23.10, Intussusception, 23.10
896804, Surgery, 23.10, Ultrasound abdomen abnormal, 23.10, Vomiting,
23.10, , , , ,
896805, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site urticaria, 23.10, Injection site warmth, 23.10, , ,
896808, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
896810, Blood iron normal, 23.10, Blood magnesium normal, 23.10, Blood
phosphorus normal, 23.10, Full blood count normal, 23.10, Metabolic
function test normal, 23.10
896810, Streptococcus test negative, 23.10, Tic, 23.10, Vitamin B12 normal,
23.10, Vitamin B6 normal, 23.10, , ,
896813, Eye swelling, 23.10, Heart rate increased, 23.10, , , , , , , ,
896814, Headache, 23.10, , , , , , , , , ,
896823, Ophthalmic herpes simplex, 23.10, Vision blurred, 23.10, , , , , , , ,
896829, Arthralgia, 23.10, Chills, 23.10, Dyspnoea, 23.10, Endotracheal
intubation, 23.10, Heart rate irregular, 23.10
896829, Illness, 23.10, Myalgia, 23.10, Pain, 23.10, Palpitations,
23.10, Pneumonia, 23.10
896829, Pyrexia, 23.10, SARS-CoV-2 test negative, 23.10, , , , , , , ,
896833, Abdominal pain upper, 23.10, Back pain, 23.10, Diarrhoea, 23.10, Pain
in extremity, 23.10, , ,
896838, Immediate post-injection reaction, 23.10, Magnetic resonance
imaging normal, 23.10, Migraine, 23.10, Vomiting, 23.10, , ,
896841, Administration site pain, 23.10, Chills, 23.10, Feeling abnormal,
23.10, Injection site erythema, 23.10, Injection site inflammation, 23.10

896841, Injection site pain, 23.10, Injection site pallor, 23.10, Injection site reaction, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10
896841, Malaise, 23.10, Musculoskeletal stiffness, 23.10, Pain in extremity, 23.10, , , , ,
896849, Contusion, 23.10, Full blood count, 23.10, Immune thrombocytopenia, 23.10, Thrombocytopenia, 23.10, ,
896852, Herpes zoster, 23.10, , , , , , , ,
896856, Pain, 23.10, Ultrasound scan normal, 23.10, , , , , ,
896857, Arthralgia, 23.10, , , , , , , ,
896858, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
896859, Chills, 23.10, Eye discharge, 23.10, Eye irritation, 23.10, Eye swelling, 23.10, Eyelid margin crusting, 23.10
896859, Lacrimation increased, 23.10, Pyrexia, 23.10, Swelling of eyelid, 23.10, , , , ,
896860, Erythema, 23.10, Induration, 23.10, Pain of skin, 23.10, Pruritus, 23.10, Swelling, 23.10
896861, Erythema, 23.10, Malaise, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia, 23.10
896861, Skin warm, 23.10, , , , , , , ,
896862, Pain in extremity, 23.10, Ultrasound scan normal, 23.10, , , , , , ,
896864, Dyskinesia, 23.10, Epistaxis, 23.10, Headache, 23.10, Hypoaesthesia, 23.10, Injection site pruritus, 23.10
896864, Muscle tightness, 23.10, Muscular weakness, 23.10, Nausea, 23.10, Neck pain, 23.10, Somnolence, 23.10
896869, Arthralgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, Ultrasound scan normal, 23.10, ,
896870, Guillain-Barre syndrome, 23.10, Paralysis, 23.10, , , , , , ,
896872, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , ,
896873, Amnesia, 23.10, Eye movement disorder, 23.10, Fall, 23.10, Tremor, 23.10, Unresponsive to stimuli, 23.10
896874, Dizziness, 23.10, Eye contusion, 23.10, Loss of consciousness, 23.10, Nausea, 23.10, ,
896876, Hypoaesthesia, 23.10, Inflammation, 23.10, Lumbar puncture, 23.10, Magnetic resonance imaging, 23.10, Magnetic resonance imaging spinal abnormal, 23.10
896876, Neurosarcooidosis, 23.10, Pain, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10, Peripheral coldness, 23.10
896876, Positron emission tomogram, 23.10, Vertebral column mass, 23.10, , , , , , ,
896878, Peripheral swelling, 23.10, , , , , , , ,
896879, Injection site erythema, 23.10, Injection site swelling, 23.10, Limb discomfort, 23.10, Muscular weakness, 23.10, Pain in extremity, 23.10
896879, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
896883, Mobility decreased, 23.10, Myalgia, 23.10, Pain, 23.10, Pain in extremity, 23.10, ,
896884, Chest X-ray abnormal, 23.10, Cyanosis, 23.10, , , , , , ,
896888, Immediate post-injection reaction, 23.10, Injection site pain,

23.10,Joint range of motion decreased,23.10,Shoulder injury related to vaccine administration,23.10,,
896889,Back pain,23.10,Chills,23.10,Erythema,23.10,Headache,23.10,Hyperhidrosis,23.10
896889,Pain in extremity,23.10,Peripheral swelling,23.10,Pollakiuria,23.10,,,,,
896890,Injection site erythema,23.10,Injection site nodule,23.10,Injection site swelling,23.10,,,,,
896891,Joint lock,23.10,Pain in extremity,23.10,Product administered at inappropriate site,23.10,,,,,
896894,Chills,23.10,Oropharyngeal pain,23.10,Pain,23.10,Pyrexia,23.10,Vomiting,23.10
896897,Injection site rash,23.10,Rash,23.10,Rash pruritic,23.10,,,,,
896898,Injection site pain,23.10,Tendon discomfort,23.10,,,,,,
896902,Erythema,23.10,Peripheral swelling,23.10,,,,,,
896906,Erythema,23.10,Skin warm,23.10,,,,,,
896908,Fall,23.10,Head injury,23.10,,,,,,
896910,Injected limb mobility decreased,23.10,Muscular weakness,23.10,Pain in extremity,23.10,Product administered at inappropriate site,23.10,,
896911,Blood test,23.10,Computerised tomogram,23.10,Flank pain,23.10,Guillain-Barre syndrome,23.10,Magnetic resonance imaging,23.10
896911,Nervous system disorder,23.10,Pain in extremity,23.10,,,,,,
896912,Multiple use of single-use product,23.10,,,,,,
896915,Erythema,23.10,Inflammation,23.10,Mobility decreased,23.10,Neck pain,23.10,Skin warm,23.10
896917,Malaise,23.10,,,,,,
896919,Myalgia,23.10,,,,,,
896920,Pain,23.10,Pruritus,23.10,Skin warm,23.10,Swelling,23.10,,
896921,Muscle spasms,23.10,,,,,,
896922,Anxiety,23.10,Malaise,23.10,Nervousness,23.10,Presyncope,23.10,Seizure,23.10
896924,Arthralgia,23.10,Mobility decreased,23.10,Myalgia,23.10,Pain,23.10,,
896925,Blindness,23.10,Dizziness,23.10,Fall,23.10,Feeling abnormal,23.10,Gait inability,23.10
896925,Mobility decreased,23.10,Nausea,23.10,Panic reaction,23.10,Rubber sensitivity,23.10,Vertigo,23.10
896926,Arthralgia,23.10,Candida infection,23.10,Chills,23.10,Delirium,23.10,Peripheral swelling,23.10
896926,Pyrexia,23.10,Spinal pain,23.10,Urticaria,23.10,Vomiting,23.10,,
896928,Axillary pain,23.10,Flank pain,23.10,Musculoskeletal chest pain,23.10,Pain in extremity,23.10,,
896939,Herpes zoster,23.10,,,,,,
896940,Blister,23.10,Herpes zoster,23.10,Pain,23.10,Post herpetic neuralgia,23.10,,
896941,Ophthalmic herpes zoster,23.10,,,,,,
896946,Autism spectrum disorder,23.10,Deafness,23.10,Meningitis,23.10,Vaccination failure,23.10,,

896947, Malaise, 23.10, Pain in extremity, 23.10, , , , , ,
896951, Dysarthria, 23.10, Eyelid function disorder, 23.10, Facial
paralysis, 23.10, , , , ,
896952, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
896953, Arthralgia, 23.10, Injection site injury, 23.10, , , , , ,
896954, Injection site pain, 23.10, Joint range of motion decreased,
23.10, Muscular weakness, 23.10, X-ray normal, 23.10, ,
896956, Swelling face, 23.10, Tongue disorder, 23.10, Vaccine positive
rechallenge, 23.10, , , , ,
896957, Arthralgia, 23.10, Mobility decreased, 23.10, Tenderness, 23.10, , , , ,
896960, Myalgia, 23.10, Pain, 23.10, Wrong product administered, 23.10, , , , ,
896961, Deafness unilateral, 23.10, Hypoacusis, 23.10, , , , , ,
896963, Extra dose administered, 23.10, , , , , , , ,
896975, Back pain, 23.10, Chest pain, 23.10, Pain, 23.10, Pneumonia, 23.10, ,
896976, Anaphylactic reaction, 23.10, , , , , , , ,
896977, Illness, 23.10, , , , , , , , , ,
896984, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
896985, Illness, 23.10, , , , , , , , , ,
896987, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10, Swelling, 23.10, ,
896990, Dizziness, 23.10, Nausea, 23.10, Pruritus, 23.10, Swelling face,
23.10, ,
896992, Erythema, 23.10, Induration, 23.10, , , , , , ,
897000, Blood test normal, 23.10, Chills, 23.10, Insomnia, 23.10, Muscular
weakness, 23.10, Myalgia, 23.10
897000, Oropharyngeal pain, 23.10, Pain, 23.10, SARS-CoV-2 test negative,
23.10, , , , ,
897001, Injection site bruising, 23.10, Injection site mass,
23.10, Injection site pain, 23.10, Injection site swelling, 23.10, ,
897002, Contusion, 23.10, Erythema, 23.10, Skin warm, 23.10, , , , ,
897003, Fall, 23.10, Fatigue, 23.10, Headache, 23.10, Hypoaesthesia,
23.10, Injection site joint movement impairment, 23.10
897003, Mobility decreased, 23.10, Muscular weakness, 23.10, Myalgia,
23.10, Paraesthesia, 23.10, ,
897004, Rash, 23.10, , , , , , , , , ,
897005, Mobility decreased, 23.10, Pain in extremity, 23.10, Paraesthesia,
23.10, Sleep disorder, 23.10, ,
897007, Pain in extremity, 23.10, , , , , , , , , ,
897008, Autonomic nervous system imbalance, 23.10, CSF test abnormal,
23.10, Cognitive disorder, 23.10, Electroencephalogram abnormal,
23.10, Encephalitis, 23.10
897008, Encephalitis autoimmune, 23.10, IIIrd nerve disorder,
23.10, Imaging procedure abnormal, 23.10, Neurological examination
abnormal, 23.10, Pyrexia, 23.10
897008, Rash, 23.10, Seizure, 23.10, , , , , , ,
897016, Chills, 23.10, Feeling abnormal, 23.10, Headache,
23.10, Lymphadenopathy, 23.10, Myalgia, 23.10
897016, Oropharyngeal pain, 23.10, , , , , , , , , ,
897036, Chest pain, 23.10, , , , , , , , , ,
897040, Erythema, 23.10, Nodule, 23.10, Pain in extremity, 23.10, Peripheral
swelling, 23.10, Skin warm, 23.10

897041, Chills, 23.10, Dizziness, 23.10, Hyperhidrosis, 23.10, Syncope, 23.10,,
897045, Abnormal behaviour, 23.10, Autism spectrum disorder, 23.10, Dyskinesia, 23.10, Fatigue, 23.10, Febrile convulsion, 23.10
897045, Immediate post-injection reaction, 23.10, Pyrexia, 23.10, Seizure, 23.10, Speech disorder, 23.10, Transcranial magnetic stimulation, 23.10
897045, Tremor, 23.10,,,,,,
897049, Asthenia, 23.10, Bone pain, 23.10, Hypoaesthesia, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
897049, Injection site warmth, 23.10, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,
897050, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pruritus, 23.10
897051, No adverse event, 23.10,,,,,,
897052, Injection site erythema, 23.10,,,,,,
897054, Exercise tolerance decreased, 23.10, Injection site pain, 23.10, Pain, 23.10,,,,
897072, Illness, 23.10, Vaccine positive rechallenge, 23.10,,,,,
897076, Myalgia, 23.10, Rotator cuff syndrome, 23.10,,,,,
897078, Induration, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, Swelling, 23.10,,
897082, Arthralgia, 23.10, Loss of personal independence in daily activities, 23.10, Red blood cell sedimentation rate increased, 23.10,,,,,
897083, Rash, 23.10, Urticaria, 23.10,,,,,
897085, Erythema, 23.10,,,,,
897086, Fatigue, 23.10, Injection site pain, 23.10, Pain, 23.10, Pyrexia, 23.10,,
897090, Illness, 23.10,,,,,,
897091, Arthralgia, 23.10, Mobility decreased, 23.10, Pain, 23.10,,,,,
897092, Axillary pain, 23.10, Dizziness, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Lymphadenopathy, 23.10
897092, Oedema peripheral, 23.10, Paraesthesia, 23.10, Swelling, 23.10, Ultrasound scan abnormal, 23.10,,
897094, Pruritus, 23.10, Rash, 23.10,,,,,
897098, Pain in extremity, 23.10,,,,,,
897099, Headache, 23.10, Myalgia, 23.10, Paraesthesia, 23.10,,,,,
897100, Chills, 23.10, Fatigue, 23.10, Pyrexia, 23.10,,,,,
897101, Chills, 23.10, Confusional state, 23.10, Disorientation, 23.10, Headache, 23.10, Lethargy, 23.10
897101, Memory impairment, 23.10, Mobility decreased, 23.10, Speech disorder, 23.10, Tremor, 23.10,,
897102, Dysphagia, 23.10, Erythema, 23.10, Pharyngeal swelling, 23.10,,,,,
897103, Hypoaesthesia, 23.10, Joint range of motion decreased, 23.10, Pain in extremity, 23.10,,,,,
897104, Urticaria, 23.10,,,,,,
897106, Chills, 23.10, Headache, 23.10, Pain in extremity, 23.10, Tremor, 23.10,,
897107, Arthralgia, 23.10, Magnetic resonance imaging brain normal, 23.10, Neuralgia, 23.10, Neuropathy peripheral, 23.10,,

897109,Pain in extremity,23.10,,,,,,,,,
897111,Erythema,23.10,Peripheral swelling,23.10,,,,,
897116,Extra dose administered,23.10,,,,,,,,,
897118,Diarrhoea,23.10,Fatigue,23.10,Headache,23.10,Nausea,23.10,Pain
in extremity,23.10
897118,Retinal detachment,23.10,Visual impairment,23.10,Vomiting,
23.10,,,,,
897119,Injection site pain,23.10,,,,,,,,,
897122,Asthenia,23.10,Balance disorder,23.10,Dizziness,23.10,Frequent
bowel movements,23.10,Nausea,23.10
897123,Chills,23.10,Fatigue,23.10,Feeling cold,23.10,Headache,
23.10,Nausea,23.10
897123,Pain in extremity,23.10,,,,,,,,,
897127,Arthralgia,23.10,Pain,23.10,,,,,
897129,Shoulder injury related to vaccine administration,23.10,,,,,,,,,
897132,Rash,23.10,Rash pruritic,23.10,Skin exfoliation,23.10,,,,,
897134,Injection site erythema,23.10,Injection site irritation,
23.10,Injection site pruritus,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
897137,Injection site rash,23.10,Injection site warmth,23.10,,,,,
897138,Aspiration joint normal,23.10,Injection site swelling,
23.10,Joint fluid drainage,23.10,Product administered at inappropriate
site,23.10,,
897139,Hypoaesthesia,23.10,Pain in extremity,23.10,Paraesthesia,
23.10,,,,,
897143,Chills,23.10,Condition aggravated,23.10,Decreased appetite,
23.10,Fatigue,23.10,Headache,23.10
897143,Hypertension,23.10,Injection site inflammation,23.10,Injection
site rash,23.10,Injection site warmth,23.10,Lethargy,23.10
897143,Peripheral coldness,23.10,Poor peripheral circulation,
23.10,Skin discolouration,23.10,Somnolence,23.10,,
897144,Injection site oedema,23.10,Myalgia,23.10,Peripheral swelling,
23.10,Pyrexia,23.10,SARS-CoV-2 test negative,23.10
897150,COVID-19,23.10,Chills,23.10,Decreased appetite,23.10,Fatigue,
23.10,Headache,23.10
897150,Heart rate increased,23.10,Mobility decreased,23.10,Nausea,
23.10,Pain in extremity,23.10,Pyrexia,23.10
897150,SARS-CoV-2 test positive,23.10,Sinus congestion,23.10,,,,,
897151,Blood creatinine increased,23.10,Blood potassium increased,
23.10,Hyperkalaemia,23.10,Renal failure,23.10,,
897173,Biopsy skin abnormal,23.10,Chills,23.10,Headache,
23.10,Injection site induration,23.10,Injection site necrosis,23.10
897173,Injection site reaction,23.10,Injection site swelling,
23.10,Sensitive skin,23.10,Skin disorder,23.10,Skin operation,23.10
897177,Feeling abnormal,23.10,,,,,,,,,
897178,Blister,23.10,Herpes zoster,23.10,Injection site pain,
23.10,Myalgia,23.10,Product administered at inappropriate site,23.10
897178,Rash macular,23.10,,,,,,,,,
897179,Injection site reaction,23.10,Rash erythematous,23.10,,,,,
897180,Injection site haemorrhage,23.10,Pain in extremity,23.10,,,,,

897181,Joint range of motion decreased,23.10,Pain in extremity,
23.10,Product administered at inappropriate site,23.10,,,,,
897189,Pain in extremity,23.10,,,,,,
897190,Nasopharyngitis,23.10,,,,,,
897191,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,
897192,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,
897193,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,
897194,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,
897195,COVID-19,23.10,,,,,,
897196,Peripheral sensory neuropathy,23.10,,,,,,
897197,Injection site erythema,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,,
897198,Lymphadenopathy,23.10,Ultrasound scan abnormal,23.10,,,,,
897199,Hot flush,23.10,Loss of consciousness,23.10,,,,,
897200,Balance disorder,23.10,Chills,23.10,Gait disturbance,
23.10,Headache,23.10,Pollakiuria,23.10
897200,Tremor,23.10,,,,,,
897201,Pain in extremity,23.10,,,,,,
897202,Injection site erythema,23.10,Injection site pain,23.10,,,,,
897205,Immediate post-injection reaction,23.10,Injection site
swelling,23.10,,,,,
897206,Droling,23.10,Dysphemia,23.10,Enuresis,23.10,,,,,
897207,Discomfort,23.10,Immediate post-injection reaction,
23.10,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Sensory disturbance,23.10
897208,Erythema,23.10,Injection site erythema,23.10,Injection site
swelling,23.10,Malaise,23.10,Nausea,23.10
897208,Peripheral swelling,23.10,Rash,23.10,Rash erythematous,
23.10,,,,,
897211,Computerised tomogram head normal,23.10,Full blood count
normal,23.10,Headache,23.10,Immediate post-injection reaction,
23.10,Metabolic function test normal,23.10
897211,Nausea,23.10,,,,,,
897218,Herpes zoster,23.10,Nightmare,23.10,Pain,23.10,Vaccination
failure,23.10,Visual impairment,23.10
897219,Diplegia,23.10,,,,,,
897220,Illness,23.10,Influenza,23.10,,,,,
897222,Angina pectoris,23.10,Chest pain,23.10,,,,,
897224,Mobility decreased,23.10,,,,,,
897225,Dysphemia,23.10,,,,,,
897226,Erythema,23.10,Pain in extremity,23.10,Pyrexia,23.10,,,,,
897228,Chills,23.10,Headache,23.10,Myalgia,23.10,Nausea,23.10,Pyrexia,
23.10
897229,Vitreous floaters,23.10,,,,,,
897239,Unevaluable event,23.10,,,,,,
897259,Gastroenteritis rotavirus,23.10,Rotavirus infection,

23.10, Rotavirus test positive, 23.10, Vaccination failure, 23.10,,
897261, Pain, 23.10,,,,,,
897263, Pemphigoid, 23.10,,,,,,
897265, Rash, 23.10, Rash maculo-papular, 23.10, Rash pruritic, 23.10,,,,
897267, Pain in extremity, 23.10,,,,,,
897269, Erythema, 23.10, Headache, 23.10, Induration, 23.10, Injection site
bruising, 23.10, Injection site swelling, 23.10
897269, Livedo reticularis, 23.10, Pain in extremity, 23.10, Skin warm,
23.10, Swelling, 23.10, Tenderness, 23.10
897271, Injected limb mobility decreased, 23.10, Injection site mass,
23.10, Injection site pain, 23.10, Pain, 23.10, Pain in extremity, 23.10
897272, Computerised tomogram normal, 23.10, Electroencephalogram normal,
23.10, Endotracheal intubation, 23.10, Intensive care, 23.10, Lumbar
puncture normal, 23.10
897272, Pyrexia, 23.10, Seizure, 23.10,,,,,
897274, Vision blurred, 23.10,,,,,,
897275, Mobility decreased, 23.10, Pain in extremity, 23.10,,,,,
897277, Injection site bruising, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
897279, Abdominal pain upper, 23.10, COVID-19, 23.10, Chills, 23.10, Fatigue,
23.10, Influenza, 23.10
897279, Nausea, 23.10, Pain, 23.10,,,,,
897286, Immediate post-injection reaction, 23.10, Injection site
inflammation, 23.10, Mobility decreased, 23.10, Pain, 23.10, Pain in
extremity, 23.10
897309, Cellulitis, 23.10, Erythema, 23.10, Peripheral swelling, 23.10,,,,
897310, Guillain-Barre syndrome, 23.10, Paralysis, 23.10, Wheelchair user,
23.10,,,,
897311, Diarrhoea, 23.10, Malaise, 23.10, Vomiting, 23.10,,,,
897312, Quadriplegia, 23.10,,,,,,
897313, Influenza, 23.10, Near death experience, 23.10, Nervous system
disorder, 23.10, Respiratory disorder, 23.10,,
897314, Gait inability, 23.10, Movement disorder, 23.10,,,,,
897316, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia,
23.10
897316, Rash, 23.10, SARS-CoV-2 test negative, 23.10,,,,,
897317, Injection site erythema, 23.10, Injection site pruritus,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10,,
897318, Blister, 23.10, Injection site erythema, 23.10, Injection site
swelling, 23.10, Pyrexia, 23.10,,
897319, Chills, 23.10, Gastrointestinal pain, 23.10, Myalgia, 23.10,,,,
897320, Chills, 23.10, Fatigue, 23.10, Pyrexia, 23.10,,,,
897321, Chills, 23.10, Diarrhoea, 23.10, Nausea, 23.10,,,,
897322, Body temperature increased, 23.10, Pyrexia, 23.10, Vomiting,
23.10,,,,
897323, Arthralgia, 23.10, Muscular weakness, 23.10, Pain, 23.10, Product
administered at inappropriate site, 23.10, Vaccination site induration,
23.10
897323, Vaccination site pain, 23.10,,,,,,
897328, Guillain-Barre syndrome, 23.10,,,,,,

897329,Asthenia,23.10,Back pain,23.10,Chills,23.10,Dizziness,
23.10,Fluid intake reduced,23.10
897329,Headache,23.10,Hypophagia,23.10,Influenza,23.10,Myalgia,
23.10,Nausea,23.10
897329,Neck pain,23.10,Presyncope,23.10,,,,,
897330,Expired product administered,23.10,No adverse event,23.10,,,,,
897331,Urticaria,23.10,,,,,
897333,Cyst,23.10,,,,,
897334,Asthenia,23.10,Headache,23.10,,,,,
897336,Electromyogram abnormal,23.10,Guillain-Barre syndrome,
23.10,Nerve conduction studies abnormal,23.10,,,,,
897338,Cellulitis,23.10,,,,,
897339,Chills,23.10,Fatigue,23.10,Pyrexia,23.10,,,,,
897340,Fatigue,23.10,Injection site erythema,23.10,Injection site
pain,23.10,Loss of personal independence in daily activities,
23.10,Sleep disorder,23.10
897341,Arthralgia,23.10,Pain in extremity,23.10,Product administered
at inappropriate site,23.10,,,,,
897343,Injection site pain,23.10,Nerve compression,23.10,Pain in
extremity,23.10,,,,,
897344,Decreased appetite,23.10,Dysstasia,23.10,Eye movement disorder,
23.10,Headache,23.10,Moaning,23.10
897344,Pyrexia,23.10,Skin warm,23.10,,,,,
897345,Asthenia,23.10,Chills,23.10,Decreased appetite,23.10,Fatigue,
23.10,Headache,23.10
897345,Limb discomfort,23.10,Nausea,23.10,Peripheral coldness,
23.10,Tenderness,23.10,Vomiting,23.10
897347,Arthralgia,23.10,Headache,23.10,Pain in extremity,
23.10,Pyrexia,23.10,,
897349,Arthralgia,23.10,Pain,23.10,,,,,
897352,Bronchitis,23.10,Chest pain,23.10,Chills,23.10,Cough,
23.10,Fatigue,23.10
897352,Lethargy,23.10,,,,,
897353,Cough,23.10,Decreased appetite,23.10,Headache,23.10,Migraine,
23.10,Nausea,23.10
897353,Rhinorrhoea,23.10,Weight decreased,23.10,,,,,
897354,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
897355,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
897359,Erythema,23.10,Pain,23.10,Swelling,23.10,,,,,
897363,Blood glucose increased,23.10,Dizziness,23.10,Headache,
23.10,Nausea,23.10,,
897366,Unevaluable event,23.10,,,,,
897367,Bursitis,23.10,Pain in extremity,23.10,,,,,
897369,Dizziness,23.10,Dyskinesia,23.10,Loss of consciousness,
23.10,Skin warm,23.10,Tremor,23.10
897370,Guillain-Barre syndrome,23.10,Lumbar puncture abnormal,
23.10,,,,,
897372,Mobility decreased,23.10,Pain in extremity,23.10,Product

administered at inappropriate site,23.10,Tendonitis,23.10,,
897373,Eyelid rash,23.10,Headache,23.10,Nasal congestion,23.10,,,,,
897375,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,,,,,,
897376,Dizziness,23.10,Fall,23.10,Loss of consciousness,23.10,Nausea,
23.10,Restlessness,23.10
897376,Somnolence,23.10,,,,,,,
897380,Dizziness,23.10,Peripheral swelling,23.10,Tremor,23.10,Vision
blurred,23.10,,
897385,Headache,23.10,Retching,23.10,Vomiting,23.10,,,,,
897387,Injection site pain,23.10,,,,,,,
897388,Pruritus,23.10,Rash,23.10,Rash maculo-papular,23.10,,,,,
897390,Abdominal distension,23.10,Arthralgia,23.10,Asthenia,
23.10,Fatigue,23.10,Muscle discomfort,23.10
897390,Muscle strain,23.10,Pain,23.10,Pyrexia,23.10,,,,,
897414,Arthralgia,23.10,Back pain,23.10,Chills,23.10,Fatigue,
23.10,Hyperhidrosis,23.10
897414,Injection site pain,23.10,Nausea,23.10,Pain in extremity,
23.10,Rash erythematous,23.10,,
897421,Anaphylactic reaction,23.10,,,,,,,
897425,Pneumonia,23.10,,,,,,,
897426,Impaired work ability,23.10,Streptococcal infection,
23.10,Streptococcus test positive,23.10,Upper respiratory tract
infection,23.10,,
897427,Pertussis,23.10,,,,,,,
897430,Injection site pain,23.10,,,,,,,
897431,Loss of consciousness,23.10,Syncope,23.10,,,,,,
897432,Dizziness,23.10,Fatigue,23.10,Feeling abnormal,23.10,Injection
site pain,23.10,Injection site reaction,23.10
897432,Near death experience,23.10,Pain,23.10,Throat irritation,
23.10,Vaccination site discomfort,23.10,,
897433,Joint swelling,23.10,Loss of personal independence in daily
activities,23.10,Mobility decreased,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10
897434,Exposure during pregnancy,23.10,Subchorionic haematoma,
23.10,Thrombocytopenia,23.10,,,,,
897436,Syringe issue,23.10,Underdose,23.10,,,,,,
897446,Influenza,23.10,,,,,,,
897447,Exposure during pregnancy,23.10,No adverse event,23.10,Syringe
issue,23.10,Underdose,23.10,,
897449,Injection site rash,23.10,,,,,,,
897451,Dizziness,23.10,Vertigo,23.10,Vision blurred,23.10,Visual
impairment,23.10,,
897452,Injection site nodule,23.10,Pain,23.10,Pain in extremity,
23.10,,,,,
897453,Nodule,23.10,,,,,,,
897454,Injection site erythema,23.10,Injection site pain,23.10,,,,,,
897455,Mobility decreased,23.10,Sleep disorder,23.10,,,,,,
897467,Cardiac failure congestive,23.10,Condition aggravated,
23.10,,,,,,

897468, Influenza, 23.10, Vaccination failure, 23.10, , , , , , ,
897469, Pertussis, 23.10, Vaccination failure, 23.10, , , , , , ,
897473, Atypical pneumonia, 23.10, Bronchitis, 23.10, Influenza, 23.10, , , , ,
897474, No adverse event, 23.10, Product distribution issue, 23.10, , , , , , ,
897476, Cervical spinal stenosis, 23.10, Hypoaesthesia,
23.10, Intervertebral disc operation, 23.10, Paraesthesia, 23.10, , ,
897480, Hyperaemia, 23.10, Influenza, 23.10, Lymphadenopathy, 23.10, Nodule,
23.10, Ultrasound scan abnormal, 23.10
897480, X-ray limb abnormal, 23.10, , , , , , , , ,
897481, Asthenia, 23.10, Blood glucose, 23.10, Electrocardiogram, 23.10, Full
blood count, 23.10, Hypersensitivity, 23.10
897481, Metabolic function test, 23.10, Presyncope, 23.10, Rash,
23.10, Syncope, 23.10, Troponin, 23.10
897482, Swelling, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
897488, Hypoaesthesia oral, 23.10, Injection site erythema,
23.10, Injection site swelling, 23.10, Peripheral swelling, 23.10, Swollen
tongue, 23.10
897490, Chills, 23.10, Hypotension, 23.10, Pyrexia, 23.10, Syncope,
23.10, White blood cell count, 23.10
897513, Blood disorder, 23.10, , , , , , , , ,
897517, Pneumonia, 23.10, , , , , , , , ,
897518, No adverse event, 23.10, Underdose, 23.10, , , , , , ,
897519, Erythema, 23.10, Pustule, 23.10, Rash erythematous, 23.10, , , , ,
897521, Dyspnoea, 23.10, Mouth swelling, 23.10, , , , , , ,
897523, Blood calcium normal, 23.10, Blood chloride normal, 23.10, Blood
cholesterol normal, 23.10, Blood creatine phosphokinase normal,
23.10, Blood creatinine normal, 23.10
897523, Blood glucose normal, 23.10, Blood magnesium normal, 23.10, Blood
phosphorus decreased, 23.10, Blood potassium normal, 23.10, Blood sodium
normal, 23.10
897523, Blood thyroid stimulating hormone decreased, 23.10, Blood
triglycerides increased, 23.10, Blood urea normal, 23.10, Buttock injury,
23.10, CSF glucose normal, 23.10
897523, CSF protein increased, 23.10, CSF white blood cell count
negative, 23.10, Carbon dioxide normal, 23.10, Computerised tomogram head
normal, 23.10, Fall, 23.10
897523, Glycosylated haemoglobin normal, 23.10, Guillain-Barre syndrome,
23.10, Haematocrit normal, 23.10, Haematuria, 23.10, Haemoglobin normal,
23.10
897523, Headache, 23.10, High density lipoprotein normal,
23.10, Hypertensive urgency, 23.10, Hypoaesthesia, 23.10, Immunoglobulin
therapy, 23.10
897523, Low density lipoprotein normal, 23.10, Magnetic resonance imaging
spinal normal, 23.10, Mean cell volume normal, 23.10, Muscular weakness,
23.10, Myalgia, 23.10
897523, Nitrite urine absent, 23.10, Peripheral sensorimotor neuropathy,
23.10, Platelet count increased, 23.10, Urine analysis abnormal,
23.10, Urine leukocyte esterase, 23.10
897523, White blood cell count increased, 23.10, , , , , , , , ,
897525, Injection site induration, 23.10, Injection site pain,

23.10, Injection site warmth, 23.10, , , , ,
897526, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , ,
897527, Erythema, 23.10, Pruritus, 23.10, , , , , , ,
897534, Guillain-Barre syndrome, 23.10, Intensive care, 23.10, Mechanical
ventilation, 23.10, Paralysis, 23.10, Pneumonia bacterial, 23.10
897534, Sepsis, 23.10, Tracheostomy, 23.10, , , , , , ,
897535, Guillain-Barre syndrome, 23.10, Pain, 23.10, Paralysis, 23.10, , , , ,
897538, Injected limb mobility decreased, 23.10, Muscle injury,
23.10, Muscle spasms, 23.10, Musculoskeletal discomfort, 23.10, Pain, 23.10
897539, Blood pressure decreased, 23.10, Immediate post-injection
reaction, 23.10, Syncope, 23.10, , , , , ,
897540, Injection site bruising, 23.10, Injection site discolouration,
23.10, Yellow skin, 23.10, , , , , ,
897543, Asthenia, 23.10, Discomfort, 23.10, Pain in extremity, 23.10, Sleep
disorder, 23.10, , ,
897545, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, , , , , , ,
897549, Arthralgia, 23.10, Blood test, 23.10, Cardiac monitoring,
23.10, Computerised tomogram, 23.10, Ear disorder, 23.10
897549, Facial pain, 23.10, Headache, 23.10, Hypoaesthesia,
23.10, Hypoaesthesia eye, 23.10, Magnetic resonance imaging, 23.10
897549, Pain, 23.10, Paraesthesia, 23.10, Sinus disorder, 23.10, , , , ,
897551, Erythema, 23.10, Peripheral swelling, 23.10, , , , , , ,
897552, Product administered to patient of inappropriate age,
23.10, , , , , , , , , ,
897553, Cough, 23.10, Rash, 23.10, Urticaria, 23.10, , , , , ,
897554, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
897557, Arthralgia, 23.10, Bursitis, 23.10, , , , , , ,
897558, Dry eye, 23.10, Facial paralysis, 23.10, Trismus, 23.10, , , , , ,
897559, Arthropathy, 23.10, Influenza like illness, 23.10, Myalgia,
23.10, Nausea, 23.10, Pyrexia, 23.10
897559, Vaccination complication, 23.10, , , , , , , , , ,
897561, No adverse event, 23.10, , , , , , , , , ,
897562, Inappropriate schedule of product administration, 23.10, No
adverse event, 23.10, , , , , , , , , ,
897563, Death, 23.10, , , , , , , , , ,
897565, Asthenia, 23.10, Confusional state, 23.10, Fatigue, 23.10, Injection
site warmth, 23.10, Walking aid user, 23.10
897566, Inflammation, 23.10, Pain, 23.10, Pain in extremity,
23.10, Tenderness, 23.10, , ,
897567, Throat tightness, 23.10, , , , , , , , , ,
897570, Blood test normal, 23.10, Cardiac monitoring normal, 23.10, Cardiac
stress test normal, 23.10, Computerised tomogram normal,
23.10, Electrocardiogram normal, 23.10
897570, Electroencephalogram normal, 23.10, Road traffic accident,
23.10, Syncope, 23.10, Ultrasound scan normal, 23.10, X-ray normal, 23.10
897575, Culture negative, 23.10, Pyrexia, 23.10, Rash, 23.10, , , , , ,
897577, Arthralgia, 23.10, , , , , , , , , ,
897578, Nausea, 23.10, Pallor, 23.10, Syncope, 23.10, Vomiting, 23.10, , ,
897579, Dizziness, 23.10, Fall, 23.10, Nervousness, 23.10, Syncope, 23.10, , ,

897581,Pain in extremity,23.10,,,,,,,,,
897583,Injected limb mobility decreased,23.10,Injection site bruising,
23.10,Injection site discolouration,23.10,Neck pain,23.10,Pain in
extremity,23.10
897584,Injection site erythema,23.10,Injection site irritation,
23.10,Injection site swelling,23.10,,,,,
897585,Immediate post-injection reaction,23.10,Injection site
haemorrhage,23.10,Pain,23.10,,,,,
897591,Rash,23.10,Rash pruritic,23.10,Skin test,23.10,,,,,
897592,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Urticaria,23.10,,
897595,Pain in extremity,23.10,,,,,,,,,
897597,Erythema,23.10,Peripheral swelling,23.10,Skin warm,23.10,,,,,
897601,Back pain,23.10,Erythema,23.10,Fatigue,23.10,Inflammation,
23.10,Intra-uterine contraceptive device removal,23.10
897601,Malaise,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Skin warm,23.10,Smear cervix,23.10
897618,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,,,,,
897619,Clostridium difficile colitis,23.10,Fatigue,23.10,Feeling
abnormal,23.10,Feeling cold,23.10,Gait disturbance,23.10
897619,General physical health deterioration,23.10,Immune system
disorder,23.10,Infectious mononucleosis,23.10,Influenza like illness,
23.10,Nerve injury,23.10
897619,Pneumonia,23.10,Postural orthostatic tachycardia syndrome,
23.10,Tremor,23.10,Upper respiratory tract infection,23.10,,
897622,Abdominal discomfort,23.10,Arthropod bite,23.10,Product
prescribing error,23.10,,,,,
897627,Herpes zoster,23.10,Vaccination failure,23.10,,,,,,,,,
897629,Treponema test negative,23.10,,,,,,,,,
897630,Influenza,23.10,,,,,,,,,
897632,Dizziness,23.10,Vomiting,23.10,,,,,,,,,
897633,Incorrect route of product administration,23.10,,,,,,,,,
897634,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,,,,,
897635,Muscular weakness,23.10,Pain in extremity,23.10,Sleep disorder,
23.10,,,,,
897636,Diarrhoea,23.10,,,,,,,,,
897642,Abdominal discomfort,23.10,Asthenia,23.10,Chills,
23.10,Headache,23.10,Pyrexia,23.10
897646,Death,23.10,,,,,,,,,
897650,Accidental exposure to product,23.10,No adverse event,
23.10,,,,,,,,,
897651,Exposure during pregnancy,23.10,Extra dose administered,
23.10,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,
897654,Extra dose administered,23.10,No adverse event,23.10,,,,,,,,,
897655,Headache,23.10,Injection site pain,23.10,Insomnia,23.10,Nausea,
23.10,Pruritus,23.10
897655,Rash,23.10,,,,,,,,,
897656,Asthenia,23.10,Joint instability,23.10,Pain,23.10,Tendonitis,

23.10,,
897657,Injection site erythema,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Pyrexia,23.10,Vaccination site oedema,
23.10
897657,Vaccination site pain,23.10,Vaccination site swelling,
23.10,Vaccination site warmth,23.10,,,,,
897659,Headache,23.10,Vision blurred,23.10,,,,,
897661,Injection site rash,23.10,Injection site swelling,23.10,,,,,
897662,Injection site rash,23.10,Rash,23.10,,,,,
897663,Injection site pain,23.10,,,,,
897667,Eye pain,23.10,Eye swelling,23.10,Lacrimation increased,
23.10,Ocular hyperaemia,23.10,Ophthalmological examination,23.10
897667,Pupil dilation procedure,23.10,Visual impairment,23.10,,,,,
897685,Pertussis,23.10,Vaccination failure,23.10,,,,,
897686,Allergy to vaccine,23.10,Attention deficit hyperactivity
disorder,23.10,Generalised tonic-clonic seizure,23.10,Seizure,23.10,,
897687,Allergy to vaccine,23.10,Attention deficit hyperactivity
disorder,23.10,Epilepsy,23.10,Generalised tonic-clonic seizure,
23.10,Near death experience,23.10
897691,Malaise,23.10,,,,,
897692,Bronchitis,23.10,Cough,23.10,Pneumonia,23.10,,,,
897693,Paraplegia,23.10,,,,,
897694,Influenza,23.10,,,,,
897695,Chronic obstructive pulmonary disease,23.10,Condition
aggravated,23.10,Dyspnoea,23.10,Injection site erythema,
23.10,Injection site inflammation,23.10
897695,Injection site pain,23.10,Injection site rash,23.10,,,,,
897696,Unevaluable event,23.10,,,,,
897697,Injection site pain,23.10,Injection site pruritus,
23.10,Injection site rash,23.10,Injection site warmth,23.10,Rash
erythematous,23.10
897698,Erythema,23.10,Injection site erythema,23.10,Skin warm,
23.10,Swelling,23.10,Vaccination site inflammation,23.10
897698,Vaccination site swelling,23.10,Vaccination site warmth,
23.10,,,,,
897699,No adverse event,23.10,Wrong product administered,23.10,,,,,
897701,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,
897702,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,No
adverse event,23.10
897702,Pruritus,23.10,,,,,
897705,Pain,23.10,Pain in extremity,23.10,,,,,
897707,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Neck pain,23.10,Pain,23.10,Pain in extremity,23.10
897708,Fatigue,23.10,Injection site pain,23.10,,,,,
897713,Pruritus,23.10,Urticaria,23.10,,,,,
897715,Abdominal pain,23.10,Full blood count normal,23.10,Headache,
23.10,Lip discolouration,23.10,Loss of consciousness,23.10
897715,Metabolic function test normal,23.10,Pallor,23.10,Unresponsive

to stimuli,23.10,Urine analysis normal,23.10,,
897718,Cervical spinal cord paralysis,23.10,Cough,23.10,Cytogenetic
analysis abnormal,23.10,Ear infection,23.10,Electroencephalogram
abnormal,23.10
897718,Epilepsy,23.10,Facial paralysis,23.10,Hemiplegia,23.10,Magnetic
resonance imaging normal,23.10,Malaise,23.10
897718,Mobility decreased,23.10,Musculoskeletal stiffness,
23.10,Partial seizures,23.10,Rhinorrhoea,23.10,Seizure,23.10
897718,Tic,23.10,Unresponsive to stimuli,23.10,,,,,
897719,Rash,23.10,Rash macular,23.10,,,,,
897720,Injected limb mobility decreased,23.10,Injection site
induration,23.10,Injection site pain,23.10,Shoulder injury related to
vaccine administration,23.10,,
897721,Blood glucose normal,23.10,Dizziness,23.10,Face injury,
23.10,Headache,23.10,Loss of consciousness,23.10
897722,Blood pressure increased,23.10,Headache,23.10,Heart rate
increased,23.10,Nausea,23.10,Retching,23.10
897722,Tremor,23.10,,,,,
897728,Abdominal pain upper,23.10,Headache,23.10,Lymphadenopathy,
23.10,Oropharyngeal pain,23.10,Pyrexia,23.10
897728,Vomiting,23.10,,,,,
897736,Pain in extremity,23.10,,,,,
897737,Rash papular,23.10,,,,,
897745,Illness,23.10,Pallor,23.10,,,,,
897749,Mobility decreased,23.10,Pain,23.10,,,,,
897750,Body temperature increased,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,Injection site warmth,23.10,,
897754,Injection site pain,23.10,Injection site swelling,23.10,,,,,
897756,Injection site erythema,23.10,Injection site warmth,23.10,,,,,
897761,Balance disorder,23.10,Blister,23.10,Deafness unilateral,
23.10,Dizziness,23.10,Facial paralysis,23.10
897761,Herpes zoster,23.10,Herpes zoster oticus,23.10,Hypoacusis,
23.10,Nausea,23.10,Tinnitus,23.10
897761,Vertigo,23.10,Vision blurred,23.10,Visual impairment,23.10,,,,
897762,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
897763,Injection site rash,23.10,Pain,23.10,Swelling,23.10,,,,
897772,Condition aggravated,23.10,Pyrexia,23.10,Rash,23.10,,,,
897773,Injection site pain,23.10,Pain in extremity,23.10,,,,,
897777,Syncope,23.10,,,,,
897778,Blister,23.10,Erythema,23.10,Injection site erosion,
23.10,Injection site plaque,23.10,Injection site vesicles,23.10
897779,Arthritis reactive,23.10,Vaccination complication,23.10,,,,,
897780,Diarrhoea,23.10,Erythema,23.10,Injection site erythema,
23.10,Peripheral swelling,23.10,,
897783,Asthenia,23.10,Pain,23.10,Pyrexia,23.10,,,,
897786,Body temperature increased,23.10,Chills,23.10,Fatigue,
23.10,Hallucination,23.10,Pyrexia,23.10
897788,Unevaluable event,23.10,,,,,
897790,Blood calcium normal,23.10,Blood creatine phosphokinase
increased,23.10,Muscle spasms,23.10,Myoglobin urine present,23.10,,

897791, Abdominal pain, 23.10, Arthralgia, 23.10, Body temperature increased, 23.10, Chest pain, 23.10, Dyspepsia, 23.10
897791, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10, Retching, 23.10
897793, Pain, 23.10, Product administered at inappropriate site, 23.10, , , , , ,
897794, Pain in extremity, 23.10, , , , , , ,
897795, Blood creatine phosphokinase increased, 23.10, Haematuria, 23.10, Muscle spasms, 23.10, Myoglobin blood, 23.10, Urticaria, 23.10
897796, Bursitis, 23.10, Pregnancy, 23.10, , , , , ,
897804, Arthralgia, 23.10, Pain in extremity, 23.10, , , , , ,
897808, Injected limb mobility decreased, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , , , ,
897810, Injection site pain, 23.10, , , , , , ,
897811, Pyrexia, 23.10, Seizure, 23.10, , , , , ,
897816, Erythema, 23.10, Skin warm, 23.10, , , , , ,
897818, Autism spectrum disorder, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10, Encephalitis, 23.10, Lethargy, 23.10
897818, Pyrexia, 23.10, Rash, 23.10, Rash erythematous, 23.10, , , ,
897819, Injection site rash, 23.10, Rash, 23.10, , , , , ,
897820, Swelling face, 23.10, Urticaria, 23.10, , , , , ,
897822, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, , ,
897823, Musculoskeletal stiffness, 23.10, Myalgia, 23.10, Pain, 23.10, , , , ,
897827, Blood glucose normal, 23.10, Dysstasia, 23.10, Electrocardiogram normal, 23.10, Electroencephalogram normal, 23.10, Eye movement disorder, 23.10
897827, Fall, 23.10, Feeling abnormal, 23.10, Gait disturbance, 23.10, Glassy eyes, 23.10, Grip strength decreased, 23.10
897827, Hypotonia, 23.10, Loss of consciousness, 23.10, , , , , ,
897830, Fatigue, 23.10, Muscular weakness, 23.10, Nausea, 23.10, Urinary incontinence, 23.10, ,
897831, Arthralgia, 23.10, Joint swelling, 23.10, Muscle spasms, 23.10, , , , ,
897835, Cardiac pacemaker evaluation, 23.10, Dyspnoea, 23.10, Electrocardiogram, 23.10, Fatigue, 23.10, Hypersomnia, 23.10
897835, Pain in extremity, 23.10, Peripheral swelling, 23.10, Syncope, 23.10, Ultrasound Doppler, 23.10, Weight increased, 23.10
897836, Condition aggravated, 23.10, Seizure, 23.10, , , , , ,
897838, Arthralgia, 23.10, Fatigue, 23.10, Mobility decreased, 23.10, Somnolence, 23.10, ,
897840, Arthralgia, 23.10, Asthenia, 23.10, Blister, 23.10, Rash, 23.10, Urticaria, 23.10
897841, Myalgia, 23.10, Pain in extremity, 23.10, , , , , ,
897843, Abdominal pain, 23.10, Abdominal pain upper, 23.10, Chills, 23.10, Headache, 23.10, Nausea, 23.10
897843, Vomiting, 23.10, , , , , , ,
897850, Pain, 23.10, , , , , , ,
897851, Headache, 23.10, Hypoaesthesia, 23.10, Lethargy, 23.10, Muscle spasms, 23.10, Pain, 23.10
897851, Pyrexia, 23.10, , , , , , ,
897854, Headache, 23.10, Injection site swelling, 23.10, Lethargy,

23.10,Pain in extremity,23.10,,
897857,Erythema,23.10,Hypersensitivity,23.10,Inflammation,23.10,Pain,
23.10,Skin warm,23.10
897857,Swelling,23.10,,,,,
897858,Injection site bruising,23.10,Injection site pain,23.10,,,,,
897859,Erythema,23.10,Irritability,23.10,Skin warm,23.10,,,,,
897860,Pain,23.10,Pain in extremity,23.10,Tenderness,23.10,,,,,
897862,Dizziness,23.10,,,,,
897864,Asthenia,23.10,Chills,23.10,Headache,23.10,Myalgia,
23.10,Nausea,23.10
897864,Pyrexia,23.10,,,,,
897865,Dizziness,23.10,,,,,
897868,Febrile convulsion,23.10,,,,,
897870,Injection site extravasation,23.10,Injection site rash,
23.10,Injection site swelling,23.10,Scratch,23.10,Skin wound,23.10
897871,Amnesia,23.10,Asthenia,23.10,Moaning,23.10,Pain,23.10,Pain in
extremity,23.10
897871,Pyrexia,23.10,Sleep talking,23.10,,,,,
897872,Injection site bruising,23.10,Injection site erythema,
23.10,Injection site induration,23.10,Injection site swelling,
23.10,Injection site warmth,23.10
897873,Pain,23.10,Tenderness,23.10,,,,,
897875,Dizziness,23.10,Fall,23.10,Nausea,23.10,Syncope,23.10,,
897878,Injection site erythema,23.10,Injection site nodule,
23.10,Injection site swelling,23.10,,,,,
897879,Feeling abnormal,23.10,Nausea,23.10,Pruritus,23.10,,,,,
897885,CSF protein increased,23.10,CSF white blood cell count
increased,23.10,Meningitis aseptic,23.10,Mononuclear cell percentage,
23.10,Polymerase chain reaction,23.10
897893,Blister,23.10,Nasal mucosal blistering,23.10,,,,,
897895,Pain,23.10,Rash,23.10,,,,,
897897,Burning sensation,23.10,Diarrhoea,23.10,Dysgeusia,23.10,Gastric
disorder,23.10,Headache,23.10
897897,Hypoaesthesia,23.10,Muscular weakness,23.10,Neuralgia,
23.10,Paraesthesia,23.10,,
897900,Mobility decreased,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
897904,Ear pruritus,23.10,Eye pruritus,23.10,Injection site pruritus,
23.10,Peripheral swelling,23.10,Pruritus genital,23.10
897904,Skin warm,23.10,Sleep disorder,23.10,,,,,
897905,Blood test,23.10,Cardiac stress test,23.10,Chest X-ray,
23.10,Chest discomfort,23.10,Chills,23.10
897905,Echocardiogram,23.10,Electrocardiogram,23.10,Fear,
23.10,Headache,23.10,Hypopnoea,23.10
897905,Nausea,23.10,Pyrexia,23.10,,,,,
897907,Blood test,23.10,Chapped lips,23.10,Fall,23.10,Headache,
23.10,Stress,23.10
897907,Syncope,23.10,,,,,
897909,Blood culture,23.10,C-reactive protein normal,23.10,Febrile
convulsion,23.10,Full blood count,23.10,Influenza virus test negative,
23.10

897909,Lymphocyte percentage,23.10,Magnetic resonance imaging brain normal,23.10,Metabolic function test normal,23.10,Monocyte percentage increased,23.10,Neutrophil percentage decreased,23.10
897909,Platelet count normal,23.10,Pyrexia,23.10,Respiratory syncytial virus test negative,23.10,SARS-CoV-2 test negative,23.10,Seizure,23.10
897909,Urine analysis normal,23.10,White blood cell count decreased,23.10,,,,,
897912,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
897913,Injection site pain,23.10,,,,,
897915,Injection site pain,23.10,,,,,
897916,Dizziness,23.10,Dyspnoea,23.10,Loss of consciousness,23.10,Muscular weakness,23.10,,
897918,Diarrhoea,23.10,,,,,
897921,Heart rate increased,23.10,,,,,
897924,Mobility decreased,23.10,Pain in extremity,23.10,Sleep disorder,23.10,,,,,
897927,Joint range of motion decreased,23.10,Pain in extremity,23.10,,,,,
897934,Electrocardiogram normal,23.10,Headache,23.10,Myalgia,23.10,Neck pain,23.10,Sleep disorder,23.10
897953,Eye pain,23.10,Eyelid rash,23.10,Nodule,23.10,Rash,23.10,Skin lesion,23.10
897953,Skin mass,23.10,,,,,
897955,Intensive care,23.10,Mumps,23.10,Obstructive airways disorder,23.10,Parotitis,23.10,Polymerase chain reaction positive,23.10
897955,Rubulavirus test positive,23.10,Smear buccal abnormal,23.10,Vaccination failure,23.10,,,,,
897956,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
897960,Adenovirus test positive,23.10,Arthralgia,23.10,C-reactive protein increased,23.10,Complement factor C3,23.10,Complement factor C4,23.10
897960,Complement factor normal,23.10,Joint swelling,23.10,Procalcitonin increased,23.10,Pyrexia,23.10,Red blood cell sedimentation rate increased,23.10
897960,Respiratory viral panel,23.10,Serum sickness-like reaction,23.10,Urticaria,23.10,,,,,
897963,Blindness,23.10,,,,,
897964,Herpes zoster,23.10,,,,,
897965,Herpes zoster,23.10,,,,,
897966,Herpes zoster,23.10,,,,,
897967,Herpes zoster,23.10,,,,,
897968,Herpes zoster,23.10,,,,,
897969,Deafness,23.10,Herpes zoster,23.10,,,,,
897970,Macular degeneration,23.10,,,,,
897971,Mumps,23.10,Mumps antibody test positive,23.10,Parotitis,23.10,Pyrexia,23.10,Vaccination failure,23.10
897977,Mumps,23.10,Mumps antibody test positive,23.10,Vaccination failure,23.10,,,,,
897978,Nasal congestion,23.10,Nasal discomfort,23.10,,,,,
897979,Guillain-Barre syndrome,23.10,Immediate post-injection

reaction,23.10,Malaise,23.10,,,,,
897980,Contraindicated product administered,23.10,Documented hypersensitivity to administered product,23.10,Nonspecific reaction, 23.10,,,,,
897986,Extra dose administered,23.10,Inappropriate schedule of product administration,23.10,Local reaction,23.10,Swelling,23.10,,
897987,No adverse event,23.10,Product distribution issue,23.10,Product storage error,23.10,,,,,
897988,No adverse event,23.10,Product distribution issue,23.10,Product storage error,23.10,,,,,
897990,Pain,23.10,,,,,,
897991,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,,
897993,Colectomy total,23.10,Colitis ulcerative,23.10,,,,,,
897994,Injection site pain,23.10,Pain,23.10,,,,,,
898003,Seizure,23.10,,,,,,
898004,Herpes zoster,23.10,Laboratory test,23.10,Rash, 23.10,Vaccination failure,23.10,,
898005,Appetite disorder,23.10,Arthralgia,23.10,Asthenia,23.10,Chills, 23.10,Feeling cold,23.10
898005,Feeling hot,23.10,Gait disturbance,23.10,Hyperhidrosis, 23.10,Mobility decreased,23.10,Muscular weakness,23.10
898005,Nervousness,23.10,Night sweats,23.10,Pain,23.10,Renal pain, 23.10,Spinal pain,23.10
898005,Thirst,23.10,,,,,,
898007,Abdominal pain upper,23.10,Chills,23.10,Diarrhoea, 23.10,Dysuria,23.10,Fatigue,23.10
898007,Malaise,23.10,Pain in extremity,23.10,Urinary tract infection, 23.10,Urine abnormality,23.10,Urine analysis,23.10
898009,Rash,23.10,Urticaria,23.10,,,,,
898010,Burning sensation,23.10,Rash,23.10,Rash erythematous,23.10,Rash macular,23.10,,
898012,Injection site pain,23.10,Pain,23.10,,,,,
898013,Antibody test positive,23.10,Autoimmune hepatitis,23.10,Biopsy liver abnormal,23.10,Blood immunoglobulin G increased, 23.10,Escherichia test positive,23.10
898013,Fatigue,23.10,Full blood count normal,23.10,Hepatitis, 23.10,Hepatitis acute,23.10,Jaundice,23.10
898013,Liver function test abnormal,23.10,Liver injury,23.10,Ocular icterus,23.10,Pallor,23.10,Urinary tract infection,23.10
898013,Urine analysis abnormal,23.10,Urine bilirubin increased, 23.10,Urine odour abnormal,23.10,,,,,
898014,Papule,23.10,,,,,,
898027,Arthralgia,23.10,Erythema,23.10,Feeling hot,23.10,Joint dislocation,23.10,Mobility decreased,23.10
898027,Musculoskeletal stiffness,23.10,Neck pain,23.10,Pain,23.10,,,,,
898029,Illness,23.10,,,,,,
898030,Illness,23.10,Vaccine positive rechallenge,23.10,,,,,
898031,Influenza,23.10,Vaccination failure,23.10,,,,,
898038,Erythema,23.10,Peripheral swelling,23.10,Rash,23.10,,,,,

898040,Blood thyroid stimulating hormone,23.10,Diarrhoea,
23.10,Metabolic function test,23.10,Muscle spasms,23.10,Muscle
tightness,23.10
898040,Pain,23.10,Rhinorrhoea,23.10,Vomiting,23.10,,,,,
898043,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
898044,Arthralgia,23.10,Mobility decreased,23.10,,,,,
898046,Alcohol test positive,23.10,Cellulitis,23.10,,,,,
898047,Chills,23.10,Dizziness,23.10,Feeling cold,23.10,Injection site
bruising,23.10,Injection site erythema,23.10
898047,Injection site pain,23.10,Malaise,23.10,Peripheral coldness,
23.10,SARS-CoV-2 antibody test,23.10,Vertigo,23.10
898048,Constipation,23.10,Feeling abnormal,23.10,Pyrexia,23.10,,,,,
898051,Cellulitis,23.10,Malaise,23.10,Peripheral swelling,23.10,,,,,
898054,Discomfort,23.10,Dyspnoea,23.10,Dysstasia,23.10,Emotional
distress,23.10,Muscle spasms,23.10
898054,Respiratory rate increased,23.10,Spinal pain,23.10,,,,,
898056,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pruritus,23.10,Injection site rash,
23.10,Injection site swelling,23.10
898077,Arthralgia,23.10,Dizziness,23.10,Fatigue,23.10,Feeling
abnormal,23.10,Headache,23.10
898077,Palpitations,23.10,Pyrexia,23.10,,,,,
898089,Influenza like illness,23.10,,,,,
898091,Axillary pain,23.10,Hypokinesia,23.10,Injected limb mobility
decreased,23.10,Injection site erythema,23.10,Injection site mass,
23.10
898091,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Nausea,23.10,Pyrexia,23.10
898097,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,
898098,No adverse event,23.10,Syringe issue,23.10,,,,,
898099,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
898105,Joint range of motion decreased,23.10,Pain in extremity,
23.10,,,,,
898108,Chills,23.10,Fatigue,23.10,Feeding disorder,23.10,Injection
site erythema,23.10,Injection site pruritus,23.10
898108,Injection site swelling,23.10,Injection site warmth,
23.10,Myalgia,23.10,Pain,23.10,,
898109,Muscular weakness,23.10,Pain in extremity,23.10,,,,,
898117,Guillain-Barre syndrome,23.10,Pain,23.10,Paralysis,23.10,,,,,
898124,Chills,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10,Tachycardia,
23.10
898126,Dizziness,23.10,Headache,23.10,Nausea,23.10,Neck pain,23.10,,
898129,Guillain-Barre syndrome,23.10,,,,,
898131,Loss of consciousness,23.10,,,,,
898132,Chills,23.10,Pain,23.10,Pyrexia,23.10,Sleep disorder,
23.10,Tremor,23.10
898133,Erythema,23.10,Pruritus,23.10,Skin warm,23.10,Urticaria,
23.10,Vomiting,23.10

898134, Injection site pain, 23.10, X-ray, 23.10, , , , , ,
898138, Cellulitis, 23.10, Chills, 23.10, Fatigue, 23.10, Injection site
erythema, 23.10, Injection site swelling, 23.10
898138, Oedema peripheral, 23.10, Pyrexia, 23.10, , , , , ,
898140, Syncope, 23.10, , , , , , ,
898144, Injection site rash, 23.10, , , , , , ,
898146, Injection site pain, 23.10, Pain, 23.10, Pain in extremity,
23.10, , , , ,
898147, Cough, 23.10, Eye pruritus, 23.10, Eyelid margin crusting,
23.10, Fatigue, 23.10, Headache, 23.10
898147, Lacrimation increased, 23.10, Lip swelling, 23.10, Oropharyngeal
pain, 23.10, , , , ,
898151, Pyrexia, 23.10, Seizure, 23.10, , , , , , ,
898155, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
898157, Arthralgia, 23.10, Immediate post-injection reaction,
23.10, Injection site pain, 23.10, Musculoskeletal discomfort, 23.10, Pain,
23.10
898157, Product administered at inappropriate site, 23.10, , , , , , ,
898158, Arthralgia, 23.10, Chills, 23.10, Mobility decreased,
23.10, Musculoskeletal stiffness, 23.10, Neck pain, 23.10
898158, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pyrexia,
23.10, , , , ,
898159, Joint injury, 23.10, Pain, 23.10, , , , , , ,
898160, Hypoglycaemia, 23.10, Malaise, 23.10, Nervousness, 23.10, , , , ,
898161, Dizziness, 23.10, Loss of consciousness, 23.10, Road traffic
accident, 23.10, , , , , ,
898162, Dyspnoea, 23.10, Nausea, 23.10, Oropharyngeal pain, 23.10, Skin
discolouration, 23.10, Throat tightness, 23.10
898163, Dizziness, 23.10, Eye movement disorder, 23.10, Seizure,
23.10, Syncope, 23.10, , ,
898165, Injection site joint inflammation, 23.10, Injection site joint
pain, 23.10, , , , , , ,
898166, Pain in extremity, 23.10, , , , , , , ,
898167, Injection site pain, 23.10, Pruritus, 23.10, Urticaria, 23.10, , , , ,
898172, Heart rate increased, 23.10, , , , , , , ,
898176, Endotracheal intubation, 23.10, Guillain-Barre syndrome,
23.10, Intensive care, 23.10, Laboratory test, 23.10, Lumbar puncture, 23.10
898176, Magnetic resonance imaging, 23.10, Paralysis, 23.10, Respiratory
disorder, 23.10, X-ray, 23.10, , ,
898187, Herpes zoster, 23.10, Post herpetic neuralgia, 23.10, , , , , , ,
898189, Herpes zoster, 23.10, Neurological symptom, 23.10, Pneumonia,
23.10, , , , , ,
898190, Deafness, 23.10, , , , , , , ,
898191, Balance disorder, 23.10, Demyelination, 23.10, Herpes zoster,
23.10, Post herpetic neuralgia, 23.10, Visual impairment, 23.10
898196, Illness, 23.10, , , , , , , ,
898197, Bronchitis, 23.10, Decreased immune responsiveness, 23.10, Malaise,
23.10, , , , , ,
898198, Illness, 23.10, , , , , , , ,
898199, Illness, 23.10, , , , , , , ,

898200,Death,23.10,Malaise,23.10,,,,,
898201,Death,23.10,Paralysis,23.10,,,,,
898202,Extra dose administered,23.10,No adverse event,23.10,,,,,
898204,Exposure via skin contact,23.10,No adverse event,23.10,Syringe
issue,23.10,Underdose,23.10,,
898205,Balance disorder,23.10,Disturbance in attention,23.10,Feeling
abnormal,23.10,Nausea,23.10,Pain in extremity,23.10
898207,Dizziness,23.10,Fall,23.10,Head injury,23.10,Wound haemorrhage,
23.10,,
898208,Pruritus,23.10,Rash,23.10,,,,,
898210,Dizziness,23.10,Lip discolouration,23.10,,,,,
898214,Condition aggravated,23.10,Immediate post-injection reaction,
23.10,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10
898215,Dyspnoea,23.10,Feeling hot,23.10,Injection site erythema,
23.10,Injection site urticaria,23.10,Lip pruritus,23.10
898220,Feeling abnormal,23.10,Pain in extremity,23.10,,,,,
898221,Influenza like illness,23.10,,,,,
898222,Herpes zoster,23.10,,,,,
898223,Exposure during pregnancy,23.10,Foetal growth restriction,
23.10,Ultrasound antenatal screen abnormal,23.10,,,,
898226,Injection site mass,23.10,,,,,
898227,No adverse event,23.10,Product storage error,23.10,,,,,
898228,Injection site pain,23.10,,,,,
898229,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Laboratory test,23.10,Magnetic
resonance imaging,23.10
898229,Muscular weakness,23.10,,,,,
898233,Muscular weakness,23.10,Myalgia,23.10,Pain in extremity,
23.10,,,,
898235,Arthralgia,23.10,Asthenia,23.10,Grip strength decreased,
23.10,Immediate post-injection reaction,23.10,Pain,23.10
898236,Diarrhoea,23.10,Dizziness,23.10,Dyspnoea,23.10,Feeling
abnormal,23.10,Halo vision,23.10
898236,Hypoaesthesia,23.10,Hypoaesthesia oral,23.10,Immediate post-
injection reaction,23.10,Nausea,23.10,Tenderness,23.10
898236,Vomiting,23.10,,,,,
898239,Syncope,23.10,Tremor,23.10,,,,,
898240,Asthenia,23.10,Headache,23.10,Injection site pain,
23.10,Myalgia,23.10,,
898241,Cellulitis,23.10,Erythema,23.10,Pain,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10
898252,Herpes zoster,23.10,,,,,
898253,Eye pain,23.10,Ophthalmic herpes zoster,23.10,,,,,
898255,Bordetella test,23.10,Exposure during pregnancy,
23.10,Pertussis,23.10,Vaccination failure,23.10,Vomiting,23.10
898256,Influenza,23.10,Malaise,23.10,,,,,
898257,Death,23.10,,,,,
898258,Arthralgia,23.10,Eye swelling,23.10,Swelling face,23.10,Wrong
technique in product usage process,23.10,,

898259, Headache, 23.10, Nasal discomfort, 23.10, Rhinorrhoea, 23.10, Sneezing, 23.10,,
898260, Body temperature increased, 23.10, Pain in extremity, 23.10, Peripheral swelling, 23.10,,,,
898261, Arthralgia, 23.10, Chills, 23.10, Hypersensitivity, 23.10, Joint range of motion decreased, 23.10, Malaise, 23.10
898261, Muscular weakness, 23.10, Pain, 23.10,,,,,
898263, Dizziness, 23.10,,,,,
898264, Diarrhoea, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10, Vomiting, 23.10
898265, Asthenia, 23.10, Death, 23.10, Feeding tube user, 23.10, Nausea, 23.10, Seizure, 23.10
898265, Syncope, 23.10, Unresponsive to stimuli, 23.10, Vomiting, 23.10,,,,
898269, Acne, 23.10, Computerised tomogram normal, 23.10, Culture negative, 23.10, Differential white blood cell count normal, 23.10, Drug hypersensitivity, 23.10
898269, Ear swelling, 23.10, Erythema, 23.10, External ear inflammation, 23.10, Full blood count normal, 23.10, Gene mutation identification test, 23.10
898269, Inflammation, 23.10, Pruritus, 23.10, Scan with contrast normal, 23.10, Scar, 23.10, Scratch, 23.10
898269, Skin fissures, 23.10, Skin irritation, 23.10, Skin laceration, 23.10, Skin test negative, 23.10, Staphylococcus test negative, 23.10
898269, Streptococcus test negative, 23.10, Swelling face, 23.10, Swelling of eyelid, 23.10,,,,
898271, Dyspnoea, 23.10, Pharyngeal swelling, 23.10,,,,,
898278, Injection site erythema, 23.10, Injection site swelling, 23.10, Tenderness, 23.10,,,,
898279, Lymphadenopathy, 23.10, Mobility decreased, 23.10,,,,,
898280, Mobility decreased, 23.10, Musculoskeletal stiffness, 23.10,,,,,
898298, Influenza, 23.10, Vaccination failure, 23.10,,,,,
898307, Joint range of motion decreased, 23.10, Pain in extremity, 23.10,,,,,
898311, Dyspnoea, 23.10,,,,,
898312, Ageusia, 23.10, Anosmia, 23.10, Asthenia, 23.10, Decreased appetite, 23.10, Exposure to SARS-CoV-2, 23.10
898312, Hypersomnia, 23.10, Pyrexia, 23.10,,,,,
898313, Injection site erythema, 23.10, Injection site induration, 23.10, Injection site pruritus, 23.10, Injection site warmth, 23.10,,
898314, Body temperature abnormal, 23.10, Chills, 23.10, Fatigue, 23.10, Flushing, 23.10, Pain, 23.10
898314, Tremor, 23.10,,,,,
898318, Facial paralysis, 23.10,,,,,
898321, Headache, 23.10, Injection site paraesthesia, 23.10, Paraesthesia, 23.10, Tinnitus, 23.10,,
898322, Audiogram, 23.10, Deafness unilateral, 23.10,,,,,
898325, Cough, 23.10, Dysstasia, 23.10, Headache, 23.10, Lethargy, 23.10, Musculoskeletal stiffness, 23.10
898325, Pyrexia, 23.10, Time perception altered, 23.10,,,,,
898330, Asthenia, 23.10, Balance disorder, 23.10, Dizziness,

23.10,Hyperhidrosis,23.10,Pallor,23.10
898330,Seizure,23.10,Syncope,23.10,Vision blurred,23.10,,,,
898331,Dizziness,23.10,Fall,23.10,Syncope,23.10,,,,,
898333,Mobility decreased,23.10,Pain in extremity,23.10,,,,,,
898335,Chills,23.10,Nausea,23.10,Pain,23.10,Pyrexia,23.10,,
898336,Pain in extremity,23.10,Product administered at inappropriate
site,23.10,,,,,,
898337,Syncope,23.10,,,,,,
898340,Myalgia,23.10,Pain,23.10,,,,,
898342,Back pain,23.10,Hypoaesthesia,23.10,Injection site swelling,
23.10,Pain in extremity,23.10,Paraesthesia,23.10
898346,Injection site pruritus,23.10,Injection site rash,23.10,,,,,,
898347,Injected limb mobility decreased,23.10,Pain,23.10,Pain in
extremity,23.10,Sleep disorder,23.10,Weight bearing difficulty,23.10
898348,Tachycardia,23.10,,,,,,
898350,Abdominal pain upper,23.10,Diarrhoea,23.10,Headache,
23.10,Nausea,23.10,,
898354,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Pain,23.10,Pain in extremity,23.10,Product administered at
inappropriate site,23.10
898354,Tendonitis,23.10,,,,,,
898355,Injection site erythema,23.10,Injection site pain,
23.10,Injection site rash,23.10,Injection site swelling,23.10,,
898356,Expired product administered,23.10,No adverse event,23.10,,,,,,
898358,Impaired driving ability,23.10,Joint injury,23.10,Mobility
decreased,23.10,Pain in extremity,23.10,Sleep disorder,23.10
898378,Diarrhoea,23.10,Loss of consciousness,23.10,Vomiting,23.10,,,,
898379,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,
898380,Influenza,23.10,,,,,,
898381,Illness,23.10,,,,,,
898382,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,
898383,Malaise,23.10,,,,,,
898384,Pneumonia,23.10,,,,,,
898385,Influenza,23.10,,,,,,
898386,Influenza,23.10,,,,,,
898387,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,
898388,Death,23.10,,,,,,
898389,Death,23.10,,,,,,
898391,Anti-cyclic citrullinated peptide antibody negative,
23.10,Arthritis,23.10,Aspiration joint normal,23.10,Bone erosion,
23.10,Bone marrow oedema,23.10
898391,Bone scan abnormal,23.10,Bursa disorder,23.10,Bursitis,23.10,C-
reactive protein normal,23.10,Computerised tomogram abnormal,23.10
898391,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Injection site reaction,23.10,Ligament disorder,23.10,Magnetic
resonance imaging abnormal,23.10
898391,Muscle contractions involuntary,23.10,Muscle oedema,
23.10,Musculoskeletal stiffness,23.10,Periarthritis,23.10,Product
administered at inappropriate site,23.10
898391,Red blood cell sedimentation rate normal,23.10,Rheumatoid

factor negative,23.10,Rotator cuff syndrome,23.10,Scan bone marrow abnormal,23.10,Sleep disorder,23.10
898391,Synovitis,23.10,Tendon disorder,23.10,Tendon injury,23.10,White blood cell count normal,23.10,X-ray limb abnormal,23.10
898394,Asthenia,23.10,Condition aggravated,23.10,Cough, 23.10,Dehydration,23.10,Fatigue,23.10
898394,Migraine,23.10,Mobility decreased,23.10,Pain in extremity, 23.10,Tendonitis,23.10,Urine analysis,23.10
898394,X-ray,23.10,,,,,,,
898396,Dyspnoea,23.10,Pruritus,23.10,Urticaria,23.10,Wheezing,23.10,,
898397,Drug ineffective,23.10,Therapeutic procedure,23.10,Vulvar dysplasia,23.10,,,,,
898398,Plasma cell myeloma,23.10,,,,,,,
898399,Feeling abnormal,23.10,Hypoaesthesia,23.10,Neuropathy peripheral,23.10,Vertigo,23.10,,
898400,Influenza,23.10,,,,,,,
898401,Illness,23.10,,,,,,,
898402,Illness,23.10,,,,,,,
898403,Inappropriate release of product for distribution,23.10,No adverse event,23.10,Product distribution issue,23.10,Product storage error,23.10,,
898404,No adverse event,23.10,Product storage error,23.10,,,,,,
898405,No adverse event,23.10,Product storage error,23.10,,,,,,
898406,No adverse event,23.10,Product storage error,23.10,,,,,,
898407,Inappropriate release of product for distribution,23.10,No adverse event,23.10,Product distribution issue,23.10,Product storage error,23.10,,
898411,Mobility decreased,23.10,Pain,23.10,,,,,,
898413,Arthralgia,23.10,Mobility decreased,23.10,Neck pain,23.10,Pain in extremity,23.10,,
898419,Dermatitis contact,23.10,Drug hypersensitivity,23.10,Injection site swelling,23.10,Lactose intolerance,23.10,Perfume sensitivity, 23.10
898420,Discomfort,23.10,Eye discharge,23.10,Eye pruritus, 23.10,Headache,23.10,Myalgia,23.10
898420,Ocular hyperaemia,23.10,Oral pain,23.10,Oropharyngeal pain, 23.10,Sinus pain,23.10,,
898421,Pruritus,23.10,Rash,23.10,Rash erythematous,23.10,,,,,
898422,Urticaria,23.10,,,,,,,
898423,Joint range of motion decreased,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
898425,Pain,23.10,Pain in extremity,23.10,,,,,,
898426,Heart rate irregular,23.10,Palpitations,23.10,,,,,,
898445,Herpes zoster,23.10,,,,,,,
898446,Herpes zoster,23.10,,,,,,,
898447,Herpes zoster,23.10,,,,,,,
898449,Expired product administered,23.10,Product complaint, 23.10,Product expiration date issue,23.10,Product packaging confusion, 23.10,,
898453,Allergy test,23.10,Anaphylactic reaction,23.10,Immediate post-

injection reaction,23.10,,,,,
898454,Herpes zoster,23.10,Ophthalmic herpes zoster,23.10,Rash
papular,23.10,Tenderness,23.10,,
898456,No adverse event,23.10,Product storage error,23.10,,,,,,
898457,No adverse event,23.10,Product storage error,23.10,,,,,,
898458,No adverse event,23.10,Product storage error,23.10,,,,,,
898459,No adverse event,23.10,Product storage error,23.10,,,,,,
898460,Malaise,23.10,,,,,,
898461,Influenza,23.10,Vaccination failure,23.10,Vaccine positive
rechallenge,23.10,,,,,
898466,Dizziness,23.10,Memory impairment,23.10,Nausea,23.10,,,,,
898467,Back pain,23.10,Pruritus,23.10,Rash,23.10,,,,,
898470,Pruritus,23.10,Rash,23.10,,,,,,
898471,Injected limb mobility decreased,23.10,Injection site
discomfort,23.10,Injection site pain,23.10,,,,,
898475,Anxiety,23.10,Feeling abnormal,23.10,Hormone level abnormal,
23.10,Injected limb mobility decreased,23.10,Injection site pain,23.10
898475,Limb mass,23.10,Loss of personal independence in daily
activities,23.10,Pain,23.10,Pain in extremity,23.10,,
898476,Injection site pain,23.10,,,,,,
898477,Nausea,23.10,Pyrexia,23.10,Tenderness,23.10,,,,,
898478,Injection site pain,23.10,,,,,,
898479,Decreased appetite,23.10,Dysgraphia,23.10,Gait disturbance,
23.10,Mobility decreased,23.10,Neuralgia,23.10
898479,Speech disorder,23.10,,,,,,
898480,Arthralgia,23.10,Injected limb mobility decreased,23.10,Pain in
extremity,23.10,Shoulder injury related to vaccine administration,
23.10,X-ray,23.10
898482,Neuralgia,23.10,Pain,23.10,,,,,,
898483,Arthritis,23.10,Polymyalgia rheumatica,23.10,,,,,,
898499,Back pain,23.10,Blood pressure decreased,23.10,Computerised
tomogram pelvis abnormal,23.10,Dyspnoea,23.10,Fatigue,23.10
898499,Intensive care,23.10,Lung opacity,23.10,Oxygen saturation
decreased,23.10,Pain in extremity,23.10,Pneumonia,23.10
898504,Death,23.10,Meningitis bacterial,23.10,Vaccination failure,
23.10,,,,,
898505,Death,23.10,Meningitis bacterial,23.10,Vaccination failure,
23.10,,,,,
898506,Death,23.10,Meningitis bacterial,23.10,Vaccination failure,
23.10,,,,,
898507,Syncope,23.10,,,,,,
898508,Deafness bilateral,23.10,Ear discomfort,23.10,Ear haemorrhage,
23.10,Ear infection fungal,23.10,Ear pain,23.10
898508,Fungal test positive,23.10,Otorrhoea,23.10,,,,,,
898511,Anxiety,23.10,Blood test normal,23.10,Feeling abnormal,
23.10,Head discomfort,23.10,Magnetic resonance imaging normal,23.10
898511,Muscle twitching,23.10,Muscular weakness,23.10,Neck pain,
23.10,Urine analysis normal,23.10,X-ray normal,23.10
898512,Rash,23.10,,,,,,
898514,Injection site erythema,23.10,Injection site induration,

23.10, Injection site swelling, 23.10, , , , ,
898515, Arthralgia, 23.10, Body temperature increased, 23.10, Erythema,
23.10, Injection site erythema, 23.10, Injection site swelling, 23.10
898515, Vomiting, 23.10, , , , , , , ,
898517, Rash, 23.10, , , , , , , ,
898520, Atrial fibrillation, 23.10, Condition aggravated, 23.10, , , , , ,
898521, Pyrexia, 23.10, , , , , , , ,
898526, Facial paralysis, 23.10, , , , , , , ,
898528, Influenza, 23.10, , , , , , , ,
898529, Contusion, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, Sleep
disorder, 23.10, , ,
898530, Pain, 23.10, , , , , , , ,
898531, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
898532, No adverse event, 23.10, Product storage error, 23.10, , , , , ,
898533, Bedridden, 23.10, Chills, 23.10, Dysstasia, 23.10, Fatigue,
23.10, Myalgia, 23.10
898533, Pyrexia, 23.10, , , , , , , ,
898534, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
898535, Abdominal pain, 23.10, Activated partial thromboplastin time,
23.10, Back pain, 23.10, Blood creatine phosphokinase, 23.10, Blood
pressure increased, 23.10
898535, Brain natriuretic peptide, 23.10, Chest discomfort, 23.10, Chest
pain, 23.10, Dizziness, 23.10, Dry mouth, 23.10
898535, Electrocardiogram, 23.10, Eructation, 23.10, Full blood count,
23.10, Headache, 23.10, Heart rate increased, 23.10
898535, Heart rate irregular, 23.10, Hyperhidrosis, 23.10, Hypoaesthesia,
23.10, Metabolic function test, 23.10, Musculoskeletal pain, 23.10
898535, Nausea, 23.10, Oropharyngeal pain, 23.10, Pain in extremity,
23.10, Palpitations, 23.10, Paraesthesia, 23.10
898535, Peripheral swelling, 23.10, Red blood cell sedimentation rate,
23.10, Throat irritation, 23.10, Tinnitus, 23.10, Troponin, 23.10
898535, Urine analysis, 23.10, , , , , , , ,
898536, Injection site pain, 23.10, Pain, 23.10, , , , , , , ,
898542, Erythema, 23.10, Migraine, 23.10, Peripheral swelling, 23.10, , , ,
898544, Erythema, 23.10, Pruritus, 23.10, , , , , , , ,
898546, Injection site erythema, 23.10, Injection site warmth, 23.10, Rash,
23.10, , , , ,
898548, Pruritus, 23.10, Urticaria, 23.10, , , , , , , ,
898550, Extra dose administered, 23.10, , , , , , , ,
898551, Insomnia, 23.10, , , , , , , ,
898556, Injection site pain, 23.10, Joint range of motion decreased,
23.10, Pain in extremity, 23.10, , , , , , , ,
898557, Syncope, 23.10, , , , , , , ,
898558, Injection site pain, 23.10, Pain, 23.10, , , , , , , ,
898560, Syncope, 23.10, , , , , , , ,
898563, Mobility decreased, 23.10, Pain in extremity, 23.10, Product
administered at inappropriate site, 23.10, Quality of life decreased,
23.10, , ,
898567, Chills, 23.10, Nausea, 23.10, Pain, 23.10, , , , ,

898568,Dizziness,23.10,Pruritus,23.10,Tachycardia,23.10,,,,
898573,Pain,23.10,Pain in extremity,23.10,,,,,
898578,Dizziness,23.10,Dyspnoea,23.10,Erythema,23.10,Fall,23.10,Loss
of consciousness,23.10
898580,Pain in extremity,23.10,Vaccination site pain,23.10,,,,,
898581,Diarrhoea,23.10,Heart rate increased,23.10,Influenza,
23.10,Vomiting,23.10,Wheezing,23.10
898584,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,
898589,Erythema,23.10,Pain in extremity,23.10,Skin warm,
23.10,Swelling,23.10,Tenderness,23.10
898590,Fatigue,23.10,Injection site pain,23.10,Nausea,23.10,Pyrexia,
23.10,,
898591,Headache,23.10,Injection site pain,23.10,Pain,23.10,Pyrexia,
23.10,,
898593,Gastrointestinal disorder,23.10,Irritable bowel syndrome,
23.10,Muscle twitching,23.10,Tremor,23.10,,
898599,Fatigue,23.10,Myalgia,23.10,Nausea,23.10,Pain,23.10,Pain in
extremity,23.10
898599,Pyrexia,23.10,,,,,
898600,Chills,23.10,Feeling cold,23.10,Headache,23.10,Pain,
23.10,Pyrexia,23.10
898601,Hypoaesthesia,23.10,Injection site pain,23.10,Neuritis,
23.10,Pain in extremity,23.10,,
898606,Blood pressure decreased,23.10,Dizziness,23.10,,,,,
898607,Injection site haematoma,23.10,Skin discolouration,23.10,,,,,
898608,Headache,23.10,Myalgia,23.10,,,,,
898610,Arthralgia,23.10,Chills,23.10,Fatigue,23.10,Myalgia,
23.10,Nausea,23.10
898610,Night sweats,23.10,Pyrexia,23.10,Restlessness,23.10,,,,
898612,Erythema,23.10,Injection site erythema,23.10,Peripheral
swelling,23.10,Vaccination site bruising,23.10,Vaccination site
swelling,23.10
898612,Vaccination site warmth,23.10,,,,,
898614,Dizziness,23.10,Headache,23.10,Nausea,23.10,Vomiting,23.10,,
898615,Abdominal pain upper,23.10,Chills,23.10,Eye swelling,
23.10,Feeding disorder,23.10,Feeling cold,23.10
898615,Nausea,23.10,Pyrexia,23.10,Vomiting,23.10,,,,
898622,Head injury,23.10,Loss of consciousness,23.10,Syncope,23.10,,,,
898625,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Pyrexia,23.10,,
898627,Back pain,23.10,Blood test,23.10,Feeling hot,23.10,Headache,
23.10,Influenza like illness,23.10
898627,Loss of personal independence in daily activities,
23.10,Magnetic resonance imaging spinal,23.10,Musculoskeletal pain,
23.10,Musculoskeletal stiffness,23.10,Neck pain,23.10
898627,Neuralgia,23.10,Pain,23.10,Pain in extremity,
23.10,Paraesthesia,23.10,Sleep disorder,23.10
898627,Tinnitus,23.10,,,,,
898629,Blood test,23.10,Fatigue,23.10,Hypoaesthesia,23.10,Muscular

weakness,23.10,Paraesthesia,23.10
898630,Arthralgia,23.10,Axillary pain,23.10,Pain in extremity,
23.10,Periarthritis,23.10,X-ray limb abnormal,23.10
898642,Pain,23.10,Pain in extremity,23.10,,,,,
898643,Dyspnoea,23.10,Flank pain,23.10,Malaise,23.10,Pain in
extremity,23.10,,
898645,Abdominal pain upper,23.10,Diarrhoea,23.10,Disturbance in
attention,23.10,Flatulence,23.10,Headache,23.10
898645,Impaired work ability,23.10,Loss of personal independence in
daily activities,23.10,,,,,
898647,Arthralgia,23.10,,,,,
898649,Axillary pain,23.10,Erythema,23.10,Lymphadenopathy,23.10,Pain,
23.10,Swelling,23.10
898650,Blood glucose normal,23.10,Blood test,23.10,Chest X-ray,
23.10,Chills,23.10,Computerised tomogram abdomen,23.10
898650,Dizziness,23.10,Hyperhidrosis,23.10,Influenza virus test
negative,23.10,Myocardial necrosis marker,23.10,Nausea,23.10
898650,Pyrexia,23.10,Retching,23.10,SARS-CoV-2 test negative,
23.10,Staring,23.10,Tremor,23.10
898650,Unresponsive to stimuli,23.10,,,,,
898651,Asthenia,23.10,Somnolence,23.10,Throat tightness,23.10,Vision
blurred,23.10,,
898652,Contusion,23.10,Mobility decreased,23.10,Pain in extremity,
23.10,Peripheral swelling,23.10,Rash,23.10
898653,Hypertension,23.10,Migraine,23.10,Muscle spasms,23.10,Muscular
weakness,23.10,Neuralgia,23.10
898657,Inflammation,23.10,Injection site joint movement impairment,
23.10,Injection site pain,23.10,Myalgia,23.10,Pain,23.10
898659,Dizziness,23.10,Loss of consciousness,23.10,,,,,
898661,Erythema,23.10,Injection site bruising,23.10,Peripheral
swelling,23.10,,,,,
898664,Joint range of motion decreased,23.10,Laboratory test,
23.10,Pain in extremity,23.10,Ultrasound scan,23.10,X-ray,23.10
898665,Injected limb mobility decreased,23.10,Injection site reaction,
23.10,Musculoskeletal stiffness,23.10,Periarthritis,23.10,Rotator cuff
syndrome,23.10
898673,Injection site erythema,23.10,Injection site pruritus,
23.10,Injection site swelling,23.10,Injection site urticaria,23.10,,
898675,Arthralgia,23.10,Computerised tomogram head,23.10,Magnetic
resonance imaging brain normal,23.10,Magnetic resonance imaging spinal
normal,23.10,Metabolic function test normal,23.10
898675,Neuropathy peripheral,23.10,Paraesthesia,23.10,,,,,
898676,Loss of consciousness,23.10,,,,,
898680,Injection site discolouration,23.10,Injection site warmth,
23.10,,,,,
898681,Arthralgia,23.10,Pain in extremity,23.10,,,,,
898682,Abdominal pain upper,23.10,Chest discomfort,23.10,Head
discomfort,23.10,,,,,
898684,Back pain,23.10,Myalgia,23.10,Pain,23.10,,,,,
898685,Erythema,23.10,Motor dysfunction,23.10,Pain,23.10,Swelling,

23.10,,
898687,Asthenia,23.10,Dizziness,23.10,Nausea,23.10,Vomiting,23.10,,
898689,Immediate post-injection reaction,23.10,Loss of consciousness,
23.10,,,,,
898690,Mobility decreased,23.10,Product administered at inappropriate
site,23.10,,,,,
898693,Injection site pain,23.10,Injection site swelling,23.10,,,,,
898694,Axillary pain,23.10,Vaccination site swelling,23.10,,,,,
898695,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
898696,Immediate post-injection reaction,23.10,Injection site
bruising,23.10,Injection site haemorrhage,23.10,Injection site pain,
23.10,,
898698,Atrioventricular block complete,23.10,Bradycardia,23.10,Cardiac
pacemaker insertion,23.10,Dizziness,23.10,Electrocardiogram abnormal,
23.10
898698,Fatigue,23.10,Hypersomnia,23.10,Immediate post-injection
reaction,23.10,Injection site pain,23.10,,
898705,Pain,23.10,Pain in extremity,23.10,Sleep disorder,23.10,,,,
898707,Inflammation,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,,,,
898708,Lymphadenopathy,23.10,Mass,23.10,,,,,
898710,Abdominal pain,23.10,Burning sensation,23.10,Dizziness,
23.10,Dyspnoea,23.10,Fatigue,23.10
898710,Hyperhidrosis,23.10,Loss of consciousness,23.10,Nausea,
23.10,Pallor,23.10,Respiratory arrest,23.10
898713,Agitation,23.10,Arthralgia,23.10,Back pain,23.10,Confusional
state,23.10,Herpes zoster,23.10
898713,Injection site reaction,23.10,Insomnia,23.10,Myalgia,
23.10,Neuropathy peripheral,23.10,Pain,23.10
898713,Photophobia,23.10,Urticaria,23.10,Vision blurred,23.10,,,,
898716,Facial paralysis,23.10,,,,,
898717,Hyperhidrosis,23.10,Hypotension,23.10,Immediate post-injection
reaction,23.10,Lethargy,23.10,Loss of consciousness,23.10
898717,Vomiting,23.10,,,,,
898720,Basedow's disease,23.10,Blood thyroid stimulating hormone,
23.10,Endocrine ophthalmopathy,23.10,Eye muscle operation,23.10,Eyelid
operation,23.10
898720,Orbital decompression,23.10,Retinogram,23.10,Thyroxine,
23.10,Tri-iodothyronine,23.10,,
898722,Chills,23.10,Dysphonia,23.10,Eye irritation,23.10,Feeding
disorder,23.10,Headache,23.10
898722,Hyperhidrosis,23.10,Influenza,23.10,Malaise,23.10,Nausea,
23.10,Pyrexia,23.10
898722,Sleep disorder,23.10,Throat tightness,23.10,Wheezing,23.10,,,,
898723,Arthralgia,23.10,,,,,
898729,Limb discomfort,23.10,Mobility decreased,23.10,Pain in
extremity,23.10,,,,
898736,Pain,23.10,,,,,
898737,Injection site bruising,23.10,Injection site pain,
23.10,Injection site pruritus,23.10,,,,

898739,Pain,23.10,Sleep disorder,23.10,,,,,
898740,Abdominal pain,23.10,Pyrexia,23.10,,,,,
898741,Back pain,23.10,Herpes zoster,23.10,Rash,23.10,,,,,
898742,Rash,23.10,Rash morbilliform,23.10,SARS-CoV-2 test negative,
23.10,,,,,
898746,Feeling cold,23.10,Myalgia,23.10,Tremor,23.10,,,,,
898870,Herpes zoster,23.10,,,,,,
898871,Herpes zoster,23.10,,,,,,
898875,Blindness,23.10,Post herpetic neuralgia,23.10,,,,,
898876,Blindness,23.10,,,,,,
898887,Herpes zoster,23.10,,,,,,
898890,Gastrointestinal pain,23.10,Headache,23.10,Loss of
consciousness,23.10,Vomiting,23.10,,
898891,Gastrointestinal pain,23.10,Headache,23.10,Loss of
consciousness,23.10,Vomiting,23.10,,
898895,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
898896,Asthenia,23.10,Cough,23.10,Diarrhoea,23.10,Immunology test,
23.10,Influenza like illness,23.10
898896,Measles,23.10,Measles antibody positive,23.10,Morbillivirus
test positive,23.10,Polymerase chain reaction positive,23.10,Pyrexia,
23.10
898896,Rash maculo-papular,23.10,Skin exfoliation,23.10,Viral
infection,23.10,,,,,
898900,Herpes zoster,23.10,,,,,,
898906,Herpes zoster,23.10,,,,,,
898936,Pruritus,23.10,Urticaria,23.10,,,,,
898938,Illness,23.10,,,,,,
898945,Chronic lymphocytic leukaemia,23.10,Incomplete course of
vaccination,23.10,Incorrect route of product administration,
23.10,Lymphocytic lymphoma,23.10,,
898947,Illness,23.10,,,,,,
898949,Influenza,23.10,Vaccination failure,23.10,,,,,
898956,Illness,23.10,Laboratory test,23.10,Malaise,23.10,Pyrexia,
23.10,,
898959,Brain injury,23.10,Meningitis bacterial,23.10,Paralysis,
23.10,Staphylococcal infection,23.10,Vaccination failure,23.10
898960,Guillain-Barre syndrome,23.10,,,,,,
898961,Guillain-Barre syndrome,23.10,,,,,,
898962,Guillain-Barre syndrome,23.10,,,,,,
898965,Chills,23.10,Fatigue,23.10,Feeling cold,23.10,Headache,
23.10,Myalgia,23.10
898965,Pyrexia,23.10,Tremor,23.10,,,,,
898966,Chills,23.10,Cough,23.10,Dyspnoea,23.10,Headache,23.10,Pain,
23.10
898966,Palpitations,23.10,Swollen tongue,23.10,Tremor,23.10,,,,,
898967,Ataxia,23.10,Autonomic nervous system imbalance,23.10,CSF
culture negative,23.10,CSF glucose decreased,23.10,CSF red blood cell
count positive,23.10
898967,CSF white blood cell count negative,23.10,Computerised tomogram
head normal,23.10,Dysmetria,23.10,Eyelid ptosis,23.10,Full blood count

normal,23.10
898967, Gram stain,23.10, Guillain–Barre syndrome,23.10, Herpes simplex test negative,23.10, Hypoaesthesia,23.10, Hypoaesthesia oral,23.10
898967, Hyporeflexia,23.10, Immunoglobulin therapy,23.10, Injection site hypoaesthesia,23.10, Metabolic function test normal,23.10, Muscular weakness,23.10
898967, Neurological examination abnormal,23.10, Paraesthesia,23.10, Postural orthostatic tachycardia syndrome,23.10, SARS–CoV–2 test negative,23.10,,
898975, Arthralgia,23.10, Fatigue,23.10, Gait inability,23.10, Influenza like illness,23.10, Insomnia,23.10
898975, Mobility decreased,23.10, Muscle spasms,23.10, Myalgia,23.10, Weight bearing difficulty,23.10,,
898990, Incomplete course of vaccination,23.10, Mobility decreased,23.10, Pain in extremity,23.10,,,,
898995, Injection site erythema,23.10, Injection site swelling,23.10, Pain in extremity,23.10, Pyrexia,23.10,,
899004, Chills,23.10, Erythema,23.10, Headache,23.10, Pyrexia,23.10,,
899010, Hospice care,23.10, Incomplete course of vaccination,23.10, Myocardial infarction,23.10,,,,
899015, Injection site rash,23.10,,,,,
899026, Herpes zoster,23.10, Rash,23.10, Vaccination failure,23.10,,,,,
899027, Blister,23.10, Eye disorder,23.10, Herpes zoster,23.10, Ophthalmic herpes zoster,23.10, Paraesthesia,23.10
899027, Rash,23.10,,,,,
899028, Diarrhoea,23.10, Vomiting,23.10,,,,,
899029, Erythema,23.10, Pruritus,23.10,,,,,
899030, Illness,23.10,,,,,
899031, Influenza,23.10,,,,,
899032, Illness,23.10,,,,,
899033, Pain in extremity,23.10,,,,,
899034, Pain in extremity,23.10,,,,,
899035, Illness,23.10,,,,,
899036, Illness,23.10,,,,,
899037, Influenza,23.10,,,,,
899038, Influenza,23.10,,,,,
899039, Malaise,23.10,,,,,
899040, Illness,23.10,,,,,
899041, Influenza,23.10,,,,,
899042, Illness,23.10,,,,,
899043, Illness,23.10,,,,,
899044, Body temperature increased,23.10, Mood altered,23.10,,,,,
899045, Malaise,23.10,,,,,
899046, Influenza,23.10,,,,,
899047, Illness,23.10,,,,,
899048, Illness,23.10,,,,,
899049, Influenza,23.10,,,,,
899050, Influenza,23.10,,,,,
899051, Pain in extremity,23.10,,,,,
899052, Influenza,23.10,,,,,

899053, Influenza, 23.10, , , , , , , , ,
899054, Influenza, 23.10, , , , , , , , ,
899055, Illness, 23.10, Sluggishness, 23.10, , , , , , ,
899056, Urticaria, 23.10, , , , , , , , ,
899057, Illness, 23.10, , , , , , , , ,
899058, Illness, 23.10, , , , , , , , ,
899059, Adverse reaction, 23.10, , , , , , , , ,
899060, Influenza, 23.10, , , , , , , , ,
899061, Illness, 23.10, , , , , , , , ,
899062, Illness, 23.10, , , , , , , , ,
899063, Illness, 23.10, , , , , , , , ,
899064, Influenza, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
899065, Influenza, 23.10, , , , , , , , ,
899066, Influenza, 23.10, , , , , , , , ,
899067, Nasopharyngitis, 23.10, , , , , , , , ,
899068, Influenza, 23.10, , , , , , , , ,
899069, Illness, 23.10, , , , , , , , ,
899070, Influenza, 23.10, , , , , , , , ,
899071, Influenza, 23.10, , , , , , , , ,
899072, Malaise, 23.10, , , , , , , , ,
899073, Influenza, 23.10, , , , , , , , ,
899074, Illness, 23.10, , , , , , , , ,
899075, Influenza, 23.10, , , , , , , , ,
899076, Headache, 23.10, Myalgia, 23.10, Pyrexia, 23.10, , , , ,
899077, Influenza, 23.10, , , , , , , , ,
899078, Injection site swelling, 23.10, , , , , , , , ,
899079, Influenza, 23.10, , , , , , , , ,
899080, Influenza like illness, 23.10, , , , , , , , ,
899081, Illness, 23.10, , , , , , , , ,
899082, Illness, 23.10, Influenza, 23.10, , , , , , ,
899083, Influenza, 23.10, , , , , , , , ,
899084, Illness, 23.10, , , , , , , , ,
899085, Influenza, 23.10, , , , , , , , ,
899086, Influenza, 23.10, , , , , , , , ,
899087, Influenza, 23.10, , , , , , , , ,
899088, Allergy to vaccine, 23.10, Influenza, 23.10, Vaccine positive
rechallenge, 23.10, , , , ,
899089, Illness, 23.10, , , , , , , , ,
899090, Influenza, 23.10, , , , , , , , ,
899091, Influenza, 23.10, , , , , , , , ,
899092, Influenza, 23.10, , , , , , , , ,
899093, Influenza, 23.10, , , , , , , , ,
899094, Influenza, 23.10, , , , , , , , ,
899095, Malaise, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
899096, Malaise, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
899097, Influenza, 23.10, , , , , , , , ,
899098, Pain in extremity, 23.10, , , , , , , , ,
899099, Influenza, 23.10, Vaccine positive rechallenge, 23.10, , , , , , ,
899100, Apparent life threatening event, 23.10, , , , , , , , ,
899101, Contusion, 23.10, , , , , , , , ,

899102, Arthralgia, 23.10, Joint range of motion decreased, 23.10, Neck pain, 23.10, Pain in extremity, 23.10,,
899103, Malaise, 23.10,,,,,
899104, Influenza, 23.10, Vaccine positive rechallenge, 23.10,,,,,
899105, Influenza, 23.10,,,,,
899106, Pain in extremity, 23.10,,,,,
899107, Malaise, 23.10,,,,,
899108, Malaise, 23.10,,,,,
899109, Influenza, 23.10,,,,,
899110, Malaise, 23.10,,,,,
899111, Influenza, 23.10,,,,,
899112, Malaise, 23.10,,,,,
899113, Influenza, 23.10,,,,,
899114, Influenza, 23.10,,,,,
899115, Illness, 23.10,,,,,
899116, Influenza, 23.10,,,,,
899117, Influenza, 23.10,,,,,
899118, Influenza, 23.10,,,,,
899119, Influenza, 23.10,,,,,
899120, Influenza, 23.10,,,,,
899121, Fatigue, 23.10, Rhinorrhoea, 23.10,,,,,
899122, Illness, 23.10,,,,,
899123, Influenza, 23.10,,,,,
899124, Influenza, 23.10,,,,,
899125, Illness, 23.10,,,,,
899126, Malaise, 23.10,,,,,
899127, Malaise, 23.10,,,,,
899128, Incorrect route of product administration, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10,,,,
899129, Injection site pruritus, 23.10,,,,,
899130, Pain, 23.10,,,,,
899131, Illness, 23.10,,,,,
899132, Illness, 23.10,,,,,
899133, Malaise, 23.10,,,,,
899134, Pyrexia, 23.10,,,,,
899135, Influenza, 23.10, Malaise, 23.10,,,,,
899136, Influenza, 23.10,,,,,
899138, Product distribution issue, 23.10, Product storage error, 23.10,,,,,
899139, Product distribution issue, 23.10, Product storage error, 23.10,,,,,
899140, No adverse event, 23.10, Poor quality product administered, 23.10,,,,,
899141, Pain in extremity, 23.10,,,,,
899142, Influenza, 23.10,,,,,
899143, Influenza, 23.10, Malaise, 23.10,,,,,
899144, Influenza, 23.10,,,,,
899145, Influenza like illness, 23.10, Upper respiratory tract infection, 23.10,,,,,
899146, Influenza, 23.10,,,,,

899147, Guillain-Barre syndrome, 23.10, , , , , , , ,
899148, Unevaluable event, 23.10, , , , , , , ,
899149, Influenza, 23.10, Pneumonia, 23.10, , , , , , , ,
899150, Influenza, 23.10, Leukaemia, 23.10, Weight decreased, 23.10, , , , ,
899151, Anaphylactic shock, 23.10, Feeling abnormal, 23.10, , , , , , , ,
899152, Illness, 23.10, Influenza, 23.10, , , , , , , ,
899153, Guillain-Barre syndrome, 23.10, Paralysis, 23.10, , , , , , , ,
899154, Cerebrovascular accident, 23.10, , , , , , , ,
899155, Influenza, 23.10, , , , , , , ,
899156, Influenza, 23.10, , , , , , , ,
899157, Influenza like illness, 23.10, Malaise, 23.10, , , , , , , ,
899158, Bronchitis, 23.10, , , , , , , ,
899159, Renal failure, 23.10, , , , , , , ,
899160, Death, 23.10, Mechanical ventilation, 23.10, , , , , , , ,
899161, Influenza, 23.10, , , , , , , ,
899162, Lung disorder, 23.10, , , , , , , ,
899163, Facial paralysis, 23.10, Influenza, 23.10, , , , , , , ,
899164, Injection site bruising, 23.10, Injection site pain, 23.10, , , , , , , ,
899167, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
899169, Expired product administered, 23.10, No adverse event,
23.10, Product administered to patient of inappropriate age, 23.10, , , , ,
899170, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
899173, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
899174, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
899175, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
899177, Rash erythematous, 23.10, Swelling, 23.10, , , , , , , ,
899178, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
899179, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
899182, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , ,
899183, Extra dose administered, 23.10, No adverse event, 23.10, Wrong
product administered, 23.10, , , , , , , ,
899184, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
899186, Body temperature increased, 23.10, Chills, 23.10, Influenza virus
test negative, 23.10, Laboratory test abnormal, 23.10, Nausea, 23.10
899186, Pneumonia, 23.10, SARS-CoV-2 test negative, 23.10, , , , , , , ,
899187, Asthma, 23.10, Chest discomfort, 23.10, Condition aggravated,
23.10, Discomfort, 23.10, Dyspnoea, 23.10
899187, Injection site pain, 23.10, Oxygen saturation, 23.10, Pain,
23.10, Pain in extremity, 23.10, Pyrexia, 23.10
899188, Irritability, 23.10, Pyrexia, 23.10, , , , , , , ,
899190, Pain, 23.10, Pyrexia, 23.10, , , , , , , ,
899196, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
899197, Feeling abnormal, 23.10, , , , , , , ,
899199, Syringe issue, 23.10, , , , , , , ,
899201, No adverse event, 23.10, Product storage error, 23.10, , , , , , , ,
899202, No adverse event, 23.10, Product distribution issue, 23.10, Product
storage error, 23.10, , , , , , , ,
899206, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,

899207,Extra dose administered,23.10,No adverse event,23.10,Wrong product administered,23.10,,,,,
899211,Incorrect route of product administration,23.10,No adverse event,23.10,,,,,
899214,Extra dose administered,23.10,No adverse event,23.10,,,,,
899216,Confusional state,23.10,Cough,23.10,Dizziness,23.10,Lethargy,23.10,,
899217,Erythema,23.10,Immediate post-injection reaction,23.10,Pain,23.10,Swelling,23.10,,
899219,No adverse event,23.10,Syringe issue,23.10,Underdose,23.10,,,,,
899220,No adverse event,23.10,Underdose,23.10,,,,,
899221,Irritability postvaccinal,23.10,Ocular hyperaemia,23.10,Paraesthesia,23.10,Rash,23.10,,
899223,No adverse event,23.10,Product storage error,23.10,,,,,
899226,Exposure via skin contact,23.10,Injection site extravasation,23.10,No adverse event,23.10,Underdose,23.10,,
899227,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
899230,Injection site bruising,23.10,Pain in extremity,23.10,,,,,
899233,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
899235,Pain in extremity,23.10,,,,,
899236,No adverse event,23.10,Product administered at inappropriate site,23.10,,,,,
899237,Product administered at inappropriate site,23.10,,,,,
899238,Pain in extremity,23.10,,,,,
899239,Product administered to patient of inappropriate age,23.10,,,,,
899241,Extra dose administered,23.10,,,,,
899244,Urticaria,23.10,,,,,
899247,Extra dose administered,23.10,No adverse event,23.10,,,,,
899248,Wrong product administered,23.10,,,,,
899251,No adverse event,23.10,Product packaging confusion,23.10,Wrong product administered,23.10,,,,,
899252,Influenza virus test positive,23.10,Lethargy,23.10,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,,
899254,Constipation,23.10,Facial paralysis,23.10,Fatigue,23.10,Gait inability,23.10,Hypoaesthesia,23.10
899254,Inflammation,23.10,Lethargy,23.10,Magnetic resonance imaging spinal abnormal,23.10,Muscular weakness,23.10,Pain in extremity,23.10
899254,Paraesthesia,23.10,Paraesthesia oral,23.10,Spinal stroke,23.10,Stress,23.10,Walking aid user,23.10
899255,No adverse event,23.10,Product storage error,23.10,,,,,
899256,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
899257,No adverse event,23.10,Product storage error,23.10,,,,,
899258,Pain in extremity,23.10,,,,,
899261,Fatigue,23.10,Tremor,23.10,,,,,
899263,Arthritis,23.10,Bursitis,23.10,Fungal infection,23.10,Injected limb mobility decreased,23.10,Injection site pain,23.10

899263,Pain in extremity,23.10,X-ray abnormal,23.10,,,,,
899264,Syringe issue,23.10,Underdose,23.10,,,,,
899266,Extra dose administered,23.10,No adverse event,23.10,Off label
use,23.10,,,,,
899267,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
899268,Adverse event,23.10,Magnetic resonance imaging normal,
23.10,Pain in extremity,23.10,,,,,
899269,No adverse event,23.10,Wrong product administered,23.10,,,,,
899270,Extra dose administered,23.10,No adverse event,23.10,,,,,
899271,Urticaria,23.10,,,,,
899272,No adverse event,23.10,Wrong product administered,23.10,,,,,
899274,Extra dose administered,23.10,Injection site pain,23.10,,,,,
899275,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
899276,Incorrect dose administered,23.10,No adverse event,
23.10,Product administered to patient of inappropriate age,23.10,Wrong
product administered,23.10,,
899277,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
899278,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,Wrong product administered,23.10,,,,,
899279,Loss of consciousness,23.10,,,,,
899280,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,Pruritus,23.10,Sleep disorder,23.10
899280,Urticaria,23.10,,,,,
899281,Back pain,23.10,Dyspnoea,23.10,Fatigue,23.10,Intensive care,
23.10,Mechanical ventilation,23.10
899281,Pain in extremity,23.10,Pneumonia viral,23.10,,,,,
899283,Arthralgia,23.10,Asthenia,23.10,Burning sensation,
23.10,Myalgia,23.10,Pain,23.10
899283,Pain in extremity,23.10,Prostate cancer stage IV,
23.10,Toothache,23.10,,,,,
899284,Rash,23.10,Vision blurred,23.10,Visual impairment,23.10,,,,,
899286,Back pain,23.10,Muscle spasms,23.10,,,,,
899287,Injection site pain,23.10,Pain in extremity,23.10,Tenderness,
23.10,,,,,
899288,Injection site pain,23.10,Sleep disorder,23.10,,,,,
899289,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
899290,Pain,23.10,,,,,
899300,Deafness,23.10,Vaccination failure,23.10,,,,,
899301,Diarrhoea,23.10,Failure to thrive,23.10,Weight gain poor,
23.10,,,,,
899302,Inappropriate schedule of product administration,
23.10,Pneumonia,23.10,,,,,
899303,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
899304,Herpes zoster,23.10,Rash,23.10,Vaccination failure,23.10,,,,,
899305,Herpes zoster,23.10,Pain,23.10,,,,,
899306,Influenza,23.10,,,,,
899307,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,

899308,Extra dose administered,23.10,No adverse event,23.10,,,,,,
899309,Immediate post-injection reaction,23.10,Pain,23.10,Tinnitus,
23.10,,,,,
899312,Back pain,23.10,Headache,23.10,Injection site pain,23.10,Muscle
spasms,23.10,Pain,23.10
899312,Pain in extremity,23.10,,,,,,
899313,Mobility decreased,23.10,Muscular weakness,23.10,,,,,
899316,Throat irritation,23.10,,,,,,
899317,Pain,23.10,Pain in extremity,23.10,,,,,
899318,Injection site pain,23.10,,,,,,
899319,Chest discomfort,23.10,Diarrhoea,23.10,Eye pain,23.10,Fatigue,
23.10,Headache,23.10
899319,Oropharyngeal pain,23.10,,,,,,
899321,Exposure during pregnancy,23.10,Pain in extremity,23.10,,,,,
899324,Asthenia,23.10,Dizziness,23.10,Heart rate increased,
23.10,Pyrexia,23.10,Rash,23.10
899324,SARS-CoV-2 test negative,23.10,Urticaria,23.10,,,,,
899326,Eye irritation,23.10,Rash,23.10,Rash pruritic,23.10,,,,
899327,Arthralgia,23.10,Gait disturbance,23.10,Injection site pain,
23.10,Pain,23.10,Pain in extremity,23.10
899340,Balance disorder,23.10,Herpes zoster,23.10,Hypoacusis,
23.10,Post herpetic neuralgia,23.10,,
899341,Herpes zoster,23.10,,,,,,
899346,Influenza,23.10,,,,,,
899347,Injected limb mobility decreased,23.10,Joint range of motion
decreased,23.10,Muscular weakness,23.10,Myalgia,23.10,Product
administered at inappropriate site,23.10
899347,Tendon pain,23.10,,,,,,
899351,Chills,23.10,Malaise,23.10,Vomiting,23.10,,,,
899352,Diarrhoea,23.10,Nausea,23.10,,,,,
899354,Electroencephalogram abnormal,23.10,Infantile spasms,
23.10,,,,,
899356,Chills,23.10,Myalgia,23.10,Pyrexia,23.10,,,,
899371,Cellulitis,23.10,Feeling hot,23.10,Pain,23.10,Peripheral
swelling,23.10,Rash macular,23.10
899372,Illness,23.10,Malaise,23.10,,,,,
899373,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
899374,Incorrect route of product administration,23.10,No adverse
event,23.10,,,,,
899375,Headache,23.10,Muscle spasms,23.10,Muscular weakness,
23.10,Pain,23.10,Pain in extremity,23.10
899377,Arthralgia,23.10,Joint range of motion decreased,23.10,Pain,
23.10,Sleep disorder,23.10,,
899380,Injection site pain,23.10,,,,,,
899382,Blood culture negative,23.10,CSF culture negative,23.10,CSF
white blood cell count increased,23.10,Chest X-ray normal,
23.10,Culture urine negative,23.10
899382,Depressed level of consciousness,23.10,Encephalitis,
23.10,Enterovirus test negative,23.10,Lethargy,23.10,Lumbar puncture

abnormal,23.10
899382,Pyrexia,23.10,Stool analysis normal,23.10,Varicella virus test
negative,23.10,Vomiting,23.10,,
899388,Incorrect route of product administration,23.10,,,,,,,,,
899389,Burning sensation,23.10,Nervous system disorder,23.10,,,,,,,,
899391,Loss of consciousness,23.10,Syncope,23.10,,,,,,,,,
899392,Blindness,23.10,CSF test,23.10,Eye pain,23.10,Full blood count,
23.10,Magnetic resonance imaging,23.10
899392,Optic neuritis,23.10,,,,,,,,,
899394,Pain in extremity,23.10,,,,,,,,,
899395,Contusion,23.10,Fall,23.10,Limb injury,23.10,Loss of
consciousness,23.10,Seizure,23.10
899396,Vaccination site mass,23.10,Vaccination site swelling,
23.10,,,,,,,,,
899397,Gaze palsy,23.10,Hypotonia,23.10,Muscle twitching,
23.10,Postictal state,23.10,Posture abnormal,23.10
899397,Presyncope,23.10,Seizure like phenomena,23.10,,,,,,,,,
899399,Product storage error,23.10,,,,,,,,,
899400,Injection site erythema,23.10,Injection site pain,23.10,,,,,,,,,
899401,Immediate post-injection reaction,23.10,Loss of consciousness,
23.10,Syncope,23.10,,,,,
899403,Flank pain,23.10,Oedema,23.10,Swelling,23.10,,,,,
899404,Joint range of motion decreased,23.10,Pain in extremity,
23.10,,,,,,,,,
899405,Pruritus,23.10,Rash,23.10,,,,,,,,,
899408,Fall,23.10,Syncope,23.10,,,,,,,,,
899429,Herpes zoster,23.10,,,,,,,,,
899430,Gastroenteritis rotavirus,23.10,Infection via vaccinee,
23.10,Rotavirus infection,23.10,,,,,
899431,Herpes zoster,23.10,,,,,,,,,
899433,Allergy to vaccine,23.10,Attention deficit hyperactivity
disorder,23.10,Drug hypersensitivity,23.10,Epilepsy,23.10,Generalised
tonic-clonic seizure,23.10
899437,Erythema multiforme,23.10,Rash,23.10,,,,,,,,,
899438,Influenza,23.10,,,,,,,,,
899439,Influenza,23.10,,,,,,,,,
899440,Influenza,23.10,,,,,,,,,
899441,Influenza,23.10,,,,,,,,,
899442,Gout,23.10,,,,,,,,,
899443,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,,,,,
899444,Illness,23.10,Malaise,23.10,Vaccine positive rechallenge,
23.10,,,,,
899445,Malaise,23.10,Vaccine positive rechallenge,23.10,,,,,,,,,
899446,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,,,,,
899447,Inappropriate schedule of product administration,23.10,No
adverse event,23.10,,,,,,,,,
899450,Exposure via skin contact,23.10,No adverse event,
23.10,Underdose,23.10,,,,,
899452,No adverse event,23.10,Product distribution issue,23.10,Product
storage error,23.10,,,,,

899453, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
899454, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
899455, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
899457, Injection site erythema, 23.10, Injection site swelling,
23.10, Oropharyngeal discomfort, 23.10, Throat tightness, 23.10, , ,
899458, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
899459, Exposure via skin contact, 23.10, No adverse event,
23.10, Underdose, 23.10, , , , ,
899460, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
899461, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
899462, Injection site swelling, 23.10, Pain, 23.10, Peripheral swelling,
23.10, , , , ,
899464, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
899467, Rash, 23.10, , , , , , , ,
899468, Guillain-Barre syndrome, 23.10, , , , , , , ,
899482, Influenza, 23.10, , , , , , , ,
899484, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
899485, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
899486, No adverse event, 23.10, Product distribution issue, 23.10, Product
storage error, 23.10, , , , ,
899487, Intensive care, 23.10, Pneumonia, 23.10, , , , , ,
899488, Lymphadenopathy, 23.10, Pain, 23.10, , , , , ,
899489, Influenza, 23.10, Pneumonia, 23.10, , , , , ,
899490, Paralysis, 23.10, , , , , , , ,
899492, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
899493, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, Wrong product administered, 23.10, , , , ,
899494, Paraesthesia, 23.10, Peripheral swelling, 23.10, Skin warm,
23.10, , , , ,
899501, Injection site erythema, 23.10, Injection site pain,
23.10, Injection site swelling, 23.10, , , , ,
899503, Extra dose administered, 23.10, No adverse event, 23.10, Product
administration error, 23.10, , , , ,
899505, Arthralgia, 23.10, X-ray normal, 23.10, , , , , ,
899507, Dizziness, 23.10, Ear discomfort, 23.10, Effusion, 23.10, Vertigo,
23.10, Vomiting, 23.10
899508, Nausea, 23.10, Syncope, 23.10, Vomiting, 23.10, , , , ,
899509, Extra dose administered, 23.10, , , , , , , ,
899518, Herpes zoster, 23.10, Pain, 23.10, Vaccination failure, 23.10, , , , ,
899519, Near death experience, 23.10, , , , , , , ,
899520, Immune system disorder, 23.10, , , , , , , ,
899521, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , ,
899525, Arthralgia, 23.10, Mobility decreased, 23.10, , , , , ,
899528, Allergy test positive, 23.10, Constipation, 23.10, Eye swelling,
23.10, Pruritus, 23.10, Rash, 23.10
899528, Urticaria, 23.10, , , , , , , ,

899529,Hypoaesthesia,23.10,Injection site bruising,23.10,Injection site erythema,23.10,Injection site induration,23.10,Injection site pain,23.10
899529,Injection site reaction,23.10,Injection site swelling,23.10,Injection site warmth,23.10,Oedema peripheral,23.10,Skin tightness,23.10
899529,Syncope,23.10,Ultrasound scan abnormal,23.10,Urticaria,23.10,,,,,
899530,Hypoaesthesia,23.10,Paraesthesia,23.10,,,,,,
899534,Headache,23.10,Photophobia,23.10,,,,,,
899536,Asthenia,23.10,Myalgia,23.10,,,,,,
899538,Pain in extremity,23.10,Skin discolouration,23.10,Tenderness,23.10,,,,,
899560,Feeling abnormal,23.10,Influenza like illness,23.10,Pain in extremity,23.10,,,,,
899562,Body temperature increased,23.10,Chills,23.10,Hypoaesthesia,23.10,Hypoaesthesia oral,23.10,Injection site haematoma,23.10
899562,Injection site induration,23.10,Injection site nodule,23.10,Injection site pain,23.10,Injection site warmth,23.10,Pain,23.10
899562,Systemic inflammatory response syndrome,23.10,Ultrasound scan,23.10,,,,,,
899564,Malaise,23.10,,,,,,
899565,Pyrexia,23.10,,,,,,
899569,Injection site pain,23.10,Mobility decreased,23.10,Sleep disorder,23.10,,,,,
899571,Extra dose administered,23.10,No adverse event,23.10,,,,,,
899572,Incorrect route of product administration,23.10,,,,,,
899573,Epilepsy,23.10,Seizure,23.10,,,,,,
899577,Incorrect route of product administration,23.10,,,,,,
899579,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
899580,Myalgia,23.10,,,,,,
899582,Abulia,23.10,Arthralgia,23.10,Cardiac stress test,23.10,Dyspnoea,23.10,Feeling cold,23.10
899582,Heart rate increased,23.10,Hyperhidrosis,23.10,Hypoaesthesia,23.10,Palpitations,23.10,Panic reaction,23.10
899582,SARS-CoV-2 test negative,23.10,Somnolence,23.10,,,,,,
899583,Urticaria,23.10,,,,,,
899584,Rash,23.10,,,,,,
899591,Herpes zoster,23.10,,,,,,
899592,Autoimmune disorder,23.10,Head titubation,23.10,Neurological symptom,23.10,,,,,
899593,Influenza,23.10,,,,,,
899594,Pain in extremity,23.10,,,,,,
899595,Chills,23.10,Fatigue,23.10,Malaise,23.10,Pyrexia,23.10,,
899598,Pruritus,23.10,Rash,23.10,,,,,,
899600,Abnormal behaviour,23.10,Diet refusal,23.10,Fatigue,23.10,Skin warm,23.10,Sleep disorder,23.10
899604,Facial paralysis,23.10,,,,,,
899605,Injection site pain,23.10,Vaccination site pain,

23.10,Vaccination site swelling,23.10,,,,,
899609,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,,
899610,Arthralgia,23.10,Discomfort,23.10,Injection site pain,
23.10,Musculoskeletal stiffness,23.10,Pain,23.10
899610,Pain in extremity,23.10,,,,,,
899612,Injected limb mobility decreased,23.10,Injection site joint
discomfort,23.10,Injection site joint pain,23.10,Injection site pain,
23.10,Shoulder injury related to vaccine administration,23.10
899612,Tendon disorder,23.10,Ultrasound scan abnormal,23.10,,,,,
899613,Injected limb mobility decreased,23.10,Pain,23.10,Pain in
extremity,23.10,Sleep disorder,23.10,,
899617,Dizziness,23.10,Emotional distress,23.10,Immediate post-
injection reaction,23.10,Nausea,23.10,Vomiting,23.10
899621,Haematoma,23.10,Injection site muscle weakness,23.10,Injection
site pain,23.10,Joint range of motion decreased,23.10,Laboratory test,
23.10
899621,Muscle atrophy,23.10,Pain,23.10,X-ray abnormal,23.10,,,,,
899623,Administration site reaction,23.10,Administration site warmth,
23.10,Injection site pruritus,23.10,Urticaria,23.10,,
899624,Erythema,23.10,Localised infection,23.10,Peripheral swelling,
23.10,Skin warm,23.10,,
899625,Dizziness,23.10,Immediate post-injection reaction,23.10,Product
administration interrupted,23.10,,,,,
899629,Pain,23.10,Pain in extremity,23.10,,,,,,
899631,Arthralgia,23.10,Mobility decreased,23.10,,,,,,
899632,Joint range of motion decreased,23.10,Mobility decreased,
23.10,Pain,23.10,,,,,
899633,Rash,23.10,Swelling of eyelid,23.10,,,,,,
899635,Injected limb mobility decreased,23.10,Injection site pain,
23.10,Musculoskeletal stiffness,23.10,Pain,23.10,,
899637,Herpes zoster,23.10,Influenza like illness,23.10,Injection site
reaction,23.10,Neuralgia,23.10,,
899639,Arthralgia,23.10,Injection site pain,23.10,Neck pain,
23.10,Pain,23.10,,
899640,Cheilitis,23.10,Glossitis,23.10,Inflammation,23.10,Pruritus,
23.10,,
899641,Arthralgia,23.10,Contusion,23.10,Fatigue,23.10,Headache,
23.10,Malaise,23.10
899641,Pain,23.10,Pain in extremity,23.10,Peripheral swelling,
23.10,Urticaria,23.10,,
899642,Injection site pain,23.10,Mobility decreased,23.10,,,,,,
899643,Dizziness,23.10,Pallor,23.10,,,,,,
899678,Rheumatoid arthritis,23.10,,,,,,
899682,Facial paralysis,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
899684,Pyrexia,23.10,Renal failure,23.10,,,,,,
899686,Influenza,23.10,,,,,,
899687,Illness,23.10,Malaise,23.10,Vaccination complication,23.10,,,,,
899688,Nasopharyngitis,23.10,,,,,,

899689, Illness, 23.10, Malaise, 23.10, , , , , ,
899690, Illness, 23.10, Malaise, 23.10, , , , , ,
899691, Influenza, 23.10, , , , , , ,
899692, Illness, 23.10, Malaise, 23.10, , , , , ,
899693, Erythema, 23.10, Swelling, 23.10, , , , , ,
899694, Lymphadenopathy, 23.10, , , , , , ,
899695, No adverse event, 23.10, Wrong product administered, 23.10, , , , , ,
899696, Allergy to vaccine, 23.10, Influenza like illness, 23.10, Vaccine
positive rechallenge, 23.10, , , , ,
899697, Influenza, 23.10, Pneumonia, 23.10, , , , , ,
899698, Influenza, 23.10, , , , , , ,
899699, Malaise, 23.10, , , , , , ,
899700, Death, 23.10, , , , , , ,
899701, Influenza, 23.10, , , , , , ,
899702, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
899703, Balance disorder, 23.10, Dizziness, 23.10, Extraocular muscle
disorder, 23.10, Eye pain, 23.10, Malaise, 23.10
899703, Strabismus, 23.10, , , , , , ,
899705, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
899708, Vasculitis, 23.10, , , , , , ,
899710, Influenza, 23.10, , , , , , ,
899715, Contusion, 23.10, Pain, 23.10, , , , , ,
899722, Influenza, 23.10, , , , , , ,
899723, Malaise, 23.10, , , , , , ,
899724, Extra dose administered, 23.10, No adverse event, 23.10, , , , , ,
899725, Influenza, 23.10, Malaise, 23.10, , , , , ,
899731, Injection site erythema, 23.10, Injection site swelling,
23.10, Swelling, 23.10, Swelling face, 23.10, ,
899735, Injection site pain, 23.10, , , , , , ,
899738, Product administration error, 23.10, , , , , , ,
899740, Product administration error, 23.10, , , , , , ,
899749, Herpes zoster, 23.10, Post herpetic neuralgia, 23.10, , , , , ,
899750, Chronic obstructive pulmonary disease, 23.10, Condition
aggravated, 23.10, Cough, 23.10, Dyspnoea, 23.10, Oropharyngeal pain, 23.10
899750, Pneumonia, 23.10, , , , , , ,
899751, Herpes ophthalmic, 23.10, Vaccination failure, 23.10, , , , , ,
899752, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , ,
899755, Monoplegia, 23.10, Pain in extremity, 23.10, , , , , , ,
899756, Product administered at inappropriate site, 23.10, , , , , , ,
899758, Angiogram, 23.10, Angiogram cerebral normal, 23.10, Arteriogram
carotid normal, 23.10, Computerised tomogram head abnormal,
23.10, Guillain-Barre syndrome, 23.10
899758, Lumbar spinal stenosis, 23.10, Magnetic resonance imaging brain
abnormal, 23.10, Magnetic resonance imaging spinal abnormal,
23.10, Vertebral foraminal stenosis, 23.10, ,
899760, Incorrect route of product administration, 23.10, , , , , , ,
899762, Incorrect route of product administration, 23.10, , , , , , ,
899763, Incorrect route of product administration, 23.10, , , , , , ,

899766, Eye swelling, 23.10, Lip swelling, 23.10, Periorbital swelling, 23.10, , , ,
899767, Injection site reaction, 23.10, Muscular weakness, 23.10, , , , , ,
899769, Incorrect route of product administration, 23.10, , , , , , , ,
899771, Exercise tolerance decreased, 23.10, Injection site pain, 23.10, , , , , ,
899784, Malaise, 23.10, , , , , , , ,
899785, Influenza, 23.10, , , , , , , ,
899786, Hypersensitivity, 23.10, Throat tightness, 23.10, , , , , , ,
899791, Burning sensation, 23.10, Dysphagia, 23.10, Injection site erythema, 23.10, Rash, 23.10, Skin warm, 23.10
899791, Throat irritation, 23.10, Throat tightness, 23.10, , , , , , ,
899792, Pain in extremity, 23.10, , , , , , , ,
899793, Incorrect route of product administration, 23.10, , , , , , , ,
899794, Autoimmune disorder, 23.10, Brain injury, 23.10, Deafness unilateral, 23.10, Magnetic resonance imaging brain abnormal, 23.10, ,
899795, Incorrect route of product administration, 23.10, , , , , , , ,
899799, Psoriasis, 23.10, , , , , , , ,
899800, Product administered at inappropriate site, 23.10, , , , , , , ,
899802, Product administered at inappropriate site, 23.10, , , , , , , ,
899803, Product administered at inappropriate site, 23.10, , , , , , , ,
899804, Product administered at inappropriate site, 23.10, , , , , , , ,
899805, Product administered at inappropriate site, 23.10, , , , , , , ,
899806, Product administered at inappropriate site, 23.10, , , , , , , ,
899807, Product administered at inappropriate site, 23.10, , , , , , , ,
899808, Product administered at inappropriate site, 23.10, , , , , , , ,
899809, Product administered at inappropriate site, 23.10, , , , , , , ,
899810, Incorrect route of product administration, 23.10, , , , , , , ,
899811, Incorrect route of product administration, 23.10, , , , , , , ,
899812, Incorrect route of product administration, 23.10, , , , , , , ,
899813, Arthralgia, 23.10, Bone pain, 23.10, Chest pain, 23.10, Myalgia, 23.10, ,
899815, Incorrect route of product administration, 23.10, , , , , , , ,
899816, Incorrect route of product administration, 23.10, , , , , , , ,
899817, Incorrect route of product administration, 23.10, , , , , , , ,
899818, Incorrect route of product administration, 23.10, , , , , , , ,
899819, Product administration error, 23.10, , , , , , , ,
899820, Product administration error, 23.10, , , , , , , ,
899821, Incorrect route of product administration, 23.10, , , , , , , ,
899822, Product administration error, 23.10, , , , , , , ,
899823, Product administration error, 23.10, , , , , , , ,
899824, Product administration error, 23.10, , , , , , , ,
899825, Product administration error, 23.10, , , , , , , ,
899826, Product administration error, 23.10, , , , , , , ,
899828, Product administration error, 23.10, , , , , , , ,
899829, Product administration error, 23.10, , , , , , , ,
899830, Product administration error, 23.10, , , , , , , ,
899831, Abdominal discomfort, 23.10, Asthenia, 23.10, Chest pain, 23.10, Eye swelling, 23.10, Fatigue, 23.10
899831, Feeding disorder, 23.10, Hypoaesthesia oral, 23.10, Illness,

23.10,Lethargy,23.10,Mouth swelling,23.10
899831,Nausea,23.10,Neck pain,23.10,Ocular hyperaemia,
23.10,Oropharyngeal pain,23.10,Pain in extremity,23.10
899831,Pyrexia,23.10,Respiratory tract congestion,23.10,Rhinorrhoea,
23.10,Skin swelling,23.10,Tinnitus,23.10
899832,Incorrect route of product administration,23.10,,,,,
899833,Incorrect route of product administration,23.10,,,,,
899834,Incorrect route of product administration,23.10,,,,,
899835,Incorrect route of product administration,23.10,,,,,
899836,Incorrect route of product administration,23.10,,,,,
899837,Incorrect route of product administration,23.10,,,,,
899838,Incorrect route of product administration,23.10,,,,,
899839,Incorrect route of product administration,23.10,,,,,
899841,Contusion,23.10,Injection site erythema,23.10,Injection site
mass,23.10,,,,,
899842,Product administration error,23.10,,,,,
899845,Incorrect route of product administration,23.10,,,,,
899846,Product administration error,23.10,,,,,
899847,Incorrect route of product administration,23.10,,,,,
899848,Product administration error,23.10,,,,,
899849,Incorrect route of product administration,23.10,,,,,
899851,Arthralgia,23.10,,,,,
899852,Incorrect route of product administration,23.10,,,,,
899853,Product administration error,23.10,,,,,
899854,Incorrect route of product administration,23.10,,,,,
899856,Immediate post-injection reaction,23.10,Loss of consciousness,
23.10,Syncope,23.10,,,,,
899859,Incorrect route of product administration,23.10,,,,,
899860,Incorrect route of product administration,23.10,,,,,
899861,Product administration error,23.10,,,,,
899862,Incorrect route of product administration,23.10,,,,,
899863,Product administration error,23.10,,,,,
899864,Incorrect route of product administration,23.10,,,,,
899865,Product administration error,23.10,,,,,
899866,Incorrect route of product administration,23.10,,,,,
899867,Product administration error,23.10,,,,,
899869,Incorrect route of product administration,23.10,,,,,
899870,Product administration error,23.10,,,,,
899871,Incorrect route of product administration,23.10,,,,,
899872,Product administration error,23.10,,,,,
899873,Injection site pain,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
899874,Product administration error,23.10,,,,,
899875,Product administration error,23.10,,,,,
899876,Product administration error,23.10,,,,,
899878,Product administration error,23.10,,,,,
899879,Eye swelling,23.10,Headache,23.10,Lip swelling,23.10,Oral
discomfort,23.10,,
899881,Incorrect route of product administration,23.10,,,,,
899882,Incorrect route of product administration,23.10,,,,,

899883, Blood glucose normal, 23.10, Immediate post-injection reaction, 23.10, Syncope, 23.10, , , , ,
899885, Balance disorder, 23.10, Vertigo, 23.10, , , , , ,
899886, Unevaluable event, 23.10, , , , , , , ,
899887, Immediate post-injection reaction, 23.10, Muscle spasms, 23.10, Pain in extremity, 23.10, Posture abnormal, 23.10, Somnolence, 23.10
899887, Syncope, 23.10, Visual impairment, 23.10, , , , , , ,
899890, Injection site cellulitis, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Pain, 23.10, Pyrexia, 23.10
899892, Erythema, 23.10, Pain, 23.10, Pruritus, 23.10, Skin warm, 23.10, Swelling, 23.10
899892, Tenderness, 23.10, Urticaria, 23.10, , , , , , ,
899897, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
899898, Chills, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
899898, Malaise, 23.10, Myalgia, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10
899899, Anal incontinence, 23.10, Anti-aquaporin-4 antibody, 23.10, Antibody test normal, 23.10, Back pain, 23.10, Blood thyroid stimulating hormone, 23.10
899899, CSF test normal, 23.10, Hypoaesthesia, 23.10, Magnetic resonance imaging abnormal, 23.10, Magnetic resonance imaging brain normal, 23.10, Magnetic resonance imaging spinal, 23.10
899899, Myelitis transverse, 23.10, Neuralgia, 23.10, Paraplegia, 23.10, Urinary incontinence, 23.10, Vitamin B12, 23.10
899901, Dizziness, 23.10, Headache, 23.10, , , , , , ,
899903, Angiotensin converting enzyme, 23.10, Anti-aquaporin-4 antibody negative, 23.10, Antibody test positive, 23.10, Antinuclear antibody negative, 23.10, Blindness, 23.10
899903, C-reactive protein normal, 23.10, CSF test normal, 23.10, Colour blindness, 23.10, Eye pain, 23.10, Magnetic resonance imaging abnormal, 23.10
899903, Magnetic resonance imaging brain, 23.10, Magnetic resonance imaging spinal, 23.10, Optic neuritis, 23.10, Visual field defect, 23.10, , ,
899904, Blood glucose normal, 23.10, Generalised tonic-clonic seizure, 23.10, Loss of consciousness, 23.10, , , , ,
899911, Infection, 23.10, Peripheral swelling, 23.10, Skin discolouration, 23.10, Skin warm, 23.10, , ,
899932, Influenza, 23.10, Vaccination failure, 23.10, , , , , , ,
899933, Malaise, 23.10, , , , , , , ,
899934, Influenza, 23.10, , , , , , , ,
899935, Influenza, 23.10, , , , , , , ,
899936, Illness, 23.10, Influenza, 23.10, , , , , , ,
899937, Malaise, 23.10, , , , , , , ,
899938, Pain in extremity, 23.10, , , , , , , ,
899939, Malaise, 23.10, , , , , , , ,
899940, Influenza, 23.10, , , , , , , ,
899941, Pain in extremity, 23.10, , , , , , , ,
899942, Pain in extremity, 23.10, , , , , , , ,
899943, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , ,

899944,Gait disturbance,23.10,Myalgia,23.10,Pain in extremity,
23.10,Pain in jaw,23.10,,
899945,Injection site pain,23.10,Loss of personal independence in
daily activities,23.10,Pain,23.10,Pain in extremity,23.10,Sleep
disorder,23.10
899947,Hypoaesthesia,23.10,Immediate post-injection reaction,
23.10,Impaired work ability,23.10,Injection site hypoaesthesia,
23.10,Injection site pain,23.10
899947,Malaise,23.10,Pain,23.10,Pain in extremity,23.10,Sensitivity to
weather change,23.10,,
899949,Bone marrow oedema,23.10,Full blood count normal,
23.10,Injection site joint movement impairment,23.10,Injection site
pain,23.10,Magnetic resonance imaging abdominal,23.10
899949,Tendon injury,23.10,Tendonitis,23.10,,,,,
899954,Dizziness,23.10,Nausea,23.10,Vomiting,23.10,,,,,
899969,Adverse drug reaction,23.10,Biopsy skin abnormal,
23.10,Epistaxis,23.10,Nasal discomfort,23.10,Oral mucosal exfoliation,
23.10
899969,Rash,23.10,Stomatitis,23.10,Vasculitis,23.10,,,,,
899975,Pruritus,23.10,Rash,23.10,,,,,
899977,Myalgia,23.10,Swelling face,23.10,,,,,
899982,Oropharyngeal pain,23.10,,,,,
899983,Injection site infection,23.10,,,,,
899984,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
899985,Medical observation,23.10,Unevaluable event,23.10,,,,,
899986,Injection site erythema,23.10,Injection site swelling,
23.10,Injection site warmth,23.10,,,,,
899987,Mobility decreased,23.10,Pain,23.10,Pain in extremity,23.10,,,,,
899990,Aggression,23.10,Amnesia,23.10,Arthralgia,23.10,Ear swelling,
23.10,Hypoaesthesia,23.10
899990,Rotator cuff syndrome,23.10,Skin discolouration,
23.10,Tenderness,23.10,,,,,
899995,Arthralgia,23.10,Pain,23.10,,,,,
899997,Cellulitis,23.10,Injection site discomfort,23.10,Injection site
erythema,23.10,Injection site swelling,23.10,Injection site warmth,
23.10
900004,Urticaria,23.10,Wheezing,23.10,,,,,
900016,Dizziness,23.10,Loss of consciousness,23.10,,,,,
900017,Rhinorrhoea,23.10,,,,,
900018,Pain,23.10,,,,,
900019,Chills,23.10,Cough,23.10,Dyspnoea,23.10,Dysstasia,23.10,Gait
disturbance,23.10
900019,Influenza,23.10,Malaise,23.10,Nasal congestion,23.10,Pain,
23.10,Pyrexia,23.10
900019,Rhinorrhoea,23.10,,,,,
900020,Extra dose administered,23.10,No adverse event,23.10,,,,,
900021,No adverse event,23.10,Product administered to patient of
inappropriate age,23.10,,,,,
900022,Device connection issue,23.10,Exposure via skin contact,

23.10, No adverse event, 23.10, Underdose, 23.10,,
900023, Arthritis, 23.10, Back pain, 23.10, Chest pain, 23.10, Condition
aggravated, 23.10, Fall, 23.10
900023, Herpes zoster, 23.10, Hypoaesthesia, 23.10, Laboratory test,
23.10, Pain in extremity, 23.10, Paraesthesia, 23.10
900023, Rash, 23.10, Rash erythematous, 23.10, Syncope, 23.10,,,,,
900032, Skin discolouration, 23.10,,,,,,
900038, Rash, 23.10,,,,,,
900040, Erythema, 23.10,,,,,,
900041, Cough, 23.10, Syncope, 23.10, Wheezing, 23.10,,,,,
900042, Product administered to patient of inappropriate age,
23.10,,,,,,
900043, Vaccination site erythema, 23.10, Vaccination site induration,
23.10, Vaccination site pruritus, 23.10, Vaccination site warmth, 23.10,,
900044, Injection site rash, 23.10, Pruritus, 23.10, Rash, 23.10,,,,,
900045, Pyrexia, 23.10, Urticaria, 23.10,,,,,
900046, Injection site pain, 23.10, Injection site pruritus,
23.10, Peripheral swelling, 23.10,,,,,
900050, Oedema, 23.10, Rash, 23.10,,,,,
900062, Feeling abnormal, 23.10, Influenza, 23.10, Vaccination failure,
23.10,,,,,
900063, Influenza, 23.10, Vaccination failure, 23.10,,,,,
900064, Influenza, 23.10,,,,,,
900065, Anxiety, 23.10, Asthenia, 23.10, Muscular weakness, 23.10,,,,,
900066, Ageusia, 23.10, Weight decreased, 23.10,,,,,
900071, Burning sensation, 23.10, Computerised tomogram head normal,
23.10, Hypoaesthesia, 23.10, Immunoglobulin therapy, 23.10, Insomnia, 23.10
900071, Magnetic resonance imaging brain normal, 23.10, Magnetic
resonance imaging spinal abnormal, 23.10, Muscular weakness,
23.10, Myelitis transverse, 23.10, Pain in extremity, 23.10
900071, Paraesthesia, 23.10, Urinary incontinence, 23.10,,,,,
900074, Erythema, 23.10, Pain of skin, 23.10,,,,,
900085, Blindness, 23.10,,,,,,
900087, Ophthalmic herpes zoster, 23.10, Vaccination failure, 23.10,,,,,
900088, Hypersensitivity, 23.10, Injection site pain, 23.10, Pain, 23.10,,,,,
900090, Headache, 23.10, Influenza like illness, 23.10, Injection site
induration, 23.10, Injection site nodule, 23.10, Neck pain, 23.10
900090, Pain, 23.10, Pain in extremity, 23.10, Ultrasound scan normal,
23.10,,,,,
900091, Erythema, 23.10, Skin warm, 23.10,,,,,
900094, Influenza, 23.10,,,,,,
900095, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Pain, 23.10, Pain in extremity, 23.10, Sleep disorder, 23.10
900095, Vaccination complication, 23.10,,,,,,
900096, Erythema, 23.10, Injection site erythema, 23.10,,,,,
900097, Back pain, 23.10, Dizziness, 23.10, Flushing, 23.10, Lacrimation
increased, 23.10, Rhinorrhoea, 23.10
900097, Tremor, 23.10,,,,,,
900101, Injection site erythema, 23.10,,,,,,
900102, Injection site erythema, 23.10,,,,,,

900104,Injected limb mobility decreased,23.10,Peripheral swelling,
23.10,,,,,
900106,Computerised tomogram,23.10,Dyspnoea,23.10,Endotracheal
intubation,23.10,Laboratory test,23.10,Pneumothorax,23.10
900106,X-ray,23.10,,,,,
900112,Herpes zoster,23.10,Vaccination failure,23.10,,,,,
900114,Injection site induration,23.10,Injection site pain,23.10,,,,,
900116,Dizziness,23.10,Fear of injection,23.10,Head discomfort,
23.10,Immediate post-injection reaction,23.10,Loss of consciousness,
23.10
900116,Syncope,23.10,,,,,
900117,Arthralgia,23.10,Mobility decreased,23.10,Pain,23.10,Shoulder
injury related to vaccine administration,23.10,,
900119,Incorrect route of product administration,23.10,,,,,
900120,Arthralgia,23.10,Joint range of motion decreased,
23.10,Musculoskeletal stiffness,23.10,Neck pain,23.10,Pain in
extremity,23.10
900120,Rash,23.10,,,,,
900122,Pain,23.10,Pain in extremity,23.10,,,,,
900123,Abnormal behaviour,23.10,Cellulitis,23.10,Erythema,
23.10,Hypersensitivity,23.10,Peripheral swelling,23.10
900123,Skin warm,23.10,,,,,
900124,Chills,23.10,Death,23.10,Feeling cold,23.10,,,,
900126,Injection site pain,23.10,Mobility decreased,23.10,Myalgia,
23.10,Sleep disorder,23.10,Ultrasound scan,23.10
900127,Back pain,23.10,Decreased appetite,23.10,Headache,
23.10,Injection site erythema,23.10,Injection site swelling,23.10
900127,Pain,23.10,Urticaria,23.10,,,,,
900130,Pain,23.10,Peripheral swelling,23.10,Pruritus,23.10,Skin warm,
23.10,,
900133,Erythema,23.10,Injection site swelling,23.10,,,,,
900136,Injection site pain,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,,,,
900137,Cellulitis,23.10,Pain,23.10,Peripheral swelling,23.10,Pyrexia,
23.10,Tachycardia,23.10
900140,Impaired work ability,23.10,Mobility decreased,23.10,Pain in
extremity,23.10,,,,
900141,Diarrhoea,23.10,Discomfort,23.10,Hypoaesthesia,23.10,Nausea,
23.10,Pain in extremity,23.10
900141,Palpitations,23.10,Pruritus,23.10,Swelling,23.10,Urticaria,
23.10,Wrong product administered,23.10
900143,Feeling hot,23.10,Nausea,23.10,Pallor,23.10,,,,
900144,Aphasia,23.10,Autism spectrum disorder,23.10,Hyperaesthesia,
23.10,Intentional self-injury,23.10,Photophobia,23.10
900146,Anxiety,23.10,Headache,23.10,Muscle spasms,23.10,,,,
900167,Herpes zoster,23.10,,,,,
900168,Herpes zoster,23.10,,,,,
900176,Pancreatitis,23.10,,,,,
900177,Anxiety,23.10,Chronic obstructive pulmonary disease,
23.10,Incomplete course of vaccination,23.10,,,,

900178, Influenza like illness, 23.10, , , , , , , , ,
900179, Hypoaesthesia, 23.10, Influenza, 23.10, , , , , , , ,
900180, Influenza, 23.10, , , , , , , , , ,
900181, Influenza, 23.10, , , , , , , , , ,
900182, Influenza, 23.10, , , , , , , , , ,
900183, Influenza, 23.10, , , , , , , , , ,
900184, Influenza, 23.10, , , , , , , , , ,
900185, Influenza, 23.10, , , , , , , , , ,
900186, Influenza, 23.10, , , , , , , , , ,
900187, Influenza, 23.10, , , , , , , , , ,
900188, Influenza, 23.10, , , , , , , , , ,
900189, Influenza, 23.10, , , , , , , , , ,
900190, Influenza, 23.10, , , , , , , , , ,
900191, Illness, 23.10, Malaise, 23.10, , , , , , , ,
900192, Influenza, 23.10, , , , , , , , , ,
900193, Influenza, 23.10, , , , , , , , , ,
900194, Influenza, 23.10, , , , , , , , , ,
900195, Influenza, 23.10, , , , , , , , , ,
900196, Injection site erythema, 23.10, Injection site inflammation,
23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pain
in extremity, 23.10
900197, Incorrect dose administered, 23.10, No adverse event,
23.10, Product administered to patient of inappropriate age, 23.10, , , , ,
900201, Injection site pain, 23.10, , , , , , , , , ,
900204, Fluid replacement, 23.10, Hypotension, 23.10, SARS-CoV-2 test
positive, 23.10, Syncope, 23.10, , ,
900205, Injection site joint movement impairment, 23.10, Injection site
movement impairment, 23.10, Musculoskeletal discomfort,
23.10, Musculoskeletal stiffness, 23.10, , ,
900209, Herpes zoster, 23.10, Ophthalmic herpes zoster, 23.10, Rash
vesicular, 23.10, , , , ,
900216, Product administered at inappropriate site, 23.10, , , , , , , , , ,
900218, Erythema, 23.10, Swelling, 23.10, , , , , , , , , ,
900220, No adverse event, 23.10, Product administered to patient of
inappropriate age, 23.10, , , , , , , , , ,
900222, Injection site discolouration, 23.10, Injection site indentation,
23.10, , , , , , , , , ,
900225, Immediate post-injection reaction, 23.10, Injection site pain,
23.10, Tendonitis, 23.10, Wrong technique in product usage process,
23.10, , ,
900238, Anxiety, 23.10, Asthma, 23.10, Bipolar disorder, 23.10, Blister,
23.10, Condition aggravated, 23.10
900238, Dementia Alzheimer's type, 23.10, Depression, 23.10, Headache,
23.10, Herpes zoster, 23.10, Nerve compression, 23.10
900238, Pain, 23.10, Pyrexia, 23.10, Rash, 23.10, Scab, 23.10, Varicella, 23.10
900239, Impaired work ability, 23.10, Peripheral swelling, 23.10, , , , , , , ,
900240, Influenza, 23.10, , , , , , , , , ,
900241, Influenza, 23.10, , , , , , , , , ,
900242, Feeling abnormal, 23.10, , , , , , , , , ,
900243, Influenza, 23.10, , , , , , , , , ,

900244, Influenza, 23.10, , , , , , , , , , ,
900245, Chills, 23.10, Decreased appetite, 23.10, Influenza, 23.10, Pain, 23.10, Pyrexia, 23.10
900246, Malaise, 23.10, , , , , , , , , , ,
900247, Malaise, 23.10, , , , , , , , , , ,
900248, Injection site pain, 23.10, , , , , , , , , , ,
900249, Pain, 23.10, , , , , , , , , , ,
900250, Malaise, 23.10, , , , , , , , , , ,
900251, Illness, 23.10, , , , , , , , , , ,
900252, Pyrexia, 23.10, , , , , , , , , , ,
900255, Illness, 23.10, Vaccine positive rechallenge, 23.10, , , , , , , , , , ,
900256, Injection site erythema, 23.10, Injection site swelling, 23.10, , , , , , , , , , ,
900257, Headache, 23.10, Nausea, 23.10, Vomiting, 23.10, , , , , , , , , , ,
900258, Erythema, 23.10, Injection site swelling, 23.10, Swelling, 23.10, Tenderness, 23.10, , , , , , , , , , ,
900259, Chills, 23.10, Malaise, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , , , , , , ,
900260, Bed rest, 23.10, Malaise, 23.10, Respiratory tract infection, 23.10, , , , , , , , , , ,
900261, Autonomic nervous system imbalance, 23.10, Malaise, 23.10, Mental disability, 23.10, Physical disability, 23.10, , , , , , , , , , ,
900262, Crying, 23.10, Decreased appetite, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Irritability, 23.10
900263, Rotavirus infection, 23.10, Vomiting, 23.10, , , , , , , , , , ,
900265, Blood test normal, 23.10, Pain, 23.10, Pain in extremity, 23.10, , , , , , , , , , ,
900266, Injection site abscess, 23.10, , , , , , , , , , ,
900269, Disorientation, 23.10, Dyskinesia, 23.10, Eye movement disorder, 23.10, Hyperhidrosis, 23.10, Syncope, 23.10
900270, No adverse event, 23.10, Product administered to patient of inappropriate age, 23.10, , , , , , , , , , ,
900271, Product administered to patient of inappropriate age, 23.10, Vaccination site pain, 23.10, Vaccination site warmth, 23.10, Wrong product administered, 23.10, , , , , , , , , , ,
900274, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, , , , , , , , , , ,
900284, Herpes zoster, 23.10, , , , , , , , , , ,
900289, Illness, 23.10, Malaise, 23.10, , , , , , , , , , ,
900290, Influenza, 23.10, , , , , , , , , , ,
900291, Illness, 23.10, Malaise, 23.10, , , , , , , , , , ,
900292, Influenza, 23.10, , , , , , , , , , ,
900293, Illness, 23.10, Malaise, 23.10, , , , , , , , , , ,
900297, Illness, 23.10, Malaise, 23.10, , , , , , , , , , ,
900299, Illness, 23.10, Influenza like illness, 23.10, Malaise, 23.10, , , , , , , , , , ,
900300, Vaccination complication, 23.10, , , , , , , , , , ,
900301, Coronavirus infection, 23.10, Cough, 23.10, Dyspnoea, 23.10, , , , , , , , , , ,
900302, Influenza, 23.10, , , , , , , , , , ,
900303, Malaise, 23.10, , , , , , , , , , ,
900304, Vaccination complication, 23.10, , , , , , , , , , ,
900310, Influenza, 23.10, , , , , , , , , , ,

900313, Abdominal pain upper, 23.10, Capsule endoscopy, 23.10, Colonoscopy, 23.10, Crohn's disease, 23.10, Diarrhoea, 23.10
900313, Endoscopy, 23.10, Laboratory test, 23.10, Ultrasound scan, 23.10, Weight decreased, 23.10,,
900318, Pruritus, 23.10, Rash, 23.10, Rash macular, 23.10, Urticaria, 23.10,,
900320, Arthralgia, 23.10, Hypoaesthesia, 23.10, Pain in extremity, 23.10, Paraesthesia, 23.10,,
900323, Arthralgia, 23.10, Dizziness, 23.10, Hyperhidrosis, 23.10, Palpitations, 23.10,,
900326, Injection site pain, 23.10,,,,,,,
900327, Pyrexia, 23.10, Rash, 23.10, Swelling, 23.10,,,,
900333, Extra dose administered, 23.10, No adverse event, 23.10,,,,,,
900335, Pain in extremity, 23.10,,,,,,,
900350, Arthralgia, 23.10, Asthenia, 23.10, Joint range of motion decreased, 23.10, Pain in extremity, 23.10,,
900351, Asthenia, 23.10, Back pain, 23.10, C-reactive protein, 23.10, Chest pain, 23.10, Fine motor skill dysfunction, 23.10
900351, Full blood count, 23.10, Hypoaesthesia, 23.10, Injection site erythema, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
900351, Magnetic resonance imaging spinal, 23.10, Muscle atrophy, 23.10, Neck pain, 23.10, Pain, 23.10, Pain in extremity, 23.10
900351, Paraesthesia, 23.10, Peripheral swelling, 23.10, Red blood cell sedimentation rate, 23.10, Swelling, 23.10, X-ray limb, 23.10
900354, Guillain-Barre syndrome, 23.10, Lumbar puncture, 23.10,,,,,,
900356, Fatigue, 23.10, Injection site pain, 23.10, Nausea, 23.10, Vertigo, 23.10,,
900357, Injection site pain, 23.10,,,,,,,
900358, Hypoaesthesia, 23.10, Inflammation, 23.10, Mobility decreased, 23.10, Pain, 23.10, Pain in extremity, 23.10
900358, Sleep disorder, 23.10,,,,,,,
900364, Injection site inflammation, 23.10, Injection site pain, 23.10, Sleep disorder, 23.10,,,,
900365, Asthenia, 23.10, Blood test normal, 23.10, Borrelia test negative, 23.10, Chest X-ray normal, 23.10, Chills, 23.10
900365, Cough, 23.10, Ear pain, 23.10, Electrocardiogram normal, 23.10, Fall, 23.10, Fatigue, 23.10
900365, Headache, 23.10, Immunology test, 23.10, Impaired work ability, 23.10, Loss of personal independence in daily activities, 23.10, Myalgia, 23.10
900365, Otic examination normal, 23.10, Pyrexia, 23.10, Tenderness, 23.10, Tremor, 23.10, Urine analysis normal, 23.10
900365, Vertigo, 23.10,,,,,,,
900367, Injection site pain, 23.10, Injection site swelling, 23.10,,,,,,
900368, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, Pallor, 23.10,,,,
900369, Arthralgia, 23.10,,,,,,,
900371, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, Pallor, 23.10,,,,
900377, Dizziness, 23.10, Hyperhidrosis, 23.10, Immediate post-injection reaction, 23.10, Nausea, 23.10, Pallor, 23.10

900378, Arthralgia, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, , , ,
900380, Paraesthesia, 23.10, , , , , , , , ,
900384, Joint range of motion decreased, 23.10, Pain in extremity,
23.10, , , , , , ,
900385, Arthralgia, 23.10, Injection site pain, 23.10, Mobility decreased,
23.10, Tendon injury, 23.10, ,
900389, Mydriasis, 23.10, Pallor, 23.10, Pulse abnormal, 23.10, Syncope,
23.10, ,
900393, Aphonia, 23.10, Cough, 23.10, Dry throat, 23.10, Fatigue,
23.10, Impaired work ability, 23.10
900393, Laryngitis, 23.10, Lipids normal, 23.10, Malaise, 23.10, Metabolic
function test normal, 23.10, Ocular discomfort, 23.10
900393, Oropharyngeal pain, 23.10, Pyrexia, 23.10, , , , , , ,
900398, Arthralgia, 23.10, Product administered at inappropriate site,
23.10, , , , , , ,
900401, Injection site pain, 23.10, Nausea, 23.10, Pain, 23.10, , , ,
900406, Fatigue, 23.10, Pain, 23.10, , , , , , ,
900407, Pain, 23.10, , , , , , , , ,
900409, Echocardiogram, 23.10, Electrocardiogram, 23.10, Kawasaki's
disease, 23.10, Lymphadenopathy, 23.10, Pyrexia, 23.10
900409, Rash, 23.10, , , , , , , , ,
900413, Headache, 23.10, Paraesthesia oral, 23.10, Peripheral swelling,
23.10, Swollen tongue, 23.10, Vomiting, 23.10
900415, Pruritus, 23.10, Urticaria, 23.10, , , , , , ,
900418, Chills, 23.10, Influenza like illness, 23.10, Pyrexia, 23.10, Sleep
disorder, 23.10, Tachycardia, 23.10
900421, Product administered at inappropriate site, 23.10, , , , , , , , ,
900428, Arthralgia, 23.10, , , , , , , , ,
900434, Blood pressure increased, 23.10, Malaise, 23.10, Nasopharyngitis,
23.10, Neck pain, 23.10, Palpitations, 23.10
900437, Pain in extremity, 23.10, , , , , , , , ,
900439, Blister, 23.10, Burning sensation, 23.10, Herpes zoster,
23.10, Injection site rash, 23.10, Neuralgia, 23.10
900439, Rash erythematous, 23.10, Rash papular, 23.10, Rash pruritic,
23.10, , , , ,
900441, Dizziness, 23.10, Pallor, 23.10, Seizure, 23.10, , , , ,
900474, Balance disorder, 23.10, Cardiovascular disorder, 23.10, Visual
impairment, 23.10, , , , ,
900478, Facial paralysis, 23.10, , , , , , , , ,
900480, Herpes zoster, 23.10, , , , , , , , ,
900482, Balance disorder, 23.10, Dysarthria, 23.10, Facial paralysis,
23.10, Facial paresis, 23.10, Rash, 23.10
900482, Visual impairment, 23.10, , , , , , , , ,
900486, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , , ,
900488, Back pain, 23.10, Blister, 23.10, Herpes zoster, 23.10, Pain in
extremity, 23.10, Vaccination failure, 23.10
900489, Malaise, 23.10, , , , , , , , ,
900490, Malaise, 23.10, , , , , , , , ,
900491, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , , ,
900492, Influenza, 23.10, , , , , , , , ,

900493,Hot flush,23.10,,,,,,,,,
900494,Influenza,23.10,,,,,,,,,
900495,Influenza,23.10,,,,,,,,,
900496,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,,
900497,Malaise,23.10,,,,,,,,,
900498,Influenza,23.10,,,,,,,,,
900499,Malaise,23.10,Mobility decreased,23.10,Pyrexia,23.10,Vomiting,
23.10,,
900500,Malaise,23.10,,,,,,,,,
900501,Malaise,23.10,,,,,,,,,
900502,Influenza,23.10,,,,,,,,,
900503,Pain in extremity,23.10,,,,,,,,,
900504,Influenza,23.10,,,,,,,,,
900505,Pain in extremity,23.10,,,,,,,,,
900506,Feeling abnormal,23.10,Nasopharyngitis,23.10,,,,,,
900507,Influenza,23.10,,,,,,,,,
900508,Influenza,23.10,,,,,,,,,
900509,Bronchitis,23.10,Malaise,23.10,,,,,,
900510,Influenza,23.10,,,,,,,,,
900511,Influenza,23.10,,,,,,,,,
900512,Illness,23.10,Malaise,23.10,,,,,,
900513,Influenza,23.10,,,,,,,,,
900514,Influenza,23.10,,,,,,,,,
900515,Illness,23.10,Malaise,23.10,,,,,,
900516,Influenza,23.10,,,,,,,,,
900517,Influenza,23.10,,,,,,,,,
900518,Body temperature increased,23.10,Malaise,23.10,,,,,,
900519,Feeling abnormal,23.10,Influenza,23.10,,,,,,
900520,Influenza,23.10,,,,,,,,,
900521,Pain in extremity,23.10,,,,,,,,,
900522,Influenza,23.10,,,,,,,,,
900523,Erythema,23.10,Illness,23.10,Malaise,23.10,Pyrexia,23.10,,
900524,Malaise,23.10,,,,,,,,,
900525,Malaise,23.10,,,,,,,,,
900526,Influenza,23.10,Malaise,23.10,,,,,,
900527,Malaise,23.10,Pain in extremity,23.10,,,,,,
900528,Influenza,23.10,,,,,,,,,
900529,Illness,23.10,Influenza,23.10,,,,,,
900530,Influenza,23.10,,,,,,,,,
900531,Malaise,23.10,,,,,,,,,
900532,Influenza,23.10,,,,,,,,,
900533,Malaise,23.10,,,,,,,,,
900534,Illness,23.10,Malaise,23.10,,,,,,
900535,Influenza,23.10,,,,,,,,,
900536,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,,
900537,Influenza,23.10,,,,,,,,,
900538,Illness,23.10,,,,,,,,,
900539,Illness,23.10,Malaise,23.10,,,,,,
900540,Chills,23.10,Pain in extremity,23.10,,,,,,
900541,Malaise,23.10,,,,,,,,,

900542,Illness,23.10,Influenza,23.10,,,,,
900543,Malaise,23.10,,,,,
900544,Allergy to vaccine,23.10,Malaise,23.10,,,,,
900545,Pain in extremity,23.10,,,,,
900546,Illness,23.10,,,,,
900547,Malaise,23.10,,,,,
900548,Influenza,23.10,,,,,
900549,Influenza,23.10,,,,,
900550,Illness,23.10,Malaise,23.10,,,,,
900551,Illness,23.10,Pain,23.10,,,,,
900552,Illness,23.10,Malaise,23.10,,,,,
900553,Malaise,23.10,,,,,
900554,Patient dissatisfaction with device,23.10,,,,,
900555,Illness,23.10,Malaise,23.10,,,,,
900556,Influenza,23.10,,,,,
900557,Feeling abnormal,23.10,,,,,
900558,Illness,23.10,Influenza,23.10,,,,,
900559,Injection site pain,23.10,,,,,
900560,Influenza,23.10,Rhinorrhoea,23.10,,,,,
900561,Asthenia,23.10,Chills,23.10,,,,,
900562,Pyrexia,23.10,,,,,
900563,Hypersensitivity,23.10,,,,,
900564,Influenza,23.10,,,,,
900565,Influenza,23.10,,,,,
900566,Illness,23.10,Malaise,23.10,,,,,
900567,Influenza,23.10,,,,,
900568,Illness,23.10,Malaise,23.10,,,,,
900569,Malaise,23.10,Vaccine positive rechallenge,23.10,,,,,
900570,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,
900571,Illness,23.10,,,,,
900572,Influenza,23.10,,,,,
900573,Headache,23.10,Lacrimation increased,23.10,Pain,23.10,,,,,
900574,Influenza,23.10,,,,,
900575,Illness,23.10,Malaise,23.10,,,,,
900576,Myalgia,23.10,Pyrexia,23.10,,,,,
900577,Injection site pain,23.10,,,,,
900578,Influenza,23.10,,,,,
900579,Influenza,23.10,Nasopharyngitis,23.10,,,,,
900580,Influenza,23.10,,,,,
900581,Influenza,23.10,,,,,
900582,Influenza,23.10,,,,,
900583,Illness,23.10,Influenza,23.10,,,,,
900584,Influenza,23.10,,,,,
900585,Cough,23.10,Oropharyngeal pain,23.10,,,,,
900586,Influenza,23.10,,,,,
900587,Illness,23.10,Malaise,23.10,,,,,
900588,Influenza,23.10,,,,,
900589,Influenza like illness,23.10,,,,,
900590,Malaise,23.10,,,,,
900591,Malaise,23.10,,,,,

900592, Illness, 23.10, Malaise, 23.10, Peripheral swelling,
23.10, Vaccination site swelling, 23.10,,
900593, Influenza, 23.10,,,,,,
900594, Malaise, 23.10,,,,,,
900595, Malaise, 23.10,,,,,,
900596, Feeling abnormal, 23.10, Pain in extremity, 23.10,,,,,
900597, Pain in extremity, 23.10,,,,,,
900598, Pain in extremity, 23.10,,,,,,
900599, Influenza, 23.10,,,,,,
900600, Influenza, 23.10,,,,,,
900601, Illness, 23.10, Malaise, 23.10,,,,,
900602, Pain in extremity, 23.10,,,,,,
900603, Malaise, 23.10,,,,,,
900604, Illness, 23.10,,,,,,
900605, Influenza, 23.10,,,,,,
900606, Influenza, 23.10,,,,,,
900607, Malaise, 23.10, Pyrexia, 23.10,,,,,
900608, Illness, 23.10, Malaise, 23.10,,,,,
900609, Illness, 23.10, Malaise, 23.10,,,,,
900610, Illness, 23.10, Malaise, 23.10,,,,,
900611, Illness, 23.10, Malaise, 23.10,,,,,
900612, Malaise, 23.10,,,,,,
900613, Pain in extremity, 23.10,,,,,,
900614, Influenza, 23.10,,,,,,
900615, Pain in extremity, 23.10,,,,,,
900616, Illness, 23.10, Malaise, 23.10,,,,,
900617, Influenza, 23.10,,,,,,
900618, Illness, 23.10, Malaise, 23.10,,,,,
900619, Pyrexia, 23.10, Rhinorrhoea, 23.10,,,,,
900620, Influenza, 23.10,,,,,,
900621, Influenza, 23.10,,,,,,
900622, Influenza, 23.10,,,,,,
900623, Illness, 23.10, Malaise, 23.10,,,,,
900624, Illness, 23.10,,,,,,
900625, Feeling abnormal, 23.10, Illness, 23.10, Malaise, 23.10,,,,,
900626, Malaise, 23.10, Therapeutic product ineffective, 23.10,,,,,
900627, Malaise, 23.10,,,,,,
900628, Influenza, 23.10, Vaccine positive rechallenge, 23.10,,,,,
900629, Influenza, 23.10,,,,,,
900630, Pain in extremity, 23.10,,,,,,
900631, Malaise, 23.10, Pyrexia, 23.10,,,,,
900632, Illness, 23.10, Malaise, 23.10,,,,,
900633, Influenza, 23.10,,,,,,
900634, Influenza, 23.10,,,,,,
900635, Malaise, 23.10,,,,,,
900636, Malaise, 23.10,,,,,,
900637, Pain in extremity, 23.10,,,,,,
900638, Illness, 23.10, Influenza, 23.10, Malaise, 23.10,,,,,
900639, Illness, 23.10, Malaise, 23.10,,,,,
900640, Illness, 23.10, Malaise, 23.10,,,,,

900641, Influenza, 23.10, , , , , , , , ,
900642, Guillain-Barre syndrome, 23.10, , , , , , , , ,
900643, Influenza, 23.10, Pneumonia, 23.10, , , , , , , , ,
900644, Malaise, 23.10, , , , , , , , ,
900645, Influenza, 23.10, Pneumonia, 23.10, , , , , , , , ,
900646, Bronchitis, 23.10, Influenza, 23.10, Nasopharyngitis, 23.10, , , , ,
900647, Adverse reaction, 23.10, , , , , , , , ,
900648, Illness, 23.10, , , , , , , , ,
900649, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , , ,
900650, Injection site reaction, 23.10, , , , , , , , ,
900651, Chills, 23.10, Cough, 23.10, Dysphagia, 23.10, Dyspnoea,
23.10, Sensation of foreign body, 23.10
900651, Throat irritation, 23.10, Wheezing, 23.10, , , , , , , , ,
900654, Arthralgia, 23.10, Cough, 23.10, Headache, 23.10, Insomnia,
23.10, Malaise, 23.10
900654, Ocular discomfort, 23.10, Pain, 23.10, Pyrexia, 23.10, SARS-CoV-2
test negative, 23.10, ,
900655, Contraindication to vaccination, 23.10, Injection site urticaria,
23.10, Urticaria, 23.10, , , , , , , , ,
900656, Gout, 23.10, Herpes zoster, 23.10, Infectious mononucleosis,
23.10, Laboratory test abnormal, 23.10, Pain in extremity, 23.10
900657, Antinuclear antibody negative, 23.10, Arthroscopy,
23.10, Arthroscopy abnormal, 23.10, Aspiration joint normal,
23.10, Bacterial test negative, 23.10
900657, Biopsy bone, 23.10, Biopsy soft tissue, 23.10, Blood culture
negative, 23.10, Bone debridement, 23.10, Bone erosion, 23.10
900657, Bone lesion, 23.10, Borrelia test, 23.10, C-reactive protein
normal, 23.10, Chondropathy, 23.10, Computerised tomogram abnormal, 23.10
900657, Fungal test negative, 23.10, HLA-B*27 assay, 23.10, Hyperplasia,
23.10, Immunology test, 23.10, Incorrect route of product administration,
23.10
900657, Infection, 23.10, Inflammation, 23.10, Injected limb mobility
decreased, 23.10, Injection site joint inflammation, 23.10, Injection site
pain, 23.10
900657, Injury, 23.10, Joint debridement, 23.10, Magnetic resonance imaging
abnormal, 23.10, Muscular weakness, 23.10, Mycobacterium test negative,
23.10
900657, Osteitis, 23.10, Osteolysis, 23.10, Pain, 23.10, Periarthritis,
23.10, Product administered at inappropriate site, 23.10
900657, Red blood cell sedimentation rate normal, 23.10, Rheumatoid
factor negative, 23.10, Rotator cuff syndrome, 23.10, Shoulder injury
related to vaccine administration, 23.10, Soft tissue inflammation, 23.10
900657, X-ray limb normal, 23.10, , , , , , , , ,
900666, Diarrhoea, 23.10, Immediate post-injection reaction, 23.10, Loss of
consciousness, 23.10, Malaise, 23.10, Pyrexia, 23.10
900666, Vaccination complication, 23.10, Vomiting, 23.10, , , , , , , , ,
900667, Malaise, 23.10, , , , , , , , ,
900668, Paralysis, 23.10, , , , , , , , ,
900669, Bronchitis, 23.10, Respiratory disorder, 23.10, Sinusitis,
23.10, Upper respiratory tract infection, 23.10, ,

900670, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , ,
900671, Exposure during pregnancy, 23.10, No adverse event, 23.10, , , , , , ,
900673, Erythema, 23.10, Pruritus, 23.10, Rash maculo-papular, 23.10, , , , ,
900679, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , ,
900681, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, Rash, 23.10, SARS-CoV-2
test negative, 23.10
900682, Pain, 23.10, Pain in extremity, 23.10, , , , , , ,
900683, Headache, 23.10, Injection site erythema, 23.10, Rash, 23.10, Skin
warm, 23.10, Swelling, 23.10
900684, Irritability, 23.10, Poor feeding infant, 23.10, Pyrexia,
23.10, Wrong product administered, 23.10, , ,
900688, Arthralgia, 23.10, Incorrect route of product administration,
23.10, Surgery, 23.10, , , , ,
900704, Cough, 23.10, Illness, 23.10, Influenza, 23.10, Malaise, 23.10, , ,
900706, Needle issue, 23.10, No adverse event, 23.10, Underdose, 23.10, , , , ,
900708, Lymphadenopathy, 23.10, , , , , , , , , ,
900711, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, Pain, 23.10, , , , ,
900712, Loss of consciousness, 23.10, Seizure, 23.10, , , , , , , ,
900713, Inflammation, 23.10, Mobility decreased, 23.10, Pain, 23.10, Rotator
cuff syndrome, 23.10, Sleep disorder, 23.10
900714, Constipation, 23.10, Crying, 23.10, Lethargy, 23.10, , , , , ,
900716, Asthenia, 23.10, Body temperature increased, 23.10, Chills,
23.10, Gastric disorder, 23.10, Headache, 23.10
900716, Migraine, 23.10, Pain, 23.10, Pyrexia, 23.10, Vomiting, 23.10, , ,
900720, Abdominal discomfort, 23.10, Anxiety, 23.10, Blood test abnormal,
23.10, Decreased appetite, 23.10, Depression, 23.10
900720, Diarrhoea, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Endoscopy
abnormal, 23.10, Gastrointestinal bacterial overgrowth, 23.10
900720, Hair metal test abnormal, 23.10, Hypoaesthesia, 23.10, Muscular
weakness, 23.10, Obsessive-compulsive disorder, 23.10, Palpitations, 23.10
900720, Restless legs syndrome, 23.10, Urine analysis abnormal,
23.10, Weight decreased, 23.10, , , , , ,
900724, Dyspnoea, 23.10, Malaise, 23.10, Tachycardia, 23.10, Tachypnoea,
23.10, , ,
900727, Fatigue, 23.10, Hyperhidrosis, 23.10, Oropharyngeal pain,
23.10, Rhinorrhoea, 23.10, Sneezing, 23.10
900730, Herpes zoster, 23.10, , , , , , , , , ,
900734, Influenza, 23.10, , , , , , , , , ,
900735, Pain in extremity, 23.10, , , , , , , , , ,
900736, Illness, 23.10, Malaise, 23.10, , , , , , , , , ,
900737, Bronchitis, 23.10, Nasopharyngitis, 23.10, , , , , , , , , ,
900738, Expired product administered, 23.10, No adverse event, 23.10, , , , , , , ,
900740, Extra dose administered, 23.10, No adverse event, 23.10, , , , , , , ,
900741, Acne, 23.10, Hyperhidrosis, 23.10, Injection site reaction,
23.10, Parosmia, 23.10, Seizure, 23.10
900741, Tremor, 23.10, , , , , , , , , ,
900745, Dyspnoea, 23.10, Pyrexia, 23.10, , , , , , , , , ,
900746, Hemianaesthesia, 23.10, , , , , , , , , ,
900747, Dyspnoea, 23.10, , , , , , , , , ,

900769, Injection site pain, 23.10, Pain, 23.10, , , , , ,
900771, Arthralgia, 23.10, Joint range of motion decreased, 23.10, Magnetic resonance imaging abnormal, 23.10, Oedema peripheral, 23.10, Osteoarthritis, 23.10
900771, Rotator cuff syndrome, 23.10, Tendon disorder, 23.10, X-ray limb, 23.10, , , , ,
900779, Injection site reaction, 23.10, Pain in extremity, 23.10, X-ray, 23.10, , , , ,
900782, Blister, 23.10, Immunology test, 23.10, Polymerase chain reaction positive, 23.10, Rash, 23.10, Rash papular, 23.10
900782, Varicella virus test positive, 23.10, , , , , , , ,
900791, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10, Paraesthesia, 23.10, , , , ,
900795, Blood test, 23.10, Chest X-ray, 23.10, Cough, 23.10, Fatigue, 23.10, Malaise, 23.10
900795, Peripheral swelling, 23.10, Pyrexia, 23.10, , , , , ,
900796, Near death experience, 23.10, , , , , , , ,
900797, Influenza, 23.10, , , , , , , ,
900798, Illness, 23.10, Malaise, 23.10, , , , , ,
900799, No adverse event, 23.10, Wrong product administered, 23.10, , , , , , , ,
900800, Death, 23.10, Guillain-Barre syndrome, 23.10, Wheelchair user, 23.10, , , , ,
900801, Death, 23.10, Influenza, 23.10, , , , , , , ,
900802, Incorrect route of product administration, 23.10, No adverse event, 23.10, , , , , , , ,
900803, Chest X-ray, 23.10, Chills, 23.10, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10
900803, SARS-CoV-2 test negative, 23.10, , , , , , , ,
900806, Hypoaesthesia, 23.10, , , , , , , ,
900808, Injury associated with device, 23.10, , , , , , , ,
900810, Dizziness, 23.10, Immediate post-injection reaction, 23.10, Injection site induration, 23.10, Injection site mass, 23.10, Nervousness, 23.10
900814, Arthralgia, 23.10, Rheumatoid arthritis, 23.10, X-ray abnormal, 23.10, , , , ,
900815, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Musculoskeletal stiffness, 23.10, Pain, 23.10, Swelling, 23.10
900817, Fatigue, 23.10, Oedema peripheral, 23.10, Pain in extremity, 23.10, Vertigo, 23.10, ,
900819, Blister, 23.10, Condition aggravated, 23.10, Facial paralysis, 23.10, Paraesthesia, 23.10, ,
900820, Arthralgia, 23.10, Pain, 23.10, , , , , , , ,
900823, Absence of immediate treatment response, 23.10, Rash, 23.10, Skin irritation, 23.10, Temperature intolerance, 23.10, ,
900824, Arthralgia, 23.10, , , , , , , ,
900826, Pain in extremity, 23.10, , , , , , , ,
900828, Unevaluable event, 23.10, , , , , , , ,
900830, Erythema, 23.10, Injection site pruritus, 23.10, Rash, 23.10, , , , ,
900832, Injected limb mobility decreased, 23.10, Neuralgia, 23.10, Pain, 23.10, , , , ,

900847,Herpes zoster,23.10,Vision blurred,23.10,,,,,
900851,Blister,23.10,Cellulitis,23.10,Erythema,23.10,Swelling,23.10,,
900852,Blister,23.10,Herpes zoster,23.10,Paraesthesia,
23.10,Vaccination failure,23.10,,
900853,Illness,23.10,Influenza like illness,23.10,Vaccine positive
rechallenge,23.10,,,,,
900854,Feeling abnormal,23.10,Malaise,23.10,Peripheral swelling,
23.10,,,,,
900855,Malaise,23.10,Vaccine positive rechallenge,23.10,,,,,
900856,Vaccination complication,23.10,,,,,
900857,Influenza,23.10,,,,,
900858,Malaise,23.10,,,,,
900859,Influenza,23.10,Malaise,23.10,,,,,
900860,Hypersensitivity,23.10,,,,,
900861,Malaise,23.10,,,,,
900862,Pain,23.10,,,,,
900863,Feeling abnormal,23.10,Vaccination complication,23.10,,,,,
900864,Malaise,23.10,Mouth breathing,23.10,Rash,23.10,Respiration
abnormal,23.10,,
900865,Feeling abnormal,23.10,,,,,
900866,Influenza,23.10,,,,,
900867,Malaise,23.10,Vaccine positive rechallenge,23.10,,,,,
900868,Influenza,23.10,,,,,
900869,Influenza,23.10,,,,,
900870,Influenza,23.10,,,,,
900871,Dysstasia,23.10,Influenza,23.10,Malaise,23.10,,,,,
900872,H1N1 influenza,23.10,Influenza,23.10,,,,,
900873,Illness,23.10,Malaise,23.10,,,,,
900874,Pain in extremity,23.10,,,,,
900875,Illness,23.10,Malaise,23.10,,,,,
900876,Pain in extremity,23.10,,,,,
900877,Influenza,23.10,,,,,
900878,Influenza,23.10,Near death experience,23.10,,,,,
900879,Illness,23.10,Malaise,23.10,Nasopharyngitis,23.10,,,,,
900880,Illness,23.10,,,,,
900881,Influenza,23.10,,,,,
900882,Vomiting,23.10,,,,,
900883,Erythema,23.10,Induration,23.10,Tenderness,23.10,Vaccination
site reaction,23.10,,
900884,Chills,23.10,Hyperhidrosis,23.10,Pain,23.10,,,,,
900885,Influenza,23.10,Pneumonia,23.10,,,,,
900886,Influenza,23.10,,,,,
900887,Death,23.10,,,,,
900888,Death,23.10,,,,,
900889,Illness,23.10,Malaise,23.10,,,,,
900890,Arthralgia,23.10,Bacterial test negative,23.10,Blood
cholesterol increased,23.10,Burning sensation,23.10,Dyspnoea,23.10
900890,Hypobarism,23.10,Hypoxia,23.10,Injected limb mobility
decreased,23.10,Lipids increased,23.10,Oxygen saturation decreased,
23.10

900890,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,SARS-CoV-2 test negative,23.10,Viral test negative,23.10
900890,Wheelchair user,23.10,,,,,
900894,Loss of consciousness,23.10,Nausea,23.10,Unresponsive to stimuli,23.10,,,,,
900902,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
900903,Bursitis,23.10,Discomfort,23.10,Pain,23.10,,,,,
900908,Pruritus,23.10,Rash,23.10,Scratch,23.10,Urticaria,23.10,,
900909,Blood glucose normal,23.10,Loss of consciousness,23.10,Pulse abnormal,23.10,Seizure,23.10,Tonic clonic movements,23.10
900909,Urinary incontinence,23.10,,,,,
900911,Computerised tomogram abdomen,23.10,Intussusception,23.10,,,,,
900915,Injected limb mobility decreased,23.10,Pain in extremity,23.10,,,,,
900927,No adverse event,23.10,Wrong product administered,23.10,,,,,
900928,Death,23.10,,,,,
900929,Extra dose administered,23.10,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,,,,,
900930,Arthralgia,23.10,Axillary pain,23.10,Injection site pain,23.10,Musculoskeletal chest pain,23.10,Myalgia,23.10
900930,Pain,23.10,Pain in extremity,23.10,Pyrexia,23.10,Skin warm,23.10,Swelling,23.10
900934,Computerised tomogram head,23.10,Dizziness,23.10,Dysarthria,23.10,Dysphemia,23.10,Electrocardiogram,23.10
900934,Eye pain,23.10,Headache,23.10,Neck pain,23.10,Palpitations,23.10,Sinus tachycardia,23.10
900936,Pain,23.10,Swelling,23.10,,,,,
900938,Headache,23.10,Injection site bruising,23.10,Injection site discolouration,23.10,Injection site erythema,23.10,Injection site pain,23.10
900938,Injection site swelling,23.10,Pain,23.10,Pyrexia,23.10,,,,,
900941,Pain,23.10,Pain in extremity,23.10,,,,,
900959,Influenza,23.10,,,,,
900960,Influenza,23.10,,,,,
900961,Pain in extremity,23.10,,,,,
900962,Chills,23.10,Decreased appetite,23.10,Diarrhoea,23.10,Headache,23.10,SARS-CoV-2 test negative,23.10
900963,Injection site erythema,23.10,Injection site pain,23.10,Injection site swelling,23.10,,,,,
900968,Arthralgia,23.10,C-reactive protein increased,23.10,Diplegia,23.10,Groin pain,23.10,Mobility decreased,23.10
900968,Myalgia,23.10,Pain in extremity,23.10,Polymyalgia rheumatica,23.10,,,,,
900970, Drooling,23.10,Ear discomfort,23.10,Ear pain,23.10, Facial paralysis,23.10, Facial paresis,23.10
900970,Headache,23.10,Hypoaesthesia,23.10,Hypoaesthesia oral,23.10,,,,,
900972,Influenza,23.10,,,,,
900973,Pain in extremity,23.10,,,,,
900974, Illness,23.10,,,,,

900975, Influenza, 23.10, , , , , , , , , , ,
900979, Chills, 23.10, Hyperhidrosis, 23.10, Pyrexia, 23.10, , , , ,
900988, Vaccination site erythema, 23.10, Vaccination site pruritus,
23.10, Vaccination site swelling, 23.10, Vaccination site warmth, 23.10, ,
900991, Asthenia, 23.10, Body temperature abnormal, 23.10, Dizziness,
23.10, Feeling cold, 23.10, Flank pain, 23.10
900991, Gait inability, 23.10, Heart rate decreased, 23.10, Hyperhidrosis,
23.10, Pallor, 23.10, Retching, 23.10
900991, Tremor, 23.10, , , , , , , , , , ,
900993, Arthralgia, 23.10, Injection site pain, 23.10, Pain, 23.10, Pain in
extremity, 23.10, ,
900994, Biopsy cervix abnormal, 23.10, Human papilloma virus test
positive, 23.10, Loop electrosurgical excision procedure, 23.10, Papilloma
viral infection, 23.10, Smear cervix abnormal, 23.10
900996, Pruritus, 23.10, Rash, 23.10, , , , , , , , , , ,
900998, Condition aggravated, 23.10, Migraine, 23.10, Pain, 23.10, Pain in
extremity, 23.10, , ,
900999, Swelling, 23.10, Tenderness, 23.10, , , , , , , , , , ,
901000, Dysphonia, 23.10, Pain, 23.10, Rhinorrhoea, 23.10, Skin warm, 23.10, , ,
901002, Injection site erythema, 23.10, Injection site induration,
23.10, Injection site pain, 23.10, Injection site warmth, 23.10, , ,
901004, Flushing, 23.10, Lymphadenopathy, 23.10, Pruritus, 23.10, Swelling,
23.10, , ,
901008, Ocular hyperaemia, 23.10, Pain, 23.10, Pain in extremity, 23.10, X-
ray, 23.10, , ,
901012, Face injury, 23.10, Loss of consciousness, 23.10, Skin abrasion,
23.10, , , , , , , , , , ,
901013, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , , , , , , ,
901016, Chest X-ray normal, 23.10, Computerised tomogram head normal,
23.10, Endotracheal intubation, 23.10, Lumbar puncture, 23.10, Seizure,
23.10
901020, Discomfort, 23.10, Feeling abnormal, 23.10, Sensory loss, 23.10, , , , , , , , , , ,
901024, Arthralgia, 23.10, Asthenia, 23.10, Dyskinesia, 23.10, Fatigue,
23.10, Hypoaesthesia, 23.10
901024, Laboratory test, 23.10, Urine analysis, 23.10, , , , , , , , , , ,
901026, Unevaluable event, 23.10, , , , , , , , , , , , , , , , ,
901034, Haematochezia, 23.10, Intussusception, 23.10, , , , , , , , , , , , , , , , ,
901044, Gait inability, 23.10, Musculoskeletal stiffness, 23.10, , , , , , , , , , , , , , , , ,
901048, Feeling abnormal, 23.10, Pharyngeal swelling, 23.10, Swollen
tongue, 23.10, , , , , , , , , , , , , , , , ,
901071, Blister, 23.10, Erythema, 23.10, Herpes zoster, 23.10, Pain,
23.10, Scar, 23.10
901072, Herpes zoster, 23.10, Pain, 23.10, , , , , , , , , , , , , , , , ,
901076, Herpes zoster, 23.10, , , , , , , , , , , , , , , , ,
901077, Herpes zoster, 23.10, Vaccination failure, 23.10, , , , , , , , , , , , , , , , ,
901114, Herpes zoster, 23.10, , , , , , , , , , , , , , , , ,
901115, Apgar score normal, 23.10, Basophil percentage increased,
23.10, Blood glucose increased, 23.10, Body temperature decreased,
23.10, Brain stem auditory evoked response normal, 23.10
901115, C-reactive protein increased, 23.10, Foetal exposure during

pregnancy,23.10,Haematocrit normal,23.10,Haemoglobin normal,
23.10,Hypothermia neonatal,23.10
901115,Intensive care,23.10,Lymphocyte percentage,23.10,Naevus
flammeus,23.10,Neonatal respiratory distress,23.10,Neutrophil
percentage decreased,23.10
901115,Platelet count increased,23.10,Poor feeding infant,23.10,Sepsis
neonatal,23.10,White blood cell count normal,23.10,,
901120,Adenovirus test positive,23.10,Arthralgia,23.10,C-reactive
protein increased,23.10,Complement factor C3,23.10,Complement factor
C4,23.10
901120,Complement factor normal,23.10,Joint swelling,
23.10,Procalcitonin increased,23.10,Pyrexia,23.10,Red blood cell
sedimentation rate increased,23.10
901120,Respiratory viral panel,23.10,Serum sickness-like reaction,
23.10,Urticaria,23.10,,,,,
901122,Death,23.10,Influenza,23.10,,,,,,
901123,Autopsy,23.10,Death,23.10,,,,,,
901124,Death,23.10,Wheelchair user,23.10,,,,,,
901125,Death,23.10,Neoplasm malignant,23.10,,,,,,
901162,Bedridden,23.10,Malaise,23.10,,,,,,
901167,Injection site bruising,23.10,Injection site pain,23.10,Pain in
extremity,23.10,,,,,
901176,Arthralgia,23.10,Joint range of motion decreased,23.10,Pain,
23.10,Peripheral swelling,23.10,Swelling,23.10
901178,Arthralgia,23.10,Asthenia,23.10,Chills,23.10,Fatigue,
23.10,Feeling hot,23.10
901178,Pyrexia,23.10,,,,,,,
901203,Hypoaesthesia,23.10,Ischaemic stroke,23.10,Tinnitus,23.10,,,,,
901213,Exposure during pregnancy,23.10,Foetal death,23.10,Foetal heart
rate abnormal,23.10,Human chorionic gonadotropin,23.10,Ultrasound
antenatal screen abnormal,23.10
901217,Abdominal pain upper,23.10,Abortion spontaneous,23.10,Exposure
during pregnancy,23.10,Pyrexia,23.10,Subchorionic haemorrhage,23.10
901225,Blood test,23.10,Facial paralysis,23.10,Headache,23.10,Magnetic
resonance imaging,23.10,Nerve injury,23.10
901227,Computerised tomogram abnormal,23.10,Computerised tomogram
neck,23.10,Dysphagia,23.10,Laryngeal oedema,23.10,Laryngoscopy
abnormal,23.10
901227,Oropharyngeal pain,23.10,Pharyngeal swelling,23.10,Swelling
face,23.10,Swollen tongue,23.10,,
901252,Exposure during pregnancy,23.10,Foetal death,23.10,Foetal
hypokinesia,23.10,Induced labour,23.10,Malaise,23.10
901252,Stillbirth,23.10,,,,,,,
901258,Altered state of consciousness,23.10,Autoimmune disorder,
23.10,Chills,23.10,Computerised tomogram,23.10,Dementia,23.10
901258,Electroencephalogram,23.10,Encephalitis,23.10,Hyperhidrosis,
23.10,Intensive care,23.10,Loss of consciousness,23.10
901258,Lumbar puncture normal,23.10,Magnetic resonance imaging,
23.10,Medical induction of coma,23.10,Meningitis viral,
23.10,Neurological symptom,23.10

901258,Pneumonia,23.10,Seizure,23.10,Urinary tract infection,23.10,X-ray,23.10,,
901263,Immune thrombocytopenia,23.10,Increased tendency to bruise,23.10,Platelet count decreased,23.10,Purpura,23.10,,
901297,Mobility decreased,23.10,Monoplegia,23.10,,,,,
901337,Lymph node abscess,23.10,Lymphadenopathy,23.10,,,,,
901338,Malaise,23.10,,,,,
901341,Malaise,23.10,Pyrexia,23.10,Vomiting,23.10,,,,
901342,Hypersensitivity,23.10,,,,,
901344,Influenza,23.10,,,,,
901345,Malaise,23.10,Pneumonia,23.10,,,,,
901346,Death,23.10,,,,,
901361,No adverse event,23.10,,,,,
901372,Erythema,23.10,Skin warm,23.10,Swelling,23.10,,,,
901385,Malaise,23.10,,,,,
901386,Death,23.10,Malaise,23.10,,,,,
901387,Influenza,23.10,Vaccine positive rechallenge,23.10,,,,,
901388,Influenza,23.10,,,,,
901389,Influenza,23.10,Malaise,23.10,,,,,
901390,Angioedema,23.10,,,,,
901398,Chills,23.10,Contusion,23.10,Injection site erythema,23.10,Injection site induration,23.10,Injection site nodule,23.10
901398,Injection site pain,23.10,Injection site swelling,23.10,Injection site warmth,23.10,Malaise,23.10,,
901399,Injection site erythema,23.10,Injection site pruritus,23.10,,,,,
901446,Unresponsive to stimuli,23.10,,,,,
901452,Balance disorder,23.10,Blood culture,23.10,CSF glucose decreased,23.10,CSF neutrophil count positive,23.10,CSF protein increased,23.10
901452,CSF red blood cell count positive,23.10,CSF white blood cell count positive,23.10,Computerised tomogram head abnormal,23.10,Gram stain positive,23.10,Lethargy,23.10
901452,Lumbar puncture abnormal,23.10,Mastoiditis,23.10,Meningitis pneumococcal,23.10,Mobility decreased,23.10,Pyrexia,23.10
901452,Streptococcal bacteraemia,23.10,Streptococcus test positive,23.10,Urine output decreased,23.10,,,,
901459,Body temperature increased,23.10,Culture throat,23.10,Irritability,23.10,Rash,23.10,SARS-CoV-2 test,23.10
901459,Streptococcus test negative,23.10,,,,,
901496,B precursor type acute leukaemia,23.10,Bone marrow transplant,23.10,Death,23.10,Lymphocyte adoptive therapy,23.10,,
901515,Herpes zoster,23.10,,,,,
901516,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
901517,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
901520,Guillain-Barre syndrome,23.10,,,,,
901521,Death,23.10,Guillain-Barre syndrome,23.10,,,,,
901522,Pneumonia,23.10,,,,,
901525,Guillain-Barre syndrome,23.10,Muscular weakness,23.10,,,,,
901526,Acute disseminated encephalomyelitis,23.10,Acute flaccid

myelitis,23.10,Encephalomyelitis,23.10,Magnetic resonance imaging
brain abnormal,23.10,Myelitis transverse,23.10
901526,Scan with contrast abnormal,23.10,White matter lesion,
23.10,,,,,
901531,Ear discomfort,23.10,Headache,23.10,Sleep disorder,23.10,,,,
901534,Acupuncture,23.10,Back disorder,23.10,Cough,23.10,Guillain-
Barre syndrome,23.10,Intervertebral disc disorder,23.10
901534,X-ray,23.10,,,,,
901543,Hypoaesthesia,23.10,Intensive care,23.10,Paraesthesia,
23.10,Paraplegia,23.10,,
901544,Guillain-Barre syndrome,23.10,,,,,
901551,Injection site pain,23.10,Pain,23.10,Screaming,23.10,Ultrasound
scan normal,23.10,X-ray limb normal,23.10
901554,Injected limb mobility decreased,23.10,Injection site pain,
23.10,,,,,
901571,Herpes zoster,23.10,Ophthalmic herpes zoster,23.10,Rash,
23.10,,,,,
901572,Balance disorder,23.10,Laboratory test,23.10,Mobility
decreased,23.10,Pain,23.10,Paralysis,23.10
901573,Herpes zoster,23.10,,,,,
901591,Near death experience,23.10,,,,,
901592,Vaccination complication,23.10,,,,,
901596,Malaise,23.10,Pneumonia,23.10,,,,,
901597,Death,23.10,,,,,
901606,Diplopia,23.10,Hypoaesthesia,23.10,Hyponatraemia,
23.10,Immunoglobulin therapy,23.10,Lumbar puncture,23.10
901606,Magnetic resonance imaging,23.10,Miller Fisher syndrome,
23.10,Muscular weakness,23.10,Nausea,23.10,Nerve conduction studies,
23.10
901606,Orthostatic hypotension,23.10,Vomiting,23.10,,,,,
901608,Influenza,23.10,Pertussis,23.10,Vaccination failure,23.10,,,,
901639,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,
901640,Herpes zoster,23.10,,,,,
901705,Splenectomy,23.10,Splenic abscess,23.10,,,,,
901710,Blood thyroid stimulating hormone,23.10,CSF test,
23.10,Computerised tomogram head,23.10,Computerised tomogram neck,
23.10,Computerised tomogram spine,23.10
901710,Full blood count,23.10,Headache,23.10,Influenza A virus test,
23.10,Influenza B virus test,23.10,Meningitis,23.10
901710,Metabolic function test,23.10,Nausea,23.10,Neck pain,
23.10,Pyrexia,23.10,Respiratory syncytial virus test,23.10
901710,SARS-CoV-2 test,23.10,Vomiting,23.10,,,,,
901740,Loss of consciousness,23.10,,,,,
901783,Amplified musculoskeletal pain syndrome,23.10,Cytogenetic
analysis abnormal,23.10,Drug intolerance,23.10,Headache,
23.10,Immediate post-injection reaction,23.10
901783,Influenza like illness,23.10,Loss of personal independence in
daily activities,23.10,Magnetic resonance imaging normal,
23.10,Methylenetetrahydrofolate reductase gene mutation,
23.10,Neurological examination normal,23.10

901783, Ophthalmological examination normal, 23.10, Pain, 23.10, X-ray normal, 23.10, , , , ,
901784, Abdominal pain, 23.10, Anaemia, 23.10, Blood culture negative, 23.10, Chest X-ray abnormal, 23.10, Culture urine negative, 23.10
901784, Diarrhoea, 23.10, Headache, 23.10, Hepatic enzyme increased, 23.10, Hepatitis viral test negative, 23.10, Laboratory test abnormal, 23.10
901784, Myalgia, 23.10, Nausea, 23.10, Pyrexia, 23.10, Respiratory viral panel, 23.10, SARS-CoV-2 test negative, 23.10
901809, Arthralgia, 23.10, Balance disorder, 23.10, Discomfort, 23.10, Dysgraphia, 23.10, Facial nerve disorder, 23.10
901809, Grip strength decreased, 23.10, Hypoaesthesia, 23.10, Injected limb mobility decreased, 23.10, Injection site induration, 23.10, Injection site swelling, 23.10
901809, Insomnia, 23.10, Mobility decreased, 23.10, Muscular weakness, 23.10, Musculoskeletal disorder, 23.10, Neuropathy peripheral, 23.10
901809, Pain, 23.10, Paraesthesia, 23.10, Peripheral coldness, 23.10, Peripheral swelling, 23.10, Sensory loss, 23.10
901809, Tremor, 23.10, , , , , , , , ,
901813, Arthralgia, 23.10, Back pain, 23.10, Disturbance in attention, 23.10, Fatigue, 23.10, Malaise, 23.10
901813, Mobility decreased, 23.10, Muscular weakness, 23.10, , , , , , ,
901838, Myalgia, 23.10, Pain, 23.10, , , , , , ,
901848, Asthenia, 23.10, Condition aggravated, 23.10, Convulsions local, 23.10, Headache, 23.10, Magnetic resonance imaging brain normal, 23.10
901848, Migraine, 23.10, Motor dysfunction, 23.10, Scan with contrast normal, 23.10, Thunderclap headache, 23.10, , ,
901856, Immediate post-injection reaction, 23.10, Injected limb mobility decreased, 23.10, Injection site pain, 23.10, Injection site pruritus, 23.10, Injection site swelling, 23.10
901856, Quality of life decreased, 23.10, Sleep disorder, 23.10, , , , , , , ,
901876, Injected limb mobility decreased, 23.10, Injection site discolouration, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, Pain, 23.10
901876, Sleep disorder, 23.10, , , , , , , , ,
901877, Injection site pain, 23.10, Limb discomfort, 23.10, Nausea, 23.10, Pain, 23.10, Screaming, 23.10
901929, Chronic inflammatory demyelinating polyradiculoneuropathy, 23.10, Deafness, 23.10, Muscular weakness, 23.10, Myopathy, 23.10, Syncope, 23.10
901929, Thrombocytopenia, 23.10, , , , , , , , ,
901933, Diverticulitis, 23.10, Incomplete course of vaccination, 23.10, , , , , , , ,
901954, Pain in extremity, 23.10, Peripheral swelling, 23.10, Pneumonia, 23.10, , , , , ,
902080, Exposure to vaccinated person, 23.10, Pertussis, 23.10, , , , , , , ,
902085, Death, 23.10, Pneumonia, 23.10, , , , , , , , ,
902086, Seizure, 23.10, , , , , , , , , ,
902087, Death, 23.10, Meningitis viral, 23.10, , , , , , , , , ,
902101, Amnesia, 23.10, Lethargy, 23.10, Somnolence, 23.10, , , , , ,

902102,Bladder dysfunction,23.10,Defaecation disorder,23.10,Myelitis transverse,23.10,,,,
902110,Influenza,23.10,Pneumonia,23.10,Pulmonary fibrosis,23.10,,,,
902111,Malaise,23.10,,,,,,,
902112,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,Wrong product administered,23.10,,,,
902138,Herpes zoster,23.10,Post herpetic neuralgia,23.10,,,,,,
902139,Cerebrovascular accident,23.10,Dermatitis,23.10,Eczema,23.10,,,,,
902157,Central venous catheterisation,23.10,Chest X-ray,23.10,Eye swelling,23.10,Intensive care,23.10,Laboratory test,23.10
902157,Peripheral swelling,23.10,Rash,23.10,Rash pruritic,23.10,Rhinorrhoea,23.10,Swelling face,23.10
902157,Viral rash,23.10,White blood cell count increased,23.10,,,,,,
902158,Body temperature increased,23.10,Diarrhoea,23.10,Hypersensitivity,23.10,Nasopharyngitis,23.10,Rash,23.10
902158,Rash erythematous,23.10,Rash pruritic,23.10,SARS-CoV-2 test,23.10,Skin warm,23.10,Swelling,23.10
902158,Viral test positive,23.10,Vomiting,23.10,White blood cell count increased,23.10,,,,,
902179,Incorrect dose administered,23.10,No adverse event,23.10,Product administered to patient of inappropriate age,23.10,Wrong product administered,23.10,,
902278,Immune thrombocytopenia,23.10,Platelet count decreased,23.10,,,,,,
902287,Pain in extremity,23.10,Peripheral swelling,23.10,,,,,,
902325,Cardiac failure congestive,23.10,Herpes zoster,23.10,,,,,,
902329,Bronchitis,23.10,Chills,23.10,Deafness,23.10,Diarrhoea,23.10,Dry skin,23.10
902329,Ear infection,23.10,Erythema,23.10,Fatigue,23.10,Headache,23.10,Herpes zoster,23.10
902329,Incomplete course of vaccination,23.10,Injection site pain,23.10,Injection site swelling,23.10,Myalgia,23.10,Pain,23.10
902329,Pain in extremity,23.10,Pruritus,23.10,Skin exfoliation,23.10,Skin wrinkling,23.10,,
902354,Burning sensation,23.10,Hypersensitivity,23.10,Lip injury,23.10,Loss of consciousness,23.10,Malaise,23.10
902354,Suture insertion,23.10,,,,,,,
902355,Malaise,23.10,,,,,,,
902377,Peripheral swelling,23.10,Pharyngeal swelling,23.10,,,,,,
902387,Magnetic resonance imaging brain abnormal,23.10,Scan with contrast abnormal,23.10,Vertigo,23.10,White matter lesion,23.10,,
902408,Facial paralysis,23.10,,,,,,,
902433,Mechanical ventilation,23.10,Paralysis,23.10,,,,,,
902440,Headache,23.10,,,,,,,
902446,Erythema,23.10,Feeling hot,23.10,Flushing,23.10,,,,
902448,Balance disorder,23.10,Cardiovascular disorder,23.10,Cerebrovascular accident,23.10,Herpes zoster,23.10,Hypacusis,23.10
902448,Neuropathy peripheral,23.10,Post herpetic neuralgia,

23.10, Visual impairment, 23.10,,,,
902449, Condition aggravated, 23.10, Feeling abnormal, 23.10, Inappropriate
schedule of product administration, 23.10, Influenza like illness,
23.10, Migraine, 23.10
902449, Pain, 23.10, Pyrexia, 23.10, Rheumatoid arthritis, 23.10,,,,
902450, Dyspnoea, 23.10, Peripheral swelling, 23.10, Pulmonary oedema,
23.10,,,,
902464, Dizziness, 23.10, Electrocardiogram normal, 23.10, Hyperhidrosis,
23.10, Laboratory test normal, 23.10, Presyncope, 23.10
902465, Dysgeusia, 23.10, Oral pruritus, 23.10, Paraesthesia,
23.10, Paraesthesia oral, 23.10, Parosmia, 23.10
902465, Sensory disturbance, 23.10, Tremor, 23.10,,,,,
902479, Chest pain, 23.10, Feeling abnormal, 23.10, Flushing,
23.10, Intensive care, 23.10,,
902490, Headache, 23.10, Pain, 23.10,,,,,
902491, Blood pressure increased, 23.10, Dizziness, 23.10, Dyspnoea,
23.10, Erythema, 23.10, Headache, 23.10
902491, Nausea, 23.10,,,,,
902492, Blood pressure increased, 23.10, Dizziness, 23.10, Feeling hot,
23.10, Nausea, 23.10, Visual impairment, 23.10
902493, Dizziness, 23.10, Flushing, 23.10,,,,,
902505, Blood pressure increased, 23.10, Ear discomfort, 23.10, Flushing,
23.10, Palpitations, 23.10, Paraesthesia, 23.10
902505, Skin warm, 23.10,,,,,
902508, Paraesthesia oral, 23.10, Throat tightness, 23.10,,,,,
902514, Inappropriate schedule of product administration, 23.10,,,,,
902518, Eye pruritus, 23.10, Feeling hot, 23.10, Paraesthesia,
23.10, Paraesthesia oral, 23.10,,
902524, Asthenia, 23.10, Fatigue, 23.10, Feeling abnormal, 23.10, Heart rate
increased, 23.10, Hypertension, 23.10
902524, Impaired driving ability, 23.10, Limb discomfort,
23.10, Nervousness, 23.10,,,,
902536, Deafness, 23.10, Herpes zoster, 23.10,,,,,
902537, Injection site pain, 23.10, Pain, 23.10, Shoulder injury related to
vaccine administration, 23.10, Weight bearing difficulty, 23.10,,
902540, Abdominal pain upper, 23.10, Headache, 23.10, Myalgia,
23.10, Pyrexia, 23.10, Vaccine positive rechallenge, 23.10
902541, Abortion threatened, 23.10, Exposure during pregnancy, 23.10,,,,,
902542, Nerve injury, 23.10, Pruritus, 23.10, Rash, 23.10, Scar, 23.10,,
902543, Cellulitis, 23.10,,,,,
902544, Back pain, 23.10, Chills, 23.10, Cold sweat, 23.10, Fatigue,
23.10, Headache, 23.10
902544, Mobility decreased, 23.10, Muscle spasms, 23.10, Pain,
23.10, Paralysis, 23.10,,
902545, Death, 23.10,,,,,
902546, Breast cancer female, 23.10, Herpes zoster, 23.10, Vaccination
failure, 23.10,,,,
902547, Herpes zoster, 23.10, Vaccination failure, 23.10,,,,,
902557, Blood glucose normal, 23.10, Blood test, 23.10, Dyspnoea,
23.10, Erythema, 23.10, Flushing, 23.10

902557,Hyperhidrosis,23.10,Pulse abnormal,23.10,Tunnel vision,
23.10,,,,,
902570,Asthenia,23.10,Dizziness,23.10,Dyspnoea,23.10,Neuropathy
peripheral,23.10,Rash,23.10
902572,Chills,23.10,Nausea,23.10,Vomiting,23.10,,,,,
902575,Injection site pain,23.10,Pain in extremity,23.10,,,,,,
902576,Asthenia,23.10,Headache,23.10,Injection site pain,
23.10,Malaise,23.10,Nausea,23.10
902585,H1N1 influenza,23.10,Influenza,23.10,Influenza A virus test
positive,23.10,Medical induction of coma,23.10,Pneumonia,23.10
902592,Bacterial disease carrier,23.10,Cervical dysplasia,
23.10,Chromosome analysis normal,23.10,Exposure during pregnancy,
23.10,Foetal disorder,23.10
902592,Papilloma viral infection,23.10,Ultrasound antenatal screen
abnormal,23.10,,,,,,
902593,Caesarean section,23.10,Exposure during pregnancy,23.10,Pre-
eclampsia,23.10,Premature delivery,23.10,,
902594,Apgar score normal,23.10,Caesarean section,23.10,Foetal
exposure during pregnancy,23.10,Premature baby,23.10,,
902595,Exposure during pregnancy,23.10,Placenta praevia,
23.10,Ultrasound antenatal screen abnormal,23.10,,,,,
902596,Delivery,23.10,Exposure during pregnancy,23.10,Premature
delivery,23.10,Preterm premature rupture of membranes,23.10,,
902597,Lip swelling,23.10,Swelling face,23.10,,,,,,
902621,Chills,23.10,Fatigue,23.10,Feeling of body temperature change,
23.10,Headache,23.10,Nausea,23.10
902621,Pyrexia,23.10,Vomiting,23.10,,,,,,
902625,Blood potassium decreased,23.10,Cardiac stress test,23.10,Chest
discomfort,23.10,Chest pain,23.10,Computerised tomogram,23.10
902625,Electrocardiogram,23.10,Headache,23.10,Hypoaesthesia,
23.10,Laboratory test,23.10,Limb discomfort,23.10
902625,Magnetic resonance imaging,23.10,Mobility decreased,
23.10,Muscular weakness,23.10,Troponin normal,23.10,Walking aid user,
23.10
902629,Cardiac arrest,23.10,Cardioversion,23.10,Death,23.10,Device
dependence,23.10,Dialysis,23.10
902629,Endotracheal intubation,23.10,Fall,23.10,Gastrointestinal
haemorrhage,23.10,Head injury,23.10,Infection,23.10
902629,Intensive care,23.10,Loss of consciousness,23.10,Organ failure,
23.10,Pulse absent,23.10,Respiration abnormal,23.10
902629,Resuscitation,23.10,,,,,,
902638,Illness,23.10,Influenza,23.10,Vaccination failure,23.10,,,,,
902639,Anaphylactic reaction,23.10,Contraindicated product
administered,23.10,,,,,,
902643,Neuropathy peripheral,23.10,,,,,,
902648,Feeling hot,23.10,Rash,23.10,,,,,
902650,Dizziness,23.10,,,,,,
902655,Chills,23.10,Headache,23.10,Pain,23.10,,,,,
902656,Dizziness,23.10,Headache,23.10,Oropharyngeal pain,23.10,,,,,
902665,Chest discomfort,23.10,Cold sweat,23.10,Condition aggravated,

23.10,Dizziness,23.10,Panic attack,23.10
902665,Paraesthesia,23.10,,,,,
902666,Abdominal pain upper,23.10,Chills,23.10,Decreased appetite,
23.10,Dyspnoea,23.10,Headache,23.10
902666,Injection site erythema,23.10,Pain,23.10,Pyrexia,
23.10,Retching,23.10,,
902667,Injection site erythema,23.10,Injection site induration,
23.10,Local reaction,23.10,,,,
902668,Chills,23.10,Fatigue,23.10,Injection site pain,23.10,Pain,
23.10,Pyrexia,23.10
902669,Blood glucose normal,23.10,Dizziness,23.10,Dysgeusia,
23.10,Feeling abnormal,23.10,Immediate post-injection reaction,23.10
902669,Impaired work ability,23.10,Nausea,23.10,Vertigo,
23.10,Vomiting,23.10,,
902671,Dizziness,23.10,,,,,
902672,Erythema,23.10,Joint swelling,23.10,Peripheral swelling,
23.10,Pruritus,23.10,,
902673,Nausea,23.10,,,,,
902674,Dizziness,23.10,Hyperhidrosis,23.10,,,,,
902687,Aphasia,23.10,Body height decreased,23.10,Cataract,
23.10,Cataract operation,23.10,Injection site erythema,23.10
902687,Injection site warmth,23.10,Intraocular lens implant,
23.10,,,,,
902691,Pain,23.10,,,,,
902696,Pain in extremity,23.10,,,,,
902697,Injection site pain,23.10,,,,,
902698,Injection site erythema,23.10,Injection site induration,
23.10,Injection site pain,23.10,Injection site swelling,23.10,,
902699,Fatigue,23.10,,,,,
902700,Myalgia,23.10,,,,,
902701,Vaccination site pain,23.10,,,,,
902702,Balance disorder,23.10,Brain scan abnormal,23.10,CSF test
abnormal,23.10,Decreased activity,23.10,Gait disturbance,23.10
902702,Guillain-Barre syndrome,23.10,Malaise,23.10,Walking aid user,
23.10,White matter lesion,23.10,,
902703,Influenza like illness,23.10,Pain in extremity,23.10,,,,,
902704,Pruritus,23.10,Urticaria,23.10,,,,,
902705,Injected limb mobility decreased,23.10,Pain in extremity,
23.10,Vaccination site pain,23.10,,,,
902706,Chills,23.10,Nausea,23.10,Pain,23.10,,,,
902707,Malaise,23.10,,,,,
902709,Fatigue,23.10,Headache,23.10,Injection site pain,23.10,Malaise,
23.10,,
902710,Erythema,23.10,Pain,23.10,Swelling,23.10,,,,
902712,Apgar score normal,23.10,Foetal exposure during pregnancy,
23.10,Low birth weight baby,23.10,Premature baby,23.10,,
902720,Fatigue,23.10,Pain in extremity,23.10,Somnolence,23.10,,,,
902725,Mobility decreased,23.10,Pain in extremity,23.10,,,,,
902728,Peripheral swelling,23.10,Product administered at inappropriate
site,23.10,,,,,

902733,Dysgeusia,23.10,Immediate post-injection reaction,
23.10,Myalgia,23.10,Nausea,23.10,,
902741,Physical disability,23.10,Wheelchair user,23.10,,,,,
902742,Influenza,23.10,Lung disorder,23.10,Pneumonia,23.10,Product
administered to patient of inappropriate age,23.10,,
902744,Abdominal pain upper,23.10,Headache,23.10,Nausea,23.10,,,,
902745,Injected limb mobility decreased,23.10,Injection site oedema,
23.10,Injection site pain,23.10,Musculoskeletal chest pain,
23.10,Myalgia,23.10
902745,Pain,23.10,Painful respiration,23.10,Paraesthesia,23.10,,,,
902746,Hyperhidrosis,23.10,Hypotension,23.10,Pallor,23.10,,,,
902748,Chills,23.10,Pain,23.10,Pyrexia,23.10,,,,
902750,Chills,23.10,Fatigue,23.10,Headache,23.10,Pyrexia,23.10,,
902755,Headache,23.10,,,,,
902757,Disturbance in attention,23.10,Headache,23.10,Impaired work
ability,23.10,Pain in extremity,23.10,Somnolence,23.10
902758,Abnormal sensation in eye,23.10,Blood test,23.10,Dizziness,
23.10,Dry mouth,23.10,Euphoric mood,23.10
902758,Periorbital swelling,23.10,,,,,
902759,Arthralgia,23.10,Chills,23.10,Injected limb mobility decreased,
23.10,Injection site swelling,23.10,Pain,23.10
902759,Pyrexia,23.10,,,,,
902760,Injection site pain,23.10,Injection site pruritus,23.10,,,,,
902763,Injection site pain,23.10,Injection site swelling,23.10,,,,,
902764,Injection site bruising,23.10,Injection site pain,
23.10,Injection site swelling,23.10,,,,
902766,Chest discomfort,23.10,Cough,23.10,Immediate post-injection
reaction,23.10,Vaccination site bruising,23.10,Vaccination site
haemorrhage,23.10
902766,Wheelchair user,23.10,,,,,
902768,Heart rate decreased,23.10,Nausea,23.10,Tremor,23.10,,,,
902770,Pruritus,23.10,Rash maculo-papular,23.10,,,,,
902777,Erythema,23.10,Pruritus,23.10,,,,,
902778,Blood pressure increased,23.10,Headache,23.10,Immediate post-
injection reaction,23.10,Injection site hypoaesthesia,23.10,Injection
site swelling,23.10
902780,Rash,23.10,,,,,
902784,Electrocardiogram normal,23.10,Musculoskeletal chest pain,
23.10,,,,,
902787,Death,23.10,Unresponsive to stimuli,23.10,,,,,
902788,Influenza like illness,23.10,Pyrexia,23.10,,,,,
902790,Eye movement disorder,23.10,Hyperhidrosis,23.10,Memory
impairment,23.10,Pallor,23.10,Unresponsive to stimuli,23.10
902791,Dysphagia,23.10,Hypersensitivity,23.10,Hypoaesthesia,
23.10,Hypoaesthesia oral,23.10,Paraesthesia,23.10
902791,Paraesthesia oral,23.10,Pharyngeal swelling,23.10,Sensory
disturbance,23.10,Throat tightness,23.10,,
902792,Dizziness,23.10,Nausea,23.10,Palpitations,23.10,,,,
902793,Asthenia,23.10,Blood glucose normal,23.10,Dizziness,
23.10,Fatigue,23.10,Hypoaesthesia oral,23.10

902793, Impaired work ability, 23.10, Malaise, 23.10, Oropharyngeal discomfort, 23.10, Pharyngeal hypoaesthesia, 23.10, Respiratory tract irritation, 23.10
902793, Tongue discomfort, 23.10, , , , , , , ,
902794, Erythema, 23.10, Swollen tongue, 23.10, Throat tightness, 23.10, , , , ,
902795, Device connection issue, 23.10, Product design issue, 23.10, Product quality issue, 23.10, Syringe issue, 23.10, , ,
902796, Condition aggravated, 23.10, Feeling abnormal, 23.10, Hot flush, 23.10, Injection site pain, 23.10, Malaise, 23.10
902796, Migraine, 23.10, Vomiting, 23.10, , , , , , ,
902798, Circumstance or information capable of leading to medication error, 23.10, Contraindicated product administered, 23.10, , , , , , ,
902799, Asthenia, 23.10, Diarrhoea, 23.10, Malaise, 23.10, , , , , ,
902805, Anxiety, 23.10, Chills, 23.10, Dyspnoea, 23.10, Fall, 23.10, Feeling abnormal, 23.10
902805, Headache, 23.10, Pain in extremity, 23.10, Pallor, 23.10, Respiratory rate increased, 23.10, Visual impairment, 23.10
902810, Anxiety, 23.10, Blood pressure increased, 23.10, Dizziness, 23.10, Dyspnoea, 23.10, Injection site pain, 23.10
902811, Fall, 23.10, Seizure like phenomena, 23.10, , , , , , ,
902813, Asthenia, 23.10, Dizziness, 23.10, Fatigue, 23.10, , , , , ,
902815, Flushing, 23.10, Wheezing, 23.10, , , , , , ,
902818, Throat tightness, 23.10, , , , , , , ,
902821, Fatigue, 23.10, Myalgia, 23.10, Nausea, 23.10, , , , , ,
902823, Injection site erythema, 23.10, , , , , , , ,
902824, Headache, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , , ,
902826, Diarrhoea, 23.10, Headache, 23.10, Myalgia, 23.10, Nausea, 23.10, Oropharyngeal pain, 23.10
902826, Pain in extremity, 23.10, Pyrexia, 23.10, , , , , , ,
902827, Diarrhoea, 23.10, Rash, 23.10, , , , , , ,
902829, Injection site erythema, 23.10, , , , , , , ,
902831, Arthralgia, 23.10, Injection site pain, 23.10, Myalgia, 23.10, , , , , ,
902832, Fall, 23.10, Hyperhidrosis, 23.10, Loss of consciousness, 23.10, Malaise, 23.10, Orthostatic hypotension, 23.10
902832, Pain, 23.10, Pyrexia, 23.10, Tinnitus, 23.10, , , , , ,
902835, Immediate post-injection reaction, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , ,
902836, Blood glucose normal, 23.10, Dizziness, 23.10, Feeling hot, 23.10, Flushing, 23.10, Headache, 23.10
902836, Injection site erythema, 23.10, Injection site warmth, 23.10, Local reaction, 23.10, Malaise, 23.10, Nausea, 23.10
902836, Tremor, 23.10, , , , , , , ,
902837, Anxiety, 23.10, Dysphagia, 23.10, Tearfulness, 23.10, , , , , ,
902839, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , , ,
902841, Injection site pain, 23.10, Injection site swelling, 23.10, , , , , , ,
902865, Anaphylactic reaction, 23.10, Confusional state, 23.10, Cough, 23.10, Feeling abnormal, 23.10, Hypersensitivity, 23.10
902865, Pain in extremity, 23.10, Rash, 23.10, Rhinorrhoea, 23.10, Swelling face, 23.10, Syncope, 23.10
902865, Throat clearing, 23.10, Tic, 23.10, Wheezing, 23.10, , , , , ,

902902, Dizziness, 23.10, Pruritus, 23.10, Tachycardia, 23.10, Urticaria, 23.10,,
902903, Erythema, 23.10, Oedema peripheral, 23.10, Urticaria, 23.10,,,,
902908, Arthralgia, 23.10, Fatigue, 23.10, Feeling hot, 23.10, Pruritus, 23.10,,
902919, Chest discomfort, 23.10, Cold sweat, 23.10, Dyspnoea, 23.10, Throat tightness, 23.10,,
902923, Asthenia, 23.10, Chills, 23.10, Myalgia, 23.10, Nausea, 23.10,,
902925, Atelectasis, 23.10, Chest X-ray abnormal, 23.10, Chest pain, 23.10, Computerised tomogram thorax normal, 23.10, Dizziness, 23.10
902925, Electrocardiogram normal, 23.10, Fatigue, 23.10, Headache, 23.10, Heart rate increased, 23.10, Laboratory test normal, 23.10
902925, Lung hyperinflation, 23.10, Nausea, 23.10, Pain, 23.10, Pyrexia, 23.10, Vomiting, 23.10
902926, Erythema, 23.10, Flushing, 23.10, Nausea, 23.10,,,,
902927, Injection site pain, 23.10, Injection site swelling, 23.10,,,,,
902928, Abdominal pain upper, 23.10, Vomiting, 23.10,,,,,
902929, Blood pressure increased, 23.10, Dizziness, 23.10,,,,,
902930, Pain in extremity, 23.10, Tenderness, 23.10,,,,,
902931, Throat irritation, 23.10,,,,,
902932, Dizziness, 23.10, Flushing, 23.10, Immediate post-injection reaction, 23.10, Pruritus, 23.10,,
902933, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10,,,,
902938, Flushing, 23.10, Paraesthesia, 23.10, Throat irritation, 23.10,,,,
902939, Anaesthesia oral, 23.10, Dysarthria, 23.10, Hypoaesthesia, 23.10, Paraesthesia, 23.10,,
902940, Injection site erythema, 23.10, Injection site hypoaesthesia, 23.10,,,,,
902941, Cough, 23.10, Dry throat, 23.10, Pharyngeal hypoaesthesia, 23.10, Throat irritation, 23.10,,
902942, Headache, 23.10, Injection site pain, 23.10, Pain in extremity, 23.10,,,,
902943, Fatigue, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Myalgia, 23.10, Nausea, 23.10
902944, Flushing, 23.10, Hypoaesthesia oral, 23.10,,,,,
902945, Immediate post-injection reaction, 23.10, Injection site pain, 23.10,,,,,
902946, Angioedema, 23.10, Peripheral swelling, 23.10,,,,,
902948, Rash pustular, 23.10,,,,,
902949, Pharyngeal paraesthesia, 23.10,,,,,
902952, Chills, 23.10, Dizziness, 23.10, Headache, 23.10,,,,
902974, Myelitis, 23.10, Neuromyelitis optica spectrum disorder, 23.10,,,,,
902975, Influenza, 23.10, Vaccination failure, 23.10,,,,,
902983, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Myalgia, 23.10
902983, Pyrexia, 23.10,,,,,
902984, Chest pain, 23.10,,,,,
902986, Blood pressure fluctuation, 23.10, Chest X-ray normal, 23.10, Chest discomfort, 23.10, Dyspnoea, 23.10, Electrocardiogram normal, 23.10

902986, Fatigue, 23.10, Feeling hot, 23.10, Heart rate decreased, 23.10, Heart rate increased, 23.10, Hyperhidrosis, 23.10
902986, Injected limb mobility decreased, 23.10, Pain in extremity, 23.10, Palpitations, 23.10, Paraesthesia, 23.10, Pharyngeal swelling, 23.10
902987, Incorrect dose administered, 23.10, Injection site pain, 23.10, Pain in extremity, 23.10, , , ,
902988, Fatigue, 23.10, , , , , , ,
902989, Body temperature increased, 23.10, Fatigue, 23.10, Headache, 23.10, , , , ,
902990, Anosmia, 23.10, Asthenia, 23.10, Chills, 23.10, Cough, 23.10, Influenza virus test, 23.10
902990, Pain, 23.10, Pyrexia, 23.10, SARS-CoV-2 test, 23.10, Streptococcus test, 23.10, ,
902991, Rash, 23.10, , , , , , , ,
902992, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, , , , ,
902995, Chest X-ray normal, 23.10, Chest discomfort, 23.10, Chest pain, 23.10, Chills, 23.10, Computerised tomogram normal, 23.10
902995, Nausea, 23.10, Vomiting, 23.10, , , , , , ,
902997, Dizziness, 23.10, Glassy eyes, 23.10, Hyperhidrosis, 23.10, Nausea, 23.10, Visual tracking test abnormal, 23.10
902998, Arthralgia, 23.10, Chills, 23.10, Decreased appetite, 23.10, Fatigue, 23.10, Headache, 23.10
902998, Myalgia, 23.10, Nausea, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, ,
903001, Abdominal pain, 23.10, Bowel movement irregularity, 23.10, Chills, 23.10, Defaecation urgency, 23.10, Exercise tolerance decreased, 23.10
903001, Fatigue, 23.10, , , , , , , ,
903002, Anxiety, 23.10, Blood pressure increased, 23.10, Chest discomfort, 23.10, Paraesthesia, 23.10, Pharyngeal paraesthesia, 23.10
903003, Anxiety, 23.10, Blood pressure increased, 23.10, Chest discomfort, 23.10, Paraesthesia, 23.10, Pharyngeal paraesthesia, 23.10
903004, Blood pressure increased, 23.10, Chest discomfort, 23.10, Chest pain, 23.10, Dizziness, 23.10, Feeling hot, 23.10
903004, Hyperhidrosis, 23.10, , , , , , , ,
903007, Contraindicated product administered, 23.10, , , , , , , ,
903008, Fatigue, 23.10, Headache, 23.10, Pain, 23.10, , , , ,
903009, Blood glucose normal, 23.10, Chills, 23.10, Cold sweat, 23.10, Confusional state, 23.10, Dizziness, 23.10
903009, Nausea, 23.10, Visual impairment, 23.10, , , , , , ,
903010, Confusional state, 23.10, Slow response to stimuli, 23.10, Visual impairment, 23.10, , , , ,
903011, Nausea, 23.10, , , , , , , ,
903014, Computerised tomogram normal, 23.10, Confusional state, 23.10, Dyspnoea, 23.10, Haematuria, 23.10, Laboratory test normal, 23.10
903014, Loss of consciousness, 23.10, Neurological examination normal, 23.10, Syncope, 23.10, Tonic clonic movements, 23.10, Unresponsive to stimuli, 23.10
903014, Urinary assistance device user, 23.10, Urinary tract infection, 23.10, , , , , , ,
903015, Diarrhoea, 23.10, Fatigue, 23.10, Injection site reaction,

23.10,Migraine,23.10,Muscle fatigue,23.10
903016,Anaphylactic reaction,23.10,Chest X-ray,23.10,Dyspnoea,
23.10,Flushing,23.10,Hypoaesthesia,23.10
903016,Laboratory test,23.10,Panic attack,23.10,Paraesthesia,
23.10,Respiratory rate increased,23.10,Tremor,23.10
903017,Syringe issue,23.10,,,,,,, ,
903018,Arthralgia,23.10,Fatigue,23.10,Feeling of body temperature
change,23.10,Headache,23.10,Myalgia,23.10
903018,Pyrexia,23.10,,,,,,, ,
903019,Headache,23.10,Lymphadenopathy,23.10,Pyrexia,23.10,,,, ,
903022,Headache,23.10,Injection site pain,23.10,,,,,,, ,
903023,Myalgia,23.10,Pyrexia,23.10,,,,,,, ,
903024,Eye pain,23.10,Headache,23.10,Rosacea,23.10,,,, ,
903028,Arthralgia,23.10,Fatigue,23.10,Nausea,23.10,Pruritus,23.10,, ,
903030,Chest pain,23.10,Dizziness,23.10,Dysgeusia,23.10,Dysphagia,
23.10,Dyspnoea,23.10
903030,Electrocardiogram normal,23.10,Flushing,23.10,Immediate post-
injection reaction,23.10,Pallor,23.10,Paraesthesia,23.10
903030,Tremor,23.10,,,,,,, ,
903031,Chills,23.10,Headache,23.10,Injected limb mobility decreased,
23.10,Myalgia,23.10,Pain in extremity,23.10
903034,Dizziness,23.10,Vertigo,23.10,,,,,,, ,
903035,Flushing,23.10,Pruritus,23.10,Rash,23.10,Rash erythematous,
23.10,, ,
903036,Back pain,23.10,Headache,23.10,Nausea,23.10,Pain in extremity,
23.10,, ,
903039,Brain injury,23.10,Cardiac arrest,23.10,Hypoxic-ischaemic
encephalopathy,23.10,Pneumonia aspiration,23.10,Respiratory failure,
23.10
903040,Chills,23.10,Injection site erythema,23.10,Injection site pain,
23.10,Limb discomfort,23.10,Mobility decreased,23.10
903040,Nausea,23.10,Pain,23.10,Skin warm,23.10,,,, ,
903043,Asthenia,23.10,Chills,23.10,Fatigue,23.10,Headache,23.10,, ,
903044,Hypoaesthesia oral,23.10,,,,,,, ,
903045,Headache,23.10,Hypoaesthesia,23.10,Neck pain,23.10,Pain,
23.10,Pain in extremity,23.10
903046,Pain in extremity,23.10,,,,,,, ,
903047,Circumstance or information capable of leading to medication
error,23.10,Dizziness,23.10,Headache,23.10,Syncope,23.10,, ,
903062,Seizure,23.10,,,,,,, ,
903063,Diarrhoea,23.10,Rash,23.10,Vomiting,23.10,,,, ,
903066,Facial paralysis,23.10,,,,,,, ,
903068,Dizziness,23.10,Loss of consciousness,23.10,,,,,,, ,
903072,Pneumonia,23.10,,,,,,, ,
903073,Diarrhoea,23.10,Headache,23.10,,,,,,, ,
903074,Headache,23.10,,,,,,, ,
903075,Chills,23.10,Myalgia,23.10,Pyrexia,23.10,SARS-CoV-2 test
negative,23.10,, ,
903079,Fatigue,23.10,Headache,23.10,Injection site pain,23.10,Pain,
23.10,Pyrexia,23.10

903081, Confusional state, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10, Somnolence, 23.10
903082, Cough, 23.10, Diarrhoea, 23.10, Dyspnoea, 23.10, Hyperhidrosis, 23.10, Mental status changes, 23.10
903082, Myalgia, 23.10, , , , , , , , ,
903085, Ear pruritus, 23.10, Eye swelling, 23.10, Feeling hot, 23.10, Ocular discomfort, 23.10, Paraesthesia, 23.10
903089, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Flank pain, 23.10, Headache, 23.10
903089, Myalgia, 23.10, Neck pain, 23.10, Pyrexia, 23.10, , , , ,
903091, Arthralgia, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Injection site swelling, 23.10
903091, Injection site warmth, 23.10, Limb discomfort, 23.10, Pain in extremity, 23.10, Pyrexia, 23.10, , ,
903092, Fatigue, 23.10, Headache, 23.10, Lymphadenopathy, 23.10, Pain, 23.10, Pain in extremity, 23.10
903092, Pyrexia, 23.10, , , , , , , , ,
903094, Chills, 23.10, Dizziness, 23.10, Fatigue, 23.10, Feeling cold, 23.10, Heart rate increased, 23.10
903094, Hypertension, 23.10, Incoherent, 23.10, Tinnitus, 23.10, , , , ,
903095, Blood pressure increased, 23.10, Chest discomfort, 23.10, Dizziness, 23.10, Heart rate increased, 23.10, Hyperhidrosis, 23.10
903107, Cardiovascular disorder, 23.10, Deafness, 23.10, Herpes zoster, 23.10, Post herpetic neuralgia, 23.10, , ,
903108, Facial paralysis, 23.10, , , , , , , , ,
903110, Arthralgia, 23.10, Blister, 23.10, Herpes zoster, 23.10, Vaccination failure, 23.10, , ,
903112, Electrocardiogram abnormal, 23.10, Flushing, 23.10, Heart rate irregular, 23.10, Palpitations, 23.10, Ventricular extrasystoles, 23.10
903115, Chills, 23.10, Pain, 23.10, Pyrexia, 23.10, , , , ,
903118, Headache, 23.10, Injection site rash, 23.10, Nausea, 23.10, Rash, 23.10, Vomiting, 23.10
903120, Abdominal pain, 23.10, Asthenia, 23.10, Cold sweat, 23.10, Diarrhoea, 23.10, Dizziness, 23.10
903120, Head discomfort, 23.10, Hyperhidrosis, 23.10, , , , , , , , ,
903121, Headache, 23.10, Myalgia, 23.10, Neck pain, 23.10, , , , ,
903122, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Pain, 23.10
903122, Poor quality sleep, 23.10, , , , , , , , ,
903123, Activated partial thromboplastin time shortened, 23.10, Alanine aminotransferase normal, 23.10, Anion gap, 23.10, Aspartate aminotransferase normal, 23.10, Basophil count normal, 23.10
903123, Basophil percentage decreased, 23.10, Blood albumin normal, 23.10, Blood alkaline phosphatase normal, 23.10, Blood bilirubin normal, 23.10, Blood calcium normal, 23.10
903123, Blood chloride normal, 23.10, Blood creatinine normal, 23.10, Blood glucose normal, 23.10, Blood magnesium normal, 23.10, Blood osmolarity decreased, 23.10
903123, Blood potassium decreased, 23.10, Blood sodium normal, 23.10, Blood urea nitrogen/creatinine ratio, 23.10, Blood urea normal, 23.10, C-

reactive protein increased,23.10
903123,Carbon dioxide normal,23.10,Chest discomfort,23.10,Dizziness,
23.10,Dyspnoea,23.10,Eosinophil count normal,23.10
903123,Eosinophil percentage decreased,23.10,Fibrin D dimer,
23.10,Glomerular filtration rate decreased,23.10,Haematocrit normal,
23.10,Haemoglobin normal,23.10
903123,Immature granulocyte count increased,23.10,Injection site pain,
23.10,International normalised ratio normal,23.10,Lymphocyte count
normal,23.10,Lymphocyte percentage,23.10
903123,Mean cell haemoglobin concentration decreased,23.10,Mean cell
haemoglobin normal,23.10,Mean cell volume normal,23.10,Mean platelet
volume increased,23.10,Monocyte count normal,23.10
903123,Monocyte percentage,23.10,N-terminal prohormone brain
natriuretic peptide normal,23.10,Neutrophil count normal,
23.10,Neutrophil percentage,23.10,Palpitations,23.10
903123,Platelet count normal,23.10,Protein total normal,
23.10,Prothrombin time shortened,23.10,Rash,23.10,Rash erythematous,
23.10
903123,Red blood cell count normal,23.10,Red blood cell sedimentation
rate increased,23.10,Red cell distribution width normal,23.10,SARS-
CoV-2 test negative,23.10,Troponin T normal,23.10
903123,White blood cell count normal,23.10,,,,,
903125,Flushing,23.10,Pyrexia,23.10,Tachycardia,23.10,,,,,
903127,Pain,23.10,Pain in extremity,23.10,,,,,
903128,Anxiety,23.10,Dysphonia,23.10,Pharyngeal swelling,
23.10,Pruritus,23.10,Rash,23.10
903128,Tachycardia,23.10,,,,,
903129,Dysgeusia,23.10,Hypoaesthesia,23.10,Pain in jaw,23.10,,,,,
903130,Blood gases,23.10,Chest X-ray,23.10,Dysgeusia,23.10,Dysphagia,
23.10,Dyspnoea,23.10
903130,Electrocardiogram,23.10,Hypoaesthesia,23.10,Metabolic acidosis,
23.10,Paraesthesia,23.10,Tachycardia,23.10
903130,Troponin,23.10,,,,,
903131,Arthralgia,23.10,Fatigue,23.10,Malaise,23.10,Nausea,23.10,Pain,
23.10
903132,Throat tightness,23.10,Wheelchair user,23.10,,,,,
903133,Blood pressure increased,23.10,Dyspnoea,23.10,Flushing,
23.10,Heart rate increased,23.10,Tachycardia,23.10
903134,Chest discomfort,23.10,Cough,23.10,Dyspnoea,23.10,Flushing,
23.10,Rash,23.10
903135,Dysstasia,23.10,Fatigue,23.10,Injection site pain,
23.10,Malaise,23.10,Muscle spasms,23.10
903135,Nausea,23.10,Palpitations,23.10,,,,,
903138,Injection site urticaria,23.10,,,,,
903139,Abdominal pain upper,23.10,Arthralgia,23.10,Body temperature
increased,23.10,Chills,23.10,Diarrhoea,23.10
903139,Headache,23.10,,,,,
903140,Headache,23.10,Injection site pain,23.10,Nausea,23.10,,,,,
903142,Hypoaesthesia,23.10,Muscular weakness,23.10,Sensation of
foreign body,23.10,,,,,

903143, Limb discomfort, 23.10, Neurological examination normal,
23.10, Paraesthesia, 23.10, , , ,
903144, Headache, 23.10, , , , , , , ,
903147, Fatigue, 23.10, Injection site pain, 23.10, Ocular discomfort,
23.10, Pain in extremity, 23.10, ,
903149, Diarrhoea, 23.10, Dizziness, 23.10, Faeces discoloured,
23.10, Feeling cold, 23.10, Hyperhidrosis, 23.10
903149, Injection site pain, 23.10, Nausea, 23.10, Poor quality sleep,
23.10, Pyrexia, 23.10, Vomiting, 23.10
903150, Feeling hot, 23.10, , , , , , , ,
903151, Chills, 23.10, Injection site induration, 23.10, Pain, 23.10, , , , ,
903152, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Pain in extremity,
23.10, ,
903153, Body temperature increased, 23.10, Erythema, 23.10, Feeling
abnormal, 23.10, Hypoaesthesia, 23.10, Immediate post-injection reaction,
23.10
903153, Pharyngeal hypoaesthesia, 23.10, Pruritus, 23.10, Throat
irritation, 23.10, , , , ,
903154, Chest discomfort, 23.10, Dizziness, 23.10, Flushing,
23.10, Palpitations, 23.10, ,
903155, Palatal oedema, 23.10, Rash, 23.10, , , , , , ,
903157, Headache, 23.10, , , , , , , ,
903159, Blood pressure increased, 23.10, Heart rate increased,
23.10, Palpitations, 23.10, , , , ,
903160, Fatigue, 23.10, Impaired work ability, 23.10, Migraine,
23.10, Nausea, 23.10, Photophobia, 23.10
903161, Circumoral swelling, 23.10, Oropharyngeal discomfort, 23.10, , , , , , ,
903162, Hypersensitivity, 23.10, Paraesthesia oral, 23.10, Swollen tongue,
23.10, , , , ,
903163, Cranial nerve disorder, 23.10, Nerve conduction studies abnormal,
23.10, Paraesthesia, 23.10, Paraesthesia oral, 23.10, , ,
903165, Chills, 23.10, Fatigue, 23.10, Pain, 23.10, , , , ,
903167, Asthenia, 23.10, Cold sweat, 23.10, Dizziness, 23.10, Fasting,
23.10, Feeling cold, 23.10
903169, Dizziness, 23.10, , , , , , , ,
903170, Fatigue, 23.10, Headache, 23.10, Injection site pain, 23.10, Pain,
23.10, Swelling, 23.10
903174, Chills, 23.10, Headache, 23.10, Pain in extremity, 23.10, , , , ,
903175, Dyspnoea, 23.10, Pruritus, 23.10, Rash pruritic, 23.10, Rhinorrhoea,
23.10, Urticaria, 23.10
903178, Chest discomfort, 23.10, Dizziness, 23.10, Erythema, 23.10, Injection
site pruritus, 23.10, Pruritus, 23.10
903178, Urticaria, 23.10, , , , , , , ,
903180, Abdominal pain upper, 23.10, Arthralgia, 23.10, Chills, 23.10, Cold
sweat, 23.10, Diarrhoea, 23.10
903180, Myalgia, 23.10, , , , , , , ,
903182, Immediate post-injection reaction, 23.10, Pain in extremity,
23.10, Paraesthesia, 23.10, , , , ,
903183, Fatigue, 23.10, Nausea, 23.10, Pain, 23.10, , , , ,
903184, Paraesthesia oral, 23.10, , , , , , , ,

903185, Fatigue, 23.10, Headache, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Myalgia, 23.10
903185, Pyrexia, 23.10, , , , , , , ,
903187, Pruritus, 23.10, , , , , , , ,
903188, Arthralgia, 23.10, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10
903188, Pyrexia, 23.10, , , , , , , ,
903189, Feeling hot, 23.10, Hyperhidrosis, 23.10, Immediate post-injection reaction, 23.10, Injection site erythema, 23.10, ,
903191, Arthralgia, 23.10, Chills, 23.10, Cold sweat, 23.10, Diarrhoea, 23.10, Fatigue, 23.10
903191, Headache, 23.10, Hyperhidrosis, 23.10, Injection site pain, 23.10, Myalgia, 23.10, Pyrexia, 23.10
903191, Rhinorrhoea, 23.10, , , , , , , ,
903192, Dyspnoea, 23.10, Paraesthesia oral, 23.10, Pharyngeal paraesthesia, 23.10, Pharyngeal swelling, 23.10, Swollen tongue, 23.10
903193, Fatigue, 23.10, Headache, 23.10, , , , , , ,
903194, Product preparation issue, 23.10, , , , , , , ,
903195, Chills, 23.10, Fatigue, 23.10, Headache, 23.10, Nausea, 23.10, Pain, 23.10
903195, Pyrexia, 23.10, , , , , , , ,
903197, Dysphonia, 23.10, Rash, 23.10, Swollen tongue, 23.10, Tachycardia, 23.10, Throat irritation, 23.10
903198, Abdominal pain, 23.10, Body temperature increased, 23.10, Chills, 23.10, Fatigue, 23.10, ,
903199, Asthma, 23.10, Condition aggravated, 23.10, Head discomfort, 23.10, Ocular discomfort, 23.10, Throat tightness, 23.10
903200, Dizziness, 23.10, Headache, 23.10, , , , , , ,
903201, Chest pain, 23.10, , , , , , , ,
903202, Dizziness, 23.10, Hot flush, 23.10, Visual impairment, 23.10, , , , ,
903204, Fatigue, 23.10, Feeling abnormal, 23.10, Frequent bowel movements, 23.10, Injection site pain, 23.10, Nausea, 23.10
903204, Pollakiuria, 23.10, , , , , , , ,
903205, Arthralgia, 23.10, Diarrhoea, 23.10, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10
903205, Nausea, 23.10, Pyrexia, 23.10, , , , , , ,
903206, Fatigue, 23.10, Headache, 23.10, , , , , , , ,
903207, Abdominal pain upper, 23.10, Headache, 23.10, Injection site joint pain, 23.10, Muscle fatigue, 23.10, Nausea, 23.10
903207, SARS-CoV-2 test, 23.10, , , , , , , ,
903209, Chills, 23.10, Headache, 23.10, Hyperhidrosis, 23.10, Nausea, 23.10, ,
903210, Flushing, 23.10, Pruritus, 23.10, , , , , , , ,
903211, Dysarthria, 23.10, Palpitations, 23.10, Rash, 23.10, Swelling face, 23.10, Taste disorder, 23.10
903213, Arthralgia, 23.10, Dizziness, 23.10, Fatigue, 23.10, Throat irritation, 23.10, ,
903214, Paraesthesia, 23.10, , , , , , , ,
903217, Dizziness, 23.10, Headache, 23.10, Increased upper airway secretion, 23.10, , , , ,
903218, Asthenia, 23.10, Chest discomfort, 23.10, Electrocardiogram,

23.10, Laboratory test, 23.10, Myalgia, 23.10
903220, Injection site pain, 23.10, Pain in extremity, 23.10, , , , , ,
903221, Blood pressure increased, 23.10, Tachycardia, 23.10, , , , , ,
903222, Headache, 23.10, Injection site pain, 23.10, Product preparation
issue, 23.10, , , , ,
903223, Chills, 23.10, Fatigue, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
903224, Flushing, 23.10, Heart rate increased, 23.10, , , , , ,
903225, Pruritus, 23.10, , , , , , , ,
903226, Injection site pain, 23.10, Pain, 23.10, , , , , ,
903227, Hypoaesthesia, 23.10, Hypoaesthesia oral, 23.10, Nausea, 23.10, , , ,
903228, Dizziness, 23.10, Electrocardiogram, 23.10, Hypertension,
23.10, Palpitations, 23.10, ,
903229, Angina pectoris, 23.10, Arthralgia, 23.10, Burning sensation,
23.10, Cardiac discomfort, 23.10, Chest pain, 23.10
903229, Dizziness, 23.10, Dysphonia, 23.10, Flushing, 23.10, Pain,
23.10, Paraesthesia, 23.10
903229, Tachycardia, 23.10, , , , , , , ,
903230, Diarrhoea, 23.10, Disturbance in attention, 23.10, Dizziness,
23.10, Feeling abnormal, 23.10, Feeling hot, 23.10
903230, Flushing, 23.10, Food allergy, 23.10, Head discomfort,
23.10, Headache, 23.10, Impaired work ability, 23.10
903230, Nasal dryness, 23.10, Paraesthesia, 23.10, Paraesthesia oral,
23.10, Pyrexia, 23.10, ,
903231, Headache, 23.10, Injected limb mobility decreased, 23.10, , , , , ,
903233, Chills, 23.10, Dizziness, 23.10, Headache, 23.10, Laboratory test
normal, 23.10, Myalgia, 23.10
903233, Nausea, 23.10, Pyrexia, 23.10, , , , , ,
903234, Arthralgia, 23.10, Joint swelling, 23.10, , , , , ,
903235, Feeling cold, 23.10, Flushing, 23.10, Heart rate increased,
23.10, Paraesthesia, 23.10, ,
903236, Product preparation error, 23.10, , , , , , , ,
903238, Arthralgia, 23.10, Back pain, 23.10, Neck pain, 23.10, Spinal pain,
23.10, ,
903240, Blood pressure increased, 23.10, Dizziness, 23.10, Feeling
abnormal, 23.10, Headache, 23.10, Heart rate increased, 23.10
903240, Palpitations, 23.10, , , , , , , ,
903241, Immediate post-injection reaction, 23.10, Injection site
swelling, 23.10, , , , , ,
903242, Injection site erythema, 23.10, Injection site pain, 23.10, , , , , ,
903243, Blood glucose normal, 23.10, Blood urea increased, 23.10, C-
reactive protein increased, 23.10, Full blood count normal,
23.10, International normalised ratio normal, 23.10
903243, Metabolic function test normal, 23.10, Nausea, 23.10, Pharyngeal
swelling, 23.10, Swelling face, 23.10, Throat irritation, 23.10
903243, Urticaria, 23.10, , , , , , , ,
903247, Diarrhoea, 23.10, Hot flush, 23.10, Pain in extremity,
23.10, Vomiting, 23.10, ,
903248, Blood pressure increased, 23.10, Burning sensation, 23.10, Feeling
abnormal, 23.10, Flushing, 23.10, Paraesthesia, 23.10
903248, Tachycardia, 23.10, , , , , , , ,

903249, Palpitations, 23.10, , , , , , , , ,
903251, Mobility decreased, 23.10, Pain in extremity, 23.10, , , , , ,
903252, Chills, 23.10, Headache, 23.10, Pyrexia, 23.10, , , , ,
903253, Pain in extremity, 23.10, Sleep disorder, 23.10, Tenderness,
23.10, , , , ,
903255, Dizziness, 23.10, Feeling cold, 23.10, Feeling hot, 23.10, Flushing,
23.10, Hyperhidrosis, 23.10
903255, Throat tightness, 23.10, , , , , , , , ,
903256, Dyspnoea, 23.10, Electrocardiogram abnormal, 23.10, Human chorionic
gonadotropin, 23.10, Palpitations, 23.10, Sinus tachycardia, 23.10
903258, Body temperature increased, 23.10, Fatigue, 23.10, Myalgia,
23.10, , , , ,
903259, Condition aggravated, 23.10, Paraesthesia oral, 23.10, , , , , , ,
903260, Condition aggravated, 23.10, Cough, 23.10, Tracheomalacia,
23.10, Wheezing, 23.10, ,
903261, Fatigue, 23.10, Headache, 23.10, Pain in extremity, 23.10, SARS-CoV-2
test negative, 23.10, Somnolence, 23.10
903262, Arthralgia, 23.10, Fatigue, 23.10, Injection site pain, 23.10, Pain,
23.10, Pyrexia, 23.10
903263, Dizziness, 23.10, Dysgeusia, 23.10, Feeling cold, 23.10, Headache,
23.10, Hyperhidrosis, 23.10
903263, Pallor, 23.10, Palpitations, 23.10, Tachycardia, 23.10, Taste
disorder, 23.10, ,
903264, Injection site rash, 23.10, Pruritus, 23.10, Skin warm, 23.10, , , , ,
903265, Body temperature increased, 23.10, Chills, 23.10, Diarrhoea,
23.10, Dyspepsia, 23.10, Injected limb mobility decreased, 23.10
903265, Insomnia, 23.10, Myalgia, 23.10, Pain in extremity, 23.10, , , , ,
903271, Blepharospasm, 23.10, Peripheral coldness, 23.10, Skin
discolouration, 23.10, , , , ,
903274, Ear discomfort, 23.10, Hypoaesthesia, 23.10, Injection site pain,
23.10, Tinnitus, 23.10, ,
903278, Ageusia, 23.10, , , , , , , , ,
903279, Headache, 23.10, Injection site pain, 23.10, Injection site
reaction, 23.10, Limb discomfort, 23.10, Nausea, 23.10
903279, Vomiting, 23.10, , , , , , , , ,
903280, Dizziness, 23.10, Exposure during pregnancy, 23.10, Flushing,
23.10, Nausea, 23.10, ,
903281, Dyspnoea, 23.10, Palpitations, 23.10, Sensation of foreign body,
23.10, , , , ,
903282, Injection site erythema, 23.10, Injection site nodule,
23.10, Palpitations, 23.10, Throat irritation, 23.10, ,
903283, Blood thyroid stimulating hormone decreased, 23.10, Dizziness,
23.10, Electrocardiogram normal, 23.10, Full blood count normal,
23.10, Urine analysis normal, 23.10
903285, Headache, 23.10, Malaise, 23.10, Pain, 23.10, Pyrexia, 23.10, ,
903286, Injected limb mobility decreased, 23.10, Injection site pain,
23.10, , , , , , ,
903287, Abdominal pain upper, 23.10, Asthenia, 23.10, Decreased appetite,
23.10, Fatigue, 23.10, Headache, 23.10
903287, Injection site pain, 23.10, Nausea, 23.10, Paraesthesia, 23.10, , , , ,

903288,Pain in extremity,23.10,,,,,
903289,Dysgeusia,23.10,Feeling hot,23.10,Flushing,23.10,Injection site
rash,23.10,Nausea,23.10
903289,Rash,23.10,,,,,
903313,Adverse reaction,23.10,,,,,
903318,Computerised tomogram,23.10,Facial paralysis,23.10,Laboratory
test,23.10,Magnetic resonance imaging,23.10,Oral discomfort,23.10
903321,Blood chloride normal,23.10,Blood creatinine normal,23.10,Blood
potassium decreased,23.10,Blood sodium normal,23.10,Dizziness,23.10
903321,Electrocardiogram normal,23.10,Tachycardia,23.10,,,,,
903322,Dyspnoea,23.10,Paraesthesia,23.10,,,,,
903323,Arthralgia,23.10,Chills,23.10,Diarrhoea,23.10,Headache,
23.10,Injection site pain,23.10
903323,Malaise,23.10,Myalgia,23.10,Nasal congestion,23.10,Nausea,
23.10,,
903324,Dysphagia,23.10,Oropharyngeal discomfort,23.10,Pharyngeal
swelling,23.10,Throat irritation,23.10,Throat tightness,23.10
903324,Tongue discomfort,23.10,,,,,
903325,Erythema,23.10,Swelling face,23.10,,,,,
903326,Headache,23.10,,,,,
903327,Anaphylactic reaction,23.10,Diarrhoea,23.10,Immediate post-
injection reaction,23.10,Malaise,23.10,Nausea,23.10
903327,Oropharyngeal discomfort,23.10,Rash,23.10,Vomiting,23.10,,,,,
903328,Chills,23.10,Pyrexia,23.10,,,,,
903329,Dizziness,23.10,Hot flush,23.10,Limb discomfort,23.10,,,,,
903332,Seizure,23.10,,,,,
903333,Dizziness,23.10,Nausea,23.10,Presyncope,23.10,,,,,
903334,Feeling abnormal,23.10,Full blood count normal,23.10,Immediate
post-injection reaction,23.10,Injection site pain,23.10,Insomnia,23.10
903334,Metabolic function test normal,23.10,Nasal discomfort,
23.10,Oral discomfort,23.10,Pruritus,23.10,Swelling of eyelid,23.10
903335,Headache,23.10,,,,,
903336,Injection site pruritus,23.10,Injection site urticaria,
23.10,,,,,
903337,Hypoaesthesia oral,23.10,,,,,
903338,Asthenia,23.10,Dizziness,23.10,Hyperhidrosis,23.10,Nausea,
23.10,Pallor,23.10
903338,Paraesthesia,23.10,Syncope,23.10,Tunnel vision,23.10,,,,,
903339,Product preparation error,23.10,,,,,
903340,Pain in extremity,23.10,,,,,
903341,Product preparation issue,23.10,,,,,
903344,Acoustic stimulation tests abnormal,23.10,Deafness unilateral,
23.10,Tinnitus,23.10,,,,,
903345,Headache,23.10,Hot flush,23.10,Pain in extremity,23.10,,,,,
903347,Paraesthesia,23.10,,,,,
903352,Chills,23.10,Cough,23.10,Dyspepsia,23.10,Fatigue,
23.10,Headache,23.10
903352,Pyrexia,23.10,,,,,
903355,Maternal exposure during breast feeding,23.10,,,,,
903356,Dysgeusia,23.10,,,,,

903357, Blood pressure increased, 23.10, Chest discomfort, 23.10, Chest pain, 23.10, Electrocardiogram normal, 23.10,,
903358, Chest discomfort, 23.10, Dry throat, 23.10, Dyspnoea, 23.10, Hyperhidrosis, 23.10, Tachycardia, 23.10
903358, Throat tightness, 23.10,,,,,,
903359, Pain in extremity, 23.10,,,,,,
903360, Fatigue, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Pyrexia, 23.10,,
903361, Chills, 23.10, Hyperhidrosis, 23.10,,,,,,
903373, Dizziness, 23.10, Pain, 23.10, Urticaria, 23.10,,,,
903374, Pruritus, 23.10, Rash, 23.10,,,,,
903375, Erythema, 23.10, Palmar erythema, 23.10, Pruritus, 23.10,,,,
903376, Fatigue, 23.10, Headache, 23.10, Myalgia, 23.10,,,,
903379, Fatigue, 23.10, Headache, 23.10,,,,,
903380, Ocular hyperaemia, 23.10, Swelling, 23.10, Urticaria, 23.10,,,,
903382, Blood test, 23.10, Pharyngeal hypoaesthesia, 23.10, Pharyngeal paraesthesia, 23.10, Throat irritation, 23.10,,
903384, Flushing, 23.10, Injection site erythema, 23.10, Injection site swelling, 23.10, Injection site warmth, 23.10, Pruritus, 23.10
903387, Ear discomfort, 23.10, Fatigue, 23.10, Flushing, 23.10, Injection site pain, 23.10, Muscular weakness, 23.10
903387, Pain, 23.10, Pain in extremity, 23.10, Skin warm, 23.10, Swelling, 23.10,,
903388, Injection site pain, 23.10, Pain, 23.10,,,,,
903392, Pruritus, 23.10, Rash, 23.10, Rash maculo-papular, 23.10,,,,
903393, Arthralgia, 23.10, Chills, 23.10, Headache, 23.10, Myalgia, 23.10,,
903399, Body temperature decreased, 23.10, Hypothermia, 23.10,,,,,
903400, Dyskinesia, 23.10, Dyspnoea, 23.10, Feeling hot, 23.10, Flushing, 23.10, Intensive care, 23.10
903400, Respiratory arrest, 23.10, Urticaria, 23.10, Wheezing, 23.10,,,,
903402, Chills, 23.10, Cough, 23.10, Fatigue, 23.10, Headache, 23.10, Impaired work ability, 23.10
903402, Pain, 23.10, Pyrexia, 23.10, Respiratory tract congestion, 23.10,,,,
903404, Arthralgia, 23.10, Myalgia, 23.10,,,,,
903405, Decreased appetite, 23.10, Dysgeusia, 23.10,,,,,
903492, Hypoaesthesia, 23.10, Immediate post-injection reaction, 23.10, Peripheral coldness, 23.10,,,,
903494, Peripheral swelling, 23.10,,,,,,
903532, Cardiac monitoring, 23.10, Chest X-ray, 23.10, Chest discomfort, 23.10, Chest pain, 23.10, Cough, 23.10
903532, Differential white blood cell count, 23.10, Dysgeusia, 23.10, Electrocardiogram, 23.10, Fibrin D dimer, 23.10, Full blood count, 23.10
903532, Laboratory test, 23.10, Laboratory test normal, 23.10, Lacrimation increased, 23.10, Neck pain, 23.10, Pain in extremity, 23.10
903532, Pain in jaw, 23.10, Troponin, 23.10, Vaccination complication, 23.10,,,,
903535, Abdominal pain, 23.10, Arthralgia, 23.10, Chills, 23.10, Feeding disorder, 23.10, Headache, 23.10
903535, Hyperhidrosis, 23.10, Influenza like illness, 23.10, Pain,

23.10,Pain in extremity,23.10,,
903536,Diarrhoea,23.10,,,,,,,
903539,Injection site discomfort,23.10,Injection site erythema,
23.10,Injection site swelling,23.10,,,,,
903541,Fatigue,23.10,Thirst,23.10,Vaccination site pain,23.10,,,,,
903614,Chills,23.10,Decreased appetite,23.10,Fatigue,
23.10,Hyperhidrosis,23.10,Nausea,23.10
903614,Vomiting,23.10,,,,,,,